

D.A.T.A.BOOK
OF
DISCONTINUED
TRANSISTORS

SUMMER 1969


5th EDITION

THIS D.A.T.A.B O O K VALID UNTIL SUMMER 1970 EDITION

D.A.T.A. inc. REFERENCE STANDARDS FOR INDUSTRY

D.A.T.A.

REFERENCE STANDARDS FOR INDUSTRY



D.A.T.A. BOOK OF DISCONTINUED TRANSISTORS

Staff

President	Henry Tulchin
Executive Vice-President	E. L. Ayres
Director, Operations	Gordon Newman
Engineering Manager	Herman Schlesinger
Manager, Data Processing	Fred Lepow
Sales Manager	Ray Vitullo

COPYRIGHT © 1969 DERIVATION AND TABULATION ASSOCIATES, INC.


32 LINCOLN AVENUE • ORANGE, N. J. 07050

Tel. 201-673-8030

• TWX 710-994-5839

SUMMER 1969

**5TH
EDITION**



INFORMATION GUIDELINES FOR USE WITH DISCONTINUED TRANSISTOR



- When you search for information refer to any of the 5 Known/Unknown situations below. Follow the outlined procedure to acquire maximum information.
- For outline drawing — refer to your current Transistor D.A.T.A.BOOK (Section 15).
- In each case below — start with the type number of the discontinued device:

You Know **Type Number**
and You Need

➔ **Manufacturer's address**

- A. Turn to type number cross index section 1.
- B. The manufacturers' codes are shown for each type number.
- C. Manufacturers' names in code order are listed at the back of the D.A.T.A.BOOK, together with current or last known address.
- D. In the event the name and/or code of a manufacturer is changed, the most recent manufacturer's code is given.

➔ **Its characteristics**

- A. Turn to type number cross index section 1.
- B. Opposite each type number is the page and line number.
- C. Turn to pertinent page; the line numbers are listed in sequence.
- D. In addition to the electrical data, the drawing referenced at end of the technical data line will be found in your current Transistor D.A.T.A.BOOK.

➔ **Current equivalents or similar types**

- A. Follow through second situation.
- B. Turn to corresponding section of your current Transistor D.A.T.A.BOOK.
- C. Survey characteristics of types to determine which type number might fill your need.
- D. To ascertain manufacturer of suitable type, see first situation and follow through in current Transistor D.A.T.A.BOOK.

➔ **Case and dimensions**

- A. Follow through 2nd situation.
- B. The drawing number will be found in your current Transistor D.A.T.A.BOOK in drawing number order.

➔ **Type number (non-JEDEC) not included in technical sections — what happened to it?**

- A. Turn to type number cross index section.
- B. Note if manufacturer type number has been replaced by a JEDEC number, and a symbol (CUR) current or (Obs) obsolete will tell you if the data can be found in the Transistor D.A.T.A.BOOK or the Discontinued Transistor D.A.T.A.BOOK.
- C. If the JEDEC number is obsolete, refer to that number in the index to locate its technical data.
- D. If the JEDEC number is current, technical details will be found in the current edition of the Transistor D.A.T.A.BOOK.
- E. If type number you seek is not included in either D.A.T.A.BOOK, it is a private number.

T A B L E O F CONTENTS

TECHNICAL DATA SECTIONS

Things You'll Want To Know	iv - v
Explanations of Symbols & Codes	vi - vii
1 TYPE NUMBER CROSS INDEX	2 - 17
In type number sequence indicating all manufacturers (coded) of each obsolete type.	
LOW-POWER TRANSISTOR SECTIONS	
Normally under 1 watt dissipation in free air.	
2 GERMANIUM PNP TYPES	18 - 32
3 GERMANIUM NPN TYPES	33 - 34
4 SILICON PNP TYPES	35 - 38
5 SILICON NPN TYPES	39 - 49
6 FIELD-EFFECT P CHANNEL TYPES	50
7 FIELD-EFFECT N CHANNEL TYPES	51
HIGH-POWER TRANSISTOR SECTIONS	
Normally over 1 watt dissipation in free air.	
8 GERMANIUM PNP TYPES	52 - 57
9 GERMANIUM NPN TYPES	58
10 SILICON PNP TYPES	59
11 SILICON NPN TYPES	60 - 67
SPECIAL SECTIONS	
12 SWITCHING TRANSISTORS	68 - 72
These types are also listed in previous sections. This section includes additional switching data.	
13 MISCELLANEOUS TRANSISTORS	73 - 77
For categories see Symbol/Code Explanation — Page vi	
SUPPLEMENTARY SECTION	
14 MANUFACTURERS AND THEIR ADDRESSES	78 - 80
D.A.T.A. SERVICES	82

THINGS YOU'LL WANT TO KNOW . .

Purpose

This DISCONTINUED TRANSISTOR D.A.T.A.BOOK is designed to provide comprehensive, technical reference information on transistors which are no longer being manufactured. While there are still quite a few discontinued transistor types on which data have not yet been released by the manufacturers, it is hoped you will be able to resolve most of your search or replacement problems with this D.A.T.A.BOOK.

Scope

6543 Discontinued Transistors previously produced by manufacturers throughout the free world are represented in this D.A.T.A.BOOK — including all discontinued types which have appeared, at any time, in the TRANSISTOR D.A.T.A.BOOK, and some previously unpublicized types, the data on which manufacturers have recently made available to us.

Solving Your Problem

With this D.A.T.A.BOOK you can proceed from a discontinued transistor type number to its characteristics — then to the corresponding technical section of the current TRANSISTOR D.A.T.A.BOOK to locate presently manufactured types having similar characteristics.

Or, if you need only information on who manufactured a discontinued type number, the answer is at your fingertips in the Type No. Cross Index of this D.A.T.A.BOOK.

Organization & Use

Type No. Index

1. In type number order, this index indicates the codes of all previous manufacturers (interpreted at end of D.A.T.A.BOOK) of each type number, as well as the page and line numbers where the technical data will be found, EXCEPT . . .
2. Manufacturer type numbers which have been replaced by JEDEC numbers indicate that JEDEC type number and whether current (CUR) or obsolete (OBS):
 - a. If the JEDEC number is obsolete, you refer to that number in the index to locate its technical data;
 - b. If the JEDEC number is current, technical details will be found in the current edition of the TRANSISTOR D.A.T.A.BOOK.

NOTE: Where "house" type numbers are shown as having been replaced by JEDEC numbers, it should be borne in mind that the characteristics of the JEDEC type may not exactly match those of the prototype "house" number. Usually, however, the JEDEC type number can be considered a direct replacement for the "house" type.

Technical Data Sections

1. As outlined in the Table of Contents of this D.A.T.A.BOOK, there are 12 technical sections which coincide with those in the current TRANSISTOR D.A.T.A.BOOK.
2. Within each technical section, type numbers, are listed in order of characteristics which coincide with those in the current TRANSISTOR D.A.T.A.BOOK.
3. As a practical means of providing more complete information in the technical sections, symbols and codes are utilized in column headings and in the columns themselves. Explanations of these symbols and codes are given on pages **vi** and **vii** of this D.A.T.A.BOOK.

Manufacturers and Their Addresses

1. In order of the letter codes, as employed in the Type No. Index, the names and addresses of the discontinued transistor manufacturers are set forth to assist you in any in-depth search you might find necessary.
2. Manufacturer addresses shown are the most recent ones recorded in our files. Some of the manufacturers, however, may be completely out of business; others may be in business but not in transistor production; and others are currently producing transistors.
3. In the event the name and/or code of a manufacturer changed, or a manufacturer's transistor line was taken over by another manufacturer, the most recent manufacturer code, name, and address are given. Such changes are indicated, as illustrated by the following example:

CLE — Clevite — see ITT

Summary

The DISCONTINUED TRANSISTOR D.A.T.A.BOOK will be published in complete editions once a year, incorporating all types which have been discontinued since the last edition. Continuing effort will also be made to secure additional discontinued transistor types, along with their technical data, which heretofore had not been publicized by the manufacturers.

Updating

Your copy of this DISCONTINUED TRANSISTOR D.A.T.A.BOOK, in combination with a subscription to the always-current TRANSISTOR D.A.T.A.BOOK, will go a long way toward making you one of the best-informed "transistor men" in the electronics industry.

Every effort has been made to ensure the accuracy and completeness of this DISCONTINUED TRANSISTOR D.A.T.A.BOOK; however the publisher cannot be held responsible for, or guarantee against the possibility of, error or omission.

EXPLANATIONS OF SYMBOLS AND CODES EMPLOYED IN THIS D.A.T.A.BOOK

(for emergency use if separate Symbol/Code Interpreter is misplaced)

TYPE No. (All Sections)

Δ } Indicators of separate manufacturers producing same type number (non-JEDEC) whose characteristics are not the same. This manufacturer-identifying symbol (assigned by D.A.T.A.) is an integral part of the type number (in Type No. Cross Index, Technical Data Sections, and Manufacturers and Their Types Section) to avoid the possibility of confusing the device of one manufacturer with the devices of the others.
 \square }
 $\%$ }

Example . . .	Type No.	Manufacturer	Description
	S35 Δ	SELB	Sect. 5
	S35 \square	ROSG	Sect. 13
	S35 $\%$	TII	Sect. 8

For SECTION 1 — TYPE NO. CROSS INDEX Preceding Manufacturer Code

Δ — Registered with JEDEC by this manufacturer

For SECTIONS 2 - 11 — TECHNICAL DATA SECTIONS

Arranged alphabetically by governing column headings without regard to section number

GENERAL NOTES: (1) When letters representing units follow a value in a column of a technical section, the units shown in the column heading do not apply.
 (2) All values in this D.A.T.A.BOOK are typical and given at 25°C ambient unless otherwise indicated.

- Bias — I_C
 ϕ - I_B Δ - I_E
- Bias — I_E
 ϕ - I_C Δ - I_B
- Bias — V_{CE}
 ϕ - V_{CE}
- BV_{CBO}
 \dagger - At Temp. 25°C Case
- BV_{CEO}
 $\#$ - BV_{CEX} or punch-through \S - BV_{CER} \square - $BV_{CEO(SUS)}$
 ϕ - BV_{CES} * - Pulsed
- BV_{DSS}
 Δ - BV_{DSO} \dagger - BV_{DSX}
- BV_{GSS}
 Δ - BV_{DGO}
- BV_{EBO}
 \dagger - At Temp. 25°C Case
- C_{ob}
 \square - Maximum $\$$ - C_{cb} \S - C_{iss} (FET's only) \dagger - C_{re}
- Derate
 \emptyset - With infinite heat sink
- Description
 I_{off} - Offset current r_d - Dynamic resistance
 I_p - Peak current V_{GD} - Gate-to-drain voltage
 I_{SR} - Intrinsic standoff ratio V_{off} - Offset voltage
 I_v - Valley current V_{PO} - Pinchoff voltage
 $R_{b1/b2}$ - Interbase resistance
- Drawing No. \rightarrow for Sections 6 and 7

\square - Phototransistor Device
Δ - Tetrode Device
$\%$ - Composite type
- $f\alpha_b$
 \dagger - $f\alpha_c$
 \S - Gain bandwidth product (f_T)
 $*$ - Maximum frequency of oscillation
 ϕ - Figure of merit (frequency for unity power gain)
 Δ - Minimum \square - Maximum
- $f\alpha_c$
 \dagger - $f\alpha_b$
 \S - Gain bandwidth product (f_T)
 $*$ - Maximum frequency of oscillation
 ϕ - Figure of merit (frequency for unity power gain)
 Δ - Minimum \square - Maximum
- gfs
 Δ - Typical \dagger - Pulsed $\%$ - High Frequency (y_{fs})
- h_{FE}
 \dagger - h_{FE} Δ - Minimum \S - Y_{fs} in millimho (FET's only)
 $\#$ - Pulsed \square - Maximum * - Available to selected range Bias values are V_{DS} & I_B
 ϕ - Typical * - Available to selected range narrower than indicated
- h_{ie}
 \dagger - h_{FE} Δ - Minimum * - Available in selected ranges.
 $\#$ - Pulsed \square - Maximum \S - h_{FC}
 \S - Y_{fs} in millimho (FET's only) Bias values are V_{DS} & I_B
- h_{oe} , h_{ie} , h_{re}
 b - h parameters are h_{ob} , h_{ib} , h_{rb} \square - Maximum
- I_B ϕ - I_E $\#$ - Pulsed
- I_C ϕ - I_E \dagger - At Temp. 25°C Case $\#$ - Pulsed or Peak
- I_E ϕ - I_C Δ - I_B
- Lead Code
 See Lead Code Identification Guide on inside back cover of Interpreter and at end of Section 13.
- Line No.
 \blacktriangledown - New type
 $\#$ - Non-JEDEC type manufactured outside U.S.A. \blacklozenge - Revised specifications
- Material
 Ge - Germanium Si - Silicon
- Max. Coll. Diss.
 ϕ - With infinite heat sink
 Following symbols indicate temperature at which derating starts:
 \dagger - 40°C \square - 60°C \blacklozenge - 80°C $\#$ - 50°C
 $*$ - 45°C \S - 70°C Δ - Pulsed $\$$ - 100°C
- Max. C_{iss}
 $\#$ - C_{iss} (output shorted) * - Typical
 Δ - C_{dgs} \square - C_{dss}
 \dagger - C_{gss} \emptyset - C_{dgo}
 $\%$ - Not given at test conditions
- Max. Delay Time
 $\$$ - Charge storage time constant ϕ - $T_{ON} = t_r + t_d$
 \blacktriangledown - Stored base charge — picocoulomb \dagger - Typical value
 \blacklozenge - Total switching time
- Max. Device Dissipation
 Δ - With Infinite Heat Sink \dagger - Above 25°C; For additional information consult mfr.

Δ - 85°C
for Sec
2, 3, 4, 5

- **Max. Fall Time**
 $\phi - T_{off} = t_r + t_f$ * - $T_{on} + T_{off} = t_d + t_r + t_f + t_s$
 \dagger - Typical value
- **Max. I_{CBO}**
 ϕ - At $V_{CB} < \text{Max. } V_{CB}$ (see mfr. spec.)
 $\# - I_{CEX}$ ♦ - At Temp. 25°C Case
 $\S - I_{CES}$ $\Delta - I_{CEO}$
 \dagger - At temp. > 25°C * - I_{CER}
- **Max. I_b (on)**
 $\Delta - I_{OSS} @ V_{GS} = 0$ and $V_{DS} \approx V_P$ # - Minimum
 $\phi - V_{GS} > 0$ % - Pulsed
* - Typical
- **Max. I_{ESS}**
 $\Delta - I_{EBO}$
- **Max. Rise Time**
 \S - Charge storage time constant $\phi - T_{ON} = t_r + t_d$
 \blacktriangledown - Stored base charge — picocoulomb \dagger - Typical value
 \blacklozenge - Total switching time
- **Max. Sat. Res.**
 \blacktriangledown - Typical value $\S - R_{on}$ (FET's only) # - Pulsed
- **Max. Storage Time**
 $\phi - T_{off} = t_s + t_r$ * - $T_{on} + T_{off} = t_d + t_r + t_f + t_s$
 \dagger - Typical value
- **Max. Temp.**
* - 50-65°C \ddagger - 130-135°C A - Ambient
 ϕ - 70-80°C \S - 140-165°C C - Case
 $\#$ - 85-100°C \S - 170-200°C J - Junction
 \blacklozenge - 110-125°C \blacktriangledown - Over 200°C S - Storage
- **Max. Thermal Res.**
Symbols indicate temperature at which derating starts. ♦ - 80°C
 \dagger - 40°C \boxtimes - 60°C \S - 100°C
* - 45°C \S - 75°C ϕ - Free air
 $\#$ - 50°C \blacktriangledown - Typical value
 Δ - > 100°C
- **Max. V_p at $I_D \approx 0$**
 $\dagger - V_{ES}$ (cut off) % - Typical
 $\Delta - V_{EST}$ (Threshold)
- **& V_{DS}**
 Δ - Depletion Mode, Type A
 \S - Depletion-Enhancement Mode, Type B
* - Enhancement Mode, Type C
- **$r'_{bb} \times C_{ob}$**
 $\dagger - r'_{bb}$
- **r_{DS}**
% - Maximum Δ - Not given at test conditions
 $\dagger - R_{DS(on)} @ V_{DS} = 0$

- **Structure**
A - Alloy
AN - Annular
D - Diffused or drift
DM - Diffused mesa
E - Epitaxial
EA - Epitaxial annular
EM - Epitaxial mesa
F - Fused
G - Grown
MA - Micro alloy
MD - Micro alloy diffused
ME - Mesa
MOS - Metal oxide silicon
N - NPN or N Channel
P - PNP or P Channel
PA - Precision alloy
PC - Point contact
PD - Precision alloy diffused

- PE - Planar epitaxial
- PL - Planar
- S - Surface barrier
- * - Matched Pair
- \boxtimes - Switching, other uses
- \boxplus - Chopper, other uses
- ϕ - Noise figure 8db or below
- \dagger - Plastic Package
- \S - Field Effect Transistor
- # - Radiation Resistant Device
- $\$$ - Tetrode

for Sections 6 and 7	
Ge	- Germanium
#	- Junction Type
*	- Insulated Gate (MOS type)
\S	- Matched Pair

- **t_r**
 \boxtimes - Maximum $\S - t_r$ $\dagger - t_s + t_f = T_{off}$
 $\phi - t_r + t_d = T_{on}$ # - t_r

- **Type No.**
 \dagger - Switching type, also listed in Section 12
 ϕ - Chopper, also listed in Section 13, Category 10

* - These types also included elsewhere with other characteristics. See Type No. Cross Index for alternate line No.

\S - Radiation Resistant Devices. Also listed in Section 13, Category 13.

\blacktriangledown - Matched Pair, also listed in Section 13, Category 6.

\blacklozenge - Phototransistor, also listed in Section 13, Category 7.

- **V_{CB}**
 $\phi - V_{CE}$
- **V_{DS}**
 $\Delta - V_{EO}$ $\dagger - V_{DC}$
- **V_{ES}**
 $\phi - I_b$ in mA
- **Yes**

- $\Delta - Y_{11}$ % - Maximum
- \dagger - Not at given test conditions * - Pulsed

For SECTION 13 — MISCELLANEOUS TRANSISTORS

- **Category**
- 1 - Avalanche Mode
- 2 - Bi-directional
- 3 -
- 4 - Hook Collector
- 5 - Complementary—Symmetry (PNP & NPN) Matched Pair
- 6 - Matched Pair
- 7 - Phototransistor
- 8 -
- 9 - Unijunction
- 10 - Chopper
- 11 - Composite
- 12 - Cryogenic
- 13 - Radiation Resistant Devices
- 14 - Pressure Sensitive
- 15 - Chips

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
1B1055	GESE	none	2N25	Δ WEC	30-78	2N248	Δ TTI	18-107	JAN2N496	PHIL	35-44	2N743/46	SYL	47-50
Repl.by D11B1055 Cur.			2N26	Δ WEC	24-23									
2AC128	MINA	none	2N27	WEC	none									
	MULB		Repl.by 2N29	Obs.	33-100	2N258	Δ ETC	36-8	2N496/18	SPR	35-59	2N743/51	SYL	45-97
			2N28	WEC	33-102	2N259	Δ RAYN	36-9						
Repl.by 2N2431MP Obs.			2N29	Δ WEC	24-90	2N260	Δ RAYN	35-99	2N501/18	SYL	28-89	2N744/46	SYL	47-51
2AT128	ANOVA	74-17	2N30	Δ GSEY	24-90	2N260A	Δ CLE	35-100						
2G108	SGSI	27-23	2N31	Δ GSEY	24-99	2N261	Δ CLE	35-100	2N509	WEC	31-35	2N744/51	SYL	45-98
2G109	SGSI	27-28	2N32	Δ RCAS	19-98	2N262	Δ CLE	35-103	2N528	WEC	52-45			
2G138	SGSI	30-67		CLE	19-98	2N262A	Δ CLE	35-104	JAN2N528	none	52-46	2N745	Δ RAYN	41-58
2G139	SGSI	30-72	2N32A	Δ RCAS	19-99	2N266	Δ GSEY	21-38	2N537	WEC	31-34	2N746	Δ RAYN	69-82
2G140	SGSI	30-79	2N33	Δ RCAS	19-99	2N267	Δ RCAS	19-22	2N541A	TEC	42-68	2N746	Δ RAYN	41-70
2G141	SGSI	30-83	2N34/5	SYL	18-106	JAN2N274	Δ RCAS	23-46	2N544	Δ RCAS	23-54	2N747	Δ RAYN	41-72
2G201	SGSI	27-24	2N35/5	SYL	27-72	2N285	Δ BEN	53-108						
2G202	SGSI	27-29	2N38A	Δ CBS	34-15				GEM	SYL	23-55	2N748	Δ RAYN	70-35
2G223	TIIB	56-19	2N41	Δ RCAS	19-47	2N290	BACE		2N544/33	Δ WEC	29-15	2N748	Δ RAYN	42-87
2G224	TIIB	56-20	2N46	Δ RCAS	19-48	2N299	Δ DEL	55-46	2N559	Δ WEC	29-15	2N749	Δ RAYN	70-22
2G225	TIIB	56-21	2N47	Δ PHIL	19-47							2N750	Δ RAYN	42-86
2G226	TIIB	56-22	2N48	Δ PHIL	19-83	2N300	Δ PHIL	18-41	JAN2N559/1	ETC	72-59	2N751	Δ RAYN	42-74
2G227	TIIB	56-23	2N48	Δ PHIL	19-84				JAN2N559/2	MOTA	none	2N753/51	SYL	45-43
2G228	TIIB	56-24	2N49	Δ PHIL	19-85	JAN2N300	none	19-39	JAN2N559/3	MOTA	none			
2G229	TIIB	56-25	2N50	Δ CLE	19-100	2N301B	ITT	56-53	Repl.by JAN2N559 Cur.					
2G230	TIIB	56-26	2N51	Δ CLE	24-41	2N301G	ITT	56-54	Repl.by JAN2N559 Cur.					
2G231	TIIB	56-27	2N52	Δ CLE	25-75	2N301W	ITT	56-55	Repl.by JANTX2N559 Cur.					
2G270	SGSI	31-13	2N53	Δ WESY	24-110	2N313	GSEY	33-55	2N577	Δ MULB	75-23	2N770	Δ PHIL	41-86
2G271	SGSI	31-14	2N54	Δ WESY	29-91	2N314	GSEY	33-57	2N588A	GIC	20-71	2N771	Δ PHIL	41-96
2G301	SGSI	21-81	2N55	Δ WESY	29-92	2N315B	Δ GIC	28-28	2N591/5	KSC	19-76	2N772	Δ PHIL	41-85
			2N56	Δ WESY	29-93							2N773	Δ PHIL	39-39
2G302	SGSI	28-41	2N57	Δ MIN	53-92	2N318	ETC	75-20				2N774	Δ PHIL	39-42
			2N58	Δ PHIC	19-49	2N325	Δ GTC	52-92	2N592	ETC	73-8	2N775	Δ PHIL	40-64
2G303	TIIB	30-50	2N62	Δ WEC	53-104							2N776	Δ PHIL	40-89
2G304	TIIB	30-84	2N66	Δ WEC	74-12	2N327	Δ SYL	37-2	2N593	Δ GTC	73-9	2N777	Δ PHIL	42-13
2G306	TIIB	30-87	2N68	Δ SYL	52-62							2N778	Δ PHIL	20-86
2G308	TIIB	28-5	2N71	GEM	52-1	2N328	Δ RAYN	37-3	2N602	SEM	26-14	2N779	Δ PHIL	28-105
2G309	TIIB	28-59	2N72	Δ WESY	20-7	2N329	Δ RAYN	37-5	2N602A	SEM	26-7			
2G319	SGSI	30-106	2N73	Δ WESY	29-78	2N330	Δ RAYN	37-4	2N603	SEM	26-24	2N781	RAYN	68-20
			2N74	Δ WESY	29-79	JAN2N332	Δ RAYN	37-4	2N603A	GIC	26-8	2N784A/46	SYL	46-62
2G320	SGSI	30-110	2N75	Δ WESY	29-79	2N333	TI	41-2	2N604	SEM	26-36			
			2N76	Δ GSEY	19-89	JAN2N334	TI	41-20	2N604A	GIC	26-9	2N784A/51	SYL	71-88
2G321	SGSI	31-8	2N79	Δ RCAS	19-17	2N347	BOG	49-6	2N605	Δ GTC	26-11			
			2N80	Δ CBS	32-17	2N348	BOG	49-7	2N606	Δ GTC	26-15	2N789	RAYN	41-10
2G322	TADI	27-109	2N81	Δ GSEY	19-50	2N349	BOG	49-8	2N607	Δ GTC	26-17	2N790	Δ RAYN	41-21
			2N82	Δ CBS	19-5	2N352	Δ PHIL	53-31	2N608	Δ GTC	26-23	2N791	Δ RAYN	41-36
2G323	SGSI	28-10	2N83	TEC	52-82	2N354	Δ PHIL	53-75	2N619	Δ RAYN	43-85	2N792	Δ RAYN	41-22
			2N84	TEC	52-84	2N370	RCAS	23-47	2N620	Δ RAYN	43-87	2N793	Δ RAYN	41-40
2G324	TADI	28-12	2N84A	TEC	52-85	2N371	SEM	23-48	2N622	Δ RAYN	46-101	2N799	Δ RAYN	21-104
			2N84A	TEC	52-85				2N623	TI	19-40	2N800	Δ RAYN	69-40
2G339A	TIIB	34-24	2N95	Δ SYL	58-4	2N370/33	SYL	23-48	2N624	Δ SYL	25-20	2N800	Δ RAYN	21-105
2G344	TIIB	28-60		GEM		2N371	ANOA	23-49	2N625	ETC		2N801	Δ RAYN	69-41
2G345	TIIB	28-23	2N96	Δ RCAS	32-18		GEM					2N801	Δ RAYN	21-72
2G371	TIIB	28-24	2N97A	Δ BOG	33-21	2N371/33	SYL	23-50	2N626	SEM	76-55	2N802	Δ RAYN	69-5
2G374	TIIB	28-25	2N98A	Δ BOG	33-23	2N372	RCAS	23-51	2N626A	ADV	23-80	2N802	Δ RAYN	21-73
2G376	TIIB	28-26	2N100	Δ BOG	33-1		SEM		2N640	SEM	23-81	2N803	Δ RAYN	69-6
2G377	TIIB	28-27		BEN		2N372/33	SEM	23-52	2N641	SEM	23-81	2N804	Δ RAYN	69-36
2G381	TIIB	31-20	2N101	Δ SYL	52-63	2N374	RCAS	23-53	2N642	SEM	23-82	2N804	Δ RAYN	21-101
2G382	TIIB	31-21		GEM		2N384/33	SYL	28-43	2N643	SEM	26-19	2N805	Δ RAYN	69-37
2G383	TIIB	31-22	2N102	Δ SYL	58-5	2N386	Δ PHIL	53-109	2N644	SEM	69-81	2N805	Δ RAYN	21-110
2G384	TIIB	31-23		GEM		2N387	Δ PHIL	53-110				2N806	Δ RAYN	69-50
2G385	TIIB	31-24	2N109/2N17EQ	AMP	26-65	2N389/1	SIL	65-55	2N645	RCAS	70-21	2N806	Δ RAYN	22-1
2G386	TIIB	31-25		AMP		2N389A/1	SIL	65-56				2N807	Δ RAYN	69-51
2G387	TIIB	31-26	2N109/5	SYL	27-34	2N391	SIL	65-56	2N646	RCAS	70-43	2N807	Δ RAYN	22-2
2G394	SGSI	28-13	2N110	Δ WEC	30-57	JAN2N398	DEL	55-47	2N647/22	RCA	33-74	2N808	Δ RAYN	22-3
2G395	SGSI	28-37	2N115	Δ APX	55-90		GIC	none	2N649/5	KSC	24-43	2N809	Δ RAYN	21-79
				AMP			RCA		2N649/22	SYL	34-44	2N810	Δ RAYN	21-80
2G396	SGSI	28-46	2N123/5	KSC	28-47	2N421	BACE	54-1	2N670	PHIL	31-50	2N811	Δ RAYN	21-90
				SYL	69-16	2N422A	Δ RAYN	29-77	2N671	Δ PHIL	52-32	2N812	Δ RAYN	21-91
2G397	SGSI	28-61	2N127	Δ TII	33-30	2N424/1	SIL	65-57	2N672	Δ PHIL	52-33	2N813	Δ RAYN	22-9
			2N129	Δ PHIL	18-96	2N424A/1	SIL	65-58	2N673	Δ PHIL	52-33	2N814	Δ RAYN	22-10
2G398	SGSI	27-100	JAN2N129	SPR	18-97	JAN2N431	none	41-28	2N674	GIC	31-49	2N815	Δ RAYN	21-83
			2N138A	Δ RAYN	27-17	JAN2N432	none	41-29	2N675	Δ PHIL	52-3			
2G401	SGSI	30-92	2N138B	Δ RAYN	24-42	JAN2N433	none	41-30	2N676	ADV	76-56	2N816	Δ RAYN	69-17
			2N141	Δ SYL	52-64	2N451	none	66-10	2N694	Δ WEC	25-46			
2G402	SGSI	30-93		GEM		2N452	GSEY	66-11	JAN2N694	none	24-44	2N817	Δ RAYN	69-18
			2N142	Δ SYL	58-6	2N453	GSEY	66-12	2N695	Δ MOTA	22-23	2N818	Δ RAYN	21-52
2G403	TIIB	30-94		GEM		2N454	GSEY	66-13				2N818	Δ RAYN	68-85
2G404	TIIB	30-91	2N143	Δ SYL	52-65	JAN2N456A	BEN	66-13	2N700/18	SYL	22-47	2N819	Δ RAYN	21-53
2G413	TIIB	25-36		GEM			DEL	none	2N700A/18	SYL	22-47	2N819	Δ RAYN	68-86
2G414	TIIB	25-38	2N144	Δ SYL	58-7		ITT		2N701	MOTA	39-41	2N820	Δ RAYN	21-62
2G415	TIIB	25-39		GEM			TI		2N706/51	SYL	71-10	2N820	Δ RAYN	68-103
2G416	TIIB	25-40	2N148	TI	33-48	Repl.by JAN2N456B Cur.								
2G417	TIIB	25-40	2N148A	TI	33-49	JAN2N457A	BEN	none	2N706/KVT	TEC	49-80	2N822	Δ RAYN	68-104
2G508	SGSI	28-21	2N149	TI	33-50		DEL		2N706/TPT	TEC	41-101	2N822	Δ RAYN	33-64
2G509	SGSI	28-22	2N149A	TI	33-51		TI		2N706A/51	SYL	45-41	2N823		

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS/Pg&Line	TYPE No.	MFRS/Pg&Line	TYPE No.	MFRS/Pg&Line	TYPE No.	MFRS/Pg&Line	TYPE No.	MFRS/Pg&Line	TYPE No.	MFRS/Pg&Line
2N866	Δ TII 47-88	2N1132/KVT	TEC 38-39	2N1504	Δ CBS 53-34	2N1827	Δ WESY 87-89	2N2182	Δ PHIL 35-41		
		2N1132/TNT	TEC 35-17					2N2183	Δ PHIL 35-42		
2N867	Δ TII 47-89	2N1132/TPT	TEC 35-66	2N1508	Δ TII 49-19	2N1828	Δ WESY 67-90	2N2184	Δ PHIL 35-43		
		2N1132A/46	TEC 37-95	2N1509	Δ TII 49-20				35-44		
2N902	Δ RAYN 41-11	2N1132B/46	SYL 37-97	JAN2N1511	RCA 64-69	2N1834	Δ WESY 67-91		35-45		
2N903	Δ RAYN 41-23			JAN2N1512	RCA 64-70			2N2208	Δ RCA 25-79		
2N904	Δ RAYN 41-37	2N1132B/51	SYL 36-77	JAN2N1513	RCA 64-71	2N1835	Δ WESY 67-92	2N2209	Δ RCA 28-38		
2N905	Δ RAYN 41-24			JAN2N1514	RCA 64-72			JAN2N2210	DEL 55-98		
2N906	Δ RAYN 41-41	2N1135	Δ PHIL 35-11	2N1515	APX 24-16	2N1837B	Δ GESY 49-46				
2N907	Δ RAYN 41-59	2N1135A	Δ PHIL 35-12	2N1516	Δ APX 24-17			2N2211	Δ MOTA 56-32		
		JAN2N1158A	PHIL 21-29	2N1517	APX 24-18	2N1839A	TRW 60-1	2N2212	Δ GESY 75-66		
2N908	Δ RAYN 41-71	2N1173	Δ WEC 34-58	JAN2N1517	none 24-19	2N1841	NSC 62-93	2N2213	Δ TRW 44-50		
				2N1517A	APX 25-32	2N1853/18	SYL 27-38	2N2214	Δ NORC 38-30		
2N914/51	SYL 46-89	2N1174	Δ WEC 69-4	2N1524/33	SYL 31-31	2N1893/46	TEC 47-105	2N2216	Δ NORC 38-30		
2N914A	Δ FSC 46-64			2N1526/33	SYL 69-11	2N1893/51	TEC 41-74	2N2217/51	SYL 45-99		
		2N1182	Δ TUNE 54-70	2N1528	RAYN 41-45	2N1893/KVT	TEC 49-84	2N2218/51	TEC 45-100		
2N917/46	SYL 47-54	JAN2N1196	none 37-8	2N1585	Δ TII 34-66	2N1893/TNT	TEC 40-12				
		2N1199A	Δ PHIL 41-87	2N1606	Δ PHIL 35-13	2N1893/TPT	TEC 41-75				
2N917/51	SYL 46-13	JAN2N1199A	none 41-73	2N1607	Δ PHIL 69-13	2N1894	Δ RAYN 65-70	2N2219/TNT	TEC 40-50		
						2N1895	Δ RAYN 65-71	2N2218/TPT	TEC 41-103		
2N918/46	SYL 47-56	2N1200	Δ PHIL 39-83	2N1608	Δ PHIL 69-25	2N1896	Δ RAYN 65-72	2N2219/51	SYL 45-101		
		JAN2N1200	none 39-86								
2N918/51	SYL 46-18	2N1201	Δ PHIL 39-85	2N1609	Δ DEL 52-54	2N1897	Δ RAYN 65-73	2N2219/TNT	TEC 40-51		
		JAN2N1201	none 39-87	2N1610	Δ DEL 52-55	2N1898	Δ RAYN 65-74	2N2219/TPT	TEC 41-104		
2N929/51	SYL 45-9	2N1208/1	SIL 64-106	2N1611	Δ DEL 52-52			2N2225	Δ KSC 30-89		
		2N1209/1	SIL 64-107	2N1612	Δ DEL 52-53	2N1903	PSI 66-99	2N2234	Δ STCB 62-94		
2N930/51	SYL 45-10	2N1210/1	SIL 64-40	2N1613/46	TEC 48-9	2N1907A	Δ TII 66-92				
		2N1211/1	SIL 64-108	2N1613/51	TEC 41-88	2N1908A	Δ TII 56-93	2N2235	Δ STCB 62-95		
2N930/KVT	TEC 49-81	2N1212/1	SIL 64-108	2N1613/KVT	TEC 49-85	2N1923	Δ TII 49-16				
2N930/TPT	TEC 41-60	2N1232A	HUG 37-59	2N1613/TNT	TEC 40-17	2N1940	MOTA 52-47	2N2238	Δ WEC 31-40		
2N930A/46	TEC 47-1	2N1238	HUG 59-7	2N1616/1	SIL 59-9	JAN2N1940	none 52-53	2N2244	NSC 47-92		
2N930A/51	TEC 41-61	2N1239	HUG 59-8	2N1617A/1	SIL 59-10	2N1941	Δ ITC 48-41	2N2245	NSC 47-93		
2N934	RCAS 28-81	2N1240	HUG 59-9	2N1617/1	SIL 59-11	2N1942	Δ ITC 30-58	2N2246	NSC 47-94		
2N955	Δ RCA 34-41	2N1241	HUG 59-10	2N1618/1	SIL 59-12	2N1958/18	SYL 65-60	2N2248	NSC 47-96		
		2N1242	HUG 59-11	2N1618A/1	SIL 59-13			2N2249	NSC 47-97		
2N955A	MOTA 72-106	2N1242A	HUG 59-12	2N1619	SIL 59-14	2N1959/18	TEC 45-29	2N2250	NSC 47-98		
		2N1243	HUG 59-13	2N1620/1	TEC 53-32			2N2251	NSC 47-99		
2N958	TRW 44-49	2N1244	HUG 59-14	2N1622	Δ GIC 64-104	2N1959A/51	SYL 45-30	2N2252	NSC 47-100		
2N959	TRW 43-80	2N1245	Δ CBS 53-33					2N2253	NSC 47-101		
2N960/46	SYL 29-16	2N1246	Δ CBS 64-104	2N1622	Δ GIC 49-24	2N1960	Δ SYL 70-39	2N2254	NSC 47-102		
		2N1250/1	SIL 64-104					2N2255	NSC 47-103		
2N961/46	SYL 29-17	2N1252A	Δ RHE 70-11	2N1631	RCA 26-29	2N1960/46	NSC 27-40	2N2272	Δ GESY 46-65		
2N962/46	SYL 29-18	PSI 29-17	RAYN 70-11	2N1633	GIC 26-25	2N1961	SYL 27-41				
		2N1253A	Δ RHE 49-27	2N1634	GIC 26-26			2N2297/51	SYL 45-26		
2N964/46	SYL 29-19	BEN 29-19	PSI 70-28	2N1635	GIC 26-30	2N1961/46	SYL 27-42				
2N977	Δ PHIL 29-11	2N1261A	MIN 53-94	2N1636	Δ RCA 26-31	2N1962	SYL 27-43	2N2303/46	TEC 37-96		
		2N1262A	MIN 53-95					2N2303/51	TEC 35-67		
2N988	PSI 45-64	2N1263A	MIN 53-96	2N1637/33	SYL 26-32	2N1962/46	SYL 27-44	2N2303/KVT	TEC 38-38		
2N989	PSI 45-65	2N1264	Δ SYL 19-101	2N1638/33	SYL 26-27			2N2303/TNT	TEC 35-18		
2N995A	Δ FSC 37-12	2N1264A	Δ SYL 35-6	2N1639/33	SYL 26-33	2N1963	SYL 27-17	2N2303/TPT	TEC 35-68		
		2N1264/13	SYL 26-44	2N1644A	GIC 48-59			2N2306	Δ PSI 62-89		
2N1003	SGSI 70-63	2N1285	SYL 26-44	2N1645	Δ WEC 52-71	2N1963/46	SYL 27-37	2N2307	INRC 75-67		
2N1004	Δ MOTA 25-77	2N1287	Δ BEN 29-27	2N1646	Δ WEC 52-71			2N2319	GIC 45-67		
2N1005	Δ TII 40-98					2N1964	SYL 27-19	2N2320	GIC 48-92		
2N1006	Δ TII 40-99	2N1287A	Δ BACE 29-28	2N1657	SYL 28-83	2N1964/46	SYL 27-20	2N2340	Δ DEL 63-8		
2N1009	Δ BEN 27-74	2N1288	Δ GESY 33-66	2N1658	HON 69-110			2N2341	Δ DEL 63-9		
		2N1289	Δ GESY 33-67	2N1659	MIN 52-94	2N1965	SYL 27-21	2N2342	Δ DEL 63-10		
2N1013	MIN 52-57	2N1300	Δ RCA 28-83	2N1660	Δ RAYN 65-65			2N2343	Δ DEL 63-11		
2N1014	Δ RCA 54-69			2N1661	TYC 70-1	2N1965/46	SYL 27-22	2N2354	SYL 34-45		
2N1016B/M	WESY 67-14	2N1301	RCA 28-86					2N2363	TII 22-55		
2N1016C/M	WESY 67-15			2N1662	Δ RAYN 65-66	2N1978	Δ FSC 63-44	2N2368/51	SYL 46-9		
2N1019	ADV 74-10	2N1315	Δ APX 55-93	2N1663	TYC 70-2						
2N1020	ADV 74-11	2N1358M	DEL 56-57	2N1664	Δ RAYN 65-67	2N1992	NSC 46-36	2N2369/51	SYL 72-81		
JAN2N1021	BEN none	2N1361	Δ TII 28-15	2N1665	TYC 70-3						
JAN2N1022	DEL TII	2N1361A	Δ GESY 30-56			2N2022	Δ WEC 27-62	2N2369/KVT	TEC 49-83		
		2N1392	Δ GESY 75-24	2N1666	Δ PHIL 41-90	2N2032/1	SIL 64-109	2N2369/TPT	TEC 42-2		
		2N1393	GIC 75-25	2N1667	Δ MOTA 18-2	2N2033/S	SIL 61-96	2N2379	Δ TUNE 56-98		
		2N1394	GIC 75-26	2N1668	Δ MOTA 68-107	2N2034/S	SIL 61-97				
		2N1398	Δ TII 19-6	2N1669	Δ TII 38-28	2N2048A	Δ SPR 28-93	2N2391	Δ TII 38-36		
		2N1399	Δ TII 19-7	2N1670	Δ TII 38-29			2N2392	Δ TII 38-37		
		2N1400	Δ TII 19-8	2N1673	Δ SYL 23-13	2N2059	Δ CBS 20-62	2N2397	SYL 71-35		
		2N1401	Δ TII 19-9	2N1675	Δ WEC 66-46	2N2069	BRUB 55-94				
		2N1401A	Δ TII 19-10	2N1678	ETC 26-18			2N2403	Δ NAS 66-6		
		2N1402	Δ TII 19-11	2N1679	GIC 38-28			2N2404	Δ NAS 66-7		
		2N1403	Δ TII 31-33	2N1680	Δ TII 38-29	2N2070	BRUB 55-95	2N2426	Δ SYL 34-38		
		2N1404A	Δ TII 28-6	2N1682	NSC 48-13			JAN2N2426	none 34-14		
		2N1405	Δ TII 22-52	2N1684	Δ SYL 25-8	2N2071	BRUB 55-96	2N2446	Δ CLE 56-33		
		2N1406	Δ TII 22-53	2N1685	Δ SYL 33-96						
		2N1407	Δ TII 22-54	2N1699	Δ SYL 25-37	2N2072	BRUB 55-97				
		2N1407A	Δ TII 22-54	2N1708A	Δ GESY 45-66			2N2447	Δ RAYN 21-40		
		2N1408	Δ TII 22-54			2N2093	Δ APX 25-34	2N2448	Δ RAYN 21-41		
		2N1409	Δ TII 22-54	2N1711/46	TEC 48-11	2N2094	SPR 48-75	2N2449	Δ RAYN 21-42		
		2N1410	Δ TII 22-54	2N1711/51	TEC 41-94	2N2094A	SPR 48-76	2N2450	Δ RAYN 21-43		
		2N1411	Δ TII 22-54	2N1711/KVT	TEC 49-86	2N2095A	SPR 48-77	2N2451	FSC 73-19		
		2N1412	Δ TII 22-54	2N1711/TNT	TEC 40-21	2N2096A	SPR 47-40	2N2452	FSC 73-20		
		2N1413	Δ TII 22-54	2N1711/TPT	TEC 41-95	2N2097A	SPR 47-41	2N2472	Δ GESY 62-19		
		2N1414	Δ TII 22-54	2N1722/1	Δ RCA 23-103	2N2098	SPR 31-74	2N2473	Δ GESY 61-92		
		2N1415	Δ TII 22-54	2N1722A/1	SIL 65-62	2N2100A	Δ SPR 31-39	2N2475/46	SYL 47-55		
		2N1416	Δ TII 22-54	2N1724/1	SIL 65-68						
		2N1417	Δ TII 22-54	2N1724A/1	SIL 65-69	2N2104	Δ NORC 38-13	2N2475/51	SYL 46-15		
		2N1418	Δ TII 22-54	2N1750	SIL 65-83	2N2105	Δ NORC 38-31				
		2N1419	Δ TII 22-54			2N2121	Δ WESY 67-93	2N2482	RCAS 34-39		

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
2N2594/TNT	TEC	40-62	2N2872	HUG	37-52	2N3981	NSC	48-53	2SA79	TOSJ	20-29	2SA404	none	22-38
2N2594/TPT	TEC	42-3			75-99			71-45	2SA80	HITJ	23-86	2SA405	NECJ	28-104
2N2618	SYL	48-78	2N2873	RCA	25-72	2N3982	Δ NSC	49-54	2SA81	HITJ	23-74			71-100
2N2618/46	SYL	47-42	2N2886	TRW	49-21			71-43	2SA82	HITJ	23-87	2SA410	NECJ	71-104
2N2620	Δ AML	73-21	2N2902	Δ TII	66-45	2N3983	Δ TII	43-38	2SA83	HITJ	23-56	2SA411	NECJ	29-14
2N2621	Δ DEL	28-64	2N2904/TNT	TEC	35-19	2N3984	Δ TII	43-35	2SA84	HITJ	23-75	2SA425	YECJ	30-96
2N2622	Δ DEL	28-69	2N2904/TPT	TEC	35-71	2N3985	Δ TII	43-27	2SA85	HITJ	23-88	2SA426	YECJ	30-98
2N2623	Δ DEL	28-73	2N2908	Δ SIL	64-105	2N4042	UCC	74-29	2SA86	HITJ	31-9	2SA430	TOSJ	21-18
2N2624	Δ DEL	28-65	2N2927/46	SYL	37-98	2N4043	UCC	74-30	2SA87	HITJ	23-106	2SA431	TOSJ	21-20
2N2625	Δ DEL	28-70			70-73	2N4081	RCA	43-49	2SA88	HITJ	23-100	2SA431A	TOSJ	21-21
2N2626	Δ DEL	28-74			70-74	2N4086	Δ GESY	42-41	2SA89	HITJ	23-101	2SA432	TOSJ	21-19
2N2627	Δ DEL	28-66	2N2927/51	SYL	70-74	2N4087	Δ GESY	42-42	2SA90	HITJ	30-90	2SA432A	TOSJ	20-109
2N2628	Δ DEL	28-71	2N2928	Δ SYL	29-13	2N4087A	Δ GESY	42-43	2SA92	TOSJ	20-36	2SA433	TOSJ	20-35
2N2629	Δ DEL	28-75	2N2931	ITT	39-25	2N4099	UCC	45-40	2SA93	TOSJ	20-34	2SA458	MITJ	28-39
2N2630	MOTA	71-91	2N2932	ITT	39-26			74-31	2SA94	HITJ	23-83			69-9
2N2649	CSC	61-100	2N2933	ITT	39-27	2N4133	Δ ITT	61-13	2SA126	NECJ	28-103	2SA459	MITJ	28-40
2N2650	CSC	61-101	2N2934	ITT	39-28	2N4262	Δ MOTA	62-90			71-99			69-10
2N2655	Δ GESY	62-20	2N2935	ITT	39-29	2N4263	Δ MOTA	62-91	2SA127	TOSJ	28-127	2SA460	MITJ	20-82
2N2672A	Δ APX	24-45	2N2942	Δ SPR	28-94	2N4284	NSC	36-29	2SA128	TOSJ	29-32	2SA461	MITJ	20-83
2N2673	Δ GESY	44-9			70-102	2N4285	NSC	36-30	2SA129	TOSJ	29-33	2SA462	MITJ	20-84
2N2674	Δ GESY	44-10	2N2943	SPR	28-91	2N4387	RCA	43-50	2SA130	HITJ	23-95	2SA463	MITJ	22-26
2N2675	Δ GESY	44-11			70-91	2N4420	TII	46-76	2SA131	HITJ	23-89	2SA464	MITJ	20-88
2N2676	Δ GESY	44-12	2N2954	Δ PHIL	43-25			72-23	2SA132	HITJ	23-93	2SB25	TOSJ	53-76
2N2677	Δ GESY	44-14	2N2962	Δ SPR	31-83	2N4421	TII	46-66	2SA133	HITJ	23-84	2SB26	TOSJ	53-77
2N2678	Δ GESY	44-26	2N2963	Δ SPR	31-84			71-80	2SA134	HITJ	23-107	2SB26A	TOSJ	53-78
2N2699	Δ PHIL	34-40	2N2964	Δ SPR	31-85	2N4422	TII	46-77	2SA135	HITJ	23-109	2SB27	SONY	52-36
2N2709	Δ RAYN	36-6	2N2965	Δ SPR	31-86			72-24	2SA151	HITJ	23-16	2SB28	SONY	52-37
2N2718	Δ MOTA	31-15	2N2966	Δ PHIL	20-87	2N4423	TII	37-22	2SA152	HITJ	23-23	2SB29	SONY	52-38
		71-2	2N2967	Δ PHIL	45-102			72-52	2SA153	NECJ	18-39	2SB30	SONY	52-39
2N2719	Δ SYL	45-45			68-7	2N4438	FSC	60-63	2SA154	NECJ	18-34	2SB31	SONY	74-33
2N2743	Δ WESY	67-67	2N3000	UST	28-72	2N4439	FSC	60-64	2SA155	NECJ	18-35	2SB43	TOSJ	74-13
2N2744	Δ WESY	67-68	2N3003/4053	RCA	61-69	2N4973	Δ RAYN	35-108	2SA156	NECJ	18-36	2SB43A	TOSJ	27-83
2N2749	Δ WESY	67-69	2N3081/46	SYL	37-104	2N5017	RCA	63-52	2SA157	NECJ	18-40	2SB44	TOSJ	22-83
2N2750	Δ WESY	67-70			70-108	2N5049	GESY	66-14	2SA159	NECJ	18-37	2SB46	TOSJ	22-84
2N2755	Δ WESY	67-71	2N3081/51	SYL	36-87			69-30	2SA160	NECJ	18-38	2SB47	TOSJ	22-85
2N2756	Δ WESY	67-72			70-109	2N5276	Δ TII	77-1	2SA169	NIPJ	27-6	2SB48	SONY	27-25
2N2762	Δ WESY	67-73	2N3123	MOTA	49-63	2NJ50	KOKJ	20-60	2SA170	NIPJ	29-49	2SB49	SONY	27-30
2N2767	Δ WESY	67-74	2N3131	NSC	41-99	2NJE1	KOKJ	20-58	2SA171	NIPJ	26-109	2SB50	SONY	27-31
2N2768	Δ WESY	67-75			71-48	2NJE2	KOKJ	22-59	2SA173	NIPJ	26-61	2SB51	SONY	30-35
2N2773	Δ WESY	67-76	2N3132	ITT	56-34	2NJE3	KOKJ	22-60	2SA174	NIPJ	29-47	2SB52	SONY	30-51
2N2774	Δ WESY	67-77	2N3148	Δ SPR	18-51	2OC26	RADF	74-32	2SA175	TOSJ	20-41	2SB53	SONY	30-52
2N2779	Δ WESY	67-78			69-78	2OC72	AMP	none	2SA180	SANJ	20-6	2SB52	TOSJ	52-66
2N2780	Δ WESY	67-79	2N3152	Δ MOTA	61-27				2SA181	SANJ	19-110	2SB53	TOSJ	52-67
2N2784/51	ECD	46-19	2N3162	FSC	74-19				2SA182	SANJ	19-105	2SB64	KOKJ	54-5
		72-103	2N3216	Δ TII	28-90				2SA211	HITJ	25-104			54-6
2N2784/52	TEC	46-20			70-57	Repl. by 2N282	Cur.				68-97	2SB69	TOSJ	54-6
		72-104	2N3224	HUG	38-24	2P389	SIL	59-53	2SA213	NIPJ	18-28	2SB73	HITJ	19-97
2N2784/KVT	TEC	49-68	2N3230	CDC	76-57	2P389A	SIL	none	2SA214	NIPJ	18-29	2SB74	HITJ	22-61
2N2784/TPT	TEC	42-4				Repl. by 2N3168	Cur.		2SA215	NIPJ	18-26	2SB76	HITJ	27-46
2N2786	PHIC	31-37	2N3231	CDC	76-58	2P424	SIL	59-54	2SA216	NIPJ	18-27	2SB78	HITJ	27-47
2N2786A	APX	31-38				2P424A	SIL	none	2SA229	TOSJ	22-44	2SB80	HITJ	52-56
2N2793	MOTA	56-99	2N3241	RCA	47-90	2P424A	SIL	none	2SA230	TOSJ	22-45	2SB81	HITJ	52-51
2N2794	Δ TUNE	73-22	2N3242	RCA	47-91	2S013	TIIB	64-110	2SA231	HITJ	52-49	2SB82	HITJ	52-52
2N2797	Δ SPR	22-21	2N3309A	Δ MOTA	61-44	2S021	TIIB	66-65	2SA232	HITJ	52-50	2SB83	HITJ	52-95
		71-39	2N3310	Δ MOTA	45-68	2S022	TIIB	36-71	2SA233	HITJ	52-50	2SB84	HITJ	52-96
2N2798	Δ SPR	22-22	2N3374	SEM	61-45	2S023	TIIB	36-72	2SA236	TOSJ	23-102	2SB85	HITJ	55-43
		71-40	2N3400	SPR	28-95	2S30	KOKJ	19-21	2SA237	TOSJ	20-32	2SB86	HITJ	55-44
2N2799	Δ SPR	22-17			70-110	2S31	KOKJ	19-20	2SA242	MATJ	20-25	2SB87	HITJ	55-45
		70-90	2N3406	Δ GESY	75-68	2S32	KOKJ	19-71	2SA243	MATJ	20-26	2SB90	TOSJ	19-35
2N2800/46	SYL	37-102	2N3407	Δ MOTA	43-28	2S33	KOKJ	19-72	2SA244	HITJ	25-42	2SB91	TOSJ	19-30
		70-92	2N3408	Δ MOTA	59-32	2S34	KOKJ	27-79	2SA247	HITJ	71-22	2SB94	TOSJ	27-84
2N2800/51	SYL	38-84	2N3413	HUG	37-30	2S41	KOKJ	54-71	2SA250	MATJ	29-76	2SB97	TOSJ	19-31
		70-93	2N3433	Δ RCA	60-62	2S043	TIIB	none	2SA253	FCAJ	30-97	2SB98	NECJ	26-100
2N2801/46	SYL	37-103	2N3445	Δ MOTA	31-72	Repl. by BLY47A	Cur.		2SA280	MATJ	26-39	2SB99	NECJ	26-101
2N2801/51	SYL	36-85	2N3450	Δ RAYN	48-56	2S044	TIIB	none	2SA281	MATJ	26-40	2SB102	NECJ	29-62
		70-94			70-59	Repl. by BLY48A	Cur.		2SA285	NECJ	20-10	2SB103	NECJ	26-96
2N2808	Δ RAYN	43-61	2N3451	Δ FSC	36-88	2S045	TIIB	none	2SA286	NECJ	20-12	2SB104	NECJ	29-63
2N2808A	Δ RAYN	43-68			71-94	Repl. by BLY49A	Cur.		2SA287	NECJ	20-14	2SB105	NECJ	31-100
2N2809	Δ RAYN	43-62	2N3462	Δ APX	45-7	2S046	TIIB	none	2SA288	HITJ	23-110	2SB106	NECJ	31-109
2N2809A	Δ RAYN	43-66	2N3463	Δ APX	45-8	Repl. by BLY50A	Cur.		2SA289	HITJ	24-1	2SB108	NECJ	31-101
2N2810	Δ RAYN	43-63	2N3482	Δ MOTA	75-69	2S96	KOKJ	19-12	2SA290	HITJ	24-2	2SB108A	NECJ	31-102
2N2810A	Δ RAYN	43-67	2N3514	Δ GESY	74-20	2S97	KOKJ	19-13	2SA296	YECJ	23-14	2SB108B	NECJ	31-103
2N2826	Δ DEL	31-92	2N3517	Δ GESY	74-21	2S98	KOKJ	19-14	2SA297	YECJ	23-24	2SB109	NECJ	31-110
2N2827	Δ DEL	31-93	2N3519	Δ GESY	74-22	2S720	TIIB	65-75	2SA298	YECJ	23-70	2SB109A	NECJ	32-1
2N2849-1	SSP	62-21	2N3523	Δ GESY	74-23	2S741	TIIB	39-76	2SA301	MATJ	26-45	2SB109B	NECJ	32-2
		69-85	2N3526	Δ FSC	49-25	2S742	TIIB	39-77	2SA302	MATJ	24-14	2SB110	NECJ	24-78
2N2849-2	SSP	62-22	2N3577	Δ TII	66-5	2S744	TIIB	39-78	2SA303	MATJ	24-15	2SB111	NECJ	24-79
		69-86	2N3586	Δ NSC	36-11	2S745	TIIB	39-79	2SA306	YECJ	23-92	2SB112	NECJ	24-80
2N2849-3	Δ SSP	62-23			75-100	2S745</								

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
2SB174	MATJ	30-104	2SC113	HITJ	49-11	2T3033	SONY	53-39	4JD4A5	GESY	41-54	7G34	GESY	none
2SB183	HITJ	19-77			71-8	2T3041	SONY	74-39	4JD7A35	GESY	61-93	Repl.by 2N2727	Cur.	
2SB184	HITJ	19-51	2SC114	HITJ	49-9	2T3042	SONY	74-40	4JD12C101	GESY	75-101	10B551	GESY	40-44
2SB219	NECJ	30-105			70-48	2T3043	SONY	74-41	4JD12C102	GESY	75-102	10B553	GESY	40-25
2SB224	NECJ	30-109	2SC117	HITJ	60-104	2V362	ELBR	25-95	4JD12X010	GESY	76-59	10B553-2.3	GESY	none
2SB228	HITJ	55-40			70-39	2V363	ELBR	25-90	4JD12X011	GESY	76-60	Repl.by D10B553-2.3	Cur.	
2SB229	HITJ	55-41	2SC118	HITJ	60-105	2V464	ELBR	23-1	4JD12X012	GESY	76-61	10B555	GESY	40-26
2SB230	HITJ	55-42	2SC119	HITJ	60-106	2V465	ELBR	23-2	4JD12X013	GESY	75-103	10B555-2.3	GESY	none
2SB231	SONY	54-9	2SC125	HITJ	24-12	2V466	ELBR	23-8	4JD12X014	GESY	76-62	Repl.by D10B555-2.3	Cur.	
2SB232	MATJ	54-104	2SC140	SONY	60-3	2V467	ELBR	23-19	4JD12X043	GESY	74-46	10B556	GESY	40-27
2SB233	MATJ	54-105	2SC147	SONY	60-90	2V482	ELBR	23-6	4JD12X047	GESY	74-47	10B556-2.3	GESY	none
2SB234	MATJ	54-106	2SC153	HITJ	49-15	2V483	ELBR	23-9	4JD12X070	GESY	75-104	Repl.by D10B556-2.3	Cur.	
2SB238	NECJ	52-97	2SC157	HITJ	40-79	2V484	ELBR	23-26	4JD12X132	GESY	76-63	10B701	GESY	39-12
2SB246	NECJ	55-51	2SC158	HITJ	40-81	2V485	ELBR	23-29	4JD20A7	GESY	64-50	10B705	GESY	71-109
2SB258	TO5J	55-99	2SC159	HITJ	40-82	2V486	ELBR	23-33	4JD20A8	GESY	64-51	10B1051	GESY	none
2SB259	TO5J	55-100	2SC160	HITJ	40-84	2V559	ELBR	23-73	4JX16A567	GESY	43-13	Repl.by D10B1051	Cur.	
2SB260	TO5J	55-101	2SC166	HITJ	42-72	2V560	ELBR	23-60	4JX16A667	GESY	42-44	10B1055	GESY	none
2SB264	NECJ	21-14			69-65	2V561	ELBR	23-61	4JX16A667/G	GESY	42-45	Repl.by D10B1055	Cur.	
2SB266	YECJ	27-96	2SC167	HITJ	42-73	2V562	ELBR	23-43	4JX16A667/O	GESY	42-46	10C573	GESY	40-28
2SB267	YECJ	27-97			69-66	2V563	ELBR	23-44	4JX16A667/R	GESY	42-47	10C573-2.3	GESY	none
2SB268	MITJ	31-27	2SC173	SONY	33-5	2V631	ELBR	25-93	4JX16A667/Y	GESY	42-48	Repl.by D10C573-2.3	Cur.	
2SB269	YECJ	27-98	2SC175	SONY	33-2	2V632	ELBR	25-91	4JX16A668	GESY	42-49	10C574	GESY	40-29
2SB274	HITJ	52-89	2SC176	SONY	33-3	2V633	ELBR	25-89	4JX16A668/G	GESY	42-50	10C574-2.3	GESY	none
2SB275	HITJ	52-90	2SC177	SONY	33-4	2xOC308	none	74-42	4JX16A668/O	GESY	42-51	Repl.by D10C574-2.3	Cur.	
2SB276	HITJ	52-91	2SC178	SONY	33-6	2xOC318	BRUB	74-43	4JX16A668/Y	GESY	42-52	10D556-2.3	GESY	40-59
2SB293	YECJ	27-92	2SC191	SONY	44-16		INTG		4JX16A669	GESY	42-53	10D701	GESY	39-14
2SB294	YECJ	27-93	2SC192	SONY	43-94	3N21	Δ SYL	24-46	4JX16A669/G	GESY	42-54	10D702	GESY	39-13
2SB296	TO5J	55-37	2SC193	SONY	44-2			68-24	4JX16A669/Y	GESY	42-55	10E1051	GESY	39-15
2SB299	YECJ	27-99	2SC194	SONY	44-17	3N22	Δ WEC	33-7	4JX16B670/G	GESY	42-56			72-78
2SB300	TO5J	55-38	2SC195	SONY	43-95	3N23	GIC	33-29	4JX16B670/R	GESY	42-57	10G1051	GESY	39-2
2SB301	TO5J	55-39	2SC196	SONY	44-3	3N23A	GIC	33-31	4JX16B670/Y	GESY	42-58	10G1052	GESY	none
2SB312	MATJ	54-73	2SC197	SONY	44-18	3N23B	GIC	33-33	4Z9-4Z12	GESY	73-25	Repl.by D10G1052	Cur.	
2SB313	MATJ	54-74	2SC244	NECJ	65-77	3N23C	GIC	33-35	5B24	GESY	75-71	10H551	GESY	39-88
2SB315	MITJ	27-85	2SC245	NECJ	65-78	3N25	Δ TII	75-51	5B25	GESY	75-72	10H551-2.3	GESY	none
2SB316	MITJ	27-86	2SC246	NECJ	65-79	3N25/501	TII	18-63	5C28	GESY	75-73	Repl.by D10H551-2.3	Cur.	
2SB317	MITJ	31-28	2SC267A	NECJ	41-77	3N26	Δ TII	40-67	5C29	GESY	75-74	10H553	GESY	39-89
2SB321	TO5J	19-36	2SC286	NECJ	40-57	3N27	Δ TII	40-68	5C30	GESY	75-75	10H553-2.3	GESY	none
2SB322	TO5J	19-37	2SC287	NECJ	40-58	3N29	GESY	33-42	5E29	GESY	75-76	Repl.by D10H553-2.3	Cur.	
2SB323	TO5J	19-38	2SC288	NECJ	40-63	3N30	GESY	33-45	5G514	GESY	75-77	10H1051	GESY	39-90
2SB355	MITJ	52-104	2SC323	TO5J	44-59	3N31	GESY	33-39	5G515	GESY	75-78	10H1053	GESY	39-91
2SB356	MITJ	52-105	2SC360	TO5J	44-44	3N32	TII	40-71	5G516	GESY	75-79	10T2	FTFH	40-72
2SB357	MITJ	52-106	2SC361	TO5J	43-5	3N33	Δ TII	40-76	6B10	GESY	66-15	11B551	GESY	39-95
2SB358	MITJ	55-52	2SC362	TO5J	43-6	3N35A	Δ TII	40-83	7A30	GESY	none	11B551-2.3	GESY	none
2SB359	MITJ	55-53	2SC363	TO5J	43-7			75-52	Repl.by D7A30	Cur.	none	Repl.by D11B551-2.3	Cur.	
2SB360	MITJ	55-54	2SC376	TO5J	43-8	3N36	Δ GESY	33-8	7A31	GESY	none	11B552	GESY	39-98
2SB384	YECJ	22-62	2SC396	TO5J	46-2				Repl.by D7A31	Cur.	none	11B552-2.3	GESY	none
2SB385	YECJ	22-63	2SC479H	HITJ	48-93	3N37	Δ GESY	33-9	7A32	GESY	none	Repl.by D11B552-2.3	Cur.	
2SB413	TO5J	52-101			71-36				Repl.by D7A32	Cur.	none	11B554	GESY	40-7
2SB414	TO5J	52-102	2SC492	TO5J	65-54	3N56	FTFH	40-100	7A35	GESY	61-77	11B554-2.3	GESY	none
2SB443	HITJ	24-100	2SC514	TO5J	61-75		TEC	75-53	7B1	GESY	none	Repl.by D11B554-2.3	Cur.	
			2SC519	TO5J	66-34	3N57		40-101	Repl.by D7B1	Obs.	none	11B555	GESY	40-8
2SB444	HITJ	24-101	2SC520	TO5J	66-35			75-54	7B2	GESY	none	11B555-2.3	GESY	none
			2SC521	TO5J	66-36	3N96	SIX	50-32	Repl.by D7B2	Obs.	none	Repl.by D11B555-2.3	Cur.	
2SB450	MITJ	30-16	2SC580	NECJ	49-55			74-44	7B3	GESY	none	11B556	GESY	39-99
			2SC613	NECJ	46-97	3N97	SIX	50-33	Repl.by 2N2611	Cur.	none	11B556-2.3	GESY	none
					72-89			74-45	7B4	GESY	none	Repl.by D11B556-2.3	Cur.	
2SB450A	YECJ	30-17			72-76	3N98	RCA	51-13	Repl.by 2N2201	Cur.	none	11B560	GESY	39-100
2SB451	MITJ	31-56	2SC679H	HITJ	62-6			73-23	7B13	GESY	60-107	11B560-2.3	GESY	none
2SB452	MITJ	31-57	2SC699	MITJ	62-6			51-14	7B33	GESY	none	Repl.by D11B560-2.3	Cur.	
2SB452A	MITJ	31-58	2SD19	NECJ	33-110	3N99	RCA	73-24	Repl.by 2N3589	Cur.	none	11B1052	GESY	40-18
2SB453	MITJ	68-69	2SD20	NECJ	34-1			75-55	7B34	GESY	none	11B1055	GESY	none
2SB454	MITJ	68-70	2SD21	NECJ	34-2	3S001	TIIB	40-85	Repl.by 2N3590	Cur.	none	Repl.by D11B1055	Cur.	
2SB455	MITJ	68-71	2SD22	NECJ	34-3	3S002	TIIB	75-56	7C1	GESY	none	11B1257	GESY	49-30
2SB471A	HITJ	54-75	2SD23	NECJ	34-4			75-57	Repl.by D7C1	Obs.	none	11B1258	GESY	49-28
2SB471B	HITJ	54-76	2SD25	NECJ	33-99	3S003	TIIB	40-86	7C2	GESY	none	11B1259	GESY	47-69
2SB472A	HITJ	54-77	2SD100A	TO5J	34-55	3S004	TIIB	75-58	Repl.by D7C2	Obs.	none	11B1260	GESY	49-22
2SB472B	HITJ	54-78			34-57			33-44	7C3	GESY	none	11C1B1	GESY	61-47
2SB477	MITJ	56-59	2SD122	HITJ	61-94	3T201	SONY	33-43	Repl.by D7C3	Obs.	none	11C1F1	GESY	61-2
2SB478	MITJ	56-60	2SD123	HITJ	61-95	3T202	SONY	33-40	7C4	GESY	none	11C3B1	GESY	61-48
2SB479	MITJ	56-61	2SD124	HITJ	63-29	3T203	SONY	33-40	Repl.by 2N2202	Cur.	60-84	11C3F1	GESY	61-3
2SB480	MITJ	56-62	2SD125	HITJ	63-30	3TE120	BRUB	66-98	7C13	GESY	none	11C5B1	GESY	61-49
2SC11	TO5J	33-47	2SD191	TO5J	58-1		CLE		7D1	GESY	none	11C5F1	GESY	61-4
2SC12	TO5J	48-106	2SD192	TO5J	58-2			64-47	Repl.by D7D1	Obs.	none	11C7B1	GESY	none
2SC13	TO5J	33-54	2SD193	TO5J	34-56	3TE130	BRUB		7D2	GESY	none	Repl.by D11C7B1	Cur.	
2SC14	TO5J	33-59	2SD194	TO5J	58-3		CLE		Repl.by D7D2	Obs.	none	11C7F1	GESY	none
2SC15	SONY	60-2	2SFT212	NPC	74-38			62-18	7D3	GESY	none	Repl.by D11C7F1	Cur.	
2SC15-1	SONY	49-47	2T11	SONY	19-78	3TE150	BRUB		Repl.by D7D3	Obs.	none	11C10B1	GESY	61-50
2SC15-2	SONY	49-48	2T12	SONY	19-79		CLE		7D4	GESY	none	11C10F1	GESY	61-5
2SC15-3	SONY	49-49	2T13	SONY	19-80	3TE160	BRUB	61-26	Repl.by 2N2203	Cur.	none			

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
11CF4	GESE	80-71	32N2	SSD	none	118XA	WESY	none	355	TII	52-103	1005	GME	none
11CF5	GESE	80-72	Repl.by 2N736	Cur.	none	118XB	WESY	none	420	TII	none	Repl.by 11005	Obs.	none
11CF6	GESE	80-73	33K3	SSD	none	118XC	WESY	none	421	TII	none	1009	GME	none
11CF7	GESE	80-74	Repl.by 3N71	Cur.	none	118XD	WESY	none	422	TII	none	Repl.by 51009	Obs.	19-52
11CF8	GESE	80-75	34N2	SSD	none	118XE	WESY	none	423	TII	29-75	1032	CLE	19-53
11G702	GESE	39-8	Repl.by 2N739A	Cur.	none	118XF	WESY	none	424	TII	none	1033	CLE	19-54
11G703	GESE	39-9	35N2	SSD	none	118XG	WESY	none	425	TII	none	1034	CLE	19-55
11G1052	GESE	39-10	Repl.by 2N740A	Cur.	none	118XH	WESY	none	426	TII	none	1035	CLE	19-56
11G1053	GESE	39-11	35T1	CDLF	19-104	118XI	WESY	31-96	427	TII	none	1036	CLE	19-57
11T1	FTFH	52-4	36T1	CDLF	19-108	118XJ	WESY	none	428	TII	none	1037	CLE	19-58
11T2	FTFH	40-73	37T1	CDLF	20-1	118XK	WESY	none	429	TII	none	1038	CLE	19-59
12A8	AEIL	74-48	38N2	SSD	none	118XL	WESY	none	430	TII	none	1039	CLE	19-60
12A304	GESE	74-49	Repl.by 2N758B	Cur.	24-34	118XM	WESY	none	431	TII	none	1040	CLE	19-61
12A308	GESE	74-50	38T1	FTFH	24-34	118XN	WESY	none	432	TII	none	1041	CLE	19-62
12A904	GESE	74-51	39N2	SSD	none	118XO	WESY	none	433	TII	none	1042	CLE	19-63
12E109	GESE	none	Repl.by 2N759B	Cur.	24-36	118XP	WESY	none	434	TII	none	1043	CLE	19-64
Repl.by D12E109	Cur.	39T1	FTFH	24-36	118XQ	WESY	none	435	TII	none	none	Repl.by 2N2410	Cur.	19-106
12G301	GESE	74-52	40N2	SSD	none	118XR	WESY	none	436	TII	none	1400	CLE	67-100
12G302	GESE	74-53	Repl.by 2N760B	Cur.	none	118XS	WESY	none	437	TII	none	1401-1220	WESY	68-39
12H301	GESE	74-54	41N2	SSD	none	118XT	WESY	none	438	TII	none	1401-1225	WESY	67-101
12H302	GESE	74-55	Repl.by 2N929A	Cur.	none	118XU	WESY	none	439	TII	none	1401-1225	WESY	68-40
12H303	GESE	74-56	42N2	SSD	none	118XV	WESY	none	440	TII	none	1401-1415	WESY	67-102
12J301	GESE	74-57	Repl.by 2N930A	Cur.	40-90	118XW	WESY	none	441	TII	none	1401-1420	WESY	68-41
12J302	GESE	74-58	64EPA	RADF	40-91	118XZ	WESY	none	442	TII	none	1401-1425	WESY	67-103
12J303	GESE	74-59	64EPB	RADF	28-48	118YA	WESY	none	443	TII	none	1401-1425	WESY	68-42
12T1	FTFH	52-5	64T1	SESC	28-54	118YB	WESY	31-97	444	TII	none	1410	CLE	20-2
12T2	FTFH	40-74	65T1	SESC	46-6	118YC	WESY	31-98	445	TII	52-11	1441-0415	WESY	68-44
12X010	GESE	none	78EP	RADF	72-80	118YD	WESY	31-99	446	TII	52-12	1441-0420	WESY	68-45
Repl.by D12X010	Cur.	82T1	SESC	52-10	118YE	WESY	31-100	447	TII	52-13	1441-0615	WESY	68-46	
12X011	GESE	none	96EP	RADF	44-84	118YF	WESY	31-101	448	TII	52-14	1441-0620	WESY	68-47
Repl.by D12X011	Cur.	97EPA	RADF	71-52	118YG	WESY	31-102	449	TII	52-15	1441-0625	WESY	68-48	
12X012	GESE	none	97EPA	RADF	45-104	118YH	WESY	31-103	450	TII	52-16	1441-0815	WESY	68-49
Repl.by D12X012	Cur.	97EPB	RADF	72-38	118YI	WESY	31-104	451	TII	52-17	1441-0820	WESY	68-50	
12X013	GESE	none	97EPB	RADF	45-105	118YJ	WESY	31-105	452	TII	52-18	1441-0825	WESY	68-51
Repl.by D12X013	Cur.	101A	MOTA	28-39	118YK	WESY	31-106	453	TII	52-19	1441-0830	WESY	68-52	
12X014	GESE	none	101A	MOTA	28-107	118YL	WESY	31-107	454	TII	52-20	1441-1015	WESY	68-53
Repl.by D12X014	Cur.	101B	MOTA	72-19	118YM	WESY	31-108	455	TII	52-21	1441-1020	WESY	68-54	
12X015	GESE	none	101B	MOTA	28-108	118YN	WESY	31-109	456	TII	52-22	1441-1025	WESY	68-55
Repl.by D12X015	Cur.	101M	MOTA	29-1	118YO	WESY	31-110	457	TII	52-23	1441-1215	WESY	68-56	
12X043	GESE	none	101M	MOTA	29-1	118YP	WESY	31-111	458	TII	52-24	1441-1220	WESY	68-57
Repl.by D12X043	Cur.	103EP	RADF	40-92	118YQ	WESY	31-112	459	TII	52-25	1441-1225	WESY	68-58	
12X047	GESE	none	107A	MOTA	29-5	118YR	WESY	31-113	460	TII	52-26	1441-1415	WESY	68-59
Repl.by D12X047	Cur.	107B	MOTA	29-6	118YS	WESY	31-114	461	TII	52-27	1441-1420	WESY	68-60	
12X070	GESE	none	107M	MOTA	29-7	118YT	WESY	31-115	462	TII	52-28	1711-0402	WESY	63-55
Repl.by D12X070	Cur.	107N	MOTA	29-7	118YU	WESY	31-116	463	TII	52-29	1711-0405	WESY	63-56	
12X084A	GESE	none	109UA	WESY	none	118YV	WESY	31-117	464	TII	52-30	1711-0602	WESY	63-57
Repl.by D12X084A	Cur.	109UB	WESY	130-04	118YW	WESY	31-118	465	TII	52-31	1711-0605	WESY	63-58	
13K3	SSD	none	Repl.by 2N2739	Cur.	130-06	118YX	WESY	31-119	466	TII	52-32	1711-0802	WESY	63-59
Repl.by 3N72	Cur.	109UC	WESY	130-08	118YY	WESY	31-120	467	TII	52-33	1711-0805	WESY	63-60	
13T1	FTFH	52-6	Repl.by 2N2740	Cur.	130-10	118YZ	WESY	31-121	468	TII	52-34	1711-1002	WESY	63-61
14A502	GESE	none	109UC	WESY	146T1	118ZA	WESY	31-122	469	TII	52-35	1711-1005	WESY	63-62
Repl.by L14A502	Cur.	109UD	WESY	147T1	118ZB	WESY	31-123	470	TII	52-36	1711-1205	WESY	63-63	
14T1	FTFH	52-7	Repl.by 2N2741	Cur.	151-05	118ZC	WESY	31-124	471	TII	52-37	1711-1205	WESY	63-64
15T1	FTFH	52-8	109UD	WESY	151-07	118ZD	WESY	31-125	472	TII	52-38	1711-1402	WESY	63-65
16E4	GESE	none	109WA	WESY	151-09	118ZE	WESY	31-126	473	TII	52-39	1711-1405	WESY	63-66
Repl.by 2N3858	Cur.	109WB	WESY	152-07	118ZF	WESY	31-127	474	TII	52-40	1711-1602	WESY	63-67	
16E5	GESE	none	Repl.by 2N2746	Cur.	152-09	118ZG	WESY	31-128	475	TII	52-41	1711-1605	WESY	63-68
Repl.by 2N3859	Cur.	109WC	WESY	153-05	118ZH	WESY	31-129	476	TII	52-42	1711-1802	WESY	63-69	
16E6	GESE	none	Repl.by 2N2746	Cur.	153-07	118ZI	WESY	31-130	477	TII	52-43	1713-0402	WESY	66-16
Repl.by 2N3860	Cur.	109WD	WESY	153-09	118ZJ	WESY	31-131	478	TII	52-44	1713-0405	WESY	66-17	
16G2	GESE	none	Repl.by 2N2748	Cur.	154-05	118ZK	WESY	31-132	479	TII	52-45	1713-0602	WESY	66-18
Repl.by 2N3663	Cur.	109XA	WESY	154-07	118ZL	WESY	31-133	480	TII	52-46	1713-0605	WESY	66-19	
16J1	GESE	43-32	Repl.by 2N2751	Cur.	154-09	118ZM	WESY	31-134	481	TII	52-47	1713-0802	WESY	66-20
16J2	GESE	43-33	109XB	WESY	155-04	118ZN	WESY	31-135	482	TII	52-48	1713-0805	WESY	66-21
16K1	GESE	43-34	Repl.by 2N2752	Cur.	155-06	118ZO	WESY	31-136	483	TII	52-49	1713-1002	WESY	66-22
16K2	GESE	43-35	109XC	WESY	155-08	118ZP	WESY	31-137	484	TII	52-50	1713-1005	WESY	66-23
16K3	GESE	43-36	Repl.by 2N2753	Cur.	155-10	118ZQ	WESY	31-138	485	TII	52-51	1713-1202	WESY	66-24
16L2	GESE	42-96	109XD	WESY	161T2	118ZR	WESY	31-139	486	TII	52-52	1713-1205	WESY	66-25
16L3	GESE	42-100	Repl.by 2N2754	Cur.	162T2	118ZS	WESY	31-140	487	TII	52-53	1713-1402	WESY	66-26
16L4	GESE	42-103	115UA	WESY	163-05	118ZE	WESY	31-141	488	TII	52-54	1713-1405	WESY	66-27
16L5	GESE	42-108	Repl.by 2N1809	Cur.	163-07	118ZF	WESY	31-142	489	TII	52-55	1713-1602	WESY	66-28
16L22	GESE	42-97	115UB	WESY	163-09	118ZG	WESY	31-143	490	TII	52-56	1713-1605	WESY	66-29
16L23	GESE	42-101	Repl.by 2N1810	Cur.	164-07	118ZH	WESY	31-144	491	TII	52-57	1713-1802	WESY	66-30
16L24	GESE	42-104	115UC	WESY	164-09	118ZI	WESY	31-145	492	TII	52-58	1716-0402	WESY	65-86
16L25	GESE	42-109	Repl.by 2N1811	Cur.	180T2	118ZJ	WESY	31-146	493	TII	52-59	1716-0405	WESY	65-87
16L26	GESE	42-104	115UD	WESY	181T2	118ZK	WESY	31-147	494	TII	52-60	1717-0402	WESY	63-70
16L42	GESE	42-98	Repl.by 2N1812	Cur.	182T2	118ZL	WESY	31-148	495	TII	52-61	1717-0602	WESY	63-72
16L43	GESE	none	115UE	WESY	183T2	118ZM	WESY	31-149	496	TII	52-62	1717-0605	WESY	63-73
Repl.by 2N3855	Cur.	115UF	WESY	184T2	185T2	118ZN	WESY	31-150	4					

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
1763-0425	WESY	66-81	40427	RCA	61-80	AC155	AEIL	30-13	ARA25N	ADV	none	B178	BEN	53-98
1763-0615	WESY	66-82	40444	RCA	66-48			68-65	Repl.by 2N626	Obs.	none	B179	BEN	53-99
1763-0625	WESY	66-83	40460	RCA	51-15	AC156	AEIL	30-32	ARA25N-H	ADV	none	B1013	BEN	none
1763-0815	WESY	66-84			75-105			68-72	Repl.by 2N1019	Obs.	none	Repl.by 2N2282	Cur.	
1763-0825	WESY	66-85	40464	RCA	65-90	AC157	AEIL	34-51	ARA25P	ADV	none	B1013A	BEN	none
1763-1015	WESY	66-86	40465	RCA	65-91			68-83	Repl.by 2N676	Obs.	none	Repl.by 2N2283	Cur.	
1763-1025	WESY	66-87	40466	RCA	65-92	AC161	CSF	28-7	ARA25P-H	ADV	none	B1013B	BEN	none
1763-1215	WESY	66-88	40469	RCA	42-36				Repl.by 2N1020	Obs.	none	Repl.by 2N2284	Cur.	
1763-1225	WESY	66-89	40470	RCA	42-34	AC164	MISLB	19-34	ARA46P	ADV	76-68	B1017	BEN	54-15
1763-1415	WESY	66-90	40471	RCA	42-35	AC165	AEIL	30-38	ASA2	AML	74-65	B1022	BEN	31-41
1763-1425	WESY	66-91	40546	RCA	62-99			68-74	ASA31	AML	76-69	B1110	BEN	55-103
1763-1615	WESY	66-92	40547	RCA	62-100	AC166	AEIL	30-39	ASA51	AML	76-70	B1151	BEN	55-55
1763-1625	WESY	66-93	51009	GME	73-28			68-75	ASA1000	AML	74-66	B1151A	BEN	55-56
1763-1815	WESY	66-94	A250Q	SELB	76-66	AC166/AC168	AEIL	74-15	ASA1001	AML	74-67	B1151B	BEN	55-57
1768-0415	WESY	60-24	A104	APX	44-87	AC167	AEIL	30-40	ASA1003	AML	76-71	B1152	BEN	55-58
1768-0420	WESY	60-25	A106	APX	44-88			68-76	ASA1004	AML	76-72	B1152A	BEN	55-59
1768-0425	WESY	60-26	A108	APX	44-89			34-52	ASY12	BRUB	31-10	B1152B	BEN	55-60
1768-0615	WESY	60-27	A110	APX	44-90			68-84		INTG		B1154	BEN	31-95
1768-0625	WESY	60-28	A111	APX	44-91	AC169	AEIL	20-44	ASY12-1	BRUB	31-79	B1274	BEN	none
1768-0815	WESY	60-29	A116	APX	44-92	AC177	AEIL	30-41	ASY12-2	BRUB	31-80	Repl.by 2N2291	Cur.	
1768-0825	WESY	60-30	A133	APX	45-20			68-77	ASY13	BRUB	31-11	B1274A	BEN	none
1768-1015	WESY	60-31	A151	APX	39-34	ACY27	INTG	30-8		INTG		Repl.by 2N2292	Cur.	
1768-1025	WESY	60-32	A152	APX	39-35		STCB		ASY13-1	BRUB	31-81	B1274B	BEN	none
1768-1215	WESY	60-33	A153	APX	39-36	ACY28	TIIB	30-9	ASY13-2	BRUB	31-82	Repl.by 2N2293	Cur.	
1768-1225	WESY	60-34	A157	APX	45-55	ACY29	TIIB	30-20	ASY14	BRUB	21-49	B1368A	BEN	none
1768-1415	WESY	60-35	A157C	APX	45-59	ACY30	TIIB	30-33		INTG	68-66	Repl.by 2N2638	Cur.	
1768-1425	WESY	60-36	A158	APX	45-56	ACY31	TIIB	30-10	ASY14-1	BRUB	25-53	B1368B	BEN	56-63
1768-1615	WESY	66-95	A159	APX	45-70	ACY34	INTG	29-88	ASY14-2	BRUB	25-54	B1368C	BEN	56-64
1768-1625	WESY	66-96	A170	APX	38-79		STCB		ASY14-3	BRUB	25-55	B1368D	BEN	none
1768-1815	WESY	66-97	A171	APX	38-86	ACY35	INTG	29-89	ASY49	INTG	28-30	Repl.by 2N2638	Cur.	
1771-0440	WESY	60-43	A194	APX	51-16		STCB			STCB		B1368E	BEN	none
1771-0450	WESY	60-44	A195	APX	51-17	ACY36	INTG	29-90	ASY50	INTG	29-94	Repl.by 2N2637	Cur.	
1771-0460	WESY	60-45	A196	APX	51-18		STCB			STCB		B1368F	BEN	none
1771-0640	WESY	60-46	A197	APX	51-25	ADY18	AEG	55-102	ASY51	INTG	27-75	Repl.by 2N2636	Cur.	
1771-0650	WESY	60-47			68-2	ADY22	INTG	56-83		STCB		B1913	BEN	54-81
1771-0660	WESY	60-48	A198	APX	51-26		STCB		ASY52	INTG	28-31	B1914	BEN	53-41
1771-0840	WESY	60-49			68-3	ADY23	INTG	56-84		STCB		B3045	BEN	65-93
1771-0850	WESY	60-50	A199	APX	51-27		STCB		ASY53	STCB	33-81	B3046	BEN	65-94
1771-0860	WESY	60-51			68-4	ADY24	INTG	56-85	ASY54	INTG	30-63	B3141	BEN	none
1771-1040	WESY	60-52	A200	APX	61-81		STCB			STCB		Repl.by 2N3619	Cur.	
1771-1050	WESY	60-53	A213	APX	61-52	ADY25	INTG	54-80	ASY55	INTG	30-80	B3142	BEN	none
1771-1060	WESY	60-54	A323	APX	45-21		STCB			STCB		Repl.by 2N3620	Cur.	
1771-1240	WESY	60-55	A324	APX	45-22	AF101	TFKG	18-91	ASY56	INTG	30-42	B3143	BEN	none
1771-1250	WESY	60-56	A344	APX	45-71	AF111	INTG	20-99		STCB		Repl.by 2N3621	Cur.	
1771-1260	WESY	60-57			71-81	AF112	INTG	20-100	ASY57	INTG	30-54	B3144	BEN	none
1771-1440	WESY	60-58	A345	APX	45-72	AF113	INTG	20-101		STCB		Repl.by 2N3622	Cur.	
1771-1450	WESY	60-59			71-82	AF128	TFKG	18-20	ASY58	INTG	30-69	B3145	BEN	none
1771-1460	WESY	60-60	A346	APX	45-73	AF129	BRUB	20-21		STCB		Repl.by 2N3623	Cur.	
1771-1640	WESY	60-61			71-83		INTG		ASY59	INTG	30-85	B3146	BEN	none
1776-0450	WESY	60-37	A415	APX	none	AF130	BRUB	20-22		STCB		Repl.by 2N3624	Cur.	
1776-0650	WESY	60-38	Repl.by 2N4433	Cur.			INTG		ASY60	STCB	73-10	B3147	BEN	none
1776-0850	WESY	60-39	A431	APX	44-83	AF131	BRUB	20-19	ASY61	STCB	33-91	Repl.by 2N3625	Cur.	
1776-1050	WESY	60-40			76-67		INTG		ASY61/TK33	SIHG	24-92	B3148	BEN	none
1776-1250	WESY	60-41	A451	APX	40-93	AF132	BRUB	20-16		STCB		Repl.by 2N3626	Cur.	
1776-1450	WESY	60-42	A454	APX	40-96		INTG		ASY62	SIHG	33-97	B3149	BEN	none
1859	WEC	none	A455	APX	40-95	AF133	BRUB	20-20		STCB		Repl.by 2N3627	Cur.	
1893	Repl.by 2N28	Obs.	A466	APX	41-105		INTG		ASY63	INTG	29-82	B3161	BEN	none
2074	Repl.by 2N21	Obs.	A472	APX	43-79	AF182	CSF	26-50		STCB	68-25	Repl.by 2N3628	Cur.	
2075	Repl.by 2N463	Obs.	A489	APX	43-64		MISI		ASY64	STCB	73-11	B3162	BEN	none
2081	Repl.by 2N528	Obs.	A515	APX	62-43	AF210	TFKG	28-82	ASY66	STCB	73-12	Repl.by 2N3629	Cur.	
2082	Repl.by 2N1841	Obs.	A520	APX	74-60	AMF101	AMF	65-1	ASY72	STCB	33-95	B3163	BEN	none
2082	Repl.by 2N1675	Obs.	A521	APX	74-61	AMF102	AMF	65-2	ASY82	AEIL	30-23	Repl.by 2N3630	Cur.	
2097	Repl.by 2N559	Obs.	A522	APX	64-9	AMF103	AMF	65-3			68-67	B3456	BEN	65-95
2141	Repl.by 2N1645	Obs.	A523	APX	64-9	AMF104	AMF	64-73	ASY83	AEIL	30-47	B3458	BEN	61-104
3604	LCTF	33-19	A643/L.S	none	63-28	AMF105	AMF	64-74			68-87	B3459	BEN	65-96
3607	LCTF	33-20	A644/L.S	none	42-91	AMF106	AMF	64-75	ASY84	AEIL	30-24	B3459A	BEN	65-97
3609	LCTF	33-22	A645/L.S	none	74-62	AMF107	AMF	65-4			68-68	B3460	BEN	none
3746	RCA	23-79	A747	APX	42-92	AMF108	AMF	65-5	ASY85	AEIL	30-48	Repl.by 2N4225	Cur.	
3907	RCAS	28-62	A747C	APX	74-63	AMF109	AMF	65-6			68-88	B3461	BEN	none
11005	GME	73-26	A748	APX	42-93	AMF110	AMF	65-7	ASY86	THOB	34-49	Repl.by 2N4226	Cur.	
31004	GME	73-27	A749	APX	74-64	AMF111	AMF	65-8			68-79	B3566	BEN	64-15
40005	RCA	26-46	A757	APX	42-88	AMF112	AMF	65-9	ASY87	THOB	34-53	B3567	BEN	64-16
40006	RCA	26-48	A758A	APX	42-89	AMF113	AMF	65-10			68-100	B3568	BEN	64-17
40053	RCA	26-49	A758B	APX	42-90	AMF114	AMF	65-11	ASY88	THOB	34-50	B3569	BEN	64-18
40217	Repl.by 2N3053	Cur.	A759A	APX	45-57	AMF115	AMF	64-76			68-80	B3560	BEN	64-19
40218	RCA	45-46	A759B	APX	43-76	AMF116	AMF	64-77	ASY89	THOB	34-54	B3561	BEN	64-20
40219	RCA	46-68	A1377	APX	43-77	AMF117	AMF	64-78			68-101	B3562	BEN	64-21
40220	RCA	45-95	A1378	APX	45-58	AMF117A	AMF	64-79			68-69	B3563	BEN	64-22
40221	RCA	46-69	A1380	APX	45-74	AMF118	AMF	64-80	ASZ10	TFKG	68-44	B3564	BEN	64-23
40222	RCA	71-110	A1381	APX	43-77	AMF118A	AMF	64-81			68-45	B3565	BEN	64-24
40255	RCA	62-41	A1409	APX	38-1	AMF119	AMF	64-82	ASZ11	PHIN	28-103	B3566	BEN	64-25
40256	RCA	62-42	A1460	APX	38-2	AMF119A	AMF	64-83	ASZ12	PHIN	28-107	B3567	BEN	64-26
40264	RCA	none	A1462	APX	38-3									

1. TYPE No. CROSS INDEX

TYPE No.				IN TYPE NUMBER SEQUENCE							
TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
BB58	SOIF	75-88	BLY30	SGSI	83-48	C850	CRY	73-49	CDQ10058	CDC	none
BB5C	SOIF	75-87			70-29	C851	CRY	73-50	Repl.by 2N552	Cur.	none
BC111	RADF	39-107	BLY57	RADF	62-46	C852	CRY	73-51	CDQ10057	CDC	none
BC150	AEIL	43-9	BLY86	SGSI	62-87	C853	CRY	73-52	Repl.by 2N1116	Cur.	none
BC151	AEIL	43-10	BPY62	SHWG	75-28	C860	CRY	none	CDQ10058	CDC	none
BC152	AEIL	46-51	BR100A	BEN	62-47	Repl.by 2N3084	Cur.	none	Repl.by 2N1117	Cur.	none
BC167	none	42-31			77-2	C861	CRY	none	CDT1349	CLE	none
BC168	none	42-32	BR100C	BEN	64-31	Repl.by 2N3085	Cur.	none	Repl.by 2N2063	Cur.	none
BC169	none	42-33			77-3	C864	CRY	none	CDT1349A	CLE	none
BC170	INTG	42-102	BR100E	BEN	64-55	Repl.by 2N3086	Cur.	none	Repl.by 2N2064	Cur.	none
BC174	INTG	42-105			77-4	C865	CRY	none	CDT1350	CLE	none
BC175	AEIL	48-16	BR100F	BEN	64-32	Repl.by 2N3087	Cur.	none	Repl.by 2N2065	Cur.	none
BC180	AEIL	46-52			77-5	C866	CRY	none	CDT1350A	CLE	none
BC250	INTG	35-82	BR101A	BEN	62-48	Repl.by 2N3088	Cur.	none	Repl.by 2N2066	Cur.	none
BC251	INTG	35-83			77-6	C867	CRY	none	CG1	NAS	76-110
BC252	INTG	35-84	BR101C	BEN	64-33	Repl.by 2N3089	Cur.	none	C11	CRY	none
BC253	INTG	35-85			77-7	C9001	CRY	none	Repl.by 3N102	Cur.	none
BC261	INTG	36-66	BR101E	BEN	64-56	Repl.by 2N2944	Cur.	none	C12	CRY	none
BC262	INTG	36-67			77-8	C9002	CRY	none	Repl.by 3N103	Cur.	none
BC263	INTG	36-68	BR101F	BEN	64-34	Repl.by 2N2945	Cur.	none	C13	CRY	none
BC429	TAGS	43-78			77-9	C9003	CRY	none	Repl.by 3N104	Cur.	none
BC1073	BEN	none	BR200A	BEN	64-57	Repl.by 2N2946	Cur.	none	C14	CRY	none
Repl.by 2N2288	Cur.				77-10	CA3018	RCA	76-74	Repl.by 3N101	Cur.	none
BC1073A	BEN	none	BR200B	BEN	64-35	CA3036	RCA	76-75	C15	CRY	none
Repl.by 2N2289	Cur.				77-11	CB1F4	HON	none	Repl.by 3N100	Cur.	none
BC1073B	BEN	none	BR201A	BEN	64-58	Repl.by 2N1502	Cur.	37-31	CK4	RAYN	23-34
Repl.by 2N2290	Cur.				77-12	CD91	CRY	74-71			23-35
BC1274	BEN	none	BR201B	BEN	64-36			37-32	CK4A	RAYN	69-48
Repl.by 2N2294	Cur.				77-13	CD92	CRY	74-72			69-48
BC1274A	BEN	none	BSC1015	BEN	67-34			74-72	CK13	RAYN	23-3
Repl.by 2N2295	Cur.		BSC1015A	BEN	67-35	CD93	CRY	37-33	CK13A	RAYN	23-4
BC1274B	BEN	none	BSC1015B	BEN	67-36			74-73	CK14	RAYN	23-20
Repl.by 2N2296	Cur.		BSC1016	BEN	67-37	CD94	CRY	37-34	CK14A	RAYN	23-21
BC2290	BEN	none	BSC1016A	BEN	67-38			74-74	CK16	RAYN	23-27
Repl.by 2N2290	Cur.		BSC1016B	BEN	67-39	CD95	CRY	37-35	CK16A	RAYN	23-28
BCY22	TAGS	37-6	BSV38A	none	51-19			74-75	CK17	RAYN	22-68
BCY49	MULB	36-10	BSV50E	SGSI	72-95	CD96	CRY	37-36	CK17A	RAYN	23-38
BCY50	INTG	42-59	BSV50F	SGSI	72-96			74-76	CK22	RAYN	22-95
	SELG		BSV50G	SGSI	72-97	CD97	CRY	37-37	CK22A	RAYN	22-96
BCY501	SELG	44-21	BSW78	INTG	43-36			74-77	CK22B	RAYN	21-46
BCY51	INTG	45-18			72-40	CD98	CRY	37-38	CK22C	RAYN	21-47
	SELG		BSW79	INTG	72-69			74-78	CK25	RAYN	23-10
BCY511	SELG	44-19	BSW80	INTG	43-39	CD912	CRY	37-39	CK25A	RAYN	23-11
BDY15	INTG	62-85			72-83			74-79	CK26	RAYN	23-17
BDY16	INTG	62-86	BSW81	INTG	35-107	CD922	CRY	37-40	CK26A	RAYN	23-18
BDY20	MULB	none			72-54			74-80	CK26A	RAYN	23-18
	PHIC		BSX19%	VALG	72-41	CD932	CRY	37-41	CK27	RAYN	23-30
	RADF		BSX19Ø	none	46-79			74-81	CK27A	RAYN	23-31
Repl.by 2N3055	Cur.				72-42	CD942	CRY	37-42	CK28	RAYN	23-30
BF115	none	40-94	BSX20%	VALG	72-70			74-82	CK28A	RAYN	23-37
BF1151	none	42-10	BSX20Ø	none	46-92	CD952	CRY	37-43	CK28A	RAYN	23-37
BF169	CSF	45-48			72-71			74-83	CK28A	RAYN	23-31
	MISI		BSX31	SGSI	75-106	CD962	CRY	37-44	CK28A	RAYN	23-36
BF187	CSF	42-12	BSY20	INTG	none			74-84	CK28A	RAYN	23-37
	MISI		Repl.by 2N706B	Obs.		CD972	CRY	37-45	CK28A	RAYN	23-37
BF188	CSF	43-51	BSY22	INTG	none			74-85	CK28A	RAYN	23-37
	MISI		Repl.by 2N916	Obs.		CD982	CRY	37-46	CK64	RAYN	22-74
BF189	CSF	42-11	BSY23	INTG	none			74-86	CK64A	RAYN	22-75
	MISI		Repl.by 2N834	Obs.				41-13	CK64A	RAYN	22-76
BF216	AEIL	43-14	BSY32	STCB	40-31	CDQ10001	CDC	47-72	CK64B	RAYN	22-76
BF217	AEIL	43-24			71-13	CDQ10002	CDC	41-25	CK64C	RAYN	22-77
BF218	AEIL	43-16	BSY33	STCB	40-32	CDQ10003	CDC	47-76	CK65	RAYN	22-86
BF219	AEIL	40-65			71-11	CDQ10004	CDC	41-33	CK65A	RAYN	22-87
BF220	AEIL	40-66	BSY36	STCB	40-45	CDQ10005	CDC	47-78	CK65B	RAYN	22-88
BFW67	SGSI	49-31			71-78	CDQ10006	CDC	none	CK65C	RAYN	22-89
BFX10	SGSI	74-68	BSY37	STCB	40-46	CDQ10007	CDC	47-80	CK66	RAYN	22-97
BFX14	MINA	49-64			71-76	Repl.by 2N335	Cur.	41-42	CK66A	RAYN	22-99
	SGSI		BSY42	STCB	74-69	CDQ10008	CDC	47-82	CK66B	RAYN	22-100
BFY15	STCB	48-57	BSY43	STCB	74-70	CDQ10009	CDC	49-71	CK66C	RAYN	22-100
	STCB	70-81	BSY47	STCB	40-33	CDQ10010	CDC	49-72	CK67	RAYN	22-106
BFY16	STCB	48-60			71-14	CDQ10011	CDC	49-72	CK67A	RAYN	22-107
	STCB	71-3	BSY48	STCB	40-34	CDQ10012	CDC	none	CK67B	RAYN	22-108
BFY21	STCB	76-73			71-12	CDQ10013	CDC	49-73	CK67C	RAYN	22-109
BFY22	BRUB	39-30	BSY50	STCB	40-47	Repl.by 2N341	Cur.	49-73	CK83	RAYN	21-70
	INTG	39-30			71-77	CDQ10014	CDC	none	CK86	RAYN	21-106
BFY23	BRUB	39-31	BSY58	RADF	45-8	CDQ10015	CDC	42-75	CK256	RAYN	53-42
	STCB	39-31	BUY16	SGSI	63-39	Repl.by 2N343	Cur.	42-76	CK258	RAYN	53-43
BFY23A	INTG	39-37			70-85	CDQ10016	CDC	42-77	CK261	RAYN	33-62
BFY24	INTG	39-32	BUY17	SGSI	63-40	CDQ10017	CDC	42-78	CK262	RAYN	33-63
	STCB	39-32			70-86	CDQ10018	CDC	42-78	CK273	RAYN	73-3
BFY25	INTG	48-79	C63	FSC	46-56	CDQ10019	CDC	42-79	CK277	RAYN	73-4
	STCB	71-15		SGSI	46-57	CDQ10020	CDC	42-80	CK311	RAYN	53-44
BFY28	INTG	45-107	C64	FSC	46-57	CDQ10021	CDC	42-81	CK312	RAYN	53-45
	SELB	39-33		SGSI	36-12	CDQ10022	CDC	42-82	CK313	RAYN	53-46
BFY29	INTG	39-33	C101	CRY	36-12	CDQ10023	CDC	42-83	CK314	RAYN	53-47
	STCB	39-38	C102	CRY	36-16	CDQ10024	CDC	none	CK315	RAYN	53-48
BFY30	INTG	39-38	C103	CRY	none	CDQ10025	CDC	42-84	CK315	RAYN	53-48
	STCB	39-38	Repl.by 2N1642	Cur.		Repl.by 2N480	Cur.	42-85	CK398	RAYN	43-81
BFY37	none	41-97	C112	CRY	36-15	CDQ10026	CDC	42-85	CK411	RAYN	53-49
BFY371	SELG	41-98			36-18	CDQ10027	CDC	42-85	CK412	RAYN	53-50
BFY391	none	44-45	C119	CRY	38-19	CDQ10028	CDC	none	CK413	RAYN	53-51
BFY391	SELG	44-46			73-13	Repl.by 2N1704	Cur.	46-102	CK414	RAYN	53-52
BFY501	SELG	44-22	C301A	SGSI	63-85	CDQ10032	CDC	49-74	CK415	RAYN	53-53
BFY511	SELG	44-20	C434	SGSI	70-83	CDQ10033	CDC	49-75	CK419	RAYN	43-96
BFY55	APX	none			70-83	CDQ10034	CDC	49-75	CK420	RAYN	43-97
	PHIN		C810	CRY	73-29	CDQ10035	CDC	42-60	CK421	RAYN	43-98
	RADF		C811	CRY	73-30	CDQ10036	CDC	42-61	CK422	RAYN	43-98
	TIIF		C812	CRY	73-31	CDQ10037	CDC	49-78	CK424	RAYN	43-100
Repl.by 2N2297	Cur.		C813	CRY	73-32	CDQ10038	CDC	49-78	CK475	RAYN	43-101
BFY68	APX	none	C814	CRY	73-33	CDQ10039	CDC	49-79	CK476	RAYN	43-102
	PHIC		C815	CRY	73-34	CDQ10040	CDC	49-82	CK477	RAYN	43-103
	TIIF		C820	CRY	73-35	CDQ10041	CDC	49-83	CK751	RAYN	27-84
Repl.by 2N1711	Cur.		C821	CRY	73-36	CDQ10042	CDC	49-82	CK759	RAYN	24-82
BF210	ASMB	35-5	C822	CRY	73-37	CDQ10043	CDC	49-23	CK759	RAYN	none
BLY10	STCB	62-101	C823	CRY	73-38	CDQ10044	CDC	none	Repl.by 2N111		

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	
CTP1109	CLE	none	D10H553-2,3	GESY	39-83	DP1005	AML	50-28	FT24A	AMF	85-38	FT2483	FSC	none	
Repl.by 2N2062 Cur.			D11B551-2,3	GESY	39-96			74-93	FE100	AML	none	Repl.by 2N2483 Cur.	FSC	none	
CTP1111	CLE	54-88	D11B551-2,3	none	39-97	DP1006	AML	50-27	Repl.by 2N3452 Cur.			FT2484	FSC	none	
	INTG		D11B552-2,3	none	39-108			74-94	FE100A	AML	none	Repl.by 2N2484 Cur.	FSC	none	
CTP1112	CLE	55-3	D11B554-2,3	none	40-9	DP1007	AML	50-28	Repl.by 2N3455 Cur.			FT6200	FSC	none	
CTP1117	CLE	55-4	D11B555-2,3	GESY	40-10			74-95	FE102	AML	none	Repl.by 2N1978 Cur.	SGSI	42-22	
CTP1119	CLE	52-21	D11B556-2,3	GESY	39-109	DP1008	AML	50-29	Repl.by 2N3453 Cur.			FV914	SGSI	72-3	
CTP1127	CLE	55-5	D11B560-2,3	none	39-110			74-96	FE102A	AML	none	FV918	SGSI	42-27	
CTP1133	CLE	55-6	D11B1052	GESY	40-19	DP1009	AML	50-30	Repl.by 2N3456 Cur.			FV2369A	SGSI	42-25	
CTP1135	CLE	55-7	D11B1055	GESY	40-20			74-97	FE104	AML	none	FV2484	SGSI	42-15	
CTP1136	CLE	66-37	D11C1B1	GESY	61-53	DP1010	AML	50-31	Repl.by 2N3454 Cur.			FV2894	SGSI	35-81	
CTP1137	CLE	55-8	D11C1F1	GESY	61-8			74-98	FE104A	AML	none	FV3014	SGSI	72-75	
CTP1265	CLE	55-9	D11C3B1	GESY	61-54	DPT200	TRW	73-55	Repl.by 2N3457 Cur.			FV3299	SGSI	42-17	
CTP1266	CLE	55-10	D11C3F1	GESY	61-9	DPT201	TRW	73-56	FE200	AML	none	FV3300	SGSI	71-87	
CTP1296	CLE	55-11	D11C5B1	GESY	61-55	DPT657	PSI	none	Repl.by 2N3066 Cur.			FV3299	SGSI	42-17	
CTP1297	CLE	55-12	D11C5F1	GESY	61-10	Repl.by 2N2887 Cur.		63-3	FE202	AML	none	FV3300	SGSI	71-32	
CTP1306	CLE	55-13	D11C7B1	GESY	61-56	DPT2600	TRW	63-3	Repl.by 2N3067 Cur.			FV3300	SGSI	42-19	
CTP1307	CLE	55-14	D11C7F1	GESY	61-7	DT80	DEL	none	FE204	AML	none	FV3300	SGSI	71-32	
CTP1314	CLE	55-15	D11C10B1	GESY	61-57	Repl.by 2N1099 Cur.		none	Repl.by 2N3068 Cur.			FV3300	SGSI	42-19	
CTP1320	CLE	19-73	D11C10F1	GESY	61-11	DT100	DEL	none	FE250	AML	73-57	FV3502	SGSI	71-54	
CTP1330	CLE	19-86	D11C11B1	GESY	61-58	Repl.by 2N1100 Cur.		64-59	FE252	AML	73-58	FV3503	SGSI	35-78	
CTP1340	CLE	19-90	D11C11F1	GESY	61-12	DT4110	BRDB	64-59	FE254	AML	73-59	FV3503	SGSI	70-105	
CTP1350	CLE	19-94	D11C201B20	GESY	61-59				FE300	AML	none	FV3503	SGSI	35-79	
CTP1360	CLE	19-96	D11C203B20	GESY	61-60	DT4111	BRDB	64-60	Repl.by 2N3069 Cur.			FV3962	SGSI	70-106	
CTP1390	CLE	19-103	D11C205B20	GESY	61-61				FE302	AML	none	FV3962	SGSI	35-73	
CTP1400	CLE	19-109	D11C207B20	GESY	61-62	DT4112	BRDB	64-61	Repl.by 2N3070 Cur.			FV3962	SGSI	35-75	
CTP1410	CLE	20-3	D11C210B20	GESY	61-63				FE304	AML	73-60	GA5319	WEC	none	
CTP1505	CLE	55-104	D11C211B20	GESY	61-64	DT4120	BRDB	64-62	Repl.by 2N3071 Cur.			GA5319	WEC	25-102	
CTP1506	CLE	55-105	D11C551-2,3	GESY	40-1				FE350	AML	73-61	GA52509	WEC	31-104	
CTP1507	CLE	55-106	D11C553-2,3	GESY	40-2	DT4121	BRDB	64-63	FE352	AML	73-61	Repl.by GA53270 Obs.	WEC	26-2	
CTP1509	CLE	55-107	D11C557-2,3	GESY	40-3				FE354	AML	73-62	GA52829	WEC	31-104	
CTP1511	CLE	55-108	D11C702	GESY	45-35	DTG1000	DEL	56-39	FE400	AML	73-62	GA52830	WEC	31-104	
CTP1512	CLE	55-109	D11C704	GESY	45-36	DTG1011	DEL	56-79	Repl.by 2N3436 Cur.			GA52837	WEC	26-2	
CTP1513	CLE	55-110	D11C710	GESY	45-37	DTG1040	DEL	56-80	FE400A	AML	73-63	GA52996	WEC	31-104	
CTP1514	CLE	56-1	D11C1051	GESY	40-4	DTG1110B	DEL	56-40	Repl.by 2N3458 Cur.			GA53080	WEC	74-16	
CTP1530	CLE	56-66	D11C1053	GESY	40-5				FE401	AML	73-63	GA53104	WEC	25-101	
CTP1545	CLE	56-2	D11C1057	GESY	40-6	DTG1210A	DEL	56-41	Repl.by 2N3437 Cur.			GA53104	WEC	25-103	
	INTG		D11C1536	GESY	49-43				FE402A	AML	73-63	GA53194	WEC	25-48	
	CLE		D11E404	GESY	49-59	DTS400	DEL	56-84	Repl.by 2N3459 Cur.			GA53213	WEC	25-94	
CTP1550	CLE	none	D11E405	GESY	42-10	Repl.by 2N2580 Cur.		67-8	FE404	AML	73-64	GA53233	WEC	30-99	
Repl.by 2N2069 Obs.								67-9	Repl.by 2N3438 Cur.			GA53242	WEC	52-48	
CTP1551	CLE	none	D11E406	GESY	49-61	DTS3704A	DEL	67-9	FE404A	AML	73-64	GA53270	WEC	33-26	
Repl.by 2N2070 Obs.								67-10	Repl.by 2N3460 Cur.			GET3	GECB	27-101	
CTP1553	CLE	56-3	D11E407	GESY	49-62	DTS3708A	DEL	67-11	FE1800	AML	73-64	GET4	GECB	27-102	
	INTG							67-12	FF400	CRY	51-12	GET5	GECB	30-18	
CTP1728	CLE	none	D11E407	GESY	72-16	DTS3705B	DEL	67-13			51-12	GET6	GECB	27-103	
Repl.by 2N1755 Cur.											73-64	GET7	GECB	55-16	
CTP1729	CLE	none	D16E7	GESY	42-110	DX57	HUG	none	FG34	AML	73-65	GET8	GECB	55-17	
Repl.by 2N1757 Cur.									FG35	AML	73-66	GET9	GECB	55-18	
CTP1730	CLE	none	D16G6	GESY	43-40	DX58	HUG	none	FG36	AML	73-67	GET10	GECB	55-19	
Repl.by 2N1758 Cur.									FG37	AML	73-67	GET15	GECB	31-94	
CTP1731	CLE	none	D16K1	GESY	43-55	Repl.by 2N3224 Cur.		35-105	FK914	SGSI	42-20	GET102	MULB	30-27	
Repl.by 2N1759 Cur.								35-106			42-20	GET103	MULB	29-102	
CTP1732	CLE	none	D16K2	GESY	43-57	DZ9A4	GESY	55-106	Repl.by 2N2795 Cur.			42-26	GET104	MULB	29-103
Repl.by 2N1761 Cur.									ED322	SPR	42-24	GET105	MULB	32-12	
CTP1733	CLE	none	D16K3	GESY	43-46	Repl.by 2N2795 Cur.		75-29	FK2369A	SGSI	42-14	GET106	MULB	29-104	
Repl.by 2N1762 Cur.								76-77			42-14	GET110	MULB	32-13	
CTP1735	CLE	none	D16P3	GESY	76-76	EIP	ROSG	76-78	FK2484	SGSI	35-80	GET111	MULB	29-105	
Repl.by 2N1756 Cur.								76-79	FK2894	SGSI	72-74	GET113	MULB	30-28	
CTP1736	CLE	none	D24A3391	GESY	42-106	EM500	EBAS	18-66	FK3014	SGSI	42-21	GET114	MULB	29-106	
Repl.by 2N1760 Cur.								18-67			71-86	GET115	MULB	32-14	
CTP1739	CLE	none	D24A3391A	GESY	42-107	EM600	EBAS	18-68	FK3299	SGSI	42-16	GET116	MULB	32-15	
Repl.by 2N2067 Cur.								18-69			71-31	GET120	MULB	32-16	
CTP3550	CLE	none	D24A3392	GESY	43-2	ES3110	EBAS	18-70	FK3300	SGSI	42-18	GET535	MULB	29-107	
Repl.by 2N2071 Obs.								18-71			71-53	GET536	MULB	29-108	
CTP3551	CLE	none	D24A3393	GESY	43-3	ES3111	EBAS	18-72	FK3502	SGSI	35-76	GET538	MULB	29-109	
Repl.by 2N2072 Obs.								19-24			70-103	GET571	MULB	54-19	
CYT1549	CLE	56-67	D24A3393A	GESY	43-4	ES3112	EBAS	19-25	FK3503	SGSI	35-77	GET572	MULB	54-20	
CYT1550	CLE	56-68	D24A3394	GESY	43-5	ES3122	EBAS	19-26			70-104	GET573	MULB	54-21	
CYT1551	CLE	56-69	D24A3394A	GESY	43-6	ES3123	EBAS	19-27	FK3962	SGSI	35-77	GET574	MULB	54-22	
CYT1552	CLE	56-70	D24A3395	GESY	43-7	ES3124	EBAS	19-28	FK3964	SGSI	35-74	GET581	MULB	54-23	
CYT1553	CLE	56-71	D24A3396	GESY	43-8	ES3125	EBAS	19-29	FM2242	FSC	46-31	GET582	MULB	54-24	
CYT1554	CLE	56-72	D24A3397	GESY	43-9	ES3126	EBAS	19-30			71-47	GET583	MULB	54-25	
CYT1555	CLE	56-73	D24A3398	GESY	43-10	ES3511	EBAS	75-30			50-34	GET584	MULB	54-26	
CYT1556	CLE	56-74	D24A3399	GESY	43-11	ES3511	EBAS	75-31	FN1024	RAYN	50-35	GET585	MULB	54-27	
CYT1557	CLE	56-75	D24A3900A	GESY	43-12	ES3114	EBAS	21-12	FN1034	RAYN	50-36	GET586	MULB	54-28	
CYT1558	CLE	56-76	D26B1	GESY	39-43	ES3115	EBAS	21-13	FPN100	FSC	75-33	GET586	MULB	54-28	
CYT1559	CLE	56-77	D26B2	GESY	39-44	ES3116	EBAS	21-13	FSP2	FSC	75-33	GET691	MULB	22-13	
CYT1560	CLE	56-78	D26B2	GESY	39-45	ES3120	EBAS	21-9	Repl.by 2N2060 Cur.			GET692	MULB	22-14	
D4022	GESY	40-102	D26C1	GESY	39-46	ES3121	EBAS	21-9	FSP5	FSC	75-34	GET693	MULB	22-15	
			D26C2	GESY	39-47	ES3122	EBAS	21-10	FSP22	FSC	76-80	GET870	MULB	21-82	
D5E29	GESY	75-88	D26C3	GESY	39-47	ES3123	EBAS	18-3	FSP400	FSC	73-68	GET871	MULB	21-74	
D5E35	GESY	75-89	D28B	GESY	49-70	ES3124	EBAS	43-92	FSP598	ΔGTC	76-81	GET872	MULB	21-7	

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
GFT31/15	TKAD	26-69	GT83	GTC	27-88	HA5014	HAC	34-73	HF100	ROSG	19-2	LT5038	KSC	53-62
GFT31/30	TKAD	26-70	GT87	GTC	27-80		HUG		HF200	ROSG	19-3	LT5039	KSC	53-63
GFT31/80	TKAD	26-71	GT88	GTC	27-104	HA5016	HAC	34-70	HPA4202	HSDC	48-35	LT5042	KSC	53-64
GFT32	NPC	26-72	GT100	BTHB	25-5		HUG	34-59	HT102	HSDC	48-61	LT5048	KSC	53-65
	STCB					HA5020	HAC	34-62	HT103	HSDC	48-62	LT5051	KSC	53-66
GFT32/15	TKAD	26-73	GT109	GIC	none		HUG	34-62	HVT200	MSC	48-2	LT5054	KSC	54-27
GFT32/30	TKAD	26-74	RepI.by 2N109	Cur.		HA5021	HAC	34-60	HVT400	MSC	48-3	LT5057	KSC	54-31
GFT32/60	TKAD	26-75	GT153	GTC	24-102		HUG	34-60	HVT800	MSC	48-5	LT5060	KSC	54-32
GFT34	TKAD	26-76	GT210H	GTC	24-26	HA5022	HAC	34-64	HVT900	MSC	48-6	LT5066	KSC	54-33
GFT34/15	TKAD	26-77	GT364	GIC	34-16		HUG	34-61	HVT1000	MSC	40-103	LT5068	KSC	54-34
GFT34/30	TKAD	26-78	GT365	GIC	34-17	HA5023	HAC	34-61	J460	TII	40-104	LT5072	KSC	54-35
GFT34/60	TKAD	26-79	GT366	GIC	34-18		HUG	34-61	J461	TII	40-105	LT5075	KSC	54-36
GFT41	TKAD	20-23	GT759	GTC	24-89	HA5024	HAC	34-63	J462	TII	40-106	LT5078	KSC	54-37
GFT42A	TKAD	20-17	GT759R	GTC	none		HUG	34-65	J463	TII	40-107	LT5081	KSC	54-38
GFT42B	TKAD	20-15	RepI.by GT1604	Cur.		HA5025	HAC	34-65	J464	TII	40-108	LT5084	KSC	54-39
GFT43	TKAD	20-11	GT760	GTC	25-2		HUG	34-65	J465	TII	40-109	LT5087	KSC	54-40
GFT43A	TKAD	20-4	RepI.by GT1605	Cur.		HA5026	HAC	36-38	J503	TII	none	LT5090	KSC	55-19
GFT43B	TKAD	20-8	RepI.by GT1605	Cur.			HUG	36-39	RepI.by 2N1586	Cur.		LT5093	KSC	55-20
GFT44	TKAD	20-92	GT761	GTC	25-16	HA7206	HAC	38-5	J504	TII	none	LT5098	KSC	55-21
GFT44/15E	TKAD	20-5	GT761R	GTC	none	HA7207	HAC	38-7	RepI.by 2N1587	Cur.		LT5102	KSC	55-22
GFT44/30	TKAD	20-93	RepI.by GT1606	Cur.		HA7501	HAC	38-7	J505	TII	none	LT5105	KSC	55-23
GFT45	TKAD	20-89	GT762	GTC	25-24		HUG	38-6	RepI.by 2N1588	Cur.		LT5108	KSC	55-24
GFT45/30	TKAD	20-90	GT762R	GTC	none	HA7502	HAC	38-6	J506	TII	none	LT5111	KSC	55-25
GFT2006	STAG	52-23	RepI.by GT1607	Cur.			HUG	38-9	J507	TII	none	LT5114	KSC	55-26
	STCB					HA7506	HAC	38-8	RepI.by 2N1589	Cur.		LT5117	KSC	55-27
GFT2006/30	TKAD	52-98	GT763	GTC	25-30		HUG	38-8	J508	TII	none	LT5120	KSC	55-28
GFT2006/60	TKAD	52-99	GT764	GTC	25-29		HUG	38-8	RepI.by 2N1591	Cur.		LT5123	KSC	55-29
GFT2006/90	TKAD	52-100	RepI.by GT1609	Cur.		HA7507	HAC	59-15	J509	TII	none	LT5157	CBS	54-41
GFT3008/20	TKAD	53-14	GT905R	GTC	33-72	HA7510	HAC	38-40	RepI.by 2N1592	Cur.		LT5158	CBS	54-42
GFT3008/40	TKAD	53-15	GT948R	GTC	none		HUG	38-41	J510	TII	none	LT5159	CBS	54-43
GFT3008/60	TKAD	53-16	RepI.by GT1608	Cur.			HUG	38-42	RepI.by 2N1593	Cur.		LT5160	CBS	55-33
GFT3008/80	TKAD	53-23	GT949R	GTC	33-73	HA7515	HAC	59-16	J511	TII	none	LT5162	CBS	55-32
GFT3408/20	TKAD	53-17	GT1079	GTC	34-35	HA7516	HAC	59-17	RepI.by 2N1594	Cur.		LT5164	CBS	58-9
GFT3408/40	TKAD	53-18	GT1200	GTC	none	HA7517	HAC	59-18	J581	TII	48-94	LT5164	CBS	58-10
GFT3408/60	TKAD	53-19	RepI.by 2N1310	Cur.			HUG	59-19	J582	TII	48-95	LT5165	CBS	58-9
GFT3408/80	TKAD	53-24	GT1201	GTC	33-103	HA7521	HAC	59-20	J583	TII	48-96	LT5201	CBS	53-25
GFT4012	TKAD	53-80	GT1202	GTC	33-104	HA7522	HAC	59-21	J584	TII	48-97	LT5202	CBS	58-11
GFT4012/30	TKAD	53-81	GT1624	GTC	33-104	HA7523	HAC	59-22	J585	TII	48-98	LT5209	CBS	58-12
GFT4012/60	TKAD	53-82	RepI.by 2N1672	Cur.			HUG	59-23	J586	TII	48-99	LT5210	CBS	58-12
GFT4308/40	TKAD	52-107	GT1658	GIC	none	HA7525	HAC	59-24	J587	TII	48-100	LT5515	CBS	53-68
GFT4308/60	TKAD	52-108	RepI.by 2N1605	Cur.			HUG	59-25	J588	TII	48-101	M1	SIHG	25-50
GFT4308/80	TKAD	52-109	GT1665	GTC	none	HA7526	HAC	37-80	J589	TII	48-102	M2	SIHG	25-47
GFT4412/30	TKAD	53-83	RepI.by 2N1670	Cur.			HUG	37-81	J594	TII	48-103	M5A	SHEJ	66-49
GFT4412/60	TKAD	53-84	GT2693	GIC	28-17	HA7528	HAC	37-82	J595	TII	48-104	M5B	SHEJ	66-50
GFT4608/40	TKAD	52-110	GT2694	GIC	27-53	HA7530	HAC	37-83	J596	TII	48-105	M5C	SHEJ	66-51
GFT4608/60	TKAD	53-1	GT2695	GIC	28-18	HA7531	HAC	37-61	J623	TII	41-6	M5D	SHEJ	66-52
GFT4608/80	TKAD	53-2	GT2696	GIC	27-54	HA7532	HAC	37-53	J624	TII	41-7	M10A	SHEJ	66-53
GFT8024	TKAD	55-69	GT2765	GIC	34-28	HA7533	HAC	37-84	J625	TII	41-8	M10B	SHEJ	66-54
GFT3408320	none	53-20	GT2766	GIC	34-30	HA7534	HAC	37-85	J626	TII	41-14	M10C	SHEJ	66-55
GM290	TIIB	22-43	GT2767	GIC	34-31		WTC	37-82	J629	TII	41-16	M12H	MATJ	none
GME0404	GME	37-15	GT2768	GIC	34-25	HA7535	HAC	37-62	J630	TII	41-17	RepI.by 2SA308	Obs.	
GME0404-1	GME	37-17	GT2883	GIC	27-55		WTC	37-54	J631	TII	41-18	M14H	MATJ	none
GME0404-2	GME	37-18	GT2884	GIC	34-5	HA7536	HAC	37-55	K1001	KMC	51-20	RepI.by 2SA309	Obs.	
GME1001	GME	44-61	GT2885	GIC	27-56	HA7537	HAC	37-56	K1002	KMC	51-21	M15H	MATJ	none
GME1002	GME	44-62	GT2886	GIC	34-6	HA7538	HAC	37-55	K1003	KMC	51-22	RepI.by 2SA310	Obs.	
GME2001	GME	44-52	GT2887	GIC	27-57		WTC	37-57	K1004	KMC	51-23	M8108A	TOSJ	none
GME2002	GME	44-53	GT2888	GIC	34-7	HA7539	HAC	37-26	K1201	KMC	51-9	RepI.by 2SC109	Cur.	
GME3001	GME	44-77	GT2906	GIC	34-29	HA7540	HAC	37-27	K1202	KMC	51-10	M8108B	TOSJ	none
GME3002	GME	44-81	GT1A1	ROSG	20-91	HA7541	HAC	37-28	K1501	KMC	50-9	RepI.by 2SC109	Cur.	
GME4001	GME	44-13	GT2A2	ROSG	20-94	HA7542	HAC	37-63	K1502	KMC	50-10	M8124	TOSJ	21-26
GME4002	GME	44-24	GT2A3	ROSG	18-54	HA7543	HAC	37-64	K1504	KMC	50-11	M8128	TOSJ	none
GME4003	GME	44-25			75-69	HA7597	HAC	37-65	K2001	KSC	none	RepI.by 2SA372	Cur.	
GME6001	GME	46-53	GTE1	ROSG	26-82	HA7598	HAC	37-66	K4002	KMC	47-70	MA1	SPR	18-49
GME6002	GME	46-54	GTE2	ROSG	26-83	HA7599	HAC	59-26	K5010	KMC	42-8	MA2	SPR	18-31
GME6003	GME	46-49	GTL1	ROSG	53-54	HA7630	HAC	59-27	K5011	KMC	42-7	MA28	SPR	18-58
GME9001	GME	44-72	GTL3	ROSG	53-21	HA7631	HAC	59-28	K5202	KMC	40-88	MA112	MOTA	29-34
		72-35	GTSMPA	GIC	none	HA7632	HAC	59-3	KGS1000	KSC	29-110	MA113	MOTA	29-35
GME9002	GME	44-73	RepI.by 2N529	Cur.			HUG	59-4	KGS1001	KSC	30-60	MA114	MOTA	29-36
		72-36	GTSMPB	GIC	none	HA7723	HAC	59-29	KGS1002	KSC	30-73	MA115	MOTA	29-37
GME9021	GME	44-63	RepI.by 2N530	Cur.			HUG	59-28	KGS1003	KSC	30-78	MA116	MOTA	29-38
		71-101	GTSMPC	GIC	none	HA7730	HAC	59-30	KGS1004	KSC	30-88	MA117	MOTA	29-39
GME9022	GME	44-64	RepI.by 2N531	Cur.			HUG	59-31	KY4022	UCC	74-101	MA240	SELB	18-94
		72-11	GTSMPD	GIC	none	HA7732	HAC	59-32	KY4043	UCC	74-102	MA286	MOTA	29-40
GMO290	TIIB	22-48	RepI.by 2N532	Cur.			HUG	37-67	RepI.by 2N2857	Cur.		MA287	MOTA	29-41
GMO378	TIIB	22-39	GTSMPE	GIC	none	HA7734	HAC	37-68	K4002	KMC	47-70	MA288	MOTA	29-42
GT1	BTHB	26-88	RepI.by 2N533	Cur.			HUG	75-107	K5011	KMC	42-7	MA289	MOTA	29-43
	GTC					HA7735	HAC	75-108	K5202	KMC	40-88	MA290	MOTA	29-44
GT2	BTHB	26-94	GTV	ROSG	26-84	HA7736	HAC	75-109	KGS1000	KSC	29-110	MA291	MOTA	29-45
	GTC		H3A	MIN	52-58	HA7737	HAC	75-110	KGS1001	KSC	30-60	MA292	MOTA	29-46
GT3	BTHB	26-99	H4A	MIN	52-59	HA7804	HAC	76-1	KGS1002	KSC	30-73	MA293	MOTA	29-47
	GTC		H5	HON	53-100		HUG	76-1	KGS1003	KSC	30-78	MA294	MOTA	29-48
GT11	BTHB	24-65	H5B2N3	HON	53-93	HA7806	HAC	76-2	KGS1004	KSC	30-88	MA295	MOTA	29-49
	GTC		H6	HON	53-101		HUG	76-3	KY4042	UCC	74-101	MA296	MOTA	29-50
GT12	BTHB	24-75	H7	HON										

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
MA3233	HUG	76-87	MM511	MOTA	none	MPS2894	MOTA	38-89	NKT184/25	NTLB	21-78	NS734	NAS	47-15
MA3234	HUG	76-88	Repl.by 2N2220	CUR.	none			72-56	NKT201	NTLB	31-63	NS734A	NSC	47-16
MA4990	MIC	63-37	MM512	MOTA	none	MSP65A	MST	62-104	NKT202	NTLB	29-87	NS792	NSC	none
MA7805	HUG	37-72	Repl.by 2N2221	Cur.	none	MSP75A	MST	62-105	NKT203	NTLB	29-68	Repl.by 2N2403	Obs.	
		76-3	MM513	MOTA	none	MT01	SELB	50-14	NKT204	NTLB	29-69	NS793	NSC	none
MA7807	HUG	74-104	Repl.by 2N2222	Cur.	none	MT100	GIC	41-110	NKT205	NTLB	29-70	Repl.by 2N2404	Obs.	
MA7809	HUG	74-105	MM719	MOTA	none	MT101	GIC	40-110	NKT206	NTLB	29-71	NS949	NSC	61-65
MA7811	HUG	37-73	Repl.by 2N2951	Cur.	none	MT102	GIC	41-109	NKT207	NTLB	29-72			71-33
		76-4	MM799	MOTA	none	MT104	GIC	41-91	NKT208	NTLB	31-64	NS950	NSC	61-66
MA7816	HUG	37-74	Repl.by 2N2948	Cur.	none	MT106	GIC	41-106	NKT221	NTLB	31-52			71-34
		76-5	MM800	MOTA	none	MT107	GIC	41-107	NKT222	NTLB	29-54	NS1000	NAS	37-78
MA7817	HUG	37-75	Repl.by 2N2947	Cur.	none	MT696	HUG	44-27	NKT222S1	NTLB	31-62	NS1001	NAS	37-79
		76-6	MM801	MOTA	none	MT697	HUG	44-28	NKT222S2	NTLB	31-67	NS1002	NAS	37-58
MAS20	SELB	18-59	Repl.by 2N2950	Cur.	none	MT698	HUG	44-29	NKT225	NTLB	29-55	NS1116	NSC	68-1
MAS21	SELB	18-60	MM1008	MOTA	none	MT699	HUG	44-30	NKT227	NTLB	29-56			73-5
MAS22	SELB	18-61	Repl.by 2N3444	Cur.	none	MT706	HUG	44-65	NKT228	NTLB	31-53	NS1234	NSC	38-13
MAS23	SELB	18-62	MM1151	MOTA	none	MT706A	HUG	44-66	NKT231	NTLB	31-65	NS1355	NAS	48-80
MC104	SIHG	47-58	Repl.by 2N3279	Cur.	none	MT706B	HUG	44-67	NKT232	NTLB	31-66	NS1356	NAS	49-51
MC105	SIHG	47-59	MM1152	MOTA	none	MT707	HUG	44-68	NKT237	NTLB	31-54	NS1500	NSC	40-13
MC106	SIHG	47-60	Repl.by 2N3280	Cur.	none	MT708	HUG	44-69	NKT238	NTLB	31-55	NS1672	NSC	37-88
MC107	SIHG	47-61	MM1153	MOTA	none	MT726	HUG	36-58	NKT239	NTLB	31-42	NS1673	NSC	37-89
MCS2135	MOTA	41-78	Repl.by 2N3281	Cur.	none	MT743	HUG	44-74	NKT240	NTLB	31-43	NS1874	NSC	37-90
MCS2136	MOTA	41-79	MM1154	MOTA	none	MT744	HUG	44-75	NKT241	NTLB	31-44	NS1675	NSC	37-91
MCS2137	MOTA	35-69	Repl.by 2N3282	Cur.	none	MT753	HUG	44-54	NKT242	NTLB	31-45	NS1861	NSC	37-48
MCS2138	MOTA	35-70	MM1161	MOTA	none	MT869	HUG	36-56	NKT243	NTLB	31-46	NS1862	NSC	37-49
MD501	SELB	20-45	Repl.by 2N3287	Cur.	none	MT870	HUG	44-36	NKT244	NTLB	31-47	NS1863	NSC	36-69
		68-11	MM1162	MOTA	none	MT871	HUG	44-37	NKT245	NTLB	31-48	NS1864	NSC	36-70
MD501B	SELB	20-46	Repl.by 2N3288	Cur.	none	MT910	HUG	44-38	NKT246	NTLB	26-82	NS1900	NSC	46-47
		68-12	MM1163	MOTA	none	MT911	HUG	44-39	NKT247	NTLB	26-87	NS1960	NAS	48-81
MD1123	MOTA	74-106	Repl.by 2N3289	Cur.	none	MT912	HUG	44-40	NKT249	NTLB	18-73	NS1972	NSC	47-17
MD1123F	MOTA	74-107	MM1164	MOTA	none	MT914	HUG	49-87	NKT251	NTLB	31-59	NS1973	NSC	47-18
MD1124	MOTA	74-108	Repl.by 2N3290	Cur.	none	MT995	HUG	36-57	NKT252	NTLB	29-59	NS1974	NSC	47-19
MD1124F	MOTA	74-109	MM1461	MOTA	none	MT1131	HUG	36-40	NKT253	NTLB	31-60	NS1975	NSC	47-20
MD1125	MOTA	74-110	Repl.by 2N3506	Cur.	none	MT1131A	HUG	36-41	NKT254	NTLB	29-60	NS2100	NSC	48-14
MD1125F	MOTA	75-1	MM1462	MOTA	none	MT1132	HUG	36-42	NKT255	NTLB	24-27			71-37
MD1133	MOTA	75-2	Repl.by 2N3507	Cur.	none	MT1132A	HUG	36-43	NKT263	NTLB	31-61	NS2101	NSC	49-52
MD1133F	MOTA	75-3	MM1736	MOTA	none	MT1132B	HUG	36-44	NKT265	NTLB	24-28			71-38
MDS31	SELB	20-66	Repl.by 2N3634	Cur.	none	MT1254	HUG	36-48	NKT273	NTLB	30-1	NS2525	NSC	44-70
		70-65	MM1737	MOTA	none	MT1255	HUG	36-49	NKT275A	NTLB	30-2	NS3000	NSC	39-52
MDS32	SELB	20-63	Repl.by 2N3635	Cur.	none	MT1256	HUG	36-50	NKT275E	NTLB	30-3			76-8
MDS33	SELB	20-79	MM1738	MOTA	none	MT1257	HUG	36-51	NKT275J	NTLB	30-4	NS3001	NSC	39-53
MDS33A	SELB	20-80	Repl.by 2N3636	Cur.	none	MT1258	HUG	36-52	NKT278	NTLB	29-83			76-9
MDS33C	SELB	20-76	MM1739	MOTA	none	MT1259	HUG	36-53	NKT301	NTLB	32-6	NS3039	NSC	40-14
		71-44	Repl.by 2N3637	Cur.	none	MT1420	HUG	36-45	NKT301A	NTLB	52-75			78-10
MDS33D	SELB	20-77	MM1943	MOTA	46-4	MT1613	HUG	44-31	NKT302A	NTLB	52-76	NS3040	NSC	40-15
MDS34	SELB	20-47	MM1945	MOTA	49-65	MT1711	HUG	44-32	NKT303	NTLB	32-7			76-11
		70-37	MM2090	MOTA	none	MT1893	HUG	44-41	NKT352	NTLB	32-3	NS3041	NSC	40-16
MDS35	SELB	19-1	Repl.by 3N124	Cur.	none	MT1991	HUG	36-46	NKT361	NTLB	32-4			78-12
MDS36	SELB	20-67	MM2091	MOTA	none	MT2303	HUG	36-47	NKT362	NTLB	32-5	NS3050	NSC	39-54
		70-66	Repl.by 3N125	Cur.	none	MT2411	HUG	36-59	NKT415	NTLB	53-85			78-13
MDS37	SELB	27-58	MM2092	MOTA	none	MT2412	HUG	36-60	NKT416	NTLB	53-86	NS3051	NSC	39-55
		68-22	Repl.by 3N126	Cur.	none	MTM360	MITJ	63-4	NKT450	NTLB	54-89			78-14
MDS38	SELB	20-24	MM2102	MOTA	51-32	N104B	FSC	none	NKT450X2	NTLB	75-5	NS3052	NSC	39-56
		71-61			68-18	Repl.by 2N957	Cur.	none	NKT452S1	NTLB	55-34			78-15
MDS39	SELB	20-78			73-69	NKT4	NTLB	24-37	NKT501	NTLB	56-42	NS3053	NSC	39-57
MDS40	SELB	20-68	MM2103	MOTA	50-36	NKT5	NTLB	24-31	NKT502	NTLB	56-43			78-16
ME495	APX	46-38			68-19	NKT25	NTLB	24-32	NKT503	NTLB	56-44	NS3108	NSC	76-17
ME501	none	37-19			73-70	NKT25A	NTLB	24-33	NKT504	NTLB	56-45	NS3109	NSC	76-18
		75-4	MM2264	MOTA	62-63	NKT32	NTLB	20-104	NKT618	NTLB	25-31	NS3110	NSC	78-19
ME509	AME	76-7	MM2503	MOTA	22-51	NKT33	NTLB	20-102	NKT675	NTLB	23-98	NS3300	NSC	48-12
ME510	AME	75-36	MM2550	MOTA	29-21	NKT42	NTLB	20-105	NKT676	NTLB	23-108			78-20
ME900A	APX	46-45			72-100	NKT43	NTLB	20-103	NKT677	NTLB	23-99	NS6062	NSC	35-61
ME901A	APX	46-46	MM2552	MOTA	31-75	NKT52	NTLB	21-54	NKT701	NTLB	34-21	NS6063	NSC	35-62
ME8021	UEHK	71-96			72-101	NKT53	NTLB	21-55	NKT703	NTLB	34-22	NS6064	NSC	35-63
ME8022	UEHK	71-97	MM2554	MOTA	31-76	NKT54	NTLB	21-56	NKT735	NTLB	69-24	NS6065	NSC	35-64
MEM519	GIC	50-1			72-102	NKT62	NTLB	21-57	NKT751	NTLB	34-19	NS6112	NSC	41-80
MF100	SIX	51-1	MM2894	MOTA	37-23	NKT63	NTLB	21-58	NKT752	NTLB	34-20	NS6113	NSC	41-81
MF101	SIX	51-2			72-55	NKT64	NTLB	21-59	NKT753	NTLB	34-48	NS6114	NSC	41-82
MF1161	MOTA	none	MM13A	MOTA	31-87	NKT74	NTLB	21-60	NKT774	NTLB	34-8	NS6115	NSC	41-83
Repl.by 2N3287	Cur.	none	MM13B	MOTA	31-88	NKT101	NTLB	22-4	NPC151A	NPC	none	NS6207	NSC	41-92
MF1162	MOTA	none	MM13C	MOTA	31-89			69-54	Repl.by 2N2223	Cur.	none	NS6208	NSC	76-21
Repl.by 2N3288	Cur.	none	MM19	MOTA	none	NKT102	NTLB	21-92	NPT800	NPC	none	NS6209	NSC	76-22
MF1163	MOTA	none	Repl.by 2N505	Cur.	none			69-31	Repl.by 2N3399	Cur.	none	NS6210	NSC	41-47
Repl.by 2N3289	Cur.	none	MM21	MOTA	56-5	NKT103	NTLB	21-64	NSO60	NAS	41-1			78-23
MF1164	MOTA	none	MM24	MOTA	none			68-108	NSO61	NSC	47-73			78-24
Repl.by 2N3290	Cur.	none	Repl.by 2N350	Cur.	none	NKT104	NTLB	22-5	NSO63	NSC	41-26	NS6211	NSC	35-28
MF3304	MOTA	35-1	MM25	MOTA	none			69-55	NSO64	NSC	47-77			76-24
MHT1802	MIN	56-100	Repl.by 2N351	Cur.	none	NKT105	NTLB	21-93	NSO66	NSC	41-34	NS6212	NSC	41-93
MHT1803	MIN	56-101	MM26	MOTA	none			69-32	NSO67	NSC	47-79	NS7000	NSC	75-6
MHT1804	MIN	56-102	Repl.by 2N376	Cur.	none	NKT106	NTLB	21-65	NSO69	NSC	41-38	NS7001	NAS	75-7
MHT1902	MIN	56-86	MM29	MOTA	56-6			68-109	NSO70	NSC	47-81	NS7070	NSC	75-8
MHT1903	MIN	56-87	MM29	MOTA	56-7	NKT107	NTLB	22-6	NSO72	NSC	41-43	NS7100	NSC	76-89
MHT1904	MIN	56-88	MM32	MOTA	56-8			69-56	NSO73	NSC	47-83	NS7630	NSC	76-25

1. TYPE No. CROSS INDEX

TYPE No.				MFRS Pg&Line				TYPE No.				MFRS Pg&Line				TYPE No.				MFRS Pg&Line				IN TYPE NUMBER SEQUENCE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
OC4H	VANN	24-104	OC460	BRUB	35-95	PEP7	AEIL	45-82	PT706	PSI	none	RT717M	RAYN	none	OC4K	VANN	25-11	OC460K	BRUB	36-24	PEP8	AEIL	45-82	PT706-1	PSI	none	RT718AM	RAYN	none	OC4L	VANN	25-83	OC463	BRUB	36-7	PEP9	AEIL	45-80	PT706A	TRW	none	RT718M	RAYN	none	OC4LP	VANN	25-84	OC463K	BRUB	38-4	PET0404	PHIL	37-16	PT706A-1	TRW	none	RT719M	RAYN	47-34	OC4LR	VANN	25-85	OC465	BRUB	35-93	PET0404-1	PHIL	37-20	PT709	TRW	none	RT720M	RAYN	71-9	OC4N	VANN	25-22	OC465K	BRUB	36-22	PET0404-2	PHIL	46-50	PT709-1	TRW	none	RT730M	RAYN	none	OC5-O	VANN	25-26	OC466	BRUB	35-96	PET8003	PHIL	71-102	Repl.by 2N988	Cur.	none	RT731M	RAYN	69-60	OC5K	VANN	25-12	OC466K	BRUB	36-25	PET9003	PHIL	51-33	Repl.by 2N989	Cur.	none	RT910M	RAYN	46-28	OC5LP	VANN	25-86	OC467	BRUB	35-98	PET9004	PHIL	75-44	Repl.by 2N2656	Cur.	none	RT929H	RAYN	69-61	OC5LR	VANN	25-87	OC467K	BRUB	36-27	Ph241N	none	75-45	PT801	TRW	none	RT1115	RAYN	46-30	OC5N	VANN	25-88	OC468	BRUB	35-102	Ph242	none	51-34	PT802	TRW	none	RT1210	RAYN	39-40	OC16	MULB	none	OC468K	BRUB	36-28	Ph242N	none	51-35	Repl.by 2N1409	Cur.	none	RT1252M	RAYN	48-39	Repl.by 2N115	Obs.	none	OC469	BRUB	36-28	Ph243	none	75-47	Repl.by 2N1410	Cur.	none	RT1253M	RAYN	70-77	OC27	AMP	none	OC469K	BRUB	35-94	Ph244	none	75-48	PT822	PSI	none	RT1252M	RAYN	46-103	Repl.by 2N1315	Obs.	19-74	OC470	BRUB	36-23	Ph244N	none	75-49	Repl.by 2N1837	Cur.	none	RT1253M	RAYN	46-104	OC32	NPC	19-87	OC470K	BRUB	35-97	PMT011	PSI	39-58	PT851	PSI	none	RT1409M	RAYN	46-105	OC33	NPC	19-87	OC480	BRUB	36-5	PMT012	PSI	39-59	Repl.by 2N1838	Cur.	none	RT1410M	RAYN	46-106	OC34	NPC	19-92	OC480K	BRUB	38-3	PMT013	PSI	39-58	PT852	PSI	none	RT1420M	RAYN	60-11	OC40	VANN	25-27	OC801	BRUB	19-67	PMT014	PSI	39-59	Repl.by 2N1839	Cur.	none	RT1613M	RAYN	none	OC46N	TII	23-5	OC802	BRUB	19-91	PMT015	PSI	39-60	Repl.by 2N1840	Cur.	none	Repl.by 2N2317	Cur.	49-37	OC47N	MINA	23-12	OC803	BRUB	19-91	PMT016	PSI	39-61	PT887	TRW	48-28	RT1890M	RAYN	49-37	OC50	VANN	25-28	OC803	BRUB	19-93	PMT017	PSI	39-62	PT888	TRW	48-29	RT1899	RADF	none	OC53	APX	18-16	OC804	BRUB	19-95	PMT018	PSI	39-63	PT889	TRW	48-30	Repl.by 2N1899	Cur.	37-24	OC54	APX	18-17	OC804	BRUB	18-88	PMT019	PSI	39-64	PT890	TRW	66-103	RT2459	RAYN	72-84	OC55	APX	18-18	OC805	BRUB	18-89	PMT020	PSI	39-65	PT891	TRW	66-104	RT2460	RAYN	37-25	OC56	APX	18-7	OC806	BRUB	18-74	PMT021	PSI	39-66	PT892	TRW	66-104	RT2461	RAYN	35-109	OC71N	APX	24-67	OC807	BRUB	18-75	PMT022	PSI	40-53	PT893	TRW	66-104	RT2462	RAYN	36-91	OC73	APX	none	OC808	BRUB	18-76	PMT023	PSI	40-53	PT894	TRW	66-104	RT2463	RAYN	72-98	Repl.by 2N283	Cur.	26-84	OC809	BRUB	18-76	PMT024	TRW	40-53	PT895	TRW	66-104	RT2464	RAYN	35-110	OC75N	APX	25-62	OC810	BRUB	18-76	PMT025	TRW	40-53	PT896	TRW	66-104	RT2465	RAYN	37-87	OC303	INTG	20-106	OC811	BRUB	18-76	PMT026	TRW	40-53	PT897	TRW	66-104	RT2466	RAYN	75-11	OC304	INTG	25-63	OC812	BRUB	18-76	PMT027	TRW	40-53	PT898	TRW	66-104	RT2467	RAYN	none	OC304/1	INTG	25-63	OC813	BRUB	18-76	PMT028	TRW	40-53	PT899	TRW	66-104	RT2468	RAYN	60-108	OC304/2	INTG	25-63	OC814	BRUB	18-76	PMT029	TRW	40-53	PT900	TRW	66-104	RT2469	RAYN	60-109	OC304/3	INTG	25-63	OC815	BRUB	18-76	PMT030	TRW	40-53	PT901	TRW	66-104	RT2470	RAYN	60-110	OC305	INTG	20-107	OC816	BRUB	18-76	PMT031	TRW	40-53	PT902	TRW	66-104	RT2471	RAYN	61-1	OC305/1	INTG	25-69	OC817	BRUB	18-76	PMT032	TRW	40-53	PT903	TRW	66-104	RT2472	RAYN	48-68	OC305/2	INTG	25-70	OC818	BRUB	18-76	PMT033	TRW	40-53	PT904	TRW	66-104	RT2473	RAYN	48-69	OC306/1	INTG	25-64	OC819	BRUB	18-76	PMT034	TRW	40-53	PT905	TRW	66-104	RT2474	RAYN	48-70	OC306/2	INTG	25-66	OC820	BRUB	18-76	PMT035	TRW	40-53	PT906	TRW	66-104	RT2475	RAYN	48-71	OC306/3	INTG	25-68	OC821	BRUB	18-76	PMT036	TRW	40-53	PT907	TRW	66-104	RT2476	RAYN	48-72	OC307	INTG	26-91	OC822	BRUB	18-76	PMT037	TRW	40-53	PT908	TRW	66-104	RT2477	RAYN	48-73	OC307-1	BRUB	25-56	OC823	BRUB	18-76	PMT038	TRW	40-53	PT909	TRW	66-104	RT2478	RAYN	48-74	OC307-2	BRUB	25-57	OC824	BRUB	18-76	PMT039	TRW	40-53	PT910	TRW	66-104	RT2479	RAYN	48-75	OC307-3	BRUB	25-58	OC825	BRUB	18-76	PMT040	TRW	40-53	PT911	TRW	66-104	RT2480	RAYN	48-76	OC308	INTG	21-51	OC826	BRUB	18-76	PMT041	TRW	40-53	PT912	TRW	66-104	RT2481	RAYN	48-77	OC309	INTG	26-92	OC827	BRUB	18-76	PMT042	TRW	40-53	PT913	TRW	66-104	RT2482	RAYN	48-78	OC309-1	BRUB	25-59	OC828	BRUB	18-76	PMT043	TRW	40-53	PT914	TRW	66-104	RT2483	RAYN	48-79	OC309-2	BRUB	25-60	OC829	BRUB	18-76	PMT044	TRW	40-53	PT915	TRW	66-104	RT2484	RAYN	48-80	OC309-3	BRUB	25-61	OC830	BRUB	18-76	PMT045	TRW	40-53	PT916	TRW	66-104	RT2485	RAYN	48-81	OC318	INTG	31-12	OC831	BRUB	18-76	PMT046	TRW	40-53	PT917	TRW	66-104	RT2486	RAYN	48-82	OC320	NPC	20-95	OC832	BRUB	18-76	PMT047	TRW	40-53	PT918	TRW	66-104	RT2487	RAYN	48-83	OC330	INTG	19-42	OC833	BRUB	18-76	PMT048	TRW	40-53	PT919	TRW	66-104	RT2488	RAYN	48-84	OC331	NPC	18-77	OC834	BRUB	18-76	PMT049	TRW	40-53	PT920	TRW	66-104	RT2489	RAYN	48-85	OC340	INTG	19-44	OC835	BRUB	18-76	PMT050	TRW	40-53	PT921	TRW	66-104	RT2490	RAYN	48-86	OC341	NPC	18-78	OC836	BRUB	18-76	PMT051	TRW	40-53	PT922	TRW	66-104	RT2491	RAYN	48-87	OC342	INTG	18-79	OC837	BRUB	18-76	PMT052	TRW	40-53	PT923	TRW	66-104	RT2492	RAYN	48-88	OC343	INTG	18-83	OC838	BRUB	18-76	PMT053	TRW	40-53	PT924	TRW	66-104	RT2493	RAYN	48-89	OC350	INTG	19-45	OC839	BRUB	18-76	PMT054	TRW	40-53	PT925	TRW	66-104	RT2494	RAYN	48-90	OC351	INTG	18-85	OC840	BRUB	18-76	PMT055	TRW	40-53	PT926	TRW	66-104	RT2495	RAYN	48-91	OC360	INTG	19-43	OC841	BRUB	18-76	PMT056	TRW	40-53	PT927	TRW	66-104	RT2496	RAYN	48-92	OC361	INTG	18-80	OC842	BRUB	18-76	PMT057	TRW	40-53	PT928	TRW	66-104	RT2497	RAYN	48-93	OC362	INTG	18-81	OC843	BRUB	18-76	PMT058	TRW	40-53	PT929	TRW	66-104	RT2498	RAYN	48-94	OC363	INTG	18-84	OC844	BRUB	18-76	PMT059	TRW	40-53	PT930	TRW	66-104	RT2499	RAYN	48-95	OC364	INTG	18-87	OC845	BRUB	18-76	PMT060	TRW	40-53	PT931	TRW	66-104	RT2500	RAYN	48-96	OC390	INTG	20-96	OC846	BRUB	18-76	PMT061	TRW	40-53	PT932	TRW	66-104	RT2501	RAYN	48-97	OC400	INTG	20-97	OC847	BRUB	18-76	PMT062	TRW	40-53	PT933	TRW	66-104	RT2502	RAYN	48-98	OC410	INTG	20-98	OC848	BRUB	18-76	PMT063	TRW	40-53	PT934	TRW	66-104	RT2503	RAYN	48-99	OC430	INTG	35-86	OC849	BRUB	18-76	PMT064	TRW	40-53	PT935	TRW	66-104	RT2504	RAYN	48-100	OC430K	INTG	35-87	OC850	BRUB	18-76	PMT065	TRW	40-53	PT936	TRW	66-104	RT2505	RAYN	49-1	OC440	INTG	35-88	OC851	BRUB	18-76	PMT066	TRW	40-53	PT937	TRW	66-104	RT2506	RAYN	48-101	OC440K	INTG	36-13	OC852	BRUB	18-76	PMT067	TRW	40-53	PT938	TRW	66-104	RT2507	RAYN	48-102	OC443	INTG	35-91	OC853	BRUB	18-76	PMT068	TRW	40-53	PT939	TRW	66-104	RT2508	RAYN	48-103	OC443K	INTG	36-20	OC854	BRUB	18-76	PMT069	TRW	40-53	PT940	TRW	66-104	RT2509	RAYN	48-104	OC445	INTG	35-89	OC855	BRUB	18-76	PMT070	TRW	40-53	PT941	TRW	66-104	RT2510	RAYN	48-105	OC445K	INTG	36-14	OC856	BRUB	18-76	PMT071	TRW	40-53	PT942	TRW	66-104	RT2511	RAYN	48-106	OC449	INTG	35-92	OC857	BRUB	18-76	PMT072	TRW	40-53	PT943	TRW	66-104	RT2512	RAYN	48-107	OC449K	INTG	36-21	OC858	BRUB	18-76	PMT073	TRW	40-53	PT944	TRW	66-104	RT2513	RAYN	48-108	OC450	INTG	35-90	OC859	BRUB	18-76	PMT074	TRW	40-53	PT945	TRW	66-104	RT2514	RAYN	48-109	OC450K	INTG	36-17	OC860	BRUB	18-76	PMT075	TRW	40-53	PT946	TRW	66-104	RT2515	RAYN	48-110

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
SAC40B	SELB	35-53	SFT713	CSF	70-107	ST02	SELB	46-70	ST163	SELB	48-36	ST6125	TEC	46-18
		76-33		MISI				71-63			70-20	ST6130	TEC	46-86
SAC42	SELB	35-54	SFT714	CSF	none	ST03	SELB	46-71	ST175	SELB	48-82	ST6510	TEC	60-91
		76-34		MISI				71-64	ST176	SELB	48-83	ST6511	TEC	60-92
SAC42A	SELB	35-55	Repl.by BSX51	CUR.	Cur.	ST3	SESC	73-77	ST177	SELB	48-84	ST6512	TEC	60-93
		76-35	SFT714A	CSF	none	ST04	SELB	46-72	ST178	SELB	48-37	ST6573	TEC	49-40
SAC42B	SELB	35-25		MISI				71-65	ST180	SELB	48-85	ST6574	TEC	49-41
		76-36	Repl.by BSX51A	Cur.		ST05	SELB	46-73	ST181	SELB	48-86	ST6593	TEC	47-25
SAC44	SELB	35-35	SFT715	CSF	none			71-66	ST182	SELB	48-87	ST6594	TEC	47-26
		76-37		MISI		ST06	SELB	46-48	ST185	SELB	48-88	ST6600	TEC	47-30
SB100	PHIL	18-14	Repl.by BSX52	Cur.		ST9	TEC	none	ST186	SELB	48-89	ST6601	TEC	49-50
	SPR		SFT715A	CSF	none	Repl.by 2N1417	Cur.		ST187	SELB	48-90	ST7120	TEC	65-41
SB200	PHIL	18-30	Repl.by BSX52A	Cur.		ST10	ROSG	none	ST250	SELB	46-41	ST7130	TEC	65-42
SB5122	SPR	none	S1341P	AKER	38-19		TEC		ST251	SELB	46-42	ST7200	TEC	60-94
	Repl.by 2N240	Cur.			70-45	Repl.by 2N470	Cur.		ST400	TEC	none	ST8014	TEC	38-12
SDD320	LTTF	67-66	S1342P	AKER	38-20	ST11	TEC	none	Repl.by 2N1250	Cur.	none	ST8033	TEC	38-15
SDD420	LTTF	48-44			70-46	Repl.by 2N473	Cur.		ST401	TEC	none	ST8034	TEC	38-16
SDD412	LTTF	45-13	S1343P	AKER	38-21	ST12	TEC	none	Repl.by 2N2032	Cur.	none	ST8181	TEC	37-100
SDD820	LTTF	48-73			70-47	Repl.by 2N478	Cur.		ST402	TEC	63-110	ST8182	TEC	37-101
SDD821	LTTF	45-23	S1351P	AKER	37-92	ST13	TEC	none	ST403	TEC	64-1	ST8183	TEC	38-22
SDD1220	LTTF	48-55			70-54	Repl.by 2N476	Cur.		ST410	TEC	none	ST8184	TEC	38-23
SDD3000	LTTF	47-43	S1352P	AKER	37-93	ST14	TEC	none	Repl.by 2N1208	Cur.	none	ST8700	TEC	36-73
SE3040	FSC	63-94			70-55	Repl.by 2N541	Cur.		ST411	TEC	none	ST9001	TEC	59-35
		70-30	S1353P	AKER	37-94	ST15	TEC	42-65	Repl.by 2N1209	Cur.	none	STC389	SIL	66-4
SE3041	FSC	63-95			70-56	ST25A	NECJ	41-55	ST414	TEC	none	STC1001	SIL	64-39
		70-31	SL100	NSC	none	ST25B	NECJ	41-56	Repl.by 2N1212	Cur.	none	STC1035	SIL	64-64
SE7010	FSC	49-36	Repl.by 2N4292	Cur.		ST25C	NECJ	41-57	ST415	TEC	65-103	STC1035A	SIL	64-85
SE9030	FSC	66-57	SL200	NSC	36-31	ST29	TEC	none	ST440	TEC	65-39	STC1036	SIL	64-66
SE9020	FSC	65-98	SL201	NSC	none	Repl.by 2N1418	Cur.		ST450	TEC	65-40	STC1036A	SIL	64-67
		70-42	Repl.by 2N4284	Cur.		ST30	SELB	none	ST501	SELB	45-60	STC1101	SIL	65-43
SE9060	FSC	63-96	SL300	NSC	none		TEC				71-59	STC1102	SIL	65-44
SE9061	FSC	63-97	Repl.by 2N4286	Cur.		Repl.by 2N471	Cur.		ST502	SELB	45-61	STC1103	SIL	65-45
SE9062	FSC	63-98	SN101	CSC	none	ST31	SELB	none			71-60	STC1104	SIL	65-46
SE9063	FSC	63-99	Repl.by 2N2486	Cur.			TEC		ST503	SELB	44-97	STC1105	SIL	65-47
SE9560	FSC	59-33	SN102	CSC	none	Repl.by 2N474	Cur.		ST504	SELB	44-98	STC1105A	SIL	65-48
SE9561	FSC	59-34	Repl.by 2N2485	Cur.		ST32	SELB	none	ST610	SAKJ	66-39	STC1106	SIL	65-49
SE9562	FSC	59-5	SN109	CSC	none		TEC				68-62	STC1106A	SIL	65-50
SE9563	FSC	59-6	Repl.by 2N2650	Cur.		Repl.by 2N479	Cur.		ST615	SAKJ	66-40	STC1311	SIL	63-104
SE9570	FSC	59-36	SN110	CSC	none	ST33	SELB	none			68-63	STC1312	SIL	63-105
SE9571	FSC	59-37	Repl.by 2N2649	Cur.			TEC		ST721	ASMB	43-105	STC1313	SIL	63-106
SE9572	FSC	59-38	SN118	CSC	61-106	Repl.by 2N477	Cur.					STC1314	SIL	63-107
SE9573	FSC	59-39	SN166	NAS	63-12	ST34	TEC	none	ST722	ASMB	43-108	STC1331	SIL	63-108
SEC1077	SEC	65-99	SN167	NSC	63-13	Repl.by 2N542	Cur.					STC1332	SIL	63-109
	SIL		SN171	NSC	63-14	ST35	TEC	42-66	ST723	ASMB	44-1	STC1725	SIL	none
SEC1078	SEC	65-100	SN172	NSC	63-15	ST40	SELB	none				Repl.by 2N2815	Cur.	
	SIL		SN173	NSC	63-16		TEC		ST1026	TEC	none	STC1727	SIL	none
SEC1079	SEC	65-101	SN200	NAS	none	Repl.by 2N472	Cur.		Repl.by 2N1247	Cur.	none	Repl.by 2N2819	Cur.	
	SIL		Repl.by 2N3142	Cur.		ST41	SELB	none	ST1050	TEC	none	STC1729	SIL	none
SEC1080	SEC	65-102	SN201	NAS	none		TEC		Repl.by 2N1248	Cur.	none	Repl.by 2N2823	Cur.	
	SIL		Repl.by 2N3143	Cur.		Repl.by 2N475	Cur.		ST1242	TEC	41-27	STC1730	SIL	none
SEC1477	SEC	67-40	SN202	NAS	none	ST42	SELB	none	ST1243	TEC	41-48	Repl.by 2N2816	Cur.	
	SIL		Repl.by 2N3144	Cur.			TEC		ST1244	TEC	41-49	STC1732	SIL	none
SEC1478	SEC	67-41	SN204	NAS	none	Repl.by 2N480	Cur.		ST1290	TEC	41-50	Repl.by 2N2820	Cur.	
	SIL		Repl.by 2N3145	Cur.		ST43	SELB	46-61	ST1504	TEC	none	STC1734	SIL	none
SEC1479	SEC	67-42	SN230	CSC	63-17	ST44	TEC	none	Repl.by 2N754	Cur.	none	Repl.by 2N2824	Cur.	
	SIL		SN231	NAS	63-18	Repl.by 2N543	Cur.		ST1505	TEC	none	STC1735	SIL	none
SEC1480	SEC	67-43	SN232	CSC	63-19	ST45	TEC	42-67	Repl.by 2N755	Cur.	42-67	Repl.by 2N2817	Cur.	
	SIL		SN233	NAS	63-20	ST51	SELB	45-51	ST1523	TEC	none	STC1737	SIL	none
SFT106	CSF	28-8	SN234	CSC	63-19	ST53	SELB	71-67	Repl.by 2N839	Cur.	71-67	Repl.by 2N2821	Cur.	
SFT107	MIFI		SN235	NAS	63-20	ST54	SELB	45-84	ST1524	TEC	none	STC1739	SIL	none
SFT108	MIFI		SN270	NAS	none	ST54	SELB	71-103	Repl.by 2N840	Cur.	71-103	Repl.by 2N2825	Cur.	
SFT113	MIFI		Repl.by 2N3138	Cur.		ST55	SELB	45-85	ST1525	TEC	none	STC1750	SIL	66-105
	CSF	53-3	SN271	NAS	none	ST56	SELB	71-68	Repl.by 2N841	Cur.	71-68	STC1751	SIL	none
SFT114	CSF	53-4	Repl.by 2N3139	Cur.		ST57	SELB	45-86	Repl.by 2N842	Cur.	71-69	Repl.by 2N2818	Cur.	
SFT115	CSF	28-84	SN272	NAS	none	ST57	SELB	71-69	ST1527	TEC	none	STC1777	SIL	none
SFT121	CSF	30-19	Repl.by 2N3140	Cur.		ST58	SELB	45-87	Repl.by 2N843	Cur.	71-70	Repl.by 2N2822	Cur.	
SFT122	MIFI		SN274	NAS	none	ST58	SELB	45-88	ST1543	TEC	39-20	Repl.by 2N3149	Cur.	
SFT123	MIFI		Repl.by 2N3141	Cur.		ST59	SELB	45-89	ST1607	TEC	44-99	STC2101	SIL	none
	CSF	30-30	SN500	NAS	61-107	ST59	SELB	72-30	ST1633	TEC	44-100	Repl.by 2N3150	Cur.	
SFT126	CSF	28-32	SNT204	TEC	35-10	ST60	SELB	46-75	ST1694	TEC	40-78	STC5080	SIL	none
SFT127	CSF	28-43	SO1	SPR	18-32	ST61	SELB	72-9	ST1700	TEC	45-11	Repl.by 2N1371	Cur.	
SFT128	CSF	28-68	SO2	SPR	18-21	ST62	SELB	46-82	ST2120	TEC	43-59	STC5081	SIL	none
SFT135	CSF	28-1	SO3	SPR	18-33	ST63	SELB	46-83	ST2130	TEC	43-65	Repl.by 2N3172	Cur.	
SFT136	CSF	28-44	SP8411	FSC	76-95	ST64	SELB	46-84	ST3030	TEC	40-11	Repl.by 2N3173	Cur.	
SFT141	CSF	30-5	SP8411A	SGSI	76-96	ST65	SELB	46-85	ST3031	TEC	39-19	STC5083	SIL	none
SFT142	CSF	30-14	SP8412	SGSI	76-97	ST66	SELB	46-86	ST3042	TEC	39-23	Repl.by 2N3183	Cur.	
SFT150	CSF	54-44	SP8412A	SGSI	76-97	ST67	SELB	46-87	ST3043	TEC	39-24	STC5084	SIL	none
SFT151	CSF	30-15	SP8413	SGSI	76-98	ST68	SELB	46-88	ST4044	TEC	none	Repl.by 2N3184	Cur.	
SFT152	CSF	30-31	SP8413A	SGSI	76-98	ST69	SELB	46-89	Repl.by 2N1116	Cur.	71-71	STC5085	SIL	none
SFT153	CSF	30-46	SP8414	SGSI	76-99	ST70	SELB	46-78	ST4045	TEC	none	Repl.by 2N3185	Cur.	
SFT155	CSF	28-47	SP8414A	SGSI	76-100	ST71	SELB	72-22	Repl.by 2N1117	Cur.	72-22	STC5109/1	SIL	59-42
SFT211	CSF	54-90	SP8415	SGSI	76-101	ST72	SELB	68-38	ST4080	TEC	none	STC5112/1	SIL	59-43
SFT235	CSF	31-99	SP8588	SGSI	76-102	ST73	SELB	68-61	Repl.by 2N1206	Cur.	68-61	STC5113/1	SIL	59-44
SFT244	CSF	30-102	SP8588A	SGSI	76-104	ST74	SELB	68-62	Repl.by 2N1207	Cur.	68-62	STC5114/1	SIL	59-45
SFT245	CSF	30-103	SPC40	SELB	46-39	ST75								

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
STC5650	SIL	none	T1043	PHIL	none	T1870	PHIL	none	T2019	PHIL	none	T2479	PHIL	none
Repl.by 2N3780	Cur.		Repl.by 2N227	Cur.		Repl.by 2N1199	Obs.		Repl.by 2N1748	Cur.		Repl.by 2N2651	Cur.	
STC5651	SIL	none	T1046	PHIL	none	T1884	PHIL	none	T2020	PHIL	none	T2490	PHIL	none
Repl.by 2N3781	Cur.		Repl.by 2N224	Cur.		Repl.by 2N1267	Obs.		Repl.by 2N1864	Cur.		Repl.by 2N2400	Cur.	
STC5652	SIL	none	T1047	PHIL	none	T1885	PHIL	none	T2021	PHIL	none	T2491	PHIL	none
Repl.by 2N3782	Cur.		Repl.by 2N225	Cur.		Repl.by 2N1268	Obs.		Repl.by 2N1788	Cur.		Repl.by 2N2401	Cur.	
STX5/3010	AEIL	67-44	T1050	PHIL	18-15	T1886	PHIL	none	T2022	PHIL	none	T2492	PHIL	none
STX5/3025	AEIL	67-45				Repl.by 2N1269	Obs.		Repl.by 2N1789	Cur.		Repl.by 2N2402	Cur.	
STX5/5010	AEIL	67-46	T1159	PHIL	none	T1887	PHIL	none	T2023	PHIL	none	T2560	PHIL	none
STX5/5025	AEIL	67-47	Repl.by 2N355	Obs.		Repl.by 2N1270	Obs.		Repl.by 2N1790	Cur.		Repl.by 2N2374	Cur.	
STX5/6010	AEIL	67-48	T1166	PHIL	none	T1888	PHIL	none	T2024	PHIL	none	T2578	PHIL	none
STX5/6025	AEIL	67-49	Repl.by 2N393	Cur.		Repl.by 2N1271	Obs.		Repl.by 2N1865	Cur.		Repl.by 2N2398	Cur.	
STX5/7010	AEIL	67-50	T1167	PHIL	none	T1889	PHIL	none	T2025	PHIL	none	T2579	PHIL	none
STX5/7025	AEIL	67-51	Repl.by 2N386	Obs.		Repl.by 2N1272	Obs.		Repl.by 2N1866	Cur.		Repl.by 2N2399	Cur.	
SU2000	AML	73-78	T1168	PHIL	none	T1890	PHIL	none	T2026	PHIL	none	T2580	PHIL	none
SU2020	AML	73-79	Repl.by 2N387	Obs.		Repl.by 2N1276	Cur.		Repl.by 2N1867	Cur.		Repl.by 2N2362	Cur.	
SU2021	AML	73-80	T1224	PHIL	none	T1891	PHIL	none	T2028	PHIL	none	T2588	PHIL	none
SU2022	AML	73-81	Repl.by 2N344	Cur.		Repl.by 2N1277	Cur.		Repl.by 2N2398	Cur.		Repl.by 2N2360	Cur.	
SU2023	AML	73-82	T1225	PHIL	none	T1891Z	CDLF	none	T2029	PHIL	none	T2589	PHIL	none
SU2024	AML	73-83	Repl.by 2N345	Cur.		Repl.by 2N1277	Cur.		Repl.by 2N2399	Cur.		Repl.by 2N2361	Cur.	
SU2025	AML	73-84	T1250	PHIL	none	T1892	PHIL	none	T2030	PHIL	none	T2610	PHIL	none
SU2026	AML	73-85	Repl.by 2N588	Cur.		Repl.by 2N1278	Cur.		Repl.by 2N2362	Cur.		Repl.by 2N2478	Cur.	
SU2027	AML	73-86	T1251	PHIL	none	T1737	PHIL	none	T2050	PHIL	none	T2611	PHIL	none
SU2028	AML	none	Repl.by 2N499	Cur.		Repl.by 2N1748A	Cur.		Repl.by 2N859	Cur.		Repl.by 2N2479	Cur.	
Repl.by 2N3934	Cur.		T1275	PHIL	none	T1738	PHIL	none	T2057	PHIL	none	T2679	PHIL	none
SU2029	AML	none	Repl.by 2N495	Cur.		Repl.by 2N1749	Cur.		Repl.by 2N858	Cur.		Repl.by 2N2399	Cur.	
Repl.by 2N3935	Cur.		T1276	PHIL	none	T1740	PHIL	none	T2058	PHIL	none	T2691	PHIL	none
SU2030	AML	73-87	Repl.by 2N496	Cur.		Repl.by 2N1427	Cur.		Repl.by 2N860	Cur.		Repl.by 2N2710	Cur.	64
SU2031	AML	73-88	T1282	PHIL	none	T1756	PHIL	none	T2059	PHIL	none	T2788	PHIL	20-64
SU2032	AML	none	Repl.by 2N1428	Obs.		Repl.by 2N1416	Cur.		Repl.by 2N861	Cur.		T2857	PHIL	43-15
Repl.by 2N3921	Cur.		T1312	PHIL	none	T1788	PHIL	none	T2060	PHIL	none	T2878	PHIL	20-57
SU2033	AML	73-89	Repl.by 2N501	Cur.		Repl.by 2N240	Cur.		Repl.by 2N862	Cur.		T2896	PHIL	20-48
SU2034	AML	none	T1314	PHIL	none	T1789	PHIL	none	T2061	PHIL	none	T2945	PHIL	20-81
Repl.by 2N3922	Cur.		Repl.by 2N504	Cur.		Repl.by 2N499	Cur.		Repl.by 2N863	Cur.		T2946	PHIL	20-69
SU2035	AML	73-90	T1322	PHIL	none	T1796	PHIL	27-76	T2062	PHIL	none	T3000	PHIL	none
SU2037	AML	73-91	Repl.by 2N503	Cur.		T1806	PHIL	none	Repl.by 2N864	Cur.		Repl.by 2N779A	Cur.	
SYL1182	SYL	none	T1326	PHIL	none	Repl.by 2N1158	Obs.		T2071	PHIL	none	T3002	PHIL	none
Repl.by 2N2354	Cur.		Repl.by 2N598	Cur.		T1807	PHIL	none	Repl.by 2N865	Cur.		Repl.by 2N396A	Cur.	
SYL1326	SYL	33-70	T1327	PHIL	none	Repl.by 2N1204	Cur.		T2088	PHIL	none	T3003	PHIL	none
SYL1327	SYL	34-34	Repl.by 2N1122A	Cur.		T1808	PHIL	none	Repl.by 2N2182	Obs.		Repl.by 2N404	Cur.	
SYL1380	SYL	34-9	T1328	PHIL	none	Repl.by 2N1494	Cur.		T2089	PHIL	none	T3004	PHIL	none
SYL1454	SYL	33-106	Repl.by 2N1122A	Cur.		T1814	PHIL	none	Repl.by 2N2184	Obs.		Repl.by 2N428	Cur.	
SYL1468	SYL	34-10	T1334	PHIL	none	Repl.by 2N1746	Cur.		T2110	PHIL	none	T3005	PHIL	none
SYL1591	SYL	34-11	Repl.by 2N597	Cur.		T1822	PHIL	none	Repl.by 2N600	Obs.		Repl.by 2N598	Cur.	
SYL1592	SYL	24-58	T1342	PHIL	none	Repl.by 2N1472	Obs.		T2119	PHIL	none	TA1575	RCA	none
SYL1617	SYL	34-12	Repl.by 2N502	Cur.		T1826	PHIL	18-13	Repl.by 2N1499A	Cur.		Repl.by 2N270	Cur.	
SYL1655	SYL	28-56	T1343	PHIL	none	T1831	PHIL	none	T2144	PHIL	none	TA1575B	RCA	none
SYL1684	SYL	26-13	Repl.by 2N1118	Cur.		Repl.by 2N1750	Obs.		Repl.by 2N2181	Obs.		Repl.by 2N586	Cur.	
SYL1690	SYL	25-110	T1344	PHIL	none	T1832	PHIL	none	T2145	PHIL	none	TA1614	RCA	none
SYL1697	SYL	25-105	Repl.by 2N1119	Cur.		Repl.by 2N1742	Cur.		Repl.by 2N2183	Obs.		Repl.by 2N301	RCA	none
SYL1717	SYL	26-1	T1346	PHIL	none	T1833	PHIL	none	T2159	PHIL	none	TA1620A	RCA	none
SYL1750	SYL	34-13	Repl.by 2N599	Cur.		Repl.by 2N1743	Cur.		Repl.by 2N599	Cur.		Repl.by 2N647	Cur.	
SYL1986	SYL	none	T1347	PHIL	none	T1850	PHIL	none	T2172	PHIL	none	TA1620B	RCA	none
Repl.by 2N1684	Obs.		Repl.by 2N670	Obs.		Repl.by 2N1411	Cur.		Repl.by 2N395	Cur.		Repl.by 2N649	Cur.	
SYL1987	SYL	none	T1381	PHIL	none	T1851	PHIL	none	T2173	PHIL	none	TA1628	RCA	none
Repl.by 2N1685	Obs.		Repl.by 2N1200	Obs.		Repl.by 2N1752	Cur.		Repl.by 2N317A	Cur.		Repl.by 2N274	Cur.	
SYL2120	SYL	24-59	T1382	PHIL	none	T1858	PHIL	none	T2186	PHIL	none	TA1650A	RCA	none
SYL2189	SYL	27-59	Repl.by 2N1201	Obs.		Repl.by 2N1745	Cur.		Repl.by 2N779A	Cur.		Repl.by 2N331	Cur.	
SYL2245	SYL	none	T1383	PHIL	none	T1859	PHIL	none	T2187	PHIL	none	TA1655B	RCA	none
Repl.by 2N1779	Cur.		Repl.by 2N1199A	Obs.		Repl.by 2N1744	Cur.		Repl.by 2N846A	Cur.		Repl.by 2N579	Cur.	
SYL2246	SYL	none	T1392	PHIL	none	T1866	PHIL	none	T2198	PHIL	none	TA1658	RCA	none
Repl.by 2N1780	Obs.		Repl.by 2N1126	Obs.		Repl.by 2N393	Cur.		Repl.by 2N2086	Cur.		Repl.by 2N370	Cur.	
SYL2248	SYL	none	T1393	PHIL	none	T1871	PHIL	none	T2211	PHIL	none	TA1659	RCA	none
Repl.by 2N1782	Obs.		Repl.by 2N671	Obs.		Repl.by 2N1663	Obs.		Repl.by 2N2048	Cur.		Repl.by 2N371	Cur.	
SYL2249	SYL	none	T1395	PHIL	none	T1885	PHIL	none	T2299	PHIL	none	TA1660	RCA	none
Repl.by 2N1783	Obs.		Repl.by 2N600	Obs.		Repl.by 2N773	Obs.		Repl.by 2N2087	Cur.		Repl.by 2N372	Cur.	
SYL2250	SYL	none	T1396	PHIL	none	T1886	PHIL	none	T2327	PHIL	none	TA1662	RCA	none
Repl.by 2N1784	Obs.		Repl.by 2N1124	Cur.		Repl.by 2N774	Obs.		Repl.by 2N976	Cur.		Repl.by 2N373	Cur.	
SYL2300	SYL	none	T1397	PHIL	none	T1887	PHIL	none	T2329	PHIL	none	TA1682	RCA	none
Repl.by 2N781	Cur.		Repl.by 2N1125	Cur.		Repl.by 2N775	Obs.		Repl.by 2N779B	Obs.		Repl.by 2N561	Cur.	
SYL2301	SYL	none	T1398	PHIL	none	T1888	PHIL	none	T2330	PHIL	none	TA1682A	RCA	none
Repl.by 2N782	Cur.		Repl.by 2N1127	Obs.		Repl.by 2N776	Obs.		Repl.by 2N846B	Obs.		Repl.by 2N1014	Obs.	
SYL2494	SYL	none	T1431	PHIL	none	T1889	PHIL	none	T2331	PHIL	none	TA1697	RCA	none
Repl.by 2N783	Cur.		Repl.by 2N672	Cur.		Repl.by 2N777	Obs.		Repl.by 2N977	Obs.		Repl.by 2N584	Cur.	
SYL3013	SYL	73-7	T1447	PHIL	none	T1890	PHIL	none	T2340	PHIL	none	TA1703B	RCA	none
SYL3613	SYL	27-11	Repl.by 2N1429	Cur.		Repl.by 2N778	Obs.		Repl.by 2N2380	Cur.		Repl.by 2N1319	Cur.	
TO003	PHIL	none	T1472	PHIL	none	T1891	PHIL	none	T2351	PHIL	24-60	TA1704	RCA	none
Repl.by 2N207	Cur.		Repl.by 2N1495	Cur.		Repl.by 2N770	Obs.		T2352	PHIL	none	Repl.by 2N581	Cur.	
TO004	PHIL	none	T1473	PHIL	none	T1892	PHIL	none	Repl.by 2N977	Obs.		TA1705	RCA	none
Repl.by 2N207A	Cur.		Repl.by 2N1496	Cur.		Repl.by 2N772	Obs.		T2357	PHIL	none	Repl.by 2N1170	Cur.	
TO005	PHIL	none	T1474	PHIL	none	T1893	PHIL	none	Repl.by 2N2187	Cur.		TA1706	RCA	none
Repl.by 2N207B	Cur.		Repl.by 2N1500	Cur.		Repl.by 2N771	Obs.		T2363	PHIL	none	Repl.by 2N582	Cur.	
TO012	PHIL	none	T1475	PHIL	none	T1895	PHIL	none	Repl.by 2N2185	Cur.		TA1730	RCA	none
Repl.by 2N536	Cur.		Repl.by 2N673	Obs.		Repl.by 2N1158A	Obs.		T2364	PHIL	20-59	Repl.by 2N591	Cur.	
TO014	PHIL	none	T1501	PHIL	none	T1902	PHIL	none	T2392	PHIL	none	TA1731	RCA	none
Repl.by 2N535B	Cur.		Repl.by 2N1118A	Cur.		Repl.by 2N396A	Cur.		Repl.by 2N2375	Cur.				

1. TYPE No. CROSS INDEX

IN TYPE NUMBER SEQUENCE

TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line	TYPE No.	MFRS	Pg&Line
TA1782	RCA	none	TA2626	RCA	49-57	TI422	TI	none	TI801	TI	none	TI501	TI	75-92
Repl.by 2N578	Cur.				71-50	Repl.by 2N851	Cur.	none	Repl.by 2N3036	Cur.	none	TI502	TI	75-93
TA1783	RCA	none	TA2658	RCA	none	TI423	TI	none	TI802	TI	none	TI503	TI	none
Repl.by 2N580	Cur.		Repl.by 2N3866	Cur.		Repl.by 2N852	Cur.	none	Repl.by 2N3037	Cur.	none		TIIB	
TA1794	RCA	none	TA2701	RCA	none	TI424	TI	none	TI803	TI	none	Repl.by 2N3702	Cur.	none
Repl.by 2N1169	Cur.		Repl.by 40460	Cur.		Repl.by 2N2389	Cur.	none	Repl.by 2N3038	Cur.	none	TI504	TI	none
TA1796	RCA	none	TA2714	RCA	none	TI425	TI	none	TI804	TI	none		TIIB	
Repl.by 2N644	Cur.		Repl.by 2N4012	Cur.		Repl.by 2N2390	Cur.	none	Repl.by 2N3039	Cur.	none	Repl.by 2N3703	Cur.	none
TA1797	RCA	none	TA2735	RCA	none	TI426	TI	none	TI805	TI	none	TI505	TIIB	none
Repl.by 2N643	Cur.		Repl.by 2N3932	Cur.		Repl.by 2N2391	Obs.	none	Repl.by 2N3040	Cur.	none	Repl.by 2N3993	Cur.	none
TA1798	RCA	none	TA2736	RCA	none	TI427	TI	none	TI806	TI	none	TI506	TI	none
Repl.by 2N645	Cur.		Repl.by 2N3933	Cur.		Repl.by 2N2392	Obs.	none	Repl.by 2N3043	Cur.	none	Repl.by 2N3573	Cur.	none
TA1828	RCA	none	TA2750	RCA	49-58	TI428	TI	none	TI807	TI	none	TI507	TI	none
Repl.by 2N1224	Cur.				71-51	Repl.by 2N2393	Cur.	none	Repl.by 2N3044	Cur.	none	Repl.by 2N3574	Cur.	none
TA1829	RCA	none	TA2786	RCA	none	TI429	TI	none	TI808	TI	none	TI511	TI	73-98
Repl.by 2N1225	Cur.		Repl.by 2N4068	Cur.		Repl.by 2N2394	Cur.	none	Repl.by 2N3045	Cur.	none	TI515	TI	none
TA1830	RCA	none	TA2787	RCA	none	TI430	TI	none	TI809	TI	none	Repl.by 2N3821	Cur.	none
Repl.by 2N1384	Cur.		Repl.by 2N4069	Cur.		Repl.by 2N849	Cur.	none	Repl.by 2N3046	Cur.	none	TI516	TI	none
TA1846	RCA	none	TA2871	RCA	none	TI431	TI	none	TI810	TI	none	Repl.by 2N3822	Cur.	none
Repl.by 2N1177	Cur.		Repl.by 2N4240	Cur.		Repl.by 2N850	Cur.	none	Repl.by 2N3047	Cur.	none	TI517	TI	none
TA1847	RCA	none	TA6200	RCA	60-12	TI432	TI	none	TI811	TI	none	Repl.by 2N3824	Cur.	none
Repl.by 2N1178	Cur.		TA-D93	none	78-106	Repl.by 2N2395	Cur.	none	Repl.by 2N3048	Cur.	none	TI509	TI	43-69
TA1860	RCA	none	TA-M93	none	75-14	TI433	TI	none	TI812	TI	none	TI510	TI	43-70
Repl.by 2N1180	Cur.		TAB101	RADF	78-107	Repl.by 2N2396	Cur.	none	Repl.by 2N3049	Cur.	none	TI515	TI	66-33
TA1861	RCA	none	TAD93	TADI	76-108	TI440	TIIB	31-73	TI813	TI	none	TI5210	TI	none
Repl.by 2N1179	Cur.		TAM93	TADI	75-91	TI442	TI	31-78	Repl.by 2N3050	Cur.	none	Repl.by 2N3551	Cur.	none
TA1881	RCA	none	TC0914	GME	46-91	TI443	TI	25-51	TI814	TI	none	TI5211	TI	none
Repl.by 2N307	Cur.				72-66	TI444	TI	25-49	Repl.by 2N3051	Cur.	none	Repl.by 2N3552	Cur.	none
TA1882	RCA	none	TC0918	GME	43-60	TI445	TI	25-45	TI815	TI	none	TI5316	TI	none
Repl.by 2N955	Cur.		TC2369A	GME	46-100	TI446	TI	21-31	Repl.by 2N3052	Cur.	none	Repl.by 2N2996	Cur.	none
TA1890	RCA	none	TC2483	GME	72-92	TI447	TI	21-32	TI874	TI	none	TI5317	TI	none
Repl.by 2N456	Cur.		TC2484	GME	46-43	TI448	TI	21-33	Repl.by 3N34	Cur.	none	Repl.by 2N3601	Cur.	none
TA1891	RCA	none	TF70	SIHG	33-80	TI450	TI	none	TI876	TI	none	TI5318	TI	none
Repl.by 2N457	Cur.		TF71	SIHG	33-81	TI451	TI	none	TI884	TI	none	Repl.by 2N3603	Cur.	none
TA1920	RCA	none	TF72	SIHG	33-18	Repl.by 2N850	Cur.	none	Repl.by 2N2415	Cur.	none	TI5608	TI	none
Repl.by 2N794	Cur.		TF75	SIHG	31-17	TI457	TI	none	TI885	TI	none	Repl.by 3N74	Cur.	none
TA1920A	RCA	none	TF77	SIHG	52-60	Repl.by 2N2391	Obs.	none	Repl.by 2N2416	Cur.	none	TI5609	TI	none
Repl.by 2N795	Cur.		TF77/30	SIHG	52-61	TI458	TI	none	TI886	TI	none	Repl.by 3N79	Cur.	none
TA1920B	RCA	none	TF80	SIHG	53-5	Repl.by 2N2392	Obs.	none	Repl.by 2N2411	Cur.	none	TI5610	TI	none
Repl.by 2N796	Cur.		TF90/30	SIHG	54-45	TI459	TI	none	TI887	TI	none	TI5611	TI	none
TA1938	RCA	none	TF90/60	SIHG	54-46	Repl.by 2N2395	Cur.	none	Repl.by 2N2412	Cur.	none	Repl.by 2N3035	Cur.	none
Repl.by 2N3118	Cur.		TF251	SIHG	39-17	TI460	TI	none	TI888	TI	none	TI5612	TI	none
TA1939	RCA	none	TF252	SIHG	39-18	Repl.by 2N2396	Cur.	none	Repl.by 2N3554	Cur.	none	TI5613	TI	none
Repl.by 2N3118	Cur.		TF260	SIHG	48-21	TI461	TI	none	TI890	TI	none	TI5614	TI	none
TA2084	RCA	62-4	TFHP35	FTHF	41-5	Repl.by 2N2393	Cur.	none	Repl.by 2N2861	Cur.	none	TI5615	TI	none
Repl.by 2N2938	Cur.		TFHP36	FTHF	41-9	TI462	TI	none	TI891	TI	none	Repl.by 2N2639	Cur.	none
TA2235A	RCA	none	TFHP45	FTHF	52-68	Repl.by 2N2394	Cur.	none	Repl.by 2N2862	Cur.	none	TI5616	TI	none
Repl.by 2N2405	Cur.					TI474	TI	none	TI896	TI	none	Repl.by 2N2640	Cur.	none
TA2275	RCA	none	THP46	FTHF	52-69	Repl.by 2N929	Cur.	none	Repl.by 2N797	Cur.	none	TI5617	TI	none
Repl.by 2N2895	Cur.		THP47	FTHF	52-70	TI475	TI	none	TI897	TI	none	Repl.by 2N2641	Cur.	none
TA2276	RCA	none	THP61	FTHF	41-3	Repl.by 2N930	Cur.	none	Repl.by 2N964	Cur.	none	TI5618	TI	none
Repl.by 2N2896	Cur.		THP62	FTHF	41-4	TI480	TI	none	TI898	TI	none	Repl.by 2N2642	Cur.	none
TA2277	RCA	none	THP106	FTHF	41-35	Repl.by 2N339	Cur.	none	Repl.by 2N985	Cur.	none	TI5619	TI	none
Repl.by 2N2897	Cur.		THP169	FTHF	73-92	TI490	TI	none	TI899	TI	none	Repl.by 2N2643	Cur.	none
TA2278	RCA	none	THP170	FTHF	73-93	Repl.by 2N780	Cur.	none	Repl.by 2N2173	Cur.	none	TI5620	TI	none
Repl.by 2N2898	Cur.		THP171	FTHF	73-94	TI602	TI	none	TI903	TI	none	Repl.by 2N2644	Cur.	none
TA2279	RCA	none	THP172	FTHF	73-95	Repl.by 2N997	Obs.	none	Repl.by 2N1149	Cur.	none	TI5621	TI	none
Repl.by 2N2899	Cur.		THP501	SESC	24-3	TI605	TI	none	TI904	TI	none	TI5622	TI	none
TA2280	RCA	none	THP502	SESC	24-4	Repl.by 2N2432	Cur.	none	Repl.by 2N1150	Cur.	none	Repl.by 2N2803	Cur.	none
Repl.by 2N2900	Cur.		TI155	TI	76-109	TI607	TI	none	TI904A	TI	none	TI5623	TI	none
TA2301	RCA	none	TI320	TI	24-64	Repl.by 2N2692	Cur.	none	Repl.by 2N1151	Cur.	none	Repl.by 2N2804	Cur.	none
Repl.by 40264	Cur.		TI321	TI	24-68	TI607A	TI	none	TI905	TI	none	TI5624	TI	none
TA2307	RCA	none	TI366	TI	53-69	Repl.by 2N2692	Cur.	none	Repl.by 2N1152	Cur.	none	Repl.by 2N2805	Cur.	none
Repl.by 2N3375	Cur.		TI366A	TI	56-48	TI608	TI	none	TI910	TI	none	TI5625	TI	none
TA2333	RCA	none	TI367	TI	53-70	Repl.by 3N74	Cur.	none	Repl.by 2N1153	Cur.	none	Repl.by 2N2806	Cur.	none
Repl.by 2N2857	Cur.		TI367A	TI	56-47	TI609	TI	none	TI951	TI	none	TI5626	TI	none
TA2359A	RCA	none	TI368	TI	53-71	Repl.by 3N76	Cur.	none	Repl.by 2N1154	Cur.	none	Repl.by 2N2807	Cur.	none
Repl.by 2N2873	Obs.		TI368A	TI	56-48	TI610	TI	none	TI952	TI	none	TI5690	TI	73-97
TA2388	RCA	none	TI369	TI	53-72	Repl.by 2N3035	Cur.	none	Repl.by 2N1155	Cur.	none	TI5712	TI	none
Repl.by 2N3229	Cur.		TI369A	TI	56-49	TI611	TI	none	TI953	TI	none	Repl.by 2N2413	Cur.	none
TA2402A	RCA	none	TI370	TI	53-73	Repl.by 2N3034	Cur.	none	Repl.by 2N1156	Cur.	none	TI5802	TI	none
Repl.by 2N3054	Cur.		TI370A	TI	56-50	TI612	TI	none	TI1392	TI	none	Repl.by 2N3037	Cur.	none
TA2403A	RCA	none	TI376	TI	27-60	Repl.by 2N3033	Cur.	none	Repl.by 2N2410	Cur.	none	TI5803	TI	none
Repl.by 2N3055	Cur.		TI377	TI	27-61	TI613	TI	none	TI1722A	TI	none	Repl.by 2N3038	Cur.	none
TA2404	RCA	none	TI378	TI	18-105	Repl.by 2N2639	Cur.	none	Repl.by 2N1722A	Cur.	none	TI5804	TI	none
Repl.by 2N2953	Cur.		TI379	TI	18-99	TI614	TI	none	TI1724A	TI	none	Repl.by 2N3039	Cur.	none
TA2458	RCA	none	TI380	TI	18-98	Repl.by 2N2640	Cur.	none	Repl.by 2N1724A	Cur.	none	TI5805	TI	none
Repl.by 2N3439	Cur.		TI381	TI	18-100	TI615	TI	none	TI2150	TI	none	Repl.by 2N3040	Cur.	none
TA2462	RCA	none	TI382	TI	18-101	Repl.by 2N2641	Cur.	none	Repl.by 2N2150	Cur.	none	TI5806	TI	none
Repl.by 2N3118	Cur.		TI383	TI	18-102	TI616	TI	none	TI2151	TI	none	Repl.by 2N3043	Cur.	none
TA2468A	RCA	none	TI384	TI	18-103	Repl.by 2N2642	Cur.	none	Repl.by 2N2151	Cur.	none	TI5807	TI	none
Repl.by 2N3442	Cur.		TI385	TI	28-98	TI617	TI	none	TI3000	TI	none	Repl.by 2N3044	Cur.	none
TA2469A	RCA	none	TI386	TI	28-99	Repl.by 2N2643	Cur.	none	Repl.by 2N3328	Cur.	none	TI5808	TI	none
Repl.by 2N3441	Cur.		TI387	TI	28-100	TI618	TI	none	TI3001	TI	none	Repl.by 2N3045	Cur.	none
TA2470	RCA	none	TI396	TI	28-101	Repl.by 2N2644	Cur.	none	Repl.by 2N3329	Cur.	none	TI5809		

1. TYPE No. CROSS INDEX

TYPE No.				IN TYPE NUMBER SEQUENCE				
TYPE No.	MFRS	Pq&Line	TYPE No.	MFRS	Pq&Line	TYPE No.	MFRS	Pq&Line
TIX898	TI	none	TK31C	STCB	30-82	TR43A	ITC	27-89
Repl.by 2N797	Cur.		TK33C	STCB	34-27	TR63	ITC	24-71
TIX1392	TI	none	TK34C	STCB	25-18	TR64	ITC	24-74
Repl.by 2N2410	Cur.		TK35	STCB	none	TR65	ITC	24-83
TIX1393	TI	none	Repl.by ASY56	Cur.		TR77	ITC	19-15
Repl.by 2N2410	Cur.		TK35C	STCB	30-45	TR81	ITC	27-64
TIX2000	TI	24-39	TK36	STCB	none	TR87	ITC	21-15
TIX2150	TI	none	Repl.by ASY57	Cur.		TR88	ITC	21-3
Repl.by 2N2150	Cur.		TK36C	STCB	30-55	TR104	ITC	27-81
TIX2151	TI	none	TK37	STCB	none	TR105	ITC	19-16
Repl.by 2N2151	Cur.		Repl.by ASY58	Cur.		TR109	ITC	19-62
TIX3015	TI	none	TK37C	STCB	30-71	TR123	ITC	28-49
Repl.by 2N3570	Cur.		TK38	STCB	none	TR139	ITC	19-18
TIX3016	TI	43-73	Repl.by ASY59	Cur.		TR167	ITC	33-58
TIX3016A	TI	43-74	TK38C	STCB	30-86	TR182	ITC	33-86
TIX3023	TI	29-22	TK40	STCB	30-29	TR183	ITC	33-92
TIX3024	TI	22-56	TK40A	STCB	29-73	TR184	ITC	33-98
TIX3032	TI	22-41	TK40C	STCB	30-34	TR193	ITC	33-27
TIX3033	TIIB	none	TK41	STCB	29-101	TR194	ITC	33-24
Repl.by 2N3418	Cur.		TK41C	STCB	30-11	TR211	ITC	33-28
TIX3034	TI	none	TK42	STCB	30-21	TR212	ITC	33-32
Repl.by 2N3419	Cur.		TK42C	STCB	30-12	TR213	ITC	33-56
TIX3035	TIIB	none	TK44	STCB	none	TR214	ITC	33-109
Repl.by 2N3420	Cur.		Repl.by ASY51	Cur.		TR215	ITC	27-82
TIX3036	TIIB	none	TK44C	STCB	27-77	TR216	ITC	33-25
Repl.by 2N3421	Cur.		TK45	STCB	none	TR217	ITC	19-63
TIXA01	TI	28-19	Repl.by ACY29	Cur.		TR218	ITC	19-19
TIXA02	TI	28-20	TK45C	STCB	30-22	TR269	ITC	28-10
TIXA03	TI	28-33	TK46	STCB	none	TR381	ITC	29-64
TIXA04	TI	28-34	Repl.by ASY50	Cur.		TR382	ITC	29-74
TIXA05	TI	28-35	TK46C	STCB	29-95	TR386	ITC	28-50
TIXL58	none	none	TK47C	STCB	29-86	TR460	ITC	28-66
Repl.by TIL58	Cur.		TK48C	STCB	27-78	TR461	ITC	28-9
TIXM01	TI	22-34	TK49C	STCB	24-61	TR526	ITC	28-11
TIXM02	TI	22-25	TK70	STCB	44-107	TR527	ITC	28-11
TIXM03	TI	22-32	TK71	STCB	44-105	TR758A	ITC	24-69
TIXM04	TI	22-32	TK72	STCB	44-108	TR759	ITC	24-105
TIXM05	TI	22-20	TK200A	STCB	65-104	TR760	ITC	19-101
TIXM06	TI	22-40	TK201A	STCB	65-105	TR761	ITC	27-12
TIXM07	TI	22-35	TK202A	STCB	none	TR762	ITC	20-9
TIXM08	TI	22-31	Repl. by 2N2234	Cur.		TR763	ITC	24-89
TIXM10	TIIB	22-36	TK203A	STCB	none	TR764	ITC	24-109
TIXM11	TIIB	22-49	Repl. by 2N2235	Cur.		TR792	ITC	24-109
TIXM12	TI	22-50	TK250A	STCB	38-10	TR801	ITC	24-29
TIXM13	TI	50-7	TK251A	STCB	38-11	TR802	ITC	24-30
TIXM14	TI	19-4	TK252A	STCB	none	TR803	ITC	24-35
TIXM15	TI	21-24	Repl. by 2N2236	Cur.		TR804	ITC	21-4
TIXM16	TI	21-25	TK253A	STCB	none	TRM13	ITC	24-38
TIXM17	TI	21-22	Repl. by 2N2237	Cur.		TRM14	ITC	21-5
TIXM18	TI	21-23	TK254A	STCB	48-91	TRM15	ITC	26-57
TIXM19	TI	21-27	TK255A	STCB	45-52	TRM16	ITC	26-58
TIXM20	TI	21-28	TK256A	STCB	45-53	TRM17	ITC	26-59
TIXM201	TI	22-18	TK257A	STCB	45-88	TRM21	ITC	26-80
TIXM202	TI	22-19	TK258A	STCB	45-89	TRM34	ITC	19-75
TIXM203	TI	22-33	TK259A	STCB	71-92	TRM81	ITC	21-6
TIXM204	TI	22-27	TK264A	STCB	45-90	TRS100A	ITC	48-38
TIXM205	TI	22-28	TK400A	STCB	71-93	TRS501LC	ITC	60-69
TIXM206	TI	22-29	TK401A	STCB	45-54	TRS601LC	ITC	60-70
TIXM207	TI	22-16	TK402A	STCB	53-87	TRS1004LP	ITC	61-28
TIXM301	TI	50-12	TK403A	STCB	53-88	TRS1005LP	ITC	62-66
TIXP07	TI	59-55	TMT896	TEC	53-89	TRS1204LP	ITC	61-29
TIXS09	TI	43-71	TMT897	TEC	53-90	TRS1205LP	ITC	62-67
TIXS11	TI	50-39	TMT898	TEC	41-76	TRS1404LP	ITC	61-30
TIXS28	TI	73-101	TMT899	TEC	41-84	TRS1405LP	ITC	62-68
TIXS29	TI	43-54	TMT830	TEC	41-62	TRS1604LP	ITC	61-31
TIXS30	TI	43-42	TMT841	TEC	41-63	TRS1605LP	ITC	62-69
TIXS31	TI	43-43	TMT842	TEC	41-68	TRS1804LP	ITC	61-32
TIXS33	TI	43-44	TMT843	TEC	41-64	TRS1805LP	ITC	62-70
Repl. by TIS39	Cur.		TMT1131	TEC	41-69	TRS2004LP	ITC	61-33
TIXS37	TIIB	none	TMT1132	TEC	35-65	TRS2005LP	ITC	62-71
Repl. by TIS37	Cur.		TMT1543	TEC	35-60	TRS2254LP	ITC	61-34
TIXS41	TI	none	TMT2427	TEC	39-21	TRS2255LP	ITC	62-72
Repl. by 2N4859	Cur.		TN51	SSP	39-22	TRS2504LP	ITC	61-35
TIXS42	TI	none	TN52	SSP	68-108	TRS2505LP	ITC	62-73
Repl. by TIS42	Cur.		TN55	SSP	62-65	TRS2754LP	ITC	61-36
TJ1	STCB	29-50	Repl. by 2N4383	Cur.		TRS2755LP	ITC	62-74
TJ2	STCB	29-51	TN56	SSP	70-23	TRS3014LP	ITC	61-37
TJ3	STCB	29-52	Repl. by 2N4384	Cur.		TRS3015LC	ITC	60-98
TK20	STCB	none	TP1	STCB	none	TRS3016LC	ITC	62-75
Repl. by ASY66	Obs.		TP2	STCB	27-106	TRS3255LP	ITC	60-97
TK20A	STCB	25-6	TR03	ITC	33-77	TRS3504LP	ITC	61-38
TK20B	STCB	27-32	TR04	ITC	33-78	TRS3505LP	ITC	62-77
TK20C	STCB	73-16	TR05	ITC	33-79	TRS3754LP	ITC	61-39
TK21	STCB	30-43	TR07	ITC	33-78	TRS3755LP	ITC	62-78
TK21A	STCB	24-93	TR08	ITC	33-88	TRS4014LP	ITC	61-40
TK21B	STCB	27-21	TR09	ITC	33-88	TRS4015LC	ITC	60-98
TK21C	STCB	73-16	TR10	ITC	33-83	TRS4015LP	ITC	62-79
TK23	STCB	30-6	TR11	ITC	27-62	TRS4016LC	ITC	60-99
TK23A	STCB	29-61	TR12	ITC	63-50	TRS4254LP	ITC	61-41
TK23C	STCB	30-7	TR13	ITC	69-62	TRS4255LP	ITC	62-80
TK24	STCB	none	TR14	ITC	27-82	TRS4405S	ITC	none
Repl. by ASY64	Obs.		TR15	ITC	27-106	Repl. by 2N3861	Cur.	
TK24A	STCB	24-97	TR16	ITC	33-77	TRS4504LP	ITC	61-42
TK24B	STCB	27-26	TR17	ITC	33-78	TRS4505LP	ITC	62-81
TK24C	STCB	73-17	TR18	ITC	33-79	TRS4754LP	ITC	61-43
TK25	STCB	none	TR19	ITC	33-79	TRS4755LP	ITC	62-82
Repl. by ASY60	Obs.		TR20	ITC	33-88	TRS5015LC	ITC	60-100
TK25A	STCB	25-17	TR21	ITC	33-83	TRS5018LC	ITC	60-101
TK25B	STCB	27-33	TR22	ITC	27-63	TRS8015LC	ITC	60-102
TK25C	STCB	73-18	TR23	ITC	26-52	TRS8016LC	ITC	60-103
TK26	STCB	30-44	TR24	ITC	20-110	TS1	STCB	19-68
TK26A	STCB	24-94	TR25	ITC	21-1	TS2	STCB	19-69
TK26B	STCB	27-22	TR26	ITC	21-2	TS3	STCB	19-70
TK27	STCB	30-53	TR27	ITC	26-53	TS7	STCB	21-16
TK27A	STCB	24-98	TR28	ITC	26-54	TS8	STCB	21-17
TK27B	STCB	27-27	TR29	ITC	26-55	TS9	STCB	27-15
TK28	STCB	30-74	TR30	ITC	21-11	TS13	STCA	26-85
TK28C	STCB	30-75	TR31	ITC	26-102	TS14	STCA	26-88
TK30	STCB	30-85	TR32	ITC	24-82	TS15	STCA	21-7
TK30C	STCB	30-86	TR33	ITC	26-56		STCB	
TK31	STCB	30-81		ITC	19-88		STCB	

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @ 25°C		DERATE		ABS MAX RATINGS @ 25°C				TYPICAL 'h' PARAMETERS							DESCRIPTION		CODE	
		(W)	(Hz)	IN FREE AIR W/C	M A X	BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)	Icbo @ MAX Vcb (A)	BIAS			COMMON EMITTER			Cob (F)	STRUC-TURE		DWG. No.
											Vcb (V)	Ie (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)				
1#	MDS35	30m	80mΔ		#S	20	20	2.0	5.0u	6.0	1.0m	40	Δ				4p	MDΔ	TO1	
2#	HF100	30m	250M		#J	15	50	50m	15u									MD		
3#	HF200	30m	320M		#J	30	50	50m	15u	10	3.0m	8.5					1.3p	MDT		
4	T1X13	30m	1.0GΔ	1.2m	#A	15	7.0	30	6.0u	5.0	3.0m	15	Δ		80u	2.5k	1.4p	PE	X55	A
5	2N82	35m			#A	20			15m											
6	2N1398	35m			#A				5.0m									ME	R34	
7	2N1399	35m			#A				5.0m									ME	R34	
8	2N1400	35m			#A				5.0m									ME	R34	
9	2N1401	35m			#A				5.0m									ME	R34	
10	2N1401A	35m			#A				5.0m									ME	R34	
11	2N1402	35m			#A				5.0m									ME	R34	
12#	2S96	35m			#S	20			10m											
13#	2S97	35m			#S	20			10m											
14#	2S98	35m			#S	20			10m											
15	TR77	35m	.70M		#A	25			15m	4.0	70m	55					40p	A		
16	TR105	35m	.75M		#A	25			15m	4.0	70m	55					17p	A		
17	2N79	35m	780k	3.3m	#A	30			50m	6.0	1.0m			20u	1.7k					
18	TR139	35m	4.5M		#A	16			15m	6.0	50m	45					9.5p	A		
19	TR218	35m	4.5M		#A	16			15m	6.0	50m	45					9.5p	A		
20#	2S31	35m	5.0M		#S	12			10m								9.5			
21#	2S30	35m	1.0M		#S	12			10m								9.5			
22	2N267	35m	132M		#A	35		1.0	10m	16u							1.7p	A		
23#	ES3120	36m	.30M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	18				50p	A	TO5	
24#	ES3121	36m	.40M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	24				50p	A	TO5	
25#	ES3122	36m	.60M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	36				50p	A	TO5	
26#	ES3123	36m	.80M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	51				50p	A	TO5	
27#	ES3124	36m	1.0M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	75				50p	A	TO5	
28#	ES3125	36m	1.5M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	110				50p	A	TO5	
29#	ES3126	36m	2.0M	1.8m	#J	30	15		10m	6.0u	5.0	1.0m	160				50p	A	TO5	
30#	2SB91	40m		769u	#J	18			5.0m	14u	6.0	1.0m	70	200nb	30	2.5		A	TO2	
31#	2SB97	40m		769u	#J	18			5.0m	14u	6.0	1.0m	70					A	TO2	
32	CK891	40m			#A	12			50m	5.5u	1.5	.50m	160				FAT	u11		
33	CK892	40m			#A	12			50m	5.5u	1.5	.50m	160				FAT	u11		
34#	AC164	40m	10k	833u	#J	10	10	.50	30m	2.0u	.50	200u	40	200nb	30	2.5		A	TO2	
35#	2SB90	40m	1.0M	3.0m	#J	25			12	50m	14u	6.0	1.0m	150	20u	4.0k	6.0	12p	A	R68
36#	2SB321	40m	6.0M	769u	#J	12			12	50m	4.0u	1.5	500u	100	20u	4.0k	6.0	12p	A	R68
37#	2SB322	40m	6.0M	769u	#J	12			12	50m	4.0u	1.5	500u	50	19u	3.0k	5.0	12p	A	R68
38#	2SB323	40m	6.0M	769u	#J	12			12	50m	4.0u	1.5	500u	100	20u	4.0k	6.0	12p	A	R68
39	JAN2N300	40m	85MΔ	1.1m	#S	7.0	4.5	5.0	20m	3.0u	3.0	500u	10	5.0u	2b	90	4.0p	A	TO24	
40	2N623	40m	90M	1.0m	#J	30			10u	6.0	2.0m	35					3.5p	A	TO9	
41	T1905†	40m	120M	667u	#S	12	10	2.0	50m	100u	.50	1.0m	50				5p	MA		
42#	OC330	45m	800k	1.5m	#J		15		35m	5.0	1.0m	24		25u	1.0k	6.0		A	R39	
43#	OC360	45m	800k	1.5m	#J		15		35m	5.0	1.0m	70		30u	1.2k	7.5		A	R39	
44#	OC340	45m	1.1M	1.5m	#J		15		35m	5.0	1.0m	70		45u	1.8k	11		A	R39	
45#	OC350	45m	2.0M	1.5m	#J		8.0		35m	5.0	1.0m	150		50u	4.5k	13		A	R39	
46	2N38A	50m			#A	20			8.0m	12u	3.0	.50m	18							
47	2N41	50m			#A	25			15m	10u			40							
48	2N46	50m			#A	25			15m	10u	6.0	1.0m	40							
49	2N62	50m			#S	35			20m	10u										
50	2N81	50m			#A	20			15m	16u	6.0	1.0m	20	80u	2.5k			A	TO24	
51#	2SB184	50m		833u	#J	12		2.5	20m	12u	2.0	5.0m	100					F	TO2	
52	1032	50m			#A	25			40m	10u			12							
53	1033	50m			#A	25			40m	10u			24							
54	1034	50m			#A	25			40m	10u			41							
55	1035	50m			#A	25			40m	10u			61							
56	1036	50m			#A	25			40m	10u			86							
57	1320	50m			#A	25			40m	10u			12							
58	1330	50m			#A	25			40m	10u			24							
59	1340	50m			#A	25			40m	10u			41							
60	1350	50m			#A	25			40m	10u			61							
61	1360	50m			#A	25			40m	10u			86							
62	TR109	50m			#A	25			70m	10u	1.0	50m	70					A		
63	TR217	50m			#A	25			70m	10u	1.0	50m	70					A		
64#	VB709	50m			#J	50			50m	10u	10	50m	100					A		
65#	XB121	50m			#A	105		50	100m	14u	.35	5.0m	60					A	TO5	
66#	XFT2	50m			#A	105	6.0		150u		.50	50						A		
67#	OC601	50m	.40M		#A	50			20m	10u	4.5	1.0m	15							
68#	TS1	50m	.50M		#A					10u	1.5	2.0m	10							
69#	TS2	50m	.50M		#A					10u	1.5	2.0m	30							
70#	TS3	50m	.50M		#A					10u	1.5	2.0m	50							
71#	2S32	50m	.60M		#S	20			10m	15u			27							
72#	2S33	50m	.60M		#S	20			50m	15u			70							
73	CTP1320	50m	600k	1.8m	#J	25			40m	6.0	1.0m	13					35p	A		
74	OC32	50m	.60M		#J	25			10m	6.0u	5.0	1.0m	13					A		
75	TRM34	50m	600k	1.0m	#J	40			50m	5.0u	6.0	1.0m	40				15p	A		
76	2N591/5	50m	700k	2.9m	#A	32			40m	7.0u	1.2	2.0m	70					A	TO5	
77#	2SB183	50m	70M	833u	#	12		10	20m	10u	4.0	.50m	65	11.u	3.9k	3.8		A	TO2	
78#	2T11	50m	70M		#A	25			10m	20u			12							
79#	2T12	50m	70M		#A	25			10m	10u			19							
80#	2T13	50m	70M		#A	25			10m	10u			32							
81#	VB701	50m	70M		#J	30			50m	9.0u	4.0	1.0m	80					A		
82#	VB704	50m	70M		#J	30			50m	10u	6.0	.70m	50					A		
83	2N47	50m	.80M		#A	35			20m	5.0u			40							
84	2N48	50m	.80M		#A	35			20m	5.0u			32							
85	2N49	50m	.80M		#A	35			20m	5.0u			40							
86	CTP1330	50m	800k	1.8m	#J	25			40m	4.0u	6.0	1.0m	25				33p	A		
87	OC33	50m	.80M		#J	25			10m	6.0u	5.0	1.0m	24					A		
88	TR35	50m	800k	1.0m	#J	40			50m	5.0u	6.0	1.0m	40							
89	2N76	50m	1.0M		#A	20			10m	5.0u			19							
90	CTP1340	50m	1.0M	1.8m	#J	25														

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @ 25°C (W)	fab	DERATE IN FREE AIR W/C	TEMP. M E X P	ABS MAX RATINGS @ 25°C				MAX. I _{cb0} @ MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION	L C O A D E		
						BV _{cb0} (V)	BV _{ceo} (V)	BV _{ebo} (V)	I _c (A)		BIAS			COMMON EMITTER							
						(V)	(V)	(V)	V _{cb} (V)		I _e (A)	h _{fe}	h _{oe} (mhos)	h _{ie} (Ω)	h _{re} X.0001						
1#	37T1	50m	10M		#S	15	6.0	50m	6.0	5.0	1.0m	60				14p					
2	1410	50m	10.MΔ		*A	10		10	10u	6.0	1.0m					13		R26			
3	CTP1410	50m	10.M			10		10	2.0u	6.0	1.0m					13p	A				
4#	GFT43A	50m	10M	1.0m	∅J	15		.80	10m	10u	6.0	1.0m	35	30u	30u	3.5p	MD	R36			
5#	GFT44/15E	50m	10.M	1.0m	∅J	15											D				
6#	2SA180	50m	12.M		∅J	15		15	10m	10u	6.0	1.0m	70			13p	A	TO1			
7	2N72	50m	20.M		*A	40		50	8.0m	1.6m											
8#	GFT43B	50m	30M	1.0m	∅J	15		.80	10m	10u	6.0	1.0m	70	30u	30u	3.5p	MDΔ	R36			
9	TR763	50m	30.M		∅J	6.0			1.0u	4.5	1.0m	200				14p	A				
10#	2SA285	50m	40.M		∅J	18		.50	5.0m	15u	6.0	1.0m	70			2.0p	D	TO44			
11#	GFT43	50m	40M	1.0m	∅J	15		.80	10m	10u	6.0	1.0m	50			3.5p	D	R36			
12#	2SA286	50m	50.M		∅J	18		.50	5.0m	15u	6.0	1.0m	70			2.0p	D	TO44			
13	2N2180	50m	60.M	867u	#J	15		.15	5.0m	50u	25.0	1.0m	100	Δ		3.0p	MA	TO24			
14#	2SA287	50m	60.M		∅J	18		.50	5.0m	15u	6.0	1.0m	70			2.0p	D	TO44			
15#	GFT42B	50m	80.M	1.0m		15											D				
16#	AF132	50m	90M	1.0m	∅J	20		20	5	1.0	10m	8.0u	6.0	1.0m	75		AD∅	R38			
17#	GFT42A	50m	90.M	1.0m		15											D				
18	2N3770	50m	100MΔ	667u	#S	10		6.0	.50	50m	10u	6.0	1.0m	70	Δ	3p	A	TO18			
19#	AF131	50m	100M	1.0m	∅J	20		20	5	1.0	10m	8.0u	6.0	1.0m	75		AD∅	R38			
20#	AF133	50m	100M	1.0m	∅J	20		20	5	1.0	10m	8.0u	6.0	1.0m	35		AD∅Δ	R38			
21#	AF129	50m	150M	1.0m	∅J	20		20	5	1.0	10m	8.0u	6.0	1.0m	50		AD†	R38			
22#	AF130	50m	150M	1.0m	∅J	20		20	5	1.0	10m	8.0u	6.0	1.0m	60		AD†	R38			
23#	GFT41	50m	150M	1.0m		8.0											D				
24#	MDS381	50m	280MΔ		#S	15		8.0	2.0	50m	5.0u	5.0	10m	20	Δ	4.0p	MDΔ	TO18			
25#	2SA242	50m	290MΔ	1.0m	∅J	18		20	4.0	5.0m	13u	6.0	1.0m	100		1.0p	AD	TO7			
26#	2SA243	50m	350MΔ	1.0m	∅J	18		20	4.0	5.0m	13u	6.0	1.0m	100		1.0p	AD	TO7			
27#	2SA28	55m	1.1m		∅J	18			5.0	5.0m		6.0	1.0m	30			D	TO44			
28#	2SA28	55m			∅J	18			5.0	5.0m	8.0u	6.0	1.0m	60	Δ	6p	A	TO44			
29#	2SA79	55m	6.0M	1.1m	∅J	18		12	200m	12u	1.5	1.0m	50				Δ				
30#	2SA73	55m	35M	1.1m	∅J	18		50	5.0m	10u	6.0	1.0m	49			1.9p	D	TO44			
31#	2SA236	55m	35M	1.1m	∅J	18		50	5.0m	12u	6.0	1.0m	50			1.7p	D	TO44			
32#	2SA237	55m	35M	1.1m	∅J	18		50	5.0m	12u	6.0	1.0m	50			1.7p	D	TO44			
33#	2SA72	55m	40M	1.1m	∅J	18		50	5.0m	10u	6.0	1.0m	49			1.9p	D	TO44			
34#	2SA93	55m	45M	1.1m	∅J	18		50	5.0m	10u	4.5	1.0m	49			2.0p	D	TO44			
35#	2SA433	55m	45.M		∅J	18		50	5.0m	8.0u	6.1	1.0m	60			2.0p	D	TO44			
36#	2SA92	55m	50M	1.1m	∅J	18		50	5.0m	10u	4.5	1.0m	70			3.5p	D	TO44			
37#	2SA60	55m	55M	1.1m	∅J	18		50	5.0m	10u	6.0	1.0m	70			2.0p	D	TO44			
38#	2SA59	55m	65M	1.1m	∅J	18		50	5.0m	10u	9.0	1.0m	70			1.9p	D	TO44			
39#	2SA58	55m	75M	1.1m	∅J	18		50	5.0m	10u	9.0	1.0m	80			1.7p	D	TO44			
40#	2SA57	55m	85M	1.1m	∅J	18		12	5.0m	10u	9.0	1.0m	80			1.7p	D	TO44			
41#	2SA175	55m	85M	1.1m	∅J	18		50	5.0m	10u	9.0	1.0m	80			2.5p	D	TO44			
42#	2SA77	55m	10M	1.1m	∅J	18		50	5.0m	10u	6.0	1.0m	70			1.7p	D	TO44			
43#	2SA76	55m	130M	1.1m	∅J	18		50	5.0m	10u	6.0	1.0m	70			1.7p	D	TO44			
44#	AC169	60m		5.0m	*J	2.0		2.0	2.0	30m	7.0u	5.0	10m	20	Δ		A	TO1			
45#	MD5011	60m			#S	15		2.0	2.0	50m	5.0u	5.0	10m	20	Δ		MDA	TO1			
46#	MD501B†	60m			#S	15		12	2.0	50m	5.0u	5.0	10m	20	Δ		MDA	TO1			
47#	MDS341	60m			#S	20		15	2.0	50m	3.0u	5.0	10m	20	Δ		MDA	TO1			
48	T2996	60m			#S	20		20	2.0	50m	10u	1.0	2.0m	10	Δ		MDA	TO12			
49#	989T1	60m	800k		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	24		1.0ub	29	4.0	35p	R26	
50#	987T1	60m	1.0M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	36	Δ	2.0	29	4.0	35p	R26	
51#	990T1	60m	1.0M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	36	Δ	2.0	29	4.0	35p	R26	
52#	986T1	60m	1.2M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	34	Δ	2.6	29	4.0	35p	R26	
53#	989T1	60m	1.2M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	34	Δ	2.6	29	4.0	35p	R26	
54#	941T1	60m	1.2M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	73	Δ	4.0			35p	R26	
55#	985T1	60m	1.5M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	110		500nb	29	4.0	35p	R26	
56#	992T1	60m	1.5M		*A	24		9.0	5.0	200m	4.0u	5.0	1.0m	75		500nb	29	4.0	35p	R26	
57	T2578	60m	2.4M	769u	#S	20		20	∅	.50	50m	10u	1.0	2.0m	33	†			1.5p	ME	TO12
58#	2NJ51	60m	5.0M	769u	#A	12			10m	10u	9.0	1.0m	50			37p	AΔ	R18			
59	T2364	60m	5.0M	769u	#S	20		20	∅	.50	50m	10u	1.0	2.0m	10	Δ		MD∅	R34		
60#	2NJ50	60m	10.M		#A	12			10m	10u	9.0	1.0m	75			9.5p	A	R18			
61#	2SA51	60m	14M	1.2m	∅J	10		12	5.0m	15u	6.0	1.0m	70			11p	A	TO1			
62	2N2059	60m	50.M	1.3m	#J	10		2.0	5.0m	5.0u	5.0	1.0m	35	†		1.5p	MDA	TO1			
63#	MDS32	60m	60M		#S	20		1.0	5.0m	5.0u	2.0	1.0m	50	Δ			MDA	TO1			
64	T2788	60m	90M	769u	#S	20		20	∅	.50	50m	10u	1.0	2.0m	10	Δ		MD∅	TO12		
65#	2SA349	60m	100M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	10	Δ		ME	TO17		
66#	MDS311	60m	100MΔ		#S	9.0		8.0	1.0	50m	5.0u	3.0	50m	20	Δ		ME	MDA	TO1		
67#	MDS361	60m	100MΔ		#S	20		20	2.0	100m	5.0u	3.0	10m	30	Δ		MDA	TO18			
68#	MDS40	60m	100MΔ		#S	20		20	2.0	50m	5.0u	2.0	10m	35	Δ		MD	TO1			
69	T2946	60m	150M	769u	#S	20		20	∅	.50	50m	10u	1.0	2.0m	10	Δ		MD∅	TO12		
70	2N1500/181	60m	175M	769u	#S	15		15	∅	.20	50m	1.5u	5.0	10m	70	†		MD	TO18		
71	2N588A	60m	200M	Δ	#S	15		15	∅	.50	50m	15u	3.0	10m	30	Δ		1	TO1		
72#	2SA348	60m	200M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	10			ME	TO17		
73#	2SA345	60m	250M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	30			ME	TO17		
74#	2SA346	60m	250M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	30			ME	TO17		
75#	2SA347	60m	250M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	30			ME	TO17		
76#	MDS33C1	60m	250MΔ		#S	15		10	2.0	50m	10u	5.0	10m	6.3	Δ		4p	MDA	TO1		
77#	MDS33D	60m	250MΔ		#S	15		10	2.0	50m	10u	5.0	10m	40	Δ		4p	MDA	TO1		
78#	MDS39	60m	250MΔ		#S	15		10	2.0	50m	10u	5.0	10m	30	Δ		4.0p	MDA	TO18		
79#	MDS33	60m	300MΔ		#S	15		10	2.0	50m	3.0u	5.0	10m	30	Δ		4p	MDA	TO1		
80#	MDS33A	60m	300MΔ		#S	7.5		5.0	2.0	50m	3.0u	5.0	10m	30	Δ		4p	MDA	TO1		
81	T2945	60m	300MΔ		#S	20		20	∅	.50	50m	10u	1.0	2.0m	20	Δ		1.5p	MD∅	TO12	
82#	2SA460	60m	400M	1.0m	#J	20		20	∅	.50	50m	30u	6.0	3.0m	30			ME	L41		
83#	2SA461	60m	400M	1.0m	#J</																

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 fab (Hz)	DERATE IN FREE AIR W/°C	TEMPERATURE MAX	ABS MAX RATINGS @25°C				MAX. I _{cb} @ MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION STRUCTURE	DWG. No.	L E O D E
						V _{bcbo} (V)	V _{veo} (V)	V _{vebo} (V)	I _c (A)		BIAS			COMMON EMITTER						
											V _{cb} (V)	I _e (A)	h _{fe}	h _{oe} (mhos)	h _{ie} (Ω)	h _{re} X.0001				
1	TR13	70m			#	25				15u∅	4.5	1.0m	28							
2	TR14	70m			#	25				15u∅	4.5	1.0m	45							
3	TR88	70m			#	25				15u∅	4.5	1.0m	65							
4	TRM13	70m			#	25				15u∅	4.5	1.0m	28							
5	TRM14	70m			#	25				15u∅	4.5	1.0m	45							
6	TRM81	70m			#	25				15u∅	4.5	1.0m	65							
7#	TS15	70m	.50M	2.0m	*J	65		20		9.0∅	1.0m	35								
8#	EW58/1	70m	.70M			50			20m	4.0u		24			60	A				
9#	EW58/2	70m	.70M			50			20m	4.0u		40			60					
10#	EW59	70m	.70M		#	20			20m	4.0u∅		32			30					
11	TR18	70m	.70M		#	25				15u∅	4.5	1.0m	45							
12#	EW53/1	70m	.80M		*A	10			20m	4.0u∅		24			45					
13#	EW53/2	70m	.80M		*A	10			20m	4.0u∅		40			45					
14#	2SB264	70m	1.0M		*J	25			50m	10u∅	1.5∅	.50m	65		15p	A	TO1			
15	TR87	70m	1.0M	2.0m	*J	25				15u∅	4.5	1.0m	28		50					
16#	TS7	70m	4.0M	2.0m	*J	20		20		4.5∅	1.0m	35				AB				
17#	TS8	70m	8.5M	2.0m	*J	10		10		4.5∅	1.0m	65				AB				
18#	2SA430	70m	450MSΔ	1.2m	*J	20			5.0m	10u∅	6.0∅	2.0m	4.5		80p	ME	TO72			
19#	2SA432A	70m	450MS	1.2m	*J	20	18 ∅	.20	5.0m	10u∅	6.0∅	2.0m	4.5		1p∅	ME	TO72			
20#	2SA431	70m	500MS		*J	20	20	.20	5.0m	10u∅					1p∅	ME	TO17			
21#	2SA431A	70m	500MS	1.2m	*J	20	20	.20	5.0m	10u∅					1p∅	ME	TO72			
22	TIXM16	70mΔ	500MS	1.8m	*A	20	16	.30	50m	5.0u∅	6.0∅	2.0m∅	20 Δ		.7p∅	PE↑	TO92	B		
23	TIXM17	70mΔ	500MS	1.8m	*A	20	16	.30	50m	5.0u∅	6.0∅	2.0m∅	35 Δ		.7p∅	PE↑	TO92	B		
24	TIXM14	70mΔ	600MS	1.8m	*A	20	16	.30	50m	5.0u∅	6.0∅	2.0m∅	40 Δ		.7p∅	PE↑	TO92	B		
25	TIXM15	70mΔ	600MS	1.8m	*A	20	16	.30	50m	5.0u∅	6.0∅	2.0m∅	20 Δ		.7p∅	PE↑	TO92	B		
26#	M8124	70m	900MS	1.1m	*J	20		5.0m		10u		15			.30p					
27	TIXM18	70mΔ	900MS	1.7m	*A	18	12	.20	50m	5.0u∅	8.0∅	3.0m∅	90 ↑		750f∅	PE∅	X55	A		
28	TIXM19	70mΔ	900MS	1.7m	*A	18	12	.20	50m	5.0u∅	8.0∅	3.0m∅	100 ↑		750f∅	PE↑	X55	A		
29	JAN2N1158A	75m	1.0m		*S	20	20	.50	100m	5.0u∅	10	3.0m	50		2.8p∅	ME	TO9			
30	L5431	75m	1.0m		*S	20	20	.40		10u∅	15	2.0m∅	6.0 Δ		1.5p	ME	TO9			
31	T1446	75m				30			50m	5.0u∅	6.0∅	2.0m∅	10 Δ			MEΔ	TO50			
32	T1447	75m				30			50m	5.0u∅	6.0∅	2.0m∅	10 Δ			MEΔ	TO50			
33	T1448	75m				30			50m	5.0u∅	6.0∅	2.0m∅	10 Δ			MEΔ	TO50			
34#	V10/1S	75m		2.5m	∅J	10		20	500m		.35	400m	40 ↑			A				
35#	V10/2S	75m		2.5m	∅J	10		20	500m		.35	400m	25 ↑			A				
36#	V10/2SJ	75m		2.5m	∅J	10		20	500m		.35	400m	25 ↑			A		TO5		
37	CTP1032	75m	.60M	2.8m∅		25			40m	4.0u∅	6.0∅	1.0m∅	13			35p	A			
38	2N266	75m	.80M	2.5m	*A	18	18	5.0	200m	1.0∅	1.0∅	150m∅	24 ↑			35p	A	R116		
39	CTP1033	75m	.80M	2.3m∅		25			40m	4.0u∅	6.0∅	1.0m∅	25			33p	A			
40	2N2447	75m	1.0M	1.3m	*J	45	24	12	100m	10u∅	6.0∅	1.0m	65	25u	1.8k	5.0	FA	u8		
41	2N2448	75m	1.0M	1.3m	*J	45	24	12	100m	10u∅	6.0∅	1.0m	65	25u	1.8k	5.0	FA	u9		
42	CTP1034	75m	1.0M	2.3m∅		25			40m	4.0u∅	6.0∅	1.0m∅	45			30p	FA			
43	TS619	75m	1.0M	2.9m	*S	25			50m	8.0u	6.0∅	1.0m∅	50			A				
44	2N2449	75m	1.2M	1.3m	*J	35	20	12	100m	10u∅	6.0∅	1.0m	125	36u	3.6k	7.0	FA	u8		
45	2N2450	75m	1.2M	1.3m	*J	35	20	12	100m	10u∅	6.0∅	1.0m	125	36u	3.6k	7.0	FA	u9		
46	CK228	75m	1.2M	1.3m	*J	20	15	12	100m	10u	6.0∅	1.0m	90	36u	3.6k	7.0	FA∅	u8		
47	CK22C	75m	1.2M	1.3m	*J	20	15	12	100m	10u	6.0∅	1.0m	90	36u	3.6k	7.0	FA∅	u9		
48	CTP1035	75m	1.2M	2.3m∅		25			40m	4.0u∅	6.0∅	1.0m∅	65			28p	A			
49#	ASY141	75m*	1.5M	2.5m	∅J	80	80	10	250m	10u∅	.70∅	80m∅	25 Δ			25p	A	R43		
50	CTP1036	75m	1.5M	2.2m	∅J	25			40m	4.0u∅	6.0∅	1.0m∅	85			25p	A			
51#	OC308	75m*	1.5M	2.5m	∅J	32	18	10	250m	10u∅	.70∅	80m∅	30 Δ			25p	A	R43		
52	2N8171	75m	2.5MΔ	1.3m	*J	30	25	25	400m	10u∅	1.0∅	50m∅	25 ↑		9.0p	FA	u8			
53	2N8181	75m	2.5MΔ	1.3m	*J	30	25	25	400m	10u∅	1.0∅	50m∅	25 ↑		9.0p	FA	u9			
54#	NKT52	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		R65		
55#	NKT53	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		R65		
56#	NKT54	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		R65		
57#	NKT62	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		TO5		
58#	NKT63	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		TO5		
59#	NKT64	75m	3.0MΔ	1.5m	∅J	10	10	10	10m	2.0u						A		TO5		
60#	NKT74	75m	3.0M	1.5m	∅J	10	10	10	10m							A		TO1		
61#	V6/2R	75m	3.0M	1.5m	∅J	6.0		6.0	30m		4.5	1.0m	30					TO22		
62	2N8191	75m	5.0MΔ	1.3m	*J	30	20	25	400m	10u∅	1.0∅	50m∅	45 ↑		9.0p	FA	u8			
63	2N8201	75m	5.0MΔ	1.3m	*J	30	20	25	400m	10u∅	1.0∅	50m∅	45 ↑		9.0p	FA	u9			
64#	NKT1031	75m	5.0M	1.5m	∅J	20	20	6.0	500m	40u	4.5∅	1.0m∅	75		20p	A	TO22			
65#	NKT1081	75m	5.0M	1.5m	∅J	20	20	6.0	500m	40u	4.5∅	1.0m∅	75		20p	A	TO22			
66#	NKT1091	75m	5.0M	1.5m	∅J	20	20	6.0	500m	40u	4.5∅	1.0m∅	75		20p	A	TO22			
67#	NKT1231	75m	5.0M	1.5m	∅J	20	20	6.0	500m	40u	4.5∅	1.0m∅	75		20p	A	TO5			
68#	NKT1291	75m	5.0M	1.5m	∅J	30	20	6.0	400m	10u∅	4.5∅	1.0m∅	75		20p	AΔ	u9			
69#	V6/4R	75m	5.0M	1.5m	∅J	6.0		6.0	30m		4.5	1.0m	50		25p	A	TO22			
70	CK83	75m	5.5M	1.3m	*J	12			20m	10u	6.0∅	1.0m	60		11p	FA	u11			
71#	V6/4RJ	75m	5.5M	2.5m	∅J	6.0			30m		4.5	1.0m	50		25p	A	TO5			
72	2N8011	75m	6.0M	1.3m	*J	30	18	20	400m	25u	.25∅	1.0mΔ	40 ↑		14p	FA	u8			
73	2N8021	75m	6.0M	1.3m	*J	30	18	20	400m	25u	.25∅	1.0mΔ	40 ↑		14p	FA	u9			
74#	GET871	75m	6.0M	1.5m	*J	15	10	150m	5.0u	1.0∅	1.0∅	25m∅	45 ↑			A		RO11		
75#	GET873	75m	6.0M	1.5m	*J	15	10	150m	5.0u	1.0∅	1.0∅	25m∅	45 ↑			A		R11		
76#	NKT154/25	75m	6.0M	1.5m	∅J	6.0	6.0 ∅		10m	2.0u	4.5∅	1.0m∅	50			A		TO22		
77#	NKT164	75m	6.0M	1.5m	∅J	6.0	6.0 ∅		10m	2.0u	4.5∅	1.0m∅	50			A		TO5		
78#	NKT164/25	75m	6.0M	1.5m	∅J	9.0	9.0 ∅		10m	2.0u	4.5∅	1.0m∅	50			A		TO5		
79	2N809	75m	7.0M	1.2m	*J	30	15	20	200m	5.0u∅	6.0∅	1.0u	60	620nb	25	5.0	FAΔ	u8		
80	2N810	75m	7.0M	1.2m	*J	30	15	20	200m	5.0u∅	6.0∅	1.0u	60	620nb	25	5.0	FAΔ	u9		
81#	2G301	75m	7.2M	1.3m	*J	15	10	10	50m	10u	6.0∅	1.0m	60		8.5p	A				
82#	GET870	75m	7.5M	1.5m	*J	15	10	10	50m	5.0u	6.0∅	1.0m	75			A∅		RO11		
83	2N8151	75m	8.0M	1.3m	*J	25	20	15	200m	10u	.75∅	200m∅	80 ↑		14p	FA	u8			
84	2N8161	75m	8.0M	1.3m	*J	25	20	15	200m	10u	.75∅	200m∅	80 ↑		14p	FA	u9			
85	2N8251	75m	8.0M	1.2m	*J	3														

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. 2		DERATE		ABS MAX RATINGS @25°C				MAX. I _{cb} @M V _{cb}	TYPICAL h _{FE} PARAMETERS			COMMON EMITTER			Cob (F)	DESCRIPTION STRUC-TURE No. Dwg. No.	I C O D E
		COLL. DISS. @25°C (W)	fab (Hz)	IN FREE AIR W/°C	M A X P	BV _{ceo} (V)	BV _{ceo} (V)	BV _{ebo} (V)	I _c (A)		V _{cb} (V)	I _e (A)	h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)			
1	2N806†	75m	17M	1.3m	#J	30	12	12	100m	5.0u∅	25∅	1.0m∅	80 †				14p	FA	u9
2	2N807†	75m	18M	1.3m	#J	25		12	100m	5.0u∅	20∅	1.0m∅	60 †					FAΔ	u8
3	2N808†	75m	18M	1.3m	#J	25		12	100m	5.0u∅	20∅	1.0m∅	60 †					FAΔ	u9
4#	NKT101†	75m	18M	1.5m	∅J	20	20 ∅	6.0	500m	40u	4.5∅	1.0m∅	150				20p	A	TO22
5#	NKT104†	75m	18M	1.5m	∅J	20	20 ∅	6.0	500m	40u	4.5∅	1.0m∅	150				20p	A	TO22
6#	NKT107†	75m	18M	1.5m	∅J	20	20 ∅	6.0	500m	40u	4.5∅	1.0m∅	150				20p	A	TO22
7#	NKT121†	75m	18M	1.5m	∅J	20	20 ∅	6.0	500m	40u	4.5∅	1.0m∅	150				20p	A	TO6
8#	NKT127†	75m	18M	1.5m	∅J	20	20 ∅	6.0	500m	40u	4.5∅	1.0m∅	150				20p	A	TO5
9	2N813	75m	20M	1.2m	#J	30	10	20	200m	5.0u∅	6.0∅	1.0u	140	770nb	26	11	12p	FA	u8
10	2N814	75m	20M	1.2m	#J	30	10	20	200m	5.0u∅	6.0∅	1.0u	140	770nb	26	11	12p	FA	u9
11#	GET875	75m	20M	1.5m	#J	15		10	150m	5.0u	1.0∅	25m∅	90 †					A	RO11
12#	GET931	75m	28M	1.5m	#	20		2.0	100m	50u	6.0∅	1.0m∅	20				3.0p	A	TO5
13#	GET691	75m	30M	1.5m	∅J	20		1.0	10m	30u	6.0∅	1.0m∅	60				2.0p	D	R11
14#	GET692	75m	40M	1.5m	∅J	20		1.0	10m	30u	6.0∅	1.0m∅	60				2.0p	D	R11
15#	GET693	75m	50M	1.5m	∅J	20		1.0	10m	30u	6.0∅	1.0m∅	60				2.0p	D	R11
16	T1XM207	75m	99MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	10 Δ				2.0p	DEM	R80
17	2N2799†	75m	120MΔ	1.0m	#S	30	15	2.0	100m	30∅	3.0∅	1.0m∅	50 †				2.5p	D	TO9
18	T1XM201	75m	200MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	18 Δ				2.0p	DEM	R80
19	T1XM202	75m	220MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	30				2.0p	DEM	R80
20	T1XM04	75m	224MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	1.0m∅	22 Δ				1p∅	PE∅	R97c
21	2N2797†	75m	235MΔ	1.0m	#S	40	20	2.5	100m	30∅	3.0∅	1.0m∅	80 †				2.5p	D	TO9
22	2N2798†	75m	235MΔ	1.0m	#S	60	25	2.0	100m	30∅	3.0∅	1.0m∅	50 †				2.5p	D	TO9
23	2N695†	75m	250MΔ	1.0m	#J	15	15	3.5	50m	3.0u∅	3.0∅	1.0m∅	40 †				2.5p	MEΔ	TO17
24#	2SA403	75m	280MΔ	1.0m	#J	20	15	5	20	10u∅	6.0∅	1.0m	10				3.5p	ME	TO1
25#	T1XM02	75m	282MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	1.0m∅	28 Δ				1p∅	PE∅	R97c
26#	2SA463	75m	300MΔ	1.3m	#J	20	∅	50	10m	30u	6.0∅	3.0m	10				1.0p	ME	TO44
27	T1XM204	75m	300MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	25				2.0p	DEM	R80
28	T1XM205	75m	300MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	30				2.0p	DEM	R80
29	T1XM206	75m	300MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	25				2.0p	DEM	R80
30	XT300†	75m	300MΔ	1.0m	#S	25	12	2.5	100m	3.0u	3.0∅	1.0m∅	40 Δ				2.0p	DEM	TO18
31	T1XM07	75m	315MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	1.6 Δ	10				4p∅	PE∅	R97c
32	T1XM03	75m	316MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	3.2 Δ	10				1p∅	PE∅	R97c
33	T1XM203	75m	350MΔ	1.0m	#A	30	15	50	50m	5.0u∅	6.0∅	2.0m∅	10 Δ				2.0p	DEM	R80
34	T1XM01	75m	355MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	3.5 Δ	10				1p∅	PE∅	R97c
35	T1XM06	75m	380MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	8.4 Δ	10				1p∅	PE∅	R97c
36	T1XM08	75m	380MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	1.2 Δ	10				1p∅	PE∅	R97c
37#	2SA54	75m	400MΔ	1.0m	#J	20	15	5	20	10u∅	6.0∅	2.0m	12				1.2p	ME	R77
38#	2SA404	75m	400MΔ	1.0m	#J	20	15	5	20	10u∅	6.0∅	2.0m	12				1.2p	ME	R77
39#	GMO378	75m	400MΔ	1.0m	#J	18		30	50m	5.0u∅	8.0∅	4.5m∅	20 Δ				1.8p	ME∅	TO18
40	T1XM05	75m	450MΔ	1.0m	#A	20	10	20	30m	10u∅	1.0∅	1.5m∅	2.2 Δ				1p∅	PE∅	R97c
41	T1X3032	75m	500MΔ	1.0m	#S	25	15	20	100m	10u∅	1.0∅	6.0m∅	25 Δ				1p∅	PE∅	TO72
42	XT400	75m	600MΔ	1.0m	#S	40	30	1.0	100m	3.0u	3.0∅	1.5m∅	1.2 Δ				2.0p	PE∅	TO18
43#	GM290	75m	700MΔ	1.0m	#A	18	15	30	50m	5.0u∅	12∅	3.0m∅	20 Δ				1.5p	EM∅	ZB12
44#	2SA229	75m	750MΔ	1.2m	∅J	20		20	50m	5.0u	6.0	2.0m	10				1.0p	ME	TO17
45#	2SA230	75m	750MΔ	1.2m	∅J	20		20	50m	5.0u	6.0	2.0m	10				1.0p	ME	TO17
46	2N700/18	75m	800MΔ	1.0m	#J	25	20	20	50m	2.0u∅	6.0∅	2.0m	10		b	17	1.1p	ME†	TO18
47	2N700A/18	75m	800MΔ	1.0m	#J	25	20	20	50m	100u	6.0∅	4.0 Δ	10				1.4p∅	ME†	TO18
48#	GMO290	75m	800MΔ	1.0m	#J	20	15	30	50m	5.0u∅	1.2∅	3.0m∅	20 Δ				1.2p	ME∅	TO18
49#	T1XM10	75m	900MΔ	1.0m	#A	18	12	20	50m	10u∅	8.0∅	3.0m∅	90 †				750fs	PE∅	X45
50#	T1XM11	75m	900MΔ	1.0m	#A	18	12	20	50m	10u∅	8.0∅	3.0m∅	100 †				750fs	PE∅	X45
51	MM2503	75m	1.0GΔ	1.0m	#J	30	15	50	20m	10u∅	6.0∅	3.0m∅	25 Δ				2p∅	EA∅	RO38
52	2N1405	75m	1.1G*	1.0m	#J	30	20	50	50m	100u	6.0∅	2.0m∅	10 Δ				3.0p	ME∅	TO12
53	2N1406	75m	1.1G*	1.0m	#J	30	20	50	50m	100u	6.0∅	2.0m∅	10 Δ				3.0p	ME∅	TO12
54	2N1407	75m	1.1G*	1.0m	#J	30	20	50	50m	100u	6.0∅	2.0m∅	10 Δ				3.0p	ME†	TO12
55	2N2363	75m	1.1G*	1.0m	#J	30	20	50	50m	5.0u∅	6.0∅	2.0m∅	10				2.0p	ME∅	RO38
56	T1X3024	75m	1.5GΔ	1.0m	#S	15	7.0	.30	50m	6.0u∅	5.0∅	3.0m∅	30 Δ				3.0p∅	EM∅	u26
57	T1X895†	75m	2.5GΔ	1.0m	#A	5.0	3.0	.80	75m	5.0u∅	2.5∅	15m∅	3.0 Δ				1.5p∅	DEM	u25
58	2N23	80m			*S	50		40	40m	2m∅								PCA	
59#	2N152	80m			*A	20		2.5	30m	12u∅	9.0	1.0m∅	40					A	R18
60#	2N153	80m			*A	20		2.5	30m	12u∅	1.0∅	3.0m∅	60 †					A	R18
61#	2SB74	80m			#J	16		50	15m	10u	6.0∅	1.0m	48					A	TO1
62#	2SB384	80m		1.3m	#J	20		30	10u∅	6.0∅	1.0m	60		23u	1.6k	3.5		A	TO1
63#	2SB385	80m		1.3m	#J	20		15	30m	10u∅	1.0∅	50m∅	50 †					A	TO1
64#	2T14A	80m		2.0m	*	25		20	10u∅	6.0	1.0m	90					20p	A	
65#	2T15	80m		2.0m	*	25		20	10u∅	6.0	1.0m	45					20p	A	
66#	2T16	80m		2.0m	*	25		20	10u∅	6.0	1.0m	30					20p	A	
67#	2T17	80m		2.0m	*	25		20	10u∅	6.0	.50m	13					20p	A	
68	CK17	80m	18m	1.3m	#J	30	10	20	200m	5.0u∅	6.0∅	1.0m	140	770nb	26	11	12p	FA	u11
69#	GFT20	80m	600k	1.6m	∅J	15		10	10	20u	3.0	1.0m	33					A	
70#	GFT20/15	80m	600k	1.6m	∅J	15		10	50m	20u	3.0	1.0m	33					A	TO5
71#	GFT20/30	80m	600k	1.6m	∅J	30		10	50m	20u	3.0	1.0m	33					AΔ	TO5
72#	GFT20/60	80m	600k	1.6m	∅J	60		10	10	20u	3.0	1.0m	33					AΔ	TO30
73#	GFT20R	80m	600k	1.6m	∅J	15		10	10	20u	3.0	1.0m	33					A	TO30
74	CK64	80m	.80M	1.3m	#J	45	29 ∅	12	100m	5.0u∅	6.0∅	1.0m	25	18u	900	3.5		FA†	u11
75	CK64A	80m	.80M	1.3m	#J	45	29 ∅	12	100m	5.0u∅	6.0∅	1.0m	25	18u	900	3.5		FA†	u12
76	CK64B	80m	.80M	1.3m	#A	45		45			6.0∅	1.0m∅	22 †					A	u8
77	CK64C	80m	.80M	1.3m	#A	45		45			6.0∅	1.0m∅	22 †						

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @25°C (W)	fab	DERATE IN FREE AIR W/C	TEMP. MAX. °C	ABS. MAX. RATINGS @25°C				MAX. I _{cb} @ MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION	L C O E A D E
						BV _{ceo}	BV _{ceo}	BV _{ebo}	I _c		BIAS			COMMON EMITTER					
						(V)	(V)	(V)	(A)		V _{cb}	I _e	h _{fe}	h _{oe}	h _{ie}	h _{re}			
1#	2V464	80m	2.0M	2.0m	15	15	20m	6.0u	6.0	1.0m	20					15p	PA		
2#	2V465	80m	2.0M	2.0m	15	15	20m	6.0u	6.0	1.0m	50					15p	PA		
3#	CK13	80m	2.5M	1.3m	#J	30	200m	5.0u	6.0	1.0m	30					12p	FA	u11	
4#	CK13A	80m	2.5M	1.3m	#J	30	200m	5.0u	6.0	1.0m	30					12p	FA	u12	
5#	OC46N	80m	3.0MΔ	1.6m	∅J	20	200m	3.0u	6.0	1.5m	20					12p	FA	u12	A
6#	2V482	80m	3.5M	2.0m	#J	15	100m	5.0u	6.0	1.0m	40					12p	PA		
7#	2SA14	80m	4.0M	1.3m	#J	16		15u	6.0	1.0m	50					10p	PA	TO1	
8#	2V466	80m	4.0M	2.0m	#J	15		15u	6.0	1.0m	80					15p	PA		
9#	2V483	80m	4.0M	2.0m	#J	15		20m	6.0	1.0m	60					12p	PA		
10#	CK251	80m	4.0M	1.3m	#J	30	20	400m	4.0u	2.5	1.0mΔ	30				14p	FA	u11	
11#	CK25A1	80m	4.0M	1.3m	#J	30	20	400m	4.0u	2.5	1.0mΔ	30				14p	FA	u12	
12#	OC47N	80m	4.5MΔ	1.6m	∅J	20	20	100m	3.0u	1.5m	50					14p	FA	u12	A
13#	2N1673	80m	5.0M	1.3m	#J	35		10m	5.0u	9.0	1.0m	100				3pZ	D	TO33	
14#	2SA296	80m	5.0M	1.3m	#J	15		15m	5.0u	6.0	1.0m	45				13p	A	TO1	
15#	2SA325	80m	5.0M	1.3m	#J	15		15m	5.0u	1.0	80m	60				13p	A	TO1	
16#	2SA151	80m	6.0M	1.3m	#J	9.0	30	15m	10u	3.0	1.0m	50				13p	A	TO1	
17#	CK261	80m	6.0M	1.3m	#J	30	18	20	400m	4.0u	2.5	1.0mΔ	40			14p	FA	u11	
18#	CK26A1	80m	6.0M	1.3m	#J	30	18	20	400m	4.0u	2.5	1.0mΔ	40			14p	FA	u12	
19#	2V467	80m	7.0M	2.0m	#J	15		20m	6.0u	6.0	1.0m	120				15p	PA		
20#	CK14	80m	7.0M	1.3m	#J	30	15	20	200m	5.0u	6.0	1.0m	60			12p	FA	u11	
21#	CK14A	80m	7.0M	1.3m	#J	30	15	20	200m	5.0u	6.0	1.0m	60			12p	FA	u12	
22#	2SA13	80m	8.0M	1.3m	#J	12		15m	10u	6.0	1.0m	55				33p	A	TO1	
23#	2SA152	80m	10M	1.3m	#J	9.0		15m	10u	3.0	1.0m	55				13p	A	TO1	
24#	2SA297	80m	10M	1.3m	#J	16		15m	5.0u	6.0	1.0m	65				13p	A	TO1	
25#	2SA326	80m	10M	1.3m	#J					1.0	80m	80				13p	A	TO1	
26#	2V484	80m	10M	2.0m	#J	15		20m	5.0u	6.0	1.0m	100				12p	PA		
27#	CK16	80m	10M	1.3m	#J	30	12	20	200m	5.0u	6.0	1.0m	80			12p	FA	u11	
28#	CK16A	80m	10M	1.3m	#J	30	12	20	200m	5.0u	6.0	1.0m	80			12p	FA	u12	
29#	2V485	80m	11M	2.0m	#J	15		20m	5.0u	6.0	1.0m	80				12p	PA		
30#	CK271	80m	11M	1.3m	#J	30	15	20	400m	4.0u	2.5	1.0mΔ	55			14p	FA	u11	
31#	CK27A	80m	11M	1.3m	#J	30	15	20	400m	4.0u	2.5	1.0mΔ	55			14p	FA	u12	
32#	2SA16	80m	12M	1.3m	#J	12		15m	10u	6.0	1.0m	80				32p	A	TO1	
33#	2V486	80m	12M	2.0m	#J	15		20m	5.0u	6.0	1.0m	120				12p	PA		
34#	CK41	80m	12M	1.3m	#J	25	12	100m	5.0u	2.0	1.0mΔ	40				12p	FA	u11	
35#	CK4A1	80m	12M	1.3m	#A	25	12	100m	5.0u	1.5	40m	60				12p	FA	u12	
36#	CK281	80m	17M	1.3m	#J	30	12	20	400m	4.0u	2.5	1.0mΔ	80			14p	FA	u11	
37#	CK28A1	80m	17M	1.3m	#J	30	12	20	400m	4.0u	2.5	1.0mΔ	80			14p	FA	u12	
38#	CK17A	80m	18M	1.3m	#J	30	10	20	200m	5.0u	6.0	1.0m	140			12p	FA	u12	
39#	2SA17	80m	19M	1.3m	#J	12		15m	6.0u	6.0	1.0m	100				9.5p	A	TO1	
40#	2SA18	80m	19M	1.3m	∅J	21		15m	6.0u	6.0	1.0m	150				9.5p	A	TO1	
41#	2SA358	80m	25M	1.0m	#S	9.0		10m	15u	3.0	1.0m	80				2.8p	D	TO1	
42#	2SA383	80m	25M	1.3m	#S	25		10m	12u	6.0	1.0m	40				2.5p	D	TO1	
43#	2V562	80m	25M	1.0m	#S	30		10m	10u	9.0	1.0m	50				2.5p	PD		
44#	2V563	80m	25M	1.0m	#S	30		10m	10u	9.0	1.0m	100				2.5p	PD		
45#	2N247	80m	30M	1.0m	∅A	35		10m	16u	9.0	1.0m	100				1.7p	D	TO1	
46#	JAN2N274	80m	30M	1.8m	∅A	35		10m	8.0u	12	1.0m	80				1.7p	A	TO44	
47#	2N370	80m	30M	1.6m	∅A	20		10m	20u	12	1.0m	80				3pZ	D	TO7	H
48#	2N370/33	80m	30M	667u	#J	24		10m	10u	12	1.0m	107				3pZ	D	TO33	
49#	2N371	80m	30M	1.6m	∅A	20		10m	20u	12	1.0m	80				3pZ	D	TO7	
50#	2N371/33	80m	30M	2.0m	#J	24		10m	10u	12	1.0m	97				3pZ	D	TO33	
51#	2N372	80m	30M	1.6m	∅A	20		10m	20u	12	1.0m	80				3pZ	D	TO7	H
52#	2N372/33	80m	30M	2.0m	#J	24		10m	10u	12	1.0m	97				3pZ	D	TO33	
53#	2N374	80m	30M	1.3m	∅A	25		10m	8.0u	12	1.0m	80				1.0u	D	TO7	
54#	2N544	80m	30M	1.1m	∅A	18		10m	8.0u	12	1.0m	80				1.6p	D	TO7	
55#	2N544/33	80m	30M	1.0m	#J	24		10m	16u	12	1.0m	97				3pZ	D	TO33	
56#	2SA83	80m	30M	1.3m	#J	25		10m	10u	9.0	1.0m	80				2.8p	D	TO44	
57#	2SA357	80m	30M	1.3m	#J	9.0		10m	15u	3.0	1.0m	80				2.8p	D	TO1	
58#	2SA367	80m	30M	1.3m	#J	20	20	∅	15u	9.0	1.0m	70				2.5p	D	TO1	
59#	2SA382	80m	30M	1.3m	#S	25		10m	12u	6.0	1.0m	55				2.5p	D	TO1	
60#	2V560	80m	30M	1.0m	#S	25		10m	10u	9.0	1.0m	70				2.2p	PD		
61#	2V561	80m	30M	1.0m	#S	25		10m	10u	9.0	1.0m	30				2.2p	PD		
62#	XA121	80m	30M	1.3m	∅A	25		10m	8.0u	12	1.0m	80				1.5u	D	TO7	
63#	XA122	80m	30M	1.3m	∅A	25		10m	8.0u	12	1.0m	80				1.0u	D	TO7	
64#	XA123	80m	30M	1.3m	∅A	20		10m	20u	12	1.0m	80				1.6p	D	TO7	
65#	XA124	80m	30M	1.3m	∅A	20		10m	20u	12	1.0m	80				1.6p	D	TO7	
66#	XA126	80m	30M	1.3m	∅A	20		10m	20u	12	1.0m	80				1.6p	D	TO7	
67#	2N1425	80m	33M	1.6m	∅A	24		10m	12u	12	1.0m	50				2.0p	D	TO7	
68#	2N1426	80m	33M	1.6m	∅A	24		10m	12u	12	1.0m	130				2.0p	D	TO7	
69#	2N1526/33	80m	33M	2.5m	#A	24		10m	16u	12	1.0m	130				2.0p	D	TO33	
70#	2SA298	80m	35M	1.3m	#J	40		10m	8.0u	6.0	1.0m	55				2.5p	D	TO44	
71#	2SA327	80m	35M	1.3m	#J	20		10m	10u	1.0	80m	30				2.5p	D	TO44	
72#	2SA38																		

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 f (Hz)	DERATE IN FREE AIR W/°C	TEMPERATURE M E A M P	ABS MAX RATINGS @25°C				MAX. Icbo @ MAX Vcb (A)	TYPICAL h' PARAMETERS						Cob (F)	DESCRIPTION STRUC-TURE DWG. No.	L C O A D E	
						BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)		BIAS			COMMON EMITTER						
											Vcb (V)	Ia (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)				
1#	2SA289	80m	250MΔ	1.3m	#J	20	.50	10m	30u	8.0φ	3.0m	10 Δ				1.2pφ	ME	T07		
2#	2SA290	80m	250MΔ	1.3m	#J	20	.50	10m	30u	8.0φ	3.0m	10 Δ				1.2pφ	ME	T07		
3#	THP501	80m	280M	1.3m	#J	20	1.0	10m	20u	9.0	2.0m	65 φ					∅	TO12		
4#	THP502	80m	280M	1.3m	#J	20	1.0	10m	20u	9.0	2.0m	55 Δ					∅	TO12		
5#	504T1	80m	300MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	100 Δ			2pφ	MD	R73		
6#	505T1	80m	330MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	30 Δ			2pφ	MD	R73		
7#	508T1	80m	330MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	15 Δ			2pφ	MD	R73		
8#	501T1	80m	345MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	30 Δ			1.5pφ	MD	R73		
9#	503T1	80m	345MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	15 Δ			1.5pφ	MD	R73		
10#	508T1	80m	380MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	30 Δ			1.5pφ	MD	R73		
11#	507T1	80m	380MΔ	1.3m	#J	20	20 §	1.0	10m	10u	9.0φ	2.0mφ	15 Δ			1.5pφ	MD	R73		
12#	2SC125	80m	700M		#J	20		50	10m	30u	6.0	3.0m	10 Δ			.90p	ME	T07		
13#	OC975	83m		1.6m	∅J	30			10m		6.0	1.0m	36 Δ				AD	T07	H	
14#	2SA302	83m	6.0M	1.6m	∅J	20			15 100m	3.0uφ		100m	20 †				AD	R9		
15#	2SA303	83m	9.0M	1.6m	∅J	20			15 100m	3.0uφ		100m	50 †				AD	R9		
16#	2N1515	83m	70.M§	1.7mφ	J	20			10m	13uφ	6.0φ	1.0m	100				AD	T07	H	
17#	2N1516	83m	70M§	1.7m	J	20			10m	13uφ	6.0	1.0m	67 †			3.0p	AD	T07	H	
18#	2N1517	83m	70.M§	1.7mφ	J	20			10m	13uφ	6.0	1.0m	67 †			6.0p	AD	T07	H	
19#	JAN2N1517	83m	70M§	1.6m	∅J	20			10m	13uφ	6.0	1.0m	67 †			6.0p	AD	T07		
20#	2SA308	83m	450M§	1.6m	∅J	20		.30	5.0m	13uφ	12	1.0m	250			500f	AD	T07		
21#	2SA309	83m	600M§	1.6m	∅J	20		.30	5.0m	13uφ	12	1.0m	250			500f	AD	T07		
22#	A1378	86m	160M§	2.2m	#J	32	32 §	1.0	30m	3.0uφ	10	1.0m	50				PD∅	TO12		
23#	2N26	90m			*S	30	40	40		.7mφ							PCΔ			
24#	A1220	90m		11u		25	25 ∅	30	15m	3.5uφ	10	2.0mφ	20 †				PD	TO18		
25#	GT24H	90m			#J	12			10m	10uφ			30				A			
26#	GT210H	90m			∅S	12			50m	25uφ	4.5	1.0m	120				A			
27#	NKT255	90m	1.0M	1.5m	#J	9.0	9.0 ∅		10m	5.0u	4.5φ	1.0mφ	25 Δ				A	TO22		
28#	NKT265	90m	1.0M	1.5m	#J	9.0	9.0 ∅		10m	5.0u	4.5φ	1.0mφ	25 Δ				A	TO5		
29#	TR801	90m	2.5M		∅S	12			100m	6.0u	4.5	1.0m	25				A			
30#	TR802	90m	5.0M		∅S	10			100m	6.0u	4.5	1.0m	40				A			
31#	NKT5	90m	7.5MΔ	1.5m	#A	18	10	15	500m	5.0u	.50	10mφ	7.0 Δ			10p	Δ	R65		
32#	NKT24	90m	7.5MΔ	1.5m	#A	16	10	10	500m	5.0u	.50φ	10mφ	7.0 Δ			10p	Δ	TO5		
33#	NKT25	90m	7.5MΔ	1.5m	#A	18	10	10	500m	5.0u	.50φ	10mφ	7.0 Δ			10p	Δ	TO5		
34#	3BT1	90m	10.M	1.5m	#J	20			50m			10mφ	50 †				A			
35#	TR803	90m	11.M		∅S	10			100m	6.0u	4.5	1.0m	70				A			
36#	39T1	90m	15.M	1.5m	#J	14			50m			10mφ	100 †				A			
37#	NKT4	90m	15.MΔ	1.5m	#A	16	10	10	500m	5.0u	.50	10mφ	7.0 Δ			10p	Δ	R65		
38#	TR804	90m	17.M		∅S	6.0			100m	6.0u	4.5	1.0m	120				A			
39#	TIX2000	90m	4.2G*	1.5m	#J	15		.50	25m	2.0uφ	6.0φ	3.0mφ	10 Δ			1.3p	ME	RO38		
40#	PAD140	94m	300M	5.5m	∅A	20		2.5	50m		.90	30m	50			5.0p	AD	TO18		
41#	2N51	100m			*A	50			8.0m				67				PCΔ			
42#	2N1388	100m		1.7m	#J				100								A			
43#	2N649/5	100m			∅A	20		2.5	50m		1.0φ	50mφ	65 †				A	TO5		
44#	JAN2N694	100m		1.3m	#J	30	15	1.0	50m	3.0uφ	6.0	2.0m	9.0 Δ			2.0pφ	A	TO28		
45#	2N2672A	100m		2.0m	#S	32	32 ∅	2.0	50m	8.0uφ	6.0φ	1.0mφ	40 †Δ			2.5pφ	AD	TO39		
46#	3N211	100m			*A	60							2.5				PC§			
47#	EW51	100m			*A	20			15m	2.2m			67				PCΔ			
48#	GT14H	100m			∅J	12			50m				28				A			
49#	GT20H	100m			∅J	12			50m				42				A			
50#	GT81H	100m			∅J	12			50m				80				A			
51#	MA898	100m		1.6m	#J	25	25 ∅	10	100m	100u	6.0φ	1.0m	20 Δ				A	TO5		
52#	MA899	100m		1.6m	#J	25	25 ∅	10	100m	100u	6.0φ	1.0m	40 Δ				A	TO5		
53#	MA900	100m		1.6m	#J	25	25 ∅	10	100m	100u	6.0φ	1.0m	90 Δ				A	TO5		
54#	MA901	100m		1.6m	#J	20	20 ∅	10	100m	100u	6.0φ	1.0m	20 Δ				A	TO5	A	
55#	MA902	100m		1.6m	#J	15	15 ∅	5.0	100m	100u	6.0φ	1.0m	15 Δ				A	TO5	A	
56#	MA903	100m		1.6m	#J	15	15 ∅	5.0	100m	100u	6.0φ	1.0m	20 Δ				A	TO5	A	
57#	MA904	100m		1.6m	#J	15	15 ∅	5.0	100m	100u	6.0φ	1.0m	180 Δ				A	TO5	A	
58#	SVL1592	100m			∅J		15	15	10	200m	.40φ	1.0mΔ	25 †			30p	A			
59#	SVL2120	100m		1.3m	#J	15	15	3.5	50m	3.0uφ	.30φ	10mφ	25 †Δ			.90p	DM	u1		
60#	T2351	100m		1.1m	#S	20	20 ∅	.40		50u	15	2.0m	6.0 Δ				MD	X13		
61#	TK49C	100m		2.0m	#S	20		20		8.0u*	0.0	5.0m	15 †Δ				A	R47a		
62#	TR20	100m			#S	30			200m	5.0uφ			20				A			
63#	2N1432	100m		1.3m	#J	45	45 §	.50	10m	15u	15φ	2.0mφ	60				A	TO33		
64#	T1320	100m	400kΔ			30			50m	20u	5.0φ	1.0m	34 †	850nb	38	5.4	A	R44		
65#	GT11	100m	.42M		∅S	9.0			10m	5.0u	4.5	1.0m	30				A			
66#	2N199	100m	500k	1.5m	#J	30		6.0	30m	5.0uφ	5.0	1.0m	30			40p	A			
67#	OC71N	100m	500k	2.2m	∅J	30			10m	5.0u	2.0	3.0m	4.7	80	800	5.4	A	TO1	A	
68#	T1321	100m	500kΔ			30			50m	20u	5.0φ	1.0m	95 †	830nb	38	8.0	A	R44		
69#	TR758A	100m	50M		#S	20			200m	5.0uφ	4.5	1.0m	15				A			
70#	2N198	100m	600k	1.5m	#J	30		6.0	30m	5.0uφ	5.0	1.0m	40			40p	A			
71#	TR63	100m	.60M	1.7m	#J	30	22		150m	6.0u	6.0	1.0m	22				F			
72#	2N197	100m	700k	1.5m	#J	30		6.0	30m	5.0uφ	5.0	1.0m	50			40p	A			
73#	2N196	100m	800k	1.5m	#J	30		6.0	30m	5.0uφ	5.0	1.0m	65			40p	A			
74#	TR64	100m	.80M	1.7m	#J	15			150m	6.0u	6.0	1.0m	45				F			
75#	GT12	100m	.85M		∅S	9.0			10m	5.0u	4.5	1.0m	60				A			
76#	2N195	100m	1.0M	1.5m	#J	15		6.0	30m	3.0uφ	5.0	1.0m	180			40p	A			
77#	2N200	100m	1.0M	1.5m	#J	38		12	100m	4.0uφ	5.0	1.0m	45			40p	A			
78#	2SB110	100m	1.0M	1.4m	∅J	25			10m	10uφ	6.0φ	1.0m	30			50ub	30	2.5	15p	TO1
79#	2SB111	100m	1.0M	1.4m	∅J	25			10m	10uφ	6.0φ	1.0m	45			50ub	30	2.5	15p	TO1
80#	2SB112	100m	1.0M	1.4m	∅J	25			10m	10uφ	6.0φ	1.0m	60			50ub	30	2.5	15p	TO1
81#	2SB113	100m	1.0M	1.4m	∅J	25			10m	10uφ	6.0φ	1.0m	80			50ub	30	2.5	15p	TO1
82#	CK754	100m	1.2M	1.7m	#J	12	10	20	100m		6.0	1.0m	300				A			
83#	TR65	100m	1.2M	1.7m	#J	12			150m	6.0u	6.0	1.0m	90				F			
84#	2SB114	100m	1.5M	1.4m	∅J	25			10m	10uφ										

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C	3 M E A P	ABS MAX RATINGS @25°C					TYPICAL h _{FE} PARAMETERS							Cob (F)	DESCRIPTION STRUCTURE DWG. No.	C O D E
					BVcbo (V)	BVceo (V)	Vcbo (V)	Ic (A)	Icbo @MAX Vcb (A)	BIAS			COMMON EMITTER						
										Vcb (V)	Ic (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)				
1	4JD1A73	100m	5.0M	#S	15	2.0	5.0	50m	6.0	5.0	1.0m	32							
2	GT760	100m	5.0M	#S	15		5.0	50m	5.0	4.5	1.0m	40							
3#	GT42	100m	6.0M	#J	15		15	100m	15u	4.5	1.0m	60	25u	1.6k	3.0	15p	A	R12	
4#	GT46	100m	6.0M	#J	25		15	100m	15u	4.5	1.0m	60	25u	1.6k	3.0	15p	A	R12	
5#	GT100	100m	6.0M	#J	9.0		9.0	100m		4.5	1.0m	60	25u	1.6k	3.0		A		
6#	TK20A	100m	6.3M	*J	30		30			4.5	1.0m	43					A		
7#	GET884	100m	7.5M	#J	15		10	10m	5.0u	6.0	1.0m	70				15p	AT	TO5	
8	2N1684	100m	8.0M	#S	25		12	100m	20u							15p	A	u1	
9	2N1782	100m	8.0M	#S	30		20	100m		.35	200m	30				15p	A	u1	
10#	OC3K	100m	8.0MΔ	#S	15	10	10		2.0	6.0	1.0m	50				14p	A	TO9	
11#	OC4K	100m	8.0MΔ	#S	15	10	10		2.0	6.0	1.0m	80				14p	A	TO9	
12#	OC5K	100m	8.0MΔ	#S	15	10	10		2.0	6.0	1.0m	120				14p	A	TO9	
13#	GT43	100m	9.0M	#J	15		15	100m	15u	4.5	1.0m	100	30u	2.7k	3.0	15p	A	R12	
14#	GT47	100m	9.0M	#J	25		15	100m	15u	4.5	1.0m	100	30u	2.7k	3.0	15p	A	R12	
15	2N487	100m	10MΔ	#S	18		3.0	25m	15u	6.0	1.0m	20	100u	2.8k		14p	A		
16	GT761	100m	10M	#S	15				5.0	4.5	1.0m	70				14p	A		
17#	TK25A	100m	10M	4.0m	#J	20		20		4.5	1.0m	63				17p	A	ABΔ	
18#	TK34C	100m	10M	2.0m	#J	20		20		4.5	1.0m	60				17p	A	ABΔ	
19	2N1784	100m	12M	1.3m	#J	30	6.0	15	250m	10u	0.0	100m	60			14p	A	R47a	
20	2N624	100m	13M	1.3m	#J	30		12	100m	25u	.35	10m	40			15p	A	u1	
21#	OC3N	100m	15MΔ	1.7m	#S	15	8.0	10		2.0	100m	20				3p	D	R4	
22#	OC4N	100m	15MΔ	1.7m	#S	15	8.0	10		2.0	100m	20				14p	A	TO9	
23#	OC5N	100m	15MΔ	1.7m	#S	15	8.0	10		2.0	100m	20				14p	A	TO9	
24	GT762	100m	20M	2.0m	#S	15			5.0	4.5	1.0m	120				14p	A		
25#	OC4-0	100m	21MΔ	1.7m	#S	15	6.0	10		2.0	100m	80				14p	A	TO9	
26#	OC5-0	100m	21MΔ	1.7m	#S	15	6.0	10		2.0	100m	120				14p	A	TO9	
27#	OC40	100m	21MΔ	1.7m	#S	15	6.0	10		2.0	100m	80				14p	A	TO9	
28#	OC50	100m	21MΔ	1.7m	#S	15	6.0	10		2.0	100m	120				14p	A	TO9	
29	GT764	100m	25M	2.0m	#S	20		200m	5.0	4.5	1.0m	200				14p	A		
30	GT763	100m	30M	2.0m	#S	15			5.0	4.5	1.0m	200				14p	A		
31#	NKT618	100m	30MΔ	1.6m	#J	50	50	1.0	30m	10u	4.5	1.0m	35			2.0p	ME	TO1	
32	2N1517A	100m	70M	1.5m	#J	40	20	1.0	10m	8.0u	6.0	1.0m	150	350u	43	140	AD	TO7	
33	PADT29	100m	70M	588u	#J	25	15		10m	8.0u	6.0	1.0m	150			2.5p	AD	TO7	
34	2N2093	100m	75M	1.7m	#J	25	25	2.0	10m	50u	8.0	1.0m	150	1.0u	4.0k	160	AD	TO7	
35#	2G417	100m	90M	1.7m	#J	20	20	1.0	10m	8.0u	6.0	1.0m	50			3.5p	AD	TO18	
36#	2G413	100m	100M	1.5m	#J	40		1.0	25m	50u	6.0	1.0m	100			2.5p	AD	TO18	
37	2N1699	100m	100M	1.3m	#J	40				12	1.5m	100							
38#	2G414	100m	120M	1.7m	#J	20	20	1.0	10m	8.0u	6.0	1.0m	50			2.3p	AD	TO18	
39#	2G415	100m	120M	1.7m	#J	20	20	1.0	10m	8.0u	6.0	1.0m	50			2.3p	AD	TO18	
40#	2G416	100m	120M	1.7m	#J	20	20	1.0	10m	8.0u	6.0	1.0m	50			3.5p	AD	TO18	
41#	2SA362	100m	150M	1.7m	#J	30	25	50	30u	6.0	5.0m	70				3.0p	ME	TO44	
42#	2SA247T	100m	200M	1.7m	#J	10	25	50	30m	5.0u	.30	20m	125			5.5p	ME	TO44	
43	PADT30	100m	220M	1.7m	#J	25	15	1.0	10m	10u	12	1.0m	120						
44	40268	100m	250MΔ	1.3m	#J	25	15	1.0	100m	10u	10	1.0m	20	250		3.5p	DM	TO18	
45	TI445	100m	480M		#J	25			100m	5.0u	10	1.0m	10			10	ME	TO50	
46	2N694	100m	500M	1.3m	#S	30	1.0	50m		6.0	2.0m	20	15ub	19	57	1.5p	D	R23	
47	M2	100m	550M	5.0m	#J	25	1.0	12m	20u			20				1.4p	ME		
48	GA53194	100m	600M	1.0m	#J	30		30m	5.0u	9.0	10m	19	7.5ub	6.0	8.0	2.5p	D		
49	TI444	100m	700M		#J	30		100m	5.0u	10	10m	20				1.4p	ME	TO50	
50	M1	100m	700M*	5.0m	#J	25	1.0	12m	20u			20				1.4p	ME	R23	
51	TI443	100m	750M		#J	35		100m	5.0u	10	10m	20	40ub	3.6	200m	1.4p	ME	TO50	
52#	2SA310	106m	650M	3.3m	#J	32	30	25m	13u	12	1.0m	250				700f	AD	TO7	
53#	ASY14-1	110m*		2.5m	#J	80	40	10	250m	.50	250m	30					A	R43	
54#	ASY14-2	110m*		2.5m	#J	80	40	10	250m	.50	250m	40					A	R43	
55#	ASY14-3	110m*		2.5m	#J	80	40	10	250m	.50	250m	70					A	R43	
56#	OC307-1	110m*		2.5m	#J	32	18	10	250m	.50	250m	30					A	R43	
57#	OC307-2	110m*		2.5m	#J	32	18	10	250m	.50	250m	40					A	R43	
58#	OC307-3	110m*		2.5m	#J	32	18	10	250m	.50	250m	70					A	R43	
59#	OC309-1	110m*		2.5m	#J	60	30	10	250m	.50	250m	30					A	R43	
60#	OC309-2	110m*		2.5m	#J	60	30	10	250m	.50	250m	40					A	R43	
61#	OC309-3	110m*		2.5m	#J	60	30	10	250m	.50	250m	70					A	R43	
62#	OC303	110m	700k	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	26	18u	1.0k	3.0	A	R41	
63#	OC304/1	110m	800k	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	40	22u	1.2k	4.0	A	R41	
64#	OC306/1	110m	800k	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	65	32u	1.2k	4.0	A	R41	
65#	OC304/2	110m	900k	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	65	35u	1.6k	6.5	A	R41	
66#	OC306/2	110m	900k	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	65	35u	1.6k	6.5	A	R41	
67#	OC304/3	110m	1.1M	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	100	45u	2.8k	8.5	A	R41	
68#	OC306/3	110m	1.1M	2.2m	#J	32	15	10	50m	10u	5.0	1.0m	100	45u	2.8k	8.5	A	R41	
69#	OC305/1	110m	1.5M	2.2m	#J	32	8.0	10	50m	10u	5.0	1.0m	150	60u	4.5k	13	A	R41	
70#	OC305/2	110m	2.1M	2.2m	#J	32	8.0	10	50m	10u	5.0	1.0m	230	90u	6.8k	16	A	R41	
71	A1377	110m	300M	2.5m	#J	35	20	#	50	10m	10u	6.0	1.0m	70		2.0p	AD	TO12	
72	2N2873	115m	375M	1.5m	#J	35	12	.30	10m	12u	6.0	1.0m	125			1.3p	DM	R103	
73	2N22	120m			*S	100	100	40	20m	2m							PC		
74	2N24	120m			*S	20	30	5.0	25m	1m							PC		
75	2N52	120m			*A	50	50	8.0m									PC		
76	2N247/33	120m		1.7m	#J	40	40	50	10m	12u	9.0	1.0m	60			3p	D	TO33	
77	2N1003	120m		1.7m	#J	35	20	50		15u	9.0	1.0m	10			5.0	A		
78	2N1004	120m		1.7m	#J	35	20	50		15u	9.0	1.0m	10			5.0	A		
79	2N2208	120m		1.6m	#S	40	10	.50	10m	50u	12	1.5m	30	300					
80#	OC3L	120m		2.0m	#J	30	30		120m	10u	6.0	1.0m	70				A	TO9	
81#	OC3LP	120m		2.0m	#J	30	30		120m	10u	.50	100m	70				A	TO9	
82#	OC3LR	120m		2.0m	#J	30	30		120m	10u	6.0	1.0m	70				A	TO9	
83#	OC4L	120m		2.0m	#J	30	30		120m	10u	6.0	1.0m	150				A	TO9	
84#	OC4LP	120m		2.0m	#J	30	30		120m	10u	.50	100m	150				A	TO9	
85#	OC4LR	120m		2.0m	#J	30	30		120m	10u	6.0	1.0m	150				A	TO9	
86#	OC5L	120m		2.															

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @25°C (W)	DERATE IN FREE AIR W/°C	M E A M X P	ABS MAX RATINGS @25°C				MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL h _{FE} PARAMETERS						Cob (F)	STRUC-TURE	DESCRIP-TION	L C O D E
					fab (Hz)	I _c (A)	V _{ce} (V)	V _{be} (V)		BIAS			COMMON EMITTER						
										V _{cb} (V)	I _e (A)	h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)				
1	SYL1717	120m	7.0MΔ	#J	25	15	200m	20u	100	1	1	1	1	1	20p	AΔ	TO5		
2	GA52837	120m	7.5M	#S	100	100	40m	2.2m∅								PC			
3#	XA102	120m	8.0M	#J	20	12		5.0u	5.0	1.0m∅	60			14p	AΔ	RO35			
4#	XA112	120m	8.0M	#J	20	12		5.0u	5.0	1.0m∅	60			14p	AΔ	RO7			
5#	AT/S13	120m	9.0M	#S	16	12	100m	5.0u		15m	100	1		12p	A	TO1			
6#	2N1670	120m	10.1M	#S	100	1.5		7.0u	.50∅	10m	15			5.0p	Δ	TO9			
7	2N602A	120m	12MΔ		35	25	1.5	5.0u∅	1.0∅	500uΔ	80	1	2.0u∅	7.0p∅	Δ	TO9	A		
8	2N603A	120m	12MΔ		30	20	2.0	5.0u∅	1.0∅	500uΔ	100	1	2.0u∅	5.0p∅	Δ	TO9			
9	2N604A	120m	12MΔ		30	20	2.5	5.0u∅	1.0∅	500uΔ	120	1	2.0u∅	5.0p∅	Δ	TO9			
10	TR289	120m	12M	Δ	25	12	100m	20u	.30	20m∅	40			20p	AΔ				
11	2N605	120m	15M	#S	15	.50		25u	7.5∅	1.0m∅	15			3.0p	D				
12#	AT/RF2	120m	15.5M	#	16	12	100m	10u	6.0	1.0m	120			12p	A	TO1			
13	SYL1684	120m	17MΔ	#S	40	1.0		50u		50	1	2.0u			Δ				
14	2N602	120m	20M∅	#S	20	20	1.0	8.0u∅	1.0∅	500uΔ	20	1	500nb	33	3.0	4.0p	TO9	A	
15	2N606	120m	20M	#S	15	.50		25u	7.5∅	1.0m∅	25			3.0p	D				
16	2N10857	120m	20MΔ	#S	40	20	1.0	5.0u	1.0∅	500uΔ	50	1	500nb	33	3.0	4.0p	TO9		
17	2N607	120m	25M	#S	15	.50		25u	7.5∅	1.0m∅	40			3.0p	D				
18	2N1678	120m	25MΔ	#S	60	60	∅	25u	5.0∅	1.0m	25			5.0p	Δ	TO9			
19	2N6431	120m	30M∅	Δ	30	29	∅	10u∅	7.0∅	5.0m∅	45	1		2.0p	D	TO9			
20#	2SA75	120m	30M	∅	20	.50		50m	50u	3.0	20m	70		6.0p∅	D	TO44	A		
21#	XA141	120m	30M∅	∅	30	2.0	100m	10u∅	7.0∅	5.0m∅	45	1		2.0p	Δ	TO33			
22	2N1524/33	120m	33M	#A	24	.50	10m	16u	12∅	1.0m	60			2.0p	D	TO33			
23	2N608	120m	35M	#S	15	.50		25u	7.5∅	1.0m∅	75			3.0p	D				
24	2N603	120m	40M∅	#S	30	20	1.0	8.0u∅	1.0∅	500uΔ	30	1	500nb	30	4.0	3.0p	TO9	A	
25	2N1633	120m	40M	#A	34	1.0	10m	16u∅	12∅	1.0m	75			2.0p	D	TO9			
26	2N1634	120m	40M	#A	34	1.0	10m	16u∅	12∅	1.0m	75			2.0p	D	TO9			
27	2N1638/33	120m	40M	#A	34	1.0	10m	7.0u∅	12∅	1.0m	75			2.0p	D	TO33			
28#	2SA370	120m	40M	#J	75	1.0	50m	12u∅	9.0∅	1.0m	70			2.5p	D	X35			
29	2N1631	120m	45M	#A	34	1.0	10m	16u∅	12∅	1.0m	80			2.0p	D	TO40			
30	2N1635	120m	45M	#A	34	1.0	10m	16u∅	12∅	1.0m	75			2.0p	D	TO9			
31	2N1636	120m	45M	#A	34	1.0	10m	16u∅	12∅	1.0m	75			2.0p	D	TO9			
32	2N1637/33	120m	45M	#A	34	1.5	10m	5.0u∅	12∅	1.0m	80			2.0p	D	TO33			
33	2N1639/33	120m	45M	#A	34	1.0	10m	7.0u∅	12∅	1.0m	75			2.0p	D	TO33			
34	2N6441	120m	50M∅	Δ	30	29	∅	100m	10u∅	7.0∅	5.0m∅	45	1		D	TO9	A		
35#	XA142	120m	50M∅	∅	30	2.0	100m	10u∅	7.0∅	5.0m∅	45	1		2.0p	Δ	TO33			
36#	2N6041	120m	60M∅	#S	30	20	2.0	8.0u∅	1.0∅	500uΔ	40	1	250nb	27	3.0	3.0p	TO9	A	
37	2N6451	120m	75M∅	Δ	30	29	∅	100m	10u∅	7.0∅	5.0m∅	45	1		D	TO9			
38#	XA143	120m	75M∅	∅	30	2.0	100m	10u∅	7.0∅	5.0m∅	45	1		2.0p	Δ	TO33			
39#	2SA280	120m*	80M	∅	30	.50	30m	6.0u∅	2.0	10m	125	1		1.5p	AD	TO7			
40#	2SA281	120m*	80M	∅	50	.50	30m	6.0u∅	2.0	10m	125	1		1.5p	AD	TO7			
41	A1383	120m	80M∅	#J	32	32	1.2	30m	3.0u∅	10	1.0m	20	1		PD∅	TO12			
42	A1384	120m	80M∅	#J	32	32	1.2	30m	3.0u∅	6.0	1.0m	20	1		PD∅	TO39			
43	2N384/33	120m	100M	#S	40	40	.50	10m	50u	12∅	1.5m∅	60			D	TO33			
44	2N1285	120m	100M	#S	40	2.5	10m	12u∅	12∅	1.5m∅	100	1		3p∅	D	TO33			
45#	2SA301	120m*	100M	∅	30	.50	30m	6.0u∅	1.0	10m	125	1		AD	TO7				
46	40005	120m	100M	Δ	40	40	∅	.50	10m	12u∅	12∅	1.5m∅	90		2.0p	D	TO44		
47#	SFT155	120m	100M	#J	35	.50	10m	50u	12∅	1.5m∅	60			1.8p	D				
48#	XA131	120m	100M	#A	40	.50	10m	12u∅	12∅	1.5m∅	60			2.0p	Δ	TO33			
49	40006	120m	120M	Δ	40	40	∅	.50	10m	12u∅	12∅	1.5m∅	90		2.0p	D	TO44		
50#	AF182	120m	120MΔ	#J	15	.50	10m	15u	12∅	5.0m∅	70	Δ		2.0p	D	TO5			
51	GT14	125m	300k	#S	25	10	100m	25u	.50∅	1.0m	28		500nb	40	3.0	35p	A		
52	TR11	125m		#S	100		100m	450u	4.5	1.0m	18				A				
53	TR15	125m		#S	25		100m	60u∅	4.5	1.0m	75				A				
54	TR16	125m		#S	25		100m	60u∅	4.5	1.0m	150				A				
55	TR17	125m		#S	25		100m	60u∅	4.5	1.0m	150				A				
56	TR21	125m		#J	12		100m	60u∅	4.5	1.0m	20				A				
57	TRM15	125m		#S	25		100m	60u∅	4.5	1.0m	75				A				
58	TRM16	125m		#S	25		100m	60u∅	4.5	1.0m	150				A				
59	TRM17	125m		#S	25		100m	60u∅	4.5	1.0m	150				A				
60	TRM21	125m		#J	12		100m	60u∅	4.5	1.0m	20				A				
61#	2SA173	125m	40m	∅	20		10	50m	8.0u	1.0∅	10m	60	1		A	TO5			
62#	GTE1	125m	300k	∅	10m	300m		10m	12u	2.0	3.0m∅	47		80u	800	5.0	13p	A	
63#	GTE2	125m	300k	∅	30		10	250m	10u	8.0∅	10m∅	22			A				
64#	GTV	125m	300k	∅	30		1.0	10m	12u	2.0	500u∅	30		23u	2.2k	9.0		A	
65	2N109/2N217EQ	125m	350k	∅	32		10	70m	4.5u∅	6.0	10m	70			A				
66	2N217EQ	125m	350k	∅	32		10	70m	4.5u∅	6.0	10m	70			A				
67#	NKT247	125m	35M	∅	60			250m	1.5	80m	60				A	R65			
68#	GFT31	125m	400k	∅	15		10		20u	3.0	30m	30			A	TO30			
69#	GFT31/15	125m	400k	∅	15		10	300m	20u	3.0	30m	30			A	TO30			
70#	GFT31/30	125m	400k	∅	30		10		20u	3.0	30m	30			AΔ	TO30			
71#	GFT31/60	125m	400k	∅	60		10		20u	3.0	30m	30			AΔ	TO30			
72#	GFT32	125m	500k	∅	15		10		20u	3.0	50m	50			A	TO30			
73#	GFT32/15	125m	500k	∅	15		10	300m	20u	3.0	50m	50			A	R21			
74#	GFT32/30	125m	500k	∅	30		10		20u	3.0	50m	50			AΔ	R21			
75#	GFT32/60	125m	500k	∅	60		10		20u	3.0	50m	50			AΔ	R21			
76#	GFT34	125m	600k	∅	15		10		20u	3.0	75m	75			A	TO30			
77#	GFT34/15	125m	600k	∅	15		10	300m	20u	3.0	75m	75			A	R21			
78#	GFT34/30	125m	600k	∅	30		10		20u	3.0	75m	75			AΔ	R21			
79#	GFT34/60	125m	600k	∅	60		10		20u	3.0	75m	75			AΔ	R21			
80#	V10/15A	125m	600k	∅	10		10	30m	4.5	1.0m	20		1.3u	45	7.7	35p	A		
81#	2SB161	125m	650k	∅	30		10	100m	10u∅	1.0∅	50m∅	50	1		A	TO5			
82#	NKT246	125m	70M	∅	15			75m	6.0	1.0m	75			30p	A	R65			
83#	V10/30A	125m	700k	∅	10		10	30m	4.5	1.0m	40		1.0u	59	9.7	35p	A		
84	OC75N	125m	750k	∅	30		30	50m	5.0u	2.0∅	3.0m	90			A				
85#	TS13	125m	750k	∅	30			25m	10u	9.0	1.0m	52		12u	1.8k		A	TO1	A
86#	TS14	125m	750k	∅	30			25m	10u	9.0	1.0m	32		12u	1.3k		A		
87#	2SB163	125m	800k	∅	30		10	100m	10u∅	1.0∅	50m∅	70	1		A	TO5			
88#	GT1	125m	80M	∅	9.0														

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	I (MAX. COLL. DISS. @25°C (W)	f (Hz)	DERATE IN AIR W/C	T M E X P	ABS MAX RATINGS @25°C				MAX. lcbto @MAX (Vc)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION STRUCTURE	DWG. No.	L C O A D E
						Vcbo (V)	Vceo (V)	Vbebo (V)	Ic (A)		Vcb (V)	Ie (A)	hfe	COMMON EMITTER hoe (mhos)	hie (Ω)	hre (X.0001)				
1#	SFT135	150m	2.5M	3.0m	QJ	35		20	250m	6.0u	1.0u	30m	30 t				15p	AΔ		
2#	XS101	150m	2.5MΔ	3.0m	QJ	21		21		5.0u	5.0u	1.0m	20	22u	600	1.5	10p	AΔ	R35	
3#	XS121	150m	2.5MΔ	3.0m	QJ	21		21		5.0u	1.0u	100m	18 t	22u	600	1.5	10p	AΔ	T05	
4#	MA897	150m	2.7M	2.5m	#J	30	30 φ	10	200m	100u	6.0u	1.0m	180 Δ				25p	A	T05	
5#	2G308	150m	3.0M	2.3m	#J	15		10	100m	10u	6.0u	1.0m	50				12p	A	R51	
6#	2N1404A	150m	3.0MΔ	2.5m	#J	25	15	20	300m	5.0u	2.0u	24m	24 tΔ				20p	A	T05φ	
7#	AC161	150m	3.0MΔ	2.5m	#J	15		9.0	100m	15u	6.0u	1.0m	100	60u	2.7k	5.0	8.0p	Aφ	T01	
8#	SFT106	150m	3.0M	2.5m	#J	18		12	100m	10u	6.0u	1.0m	28				25p	A	RO1	
9#	TR526	150m	3.0M	2.5m	#J	45		15	500m	10u	5.0u	1.0m	73	420nb	30	6.5	25p	A		
10#	2G323	150m	3.1M	3.7m	#J	16	16 §	15	100m	16u	5.0u	1.0m	70		2.0k	8.0	25p	Aφ	T05	
11#	TR527	150m	3.3M		#J	45		15	500m	10u	5.0u	1.0m	91	370nb	31	8.0	25p	A		
12#	2G324	150m	3.4M	3.7m	#J	16	16 §	15	100m	16u	5.0u	1.0m	88		2.6k		27p	Aφ	T05	
13#	2G354	150m	3.5M	2.5m	#S	10	10	20	200m	6.0u	1.0u	10m	25 t				12p	A	T05	
14#	2SA65	150m	3.8MΔ	3.0m	QJ	18	18	12	200m	12u	5.0u	100m	80				12p	A	T01	A
15#	2N1381	150m	4.0M	2.5m	#S	25	20	15	200m	6.0u	1.5u	25m	40 tΔ				20p	A	T05§	
16#	CP98	150m	4.0MΔ		#J	65		55			30m	30 tΔ					15p	AΔ	T05	
17#	GT2693	150m	4.0M	2.5m	#J	30	15	20		25u	5.0u	1.0m	50	5.0ub			15p	FA	T05	
18#	GT2895	150m	4.0M	2.5m	#J	30	15	20		25u	5.0u	1.0m	20	5.0ub			15p	FA	T05	
19#	TIXA01	150m	4.0MΔ	2.0m	#S	50	35	40	150m	5.0u	6.0u	1.0m	180	72u	4.8k	19	10p	A	T039	
20#	TIXA02	150m	4.0MΔ	2.0m	#S	40	25	30	150m	5.0u	4.0u	50m	200	80u	10k	41	10p	A	T039	
21#	2G508	150m	4.4M	3.7m	#J	18	16 §	16	100m	16u	5.0u	1.0m	112		3.2k		27p	Aφ	T05	
22#	2G509	150m	4.4M	3.7m	#J	18	16 §	16	100m	16u	5.0u	1.0m	112		3.2k		27p	Aφ	T05	
23#	2G345	150m	5.0M§	2.3m	#J	15		10	100m	10u	6.0u	1.0m	50 t				8.5p	A	R51	
24#	2G374	150m	5.0M§	2.3m	#J	20		10	100m	10u	6.0u	1.0m	50 t				20p	A	R51	
25#	2G374	150m	5.0M§	2.3m	#J	20		10	100m	10u	6.0u	1.0m	120				20p	A	R51	
26#	2G376	150m	5.0M§	2.0m	#A	30	30 §	10	300m	10u	1.0u	100m	70 t				20p	A	R51	
27#	2G377	150m	5.0M§	2.0m	#A	60	60 §	10	300m	50u	1.0u	100m	70 t				20p	A	R51	
28#	2N315B	150m	5.0M	2.0m	#S	30		20	2.0u	2.0u	5.0u	1.0m	70				14p	A	T05	
29#	2N1115A	150m	5.0MΔ	2.5m	#J	20	15	10	125m	6.0u	0.0	10m	30 tΔ				20p	AΔ	RO109	
30#	AST49	150m	5.0M	3.0m	QJ	100	20			6.0u	0.0	10m	30 tΔ				14p	A	R47	
31#	AST52	150m	5.0M	3.0m	QJ	80	20			100u	0.0	10m	30 tΔ				14p	A	R47	
32#	SFT126	150m	5.0M	2.5m	#J	24		12	250m	5.0u	6.0u	1.0m	30	24u	1.0k	3.5	9.0p	A		
33#	TIXA03	150m	5.0M	2.0m	#J	25	20	25	150m	5.0u	6.0u	1.0m	100				7.0p	A	T039	
34#	TIXA04	150m	5.0M	2.0m	#J	25	20	25	150m	5.0u	6.0u	1.0m	200				7.0p	A	T039	
35#	TIXA05	150m	5.0M	2.0m	#J	20	15	20	150m	7.0u	6.0u	1.0m	30 *Δ				7.0p	A	T039	
36#	UST760	150m	5.0M	2.5m	#J	15		15		1.0u	6.0u	1.0m	40				14p	A	T09	
37#	2G3951	150m	5.5M	2.5m	#J	30	15	20	200m	6.0u	1.0u	10m	20 tΔ	b		90	12p	A	T05	
38#	2N2209	150m	6.0MΔ	2.0m	#S	30	12	12	100m	5.0u	2.0u	24m	50 tΔ				20p	A	T05	
39#	2SA4581	150m	6.0M	2.5m	#J	25	14	15	200m	5.0u	1.0u	10m	60 t				14p	A	R107	
40#	2SA4591	150m	6.0M	2.5m	#J	25	14	15	200m	5.0u	1.0u	10m	120 t				14p	A	R107	
41#	2G302	150m	7.0M	2.5m	#J	18	10	20	200m	6.0u	5.0u	1.0m	40				12p	A		
42#	SFT107	150m	7.0M	2.5m	#J	18	10	12	100m	10u	6.0u	1.0m	40				8.0p	A	RO1	
43#	SFT127	150m	7.0M	2.5m	#J	24		12	250m	5.0u	6.0u	1.0m	35	28u	1.1k	3.5	9.0p	A		
44#	SFT136	150m	7.0M	3.0m	QJ	35		20	250m	5.0u	1.0u	30m	50 t				10p	AΔ		
45#	2SA66	150m	7.5MΔ	3.0m	QJ	18	18	12	200m	12u	5.0u	100m	80				16p	A	T01	A
46#	2G3961	150m	8.0M	2.5m	#J	30	20	20	200m	6.0u	1.0u	10m	30 tΔ	b		100	12p	A	T05	
47#	2N123/51	150m	8.0M	1.6m	#J	20	20	10	125m	6.0u	5.0u	1.0m	65	600nb	28	8.0	15p	A	T05	
48#	64T1	150m	8.0M		#J	30		20	200m	6.0u	1.0u	10m	80 t				15p	A	T05	
49#	TR123	150m	8.0M	2.5m	#J	20		10	125m	6.0u	5.0u	1.0m	65	600nb	28	8.0	15p	AΔ		
50#	TR396	150m	8.0M	2.5m	#S	30	20	20	200m	6.0u	5.0u	1.0m	90				12p	AΔ		
51#	2G6041	150m	9.2M	2.5m	#S	30	30	20	200m	6.0u	1.0u	10m	70 t				12p	A	T05	
52#	2G6031	150m	9.4M	2.5m	#J	30	15 §	20	200m	6.0u	1.0u	10m	40 tΔ				12p	A	T05	
53#	2G6051	150m	9.4M	2.5m	#J	30	20 §	20	200m	6.0u	1.0u	10m	75 t				12p	A	T05	
54#	65T1	150m	10M		#J	30		20	200m	6.0u	1.0u	10m	90 t				12p	A	T05	
55#	R212	150m	10MΔ	2.5m	#J	30	15	20	400m	5.0u	3.5u	10m	20 tΔ				14p	A	T05	
56#	SYL1655	150m	10MΔ	2.5m	#S	30		20	400m	20u	6.0u	1.0m	75				20p	AΔ	T05	
57#	UST761	150m	10M	2.5m	#J	30	10	20	400m	1.0u	6.0u	1.0m	75				14p	A	T09	
58#	2SA67	150m	11MΔ	3.0m	QJ	18	18	12	200m	12u	5.0u	100m	80 t				16p	A	T01	A
59#	2G309	150m	12M	2.3m	#J	15		10	100m	10u	6.0u	1.0m	160				12p	Aφ		
60#	2G344	150m	12M§	2.3m	#J	15		10	100m	10u	6.0u	1.0m	100 t				8.5p	A	R51	
61#	2G3971	150m	12M	2.5m	#J	30	15	20	200m	6.0u	1.0u	10m	40 tΔ	b		110	12p	A	T05	
62#	3907	150m	12M	2.5m	#J	25	12	20	200m	20u	1.5u	12m	45 t				15p	AΔ	T05	
63#	ASZ101	150m	12MΔ	5.0m	QJ	50	30 §	70	250m	30u	5.5u	200m	20 tΔ				4.0p	D	X12	
64#	2N2621	150m	13MΔ	1.8m	§S	15		1.0	100m	16u	6.0u	1.0m	15 tΔ				3.5p	A	T05	
65#	2N2624	150m	13MΔ	1.8m	§S	15		1.0	100m	16u	6.0u	1.0m	15 tΔ				3.5p	A	T05	
66#	2N2627	150m	13MΔ	1.8m	§S	15		1.0	100m	20u	6.0u	1.0m	15 tΔ				3.5p	A	T05	
67#	SFT108	150m	13M	2.5m	#J	18		12	100m	10u	6.0u	1.0m	70				9.0p	A	RO1	
68#	SFT128	150m	14M	2.5m	#J	24		12	250m	5.0u	6.0u	1.0m	55	42u	1.7k	3.8	9.0p	A		
69#	2N2622	150m	15MΔ	1.8m	§S	24		1.0	100m	12u	12u	1.0m	15 tΔ				3.5p	A	T05	
70#	2N2625	150m	15MΔ	1.8m	§S	24		1.0	100m	12u	12u	1.0m	15 tΔ				3.5p	A	T05	
71#	2N2628	150m	15MΔ	1.8m	§S	24		1.0	100m	14u	12u	1.0m	15 tΔ				3.5p	A	T05	
72#	2N3000	150m	15M	2.5m	#J	45	15	35	400m	50u	5.0u	1.0m	110				10p	AΔ	T05	
73#	2N2623	150m	16MΔ	1.8m	§S	32		1.0	100m	8.0u	12u	1.0m	20 tΔ				3.5p	A	T05	
74#	2N2626	150m	16MΔ	1.8m	§S	32		1.5	100m	8.0u	12u	1.0m	20 tΔ				3.5p	A	T05	
75#	2N2629	150m	16MΔ	1.8m	§S	32		1.5	100m	10u	12u	1.0m	10 tΔ				3.5p	A	T05	
76#	UST762	150m	20M	2.5m	#J		10			1.0u	6.0u	1.0m	100				14p	A	T09	

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C	T M E A M P	ABS MAX RATINGS @25°C			MAX. I _{cb} @ MAX V _{cb}			TYPICAL 'h' PARAMETERS			COMMON EMITTER			Cob (F)	DESCRIPTION	L E O D E	
					BV _{cb}	BV _{ceo}	BV _{eb}	I _c	I _{cb}	V _{cb}	I _e	h _{fe}	h _{oe}	h _{ie}	h _{re}					
					(V)	(V)	(V)	(A)	(A)	(V)	(A)	(mhos)	(Ω)	X.0001						
1	101Mf	150m	320M	2.0m	#J	15	5.0	100m	10u	3.0	50m	40	†				ME	TO18	A	
2	201B	150m	320M	2.0m	#J	15	2.0	100m	10u	5.0	115m	45	Δ				D	TO18	A	
3	201M	150m	320M	2.0m	#J	15	2.0	100m	10u	5.0	115m	45	Δ				D	TO18	A	
4	T1711A	150m	360M	2.0m	#J	18	2.0	100m	1.5u	7.0	50m	50	†	45u	8.0		MEΔ	TO18	A	
5	107A	150m	375M	2.0m	#J	40	5.0		10u		400u	25	†				ME	TO18	A	
6	107B	150m	375M	2.0m	#J	40	5.0		10u		400u	25	†				ME	TO18	A	
7	107M	150m	375M	2.0m	#J	40	5.0		10u		400u	25	†				ME	TO18	A	
8	207A	150m	375M	2.0m	#J	40	5.0		10u		400u	25	†				ME	TO18	A	
9	207B	150m	375M	2.0m	#J	40	2.0		10u		1.5m	45	Δ				ME	TO18	A	
10	207M	150m	375M	2.0m	#J	40	2.0		10u		1.5m	45	Δ				ME	TO18	A	
11	2N977f	150m	400MΔ	2.0m	#S	15	10	200m	5.0u	50	100m	40	Δ				ME	TO18	A	
12	2N1665	150m	400M*	2.5m	#S	15	12	50m	10u	6.0	100m	50	Δ				ME	TO18	A	
13	2N2828	150m	400MΔ	2.0m	#S	15	13	30	5.0u	6.0	2.0m	8.0	Δ				ME	TO18	A	
14#	2SA411†	150m	400M	2.0m	#S	15	15	150m	5.0u	30	10m	40	†				PEM	RO38	A	
15	2N559†	150m	440M	2.0m	#S	15	15	50m	3.0u	1.0	10m	50		9.0ub	7.0	25	ME	TO28	A	
16	2N960/46†	150m	460M	2.0m	#J	15	15	2.5	3.0u	30	10m	40	†				EM	TO46	A	
17	2N961/46†	150m	460M	2.0m	#J	12	12	2.0	3.0u	30	10m	40	†				EM	TO46	A	
18	2N962/46†	150m	460M	2.0m	#J	12	12	1.3	3.0u	30	10m	40	†				EM	TO46	A	
19	2N964/46†	150m	460M	2.0m	#J	15	15	2.5	3.0u	30	10m	40	†				EM	TO46	A	
20	2N109A	150m	645M	2.0m	#J	30	15	1.0	5.0u	6.0	4.0m	70	†	2.0ub	9.5	11	DM	TO28	A	
21#	MM2550†	150m	1.0GΔ	2.0m	#J	20	10	.50	100m	10u	5.0	10m	20	Δ			EM	TO18	A	
22	TIX3023	150m	2.4GΔ	2.0m	#S	15	7.0		6.0u	5.0	6.0m	40	Δ				EM	u26	A	
23	UST10	165m		2.8m	#J		50		25u			22					AΔ	TO9		
24	UST8	165m		2.8m	#J		25		6.0u	6.0	1.0m	90					AΔ	TO9		
25	UST722	165m		2.8m	#J		20		6.0u	6.0	1.0m	22					A	TO9		
26	UST87	165m	.50M	2.8m	#J		25		6.0u	6.0	1.0m	38					AΔ	TO9		
27	2N1287	165m	1.0M	2.8m	#	20		15	300m	10u	5.0	10m	40				A	TO5		
28	2N1287A	165m	1.0M	2.8m	#J	20		15	300m	10u	5.0	10m	60				AΔ	TO5		
29	UST88	165m	1.0M	2.8m	#J				6.0u	6.0		80					AΔ	TO9		
30	UST19	165m	1.5M	2.8m	#J		25		6.0u	6.0		80					AΔ	TO9		
31#	XC101	166m	3.3M	3.0m	ΔJ	35	40		10u	5.0	8.0m	66		96u	420	2.0	AΔ	R35		
32#	2SA128	170m	15MΔ	3.4m	ΔJ	40	40	2.0	500m	50u	1.0	400m	35				AΔ	TO44	G	
33#	2SA129	170m	15MΔ	3.4m	ΔJ	40	40	2.0	500m	50u	1.0	400m	70				D	TO44	G	
34	MA1112	175m			#S	15	15	15	200m	15u	6.0	1.0m	30	Δ				TO5		
35	MA1113	175m			#S	15	15	15	200m	15u	6.0	1.0m	50	Δ				TO5		
36	MA1114	175m			#S	15	15	15	200m	15u	6.0	1.0m	100	Δ				TO5		
37	MA1115	175m			#S	15	15	15	200m	15u	6.0	1.0m	30	Δ				TO5		
38	MA1116	175m			#S	15	15	15	200m	15u	6.0	1.0m	50	Δ				TO5		
39	MA1117	175m			#S	15	15	15	200m	15u	6.0	1.0m	100	Δ				TO5		
40	MA286	175m			#S	10	10	10	200m	10u	6.0	1.0m	14	Δ				TO5		
41	MA287	175m			#S	10	10	10	200m	10u	6.0	1.0m	30	Δ				TO5		
42	MA288	175m			#S	10	10	10	200m	10u	6.0	1.0m	180	Δ				TO5		
43	MA890	175m	750kΔ	2.9m	#J	40	40	15	200m	100u	6.0	1.0m	30	Δ				TO5		
44	MA891	175m	1.0MΔ	2.9m	#J	40	40	15	200m	100u	6.0	1.0m	50	Δ				TO5		
45	MA892	175m	1.2MΔ	2.9m	#J	40	40	15	200m	100u	6.0	1.0m	100	Δ				TO5		
46	MA893	175m	1.7MΔ	2.9m	#J	40	40	15	200m	100u	6.0	1.0m	190	Δ				TO5		
47#	2SA174	175m	4.0M	3.5m	ΔJ	20	10	50m	8.0u	1.0	10m	60	†				A	MM4		
48	TS1000	175m	12M	2.9m	#J	30	20	400m			1.0m	60	†				AΔ			
49#	2SA170	175m	15M	3.5m	ΔJ	20	10	50m	8.0u	1.0	10m	70	†				A	MM4		
50#	TJ1	180m	.50M	3.0m	*				10u	1.5	2.0m	10					A			
51#	TJ2	180m	.50M	3.0m	*				10u	1.5	2.0m	30					A			
52#	TJ3	180m	.50M	3.0m	*				10u	1.5	2.0m	50					A			
53#	2SB162	180m	650k	3.5m	ΔJ	30	30	10	100m	10u	1.0	50m	50	†				MM5		
54#	NKT222	180m	750kΔ	3.5m	ΔJ	30	30	10	125m	40u	1.0	25m	150	†	1.0ub	65	7.0	AΔ	TO5	
55#	NKT226	180m	750kΔ	3.5m	ΔJ	30	30	10	125m	40u	4.5	1.0m	50	Δ	1.0ub	65	7.0	AΔ	TO5	
56#	NKT227	180m	750kΔ	3.5m	ΔJ	60	60	10	125m	40u	4.5	1.0m	150	†	1.0ub	65	7.0	AΔ	TO5	
57#	2SB164	180m	800k	3.5m	ΔJ	30	30	10	100m	10u	1.0	50m	70	†				A	MM5	
58#	2SB166	180m	1.0M	3.5m	ΔJ	30	30	10	100m	10u	1.0	50m	100	†				A	MM5	
59#	NKT252	180m	1.0M	3.0m	#J	12	12	25m	5.0u	4.5	1.0m	35	Δ				AΔ	TO22		
60#	NKT254	180m	1.0M	3.0m	#J	12	12	25m	5.0u	4.5	1.0m	85	Δ				AΔ	TO22		
61#	TK23A	180m	1.0M	4.0m	ΔJ	50			12	1.0m	50						A			
62#	2SB102	180m	1.2M	3.5m	ΔJ	30		10	50m	10u	6.0	1.0m	60		300nb	30	2.5	A	MM5	
63#	2SB104	180m	1.2M	3.5m	ΔJ	30		10	100m	10u	1.0	50m	70	†				A	MM5	
64	TR381	180m	1.2M	2.8m	#J		25				20m	50						A		
65	TR460	180m	1.2M	2.7m	#J	45		10	400m	15u	5.0	1.0m	24		1.0ub	40	3.0	A		
66	TR461	180m	1.2M	2.7m	#J	45		10	400m	15u	5.0	1.0m	49		1.0ub	30	3.0	A		
67#	NKT202	180m	1.5M	3.5m	ΔJ	30	30	10	125m	40u	4.5	25m	150	†	1.0u	65	7.0	AΔ	TO22	
68#	NKT203	180m	1.5M	3.5m	ΔJ	30	30	10	125m	40u	4.5	1.0m	45		1.0u	65	7.0	A	TO22	
69#	NKT204	180m	1.5M	3.5m	ΔJ	30	30	10	125m	40u	4.5	1.0m	35		1.0u	65	7.0	A	TO22	
70#	NKT205	180m	1.5M	3.5m	ΔJ	30	30	10	125m	40u	4.5	1.0m	30		1.0u	65	7.0	A	TO22	
71#	NKT206	180m	1.5M	3.5m	ΔJ	30	30	10	125m	40u	4.5	1.0m	100		1.0u	65	7.0	A	TO22	
72#	NKT207	180m	1.5M	3.5m	ΔJ	60	60	10	125m	40u	4.5	25m	150	†	1.0u	65	7.0	A	TO22	
73#	TK40A	180m	1.5M	4.0m	ΔJ	40		40		12	1.0m	90					AB			
74	TR382	180m	1.5M	2.8m	#J	25		10	200m	10u	1.0	20m	52				A			
75#	421T1	180m	2.0M	3.3m	ΔJ	20	20	6.0	500m	18u	1.0	150m	60	Δ				A	TO1	
76#	2SA250	180m	.50M	2.3m	ΔJ			.50	10m	18u	6.0	1.0m	100					D		
77	2N422A	185m	1.5M	2.5m	#S	35	20	200m	6.0u	6.0	1.0m	30	Δ				Δ	TO5		
78	2N73	200m			*		50											AΔ		
79	2N74	200m			*		50											AΔ		
80	2N75	200m			#	26	16	3.0	50m	100u	5.0	1.0m	15	Δ				AΔ	TO1	
81#	AC115	200m*		5.0m	#J													A		
82#	ASY631	200m	4.0m		ΔJ	26	8.0		10u	1.0	3.0m	25	Δ					A	R47	
83#	NKT278	200m</																		

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C (Hz)	T M E A P	ABS MAX RATINGS @25°C					TYPICAL 'h' PARAMETERS							Cob (F)	DESCRIPTION STRUCTURE	DWG. No.	L C O A D E		
					BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)	Icbo @MAX Vcb (A)	BIAS			COMMON EMITTER									
										Vcb (V)	Ie (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)							
1#	NKT273	200m	1.0M	3.0M	#J	18		5.0	300m	40u	1.5	200m	45	†								
2#	NKT275A	200m	1.0M	3.0M	#J	15		5.0	10m	40u	4.5	1.0m	50									
3#	NKT275E	200m	1.0M	3.0M	#J	10		5.0	10m	40u	4.5	1.0m	120									
4#	NKT275J	200m	1.0M	3.1m	#J	15	15	5.0	250m	10u	4.5	1.0m	50									
5#	SFT141	200m	1.0M	3.3m	#J	45		5.0	250m	10u	6.0	1.0m	32			20u	1.1k	2.7	30p	A		
6#	TK23	200m	1.0M	4.0m	∅J	50		20			12	1.0m	50			20u	1.5k	2.0	14p	A		
7#	TK23C	200m	1.0M	4.0m	∅J	40		20			5.0u	12	1.0m	60		16u	1.5k	3.0	16p	A	R47	
8#	ACY27	200m	1.1M	4.0m	∅J	40	20	30			12u	12	1.0m	40		13u	1.2k	3.0	16p	A	R47	
9#	ACY28	200m	1.1M	4.0m	∅J	40	15	30			12u	12	1.0m	66		16u	2.0k	3.5	16p	A	R47	
10#	ACY31	200m	1.1M	4.0m	∅J	50	30				12u	12	1.0m	35	Δ							
11#	TK41C	200m	1.1M	4.0m	∅J	40	20	30			12	1.0m	40			13u	1.2k	3.0	16p	A	R47	
12#	TK42C	200m	1.1M	4.0m	∅J	40	15	30			12	1.0m	40			13u	1.2k	3.0	16p	A	R47	
13#	AC155†	200m*	1.2M	5.0m	#J	26	16	3.0	50m	100u	5.0	1.0m	43			100p						
14#	SFT142	200m	1.2M	3.3m	#J	45		25	250m	10u	6.0	1.0m	50			26u	1.6k	3.2	30p	A		
15#	SFT151	200m	1.2M	3.3m	#J	24		12	150m	15u	6.0	1.0m	30			20u	1.0k	2.7	32p	A		
16#	2SB450	200m	1.3M		#S	25	25		500m	20u	1.0	150m	120	†								
17#	2SB450A	200m	1.3M		#S	32	32		500m	20u	1.0	150m	120	†								
18#	GET5	200m	1.3M		#S	20			50m	6.0u	12	1.0m							38p	A		
19#	SFT121	200m	1.3M	3.3m	#J	24		12	250m	15u	1.0	100m	30	†		20u	1.1k	2.7	32p	Δ		
20#	ACY29	200m	1.4M	4.0m	∅J	40	15	30			12u	1.0m	66						16p	A	R47	
21#	TK42	200m	1.4M	4.0m	∅J	40		30			12	1.0m	70						17p	A		
22#	TK45C	200m	1.4M	4.0m	∅J	40	15	30			12	1.0m	66						16p	A	R47	
23#	ASY82†	200m*	1.5M	5.0m	#J	26	16	12	500m	100u	0.0	10m	130	†		100p						
24#	ASY84†	200m*	1.5M	5.0m	#J	40	20	12	500m	100u	0.0	10m	130	†		100p						
25#	AT74	200m	1.5M	3.3m	#J	20	20	6.0	300m	12u	2.0	10m	90			290u	285	30				
26#	AT74S	200m	1.5M	3.3m	#J	40	35	12	300m	14u	12	1.0m	50									
27#	GET102	200m	1.5M	5.0m	#J	30			1	25u	2.0	1.0m	100			50u	2.7k	3.0	90p	At	RO11	
28#	GET113	200m	1.5M	5.0m	#J	15			1	25u	2.0	1.0m	100			50u	2.7k	3.0	90p	At	RO11	
29#	TK40	200m	1.5M	4.0m	∅J	40		40			12	1.0m	90						14p	A		
30#	SFT122	200m	1.6M	3.3m	#J	24		12	250m	15u	1.0	100m	50	†					32p	A		
31#	SFT152	200m	1.6M	3.3m	#J	24		12	150m	15u	6.0	1.0m	50			27u	1.5k	3.2	32p	A		
32#	AC156	200m*	1.8M	5.0m	#J	26	16	3.0	50m	100u	5.0	1.0m	85			100p						
33#	ACY30	200m	1.8M	4.0m	∅J	40	20	40			12	1.0m	90			18u	2.6k	4.0	14p	A	R47	
34#	TK40C	200m	1.8M	4.0m	∅J	40	20	40			12	1.0m	90			18u	2.6k	4.0	14p	A	R47	
35#	2SB51	200m	2.0M		#J	30		3.0	200m	16u	1.0	20m	43	†		60u	28	8.0	25p	At	TO5	
36#	AC113†	200m*	2.0M	5.0m	#J	26	16	3.0	50m	100u	5.0	1.0m	90			100p						
37#	AC154†	200m*	2.0M	5.0m	#J	26	16	6.0	500m	100u	1.0	300m	80	†		100p						
38#	AC165†	200m*	2.0M	5.0m	#J	32	20	3.0	50m	100u	5.0	1.0m	90			100p						
39#	AC166†	200m*	2.0M	5.0m	#J	32	20	6.0	500m	100u	1.0	300m	80	†		100p						
40#	AC167†	200m*	2.0M	5.0m	#J	32	20	6.0	500m	100u	1.0	300m	80	†		100p						
41#	AC177†	200m*	2.0M	5.0m	#J	32	20	6.0	500m	100u	1.0	300m	80	†		100p						
42#	ASY56	200m	2.0M	4.0m	∅J	16	10	12			10u	0.0	10m	25	Δ				13p	A	R47	
43#	TK21	200m	2.0M	4.0m	∅J	30		30			30	500m	22			17u	700	1.6		AB		
44#	TK26	200m	2.0M	4.0m	∅J	30		30			50	20m	23							AB		
45#	TK35C	200m	2.0M	4.0m	∅J	18		12			8.0u	50	10m	2.0					13p	A	R47	
46#	SFT153	200m	2.4M	3.3m	#J	24		12	150m	15u	6.0	1.0m	80			40u	2.3k	3.8	32p	A		
47#	ASY83†	200m*	2.5M	5.0m	#J	26	16	12	500m	100u	0.0	10m	320	†		100p						
48#	ASY85†	200m*	2.5M	5.0m	#J	40	20	12	500m	100u	0.0	10m	320	†		100p						
49#	SFT123	200m	2.6M	3.3m	#J	24		12	250m	15u	1.0	100m	85	†				2.4k	4.0	32p	A	
50#	2G303	200m	3.0M		#J	30	30	10	300m	16u	1.0	20m	83	†								
51#	2SB52	200m	3.0M		#J	30		3.0	200m	16u	1.0	20m	83	†		60u	28			At	TO5	
52#	2SB53	200m	3.0M		#J	30		15	250m	10u	1.0	20m	73	†		60u	28			A	TO5	
53#	TK27	200m	3.5M	4.0m	∅J	30		30			50	40m	40			23u	1.2k	3.0		AB		
54#	ASY57	200m	3.7M	4.0m	∅J	16	10	12			10u	0.0	10m	30	Δ				14p	A	R47	
55#	TK36C	200m	3.7M	4.0m	∅J	16	10	12			8.0u	50	10m	3.7					13p	A	R47	
56	2N1361A	200m	4.0M	3.3m	#S	25	20	15	200m	6.0u	.15	25m	40	†		20p				Δ	TO5	
57	2N110	200m	5.0M	3.3m	#J	50		50	40m		1.0	3.0				50p				PC	OV2	
58	2N1842†	200m	5.0M	3.3m	#J	20	10	20	500m	1.5u	.20	200m	20	†		20p				A	TO5	
59	40403†	200m	5.0M	3.0m	#S	30	20	20	200m	6.0u	1.0	10m	150	†		20p				A	TO5	
60	KGS1001	200m	5.0M	2.9m	#S	15		1.0	400m	50u	6.0	1.0m	30				30					
61	KGS1005	200m	5.0M	2.9m	#S	30		3.0	200m	15u	1.0	150m	40							A	TO5	
62	MA1708	200m	5.0M	2.6m	#J	15	15	4.5	500m	15u	1.0	100m	200	†		b	37		20p	At	TO5	
63#	ASY54	200m	6.0M	4.0m	∅J	30		15	500m	15u	1.0	100m	15	†						At	R47	
64	MA1705	200m	6.0M	2.6m	#J	25	25	25	500m	15u	1.0	100m	200	†		b	35		20p	At	TO5	
65#	TK30	200m	6.0M	4.0m	∅J	30		30			4.5	1.0m	40			30u	1.1k			At	TO5	
66#	TK30C	200m	6.0M	4.0m	∅J	30		30			4.5	1.0m	40			30u	1.1k			At	R47	
67#	2G138	200m	7.0M	3.3m	#J	15	10	15	200m	6.0u	5.0	1.0m						575		A	TO5	
68#	2G801	200m	7.0M	3.3m	#J	20	20	20	200m	6.0u	5.0	1.0m								A	TO5	
69#	ASY58	200m	7.0M	4.0m	∅J	16	10	12			10u	0.0	10m	40	†					A	R47	
70	MA1702	200m	7.0M	2.6m	#J	45	30	30	500m	50u	1.0	100m	200	†		500nb	35		20p	At	TO5	
71#	TK37C	200m	7.0M	4.0m	∅J	15	10	15	200m	8.0u	5.0	1.0m	7.0							A	R47	
72#	2G139	200m	7.0M	3.3m	#J	15	10	15	200m	6.0u	5.0	1.0m						1.0k	1.5	12p	A	TO5
73	KGS1002	200m	8.0M	2.9m	#S	15		1.0	400m	50u	6.0	1.0m	30					30		A	TO5	
74#	TK28	200m	8.0M	4.0m	∅J	28		25			20									At	R47	
75#	TK28C	200m	8.0M	4.0m	∅J	28		25			20									At	R47	
76	2N25	200m	9.0M		#S	50	50	5.0	30m	3.5m		3.0m	46	†						PC		
77#	2G802	200m	10M		#S	20	20	20	200m													

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1] MAX. COLL. DISS. @25°C (W)	2] fab (Hz)	DERATE I T				ABS MAX RATINGS @25°C				MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL h _{FE} PARAMETERS						Cob (F)	DESCRIPTION		L E A D E
				IN FREE AIR W/°C	M A X P	V _{cb} (V)	V _{ce} (V)	V _{be} (V)	I _c (A)	BIAS			COMMON EMITTER			STRUCTURE	DWG. No.					
										V _{cb} (V)	I _e (A)		h _{fe}	h _{oe} (mhos)	h _{ie} (Ω)			h _{re} X.0001				
1#	2G5251	225m	2.5M	3.7m	#J	45	30	15	500m	10u	5.0	1.0m	44	600nb	3.1	5.0	27p	A	T05			
2#	2G577	225m	2.5M	3.7m	#J	70	30	20	500m	30u	5.0	1.0m	65	500nb	29	5.0	27p	A	T05			
3#	2G1025†	225m	2.5M	3.7m	#J	70	40	20	500m	30u	5.0	1.0m	44	640nb	29	4.5	27p	A	T05			
4#	2G5261	225m	3.0M	3.7m	#J	45	30	15	500m	10u	5.0	1.0m	64	420nb	30	6.5	27p	A	T05			
5#	2G1026†	225m	3.0M	3.7m	#J	70	40	20	500m	30u	5.0	1.0m	64	450nb	28	5.0	27p	A	T05			
6#	2G321	225m	3.1M	3.7m	#J	30	20	3.0	200m	16u	1.0	20m	85	b	30		A	T05				
7#	2G5271	225m	3.3M	3.7m	#J	45	30	15	500m	10u	5.0	1.0m	81	370nb	29	8.0	27p	A	T05			
8#	2G1027†	225m	3.3M	3.7m	#J	70	40	20	500m	30u	5.0	1.0m	87	420nb	28	5.2	27p	A	T05			
9#	2SA86	225m	5.0M	4.5m	∅J	45	30	1.0	10m		9.0	1.0m	80	8.5u	2.2k	1.7	2.2p	A	T044			
10#	ASY12	227m		4.5m	∅J	32	32		800m	20u	.60	600m	20					A	R43			
11#	ASY13	227m		4.5m	∅J	60	60		600m	20u	.60	600m	20					A	R43			
12#	OC318	227m	1.5M	4.5m	∅J	20	20		300m	20u	1.0	300m	65					A	R43			
13#	2G270	240m	2.5M	4.0m	#J	30	20		200m	16u	1.0	100m	40		120			A	T05			
14#	2G271	240m	3.1M	4.0m	#J	30	20		200m	16u	1.0	100m	75		200			A	T05			
15#	2N2718†	240m	150MΔ	3.2m	#S	20	12	3.5	400m	7.0u	.27	170m	25					A	T05			
16#	GA52996	250m			#S	100		100	50m								10p	A	PC			
17#	TF75	250m			#A				125m													
18#	T1000	250m	60M									20m	30							T025		
19#	T1001	250m	60M										120							T025		
20#	2G381	250m	1.0MΔ			20	20	3.0	500m		6.0	1.0m	30				35p	A	R51			
21#	2G382	250m	1.0MΔ			30	30		500m		6.0	1.0m	30				35p	A	R51			
22#	2G383	250m	1.0MΔ	3.8m	#J	70	30	12	1	10u	1.0	50m	40					A	T05			
23#	2G384	250m	1.0MΔ	3.8m	#J	50	25	12	1	10u	1.0	50m	55					A	T05			
24#	2G385	250m	1.0MΔ	3.8m	#J	50	25	12	1	10u	1.0	50m	100					A	T05			
25#	2G386	250m	1.0MΔ	3.8m	#J	40	20	12	1	10u	1.0	50m	55					A	T05			
26#	2G387	250m	1.0MΔ	3.8m	#J	40	20	12	1	10u	1.0	50m	100					A	T05			
27#	2SB268	250m	1.0M	4.1m	#J	30	30	15	150m	10u	1.0	150m	70					A	R27	A		
28#	2SB317	250m	1.0M	4.2m	#J	16	16	6.0	300m	14u	1.0	150m	60					A	R27	A		
29#	2SA41	250m	6.0M			35	20	40m	50u	6.0	1.0m	45		23u	1.3k	2.9	10p	A	T01			
30#	2SA42	250m	6.0M			45	20	40m	50u	6.0	1.0m	45		21u	1.3k	2.7	10p	A	T01			
31	2N1174†	250m	7.0M	3.3m	#J	35	35	35	200m	10u	1.0	500u	85		170nb	56	8.3	15p	A	T029		
32	2N1495A	250m	150MΔ	3.3m	#S	40	25	4.0	500m	2.0u	.50	200m	25				6.5p	A	T09			
33	2N1403	250m	200MΔ	3.0m	#S	15	12	1.0	100m	7.0u	1.5	7.0m	25				6p	A	RO24			
34	2N537	250m	600MΔ	3.3m	#J	30	30	1.0	100m	3.0u	10	10m	24		12ub	5.7	3.0p	D	T029			
35	2N509	250m	750M	3.3m	#J	30	2.0	40m	5.0u	10	10m	49		10ub	6.0	13	2.5p	A	T09			
36	XT200	250m	1.0GΔ	3.3m	#S	35	2.0	300m	5.0u								11p	A	T09			
37	2N2786	260m	225MΔ	4.0m	#S	35	20	50	150m	10u	2.0	100m	33			30	5.0p	PD	T039	A		
38	2N2786A	280m	225MΔ	4.3m	#S	35	20	50	150m	10u	2.0	100m	33			30	5.0p	PD	T039	A		
39	2N2100A†	300m		4.0m	#S	40	20	4.0	500m	12u	1.0	200m	30				20p	PD	T09			
40	2N2238	300m		3.0u	#	30	1.0	50m	100u	10	10m	24		20u	10	30	3.0p		T05			
41	B1022	300m		2.5m	#	15	15	300m	25u	5.0	10m	20			2.0k				T05			
42#	NKT239	300m		5.0m	#J	50	30	12	1.0	10u	0.0	50m	80						T05	A		
43#	NKT240	300m		5.0m	#J	40	20	12	1.0	10u	0.0	50m	50						T05	A		
44#	NKT241	300m		5.0m	#J	40	20	12	1.0	10u	0.0	50m	90						T05	A		
45#	NKT242	300m		5.0m	#J	20	15	12	1.0	10u	0.0	50m	30						T05	A		
46#	NKT243	300m		5.0m	#J	110	40	12	1.0	10u	0.0	50m	50						T05	A		
47#	NKT244	300m		5.0m	#J	32	18	12	1.0	10u	0.0	50m	30						T05	A		
48#	NKT245	300m		5.0m	#J	32	18	12	1.0	10u	0.0	50m	50						T05	A		
49	2N674	300m	40MΔ	5.0m	#J	75	70	2	100u	1.5	1	40	#Δ						T05			
50	2N670	300m	65M	5.0m	#J	40	40	2	75u	1.5	1	100	†						R2			
51#	AT128	300m	70MΔ	5.0m	#J	32	32	15	1	14u									A	T01		
52#	NKT221	300m	750kΔ	5.0m	∅J	30	30	10	500m	40u		500m	30				60p	A	T05			
53#	NKT228	300m	750kΔ	5.0m	∅J	30	30	10	500m	40u		500m	30				60p	A	T05			
54#	NKT237	300m	750kΔ	5.0m	#J	30	32	12	1.0	10u	0.0	50m	50						T05	A		
55#	NKT238	300m	750kΔ	5.0m	#J	50	30	12	1.0	10u	0.0	50m	40						T05	A		
56#	2SB451	300m	1.0M	5.0m	#J	25	25	6.0	1.0	30u	1.0	150m	80						R107			
57#	2SB452	300m	1.0M	5.0m	#J	25	25	6.0	1.0	30u	1.0	150m	150						R107			
58#	2SB452A	300m	1.0M	5.0m	#J	32	25	6.0	1	30u	1.0	150m	150						R107			
59#	NKT251	300m	1.0M	5.0m	#J	18	18	10	500m	5.0u	1.5	200m	50						T022			
60#	NKT253	300m	1.0M	5.0m	#J	18	18	10	500m	5.0u	1.5	200m	25						T022			
61#	NKT263	300m	1.0M	5.0m	#J	18	18	10	500m	5.0u	1.5	200m	25						T05			
62#	NKT222S1	300m	1.2MΔ	5.0m	#J	40	30	12	1	100u	0.0	50m	50				40p	A	T05			
63#	NKT201	300m	1.5M	5.0m	#J	30	30	10	500m	40u	4.5	500m	70		1.0u	65	7.0	45p	A	T022		
64#	NKT208	300m	1.5M	5.0m	#J	30	30	10	500m	40u	4.5	500m	70		1.0u	65	7.0	45p	A	T022		
65#	NKT231	300m	1.5M	5.0m	#J	15	15	10	500m	25u	4.5	1.0m	110		1.0ub	65	7.0	40p	A	T05		
66#	NKT232	300m	1.5M	5.0m	#J	15	15	10	500m	25u	1.5	150m	150		1.0ub	65	7.0	40p	A	T05		
67#	NKT222S2	300m	1.8MΔ	5.0m	#J	40	30	12	1	100u	0.0	50m	50						T05			
68	CP800	300m	2.5MΔ	4.0m	#J	45	30	1.5	25u	5.0	1	20							T05			
6																						

2. GERMANIUM PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 fab (Hz)	DERATE IN FREE AIR W/C	TEMPERATURE M E X P	ABS MAX RATINGS @25°C				MAX. I _{cb0} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS			Cob (F)	DESCRIPTION		L C O D E			
						BV _{cb0} (V)	BV _{ce0} (V)	BV _{eb0} (V)	I _c (A)		BIAS				COMMON EMITTER			STRUC-TURE	DWG. No.	
											V _{cb} (V)	I _e (A)	h _{fe}		h _{oe} (mhos)	h _{ie} (Ω)				h _{re} X.0001
1#	2SB109A	700m	500k		ØJ	80		10	100u	2.0Ø	200mØ	15 tΔ								
2#	2SB109B	700m	500k		ØJ	80		10	100u	2.0Ø	200mØ	15 tΔ								
3#	NKT352	750m			#J	15		5.0	100uØ	1.5	1.0	20 tΔ								
4#	NKT361	750m		11m	#J	30	15 Ø	5.0	100uØ	1.5	1.0	15 tΔ								
5#	NKT362	750m		20m	#J	15	150 Ø	5.0	100uØ	1.5	1.0	20 tΔ								
6#	NKT301	750m	1.0M	11m	#J	60	40 Ø	15	2	1.0m	0.0	2.0 Ø	30 tΔ							
7#	NKT303	750m	1.0M	11m	#J	30	20	15	2	1.0m	0.0	2.0 Ø	30 tΔ							
8#	V6/2RJ	750m	3.0M	2.5m	ØJ	30	8.0	15	30m	4.5	1.0m	30								
9	2N1123	750mØ	10M	10m	#J	35	35 Ø	30	500m	1.0Ø	100mØ	125 t								
10	2N3602†	750m	20M†Δ	10m	#S	100	40	2.5	3.5	200uØ	1.5Ø	1.0 Ø	60 tΔ	15p	A					
11	2N3604†	750m	20M†Δ	10m	#S	130	55	2.5	3.5	200uØ	1.5Ø	1.0 Ø	60 tΔ							
12#	GET105	800m	1.0M	20m	#J	40			25u	5.0Ø	50mØ	30 t								
13#	GET110	800m	1.0M	20m	#J	40			25u	5.0Ø	50mØ	30 t								
14#	GET115	800m	1.0M	20m	#J	15			25u	5.0Ø	50mØ	30 t								
15#	GET118	800m	1.0M	20m	#J	30			25u	5.0Ø	50mØ	30 t								
16#	GET120	800m	1.0MΔ	20m	#J	30			25u	5.0Ø	50mØ	20 t								
17	2N80	50			Ø	25		8.0m	300u†Ø	6.0	1.0mØ	80								
18	2N96	50	.50M		*A	30		30	20m	10u	6.0Ø	1.0m	35 Δ							

3. GERMANIUM NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C	2 DERATE IN FREE AIR W/C	T M E A M X P	ABS MAX RATINGS @25°C				MAX. lcbp @MAX Vcb	TYPICAL 'h' PARAMETERS						DESCRIPTION	L C O D E		
					BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)		BIAS			COMMON EMITTER						
										Vcb (V)	Ie (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)			Cob (F)	
1	2N100	25m	5.0M		*A	25			5.0m	2.0u									
2#	2SC175	30m	10.0M		∅J	15			5.0m	8.0u									
3#	2SC176	30m	10.0M		∅J	15			5.0m	8.0u									
4#	2SC177	30m	10.0M		∅J	15			5.0m	8.0u									
5#	2SC173	30m	20.0M		∅J	15			5.0m	8.0u									
6#	2SC178	30m	20.0M		∅J	15			5.0m	2.0u									
7	3N22	30m	24M		#J	15													
8	3N36	30m	50.0M		#J	7.0													
9	3N37	30m	90.0M		#J	7.0													
10#	2T53	40m	2.0M		*	25			5.0m	120u									
11#	2T54	40m	1.5M		*	25			5.0m	12u									
12#	2T52	40m	2.5M		*	25			5.0m	10u									
13#	2T51	40m	4.0M		*	25			5.0m	10u									
14#	2T55	50m			*J	25			10m	12u									
15#	2T56	50m			*J	25			10m	12u									
16#	2T57	50m			*J	25			10m	12u									
17#	2T58	50m			*J	25			10m	12u									
18#	TF72	50m	50M		*A	60			25m										
19#	3604	50m	800k		*A	40			5.0	5.0m									
20#	3607	50m	80M		*A	40			5.0	5.0m									
21	2N97A	50m	1.0M		#	40				10m									
22#	3609	50m	1.8M		*A	40			5.0	5.0m									
23	2N98A	50m	2.5M		#	40				10m									
24	TR194	50m	3.0M		∅J					50m									
25	TR216	50m	3.0M		∅J					50m									
26	GA53270	50m	3.4M		#A	30				50m									
27	TR193	50m	3.5M		∅J					50m									
28	TR211	50m	3.5M		∅J					50m									
29	3N23	50m	4.0M		∅A	30				5.0m									
30	2N127	50m	5.0M		∅J	10			5.0	8.0m									
31	3N23A	50m	6.0M		∅A	30				5.0m									
32	TR212	50m	6.0M		∅J					5.0m									
33	3N23B	50m	8.0M		∅A	30				5.0m									
34#	2T76	50m	10M		∅J	15				5.0m									
35	3N23C	50m	10.0M		∅A	30				5.0m									
36#	2T71	50m	20.0M		*J	25				10m									
37#	2T72	50m	20.0M		*J	25				10m									
38#	2T73	50m	20M		*J	15				5.0m									
39	3N31	50m	20.0M		#J	7.0				20m									
40#	3T203	50m	20.0M		∅J	30				5.0m									
41#	2T78	50m	30M		∅J	15				5.0m									
42	3N29	50m	40.0M		#J	7.0				20m									
43#	3T202	50m	40.0M		*	30				5.0m									
44#	3T201	50m	60.0M		*	25				5.0m									
45	3N30	50m	80.0M		#J	7.0				20m									
46	4JD3B1	50m	100M		#J					20m									
47#	2SC11	55m	6.0M		∅J	18				10									
48	2N148	65m			∅J	18				12									
49	2N148A	65m			∅J	18				24m									
50	2N149	65m			∅J	32				9.0u									
51	2N149A	65m			∅J	32				200m									
52	2N150	65m			∅J	32				5.0m									
53	2N150A	65m			∅J	32				200m									
54#	2SC13	65m	3.5MΔ		∅J	18				13u									
55	2N313	65m	5.0M		#J	15				20m									
56	TR213	65m	5.0M		#J	15				20m									
57	2N314	65m	8.0M		#J	15				5.0m									
58	TR167	65m	8.0M		#S	30				5.0m									
59#	2SC14	65m	15M		∅J	18				18									
60	2N8241	70m	12.0M		#J	25				24									
61#	TF71	75m	4.0M		*A	60				25m									
62	CK261	75m	1.2M		1.3m	35				12									
63	CK262	75m	1.2M		1.3m	35				12									
64	2N8221	75m	10.0MΔ		1.3m	30				15									
65	2N8231	75m	12.0M		1.3m	25				24									
66	2N1288	75m	60.0M		#S	25				5.0									
67	2N1289	75m	60.0M		#S	25				5.0									
68#	2T63	80m			2.0m	25				20m									
69#	2T67	80m			2.0m	25				20m									
70	SYL1326	80m			∅J	20				20m									
71#	2T64	80m	1.0M		1.5m	25				50m									
72	GT905R	90m			1.8m	25				18									
73	GT949R	90m			1.8m	25				12									
74	2N646	100m			1.7m	25				25									
75#	2T65	100m			2.0m	25				12									
76#	2T66	100m			2.0m	25				12									
77	TR03	100m			∅J	20				20m									
78	TR05	100m			∅J	20				20m									
79	TR07	100m			∅J	15				20m									
80#	TF70	100m	25M		*A	60				25m									
81#	ASY53	100m	500kΔ		∅J	20				10									
82	2N205	100m	6.0M		#S	36				12									
83	TR09	100m	7.0M		#S	30				100m									
84#	2T69	100m	1.0M		2.0m	35				20m									
85	2N204	100m	1.2M		1.5m	25				10									
86	TR182	100m	3.8M		2.0m	25				15									
87	TR04	100m	4.0M		∅J	20				20m									
88	TR08	100m	4.0M		#S	20				20m									
89	2N1779	100m	5.0M		1.3m	25				15									
90	2N1781	100m	6.0M		1.3m	25				12									
91#	ASY81	100m	6.0M		2.0m	30				12									
92	TR183	100m	7.5M		2.0m	25				15									
93	2N1780	100m	8.0M		1.3m	25				15									
94	2N1783	100m	8.0M		1.3m	30				15									
95#	ASY72	100m	10M		2.0m	20				6.0									
96	2N1685	100m	12.0M		1.3m	25				15									
97#	ASY82	100m	14MΔ		2.0m	25				15									
98	TR184	100m	15M		2.0m	25				20									
99#	2SD25	110m	1.0M		∅J	25				25									
100	2N28	120m	50M		#A	30				10									
101	2N1822	120m	1.0M		#S	30				80m									
102	2N29	120m	2.0M		#S	95				20									
103	GT1201	120m	3.0MΔ		2.0m	75				20									
104	GT1202	120m	5.0MΔ		2.0m	45				20									
105#	KA701	120m	5.0M		∅A	25				20m									
106	SYL1454	120m																	

4. SILICON PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fcb & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN AIR W/C (Hz)	ABS MAX RATINGS @25°C				MAX Icbo @MAX Vcb (A)	TYPICAL 'h' PARAMETERS					Cob (F)	DESCRIPTION		L C E O D A D E				
				BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)		BIAS		COMMON EMITTER				STRUC-TURE	DWG. No.					
				V	V	V	Vcb (V)		Ie (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)								
1	MF3304f		700MΔ	18	12	5.0	0.1u#	1.0	50m∅	20 Δ			2.5p∅								
2	CK790	2.0m	.40M	#A	45		50m	20u∅		14			30								
3	CK793	2.0m	.50M	#A	30		50m	20u∅		16			30								
4	CK791	2.0m	.80M	#A	30		50m	20u∅		24			30								
5#	BF210	50m#	3.5M\$	#J	15		10m	10u∅		30			30								
6	2N1264/13	50m	300M	1.0m∅	J	20	10m	50u∅	9.0∅	1.0m	25		4.0p	AD			TO13				
7	D30A1	90m	1.2m	#J	18	18	4.0	.02u	5.0∅	10m∅	30 f#Δ		6p∅	PEΔ			u40b				
8	D30A2	90m	1.2m	#J	18	18	4.0	.02u	5.0∅	10m∅	60 f#Δ		6p∅	PEΔ			u40b				
9	D30A3	90m	1.2m	#J	18	18	4.0	.02u	5.0∅	10m∅	140 f#Δ		6p∅	PEΔ			u40b				
10	SNT204	100m	769u	#J	6.0	8.0	2.0	.20u∅	2.5∅	50m∅	50 Δ										
11	2N1135	100m	909u	#S	12	12	12	50m													
12	2N1135A	100m	909u	#S	12	12	12	50m													
13	2N1606f	100m	7.2MΔ	#S	10	10	∅	10	50m	.10u	50∅	15m∅	6.0 fΔ								
14	2N1607f	100m	10MΔ	#S	10	10	∅	10	50m	.10u	50∅	15m∅	6.0 fΔ								
15	2N1428	100m	22M*	#J	6.0	6.0	∅	50m	100n	.50∅	5.0m∅	30 f	1.7ub	35	7.0p	A∅	TO1				
16	2N1608f	100m	28MΔ	#S	10	10	∅	10	50m	.10u	50∅	15m∅	6.0 fΔ								
17	2N1132/TNT	100m	96MΔ	4.0m	#J	50	35	5.0	1.0u	10∅	500u∅	30 f#Δ	1.0u∅	35	8.0p∅	D	u17				
18	2N2303/TNT	100m	96MΔ	556u	#J	50	35	5.0	1.0u	10∅	150m∅	75 f#Δ									
19	2N2904/TNT	100m	96MΔ	556u	#J	50	35	5.0	1.0u	10∅	150m∅	75 f#Δ									
20#	SA495	150m		#S	25	25	∅	50m	1.0u	6.0∅	1.0m∅	9.0 Δ	2.5ub	90			TO1				
21#	SA495A	150m		#S	25	25	∅	50m	1.0u	6.0∅	1.0m∅	15 Δ	2.5ub	90			TO1				
22#	SA496	150m		#J	10	10		50m	100n	.50∅	15m∅	6.0 fΔ	4.0ub	100			TO1				
23#	SA496A	150m		#J	10	10		50m	100n	.50∅	15m∅	6.0 fΔ	4.0ub	100			TO1				
24#	SA496B	150m		#J	10	10		50m	100n	.50∅	15m∅	6.0 fΔ	4.0ub	100			TO1				
25#	SAC42B∅	150m		#J	25	25	25	50m	.05u∅	3.0∅	1.0m∅	1.5 Δ									
26#	S520	150m	1.0M	#J	30			100m	.05u∅	3.0∅	1.0m∅	1.5 Δ									
27	JAN2N1026A	150m	2.0MΔ	1.2m	#J	35	35	35	100m	.25n	6.0	1.0m	36	1.4ub	35	7.0p	A	TO1			
28	NS6211∅	150m	3.0MΔ	1.1m	#A	30	25	25	50m	5.0n∅	.50∅	1.0m∅	30 Δ								
29#	SA50	150m	4.0MΔ		#S	20			50m	50n∅	3.0∅	1.0m	45 Δ								
30#	SA51	150m	4.0MΔ		#S	30			50m	100u	3.0∅	1.0m	10 Δ								
31#	SA52	150m	4.0MΔ		#S	30	30	30	50m	50u∅	3.0∅	1.0m∅	20 Δ								
32#	SA52A	150m	4.0MΔ		#S	30	30	30	50m	50u	3.0∅	1.0m∅	45 Δ								
33#	SA52B	150m	4.0MΔ		#S	30	30	30	50m	20u∅	3.0∅	1.0m∅	20 Δ								
34#	SA70f	150m	4.0MΔ		#J	20	10	20	50m	100u	3.0∅	1.0m	20 Δ								
35#	SAC44∅	150m	4.0MΔ		#J	5.0		5.0	50m	.05u∅	3.0∅	1.0m∅	1.0 Δ								
36#	SSA43∅	150m	4.0MΔ		#S	20	10	20	50m	10n∅	3.0∅	1.0m	10 Δ								
37#	SSA43A∅	150m	4.0MΔ		#J	20	10	20	50m	.01u	3.0∅	1.0m	10 Δ								
38#	SSA46∅	150m	4.0MΔ		#J	20	10	20	50m	.02u∅	3.0∅	1.0m	7.0 fΔ								
39#	SSA48∅	150m	4.0MΔ		#S	20	10	20	50m	.05u∅	3.0∅	1.0m	7.0 fΔ								
40	2N2181∅	150m	6.0MΔ	1.3m	#S	25	25	25	50m	.01u∅	5.0∅	5.0m∅	10 Δ								
41	2N2182∅	150m	6.0MΔ	1.3m	#S	25	25	25	50m	.01u∅	.50∅	5.0m∅	10 Δ								
42	2N2183∅	150m	6.0MΔ	1.3m	#S	15	10	15	50m	.01u∅	.50∅	5.0m∅	10 Δ								
43	2N2184∅	150m	6.0MΔ	1.3m	#S	15	10	15	50m	.01u∅	.50∅	5.0m∅	10 Δ								
44	JAN2N496f	150m	7.2MΔ		#S	10	10	5.0	100n	.50∅	15m∅	6.0 Δ									
45	JAN2N495	150m	8.0MΔ	1.0m	#S	25	25	5.0	1.0u	6.0	1.0m	9.0 Δ	2.5u∅	35	90	∅	3.5	12p∅	TO1		
46	2N495/18	150m	8.0M*Δ	1.2m	#S	25	25	10	50m	1.0u	6.0	1.0m	15 Δ	35u∅	35	90	∅	3.5	12p∅	TO18	
47#	SA53	150m	10MΔ		#J	20			50m	50n∅	3.0∅	1.0m	20 Δ								
48#	SA54	150m	10MΔ		#J	20			50m	100u	3.0∅	1.0m	20 Δ								
49#	SA55	150m	10MΔ		#J	10			50m	100u	3.0∅	1.0m	25 Δ								
50#	SA56	150m	10MΔ		#S	5.0			50m	100u	3.0∅	1.0m	10 Δ								
51#	SAC40∅	150m	10MΔ		#S	15		15	50m	.05u∅	3.0∅	1.0m∅	2.5 Δ								
52#	SAC40A∅	150m	10MΔ		#J	15		15	50m	.05u∅	3.0∅	1.0m∅	1.5 Δ								
53#	SAC40B∅	150m	10MΔ		#J	15		15	50m	.05u∅	3.0∅	1.0m∅	1.5 Δ								
54#	SAC42∅	150m	10MΔ		#S	25	25	25	50m	.05u∅	3.0∅	1.0m∅	2.5 Δ								
55#	SAC42A∅	150m	10MΔ		#J	25	25	25	50m	.05u∅	3.0∅	1.0m∅	1.5 Δ								
56	2N354	150m	15M*	1.3m	#J	25			50m	.10u∅	6.0∅	1.0m	18								
57#	S500	150m	15M	3.0m	#J	25			50m	.00u∅	6.0	1.0m	18								
58#	S501	150m	25M	3.0m	#J	10			50m	.00u	6.0	1.0m	18								
59	2N496/18f	150m	28MΔ	1.3m	#S	10	10	5.0	10u	.50∅	15m∅	15 fΔ									
60	TMT1132	150m	50MΔ	1.0m	#J	50	35	∅	5.0	1.0u	10∅	150m∅	30 f#Δ								
61	NS6062	150m	60M\$	1.2m	#J	10	4.0	100m	0.1u∅	3.0∅	10m∅	45 Δ	5.0p	PL∅							
62	NS6063	150m	60M\$	1.2m	#J	10	4.0	100m	0.1u∅	3.0∅	10m∅	70 Δ	5.0p	PL∅							
63	NS6064	150m	60M\$	1.2m	#J	10	4.0	100m	0.1u∅	3.0∅	10m∅	115 Δ	5.0p	PL∅							
64	NS6065	150m	60M\$	1.2m	#J	10	4.0	100m	0.1u∅	3.0∅	10m∅	180 Δ	5.0p	PL∅							
65	TMT1131	150m	60MΔ	1.0m	#J	50	35	∅	5.0	1.0u	10∅	150m∅	20 f#Δ								
66	2N2303/51	150m	96MΔ	833u	#J	50	35	5.0	1.0u	10∅	500u∅	30 f#Δ	1.0u∅	35	8.0	∅					
67	2N2303/TPT	150m	96MΔ	833u	#J	50	35	5.0	1.0u	10∅	500u∅	30 f#Δ	1.0u∅	35	8.0	∅					
68	2N2303/TPT	150m	96MΔ	833u	#J	50	35	5.0	1.0u	10∅	500u∅	30 f#Δ	1.0u∅	35	8.0	∅					
69	MCS2137	150m	100MΔ	1.5m	#J	60	60	5.0	50m	.02u∅	5.0∅	1.0m∅	100 Δ	60u∅	15	∅	25	∅	3.0p	EAΔ∅	X38
70	MCS2138	150m	100MΔ	1.5m	#J	60	60	5.0	50m	.02u∅	5.0∅	1.0m∅	300 Δ	60u∅	40	∅	25	∅	3.0p	EAΔ∅	X38
71	2N2904/TPT	150m	200MΔ	3.4m	#S	60	40	5.0	600m	10u	10∅	150m∅	40 Δ								
72	FK3962	175m	40MΔ	1.0m	#J	60	60	6.0	10n∅	5.0∅	10m∅	280 f#	19u	8.0k	10	∅	6.0p∅	DPL∅		u17a	
73	FV3962	175m	40MΔ	1.0m	#J	60	60	6.0	10n∅	5.0∅	10m∅	280 f#	19u	8.0k	10	∅	6.0p∅	DPL∅		u5a	
74	FK3964	175m	50MΔ	1.0m	#J	45	45	6.0	10n∅	5.0∅	10m∅	330 f#	25u	10k	10	∅	6.0p∅	DPL∅		u17a	
75	FV3964	175m	50MΔ	1.0m	#J	45	45	6.0	10n∅	5.0∅	10m∅	330 f#	25u	10k	10	∅	6.0p∅	DPL∅		u5a	
76	FK3502f	175m	150MΔ	1.0m	#J	45	45	5.0	500m	10n∅	10∅	10m∅	270 f#								
77	FK3503f	175m	150MΔ	1.0m	#J	60	60	5.0	500m	10n∅	10∅	10m∅	270 f#								
78	FV3502f	175m	150MΔ	1.0m	#J	45	45	5.0	500m	10n∅	10∅	10m∅	270 f#								
79	FV3503f	175m	150MΔ	1.0m	#J	60	60	5.0	500m	10n∅	10∅	10m∅	270 f#								
80	FK2894f	175m	350MΔ	1.0m	#J	12	12	4.0	10u∅	.50∅	30m∅	75 f#									
81	FV2894f	175m	350MΔ	1.0m	#J	12	12	4.0	10u∅	.50∅	30m∅	75 f#									
82#	BC250	200m	2.0m	#J	20	20	5.0	100m	100n∅	1.0∅	1.0m∅	35 fΔ									
83#	BC251	200m	2.0m	#J	45	45	5.0	100m	50n	5.0∅	2.0m∅										

4. SILICON PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @ 25°C (W)	2 DERATE IN FREE AIR W/°C (Hz)	M E A M P X P	ABS MAX RATINGS @ 25°C			MAX. lco @ MAX Vcb (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION STRUCTURE	DWG. No.	L C O A D E		
					BVcbo (V)	BVceo (V)	BVebo (V)		Ic (A)	BIAS			COMMON EMITTER							
										Vcb (V)	Ie (A)	hfe	hoe (mhos)	hie (Ω)					hre (X.0001)	
1#	OC7400	333m*	3.1m	\$J	15	15	15	50m	0.05	6.0	1.0m	14				RO66				
2	2N327	337m	2.5m	\$J	40	20	20	50m	0.00	6.0	1.0m	24								
3	2N328	337m	2.5m	\$J	30	20	20	50m	0.00	6.0	1.0m	24								
4	2N330	337m	5.0m	\$J	20	20	20	50m	0.00	6.0	1.0m	30								
5	2N329	337m	2.5m	\$J	20	20	20	50m	0.00	6.0	1.0m	50								
6#	BCY22	350m	500k	\$J	75	75	40	50m	20n	6.0	1.0m	10 Δ	15u	600k	3.0	45p	TO5			
7	USAF518ES065M	350m	30MΔ	1.4m	\$J	70	70	7.0	30m	10n	5.0	1.0	155 Δ	1.0uZlb	32 Z	8.0 Z	8.0pZ	PLD	X34	
8	JAN2N1196	350m	40MΔ	2.0m	\$A	70	70	4.0	15m	250n	10	2.0m	10	300nb	20	600m	4.0pZ	ME	TO5	
9	USAF516ES047M†	350m	100MΔ	1.4m	\$J	35	20	4.0	100m	10n	10	10	30 Δ	1.0uZlb	32 Z	20 Z	8.0pZ	PLE	X34	
10	USAF516ES048M†	350m	100MΔ	1.4m	\$J	35	20	4.0	100m	10n	10	10	30 Δ	1.0uZlb	32 Z	20 Z	8.0pZ	PLE	X34	
11	PA1000	360m	100MΔ	1.4m	\$J	35	20	4.0	100m	10n	10	10	30 Δ	1.0uZlb	32 Z	20 Z	8.0pZ	PLE	X34	
12	2N995A†	360m	60MΔ	2.0m	\$J	30	25	7.0		0.1u	5.0	1.0	100 t#Δ				8.0p	PL	TO18	
13	PA1001	360m	100MΔ	2.0m	\$J	20	15	4.0		5.0n	1.0	20m	35 t#Δ				6.0p	PEΔ	TO18	
14	FT1746	360m	100MΔ	2.0m	\$J	60	45	7.0		0.1u	5.0	1.0m	50 t#Δ				8pZ	PL	TO18	
15	GME0404	360m	150MΔ	3.0m	\$J	35	30	4.0		5.0n	5.0	10m	20 tΔ				9.0pZ	PEΔ	TO18	
16	PET0404	360m	150MΔ	3.0m	\$J	25	25	4.0	500m	10u	5.0	50m	30 tΔ				12p	PE	TO18	
17	GME0404-1	360m	200MΔ	3.6m	\$J	40	30	5.0		50u	1.0	10m	20 tΔ				12pZ	PEΔ	X45	
18	GME0404-2	360m	200MΔ	3.6m	\$J	40	30	5.0		50u	1.0	10m	40 tΔ				12pZ	PEΔ	X45	
19#	ME5010	360m	200MΔ	2.9m	\$J	25	25	12	500m	10u	1.0	50m	10 t#Δ				13pZ	PETΔ	TO106	A
20	PET0404-1	360m	200M	2.9m	\$J	40	30	5.0	500m	10u	1.0	50m	100				12p	PE	TO18	
21	PET0404-2	360m	200M	2.9m	\$J	40	30	5.0	500m	10u	1.0	50m	175				12p	PE	TO18	
22	2N4423†	360m	400MΔ	2.8m	\$S	12	12	4.0	200m	80n	5.0	30m	40 tΔ#				6.0pZ	E	X55	A
23	MM2894†	360m	400MΔ	2.1m	\$J	15	12	4.5		0.08u	5.0	30m	70 t#				6pZ	E	RO38w	
24	RT2459†	360m	700MΔ	2.0m	\$J	60	60	5.0		1.0u	5.0	10m	100 tΔ				4.5pZ	PE	TO18	
25	RT2460	360m	1.0G	2.0m	\$J	40	40	5.0		1.0u	5.0	1.0m	60 tΔ				6.0pZ	PE	TO18	
26	HA7597	385m	1.0M	2.9m	\$J	50	40	20	50m	10u	5.0	1.0m	14				35u	A	X3	
27	HA7598	385m	1.0M	2.9m	\$J	50	35	20	50m	10u	5.0	1.0m	25				40u	A	X3	
28	HA7599	385m	1.0M	2.9m	\$J	50	30	20	50m	10u	5.0	1.0m	50				50u	A	X3	
29	2N2551	400m	150M	150	\$S	150	150	150		100u	5.0	100m	15 tΔ#					A	TO5	A
30	2N3413	400m	150M	150	\$S	150	150	150		100u	5.0	50m	10 tΔ				150pZ	A	TO5	A
31	CD91*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	L17a	
32	CD92*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	L17a	
33	CD93*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	L17a	
34	CD94*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	L17a	
35	CD95*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	L17a	
36	CD96*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	L17a	
37	CD97*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	L17a	
38	CD98*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	L17a	
39	CD912*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	TO46	A
40	CD922*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	TO46	A
41	CD932*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	TO46	A
42	CD942*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	50 tΔ					E*	TO46	A
43	CD952*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	TO46	A
44	CD962*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	TO46	A
45	CD972*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	TO46	A
46	CD982*	400m	2.2m	\$J	30	30	10	50m	10n	10	1.0u	100	100 tΔ					E*	TO46	A
47	HA7539	400m	3.3m	\$J	90	90	10	50m	10u	10	5.0	1.0m	14 Δ					A	TO5	
48	NS1861	400m	2.2m	\$J	30	30	20		1.0u	6.0	1.0m	50 Δ						E	TO5	A
49	NS1862	400m	2.2m	\$J	50	50	35		1.0u	6.0	1.0m	50 Δ						DE	TO5	A
50	UC1100	400m	2.2m	\$J	45	45	6.0	30m	500n	5.0	1.0u	200 tΔ					6.0pZ	PL	TO46	A
51	2N28710	400m	500kΔ	2.8m	\$S	60	60	60	200m#	100n	5.0	1.0m	15 tΔ				70pZ	Δ	L17j	
52	2N28720	400m	500kΔ	2.8m	\$S	110	110	110	200m#	100n	5.0	1.0m	15 tΔ				70pZ	Δ	L17j	
53	HA7535	400m	800k	2.9m	\$J	110	110	110	100n	5.0	1.0m	20					1.2ub	A	TO5	
54	HA7540	400m	800k	2.9m	\$J	150	150	150	100n	5.0	1.0m	20					1.2ub	A	TO5	
55	HA7541	400m	800k	2.9m	\$J	90	90	90	100n	5.0	1.0m	45					1.2ub	A	TO5	
56	HA7542	400m	800k	2.9m	\$J	110	110	110	100n	5.0	1.0m	45					1.2ub	A	TO5	
57	HA7543	400m	800k	2.9m	\$J	60	60	60	100n	5.0	1.0m	90					1.2ub	A	TO5	
58	NS1002	400m	800k	2.9m	\$J	110	110	110	100m	100n	5.0	1.0m	22				1.2ub	A†	TO5	
59	2N1232A	400m	1.0M	3.1m	\$	90	90	90	100n	5.0	1.0m	20					1.2ub	A	TO5	
60	2N2174	400m	1.0M	2.3m	\$	45	45	45	100m	100n	5.0	1.0m	22 tΔ					A	TO5	
61	HA7534	400m	1.0M	2.9m	\$J	60	60	60	100n	5.0	1.0m	20					1.2ub	A	TO5	
62	HA7538	400m	1.0M	2.9m	\$J	60	60	60	100n	5.0	1.0m	42					1.2ub	A	TO5	
63	HA7630	400m	1.0M	2.9m	\$J	40	40	20	5.0u	10	5.0m	22					1.5u	A	TO5	
64	HA7631	400m	1.0M	2.9m	\$J	40	40	20	2.0u	10	5.0m	22					1.5u	A	TO5	
65	HA7632	400m	1.0M	2.9m	\$J	40	40	20	5.0u	10	5.0m	60					1.5u	A	TO5	
66	HA7633	400m	1.0M	2.9m	\$J	40	40	20	2.0u	10	5.0m	60					1.5u	A	TO5	
67	HA78040	400m	1.0M	2.8m	\$J	10	10	10	100m	50n	5.0	1.0m	20				70pZ	A	TO5	
68	HA78060	400m	1.0M	2.8m	\$J	15	15	15	100m	50n	5.0	1.0m	20				90pZ	A</		

4. SILICON PNP - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	3] TYPE No.	1] MAX. COLL. DISS. @25°C (W)	2] DERATE IN FREE AIR W/C (Hz)	M E A M P	ABS MAX RATINGS @25°C				MAX. Icbo @MAX Vcb (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION	L C E O D E	
					BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)		BIAS			COMMON EMITTER						
										Vcb (V)	Ic (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)				
1	USAF520ES070M1	438m	50MΔ	2.5m	Δ	50	40	5.5	500m	20n∅	10∅	1.0 ∅	20 †Δ		38p∅	PE	u26a		
2	USAF521ES071M1	438m	50MΔ	2.5m	Δ	35	35	4.0	500m	50n∅	10∅	1.0m∅	30 †#Δ		40p∅	PLE	u25		
3#	OC480K	480m∅	5.0M	2.4m	Δ	125	125	10	50m	2.0u	5.0∅	1.0m	15	25u	40p	A	R43		
4#	OC463K	480m∅	5.0M	2.4m	Δ	10	10		50m	2.0u	5.0∅	1.0m	30	100u	1.1k	A	R43		
5	HA7501	500m	.70M	4.0m	Δ	60				.10u∅	5.0	1.0m	8.0			F			
6	HA7506	500m	.90M	4.0m	Δ	35				.50u∅	5.0	1.0m	12			F			
7	HA7502	500m	1.0M	4.0m	Δ	60				.10u∅	5.0	1.0m	16			F			
8	HA7510	500m	1.2M	4.0m	Δ	35				.50u∅	5.0	1.0m	21			F			
9	HA7507	500m	1.6M	4.0m	Δ	20				.10u∅	5.0	1.0m	15			F			
10	TK250A	500m	100MΔ		Δ	40	20	6.0	250m	9.0∅	9.0∅	.02m∅	20			DA	TO9		
11	TK251A	500m	100MΔ		Δ	40	20	6.0	250m	9.0∅	9.0∅	.02m∅	20			DA	TO9		
12	ST8014	600m		345u	Δ	40	30	5.0	600m	1.0u∅	10∅	.15m∅	85			ME	TO5		
13	NS1234	600m	10.M	3.4m	Δ	110	110	60	100m	1.0u	5.0	1.0m∅	14 †Δ		10p	DE	TO5		
14	2N3857	600m	20MΔ	3.4m	Δ	45	45	30	500m	5.0n∅	5.0∅	1.0m∅	200 †∅	1.5u∅	35 ∅	20 ∅	PL	TO5	A
15	ST8033	600m	30MΔ		Δ	40	40	2.0		1.0u	5.0∅	1.0m∅	30		45p	PL	TO5		
16	ST8034	600m	40MΔ		Δ	40	40	2.0		1.0u	5.0∅	1.0m∅	60		45p	PL	TO5		
17	USAF508ES020P	600m	40MΔ	14m	Δ	50	35	5.2	600m	500n∅	10∅	10m∅	20 †#Δ		45p∅	DPL	TO39	∅	
18	USAF508ES021P	600m	40MΔ	14m	Δ	50	35	5.2	600m	500n∅	10∅	10m∅	20 †#Δ		45p∅	DM	TO39	∅	
19#	SI341P†	600m	80.MΔ	4.0m	Δ	50	35	6.0		25n∅	5.0	1.5m	15 †Δ		40p	DPL	TO5		
20#	SI342P†	600m	80.MΔ	4.0m	Δ	50	35	6.0		25n∅	5.0	1.5m	30 †Δ		40p	DPL	TO5		
21#	SI343P†	600m	80.MΔ	4.0m	Δ	50	35	6.0		25n∅	5.0	1.5m	60 †Δ		40p	DPL	TO5		
22	ST8183	600m	100MΔ	3.4m	Δ	50	35	5.0	1.0	50n∅	10∅	150m∅	20 †Δ		11p∅	PE	TO5	A∅	
23	ST8184	600m	100MΔ	3.4m	Δ	50	35	5.0	1.0	50n∅	10∅	150m∅	100 †Δ		11p∅	PE	TO5	A∅	
24	2N3224	700m	60MΔ	4.7m	Δ	100	100	6.0		100n∅	5.0∅	1.0m∅	20 †Δ		20p∅	ME	TO5		
25	HA9500	750m	100MΔ		Δ	40		5.0		1.0u∅	20∅	150m∅	45 †∅		15p∅	ME	TO5		
26	HA9501	750m	100MΔ		Δ	40		5.0		1.0u∅	20∅	150m∅	90 †∅		15p∅	ME	TO5		
27	HA9502	750m	100MΔ		Δ	50		5.0		1.0u∅	20∅	150m∅	100 †∅		15p∅	ME	TO5		
28	2N1679	800m		5.3m	Δ	100		5.0	1	30u	3.6∅	600m∅	40 †Δ		28p	ME			
29	2N1680	800m		5.3m	Δ	60		5.0	1	30u	3.6∅	600m∅	40 †Δ		28p	ME			
30	2N2216	800m	40.MΔ	4.5m	Δ	150	100	6.0	250m	.01u∅	10∅	50m∅	73 †#		15p∅	PL	TO5		
31	2N2105	800m	50.MΔ	4.5m	Δ	50	35	6.0	600m	.02u∅	10∅	150m∅	33 †#		35p∅	PL	TO5		
32	2N2104	800m	60.MΔ	4.5m	Δ	50	35	6.0	600m	.02u∅	10∅	150m∅	60 †#		35p∅	PL	TO5		
33#	TX116-1	800m	150M		Δ	60		5.0	50m	1.0u	20∅	10m∅	60 †	b	35	ME			
34#	TX116-2	800m	150M		Δ	60		5.0	50m	1.0u	20∅	10m∅	60 †	b	35	ME			
35#	TX116-3	800m	150M		Δ	60		5.0	50m	1.0u	20∅	10m∅	60 †	b	35	ME			
36	2N2391	1.0 ∅	100MΔ				20		30m	1.0u	1.0∅	10m∅	30 †			PL	TO50		
37	2N2392	1.0 ∅	100MΔ				20		30m	1.0u	1.0∅	10m∅	60 †			PL	TO50		
38	2N2303/KVT	2 ∅	96.MΔ	11m		50	35	5.0		1.0u∅	10∅	150m∅	75 †#Δ		45p∅	D	X30		
39	2N1132/KVT	3.0 ∅	96.MΔ	16m		50	35	5.0		1.0u	10∅	500u∅	30 †#Δ	1.0u∅	35 ∅	8.0p∅	D	X30	
40	HA7516	5.0 ∅	1.0M	7.1m	Δ	90		90		100n	5.0	1.0m	45	1.2ub	30	4.0	A	X3	
41	HA7517	5.0 ∅	1.0M	7.1m	Δ	110		110		100n	5.0	1.0m	45	1.2ub	30	4.0	A	X3	
42	HA7518	5.0 ∅	1.0M	7.1m	Δ	60		60		100n	5.0	1.0m	90	1.2ub	30	4.0	A	X3	

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @25°C (W)	DERATE IN FREE AIR W/°C	TEMP. MAX. P	ABS. MAX. RATINGS @25°C			MAX. ic @MAX Vcb (A)	TYPICAL 'h' PARAMETERS			Cob (F)	DESCRIPTION	L C O A D E			
					Vbco (V)	BVceo (V)	BVebo (V)		BIAS						COMMON EMITTER		
									Vcb (V)	le (A)	hfe				hoe (mhos)	hie (Ω)	hre (X.0001)
1	USA55191/351	0.0m	200MΔ	4.0mΔ	SS	25	20	15	.70	8.0m	20	1Δ					
2	10G1051		130MΔ				15	15	1.0	10m	20	1Δ	PE	X36			
3	D10B1051		130MΔ				15	15	1.0	10m	30	1Δ	PE	X36			
4	D10B1055		130MΔ				15	15	1.0	10m	20	1Δ	PE	X36			
5	D10G1051		130MΔ				15	15	1.0	10m	20	1Δ	PE	X36			
6	D10G1052		130MΔ				15	15	1.0	10m	40	1Δ	PE	X36			
7	RT698		180M		SJ	120		5.0	100	150m	40	1#Δ			T05		
8	11G702		250MΔ				30		.01u		30	1Δ	PE	T050			
9	11G703		250MΔ				40		.01u		20	1Δ	PE	T050			
10	11G1052		250MΔ				30		.01u		30	1Δ	PE	u40			
11	11G1053		250MΔ				40		.01u		20	1Δ	PE	u40			
12	10B7011		300MΔ			40	15		.02u		30	1Δ	PE	T050			
13	10D702		500MΔ				15		.01u		20	1Δ	PE	T050			
14	10D701		600MΔ				15		.01u		20	1Δ	PE	T050			
15	10E10511		600MΔ				15		.05u		20	1Δ	PE	u40			
16	A1409	1.5mΔ	125MΔ			150	6.0	25m	500n		50	1			T05		
17#	TF251	15m	50M		SJ	5.0		20m			50						
18#	TF252	15m	50M		SJ	10		20m			50						
19	ST3031	20m	70.M	115u		20		1.0	1.0u	6.0	1.0m	40			T05		
20	ST1543	30m				6.0		5.0m		3.0	5.0u	25	1		T018		
21	TMT1543	30m	20.MΔ		SJ	6.0			.01u		20u	15	1Δ		T051		
22	TMT2427	30m	50.MΔ		SJ	40			.01u		10u	20	1Δ				
23	ST3042	50m	1.0M		SS	1.0											
24	ST3043	50m	1.0M		SS	1.0											
25	2N2931	50m*	20MΔ	625u	SS	5.0	5.0	3.0	50m	.01u	.50	20m	30	Δ			
26	2N2932	50m*	20MΔ	625u	SS	5.0	5.0	3.0	50m	.01u	.50	20m	70	Δ	u21		
27	2N2933	50m*	20MΔ	625u	SS	5.0	5.0	3.0	50m	.01u	.50	20m	45	Δ	u21		
28	2N2934	50m*	20MΔ	625u	SS	45	30	5.0	50m	.01u	.50	20m	30	Δ	u21		
29	2N2935	50m*	20MΔ	625u	SS	45	30	5.0	50m	.01u	.50	20m	70	Δ	u21		
30#	BFY22	50m*	20MΔ	625u	J	5.0	5.0	3.0	50m	15n	.50	200u	30	Δ	u22		
31#	BFY23	50m*	20MΔ	625u	J	5.0	5.0	3.0	50m	15n	.50	200u	70	Δ	u22		
32#	BFY24	50m*	20MΔ	625u	J	5.0	5.0	3.0	50m	15n	.50	200u	100	Δ	u22		
33#	BFY29	50m*	20MΔ	625u	J	45	30	5.0	50m	15n	.50	200u	30	Δ	u21		
34	A151	50m	150MΔ	625u	J	20	20	4.0	50m	10n	.50	200u	140	1	u40a		
35	A152	50m	150MΔ	625u	J	20	20	4.0	50m	10n	.50	200u	240	1	u40a		
36	A153	50m	150MΔ	625u	J	20	20	4.0	50m	10n	.50	200u	415	1	u40a		
37#	BFY23A	62m	20MΔ	625u	J	5.0	5.0	3.0	50m	15n	.50	200u	200	Δ	u21		
38#	BFY30	62m	20MΔ	625u	J	45	30	5.0	50m	15n	.50	200u	110		u21		
39	2N773	65mΔ	1.2m			20	2.0	100m		100	2.0m	11			T018		
40	RT929H	70m	30MΔ		J	45	45	5.0		.01u	5.0	.01m	40	1Δ	u24		
41	2N701	75m			J	30		1.0				25					
42	2N774	80mΔ		1.2m		20	2.0	100m		100	2.0m	20			T018		
43	D26B11	90m		1.2m	J	40	15	4.5		40u	100	10m	4.0	Δ	u40b		
44	D26B21	90m		1.2m	J	40	15	4.5		40u	100	10m	5.0	Δ	u40b		
45	D26C1	90m		1.2m	J	18	18	5.0		25n	5.0	10m	30	1Δ#	u40b		
46	D26C2	90m		1.2m	J	18	18	5.0		25n	5.0	10m	60	1Δ#	u40b		
47	D26C3	90m		1.2m	J	18	18	5.0		25n	5.0	10m	140	1Δ#	u40b		
48	A1518	100m			J	15	3.0	3.0		.01u	5.0	10m	65	1	X31b		
49	A1519	100m			J	15	3.0	3.0		.01u	5.0	10m	100	1	X31b		
50	A1520	100m			J	15	3.0	3.0		.01u	5.0	10m	165	1	X31b		
51	A1521	100m			J	15	3.0	3.0		.01u	5.0	10m	240	1	X31b		
52	NS30000	100m			J	10		12	10m	10u					RQ38a		
53	NS30010	100m			J	10		12	10m	10u					RQ38a		
54	NS30500	100m			J	10		12	10m	10u					RQ38a		
55	NS30510	100m			J	10		12	10m	10u					RQ38a		
56	NS30520	100m			J	10		12	10m	10u					RQ38a		
57	NS30530	100m			J	10		12	10m	10u					RQ38a		
58	PMT011	100m		1.3m	SS	30	25	4.0		10u	100	10m	3.0		u7		
59	PMT012	100m		1.3m	SS	30	25	4.0		10u	100	10m	3.5		u7		
60	PMT013	100m		1.3m	SS	60	40	5.0		10u	100	10m	5.0		u7		
61	PMT014	100m			J	60	40	5.0		1.0u	100	150m	2.5		u7		
62	PMT015	100m		769u	SS	80	50	8.0		.50u	100	10m	5.0		u7		
63	PMT016	100m		1.3m	J	25	20	5.0		.50u	3.0	10m	4.0		u7		
64	PMT018	100m		1.3m	SS	40	30	5.0		1.0u	100	10m	4.0		u7		
65	PMT019	100m		1.3m	SS	40	30	5.0		1.0u	100	10m	6.0		u7		
66	PMT020	100m		769u	SS	45	30	5.0		2.0u	5.0	1.0m	37		u7		
67	PMT024	100m		1.3m	SS	30	20	5.0		1.0u	100	150m	20	#Δ	u7		
68	PMT111	100m		769u	SS	30	50	4.0		1.0u	100	10m	3.0		u6		
69	PMT112	100m		769u	SS	30	25	4.0		1.0u	100	10m	3.5		u6		
70	PMT113	100m		769u	SS	60	40	5.0		1.0u	100	10m	4.0		u6		
71	PMT114	100m		769u	SS	60	40	5.0		1.0u	100	10m	5.0		u6		
72	PMT116	100m		769u	SS	25	20	3.0		.50u	100	10m	4.0		u6		
73	PMT118	100m		769u	SS	40	30	5.0		1.0u	100	10m	4.0		u6		
74	PMT119	100m		769u	SS	40	30	5.0		1.0u	100	10m	6.0		u6		
75	PMT120	100m		769u	SS	45	30	5.0		2.0u	100	10m	5.0		u6		
76#	2S741	100m	2.0M	1.0m	J	30	30	1.0	25m	1.0u	5.0	3.0m	5.0	1Δ	T05		
77#	2S742	100m	2.0M	1.0m	J	75	75	1.0	25m	1.0u	5.0	3.0m	5.0	1Δ	T05		
78#	2S743	100m	2.0M	1.0m	J	115	115	1.0	25m	1.0u	5.0	3.0m	5.0	1Δ	T05		
79#	2S744	100m	2.0M	1.0m	J	30	30	1.0	25m	1.0u	5.0	3.0m	20	1Δ	T05		
80#	2S745	100m	2.0M	1.0m	J	75	75	1.0	25m	1.0u	5.0	3.0m	20	1Δ	T05		
81#	2S746	100m	2.0M	1.0m	J	115	115	1.0	25m	1.0u	5.0	3.0m	20	1Δ	T05		
82	RD316	100m	2.0M			20		1.0	20m	20u	5.0	1.0m	9.0		G		
83	2N1200	100m	4.3mΔ	769u	SS	20	15	2.0	100m	.70u	100	1.5m	7.0	1Δ	T09		
84	A1460	100m	10MΔ		J		15	5.0		.01u	5.0	10m	600	*1Δ	X31a		
85	2N1201	100m	12.MΔ	769u	SS	20	15	2.0	100m	.70u	100	1.5m	7.0	1Δ	T09		
86	JAN2N1200	100m	25MΔ	7.6m	SS	20	14	1.0		5.0u	100	2.0m	9.0	Δ	R49		
87	JAN2N1201	100m	30MΔ	7.6m	SS	20	14	1.0		5.0u	100	2.0m	9.0	Δ	R49		
88	10H551	100m	30MΔ	1.0m	J	45	45	5.0		10n	5.0	1.0m	60	Δ	ZA7		

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	MAX. COLL. DISS. @25°C (W)	DERATE IN FREE AIR W/C (Hz)	M A M X P	ABS MAX RATINGS @25°C			MAX. lcbp @MAX Vcb (A)	TYPICAL 'h' PARAMETERS			COMMON EMITTER			Cob (F)	STRUCTURE	DESCRIPTION DWG. No.	L C O D E	
					Vcbo (V)	Vceo (V)	Ic (A)		Vcb (V)	le (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)					
1	D11C551-2-3	100m	50MΔ	1.0m	#J	80	40	5.0	25n∅	10∅	10m∅	100 t#			20p∅	PE	ZA7		
2	D11C553-2-3	100m	50MΔ	1.0m	#J	80	40	7.0	25n∅	10∅	10m∅	40 t#			20p∅	PE	ZA7		
3	D11C557-2-3	100m	50MΔ	1.0m	#J	45	25	5.0	50n∅	10∅	10m∅	30 tΔ			20p∅	PE	ZA7		
4	D11C1051	100m	50MΔ	1.0m	#J	80	40	5.0	25n∅	10∅	10m∅	100 tΔ#			20p∅	PE	X36		
5	D11C1053	100m	50MΔ	1.0m	#J	80	40	7.0	25n∅	10∅	10m∅	40 tΔ#			20p∅	PE	X36		
6	D11C1057	100m	50MΔ	1.0m	#J	45	25	5.0	05u∅	10∅	10m∅	30 tΔ#			20p∅	PE	X36		
7	11B554	100m	60MΔ	1.0m	#J	80	28	7.0	02u	10∅	10m∅	40 tΔ			25p		X10		
8	11B555	100m	60MΔ	1.0m	#J	80	28	7.0	02u	10∅	10m∅	100 tΔ			25p		X10		
9	D11B554-2-3	100m	60MΔ	1.0m	#J	80	28	7.0	25u∅	10∅	10m∅	40 tΔ#			25p∅		X10		
10	D11B555-2-3	100m	60MΔ	1.0m	#J	80	28	7.0	25n∅	10∅	10m∅	100 t#			25p∅		ZA7		
11	ST3030	100m	70M	769u	#S	15		1.0	50u						3.0p	GA	TO5		
12	2N1893/TNT	100m	80MΔ	556u	#S	120	80	7.0	01u∅	10∅	150m∅	80 t#	11u	2.8k	3.5	PLA	u17		
13	NS1500	100m	100MΔ	667u	#A	20	20	8.0		1.0∅	10m∅	75 t			6p∅	Δ	TO18		
14	NS3039∅	100m	100MΔ	6.6m	#S	20	18	18									L15a		
15	NS3040∅	100m	100MΔ	6.6m	#S	20	18	18									L15a		
16	NS3041∅	100m	100MΔ	6.6m	#S	20	18	18									L15a		
17	2N1613/TNT	100m	130M	556u	#S	75	50	7.0									u17		
18	11B1052	100m	130M					5.0	01u∅	10∅	150m∅	130 t			25p∅	PLA	u17		
19	D11B1052	100m	130M					7.0	25u∅	10∅	10m∅	40 tΔ					X36		
20	D11B1055	100m	130M					7.0	15u∅	10∅	10m∅	100 tΔ					X36		
21	2N1711/TNT	100m	160M	556u	#S			7.0	01u∅	10∅	150m∅	130 t			25p∅	PLA	u17		
22	PMT025	100m∅	180M	10m	#J	75	50	7.0	10u∅	10∅	5.0m∅	93			25p∅	MEΔ	u7		
23	PMT125	100m∅	180M	1.7m	#J	75	50	7.0	10u∅	10∅	5.0m∅	93			25p∅	MEΔ	u6		
24	PMT225	100m∅	180M	1.7m	#J	75	50	7.0	10u∅	10∅	5.0m∅	93			25p∅	MEΔ	TO51		
25	10B553	100m	200MΔ	1.0m	#J	40	20	5.0	50u	1.0∅	10m∅	30 tΔ			6.0p		X10		
26	10B555	100m	200MΔ	1.0m	#J	25	20	3.0	50u	1.0∅	10m∅	20 tΔ			6.0p		X10		
27	10B556	100m	200MΔ	1.0m	#J	25	20	5.0	50u	1.0∅	10m∅	20 tΔ			6.0p		X10		
28	10C573	100m	200MΔ	1.0m	#J	45	45	6.0	20u	5.0∅	1.0m	38 Δ			8.0p		X10		
29	10C574	100m	200MΔ	1.0m	#J	45	45	6.0	20u	5.0∅	1.0m	76 Δ			8.0p		X10		
30	A14621	100m	200MΔ	833u	#J	20	15	5.0	400n∅	10∅	10m∅	30 tΔ				PEΔ	X56		
31#	BSY321	100m	200MΔ	1.3m	#J	20	15	6.0	100m	10u	2.0∅	10m∅	32 t		4.0p	PE	u18		
32#	BSY331	100m	200MΔ	1.3m	#J	20	15	6.0	100m	10u	2.0∅	10m∅	55 t		4.0p	PE	u18		
33#	BSY471	100m	200MΔ	1.3m	#J	20	15	6.0	100m	10u	2.0∅	10m∅	32 t		4.0p	PE	u19		
34#	BSY481	100m	200MΔ	1.3m	#J	20	15	6.0	100m	10u	2.0∅	10m∅	55 t		4.0p	PE	u19		
35	D10B553-2.3†	100m	200MΔ	1.0m	#J	40	15	5.0	50u∅	1.0∅	10m∅	30 tΔ#			6p∅	PE	ZA7		
36	D10B555-2.3†	100m	200MΔ	1.0m	#J	25	20	3.0	50u∅	1.0∅	10m∅	20 tΔ#			6p∅	PE	ZA7		
37	D10B556-2.3	100m	200MΔ	1.0m	#J	25	15	5.0	500n∅	1.0∅	10m∅	20 tΔ#			6.0p∅	PE	ZA7		
38	D10C573-2.3	100m	200MΔ	1.0m	#J	45	45	5.0	300n∅	5.0∅	1.0m	36 Δ	1.0u∅zb	80	10	PL	ZA7		
39	D10C574-2.3	100m	200MΔ	1.0m	#J	45	45	5.0	300n∅	5.0∅	1.0m	76 Δ	1.0u∅zb	80	10	PL	ZA7		
40	PMT1767M	100m∅	200M	7.7m	#J	25	15	5.0	200m	50u∅	3.0∅	10m∅	5.0		3.5p	ME	u7		
41	PMT1767P	100m∅	200M	7.7m	#J	25	15	5.0	200m	50u∅	3.0∅	10m∅	5.0		3.5p	ME	u7		
42	PMT1767T	100m∅	200M	7.7m	#J	25	15	5.0	200m	50u∅	3.0∅	10m∅	5.0		3.5p	ME	u7		
43	PMT1767P	100m∅	200M	7.7m	#J	25	15	5.0	200m	50u	10∅	40 tΔ			5.0p	PL	u7		
44	10B551	100m	300MΔ	1.0m	#J	40	20	5.0	05u	1.0∅	10m∅	30 tΔ			6.0p		X10		
45#	BSY361	100m	300MΔ	1.3m	#J	15	12	3.0	100m	10u	2.0∅	10m∅	34 t		3.5p	PE	u18		
46#	BSY371	100m	300MΔ	1.3m	#J	15	12	3.0	100m	10u	2.0∅	10m∅	34 t		3.5p	PE	u18		
47#	BSY501	100m	300MΔ	1.3m	#J	15	12	3.0	100m	10u	2.0∅	10m∅	34 t		3.5p	PE	u19		
48	D10B551-2.3	100m	300MΔ	1.0m	#J	40	15	5.0	05u∅	1.0∅	10m∅	30 tΔ#			6p∅	PE	ZA7		
49	2N706A/TNT	100m	320MΔ	556u	#J	25	15	5.0	05u∅	1.0∅	10m∅	20			6p∅	D	u17		
50	2N2218/TNT	100m	400M	556u	#J	60	30	5.0	01u∅	10∅	150m∅	80 t			4.0p	PLE	u17		
51	2N2219/TNT	100m	400M	556u	#J	60	30	5.0	01u∅	10∅	150m∅	150 t			4.0p	PLE	u17		
52	PMT021	100m∅	400M	10m	#J	20	15	5.0	220m	50u∅	10∅	2.0 Δ			7p∅	ME	u7		
53	PMT022	100m∅	400M	10m	#J	50	20	5.0	220m	50u∅	3.0∅	10m∅	2.0 Δ		5p∅	ME	u7		
54	PMT121	100m∅	400M	1.7m	#J	20	15	5.0	220m	50u∅	10∅	2.0 Δ			7p∅	ME	u6		
55	PMT122	100m∅	400M	1.7m	#J	50	20	5.0	220m	50u∅	3.0∅	10m∅	2.0 Δ		5p∅	ME	u6		
56	PMT222	100m∅	400M	1.7m	#J	50	20	5.0	220m	50u∅	3.0∅	10m∅	2.0 Δ		5p∅	ME	TO51		
57#	2SC286	100m	600MΔ		#J	20	12	2.0	10m	1.0u∅	6.0∅	2.0m	70		1.0p∅	PE	u23		
58#	2SC287	100m	600MΔ		#J	20	12	2.0	10m	1.0u∅	6.0∅	2.0m	70		1p∅	PE	u23	C	
59	10D556-2.3	100m	600MΔ	1.0m	#J	25	15	3.0	10u	1.0∅	3.0m∅	20 tΔ			1.7p∅	PE	ZA7		
60	PMT0231	100m	750M	10m	#J	25	20	3.0	50m	1.0u∅	10m∅	20 #Δ			5.0p	ME	u7		
61	PMT2161	100m∅	750M	1.3m	#J	25	20	3.0	50m	50u	1.0∅	10m∅	20 #Δ		5.0p	ME	TO51		
62	2N2594/TNT	100m	800MΔ	556u	#J	40	15	4.5	500m	40u∅	1.0∅	10m	80 t		4p∅	PE	u17		
63#	2SC288	100m	850MΔ		#J	30	12	2.0	10m	1.0u∅	6.0∅	2.0m	70		1p∅	PE	u23a	C	
64	2N776	110m	1.2m	#J	#J	20	15	2.0	100m	100m	10∅	20m∅	11		1.5p	D	TO18		
65#	BF219	120m#	260M	2.7m	#J	40	35	4.0	20m	500n∅	7.0∅	1.0m∅	180		1.1p	PE	TO98	B	
66#	BF220	120m#	260M	2.7m	#J	40	35	4.0	20m	500n∅	7.0∅	1.0m∅	180		1.1p	PE	TO98	B	
67	3N26	125m			#J	30			10m							G			
68	3N27	125m			#J	30			10m							G			
69	925	125m			#J	30			10m	20u					1.8p	D			
70	926	125m			#J	30			10m	20u					1.8p	D			
71	3N32	125m	4.3M		#J	30			10m							D			
72#	10T2	125m	10M	1.1m	#J	30			25m		1.0m∅	40							
73#	11T2	125m	10M	1.1m	#J	30			25m		1.0m∅	63 t							
74#	12T2	125m	10M	1.1m	#J	30			25m		1.0m∅	100 t							
75	2N1103	125m	12MΔ	1.0m	#S	45	35	1.0	20m	1.0u∅	3.0∅	10m∅	30 tΔ	1.0u∅zb	80	20	3.0p∅	TO5	
76	3N33	125m	12M		#J	30			10m							D			
77	NS075	125m	20M	1.0m	#J	45		1.0	20m	1.0u	20	1.0m	65	200nb	40	2.0	1.2p	ME	TO5
78	ST1694	125m	20M	7.7m	#J	40	20	1.0	20m	2.0u∅	5.0∅	10m∅	40 tΔ		4p∅			TO5	
79#	2SC157	125m	25M		#J	20		1.0	20m	1.0u	6.0	2.0m	30		3.0p	ME	TO5		
80	NS078	125m	30M	1.0m	#J	45		1.0	20m	1.0u	20	1.0m	99	200nb	40	3.0	1.2p	ME	TO5
81#	2SC158	125m	40M		#J	20		1.0	20m	1.0u	6.0	2.0m	40		3.0p	ME	TO5		
82#	2SC159	125m	60M		#J	20		1.0	20m	1.0u									

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1. MAX. COLL. DISS. @25°C	2. fab (Hz)	DERATE IN FREE AIR W/C	T M E A M X P	ABS MAX RATINGS @25°C				MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION STRUCTURE	DWG. No.	L C O D E
						BV _{ceo} (V)	BV _{ceo} (V)	BV _{ceo} (V)	I _c (A)		BIAS		COMMON EMITTER							
											V _{cb} (V)	I _e (A)	h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)				
1	NS060	150m	6.0M	1.0m	\$J	45		1.0	25m		5.0	1.0m	15	500nb	40	2.0	5.0p	ME		
2	JAN2N332	150m	1.0MΔ	1.2m	\$A	45		1.0			5.0	1.0m	9.0 Δ	1.2uZib	80 Ω	5.0 Ω	20pZ		TO5	
3#	THP81	150m	2.0M			15			25m	5.0										
4#	THP82	150m	2.0M			15			25m	5.0										
5#	THP35	150m	3.0M			30			25m	5.0										
6	J623	150m	4.0M			15			25m		5.0	1.0m	18					G	TO5	
7	J624	150m	4.0M			30			25m		5.0	1.0m	18					G	TO5	
8	J625	150m	4.0M			60			25m		5.0	1.0m	18					G	TO5	
9#	THP36	150m	5.0M			30			25m	5.0										
10	2N789	150m	6.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	20 Ω	500nb	50	2.0	5.0p	PDΔ	u2	
11	2N902	150m	6.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	20 Ω	500nb	50	2.0	5.0p	PD	u10	
12	2N2529	150m	6.0M	1.0m	\$J	45		2.0	25m	.05u	5.0	1.0m	18							TO18
13	CDQ10001	150m	6.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	200	400nb	42	4.0	7.0p	G	OV6	
14	J626	150m	6.0M			15			25m		5.0	1.0m	50					G	TO5	
15	J627	150m	6.0M			30			25m		5.0	1.0m	50					G	TO5	
16	J628	150m	6.0M			60			25m		5.0	1.0m	50					G	TO5	
17	J629	150m	7.0M			15			25m		5.0	1.0m	140					G	TO5	
18	J630	150m	7.0M			30			25m		5.0	1.0m	140					G	TO5	
19	J631	150m	7.0M			60			25m		5.0	1.0m	140					G	TO5	
20	JAN2N334	150m	8.0MΔ	1.2m	\$A	45		1.0			5.0	1.0m	19 Δ	1.2uZib	80 Ω	10 Ω	20pZ		TO5	
21	2N790	150m	8.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	40 Ω	500nb	50	3.7	5.0p	PDΔ	u2	
22	2N792	150m	8.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	90 Ω	500nb	50	3.7	5.0p	PDΔ	u2	
23	2N903	150m	8.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	40 Ω	500nb	50	3.7	5.0p	PD	u10	
24	2N905	150m	8.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	90 Ω	500nb	50	3.7	5.0p	PD	u10	
25	CDQ10003	150m	8.0M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	29	b	25 Ω		7.0p	PL	TO5	
26	NS063	150m	8.0M	1.0m	\$J	45		1.0	25m		5.0	1.0m	29	500nb	40	3.0	5.0p	ME		
27	ST1242	150m	8.0M		\$	40		2.0	25m		5.0	1.0m	30	.50u	55	3.7	10p		TO5	
28	JAN2N431	150m	10MΔ	1.2m	\$S	30	15	4.0			5.0	2.0m	30 Ω	1.5uZib	90 Ω	10 Ω	25pZ		TO5	
29	JAN2N432	150m	10MΔ	1.2m	\$S	30	15	4.0			5.0	2.0m	20 Δ	1.5uZib	90 Ω	13 Ω	25pZ		TO5	
30	JAN2N433	150m	10MΔ	1.2m	\$S	30	15	4.0			5.0	2.0m	45 Δ	1.5uZib	90 Ω	13 Ω	25pZ		TO5	
31	2N2530	150m	10M	1.0m	\$J	45		2.0	25m	.05u	5.0	1.0m	30	.20u	50	2.0	3.0p		TO18	
32	2N2533	150m	10M	1.0m	\$J	45		2.0	25m	.05u	5.0	1.0m	35 †	.20u	50	2.0	3.0p		TO18	
33	CDQ10005	150m	10M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	54	500nb	25 Ω	3.5	7.0p	PL	TO5	
34	NS066	150m	10M	1.0m	\$J	45		1.0	25m		5.0	1.0m	54	500nb	40	3.0	5.0p	ME		
35#	THP106	150m	10M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	25	.50u	50	5.0	10			
36	2N791	150m	11M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	90 Ω	500nb	50	3.7	5.0p	PDΔ	u2	
37	2N904	150m	11M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	90 Ω	500nb	50	3.7	5.0p	PD	u10	
38	NS069	150m	11M	1.0m	\$J	45		1.0	25m		5.0	1.0m	63	300nb	40	4.0	5.0p	ME		
39	2N2531	150m	12M	1.0m	\$J	45		2.0	25m	.05u	5.0	1.0m	60	.20u	50	2.0	3.0p		TO18	
40	2N783	150m	13M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	330 Ω	500nb	50	3.7	5.0p	PDΔ	u2	
41	2N906	150m	13M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	333 Ω	500nb	50	3.7	5.0p	D	u10	
42	CDQ10009	150m	13M	1.0m	\$J	45		1.0	25m	2.0u	5.0	1.0m	200	250nb	25 Ω	7.0	7.0p	PL	TO5	
43	NS072	150m	13M	1.0m	\$J	45		1.0	25m		5.0	1.0m	200	250nb	40	5.0	5.0p	ME		
44	2N2532	150m	16M	1.0m	\$J	45		2.0	25m	.05u	5.0	1.0m	150	.20u	50	2.0	3.0p		TO18	
45	2N1528	150m	20M	1.0m	\$J	25	25 ∅	2.0	20m	1.0u	6.0	1.0m	4.0 Δ					PD†	TO5	
46	2N2534	150m	20MΔ	1.0m	\$S	45	40	2.0	25m	5.0n	2.0	1.0m	100	1.0uZib	80 Ω	7.5 Ω	3.0pZ	GD†	TO18	
47	NS6210∅	150m	20MΔ	1.1m	\$A	30	15	15			5.0	1.0m	50 †Δ				12pZ		X16	
48	ST1243	150m	20M		\$	40		2.0	25m		5.0	1.0m	30 †	200n	30	2.0	2.0p		TO5	A
49	ST1244	150m	20M		\$	40		2.0	25m		5.0	1.0m	80 †	200n	30	2.0	2.0p		TO5	
50	ST1290	150m	20M		\$	20		2.0	25m		5.0	1.0m	180 †	.20u	30	2.0	2.0p		TO5	
51	4JD4A2	150m	25M		\$			1.0	20m	15u										
52	4JD4A3	150m	25M		\$			1.0	20m	15u										
53	4JD4A4	150m	25M		\$			1.0	20m	15u										
54	4JD4A5	150m	25M		\$			1.0	20m	15u										
55#	ST25A	150m	25M		\$J	45			15m	20u	9.0	1.0m	15	600nb	45	4.0	3.0p			
56#	ST25B	150m	25M		\$J	45			15m	20u	9.0	1.0m	32	600nb	45	4.0	3.0p			
57#	ST25C	150m	25M		\$J	45			15m	20u	9.0	1.0m	68	600nb	45	4.0	3.0p			
58	2N745†	150m	30M	1.0m	\$J	45	30	1.0	20m	1.0u	2.0	1.0m	55	100nb	47	1.8	1.4p	PD	u2	
59	2N907†	150m	30M	1.3m	\$J	45		1.0	20m	.50u	5.0	1.0m	35 †	100nb	47	1.8	1.4p	PD	u10	
60	2N930/TPT	150m	30MΔ	833u	\$J	45	45	5.0	30m	1.0u	5.0	1.0m	150 Δ	1.0uZib	32 Ω	6.0 Ω	8.0pZ	PL	X31	
61	2N930A/51	150m	30MΔ	833u	\$J	60	45	6.0	30m	2.0u	5.0	1.0m	150	1.0u	28	6.0	4.0p	PL	TO51	
62	TMT839	150m	30M	1.0m	\$J	45	45	2.0	20m	1.0u	5.0	1.0m	35	350nb	40	2.0	8.0p	ME†	u5	
63	TMT840	150m	30M	1.0m	\$J	45	45	2.0	20m	1.0u	5.0	1.0m	70	350nb	40	2.0	8.0p	ME†	u5	
64	TMT842	150m	30M	1.0m	\$J	45	45	2.0	20m	1.0u	5.0	1.0m	40 †	350nb	40	2.0	8.0p	ME†	u5	
65	2N841/51	150m	40M	833u	\$J	45	45	2.0	50m	1.0u	5.0	1.0m	140	350nb	40	2.0	8.0p	ME†	TO51	
66	2N841/TPT	150m	40M	833u	\$J	45	45	2.0	50m	1.0u	5.0	1.0m	140	350nb	40	2.0	8.0p	ME†	X31	
67	LDA408	150m	40M	1.0m	\$A	40	30	4.0	25m	5.0n	1.0	4.0m	60 †					PL	TO72	
68	TMT841	150m	40M	1.0m	\$J	45	45	2.0	20m	1.0u	5.0	1.0m	140	350nb	40	2.0	8.0p	ME†	u5	
69	TMT843	150m	40M	1.0m	\$J	45	45	2.0	20m	1.0u	5.0	1.0m	100 †	350nb	40	2.0	8.0p	ME†	u5	
70	2N746	150m	45M	1.0m	\$J	45	30	1.0	20m	1.0u	2.0	1.0m	99	100nb	47	1.8	1.4p	PD	u2	
71	2N908†	150m	45M	1.3m	\$J	45		1.0	20m	.50u	5.0	1.0m	75 †	100nb	47	1.8	1.4p	PD	u2	
72	2N747†	150m	60M	1.0m	\$J	25	25 ∅	3.0	50m	1.0u	5.0	1.0m	45 †					PD	u2	
73	JAN2N1199A	150m	75MΔ	1.2m	\$S	20	15	3.0		5.0	1.0	20m	12 †Δ				2.5pZ		R49	
74	2N1893/51	150m	80MΔ	833u	\$J	120	80	7.0		.01u	10	150m	80 †#	11u	2.8k	3.5	15pZ	PLA	TO51	
75	2N1893/TPT	150m	80MΔ	833u	\$J	120	80	7.0		.01u	10	150m	80 †#	11u	2.8k	3.5	15pZ	PLA	X31	
76	TMT696	150m	80M	833u	\$J	60	40	5.0	200m#	1.0u	10	150m	40 †					ME	TO51	
77#	2SC267A	150m	90M		\$J	50	30	5.0	200m	5.0	1.0	20m	70 †				6.5p	FE	u	

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1] MAX. COLL. DISS. @25°C (W)	2] fab	3] DERATE IN FREE AIR W/C	T M E X P	ABS MAX RATINGS @25°C						MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION	L C O A D E	
						V _{bcbo} (V)	V _{bcvo} (V)	V _{bebo} (V)	I _c (A)	BIAS			COMMON EMITTER									
										V _{cb} (V)	I _e (A)		h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)						
1	2N709/TPT	150m	800MΔ	833u	15	6.0	4.0	500m	.05uΩ	5.0Ω	10mΩ	55 †										
2	2N2369/TPT	150m	800MΔ	833u	40	15	4.5	500m	.40uΩ	1.0Ω	10mΩ	80 †										
3	2N2594/TPT	150m	800MΔ	833u	40	15	4.5	500m	.40uΩ	1.0Ω	10mΩ	80 †										
4	2N2784/TPT	150m	1.0GΔ	833u	15	6.0	4.0	500m	5nΩ	.50Ω	10mΩ	120 †										
5	2N3633/51	150m	1.3GΔ	833u	15	6.0	4.0	50m	5nΩ	.50Ω	10mΩ	150 †										
6	2N3633/TPT	150m	1.3GΔ	833u	15	6.0	4.0	50m	5nΩ	.50Ω	10mΩ	150 †										
7	K5011	150m	1.5G	1.1m	SJ	25	12	25	50nΩ	1.0Ω	3.0mΩ	100 †										
8	K5010	150m	1.7G	1.1m	SJ	25	12	25	50nΩ	1.0Ω	3.0mΩ	100 †										
9#	V327	150m	3.2GΔ	1.2m	SJ	20	12	3.0	.50uΩ	1.0Ω	30mΩ	90 †										
10#	BF115†	160m	270MΔ	1.0m	SJ	50	30	5.0	50m	1.0Ω	1.0mΩ	165 †										
11#	BF189	160m	300MΔ	1.0m	J	50	30	5.0	25m	1.0Ω	1.0mΩ	65 †										
12#	BF187	160m	500MΔ	1.0m	J	40			25m													
13	2N778	170mΔ		1.2m	Δ	20			2.0	100m												
14#	FK2484	175m	60MΔ	1.0m	SJ	60	60	6.0	50m	10nΩ	5.0Ω	10mΩ	450 †									
15#	FV2484	175m	60MΔ	1.0m	SJ	60	60	6.0	50m	10nΩ	5.0Ω	10mΩ	450 †									
16#	FK3299†	175m	200MΔ	1.0m	SJ	60	30	5.0	10nΩ	1.0Ω	150mΩ	75 †										
17#	FV3299†	175m	200MΔ	1.0m	SJ	60	30	5.0	10nΩ	1.0Ω	150mΩ	75 †										
18#	FK3300†	175m	250MΔ	1.0m	SJ	60	30	5.0	10nΩ	1.0Ω	150mΩ	220 †										
19#	FV3300†	175m	250MΔ	1.0m	SJ	60	30	5.0	10nΩ	1.0Ω	150mΩ	220 †										
20#	FK914†	175m	300MΔ	1.0m	SJ	40	15	5.0	25nΩ	1.0Ω	10mΩ	55 †										
21#	FK3014†	175m	300MΔ	1.0m	SJ	40	20	5.0	30nΩ	4.0Ω	30mΩ	60 †										
22#	FV914†	175m	300MΔ	1.0m	SJ	40	15	5.0	25nΩ	1.0Ω	10mΩ	55 †										
23#	FV3014†	175m	300MΔ	1.0m	SJ	40	20	5.0	30nΩ	4.0Ω	30mΩ	60 †										
24#	FK2369A†	175m	500MΔ	1.0m	SJ	40	15	4.5	100m	40nΩ	4.0Ω	30mΩ	71 †									
25#	FV2369A†	175m	500MΔ	1.0m	SJ	40	15	4.5	100m	40nΩ	4.0Ω	30mΩ	71 †									
26#	FK918	175m	600MΔ	1.0m	SJ	30	15	3.0	50m	10nΩ	1.0Ω	3.0mΩ	50 †									
27#	FV918	175m	600MΔ	1.0m	SJ	30	15	3.0	50m	10nΩ	1.0Ω	3.0mΩ	50 †									
28	40350	180m				35																
29	40351	180m				35																
30	40352	180m				35																
31	BC167	180m*	300MΔ	2.2m	#J		45	6.0	100m	.02uΩ	5.0Ω	2.0mΩ	330									
32	BC168	180m*	300MΔ	2.2m	#J		20	5.0	100m	.02uΩ	5.0Ω	2.0mΩ	330									
33	BC169	180m*	300MΔ	2.2m	#J		20	5.0	100m	.02uΩ	5.0Ω	2.0mΩ	330									
34	40470	180m	700MΔ	1.1m	SJ	45		3.0	50m	1.0u	6.0Ω	1.0mΩ	170 †									
35	40471	180m	700MΔ	1.1m	SJ	45		3.0	50m	1.0u	6.0Ω	1.0mΩ	100 †									
36	40469	180m	800MΔ	1.1m	SJ	45		3.0	50m	1.0u	6.0Ω	1.0mΩ	170 †									
37	2N847†	200m		7.7m	SΔ	40	25	10	50m	.10uΩ												
38	2N848†	200m		7.7m	SΔ	20	15	6.0	50m	.10uΩ												
39	2N1082	200m		1.5m	SΔ	25	25	∅	50m													
40	JAN2N1082	200m		1.4m	SΔ	25	25	2.0	50m	500n	5.0Ω	10mΩ	10 Δ									
41	2N4086	200m		2.6m	#S	12	12	5.0	100m	.10u	1.0Ω	2.0mΩ	450 †									
42	2N4087	200m		2.6m	#S	12	12	5.0	100m	.10u	1.0Ω	2.0mΩ	750 †									
43	2N4087A	200m		2.6m	#S	12	12	5.0	100m	.10u	1.0Ω	2.0mΩ	250 Δ									
44	4JX16A667	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	55 *Δ									
45	4JX16A667/G	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	235 Δ									
46	4JX16A667/O	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	90 Δ									
47	4JX16A667/R	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	55 Δ									
48	4JX16A667/Y	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	150 Δ									
49	4JX16A668	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	90 *Δ									
50	4JX16A668/G	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	235 Δ									
51	4JX16A668/O	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	90 Δ									
52	4JX16A668/Y	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	150 Δ									
53	4JX16A669	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	150 *Δ									
54	4JX16A669/G	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	235 Δ									
55	4JX16A669/Y	200m		2.6m	#J	18	18	5.0	100m	.50u	1.0Ω	2.0mΩ	150 Δ									
56	4JX16B670/G	200m		2.6m	#J	18	18	5.0	200m	.50u	4.5Ω	2.0mΩ	180 †									
57	4JX16B670/R	200m		2.6m	#J	18	18	5.0	200m	.50u	4.5Ω	2.0mΩ	30 †									
58	4JX16B670/Y	200m		2.6m	#J	18	18	5.0	200m	.50u	4.5Ω	2.0mΩ	75 †									
59#	BCY50	200m			#J	10	5.0	3.0	200m	5nΩ	1.5Ω	1.0mΩ	60 †									
60	CDQ10035	200m			SΔ	15		2.0		500n	6.0Ω	1.0mΩ	45									
61	CDQ10036	200m			SΔ	30		2.0		500n	6.0Ω	1.0mΩ	45									
62	SA2254∅	200m			SJ	60	30			.01uΩ	5.0Ω	1.0mΩ	45 †									
63	V120RHΔ	200m		1.0m	SΔ	20	10	4.0		.40nΩ	5.0Ω	1.0mΩ	14 †									
64	2N478A	200m	11M	1.1m	SA	15																
65	ST15	200m	11M	909u	S	15		2.0		20n	6.0Ω	1.0mΩ	50									
66	ST35	200m	11M	909u	S	30		2.0		500n	6.0Ω	1.0mΩ	50									
67	ST45	200m	11M	909u	S	45		2.0		20n	6.0Ω	1.0mΩ	50									
68	2N541A	200m	15M	1.1m	SA	15																
69	2N476A	200m	17M		SA	15																
70	2N477A	200m	17M	1.1m	SA	30																
71	2N2161†	200m	20M	1.5m	SΔ	55	35	3.0	50m	10nΩ	20	1.0mΩ	75 Δ									
72#	2SC166†	200m	20M	1.6m	SJ						12	3.0mΩ	105 †									
73#	2SC167†	200m	20M	1.6m	SJ						12	3.0mΩ	105 †									
74	2N751	200m	30M	1.3m	SJ	20	20	2.0	50m	.80uΩ	6.0Ω	1.0mΩ	2.2 Δ									
75	CDQ10016	200m	30MΔ	1.1m	SA	15	15	2.0		500n	6.0Ω	1.0mΩ	16									
76	CDQ10017	200m	30MΔ	1.1m	SA	30	30	2.0		500n	6.0Ω	1.0mΩ	16									
77	CDQ10018	200m	30MΔ	1.1m	SA	45	45	2.0		500n	6.0Ω	1.0mΩ	16									
78	CDQ10019	200m	30MΔ	1.1m	SA	15	15	2.0		500n	6.0Ω	1.0mΩ	30									
79	CDQ10020	200m	30MΔ	1.1m	SA	30	30	2.0		500n	6.0Ω	1.0mΩ	30									

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C (Hz)	T M E A M X P	ABS MAX RATINGS @25°C				MAX. lcb0 @MAX Vcb (A)	TYPICAL 'h' PARAMETERS			COMMON EMITTER			Cob (F)	DESCRIPTION STRUC-TURE	L C E O D E
					BVcbo (V)	BVceo (V)	BVebo (V)	lc (A)		Vcb (V)	le (A)	hfe	hoe (mhos)	hie (Ω)	hre (X.0001)			
1	D18E9	200m	135M\$	2.7m	#J	25	25	5.0	100m	100n	4.5φ	2.0mφ	235 tΔ			2.5p	PL	T098
2	D24A3392	200m	140M\$	2.7m	#J	25	25	5.0	100m	100n	4.5φ	2.0mφ	150 tΔ			7.0p\$	PL	X54
3	D24A3393	200m	140M\$	2.7m	#J	25	25	5.0	100m	100n	4.5φ	2.0mφ	90 tΔ			7.0p\$	PL	X54
4	D24A3394	200m	140M\$	2.7m	#J	25	25	5.0	100m	100n	4.5φ	2.0mφ	55 tΔ			7.0p\$	PL	X54
5#	2SC361	200m	150M\$	2.0m	#J	25	18	5.0	40m	50φ	6.0φ	2.0m	8φ			6pφ	PL	R067
6#	2SC362	200m	150M\$	2.0m	#J	25	18	5.0	40m	50φ	6.0φ	2.0m	14φ			6pφ	PL	R067
7#	2SC363	200m	150M\$	2.0m	#J	25	18	5.0	40m	50φ	6.0φ	2.0m	25φ			6pφ	PL	R067
8#	2SC376	200m	150M\$	2.0m	#J	70	70	5.0	100m	1.0φ	1.0m	60				2.5p	PE	R067a
9#	BC150	200m	160M\$	2.7m	#J	18	18	5.0	100m	200n	10φ	100φ	35φ			2.5p	PL	T098
10#	BC151	200m	160M\$	2.7m	#J	25	25	5.0	100m	200n	10φ	1.0m	18φ			12pφ	PL	T098
11	D24A3900	200m	160M\$	2.7m	#J	18	18	5.0	100m	100n	4.5φ	2.0mφ	250 tΔ			7.0p	PL	X54
12	D24A3900A	200m	160M\$	2.7m	#J	18	18	5.0	100m	100n	4.5φ	2.0mφ	250 tΔ			7.0p	PL	X54
13	4JX16A567	200m	200M\$	2.6m	#J	18	18	5.0	100m	500φ	1.0φ	1.0m	400 t			9.0p	PE	T098
14#	BF216	200m	200M\$	2.7m	#J	40	35	4.0	20m	500φ	7.0φ	1.0m	100 t			1.1pt	PE	R038
15	T2857	200m	200M\$	1.1m	#J	30	20	5.0	20m	100φ	10φ	1.0m	15 tΔ				PE	T098
16#	BF218	200m	220M\$	2.7m	#J	40	35	4.0	20m	500φ	7.0φ	1.0m	100 t			1.1pt	PE	T098
17#	AT310	200m	230M\$	1.4m	#J	45	30	5.0	30m	500n	12φ	2.0m	40 t#Δ			3.5p	PL	T01
18#	AT311	200m	230M\$	1.4m	#J	45	30	5.0	30m	500n	12φ	2.0m	40 t#Δ			3.5p	PL	T01
19#	AT312	200m	230M\$	1.4m	#J	45	30	5.0	30m	500n	12φ	2.0m	100 t#Δ			3.5p	PL	T01
20#	AT313	200m	230M\$	1.4m	#J	35	20	5.0	30m	500n	12φ	2.0m	20 t#Δ			3.5p	PL	T01
21#	AT314	200m	230M\$	1.4m	#J	35	20	5.0	30m	500n	12φ	2.0m	40 t#Δ			3.5p	PL	T01
22#	AT315	200m	230M\$	1.4m	#J	35	20	5.0	30m	500n	12φ	2.0m	100 t#Δ			3.5p	PL	T01
23#	AT316	200m	230M\$	1.4m	#J	35	20	5.0	30m	500n	12φ	2.0m	100 t#Δ			3.5p	PL	T01
24#	BF217	200m	240M\$	2.7m	#J	40	35	4.0	20m	500φ	7.0φ	1.0m	125 t			1.1pt	PE	T098
25	2N2954	200m	300M\$Δ	1.1m	#J	30	20	3.0	500m	.05φ	10φ	2.0m	25 Δ			3.8	PE	R038
26	2N3407	200m	300M\$Δ	1.3m	#S	35	18	3.0	100m	.20φ	10φ	10m	10 Δ			2.5pφ	PE	T092
27	2N3985	200m	300M\$Δ	2.0m	#S	30	12	3.0	30m	1.0φ	10φ	4.0m	20 tΔ			3pφ	PE	R038
28	NS9728	200m	300M\$Δ	1.3m	#A	30	15	4.0	4.0	.01φ	1.0φ	3.0m	60 t			8pφ	PE	R038
29	NS9729	200m	300M\$Δ	1.3m	#A	20	10	4.0	4.0	.01φ	1.0φ	3.0m	60 t			8pφ	PE	R038
30	NS9730	200m	300M\$Δ	1.3m	#A	15	10	4.0	4.0	.01φ	1.0φ	3.0m	60 t			8pφ	PE	R038
31	NS9731	200m	300M\$Δ	1.3m	#A	10	5.0	4.0	4.0	.01φ	1.0φ	3.0m	60 t			8pφ	PE	R038
32	18J11	200m	350M\$	2.6m	#J	18	14	5.0	200m	.50φ	1.0φ	10m	30 tΔ			6pφ	PE	R067
33	18J21	200m	350M\$	2.6m	#J	18	14	5.0	200m	.50φ	1.0φ	10m	30 tΔ			6pφ	PE	R067
34	18K3	200m	380M\$	2.6m	#J	30	30	4.0	25m	.50φ	9.5φ	5.0m	30 tΔ			1.5p	PL	T098
35	2N3984	200m	400M\$Δ	2.0m	#S	30	12	3.0	30m	1.0φ	10φ	4.0m	20 tΔ			2pφ	PE	T092
36#	BSW781	200m	400M\$Δ	2.0m	#J	40	15	4.5	200m	400φ	1.0φ	10m	20 tΔ#			4.0pφ	PE	X64
37	u7003	200m	450M\$Δ	1.3m	#S	15	6.0	4.0	4.0	.10φ	.50φ	10m	70 t			3pφ	PE	T051
38	2N3983	200m	500M\$Δ	2.0m	#S	30	12	3.0	30m	1.0φ	10φ	4.0m	30 tΔ			2pφ	PE	T092
39#	BSW801	200m	500M\$Δ	2.0m	#J	40	15	4.5	200m	30φ	1.0φ	10m	40 tΔ#			4.0pφ	PE	X64
40	D1866	200m	500M\$Δ	2.7m	#J	30	12	3.0	25m	500n	10φ	5.0m	20 tΔ			1.2p	PE	T098
41	D1866	200m	500M\$Δ	2.7m	#J	30	12	3.0	25m	500n	10φ	5.0m	20 tΔ			1.5pφ	PE	T098
42	TIXS29	200m	500M\$Δ	2.0m	#S	40	40	4.0	30m	1.0φ	10φ	4.0m	30 tΔ				PL	X20
43	TIXS30	200m	500M\$Δ	2.0m	#S	40	40	4.0	30m	1.0φ	10φ	4.0m	30 tΔ				PL	X20
44	TIXS31	200m	500M\$Δ	2.0m	#S	40	40	4.0	30m	1.0φ	10φ	4.0m	30 tΔ				PL	X20
45	ST2130	200m	550M\$Δ	1.1m	#J	25	12	2.0	2.0	500φ	1.0φ	3.0m	20 tΔ			2.0pφ	PE	T072
46	D18K4	200m	580M\$	2.6m	#J	30	30	4.0	25m	500φ	9.5φ	5.0m	110 t			1.8pφ	PL	T098
47	18K1	200m	585M\$	2.6m	#J	30	30	4.0	25m	.50φ	9.5φ	5.0m	30 tΔ			1.5p	PL	T098
48	18K2	200m	585M\$	2.6m	#J	30	30	4.0	25m	.50φ	9.5φ	5.0m	30 tΔ			1.5p	PL	T098
49	2N4081	200m	600M\$Δ	1.1m	#S	40	40	3.0	3.0	20φ	10φ	2.0m	40 tΔ			300f\$	PE	T0104
50	2N4397	200m	600M\$Δ	1.1m	#S	40	40	3.0	3.0	20φ	10φ	2.0m	40 tΔ			300f\$	PE	T0104
51#	BF188	200m	600M\$	1.3m	#J	50	50	5.0	50m	.01φ	20φ	10m	25 tΔ				PE	T072
52	T1410	200m	600M\$	2.0m	#J	25	13	3.0	30m	.50φ	12φ	10m	20 tΔ			1.7pφ	PE	X20
53#	ZT918	200m	600M\$Δ	1.1m	#S	30	15	3.0	3.0	30m	1.0φ	4.0m	20 tΔ			1.7pφ	PE	R038
54	TIXS28	200m	630M\$Δ	2.0m	#S	40	40	4.0	30m	1.0φ	10φ	4.0m	30 tΔ				PL	X20
55	D18K1	200m	650M\$		#J	30	30	3.0	3.0	4.5φ	4.0m	60 t			1.4p	PL	T098	
56	D18K2	200m	650M\$		#J	30	30	3.0	3.0	4.5φ	4.0m	60 t			1.4p	PL	T098	
57	D18K3	200m	650M\$		#J	30	30	3.0	3.0	4.5φ	4.0m	60 t			1.4p	PL	T098	
58	S5328E	200m	900M\$	1.1m	#J	30	15	2.0	2.0	10φ	5.0φ	8.0m	20 tΔ			1.2p	PE	R038
59	ST2110	200m	950M\$Δ	1.1m	#J	25	12	2.0	2.0	500φ	5.0φ	30m	20 tΔ			2.0pφ	PE	T018
60	TC0918	200m	960M\$Δ	1.1m	#J	30	15	3.0	3.0	.01φ	3.0φ	30m	20 tΔ			1.7pφ	PE	Aφ
61	2N2808	200m	1.0G*	1.1m	#J	30	10	3.0	25m	.01φ	1.0φ	2.0m	20 tΔ			7pφ	PE	R038
62	2N2809	200m	1.0G*Δ	1.1m	#J	30	15	3.0	25m	.01φ	6.0φ	2.0m	20 Δ			7pφ	PE	R038
63	2N2810	200m	1.0G*Δ	1.1m	#J	24	10	3.0	25m	.01φ	6.0φ	2.0m	20 Δ			7pφ	PE	R038
64	A489	200m	1.0G\$	1.1m	J	28	15	2.5	20m		1.0φ	3.0m	20 tΔ			1.7 φ	PE	T072
65	ST2120	200m	1.0G\$Δ	1.1m	#J	30	15	4.0	4.0	5.0nφ	1.0φ	3.0m	50 tΔ			1.7pφ	PE	T072
66	2N2809A	200m	1.3G*Δ	1.1m	#J	30	15	3.0	25m	.01φ	6.0φ	2.0m	20 Δ			7pφ	PE	R038
67	2N2810A	200m	1.3G*Δ	1.1m	#J	24	10	3.0	25m	.01φ	6.0φ	2.0m	20 Δ			7pφ	PE	R038
68	2N2808A	200m	1.5G*Δ	1.1m	#J	30	10	3.0	25m	.01φ	6.0φ	2.0m	20 Δ			7pφ	PE	R038
69	TIX09	200m	1.5G\$	1.1m	#S	30	15	3.0	50m	.01φ	6.0φ	5.0m	20 Δ			1.7pφ	PE	u26
70	TIX10	200m	1.5G\$	1.1m	#S	25	13	3.0	50m	.01φ	6.0φ	5.0m	20 Δ			1.7pφ	PE	u26
71	TIXS09	200m	1.5G\$	1.0m	#S	30	15	3.0	50m	10nφ	6.0φ	5.0m	20 Δ			1.5pφ	PE	u26
72	TIX3016	200m	1.7G\$	1.1m	#J	30	15	3.0	30m	.01φ	6.0φ	5.0m	20 tΔ			1.7pφ	PE	T050
73	TIX3016	200m	1.7G\$	1.1m	#J	30	15	3.0	50m	.01φ	6.0φ	5.0m	20 tΔ			1.7pφ	PE	u26a
74	TIX3016A	200m	1.7G\$	1.1m	#J	30	15	3.0	30m	10nφ	6.0φ	5.0m	20 tΔ			1.7pφ	PE	u26
75#	V415	200m	3.0G\$	1.6m	#J	28	15	3.0	60m	.50φ						50p	PE	X63
76	A747C	220m	600K\$	2.0m	#J	50	50	5.0	100m	5.0φ	2.0m	600			2.5p\$	PE	MM10	
77	A757	220m	130M	2.0m	#J	50	45	5.0	200m	5.0φ	2.0m	140 t				PE	MM10	
78#	BC429	225m	50M	2.2m	#J	60	60	3.0	50m	1.0φ	6.0φ	1.0m	10 Δ			45p	PE	T05
79#	A472	230m	550M\$	1.5m	#J	40	35	4.0	25m	.50φ	10φ	7.0m	150 t				PE	T072
80																		

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C (Hz)	T M A M X P	ABS MAX RATINGS @25°C					MAX. lcbp @ MAX Vcb (A)	TYPICAL 'h' PARAMETERS				Cob (F)	DESCRIPTION		L C O A D E			
					BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)	BIAS			COMMON EMITTER				STRUC-TURE	DWG. No.				
									Vcb (V)		Ie (A)	hfe	hoe (mhos)	hie (Ω)					hre (X.0001)		
1#	ST723	250m	28M	2.0m	5J	45			25m	10n	6.0	1.0m	50	400nb	50	5.0	5.5p	D1Δ	R3		
2#	2SC193	250m	30M		5J	60			25m	2.0u	20	1.0m	21	.15u	60	1.2	3.0p	G	T05		
3#	2SC196	250m	30M		5J	30			10m	1.0u	20	1.0m	21	.15u	60	1.2	3.0p	G	T05		
4	CS929	250m	30MΔ		5J	45	45	5.0	30m	10u	5.0	1.0m	60 Δ	1.0nb	32	6.0	8.0p	PL	R97a		
5	CS930	250m	30MΔ		5J	45	45	5.0	30m	10u	5.0	1.0m	150 Δ	1.0uZb	32	6.0	8.0p	PL	R97a		
6	USAF518ES066M	250m	30MΔ	1.4m	5J		70	7.0	30m	10n	5.0	1.0m	155 Δ	1.0uZb	32	8.0	8.0p	DPL*	TO89		
7	USAF519ES067M	250m	30MΔ	1.4m	5J		70	4.5	7.0	30m	10n	5.0	1.0m	155 Δ	1.0uZb	32	8.0	8.0p	DPL*	X34	
8	USAF519ES068M	250m	30MΔ	1.4m	5J		70	4.5	7.0	30m	10n	5.0	1.0m	155 Δ	1.0uZb	32	8.0	8.0p	DPL*	X34	
9	2N2673	250m	40M	1.6m	5S	60	45	3.0	25m	100n	5.0	1.0m	8.0 Δ	1.0uZb	60	7.5	4.0p	DPL*	TO46		
10	2N2674	250m	40M	1.6m	5S	60	45	3.0	25m	100n	5.0	1.0m	12 Δ	1.0uZb	60	7.5	4.0p	DPL*	TO46		
11	2N2675	250m	40M	1.6m	5S	60	45	3.0	25m	100n	5.0	1.0m	22 Δ	1.0uZb	60	7.5	4.0p	DPL*	TO46		
12	2N2676	250m	40M	1.6m	5S	60	45	3.0	25m	100n	5.0	1.0m	45 Δ	1.0uZb	60	7.5	4.0p	DPL*	TO46		
13	GME4001	250m	40MΔ	2.0m	5J	30	25	8.0		.05u	1.0	1.0m	60 Δ				3pZ	DPL	X45		
14	2N2677	250m	50M	1.8m	5J	45	35	5.0	25m	100n	5.0	1.0m	20 Δ	1.0uZb	60	7.5	3.0p	DPL*	TO46		
15	2SC18	250m	50M	1.7m	5J	20	20	2.0	30m	1.0u	6.0	1.0m	12 †			6.0p	PL	TO18			
16#	2SC191	250m	50M		5J	60		1.0	10m	2.0u	20	1.0m	21	.15u	60	1.2	3.0p	G	T05		
17#	2SC194	250m	50M		5J	60		1.0	10m	2.0u	20	1.0m	21	.15u	60	1.2	3.0p	G	T05		
18#	2SC197	250m	50M		5J	60		1.0	10m	1.0u	20	1.0m	21	.15u	60	1.2	3.0p	G	T05		
19#	BCY511	250m	50MΔ	1.6m	5J	30	20	5.0	100m	5.0n	1.5	100n	80 Δ	10u	4.2k	25		PL	TO18		
20#	BFY511	250m	50MΔ	1.7m	5J	30	20	5.0	100m	.05u	1.5	100n	80 Δ	10u	4.2k	25		PL	TO18		
21#	BCY501	250m	60MΔ	1.6m	5J	10	5.0	3.0	100m	5.0n	1.5	100n	60 Δ	10u	4.2k	25		PL	TO18		
22#	BFY501	250m	60MΔ	1.6m	5J	10	5.0	3.0	100m	5.0n	1.5	100n	60 Δ	10u	4.2k	25		PL	TO18		
23	CS2483	250m	80MΔ		5J	60	60	6.0	50m	.01u	5.0	.01m	40 Δ				6pZ	PE	R97a		
24	GME4002	250m	80MΔ	2.0m	5J	30	25	8.0		.05u	1.0	1.0m	200 Δ			3pZ	DPL*	X45			
25	GME4003	250m	80MΔ	2.0m	5J	30	25	8.0		.05u	1.0	1.0m	300 Δ			3pZ	DPL*	X45			
26	2N2678	250m	70M	1.8m	5S	45	35	2.0	25m	100n	5.0	1.0m	45 Δ	1.0uZb	60	7.5	3.0p	DPL*	TO46		
27	MT896	250m	80MΔ	1.7m	5J	60		5.0		1.0u	10	150m	40 †			20p	PE	u13			
28	MT897	250m	80MΔ	1.7m	5J	60		5.0		1.0u	10	150m	80 †			20p	PE	u13			
29	MT898	250m	80MΔ	1.7m	5J	120		7.0		2.0u	10	150m	80 †			15p	PE	u13			
30	MT899	250m	80MΔ	1.7m	5J	120		5.0		2.0u	10	150m	80 †			15p	PE	u13			
31	MT1613	250m	80MΔ	1.7m	5J	75		7.0		.01u	10	150m	80			18p	PL	u13			
32	MT1711	250m	80MΔ	1.7m	5J	75		7.0		.01u	10	150m	200 †			25p	PE	u13			
33	2N10601	250m	100M	2.0m	5J			5.0	50m	100n	5.0	10m	50			7.6p	D	TO28			
34#	2SC16	250m	100MΔ	1.7m	5J	25	20	5.0	30m	2.5u	1.0	10m	25 †			7pZ	PL	TO18			
35#	2SC16A	250m	100MΔ	1.7m	5J	25	20	5.0	30m	1.0u	1.0	10m	30 †			7pZ	PL	TO18			
36	MT870	250m	100MΔ	1.7m	5J	100		7.0		.01u	10	150m	80 †			15p	PE	u13			
37	MT871	250m	100MΔ	1.7m	5J	100		7.0		.01u	10	150m	200 †			15p	PE	u13			
38	MT910	250m	100MΔ	1.6m	5J	100		7.0		25n	5.0	1.0m	100 †			15p	PE	u13			
39	MT911	250m	100MΔ	1.6m	5J	100		7.0		25n	5.0	1.0m	50 †			15p	PE	u13			
40	MT912	250m	100MΔ	1.6m	5J	100		7.0		25n	5.0	1.0m	30 †			15p	PE	u13			
41	MT1893	250m	100MΔ	1.7m	5J	120		7.0		.01u	10	150m	80 †			15pZ	PE	u13			
42#	2SC17	250m	150MΔ	1.7m	5J	20	20	5.0	50m	2.5u	6.0	2.0m	30			4.0p	PL	TO18			
43#	2SC17A	250m	150MΔ	1.7m	5J	25	20	5.0	50m	1.0u	10	10m	30			4.0p	PL	TO18			
44#	2SC360	250m	150MΔ	1.7m	5J	30	18	5.0	100m	1.0u	10	10m	100			7pZ	PL	TO18			
45#	BFY391	250m	150MΔ	1.7m	5J	45	25	5.0	100m	.05u	10	10m	35 Δ	8.0u	3.2k	30	5.0p	PL	TO18		
46#	BFY391	250m	150MΔ	1.6m	5J	45	25	5.0	100m	5.0n	10	10m	35 Δ	8.0u	3.2k	30	5.0p	PL	TO18		
47	PMT218	250m	150M	1.7m	5J	60		5.0		1.0u	10	150m	75 †			20p	MEA	TO51			
48	PMT219	250m	150M	1.7m	5J	60		5.0		1.0u	10	150m	75 †			20p	MEA	TO51			
49	2N958	250m	200M		5J	25	15	5.0		10u	10	10m	2.0 Δ			7pZ	ME	u5			
50	2N2214	250m	200MΔ		5J	25	15	5.0		5.0n	1.0	10m	2.0 Δ			7.0pZ	PL	TO51			
51#	2SC103	250m	200MΔ	1.7m	5J	25	20	5.0	50m	1.0u	1.0	10m	35 †			7pZ	PL	TO18			
52	GME2001	250m	200MΔ	2.5m	5J	35	20	4.0		.05u	1.0	10m	40 Δ			5pZ	DPL	X45			
53	GME2002	250m	200MΔ	2.5m	5J	35	20	4.0		.05u	1.0	10m	100 Δ			5pZ	DPL	X45			
54	MT753	250m	200M	1.7m	5J	25		5.0		.50u	1.0	10m	80			5.0p	ME	u13			
55	PMT1787M	250m	200M	7.7m	5J	25		5.0	200m	.50u	10	10m	40 Δ			5.0p	PL	u7			
56	PMT1787T	250m	200M	7.7m	5J	25		5.0	200m	.50u	10	10m	40 Δ			5.0p	PL	u7			
57#	2SC103A1	250m	250MΔ	1.7m	5J	30	20	5.0	80m	1.0u	1.0	10m	80 †			4.0p	PL	TO18			
58#	2SC104	250m	250MΔ	1.7m	5J	25	20	5.0	50m	1.0u	1.0	10m	32			4.0p	PL	TO18			
59#	2SC323	250m	250MΔ	1.7m	5J	40	20	5.0	100m	1.0u	1.0	10m	90 †			3.0p	PE	TO18			
60	CS24811	250m	300MΔ		5J	40	15	5.0		1.0u	1.0	10m	40 †#Δ	60		5pZ	DEA	R97a			
61	GME1001	250m	300MΔ	2.5m	5J	45	45	4.0		.05u	1.0	10m	40 Δ			2.5pZ	DPL*	X45			
62	GME1002	250m	300MΔ	2.5m	5J	45	45	4.0		.05u	1.0	10m	100 Δ			2.5pZ	DPL*	X45			
63	GME90211	250m	300MΔ	2.5m	5J	40	15	5.0		.05u	1.0	10m	30 Δ			6pZ	PE	X45			
64	GME90221	250m	300MΔ	2.5m	5J	25	12	4.0		.50u	1.0	10m	30 Δ			6pZ	PE	X45			
65	MT706	250m	300MΔ	1.7m	5J	25		3.0		.50u	1.0	10m	20 †			5.0p	ME	u13			
66	MT706A	250m	300MΔ	1.7m	5J	25		3.0		.50u	1.0	10m	40 †			5.0p	ME	u13			
67	MT706B	250m	300MΔ	1.7m	5J	25		5.0		.											

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1] MAX. COLL. DISS. @25°C (W)	2] DERATE IN FREE AIR (Hz)	T ABS MAX RATINGS @25°C				MAX. TYPICAL h _{FE} PARAMETERS			Cob (F)	DESCRIPTION		L E A D O U T			
				M E M C P	BVcbo (V)	BVceo (V)	BVebo (V)	Ic (A)	Icbo @MAX Vcb (A)	BIAS			Cob (F)		STRUC-TURE	DWG. No.	
										Vcb (V)		Ie (A)					hfe
1	HVT200	300m	6.0M	333u	200	200	6.0	200u	7.0	5.0m	20	6.0p	ME	TO46			
2	HVT400	300m	6.0M	333u	400	300	6.0	200u	7.0	5.0m	20	6.0p	ME	TO46			
3	HVT600	300m	6.0M	333u	600	400	6.0	200u	7.0	5.0m	25	6.0p	ME	TO46			
4	HVT800	300m	6.0M	333u	800	400	6.0	200u	7.0	5.0m	30	6.0p	ME	TO46			
5	HVT900	300m	6.0M	333u	900	400	6.0	200u	7.0	5.0m	30	6.0p	ME	TO46			
6	HVT1000	300m	6.0M	333u	1.0k	400	6.0	200u	7.0	5.0m	30	6.0p	ME	TO46			
7	2N3462	300m	10M Δ	2.0m	50	35	5.0	10u	5.0	1.0m	150 Δ	100u	20k	6.0p	TO18		
8	BSY68	300m	20M Δ		120		5.0	50m		10m	20 t			6.0p	TO5		
9	2N929/51	300m	30M Δ	1.6m	45	45	5.0	30m	10u	5.0	60 Δ	1.0u	32 Ω	8.0p	TO51		
10	2N930/51	300m	30M Δ	1.6m	45	45	5.0	30m	10u	5.0	150 Δ	1.0u	32 Ω	8.0p	TO51		
11	ST1700	300m	30M Δ	1.6m	60	30	5.0	20m	5.0	10m	80 t Δ	1.0u	32 Ω	8.0p	TO18		
12	2N841/46	300m	40M Δ	2.3m	45	45	5.0	50m	1.0u	5.0	140	350nb	40	2.0	8.0p	TO46	
13#	SDD421	300m	40M Δ	2.5m	50	30	8.0	300m	100u	15	6.0m	30 Δ	50u	650	4.0p	TO46	
14	2N3463	300m	45M Δ	2.0m	60	45	6.0	30m	2.0u	5.0	150 Δ	100u	14k	6.0p	TO18		
15	11C702	300m	50M Δ	2.0m	60	40	5.0	1.0	10m	10	150m	100 t Δ		2.0p	TO50		
16	11C704	300m	50M Δ	2.0m	80	50	8.0	1.0	10m	10	150m	40 t Δ		2.0p	TO50		
17	11C710	300m	50M Δ	2.0m	120	80	7.0	1.0	10m	10	150m	40 t Δ #		15p	TO50		
18#	BCY51	300m	50M Δ	2.0m	30	20	5.0	100m	50m	1.5	100m	60 t Δ	10u	4.2k	25	10p	TO18
19#	ST541	300m	50M Δ	2.0m	20	20	5.0	100m	50m	3.0	1.0m	30 t Δ				10p	TO18
20	A133	300m	60M Δ	2.0m	120	80	5.0	20u	3.0	4.0m	20 t Δ			3.6p	PE	TO18	
21	A323	300m	60M	2.0m	30	30	5.0	30m	100n	5.0	10m	300 t				3.6p	PL
22	A324	300m	60M	2.0m	30	30	5.0	30m	100n	5.0	10m	400 t				3.5p	PL
23#	SDD821	300m	70M Δ	2.5m	50	30	6.0	100m	100u	15	6.0m	30 Δ	100u	700	20p	TO46	
24	CS7181	300m	80M Δ		60	40	5.0	1.0u	10	15	150m	40 Δ #	12u	2.2k	3.6	35p	D
25	CS720A	300m	80M Δ		120	80	7.0	10m	10	10	150m	40 t Δ #	500n	30 Ω	1.3 Ω	15p	PL
26	2N2297/51	300m	96M Δ	1.7m	80	35	7.0	.01u	10	10	150m	40 t Δ #	3.5u	1.0	1.2p	PE	
27	CS718A	300m	96M Δ		75	50	7.0	10m	10	10	150m	40 t Δ #	500n	34 Ω	3.0 Ω	25p	PLT
28	2N1958/181	300m	100M Δ		60	40	5.0	500m	50u	10	150m	40 Δ #			18p	PE	
29	2N1959/181	300m	100M Δ		60	40	5.0	500m	50u	10	150m	80 Δ #			18p	E	
30	2N1959A/511	300m	100M Δ	1.7m	60	40	5.0	20u	10	10	25 Δ			14p	D		
31	2N2571	300m	100M Δ	2.0m	20	15	15	10m	10	100m	50 t Δ			10p	TO18		
32	2N2572	300m	100M Δ	2.0m	20	15	15	10m	10	100m	50 t Δ			10p	TO18		
33	T1411	300m	100M Δ	3.3m	50	30	5.0	800m	500m	2.0	50m	180 t Δ			12p	PE	
34	CS956	300m	110M Δ		75	50	7.0	10m	10	10	150m	100 t Δ #	500n	34 Ω	5.0 Ω	25p	PL
35	D11C702	300m	130M Δ	1.7m	40	5.0		15u	10	10	150m	100 t Δ			PE	TO50	
36	D11C704	300m	130M Δ	2.0m	50	8.0		25u	10	10	150m	40 t Δ			PE	TO50	
37	D11C710	300m	130M Δ	1.7m	80	7.0		15u	10	10	150m	40 t Δ			PE	TO50	
38	2N7281	300m	150M	4.0m	15	15	3.0	5u	10	10	10m	7.5		8.0p	ME		
39	2N7291	300m	150M	4.0m	30	3.0		5u	10	10	10m	7.5		8.0p	ME		
40	2N4098*	300m	150M Δ	1.8m	55	55	7.0	10m	100m	1.0	1.0m	175 t Δ			800p	L2m	
41	2N706A/511	300m	200M Δ	2.5m	25	15	5.0	10u	1.0	1.0	10m	20		3.5p	ME		
42	2N706C/511	300m	200M Δ	1.6m	40	15	5.0	200m	1.0u	1.0	10m	20 t Δ #			5.0p	E	
43	2N753/511	300m	200M Δ	2.5m	25	20	5.0	200m	500m	1.0	10m	40 t Δ			5.0p	E	
44	2N23971	300m	200M Δ	1.7m	35	20	5.0	200m	1.0u	1.0	10m	25 t Δ			5p	EM	
45	2N2719	300m	200M Δ	2.0m	25	8.0	3.0	200m	5.0	5.0	60m	30 t Δ			6p	E	
46	402181	300m	200M Δ	2.0m	25	20	5.0	50m	500m	1.0	10m	20 t Δ			5.0p	PE	
47	402221	300m	200M Δ	2.0m	25	20	5.0	200m	30m	1.0	10m	20 t Δ			6.0p	PE	
48#	BF169	300m	200M Δ	2.0m	20	15	3.0	10u	10	10	10m	35 t Δ			6.0p	E	
49	NS200	300m	200M Δ	1.7m	25	5.0	100m		5.0	10m	15 t			8.0p	ME		
50#	PEP9	300m	200M Δ	2.0m	40	20	5.0	200m	50m	4.0	10m	40 t Δ			6.0p	PE	
51#	ST511	300m	200M Δ	2.0m	25	15	6.0	100m	50m	3.5	10m	40 t Δ			6.0p	PE	
52#	TK255A	300m	200M Δ	2.0m	20	15	6.0	100m	25m	9.0	10m	2.0 Δ			6.0p	PE	
53#	TK256A	300m	200M Δ	2.0m	20	15	6.0	100m	25m	9.0	10m	2.0 Δ			6.0p	PE	
54#	TK264A	300m	200M Δ	2.0m	40	3.0	3.0	100m	.01u	9.0	10m	25 Δ			5.5p	PL	
55	A157	300m	250M Δ	2.0m		45	5.0	100m	5.0	2.0m	300	22u	4.8k	2.5	4.5p	PE	
56	A158	300m	250M Δ	2.0m		20	5.0	100m	5.0	2.0m	300	22u	4.8k	2.5	4.5p	PE	
57	A747	300m	250M	2.0m		45	5.0	100m	5.0	2.0m	210					PE	
58	A748	300m	250M Δ	2.0m		20	5.0	100m	5.0	2.0m	300	22u	4.8k	2.5	4.5p	PE	
59#	STO1	300m	250M Δ	500u	35	14	5.0		50n	1.0	10m	35 t Δ			12p	PE	
60#	ST5011	300m	270M Δ	500u	35	15	4.5		25m	1.0	10m	22 t Δ			12p	PE	
61#	ST5021	300m	270M Δ	500u	35	15	6.0		25m	1.0	10m	20 t Δ			5.0p	PE	
62	JAN2N8511	300m	300M Δ	2.0m	20	12	5.0	200m	.35	35	10m	20 t Δ			5.0p	PE	
63	JAN2N8521	300m	300M Δ	2.0m	20	12	5.0	200m	.35	35	10m	60 t Δ			5.0p	PE	
64	2N988	300m	300M Δ	2.0m	20	10	3.0	200m	50u	1.0	10m	20 t Δ			4.0p	PE	
65	2N989	300m	300M Δ	2.0m	20	10	3.0	200m	50u	1.0	10m	20 t Δ			4.0p	PE	
66	2N1708A1	300m	300M Δ	2.0m	40	15	5.0	500m	25m	1.0	10m	30 t Δ			3.5p	PE	
67	2N2319	300m	300M Δ	1.7m	30	5.0		1.0u	4.0	2.0m	40 t			5.0p	PE		
68	2N3310	300m	300M Δ	1.7m	35	15	3.0	200m	2.0	2.0m	10 t Δ			3p	PL		
69	A157C	300m	300M Δ	2.0m		45	5.0	100m	5.0	2.0m	450 Δ			4.5p	PE		
70	A159	300m	300M Δ	2.0m		20	5.0	100m	5.0	2.0m	500	22u	7.3k	3.5	4.5p	PE	
71	A3441	300m	300M Δ	2.0m		20	5.0	100m	.10u	.35	10m	30 t Δ			5p	PE	
72	A3451	300m	300M Δ	2.0m		20	5.0	100m	.10u	.35	10m	30 t Δ			5p	PE	
73	A3461	300m	300M Δ	2.0m		20	5.0										

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 fab (Hz)	DERATE IN FREE AIR W/°C	M A M X P	ABS MAX RATINGS @25°C						MAX. I _{cb0} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						DESCRIPTION	L C O A D E				
						V _{be} (V)	V _{ce0} (V)	V _{be0} (V)	I _c (A)	V _{cb} (V)	I _e (A)		h _{fe}	COMMON EMITTER			Cob (F)	STRUC TURE			DWG. No.			
													BIAS											
													V _{cb} (V)	I _e (A)	h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)						
1	2N835/51†	300m	450M	2.5m	§J	25	20	3.0	200m	50u	1.0	10m	40	†	2.8p	ME	T051							
2	2SC396	300m	450M	2.0m	§J	40	20	5.0	200m	10u	1.0	10m	200	†	3.0p	PE	T018							
3	2N834/51†	300m	500M	2.5m	§J	40	30	5.0	200m	50u	1.0	10m	40	†	2.8p	ME	T05							
4	MM1943	300m	500MΔ	2.0m	§J	40	40	5.0	200m	100n	1.0	10m	50	†	4.0p	E	T018		∅					
5	ST6110†	300m	500M	1.6m	§J	10	5.0	3.0	50m	50n	50	10m	20			PE	T018							
6	78EP†	300m	600MΔ	3.0m	†J	15	6.0	4.0	200m#	.05u	.40	20m	30	†	3p	PL†	u46		A					
7	ST71	300m	600MΔ	2.5	§S	25	15	3.0	10n	1.0	3.0m	20	†	3.0p	PE	T018		∅						
8	ST72	300m	600MΔ	2.5	§S	25	15	3.0	10n	1.0	3.0m	50	†	3.0p	PE	T018		∅						
9	2N2368/51†	300m	640MΔ	1.7m	§J	40	15	4.5	500m	40u	1.0	10m	40	†	4p	PEΔ	T051							
10	40404	300m	700M	2.0m	§A	40	16	5.0	500m	25n	2.0	50m	65	†	4.0p	PE	T052		A∅					
11	2N709/52†	300m	800MΔ	1.7m	§J	15	6.0	4.0	.05u	.50	10m	55	†	3p	PE	T052								
12	2N709A/51†	300m	800M	1.6m	§J	15	6.0	4.0	5.0n	.50	10m	60	†	3.0p	PE	T051								
13	2N917/51	300m	800MΔ	1.6m	§J	30	15	3.0	1.0n	1.0	3.0m	20	†	1.7p	PLΔ	T051								
14	2N2369/51†	300m	800MΔ	1.7m	§J	40	15	4.5	500m	40u	1.0	10m	80	†	4p	PE	T051							
15	2N2475/51†	300m	800M	1.7m	§J	15	6.0	4.0	10u	.40	20m	50	†	2.4p	PE	T051								
16	ST6125	300m	800MΔ	1.6m	§J	10	5.0	3.0	50n	.50	10m	20	†	3.0p	PEΔ	T018		A						
17	S5327E	300m	900M	1.7m	†J	30	15	3.0	10u	†				2.2p	PE	T018								
18	2N918/51	300m	960MΔ	1.7m	§J	30	15	3.0	.01u	3.0	30m	20	†	1.7p	PE∅Δ	T051								
19	2N2784/51†	300m	1.0G	1.7m	§J	15	6.0	4.0	5n	.50	10m	120	†	3p	PE	T051		A						
20	2N2784/52†	300m	1.0GΔ	1.7m	§J	15	6.0	4.0	5n	.50	10m	120	†	3p	PE	T052								
21	ST6120†	300m	1.0G	1.6m	§J	10	5.0	3.0	50m	50n	.50	10m	20		3p	PE	T018							
22	2N709/51†	300m	1.2G	1.7m	§J	15	6.0	4.0	.05u	.50	10m	55	†	3p	PE	T051								
23	2N3633/52†	300m	1.3GΔ	1.7m	§J	15	6.0	4.0	5n	.50	10m	50	†	2.5p	PE	T052								
24	D33K1	330m	3.3m	5.0	§J	30	5.0	5.0	1.0	20n	1.0	500m	35		9.0p		T098		B					
25	D33K2	330m	3.3m	70	§J	40	5.0	1.0	20n	1.0	500m	35		9.0p		T098		B						
26	D33K3	330m	3.3m	80	§J	50	5.0	1.0	20n	1.0	500m	35		9.0p		T098		B						
27	RT730M†	350m	2.0M	2.3m	§J	60	5.0	5.0	1.0u	10	150m	40	†	35p	PL	T046								
28	RT731M†	350m	2.0M	2.3m	§J	60	5.0	5.0	1.0u	10	150m	80	†	35p	PL	T046								
29	ZT27	350m	70MΔ	2.8m	§J	100	100	6.0	50m	50u	6.0	10m	38	†		PE	T05							
30	RT910M	350m	96MΔ	2.0m	§J	100	60	7.0	25n	.50	1.0m	125		130nb	16	750m	15	PE	T018					
31	FM2242†	350m	250MΔ	2.0m	§J	40	15	5.0	225m	100n	1.0	10m	40	†	6.0p	PE	T046		∅					
32	USAF522ES075M†	350m	250MΔ	1.4m	§J	35	20	5.0	200m	20n	10	10m	30	†		PLE	X34		Δ					
33	USAF522ES076M†	350m	250MΔ	1.4m	§J	35	20	5.0	200m	20n	10	10m	30	†		PLE	X34		Δ					
34	USAF523ES077M†	350m	250MΔ	1.4m	§J	35	18	5.0	200m	100n	10	10m	30	†		PLE	X34		Δ					
35	USAF523ES078M†	350m	250MΔ	1.4m	§J	35	18	5.0	200m	100n	10	10m	30	†		PLE	X34		Δ					
36	2N1992†	350m	430M	2.0m	§J	15	6.0	5.0	50m	50n	2.0	1.0m	70		500nb	30	11	5.0p	EA	T018				
37	NS9710	350m	1.0G	2.0m	†J	30	20	4.0	100m	10u	10	4.0m	30	†	65u	475	2.7	1.0p	PE	T072				
38	ME495	360m	2.0m	2.0m	§J	40	5.0	5.0	1.0u	5.0	10m	120	†					PL	T018					
39	SPC42	360m		2.5	§S	25	10	6.0	50n									PE	T018					
40	PT703	360m	30.M	2.0m	§J	25	25	5.0	200m	5.0u	10	80	†					PE	T018					
41	ST250	360m	40MΔ	2.0m	§S	60	40	6.0	100n	10	150m	40	†	25p	PE	T018								
42	ST251	360m	60MΔ	2.0m	§S	60	40	6.0	10n	10	150m	100	†	25p	PE	T018								
43	TC2483	360m	60MΔ	2.0m	§J	60	60	6.0	.01u	5.0	0.1m	40	†	6p	PE	T018								
44	TC2484	360m	60MΔ	2.0m	§J	60	60	6.0	.01u	5.0	0.1m	100	†	6p	PE	T018								
45	ME900A	360m	100MΔ	2.0m	§J	40	20	5.0	10n	5.0	100u	70	†	1.0ub	32	10	6.0p	PL∅	T018					
46	ME901A	360m	100MΔ	2.0m	§J	40	20	5.0	10n	5.0	100u	175	†	1.0ub	32	10	6.0p	PL∅	T018					
47	NS1900	360m	100MΔ	2.0m	§A	100	60	10	1.0n	5.0	10u	200	†	5.0p	PE	T018								
48	ST06	360m	100MΔ	2.0m	§S	50	35	5.0	20n	5.0	10m	80	†	6.0p	PEΔ	T018								
49	GME6003	360m	150MΔ	3.6m	†J	25	25	4.0	.10u	5.0	50m	30	†	12p	PE	X45								
50	PET6003	360m	150M	2.5	†J	25	25	4.0	10u	5.0	50m	100	†	12p	PE	T018								
51	BC152	360m	180M	2.8m	§J	35	35	5.0	500m	50n	10	1.0m	220		14u	6.1k	2.9		PE	T098				
52	BC180	360m	180M	2.8m	§J	45	45	5.0	500m	50n	10	1.0m	210		13u	5.9k	2.7		PE	T098				
53	GME6001	360m	200MΔ	3.6m	†J	40	30	5.0	.05u	1.0	50m	30	†	10p	PE	X45								
54	GME6002	360m	200MΔ	3.6m	†J	40	30	5.0	.05u	1.0	50m	75	†	10p	PE	X45								
55	LDS208†	360m	200MΔ	2.9m	§J	60	30	5.0	10n	10	300m	30	†	8.0p	PE	u34				A				
56	C63	360m	250MΔ	2.0m	§A	50	35	5.0	25n	5.0	10m	35	†	3.0p	PL	T018								
57	C64	360m	250MΔ	2.0m	§A	50	35	5.0	25n	5.0	10m	65	†	3.0p	PL	T018								
58	LDS206†	360m	250M	2.0m	§J	40	15	5.0	1.0u	5.0	10m	100	†	6.0p	PE	T0122				P				
59	PPT720	360m	250MΔ	2.0m	§J	25	15	5.0	200m	50u	10	10m	40	†	5.0p	PL	T046							
60	PT2760	360m	250MΔ	2.0m	§J	35	20	4.0	200m	15u	10	10m	40	†	5.0p	PE†	T018							
61	ST43	360m	250MΔ	2.0m	§S	75	50	5.0	25n	5.0	10m	100	†	5.0p	PEΔ	T018								
62	2N784A/46†	360m	300M	2.0m	§J	40	20	5.0	200m	100u	1.0	10m	88	†	3.5p	E	T046				∅			
63	2N784A/51†	360m	300MΔ	2.0m	†J	40	20	5.0	200m	100u	1.0	10m	88	†	3.5p	PE	T051				∅			
64	2N914A†	360m	300MΔ	2.0m	§J	40	15	5.0	5.0n	1.0	10m	30	†	6.0p	PE	R64								
65	2N2272†	360m	300MΔ	2.0m	§J	40	15	5.0	500m	25n	1.0	10m	60	†	6.0p	PE	T018							
66	2N4421†	360m	300MΔ	2.6m	§S	30	12	5.0	50n	.40	30m	25	†	5.0p	PE	X55					A			
67	2SC621	360m	300MΔ	2.0m	§J	40	15	5.0	.02u	1.0	10m	3.0		6.0p	PL	T018								
68	40219†	360m	300MΔ	2.0m	§J	40	15	5.0	30n	1.0	10m	30	†	6.0p	PE	T052					∅			
69	40221†	360m	300MΔ	2.0m	§J	40	15	5.0	30n	1.0	10m	30	†	6.0p	PE	T052					∅			
70	ST021	360m	300MΔ	2.0m	§J	40	20	5.0	20n	1.0	10m	20	†	6.0p	PEΔ	T018								
71	ST031	360m	300MΔ	2.0m	§S	40	20	5.0	20n	1.0	10m	20	†	6.0p	PEΔ	T018								
72	ST041	360m	300MΔ	2.0m	§S	40	20	5.0	20n	1.0	10m	40	†	6.0p	PEΔ	T018								
73	ST051	360m	300MΔ	2.0m	§S	40	20	5.0	20n	1.0	10m	100	†	6.0p	PEΔ	T018								
74	ST69†	360m	300MΔ	2.0m	§S	40	15	5.0	25n	1.0	10m	30	†	6.0p	PEΔ	T018								
75	ST59†	360m	300MΔ	2.0m	§S	40	15	5.0	25n	1.0	10m	30	†	9.0p	PEΔ	T018								
76	2N4420†																							

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN FREE AIR W/°C (Hz)	M E M P	ABS MAX RATINGS @25°C				MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						DESCRIPTION	L C O D E				
					BV _{ceo} (V)	BV _{ceo} (V)	BV _{ebo} (V)	I _c (A)		BIAS			COMMON EMITTER					Cob (F)	STRUCTURE	DWG. No.	
										V _{cb} (V)	I _e (A)	h _{fe}	h _{oe} (mhos)	h _{ie} (Ω)	X.0001 h _{re}						
1	2N930A/46	400m	30MΔ	3.0m	SJ	60	45	8.0	30m	2.0m	5.0	1.0m	150	1.0ub	28	8.0	4.0p	PL	TO46		
2	2N2517	400m	30MΔ	2.3m	SS	125	80	6.0	50m	5n	5.0	1.0m	15 Δ	1.0ub	1.2k	4.0p	PL	TO46			
3	NS475	400m	80MΔ	2.2m	S	30	30	6.0	50m	200n	5.0	1.0m	35	1.0nZb	80	8.0p	MEΔ	TO46			
4	NS476	400m	80MΔ	2.2m	S	30	30	6.0	50m	50u	5.0	1.0m	70	1.0nZb	80	8.0p	MEΔ	TO46			
5	NS477	400m	80MΔ	2.2m	S	30	30	6.0	50m	50u	5.0	1.0m	190	1.0nZb	80	8.0p	MEΔ	TO46			
6	NS478	400m	80MΔ	2.2m	S	60	60	8.0	50m	50u	5.0	1.0m	35	1.0nZb	80	8.0p	ME	TO46			
7	NS479	400m	80MΔ	2.2m	S	60	60	8.0	50m	50u	5.0	1.0m	70	1.0nZb	80	8.0p	ME	TO46			
8	NS480	400m	80MΔ	2.2m	S	60	60	8.0	50m	50u	5.0	1.0m	190	1.0nZb	80	8.0p	ME	TO46			
9	NS731	400m	80M	2.2m	SJ	15	15	4.0	100m	1.0u	5.0	1.0m	33	800nb	35	6.0	5.0p	MEΔ	TO18		
10	NS731A	400m	80M	2.6m	SJ	15	15	4.0	100m	100n	5.0	100u	20 Δ	800nb	35	6.0	5.0p	ME	TO18		
11	NS732	400m	80M	2.2m	SJ	15	15	4.0	100m	1.0u	5.0	1.0m	83	800nb	35	6.0	5.0p	MEΔ	TO18		
12	NS732A	400m	80M	2.6m	SJ	15	15	4.0	100m	100n	5.0	100u	80 Δ	800nb	35	6.0	5.0p	ME	TO18		
13	NS733	400m	80M	2.2m	SJ	30	30	4.0	100m	1.0u	5.0	1.0m	35	800nb	35	6.0	5.0p	MEΔ	TO18		
14	NS733A	400m	80M	2.6m	SJ	30	30	4.0	100m	100n	5.0	100u	20 Δ	800nb	35	6.0	5.0p	ME	TO18		
15	NS734	400m	80M	2.2m	SJ	30	30	4.0	100m	1.0u	5.0	1.0m	80	800nb	35	6.0	5.0p	MEΔ	TO18		
16	NS734A	400m	80M	2.6m	SJ	30	30	4.0	100m	100n	5.0	100u	80 Δ	800nb	35	6.0	5.0p	ME	TO18		
17	NS1972	400m	90MΔ	2.2m	SJ	25	15	5.0	100n	5.0	5.0	100u	40 Δ	500nb	27	6.0	5.0p	TO18	A		
18	NS1973	400m	90MΔ	2.2m	SJ	25	15	5.0	100n	5.0	5.0	100u	100 Δ	500nb	27	6.0	5.0p	TO18	A		
19	NS1974	400m	90MΔ	2.2m	SJ	25	15	5.0	100n	5.0	5.0	100u	40 Δ	500nb	27	6.0	5.0p	TO46			
20	NS1975	400m	90MΔ	2.2m	SJ	25	15	5.0	100n	5.0	5.0	100u	100 Δ	500nb	27	6.0	5.0p	TO46			
21	2N1964†	400m	100MΔ	2.7m	SJ	60	40	5.0	500m	50u	10	150m	20 Δ	18pZ		5.0p	18pZ	TO46	A		
22	2N1964/46†	400m	100MΔ	2.7m	SJ	60	40	5.0	500m	50u	10	150m	40 Δ	18pZ		5.0p	18pZ	TO46	A		
23	2N1965†	400m	100MΔ	2.7m	SJ	60	40	5.0	500m	50u	10	150m	40 Δ	18pZ		5.0p	18pZ	TO46	A		
24	2N1965/46†	400m	100MΔ	2.7m	SJ	60	40	5.0	500m	100u	10	150m	80	18pZ		5.0p	18pZ	TO46	A		
25	ST6593	400m	100MΔ	2.2m	SJ	60	30	5.0	50n	50n	10	150m	20 Δ	10pZ		5.0p	10pZ	TO18			
26	ST6594	400m	100MΔ	2.2m	SJ	60	30	5.0	50n	50n	10	150m	100 Δ	10pZ		5.0p	10pZ	TO18			
27	RT409E	400m	150M	3.0m	SJ	60	30	5.0	50u	10	150m	40 Δ	15p	10pZ		5.0p	10pZ	TO18			
28	RT896AM	400m	150M	4.5m	SJ	60	30	5.0	100n	10	5.0m	45 Δ	500nb	5.4	1.0	20	PL	TO46			
29	RT897AM	400m	150M	2.6m	SJ	60	30	5.0	100n	10	10m	70 Δ	500nb	5.4	1.0	20	PL	TO46			
30	ST6600	400m	150MΔ	2.2m	SJ	50	30	5.0	50n	10	150m	40 Δ	11pZ		5.0p	11pZ	TO18				
31#	FT005	400m	175MΔ	3.2m	SS	50	25	6.0	75m	100u	15	6.0m	35	120u	600	7pZ	ME	TO5			
32#	FT006	400m	175MΔ	3.2m	SS	50	25	6.0	75m	100u	15	6.0m	70	120u	600	7pZ	ME	TO5			
33	RT698M	400m	180M	4.0m	SJ	120	50	5.0	5.0n	10	150m	40 Δ	1p			1p	PL	TO46			
34	RT719M†	400m	180M	2.3m	SJ	120	50	5.0	2.0u	10	150m	30 Δ	14p			14p	PL	TO46			
35	2N706C/46†	400m	200MΔ	2.3m	SJ	40	15	5.0	200m	1.0u	1.0	10m	20 Δ	5pZ		5pZ	PL	TO46			
36	2N1962†	400m	200MΔ	2.7m	SJ	40	20	5.0	200m	25u	1.0	10m	20 Δ	3.5pZ		3.5pZ	E	TO46	A		
37	2N1962/46†	400m	200MΔ	2.7m	SJ	40	20	5.0	200m	25u	1.0	10m	50 Δ	3.5pZ		3.5pZ	E	TO46	A		
38	2N1963†	400m	200MΔ	2.7m	SJ	30	15	5.0	200m	25u	1.0	10m	25 Δ	3.5pZ		3.5pZ	E	TO46	A		
39	2N1963/46†	400m	200MΔ	2.7m	SJ	30	15	5.0	200m	100u	1.0	10m	25 Δ	3.5pZ		3.5pZ	E	TO46	A		
40	2N2098A	400m	200MΔ	2.2m	SJ	60	60	5.0	0.1u	1.0	1.0m	40 Δ	8.0p			8.0p	PE	TO18			
41	2N2097A	400m	200MΔ	2.2m	SJ	60	60	5.0	0.1u	1.0	1.0m	100 Δ	8.0p			8.0p	PE	TO18			
42	2N2618/46	400m	200MΔ	1.7m	WJ	60	40	7.0	750m	250n	10	10m	30 Δ	14pZ		14pZ	EM	TO46	A		
43#	SDD3000	400m	200MΔ	3.2m	SS	30	20	3.0	100m	100u	15	6.0m	15 Δ	10p		10p	ME	TO5			
44#	FT052	400m	275M	3.1m	SS	60	40	3.0	100m	100u	15	6.0m	40	5pZ		5pZ	ME	TO5			
45#	FT008	400m	300MΔ	3.2m	SS	50	30	5.0	75m	100u	15	6.0m	30	150u	600	4pZ	ME	TO5			
46#	FT008A	400m	300MΔ	3.2m	SS	50	30	5.0	75m	100u	15	6.0m	60	150u	1.2k	4pZ	ME	TO5			
47#	FT053	400m	300M	3.1m	SS	100	60	5.0	100m	100u	15	6.0m	60	5pZ		5pZ	ME	TO5			
48	40283†	400m	375MΔ	2.2m	SJ	60	30	5.0	500m	1.0	500m	10 Δ	5.8p			5.8p	DPE	TO46	A		
49	2N706B/46	400m	400MΔ	3.3m	SJ	25	20	5.0	200m	10u	1.0	10m	40 Δ	4.5p		4.5p	PE	TO46			
50	2N743/46†	400m	400MΔ	3.3m	SJ	20	12	5.0	200m	.35	1.0	10m	40 Δ	5pZ		5pZ	EM	TO46			
51	2N744/46†	400m	400MΔ	3.3m	SJ	20	12	5.0	200m	.35	1.0	10m	80 Δ	5pZ		5pZ	EM	TO46			
52	2N835/46†	400m	450MΔ	3.3m	SJ	25	20	3.0	200m	50u	1.0	10m	40 Δ	2.8p		2.8p	ME	TO46			
53	2N709A/46†	400m	800MΔ	2.2m	SJ	15	6.0	4.0	5.0n	5.0	1.0m	10m	60 Δ	3.0pZ		3.0pZ	PL	TO46			
54	2N917/46	400m	800MΔ	2.2m	SJ	30	15	3.0	1.0n	1.0	3.0m	20 Δ	1.7pZ		1.7pZ	PE	TO46				
55	2N2475/46†	400m	800MΔ	2.3m	SJ	15	6.0	4.0	10u	4.0	20m	50 Δ	2.4p		2.4p	PE	TO46				
56	2N918/46	400m	960MΔ	2.3m	SJ	30	15	3.0	.01u	3.0	30m	20 Δ	1.7pZ		1.7pZ	PE	TO46				
57	2N3633/46	400m	1.3GΔ	2.3m	SJ	15	6.0	4.0	50m	5n	5.0	10m	150 Δ	2.5pZ		2.5pZ	PE	TO46			
58#	MC104	450mZ		5.0m	SJ	60	30	5.0	200m	5.0u	1.0	10m	10								
59#	MC105	450mZ		5.0m	SJ	100	60	5.0	200m	5.0u	1.0	10m	10								
60#	MC106	450mZ		5.0m	SJ	60	30	5.0	300m	5.0u	1.0	10m	10								
61#	MC107	450mZ		5.0m	SJ	100	60	5.0	300m	5.0u	1.0	10m	10								
62	CS696†	450m	64.MΔ		SJ	60	40	5.0	1.0u	10	150m	20 Δ	35pZ		35pZ	D	R97				
63	CS1893	450m	80.MΔ		SJ	120	80	7.0	0.1u	10	150m	80 Δ	11u	2.8k	3.6	15pZ	PL	R97			
64	CS1613	450m	130M		SJ	75	50	7.0	10n	10	150m	80 Δ	12u	2.2k	3.6	25pZ	PL	R97			
65	RT7007E	450m	150M	3.0m	SJ	60	50	5.0	50u	10	150m	40 Δ	23u	4.4k	7.3	15p	ME	TO18			
66	CS1711	450m	160M		SJ	75	50	7.0	10n	10	150m	130 Δ	25pZ		25pZ	PL	R97				
67	CS2218†	450m	400MΔ		SJ	60	30	5.0	.01u	10	150m	80 Δ	4.0p		4.0p						
68	CS2219†	450m	400MΔ		SJ	60	30	5.0	.01u	10	150m	150 Δ	4.0p		4.0p						
69	11B1259	500m		2.8m	SJ	100	60	7.0		10	150m	80 Δ	1.0uZb	8.0	4.0	15pZ	PL	TO18			
70	K4002	500m		5.0m	SJ	30	12	2.0	50u	5.0	1.0m	20 Δ	1.0uZb	8.0	4.0	15pZ	PL	TO18			
71	703B	500m	10MΔ	3.3m	SA	60	30	3.0	50m	1.0u	5.0	1.0m	37 Δ	1.2uZb	38	10	2pZ	PL	RO38	A	
72	CDQ10002	500m	10M	3.3m	SJ	45	45	4.0	25m	500n	5.0	1.0m	16	250nb	25	1.2	7.0p	PL	TO5		
73	NS061	500m	10M	3.3m	SJ	45	45	4.0													

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 DERATE IN AIR W/C (Hz)	T M A X P	ABS MAX RATINGS @25°C				MAX. I _{co} @MAX V _{cb} (A)	TYPICAL h _{FE} PARAMETERS					Cob (F)	DESCRIPTION	L E A D E	
					V _{bcvo} (V)	V _{ce0} (V)	V _{ve0} (V)	I _c (A)		BIAS			COMMON EMITTER					
										V _{cb} (V)	I _e (A)	h _{fe}	h _{oe} (mhos)	h _{ie} (Ω)				h _{re} X.0001
1	NS433	500m	80.M	2.9m	20					4.0	2.0m	5.0 tΔ			8pZ	D	TO18	
2	NS434	500m	80.M	2.9m	20					4.0	2.0m	7.0 tΔ			8pZ	D	TO18	
3	NS435	500m	80.M	2.9m	20					4.0	2.0m	15 tΔ			8pZ	D	TO18	
4	NS436	500m	80.M	2.9m	45					4.0	2.0m	5.0 tΔ			8pZ	D	TO18	
5	NS437	500m	80.M	2.9m	45					4.0	2.0m	15 tΔ			8pZ	D	TO18	
6	NS438	500m	80.M	2.9m	45					4.0	2.0m	7.0 tΔ			8pZ	D	TO18	
7	SA1000	500m	80.M	2.9m	60					4.0	2.0m	15 tΔ			8pZ	D	TO18	
8	2N14441	500m	100M	4.0m	60	30	7.0		10u	5.0	10m	50 tΔ			7.0p	PL	L2	
9	2N1613/46	500m	130M	4.5m	75	50	7.0	250m	.50uZ	5.0Z	250mZ	25 t			32p	DME	TO29	
10#	ZSC26	500m	150M		60			100m	.01uZ	1.0Z	150mZ	80 t#	12.u	2.2k	3.6	32pZ	PLTΔ	TO46
11	2N1711/46	500m	160M	3.8m	75	50	7.0		.01uZ	1.0Z	150mZ	130 t	23.u	4.4k	7.3	4.0p	ME	TO46
12	NS33000	500m	180MΔ	2.9m	60			.01m	.01uZ	1.0Z	100m				8.0pZ	PE	TO18	A0
13	NS21001	500m	200MΔ	3.0m	25	12	3.0		.50uZ	1.0Z	10mZ	20 tΔ			6pZ	E	TO5	
14	NS9713	500m	200MΔ	3.0m	80	60	5.0		100uZ	1.0Z	500mZ	80 t#			10pZ	E	TO18	
15	NS9713	500m	900MΔ	4.0m	30	15	3.0		.01uZ	1.0Z	3.0mZ	50 t			3pZ	E	X16	
16#	BC175	580m	180MΔ	4.5m	35	35	5.0	500m	500n	1.0Z	10mZ	220	14u	6.1k	2.9	100pZ	PE	X28
17	2N1081	600m	5.9m	5.9m	40	40	10	750m	15u	7.0Z	500mZ	20 Δ			100pZ	Δ	TO5	
18	JAN2N1081	600m	5.9m	5.9m	40	40	10	750m	500n	7.0Z	500mZ	20 Δ			100pZ	Δ	TO5	
19	PT898	600m	4.0m	4.8m	45	50	5.0		300uZ									TO5
20	RT5804	600m	4.8m	5.0m	25	7.0												TO5
21#	TF260	600m	5.0m	5.9m	100	20		300m	5.0u	1.0Z	10mZ	10				ME	TO5	
22#	XT1A	600m	5.9m	5.9m	200	135	5.0	300m	50u			12 Δ						TO5
23#	XT1B	600m	5.9m	5.9m	300	200	5.0	300m	50u			12 Δ						TO5
24#	XT1C	600m	5.9m	5.9m	400	265	5.0	300m	50u			12 Δ						TO5
25#	XT1D	600m	5.9m	5.9m	500	350	5.0	300m	50u			12 Δ						TO5
26	A1379	600m	20MΔ	4.0m	30	25	5.0	30m	10nZ	5.0Z	100uZ	100	1.0uZb	32 Z	20mZ	15pZ	PL	TO18
27	A1380	600m	20MΔ	4.0m	30	25	5.0	30m	10nZ	5.0Z	100uZ	300	1.0uZb	32 Z	20mZ	15pZ	PL	TO18
28	PT887	600m	30.M	4.0m	50	45	5.0	500m	300u			80 Z						TO5
29	PT888	600m	30.M	4.0m	50	45	5.0	500m	300u			80 Z						TO5
30	PT897	600m	30.M	4.0m	45	50	5.0	500m	300u			80 Z						TO5
31#	ZT1420	600m	30.MΔ		60		5.0					300						TO5
32#	FT004	600m	50MΔ	2.8m	50	30	6.0		100u	1.0Z	6.0mZ	45 Δ	2.5kZ	5.0 Z		10pZ	ME	TO5
33#	ST1601	600m	50MΔ		40	20	5.0		50nZ	10Z	150mZ	30 t#Δ				25pZ	PE	TO5
34#	ST1611	600m	50MΔ		40	20	5.0		50nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
35#	ST1621	600m	50MΔ		40	20	5.0		50nZ	10Z	150mZ	40 t#Δ				25pZ	PE	TO5
36#	ST1631	600m	50MΔ		40	20	5.0		50nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
37#	ST178	600m	50MΔ	4.0m	75	75	5.0		50nZ	10Z	50mZ	75 t#Δ				15pZ	PE	TO5
38	TRS100A	600m	50MΔ	4.0m	100	100	5.0		3.0uZ	4.0Z	50mZ	30 t#Δ				15pZ	PE	TO5
39	USAF511ES035P	600m	50MΔ	13m	80	70	5.2	1.0	10u	10Z	2.0mΔ	40 tΔ#				35pZ	PL	TO39
40	USAF511ES036P	600m	50MΔ	13m	80	70	5.2	1.0	10u	10Z	2.0mΔ	40 tΔ#				35pZ	PL	TO39
41	2N1941	600m	60MΔ	4.0m	45	30	5.0	1	2.0uZ	6.0Z	1.0m	40 Δ				35pZ	PL	TO39
42#	FT001	600m	60.M	4.8m	50	30	6.0	300m	100u	15Z	6.0mZ	35	50u	650		35p	ME	TO5
43#	FT002	600m	60.M	4.8m	50	30	6.0	300m	100u	15Z	6.0mZ	70	50u	650		25pZ	ME	TO5
44#	SDD420	600m	60.M	4.8m	50	30	6.0	300m	100u	15Z	6.0mZ	60	50u	650		25pZ	ME	TO5
45#	ST150	600m	60MΔ		60	40	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	D	TO5
46#	ST152	600m	60MΔ		60	25	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
47#	ST153	600m	60MΔ		60	15	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
48#	ST154	600m	60MΔ		60	30	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
49#	ST155	600m	60MΔ		60	25	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
50#	ST156	600m	60MΔ		60	20	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
51#	ST157	600m	60MΔ		60	15	5.0		10nZ	10Z	150mZ	20 t#Δ				25pZ	PE	TO5
52#	2SC19	600m	70MΔ	4.0m	40	30	5.0	400m	1.0uZ	10Z	150mZ	50 t				25pZ	PE	TO5
53#	ZSC20	600m	70MΔ	4.8m	40	40	3.0	400m	1.0uZ	10Z	10m	50				30p	ME	TO5
54#	FT004A	600m	70MΔ	5.0m	50	30	6.0	100m	100u	15Z	6.0mZ	80 Δ	70u	1.5k		30p	ME	TO5
55#	SDD1220	600m	70.M	4.8m	50	30	6.0	75m	100u	15Z	6.0mZ	60	120u	600		20p	D	TO5
56	2N3450T	600m	100MΔ	4.5m	120	60	7.0	800m	200nZ	1.0Z	150mZ	40 t#Δ				7pZ	D	TO5
57#	BFY151	600m	100MΔ	4.7m	40	20	6.0	500m	1.0uZ	9.0Z	2.0mZ	30 t#Δ				15pZ	PL	TO5
58#	FT003	600m	100MΔ	4.8m	50	30	6.0	100m	100u	15Z	6.0mZ	35	70u	400		25p	PL	TO5
59	2N1644A	600m	150M	4.0m	60	50	5.0		1.0u	10	15m	75 t				10pZ	ME	TO5
60#	BFY161	600m	150MΔ	4.7m	40	20	6.0	500m	1.0uZ	9.0Z	2.0mZ	42				20p	ME	TO5
61	HT102	600m	150MΔ		20		5.0		5.0uZ	10	50mZ	6.0 Δ				25p	PL	TO5
62	HT103	600m	150MΔ		20		3.0		5.0uZ	10	50mZ	6.0 Δ				35pZ	ME	TO5
63	PMT213	600m	150M	4.0m	60	40	5.0		1.0uZ	10Z	150mZ	80 t#				35pZ	ME	TO5
64	PMT214	600m	150M	4.0m	60	40	5.0		1.0uZ	10Z	150mZ	80 t#				20p	ME	TO51
65	RT482	600m	150M	5.0m	20		5.0		2.0uZ	10Z	30mZ	20 Δ				20p	PL	TO51
66	RT483	600m	150M	5.0m	40		5.0		2.0uZ	10Z	150mZ	40 t				25pZ	PL	TO5
67	RT484	600m	150M	5.0m	40		5.0		2.0uZ	10Z	150mZ	80 t				25pZ	PL	TO5
68	RT5151	600m	150M	5.0m	45	20	4.0		1.0uZ	10Z	150mZ	60 t	3.0ub	10 Z	5.0 Z	20p	ME	TO5
69	RT5152	600m	150M	5.0m	45	20	4.0		1.0uZ	10Z	150mZ	60 t	3.0ub	10 Z	5.0 Z	20p	ME	TO5
70	RT5203	600m	150M	5.0m	40		5.0		2.0u							20p	ME	TO5
71	RT5204	600m	150M	5.0m	30	30	5.0		1.0uZ	10Z	10mZ	70 t	200nb	26	.50	18p	ME	TO5
72	RT5212	600m	150M	5.0m	60	60	5.0		1.0uZ	10Z	10mZ	70 t	200nb	26	.50	18p	ME	TO5
73#	SDD820	600m	150MΔ	4.8m	50	30	6.0	100m	2.0uZ	15Z	6.0mZ	60	100u	700		12pZ	D	TO51
74	PMT215	600m	175M	5.3m	80	50	6.0		5.0uZ	10	50mZ	9.0				11p	ME	TO51
75	2N2094	600m	200MΔ		60	40	5.0		.02u		1.0mZ	25 t				8.0p	PE	TO5
76	2N2094A	600m	200MΔ		60	60	5.0		.01u		1.0mZ	40 t				8.0p	PE	TO5
77	2N2095A	600m	200MΔ		60	60	5.0		.01u		1.0mZ	100 t				8.0p	PE	TO5
78	2N2818	600m	200MΔ	3.4m	60	40	7.0	750m	250nZ	10Z	10mZ	30 Δ				8.0p	PE	TO5
79#	BFY25	600m	200MΔ	4.5m	60	40	6.0	200m	.01uZ	10Z	10mZ	30 t#Δ				14pZ	PL	TO5
80	NS1355	600m	200M	3.4m	70	40	5.0	1	.10u	10Z	15mZ	30 tΔ				3.8p	PL	TO5
81	NS1960	600m	200M	3.4m	80	60	8.0	100m	5nZ	5.0Z	1.0m	80 tΔ	70u	2.5k	1.0	4.0p	PE	TO18
82#	ST175	600m	200MΔ		75	75	5.0		50nZ	10Z	50mZ	20 t#Δ				15pZ	PE	TO5
83#	ST176	600m	200MΔ		75	75	5.0		50nZ	10Z	50mZ	4						

5. SILICON NPN - LOW POWER TRANSISTORS

IN ORDER OF (1) MAX COLLECTOR DISSIPATION
(2) fab & (3) TYPE No.

LINE No.	TYPE No.	1 MAX. COLL. DISS. @25°C (W)	2 fab (Hz)	DERATE IN FREE AIR W/C	M E A M P	ABS MAX RATINGS @25°C				MAX. I _{cb} @MAX V _{cb} (A)	TYPICAL 'h' PARAMETERS						Cob (F)	DESCRIPTION	L C O E A D E
						BV _{ceo} (V)	BV _{ce0} (V)	BV _{ceo} (V)	I _c (A)		BIAS			COMMON EMITTER					
											V _{cb} (V)	I _e (A)	h _{fe}	hoe (mhos)	hie (Ω)	hre (X.0001)			
1	RT5413	700m	40M	4.0m	J	400	30	7.0	750	1.0u	20	10m	40	1.8ub	2.0	5.0	6.0p	ME	T05
2	RT5401	700m	100M	4.0m	S	30	25	7.0	750	1.0u	100	50m	230	1.8ub	2.0	5.0	19p	PL	T05
3	RT5402	700m	100M	4.0m	S	30	25	7.0	750	1.0u	100	10m	300	1.8ub	2.0	5.0	19p	PL	T05
4	RT5403	700m	100M	4.0m	S	60	30	7.0	750m	1.0u	100	10m	220	1.8ub	2.0	5.0	19p	PL	T05
5	RT5404	700m	100M	4.0m	S	60	30	7.0	750m	1.0u	100	50m	210	1.8ub	2.0	5.0	19p	PL	T05
6	2N347	750m	3.0M		J	60		1.0	60m	5.0u	5.0		49				G		
7	2N348	750m	3.0M		J	90		1.0	50m	6.0u	5.0		24				G		
8	2N349	750m	3.0M		J	125		1.0	40m	8.0u	5.0		19				G		
9#	2SC1141	750m	80M	5.9m	J						2.0	200m	73			18p		T05	
10#	2SC1121	750m	180M	8.3m	J						2.0	200m	35			7.0p		T05	
11#	2SC1131	750m	180M	8.3m	J						2.0	200m	35			7.0p		T05	
12#	2SC32A	750m	200M		J	60	25	5.0	200m	10u	100	10m	60			4.0p	PE	T05	
13#	2SC110	750m	240M			40		5.0	300m	10u	2.0	200m	50			6.0p		T05	
14#	2SC111	750m	240M			50		5.0	300m	10u	2.0	200m	50			6.0p		T05	
15#	2SC153	750m	350M			120		4.0	100m	1.0u	1.0	10m					ME	T05	
16	2N1923	750m	90G	5.8m	J	85	85	1.0	80m	1.0u	100	5.0m	4.0	2.0u	30	3.0	15p		T011
17	2N1105	800m		4.5m	S	60	60	8.0	500m	10u	100	200m	12		500				T043
18	2N1106	800m		4.5m	S	100	100	8.0	500m	10u	100	200m	12		500				T043
19	2N1508	800m		5.3m	J	100		5.0	1	30u	3.6	600m	20				ME		T05
20	2N1509	800m		5.3m	J	60		5.0	1	30u	3.6	600m	20				ME		T05
21	2N2886	800m		4.5m	J	50	40	5.0	500m	10u	1.5	5.0m	22						T05
22	11B1260	800m		4.5m	J	100	60	7.0		100	1.0	150m	80	1.0u	8.0	4.0	15p	PL	T05
23	CDQ10049	800m		4.5m	J	110		5.0		100	1.0	6.0m	60				PL		T05
24	2N1252A1	800m	40M	4.5m	J	60	30	5.0	1.0	1.0u	100	150m	15			45p			A0
25	2N3526	800m	40M	4.5m	J	130	120	5.0		1.0u	100	30m	30			12p			A0
26#	CP403	800m	45M	4.5m	J	40	40	5.0		5.0u	5.0	2	75			40p	DPE		A0
27	2N1253A1	800m	50M	4.5m	J	60	30	5.0	1.0	1.0u	100	150m	30			45p			A0
28	11B1258	800m	50M	4.5m	J	120	80	7.0		10n	100	150m	40	500n	26	1.3	15p	PL	T05
29	11C1536	800m	50M	4.5m	J	50	30	6.0	1	.05u	100	150m	80			20p	PE		T05
30	11B1257	800m	60M	4.5m	J	75	50	7.0		0.1u	100	150m	40			15p	PL		T05
31#	BFW67	800m	60M	4.5m	J	300	300	8.0	400m	1.0u	100	100m	110			14p	PL		A0
32	CDQ10046	800m	60M	4.5m	J	75	50	7.0		10n	5.0	1.0	120	130nb	26	750m	25p	PL	T05
33	CDQ10047	800m	60M	4.5m	J	120	80	7.0		10n	5.0	1.0	120	130nb	26	750m	15p	PL	T05
34	PT4800	800m	70M	4.5m	J	55	25	4.0	500m	100u	100	150m	30			20p	E		T05
35	RT1210	800m	80M	4.5m	J	200	200	8.0		250n	100	30m	60			8.0p	PL		T05
36	SE7010	800m	86M	4.5m	J	150	150	6.0		0.1u	100	25m	20		50	2.6p	DPL		T05
37	RT1890M	800m	96M	4.5m	J	100	60	7.0		0.1u	100	150m	130	16.u	3.5k	4.6	15p	PL	T046
38#	2SC95	800m	100M	6.7m	J	140	100	5.0	100m	1.0u	100	10m	50			20p	ME		T05
39	RT11151	800m	100M		J	120	80	7.0		20n	1.0	150m	40			15	PE		T05
40	ST6573	800m	100M	4.5m	J	60	30	5.0		50n	100	150m	20			10p			T05
41	ST6574	800m	100M	4.5m	J	60	30	5.0		50n	100	150m	100			10p			T05
42	CDQ10048	800m	120M	4.5m	J	100		5.0		50m	100	50m	60			20p	PL		T05
43	D11C1536	800m	130M	4.5m	A	30	25	4.0	500m	25u	100	150m	40			20p	PE		T05
44	PMT211	800m	130M	6.7m	J	45	30	4.0	500m	10u	100	150m	15			20p	ME		T051
45	PMT212	800m	130M	1.7m	J	45	30	4.0	500m	10u	15	100m	6.5			20p	ME		T051
46	2N1837B1	800m	140M	4.5m	J	80	30	8.0	500m	10n	100	150m	40			40			T05
47#	2SC15-1	800m	150M		A	60		5.0	50m	1.0u	200	10m	60	35ub		3.0p	ME		T05
48#	2SC15-2	800m	150M		A	60		5.0	50m	1.0u	200	10m	60	35ub		3.0p	ME		T05
49#	2SC15-3	800m	150M		A	60		5.0	50m	1.0u	200	10m	60	35ub		3.0p	ME		T05
50	ST6601	800m	150M	4.5m	J	50	30	5.0		50n	100	150m	40			11p	PE		A0
51	NS1356	800m	200M	1.1m	J	70	40	5.0		10u	100	15m	30			7p	PE		T05
52	NS21011	800m	200M		J	80	60	5.0		100n	100	500m	80			10p	E		T05
53	2N39811	800m	250M	4.5m	J	60	30	5.0	1.0	300n	1.0	150m	30			8.0p			T05
54	2N39821	800m	250M	4.5m	J	50	20	5.0	1.0	300n	1.0	150m	40			8.0p			T05
55#	2SC580	800m	250M	6.25u	J	60	30	5.0	1.0	1.0u	100	50m	80			10p	PE		T05
56	PT4830	800m	250M	5.3m	J	60	30	4.0		.05u	100	10m	40			10p	PE		T018
57	TA26261	800m	250M	4.5m	J	75	50	5.0		10u	1.0	100m	30			12p	DPE		T05
58	TA2750	800m	250M	4.5m	J	60	40	5.0		100u	1.0	100m	30			12p	DPE		T05
59	D11E4041	800m	300M	4.5m	J	80	60	5.0		.50u	1.0	100m	40			10p	PE		A
60	D11E4051	800m	300M	4.7m	J	80	60	5.0	1.0	.10u									A
61	D11E4061	800m	300M	4.5m	J	100	80	5.0		.50u	1.0	100m	40			9p	PE		A
62	D11E4071	800m	300M	4.7m	J	110	80	5.0	1.0	.10u									A
63	2N3123	800m	400M	5.2m	J	60	30	5.0	800m	10n	100	150m	100	60		8.0p			T05
64#	BFX14	800m	530M	4.5m	J	25	15	4.0	300m	.50u	100	100m	50			8.0p	PE		T05
65	MM1945	800m	600M		J	40		3.0		.50u						5p	E		T018
66	2N841/KVT	880m	40M	5.0m	J	45	45	2.0	50m	1.0u	5.0	1.0m	140	350nb	40	2.0	8.0p	ME	X30
67	2N709/KVT	880m	800M	5.0m	J	15	6.0	4.0		.05u	50	10m	55			3p	PL		X30
68	2N2784/KVT	880m	1.0G	5.0m	J	15	6.0	4.0	500m	5n	50	10m	120			3p	PE		X30
69	2N3633/KVT	880m	1.3G	5.0m	J	15	6.0	4.0	50m	5n	50	10m	150			2.5p	PE		X30
70	D288	950m		100u	J	150		1.0	100m	.10u	100	2.0m	250			5.0p			X51
71	CDQ10011	1.0		7.6m	J	55	55	1.0	60m	1.0u	10	5.0m	50	10u	4.0k	1.0	30p	PL	T05
72	CDQ10012	1.0		7.6m	J	85	85	1.0	60m	1.0u	10	5.0m	50	2.0u	30	3.0	30p	PL	T05
73	CDQ10014	1.0		7.6m	J	60	60	1.0	60m	1.0u	10	5.0m	20	2.0u	30	3.0	20p	PL	T05
74	CDQ10033	1.0			S	85		3.0		1.0u	10	1.0m	53	2.0ub	25	3.0	20p	PL	T05
75	CDQ10034	1.0			S	125		3.0		1.0u	10	1.0m	53	200nb	25	3.0	20p	PL	T05
76	CDQ10037	1.0		7.6m	J	85		1.0	60m	1.0u	10	5.0m	20	2.0ub	25	3.0	20p	PL	T05
77	ST4341	1.0			J	80		5.0	150m	100u	5.0	3.0m	15			50p			T05
78	CDQ10044	1.0	6.0M	7.6m	J	85		2.0	60m	50u	10	5.0m	20	2.0ub	25	300m	20p	PL	T05
79	CDQ10045	1.0	6.0M	7.6m	J	65		2.0	60m	50u	10	5.0m	59	2.0ub	25	300m	20p	PL	T05
80	2N706/KVT	1		6.7m	J	25	20	3.0		.05u	1.0	10m	20			6p	D		X30
81	2N930/KVT	1.2	30M	6.6m	J	45	45	5.0	30m	10n	5.0	1.0m	150	1.0u					

6. SILICON FIELD EFFECT TRANSISTORS - P CHANNEL

IN ORDER OF (1) DISSIPATION
(2) TYPE No.

LINE No.	TYPE No.	1 MAX. DEVICE @25°C (W)	MAX. Vp & Vds (V)		ABS MAX RATINGS @25°C (V)		MAX. Id (A)		MAX. Ig (A)		MAX. Vgs=0 & Vds>Vp (A)		MAX. Igss @ Vgs>Vp & Vds=0 (A)		TEST COND Vgs (V) Vds (V)		PARAMETERS @25°C COMMON SOURCE			DERATE IN FREE AIR W/°C		DESCRIPTION		L C E O D E	
			Id=0 (V)	Vds (V)	Vdss (V)	BVgss (V)	Id (A)	Ig (A)	Id(ON) (A)	Igss (A)	Vgs (V)	Vds (V)	gfs (mhos)	Yos (mhos)	Rds (Ω)	MAX. Cis (F)	MAX. TEMP (°C)	STRUC-TURE	DWG. No.						
			MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX					
1	MEM519																								
2	UC41	10m	2.5	20	30	40					300uΔ	3.0p	0.0	20	130uΔ				300fΔ	2.5p	2.0m	200J	E *	T072	DG
3	UC43	10m	2.5	20	30	30Δ					300u	10p	0.0	20	100u				2.5p	2.0m	200J	PE	u23	DB	
4	UC40	30m	5.0	20	30Δ						1.0mΔ	10p	0.0	20	150u				2.5p	2.0m	200J	E *	T072	DB	
5	UC42	30m	5.0	20	30						1.0m	10p	0.0	20							2.0m	200J	PE	u23	DB
6#	3UT80	100m	8.0	10	25		10m				0.1n	1.0p	1.0p	8.0	50m						150S	*	R038yΔ	DB	
7	TIXM12	100m	3.5†	8.0Δ	20	20				25m	10u	5.0p	8.0	5.0m	20m	50n			9.0p#	1.3m	125S	Ge	R110b	DB	
8	VI1010	112m	6.0Δ	*	50	40	25m	100u			1.0n	1.0n	10	10	500u%				1.1p†	1.1m	125J	E		DR	
9	K1501	150m	7.0Δ	10	15	50	35m					10	10	1.0m	2.0mΔ		300		1.0pΔ		175J	*	T072	DR	
10	K1502	150m	7.0Δ	10	15	50	35m					10	10	1.0m	2.0mΔ		300		1.0pΔ		175J	*	T072	DR	
11	K1504	150m	8.0Δ	10	15	50	35m					10	10	800u	2.0mΔ		700		1.0pΔ		175J	*	T072	DR	
12	TIXM301	150m	8.0Δ	10	20	20		10m	25m	6.0p	5.0p	8.0	6.5m	20m	20u					2.0m	125	GeE	*	T072	DG
13	2N3882	200m	3.0Δ		30					1.0m	20n	1.0p		1.0mΔ							2.0m	125J	*	T072	DK
14	MT01	200m	6.2Δ		40		25			20n	1.0p	1.0p	15	650u	890uΔ						2.0m	125J	*	L25	
15	RN1020	200m	3.0Δ	15*	25					25n	100p	1.0p	15	1.0m	2.4m				3.0p†		125J	Δ*	R38s		
16	RN1030	200m	3.0Δ	5.0*	25					1.5n	100p	5.0	.50	1.0m	2.4m		600		4.0p†		125J	Δ*	R38s		
17	RN1030A	200m	2.2Δ	5.0*	24					1.0n	100p	5.0	.50	1.0m	2.4m		450		3.0p†		125J	Δ*	R38s		
18	RN3020	200m	3.0Δ	15*	25					50n	100p	1.0p	15	1.0m	2.4m				4.0p†		125J	Δ*	R38af		
19	RN3020R	200m	3.0Δ	15*	25					50n	100p	1.0p	15	1.0m	2.4m				4.0p†		125J	Δ*	R38y		
20	RN3030	200m	3.0Δ	5.0*	15					5.0n	100p	5.0	.50	500u	3.0m		650		4.0p		125J	Δ*	R38af		
21	RN3030R	200m	3.0Δ	5.0*	15					5.0n	100p	5.0	.50	500u	3.0m		650		4.0p		125J	Δ*	R38y		
22	DP1001▼	250m	4.0†	10Δ	30			10m	7.0m	250p	0.0	10	1.0m	3.5m	60u				16p	2.0m	150S	Δ	T071		
23	DP1002▼	250m	4.0†	10Δ	30			10m	7.0m	250p	0.0	10	1.0m	3.5m	60u				16p	2.0m	150S	Δ	T071		
24	DP1003▼	250m	4.0†	10Δ	30			10m	7.0m	250p	0.0	10	1.0m	3.5m	60u				16p	2.0m	150S	Δ	T071		
25	DP1004▼	250m	4.0†	10Δ	30			10m	7.0m	250p	0.0	10	1.0m	3.5m	60u				16p	2.0m	150S	Δ	T071		
26	DP1005▼	250m	4.0†	10Δ	30			10m	7.0m	250p	0.0	10	1.0m	3.5m	60u				16p	2.0m	150S	Δ	T071		
27	DP1006▼	250m	4.0†	10Δ	30			10m	5.0m	250p	0.0	10	500u	3.0m	60u				16p	2.0m	150S	Δ	T071		
28	DP1007▼	250m	4.0†	10Δ	30			10m	5.0m	250p	0.0	10	500u	3.0m	60u				16p	2.0m	150S	Δ	T071		
29	DP1008▼	250m	4.0†	10Δ	30			10m	5.0m	250p	0.0	10	500u	3.0m	60u				16p	2.0m	150S	Δ	T071		
30	DP1009▼	250m	4.0†	10Δ	30			10m	5.0m	250p	0.0	10	500u	3.0m	60u				16p	2.0m	150S	Δ	T071		
31	DP1010▼	250m	5.0†	10Δ	30			10m	5.0m	250p	0.0	10	500u	3.0m	60u				16p	2.0m	150S	Δ	T071		
32	3N96	300m	4.0†	5.0	30		50m	10m	2.5m	5.0n	0.0	5.0	450u	1.3m					4.0p#%	2.0m	175A		L24a		
33	3N97	300m	4.0†	5.0	30		50m	10m	2.5m	5.0n	0.0	5.0	450u	1.3m					4.0p#%	2.0m	175A		L24a		
34	FN1024	300m	3.0Δ	15	30	20				1.0n	1.0	1.0	15	1.0m	2.4m		80k				150J	MOS	R038s		
35	FN1034	300m	3.0Δ	5.0	15	12				1.0n	1.0	5.0		1.0m	2.4m		50k		2.0pΔ		150J	MOS	R038s		
36	MM2103	300m	5.0Δ	*	25	75	30m			3.0mΔ	10p			1.0m					6.5p		200	*	R38y		
37	P1003	300m	3.0	10	50Δ					6.0m	3.0n	0.0	10†	1.0m	3.5m				20p%	1.7m	200J	PL	R038i		
38	P1004	300m	5.0	10						20	3.0n	0.0	10†	2.5m	6.0m				20p%		200J	PL	R038i		
39	TIXS11	300m	3.0Δ	20*	30	30				10uΔ	3.0p			800u			1.0k		8.0p	2.0m	200	*	R038q		
40	U890	300m	6.0	10	20		50m			5.0mΔ	10n	0.0	10		1.2mΔ					2.0m	150S	D	R038q		
41	UC300	300m	5.0	20	30			50m		3.8m	100p	0.0	20	1.0m			1.2k†		5.0p%		200J	PL	T072	DG	
42	UC305	300m	5.0	20	30			50m		3.8m	100p	0.0	20	1.0m			1.2k†		5.0p%		200J	PL	T018	DD	
43	UC310	300m	3.0	20	30			50m		1.5m	100p	0.0	20	750u					1.6k†		200J	PL	T072	DG	
44	UC315	300m	3.0	20	30			50m		1.5m	100p	0.0	20	750u					1.6k†		200J	PL	T018	DD	
45	UC320	300m	1.7	20	30			50m		600u	100p	0.0	20	300u					2.4k†		200J	PL	T072	DG	
46	UC325	300m	1.7	20	30			50m		600u	100p	0.0	20	300u					2.4k†		200J	PL	T018	DD	
47	UC330	300m	1.2	20	30Δ			50m		250u	100p	0.0	20	250u					4.8k†		200J	PL	T072	DG	
48	UC335	300m	1.2	20	30			50m		250u	100p	0.0	20	250u					4.8k†		200J	PL	T018	DD	
49	UC340	300m	4.0	5.0	50			50m		1.5m	1.0n	0.0	5.0	330u					10p		200J	PL	T072	DH	
50	UC801	300m	6.0	20	25					1.5m	200p	0.0	20	75u	750u				3.0p#			PL			
51	UC803	300m	6.0	20	25					5.0m	500p	0.0	20	250u	2.5m				6.0p#			PL			
52	UC804	300m	8.0	20	25					12m#	500p	0.0	20	500u	5.0m				8.0p#			PE		T072	
53	UC850	300m	6.0	15	20					1.0m	2.0n	0.0	15	110u					6.0p#			PL		T018	
54	UC852	300m	6.0	20	25					30u#	2.0p	0.0	20	60u					6.0p			PL		T018	
55	UC853	300m	6.0	20	25					70u#	4.0p	0.0	20	180u					10p			PL		T018	
56	UC854	300m	6.0	20	25					200u#	15n	0.0	20	540u					17p#			PL		T018	
57	UC855	300m	6.0	20	25					440u#	25n	0.0	20	1.4m					25p#			PL		T018	
58	HA2000	350m	5.0Δ	*	30																175J	*	T072		
59	HA2001	350m																							

7. SILICON FIELD EFFECT TRANSISTORS - N CHANNEL

IN ORDER OF (1) DISSIPATION
(2) TYPE No.

LINE No.	TYPE No.	1 MAX. DEVICE DISS @ 25°C (W)	MAX. Vp @ Id=0 (V)	MAX. Vds & Vgs (V)	ABS MAX RATINGS @ 25°C		MAX. Id (ON) @ Vgs=0 & Vds>Vp (A)	MAX. Igss @ Vgs>Vp & Vds=0 (A)	PARAMETERS @ 25°C				Rds (Ω)	MAX. Cis (F)	DERATE IN FREE AIR W/C (°C)	DESCRIPTION STRUCTURE	DWG. No.	L C E O A D E			
					BVdss (V)	BVgss (V)			TEST COND COMMON SOURCE		Yos (mhos)	Rds (Ω)							MAX. Cis (F)	DERATE IN FREE AIR W/C (°C)	
					Id (A)	Ig (A)			Vgs (V)	Vds (V)											gfs (mhos) MIN
1	MF100		5.0	20																	
2	MF101		8.0	20																	
3	UC754		4.0	20	30																
4	UC21	20m	2.5	20	30			5.0m	1.0n	0.0	20	1.0m	1.5m								
5	UC23	20m	2.5	20	30			800uΔ	50p			1.0m									
6	DFNA3-100v	50m	4.0	15	50Δ			800u	10p	0.0	15	200u			6.0p#	200		PL∅			
7	UC20	60m	5.0	20	30			2.5mΔ	1.0n	0.0		750u	2.0m		6.0p#	2.3m	150J	EPE			
8	UC22	60m	5.0	20	30			2.0mΔ	50p			300u			2.0p	200		EPE			
9	K1201	75m	5.0	10	50	15m		5.0m	10p	0.0	10				7.0k		175J	*			
10	K1202	75m	5.0	10	50	15m		5.0m		0.0	10	1.0m	2.0mΔ		7.0k		175J	*			
11#	3U707	100m	1.0Δ	25	15Δ	15Δ		5.0m	1.0n	0.0	10	1.0m	2.0mΔ		7.0k		175J	*			
12	FF400+	105m	7.0	10Δ	15Δ	15Δ	50m	6.0m	.01n	1.0n	0.0	10	1.5m			8.0p†	1.7m	200J	EΔ		
13	3N98	150m†	6.0†	12	32	2.0	15m	7.7m	.05n	0.0	12	1.0m	3.0m	250u%		7.0p#	85		R038cΔ		
14	3N99	150m†	6.0†	12	32	2.0	15m	11m	.05n	0.0	12	1.0m	4.0m	300u%		7.0p#	85		R038cΔ		
15	40460∅	150m		Δ	25	10		9.0m	10p	0.0	12	3.5 Δ			5.0p#	1.5m	125A	*	T072		
16	A194	150m	4.0†	15Δ	25	25	15m	8.0m	.50n	0.0	15	2.0m	8.0m	20u		5.0p#	1.0m	150J	PE#		
17	A195	150m	4.0†	15Δ	25	25	15m	5.0m	.50n	0.0	15	1.0m	6.0m	20u		5.0p#	1.0m	150J	PE#		
18	A196	150m	4.0†	15Δ	25	25	15m	5.0m	.50n	0.0	15	4.0m	10m	20u		5.0p#	1.0m	150J	PE#		
19#	BSV38A†	150mΔ	10†	15	25	25	150m	10m	50m#	250p					25	18p#	1.2m	150S	PEΔ		
20	K1001	150m	6.0	10	15	50	40m	12m		0.0	10	1.0m	2.4mΔ		10k	3.0p†	100J	*	u17c		
21	K1002	150m	6.0	10	15	50	40m	5.0m		0.0	10	1.0m	1.5mΔ		10k	3.0p†	100J	*	T072		
22	K1003	150m	6.0	10	15	50	40m	20m		0.0	10	5.0mΔ	4.0m		500	3.0p†	100J	*	T072		
23	K1004	150m	12	10	15	50	40m	7.0m		0.0	10	800u	1.6mΔ		10k	2.0p†	100J	*	T072		
24#	3UT100	200m			20		30m			5.0∅	10	2.5m%				3.5p#	150J	PE	T092		
25	A197†	200m	10†	20Δ	30	30		50m	150mΔ	.50n					.03k%	16p	1.6m	150J	PE#Δ		
26	A198†	200m	5.0†	20Δ	30	30		50m	75mΔ	.50n					.06k%	16p	1.6m	150J	PE#Δ		
27	A199†	200m	3.0†	20Δ	30	30		50m	30mΔ	.50n					1.0k%	16p	1.6m	150J	PE#Δ		
28	MPF103	200m	6.0†	15	25	25	16m	10m	5.0m	1.0n	0.0	15	1.0m	5.0m	50u		7.0p	2.0m	125J	Δ	
29	MPF104	200m	7.0†	15	25	25	16m	10m	9.0m	1.0n	0.0	15	1.5m	5.5m	50u		7.0p	2.0m	125J	Δ	
30	MPF105	200m	8.0†	15	25	25	16m	10m	18m	1.0n	0.0	15	2.0m	6.0m	50u		7.0p	2.0m	125J	Δ	
31	DFNA3-50v	250m	4.0	15	50Δ			2.5mΔ	1.0n	0.0	15	750u	2.0m			6.0p#	2.3m	150J	E		
32	MM2102	300m	4.0Δ	*	25	75	30	10uΔ	10p			1.0m				4.5p	200		*		
33#	Ph241N†	300m	1.0	0.0				10m	3.0m	.20n	0.0	15	2.0m	7.0m		13p		PE	T018		
34#	Ph242N†	300m	1.5	0.0				10m	6.0m	.20n	0.0	15	3.5m	7.5m		13p		PE	T018		
35#	Ph243N†	300m	2.5	0.0				10m	15m%	.20n	0.0	15	5.0m	10m%		13p		PE	T018		
36#	Ph244N†	300m	3.0	0.0				10m	30m%	.20n	0.0	15	8.0m	15m%		13p		PE	T018		
37	u89∅	300m	6.0	10	20		50m	5.0mΔ	10n	0.0	10		1.2mΔ			6.0p#	2.0m	150S	D		
38	u205v	300m	4.0	20	50			50m	7.0m	25p	0.0	20	1.0m	4.0m		6.0p#	1.7m	200S	#		
39	u206v	300m	4.0	20	50			50m	7.0m	25p	0.0	20	1.0m	4.0m		6.0p#	1.7m	200S	#		
40	u207v	300m	4.0	20	50			50m	7.0m	25p	0.0	20	1.0m	4.0m		6.0p#	1.7m	200S	#		
41	U205v	300m	4.0	20	50			50m	7.0m	.02n	0.0	20	1.0m	4.0m		6p#	1.7m	200S	#		
42	U206v	300m	4.0	20	50			50m	7.0m	.02n	0.0	20	1.0m	4.0m		6p#	1.7m	200S	#		
43	U207v	300m	4.0	20	50			50m	7.0m	.02n	0.0	20	1.0m	4.0m		6.0p#	1.7m	200S	#		
44	UC100	300m	5.0	20	30			10m	7.5m	100p	0.0	20	2.0m			800 †	5.0p%	200J	PL		
45	UC105	300m	5.0	20	30			10m	7.5m	100p	0.0	20	2.0m			800 †	5.0p%	200J	PL		
46	UC110	300m	3.0	20	30			10m	3.0m	100p	0.0	20	1.5m			800 †	5.0p%	200J	PL		
47	UC115	300m	3.0	20	30			10m	3.0m	100p	0.0	20	1.5m			800 †	5.0p%	200J	PL		
48	UC120	300m	1.7	20	30			10m	1.2m	100p	0.0	20	1.0m			1.2k†	5.0p%	200J	PL		
49	UC125	300m	1.7	20	30			10m	1.2m	100p	0.0	20	1.0m			1.2k†	5.0p%	200J	PL		
50	UC130	300m	1.2	20	30			10m	500u	100p	0.0	20	500u			2.4k†	5.0p%	200J	PL		
51	UC135	300m	1.2	20	30			10m	500u	100p	0.0	20	500u			2.4k†	5.0p%	200J	PL		
52	UC240	300m	5.0	20	50			50m	10m	100p	0.0	20	1.2m			1.8p#	200J	E	T018		
53	UC258	300m	3.0†	15	30				30m	100p	10∅	15	12m	24m	50u		14p#	1.7m	200J	PE∅	
54	UC701	300m	6.0	15	40				3.0m	200p									PE	T072	
55	UC703	300m	6.0	20	40				10m	500p	0.0	20	500u	5.0m		2.0k†	6.0p#		PE	T072	
56	UC704	300m	8.0	20	40				24m	500p	0.0	20	1.0m	10m		1.0k†	8.0p		PE	T072	
57	UC705	300m	8.0	20	40				50m	1.0n	0.0	20	2.0m	20m		500 †	12p#		PE∅		
58	UC750	300m	6.0	15	30				2.0n	2.0n	0.0	20							PE	T018	
59	UC751	300m	6.0	20	30				100u#	2.0n	0.0	20	350u				10p#		PE	T018	
60	UC752	300m	6.0	20	30				300u#	6.0n	0.0	20	1.0m				17p#		PE	T018	
61	UC753	300m	6.0	20	30				900u#	10n	0.0	20	2.5m				25p#		PE	T018	
62#	ZFT12	350m	2.4	20	25	25			10nΔ	0.0	20	400u	1.0m					150J	PL\$	T033	
63#	ZFT12A	350m	2.4	20	25	25			30nΔ	0.0	20	400u	1.0m					150J	PL\$	T033	
64#	ZFT14	350m	7.9	20	25	25			10nΔ	0.0	20	900u	2.0m					150J	PL\$	T033	
65#	ZFT14A	350m	7.9	20	25	25			30nΔ	0.0	20	900u	2.0m					150J	PL\$	T033	
66#	ZFT16	350m	5.0%	20	50	10			10m	10n	0.0	20	3.0mΔ			300 †	30p*	150J	PL\$	T033	
67#	ZFT18	350m	5.0%	20	100	10			10m	10n	0.0	20	3.0mΔ			300 †	30p*	150J	PL\$	T033	
68	UC2130∅	500m	5.0	20	50	50			50m	4.5m	100p	0.0	20	1.0m			40u		200J	PE∅	L21
69	UC2132∅	500m	5.0	20	50	50			50m	4.5m	100p	0.0	20	1.0m			40u		200J	PE∅	L21
70	UC2134∅	500m	5.0	20	50	50			50m	4.5m	100p	0.0	20	1.0m			40u		200J	PE∅	L21
71	UC2136∅	500m	5.0	20	50	50			50m	4.5m	100p	0.0	20	1.0m			40u		200J	PE∅	L21
72	UC2138∅	500m	5.0	20	50	50			50m	4.5m	100p	0.0	20	1.0m			40u		200J	PE∅	L21
73	UC707	600m	12	20	20				250m	2.0n	0.0	20	5.0m	50m		200 †	30p#		PL	T018	
74	u182†	1.8 Δ	10	20					50m	120m						40	20p	10m	200S	Δ	T018
75	U182†	1.8 Δ	10	20					50m	120m						40	20p	10m	200S	Δ	T018
76	RM3036	5.0 Δ			50								1.0 Δ							Δ	T05

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1) MAX. THERM. RES. J TO C (W)	MAX. FREE AIR @ 25°C (W)	Pc MAX	Tj MAX	ABSOLUTE MAX. RATINGS @25°C						MAX. hfe			MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O E A D E
						Ic (A)	Ib (A)	BVcbo (V)	BVebo (V)	BVceo (V)	Icbo @ MAX Vcbo @25°C (A)	BIAS		fae (Hz)			MAX. STRUCTURE	DWG. No.	
												Vcbo (V)	Vcb (V)						
1	2N71		1.0		*A	250m		75		50									
2	2N230		1.5		#J	2.0	25	60	30	30	1.5m	4.0	50	20	250kt				
3	2N675		1.0		#J	2.0		60	30	30	1.5m	4.0	50	60	12k				
4#	11T1		2.5		#J	1.5		12	6.0				20	700kt			TO26		
5#	12T1		2.5		#J	1.5		24	12			500m	20						
6#	13T1		2.5		#J	1.5		24	12			500m	20	40					
7#	14T1		2.5		#J	1.5		24	12			500m	80	160					
8#	15T1		2.5		#J	1.5		60	30			500m	10	25					
9#	16T1		2.5		#J	1.5		60	30			500m	25	50					
10	82T1		1.2		#J	1.5		30	10			80u	1.0	1.0	30	1.0Mt			
11	440C-C		5.0		#S	1.0		50	25			500u	30	30					
12	440C-E		14		#S	1.0		50	25			500u	30	30					
13	441C		15		#S	2.0		50	25			300u	60	60					
14	442C-A		1.5		#S	500m		50	25			100u	50	50					
15	442C-D		3.0		#A	500m		50	25			100u	50	50					
16	CTP1002		2.2		#A	2.5		60				100u	35	35					
17	CTP1003		2.2		#A	2.5		60				100u	15	15					
18	CTP1004		2.2		#A	2.5		40				100u	15	15					
19	CTP1005		2.2		#A	2.5		40				100u	25	25					
20	CTP1006		2.2		#A	2.5		40				100u	35	35					
21	CTP1119		25		#J			60				2.0m	12	25	80				
22	GFT26		6.0		TA		2.0	10	10			6.0	500m		300kt				
23#	GFT2006		6.0		#J	160		80	20	40		6.0	50	25	300kt				
24#	RT150A		85		#J	160		60	20	40		2.0	150	15					
25#	RT150B		85		#J	160		80	20	40		2.0	150	15					
26#	XC121	5.0m			#J			35	12	16		10u	1.0	200m	40				
27#	XC161	5.0m			#J			26	6.0	16		7.0u	1.0	400m	40				
28#	XCXC121	5.0m			#J			35	12	16		0.1m	1.0	20	40				
29#	XC131	10m			#J			35	12	16		0.1m	1.0	20	40				
30#	XC163	15m			#J			26	6.0	16		7.0u	1.0	400m	40				
31#	XC171	15m			#J			26	6.0	16		0.1m	1.0	40	40				
32	2N671	16m	1.0		#J	2.0		40	40	40		75u	1.5	1.0	100	650kt			
33	2N673	16m	1.0		#J	2.0		25	25	25		75u	1.5	1.0	100	650kt			
34	2N1126	16m	1.0		#J	250m		40	40	40		75u	6.0	10m	40	400kt			
35	2N1127	16m	1.0		#J	250m		40	40	40		75u	1.0	500m	100	1.5Mt			
36#	2SB27	20m			#J	50		15	10	15		80m	1.5	20	18	46	7.0k		
37#	2SB28	20m			#J	50		15	10	15		80m	1.5	20	35	96	7.0k		
38#	2SB29	20m			#J	50		15	10	15		80m	1.5	20	72	186	7.0k		
39#	2SB142	25m			#J	1.0		30	12	30		1.0m	1.5	1.0	12	31	7.0k		
40#	2SB143	25m			#J	1.0		30	12	30		1.0m	1.5	1.0	23	59	7.0k		
41#	2SB144	25m			#J	1.0		30	12	30		1.0m	1.5	1.0	45	119	7.0k		
42#	2SB140	29m			#J	1.5		40	12	40		60m	1.5	1.0	62	89	7.0k		
43#	2SB141	29m			#J	1.5		60	12	60		80m	1.5	1.0	62	89	7.0k		
44#	2SB147	29m			#J	1.5		60	12	60		60m	1.5	1.0	28	119	7.0k		
45	2N528	33m	1.0		#J	1.0	500m	40	40	40		500u	1.0	500m	20	47	8.0M	250m	
46	JAN2N528	33m	1.0		#S	1.0	500m	40	40	40	#	50u	1.0	500m	20	47	8.0M	500m	
47	2N1940	40m	3.5		#S	250m		30	10	15		5.0u	7.5	40m	5.0		400n	400n	
48	GA53242	41m			#J	500m	100m	40	40	40		45u	1.0	200m	45	133	6.8Mt	370n	
49#	2SA231	44m			#J	400m		40	12			50u	6.0	70m	30	110	2.5k		
50#	2SA232	44m			#J	400m		30	12			50u	6.0	70m	30	175	4.0k		
51#	2SB81	44m			#J	500m		80	12			50u	2.0	100m	45	45	4.0Mt		
52#	2SB82	44m			#J	500m		100	12			35u	2.0	100m	45	45	4.0Mt		
53	JAN2N1940	45m	3.5		#J	250m		30	1.0	1.0		100u	7.5	40m	5.0		3.0u	3.0u	
54	2N1609	66m	1.0		#J	1.5	250m	80	40	60		100u	2.0	100m	30	75	17k	2.0	
55	2N1610	66m	1.0		#J	1.5	250m	80	40	60		100u	2.0	100m	50	125	15k	3.0u	
56#	2SB80	67m			#J	1.0		25	10			1.0m	1.5	50	70	60	6.0Mt		
57#	2N1013	71m			#J	75	25	60	30			1.0m	2.0	7.5M	23	60			
58	H3A	71m			#J	60	.25	60	30			1.0m	2.0	5.0m	10	25	.60u		
59	H4A	71m			#J	75	.25	60	30			1.0m	2.0	7.5m	23	60	1.2u		
60#	TF77	77m			#J	60	.25	16	5.0	16		0.3m	5.0	0.5	23	60	.60u		
61#	TF77/30	77m			#J	60		32	10	32		0.3m	1.0	10	32	60	1.2u		
62	2N68	80m			#J	1.5		30	15	15		5.0m	6.0	50m	40		400k		
63	2N101	80m			#J	1.5		30	15	15		5.0m	6.0	50m	40		400k		
64	2N141	80m			#J	800m		60	30	30		5.0m	6.0	50m	40		400k		
65	2N143	80m			#J	800m		60	30	30		5.0m	6.0	50m	40		400k		
66#	2SB62	80m			#J	500m		60	12	60		7.0u	1.0	500m	30	125	200k		
67#	2SB63	80m	4.0		#J	500m		32	12	32		7.0u	1.0	500m	30	125	200k		
68#	THP45	83m	4.0		#J			15				2.0	20	200	200	200	200k		
69#	THP46	83m			#J			15				2.0	20	200	200	200	200k		
70#	THP47	83m			#J			60				2.0	20	200	200	200	200k		
71	2N1645	86m	1.0		#J	300m		1.0	20	20		15u	10	200m	20	35	600M	5.0	
72	2N1611	100m	1.0		#J	1.5	250m	60	20	40		100u	2.0	100m	30	75	17k	3.0u	
73	2N1612	100m	1.0		#J	1.5	250m	60	20	40		100u	2.0	100m	50	125	15k	3.0u	
74	AT202	100m	3.0		#J	30		100				20u	1.5	1.0	100	125	15k	3.0u	
75#	NK1301A	100m			#J	2.0	20	30	15	30		0.5m	1.5	1.0	30		1.0Mt		
76#	NK1302A	100m			#J	2.0	200m	30	15	30		0.5m	1.5	1.0	30		1.0Mt		
77#	V15/20IP	100m			#J	2.0		15	7.0	15		0.5m	1.5	.02	20	100	300k		
78#	V30/20IP	100m			#J	2.0		30	15	15		0.5m	1.5	.02	20	100	300k		
79#	V80/20IP	100m			#J	2.0		30	15	15		0.5m	1.5	.02	20	100	300k		
80	2N2535	1																	

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE
& (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M A E M P	ABSOLUTE MAX. RATINGS @ 25°C					MAX. I _{cb0} @ MAX V _{cb} @ 25°C (A)	BIAS hfe			f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	L C O D E		
					I _c (A)	I _b (A)	V _{cb0} (V)	V _{eb0} (V)	V _{ceo} (V)		MIN	MAX	MIN						MAX	
1#	GFT4608/80	250m∅		J	4.0	1.0	60	15	80	50m	2.0	50	60	100	12kt	.40	20u	A	MD12	
2#	GFT4608/80	250m∅		J	4.0	1.0	80	15	80	50m	2.0	50	60	100	12kt	.40	20u	A	MD12	
3#	SFT113	250m∅		J	3.0	.50	30	10	15	1.0m	2.5∅	2.0	40	∅	300kt	.23		A		
4#	SFT114	250m∅		J	3.0	.50	60	10	30	1.0m	2.5∅	2.0	40	∅	300kt	.23		A		
5#	TF80	250m∅		J	2.5	.16	16			10m∅	6.0∅	3.0	45	∅				A		
6	2N1042-2t	263m	1.0 #	J	3.0	1.0	40	20	30	65m	1.0∅	3.0	20	60	7.0k	.25		AA	MT28	A∅
7	2N1042-2∅	263m	1.0 #	J	3.0	1.0	40	20	30	65m	1.0∅	3.0	20	60	7.0k	.25		AA	R122	
8	2N1043-2t	263m	1.0 #	J	3.0	1.0	60	20	40	65m	1.0∅	3.0	20	60	7.0k	.25		AA	MT28	A∅
9	2N1043-2∅	263m	1.0 #	J	3.0	1.0	60	20	40	65m	1.0∅	3.0	20	60	7.0k	.25		AA	R122	
10	2N1044-2t	263m	1.0 #	J	3.0	1.0	80	20	50	65m	1.0∅	3.0	20	60	7.0k	.25		AA	MT28	A∅
11	2N1044-2∅	263m	1.0 #	J	3.0	1.0	80	20	50	65m	1.0∅	3.0	20	60	7.0k	.25		AA	R122	
12	2N1045-2t	263m	1.0 #	J	3.0	1.0	100	20	60	65m	1.0∅	3.0	20	60	7.0k	.25		AA	MT28	A∅
13	2N1045-2∅	263m	1.0 #	J	3.0	1.0	100	20	60	65m	1.0∅	3.0	20	60	7.0k	.25		AA	R122	
14#	GFT3008/20	263m∅		J	3.0		20	10	15	50m	2.0∅	50	25	50	350kt	.40	20u	A	MD12	
15#	GFT3008/40	263m∅		J	3.0		40	10	30	50m	2.0∅	50	25	50	350kt	.40	20u	A	MD12	
16#	GFT3008/60	263m∅		J	3.0		60	10	40	50m	2.0∅	50	25	50	350kt	.40	20u	A	MD12	
17#	GFT3408/20	263m∅		J	3.0		20	10	15	500u	2.0∅	50m	40	80	400kt	.40m	20u	A	MD12	
18#	GFT3408/40	263m∅		J	3.0		40	10	30	50m	2.0∅	50	40	80	400kt	.40	20u	A	MD12	
19#	GFT3408/60	263m∅		J	3.0		60	10	40	50m	2.0∅	50	40	80	400kt	.40	20u	A	MD12	
20#	GFT3408320	263m∅		J	3.0		20	10	15	50m	2.0∅	50	40	80	400kt	.40	20u	A	MD12	
21#	GTL3	266m		J	3.0		20	10	15	5.0m	2.0∅	500m	25	50	250			A		
22#	GFT30	270m		J	3.0		30	20	15	1.0m	2.0	64	20		300kt	.50		A		
23#	GFT3008/80	270m∅		J	3.0		80	10	60	50m	2.0∅	50	25	50	350kt	.40	20u	A		
24#	GFT3408/80	270m∅		J	3.0		80	10	60	50m	2.0∅	50	40	80	400kt	.40	20u	A		
25	LT5201	286m		J	1.0		60	30	60	6.0∅	2.5	10			48kt	1.0				TO13
26	LT5209	286m		J	1.0		30	15	15	50m	1.0∅	50	10							TO13
27	XD5081	286m		J			35			10m	2.0	1.5								
28	XD5082	286m		J			35			50m	2.0	1.5								
29	2N157	333m∅		J	3.0	.50	60	30	60	1.0m	2.0∅	50	20		100kt	.75		A		TO3
30	2N157A	333m∅		J	3.0	.50	90	30	90	1.0m	2.0∅	50	20		100kt	.75		A		TO3
31	2N352	333m		J	2.0		20	40	40	5.0m∅	1.5∅	1.0	30	140				A		
32	2N1245	333m		J	4.0	.50	30	15	25	5.0m∅	2.0∅	50	50		125kt			A		TO3
33	2N1246	333m		J	4.0	.50	30	15	25	5.0m∅	2.0∅	50	150		125kt			A		TO3
34	2N1504	333m∅	23 ∅	J	3.0	500m	80	30	60	1.0m	2.0∅	500m	21		4.0k	750m		A		MT12
35#	2T3011	333m		J	3.0		40	12	40	2.0m	1.5∅	1.0	70	103	7.0kt			A		
36#	2T3021	333m		J	3.0		60	12	60	2.0m	1.5∅	1.0	49	103	7.0kt			A		
37#	2T3031	333m		J	2.0		30	12	30	3.0m	1.5∅	1.0	20	47	7.0kt			A		
38#	2T3032	333m		J	2.0		30	12	30	3.0m	1.5∅	1.0	32	75	7.0kt			A		
39#	2T3033	333m		J	2.0		30	12	30	3.0m	1.5∅	1.0	51	121	7.0kt			A		
40	AT201	333m	10 ∅	J	3.0		200			200u∅							D			
41	B1914	333m	20 ∅	J	5.0	.50			50 ∅	2.0∅	60	65			.87		AD			TO3
42	CK256	333m∅	20 ∅	J	3.0	500m	30	15	30	1.0m	2.0∅	500m	25	32 ∅	4.0k	750m		A		MT12
43	CK258	333m∅	20 ∅	J	3.0	500m	60	30	60	1.0m	2.0∅	500m	21		4.0k	750m		A		MT12
44	CK31	333m∅	20 ∅	J	3.0	500m	80	30	80	1.0m	2.0∅	500m	21	40 ∅	4.0k	750m		A		MM3
45	CK312	333m∅	20 ∅	J	3.0	500m	100	30	100	1.0m	2.0∅	500m	21		4.0k	750m		A		MM3
46	CK313	333m∅	20 ∅	J	3.0	500m	120	30	120	1.0m	2.0∅	500m	20	36 ∅	4.0k	750m		A		MM3
47	CK314	333m∅	20 ∅	J	3.0	500m	150	30	150	1.0m	2.0∅	500m	20	36 ∅	4.0k	750m		A		MM3
48	CK315	333m∅	20 ∅	J	3.0	500m	200	30		5.0m	2.0∅	500m	21		4.0k	750m		A		MM3
49	CK411	333m∅	20 ∅	J	3.0	500m	80	30	80	1.0m	2.0∅	500m	21	40 ∅	4.0k	750m		A		MT12
50	CK412	333m∅	20 ∅	J	3.0	500m	100	30	100	1.0m	2.0∅	500m	21	40 ∅	4.0k	750m		A		MT12
51	CK413	333m∅	20 ∅	J	3.0	.50	120	30	120	1.0m	2.0∅	50	21	36 ∅	4.0k	75		A		MT12
52	CK414	333m∅		J	3.0	.50	150	30	150	1.0m	2.0∅	.50	21	36 ∅	4.0k	.75		A		MT12
53	CK415	333m∅		J	3.0	.50	200	30		5.0m	2.0∅	.50	21		4.0k	.75		A		MT12
54#	GTL1	333m		J	3.0		30			30m								A		
55	LT51	333m		J	3.0	.50	60	30	60	1.0m	2.0∅	50	20		100kt	.75				
56	LT55	333m		J	3.0	.50	60	15	60	1.0m	2.0∅	50	20		100kt	1.0				
57	LT5022	333m		J	3.0	.50	30	15	30	1.5m	2.0∅	50	20		100kt	1.0				TO3
58	LT5025	333m		J	3.0	.50	30	15	30	1.5m	2.0∅	50	40		100kt	1.0				TO3
59	LT5028	333m		J	3.0	.50	30	15	30	1.5m	2.0∅	50	60		100kt	1.0				TO3
60	LT5031	333m		J	3.0	.50	60	15	60	1.5m	2.0∅	50	40		100kt	1.0				TO3
61	LT5034	333m		J	3.0	.50	60	15	60	1.5m	2.0∅	50	60		100kt	1.0				TO3
62	LT5038	333m		J	3.0	.50	100	15	90	2.0m	2.0∅	50	40		100kt	1.0				TO10
63	LT5039	333m		J	3.0	.50	100	15	90	2.0m	2.0∅	50	40		100kt	1.0				TO3
64	LT5042	333m		J	3.0	.50	100	15	90	2.0m	2.0∅	50	60		100kt	1.0				TO3
65	LT5045	333m		J	3.0	.50	120	15	100	2.5m	2.0∅	50	40		100kt	1.0				TO3
66	LT5048	333m∅		J	3.0	.50	120	15	100	2.5m	2.0∅	50	20		100kt	1.0				TO3
67	LT5051	333m		J	3.0	.50	120	15	100	2.5m	2.0∅	50	60		100kt	1.0				TO3
68	LT5515	333m		J	3.0		60	15		1.5m	2.0∅	50	20		100kt	1.0				TO3
69	T1366	333m		J	3.0		60		45	1.0m∅	1.0∅	10	50			.10		A		TO3
70	T1367	333m		J	3.0		45		25	1.0m∅	1.0∅	50	30			.15		A		TO3
71	T1368	333m		J	3.0		45		25	1.0m∅	1.0∅	50	30			.15		A		TO3
72	T1369	333m		J	3.0		45		23	2.0m∅	1.0∅	50	30			.15		A		TO3
73	T1370	333m		J	3.0		30		15	2.0m∅	1.0∅	50	30			.15		A		TO3
74	TS176	333m		J	2.0					1.0m∅	1.2∅	1.0				.75				
75	2N353	400m		J	3.0		40		40	5.0m	1.5∅	1.0	40	150		.80		A		
76#	25B25	400m		J	1.5		60	12		2.0m	1.5	1.0	34	110	250kt			A		TO3
77#	25B28	400m		J	1.5		45	12		16m∅	1.5	1.0	34	110	250kt			A		TO3
78#	25B26A	400m	20	J	3.0		25	12	45	16m∅	1.5	1.0	34	115			A			TO3
79#	25B122	400m		J	1.5		80	40		2.0m	1.5	1.0	34	110	250kt					

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1/MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M T A E M P	ABSOLUTE MAX. RATINGS @25°C					hfe			f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	L C O D E				
					Ic (A)	Ib (A)	BVcbo (V)	BVebo (V)	BVceo (V)	Icbo @ MAX Vcb @25°C (A)	V _{cb} (V)	V _{cb} (A)						MIN	MAX		
1	2N421	500m		#J	5.0	.50	65		45	1.5m	2.0	4.0	40	50	400kt	.50	15u	A			
2	2N1433	500m		#J	3.5	.50	80	28	50	2.0m	2.0	2.0	20	50	200kt	.75		A		TO10	
3	2N1434	500m		#J	3.5	.50	80	28	50	2.0m	2.0	2.0	20	45	115	200kt	.50		A		TO10
4	2N1435	500m		#J	3.5	.50	80	28	50	2.0m	2.0	2.0	30	75	200kt	.30		A		TO10	
5#	2SB64	500m	25 ∅	∅J	6.0		100	1.0	100	330u	1.5	1.0	34	160	1.0M			A		TO3	
6#	2SB69	500m	25 ∅	∅J	6.0		60	1.0	60	330u	1.5	1.0	34	160	1.0M			A		TO3	
7#	2SB123	500m		∅J	5.0		40	12	40	2.0m	1.5	5.0	50	∅	250kt	.09		A		TO3	
8#	2SB149	500m		∅J	8.0		40	30	40	1.0m	1.5	5.0	60	∅	250kt	.50m		A		TO3	
9#	2SB231	500m		∅J	6.0	1.0	120	1.0	120	5.0m	1.5	5.0	25	200	1.0M	.06	1.2u	A		TO3	
10#	14711	500m		#J	3.0		150	30	40	1.0m	2.0	2.0	20	150	200kt	.130m		AD		TO3	
11	A1392	500m	10	#J	10		155	4.0	150	60m	1.0	1.0	16							TO3	
12	B113	500m		#J	5.0		80					4.0									
13	B114	500m		#J	3.0				40			.75									
14	B121	500m		#J	3.0				30			.50									
15	B1017	500m		#J	3.0				20				25 ∅								
16	B10064	500m	10	#J	4.0	1.0			3.0	.50m	2.0	1.0	15			.12		DA		TO41	
17	B10068	500m	10	#J	4.0	1.0			3.0	.50m	2.0	1.0	15			.12		DA		TO41	
18#	CTP1104	500m		#J	3.0				40	2.0m	2.0	2.0	10		4.0k			A		MD2	
19#	GET571	500m		#J	12	2.0	16	6.0	16	2.0m	5.0	12	8.0	25	350kt	.40		A		MD2	
20#	GET572	500m		#J	12	3.0	32	12	32	2.0m	5.0	12	8.0	25	350kt	.40		A		MD2	
21#	GET573	500m		#J	12	2.0	64	12	40	2.0m	5.0	12	8.0	25	350kt	.40		A		MD2	
22#	GET574	500m		#J	12	2.0	32	12	32	2.0m	2.0	1.0	40	∅	350kt	.40		A		MD2	
23#	GET581	500m		#J	6.0		80	40	60	1.0	6.0	15	30					A		TO3	
24#	GET582	500m		#J	6.0		80	40	60	1.0	6.0	20	65					A		TO3	
25#	GET583	500m		#J	6.0		60	20	32	1.0	6.0	20	45					A		TO3	
26#	GET584	500m		#J	6.0		60	20	32	1.0	6.0	35	80					A		TO3	
27#	GET585	500m		#J	4.0		40	10	40	1.0	4.0	12	∅					A		TO13	
28#	GET586	500m		#J	3.0		32	10	40	1.0	3.0	15	50					A		TO13	
29	LT5054	500m		#J	4.5	.60	30	15	30	2.0m	2.0	.75	30		100kt	1.0				CO	
30	LT5057	500m		#J	4.5	.60	30	15	30	2.0m	2.0	.75	60		100kt	1.0				CO	
31	LT5060	500m		#J	4.5	.60	30	15	30	2.0m	2.0	.75	100		100kt	1.0				CO	
32	LT5063	500m		#J	4.5	.60	60	15	60	2.0m	2.0	.75	30		100kt	1.0				CO	
33	LT5066	500m		#J	4.5	.60	60	15	60	2.0m	2.0	.75	60		100kt	1.0				CO	
34	LT5069	500m		#J	4.5	.60	60	15	60	2.0m	2.0	.75	100		100kt	1.0				CO	
35	LT5072	500m		#J	4.5	.60	80	15	75	2.5m	2.0	.75	30		100kt	1.0				CO	
36	LT5075	500m		#J	4.5	.60	80	15	75	2.5m	2.0	.75	60		100kt	1.0				CO	
37	LT5078	500m		#J	4.5	.60	80	15	75	2.5m	2.0	.75	100		100kt	1.0				CO	
38	LT5081	500m		#J	4.5	.60	100	15	90	3.0m	2.0	.75	30		100kt	1.0				CO	
39	LT5084	500m		#J	4.5	.60	100	15	90	3.0m	2.0	.75	60		100kt	1.0				CO	
40	LT5087	500m		#J	4.5	.60	100	15	90	3.0m	2.0	.75	100		100kt	1.0				CO	
41	LT5157	500m		#J	4.5		100	15	90	3.0m	2.0	.75	30		100kt	1.0				CO	
42	LT5158	500m		#J	4.5		100	15	90	3.0m	2.0	.75	30		100kt	1.0				CO	
43	LT5159	500m		#J	4.5		100	15	90	3.0m	2.0	.75	30		100kt	1.0				CO	
44#	SFT150	500m		#J	3.0	.50	32	10	32	1.0m	2.5	2.0	∅		300kt	.17		A			
45#	TF90/30	500m		#J	3.0	15	80	10	32	1.0m	2.5	5.0	50	∅							
46#	TF90/60	500m		∅J	15		64	20	64	.50	5.0	5.0									
47#	V15/10DP	500m		∅J	3.0		15	5.0	5.0	.10m	1.5	.20	10	20	200kt			A		TO3	
48#	V15/10P	500m		∅J	3.0		15	5.0	5.0	.10m	1.5	.02	10	20	200kt			A		TO3	
49#	V15/20DP	500m		∅J	3.0		15	5.0	5.0	.10m	1.5	.20	20	30	200kt			A		TO3	
50#	V15/20P	500m		∅J	3.0		15	5.0	5.0	.10m	1.5	.20	20	30	200kt			A		TO3	
51#	V15/30DP	500m		∅J	3.0		15	5.0	5.0	.10m	1.5	.20	30	30	200kt			A		TO3	
52#	V15/30P	500m		∅J	3.0		30	5.0	5.0	.10m	1.5	.20	30	30	200kt			A		TO3	
53#	V30/10DP	500m		∅J	3.0		30	10	10	.10m	1.5	.20	10	20	200kt			A		TO3	
54#	V30/10P	500m		∅J	3.0		30	10	10	.10m	1.5	.20	10	20	200kt			A		TO3	
55#	V30/20DP	500m		∅J	3.0		30	10	10	.10m	1.5	.20	20	30	200kt			A		TO3	
56#	V30/20P	500m		∅J	3.0		30	10	10	.10m	1.5	.20	20	30	300kt			A		TO3	
57#	V30/30DP	500m		∅J	3.0		30	10	10	.10m	1.5	.20	20	20	200kt			A		TO3	
58#	V30/30P	500m		∅J	3.0		30	10	10	.10m	1.5	.20	30	20	200kt			A		TO3	
59#	V60/10DP	500m		∅J	3.0		60	20	20	.10m	1.5	.20	10	20	200kt			A		TO3	
60#	V60/10P	500m		∅J	3.0		60	20	20	.10m	1.5	.20	10	20	200kt			A		TO3	
61#	V60/20DP	500m		∅J	3.0		60	20	20	.10m	1.5	.20	20	30	200kt			A		TO3	
62#	V60/20P	500m		∅J	3.0		60	20	20	.10m	1.5	.20	20	30	200kt			A		TO3	
63#	V60/30DP	500m		∅J	3.0		60	20	20	.10m	1.5	.20	30	38	∅	200kt			A		TO3
64#	V60/30P	500m		∅J	3.0		60	20	20	.10m	1.5	.20	30	38	∅	200kt			A		TO3
65	X113	500m		#J	4.0		70		60		4.0		20	∅							
66	X133	500m		#J	4.0				60		4.0										
67#	2SB119	588m		∅J	3.0	.50	32	10	16	.20m	1.0	3.0	6.0		200kt			A		TO3	
68#	2SB119A	588m		∅J	3.0	.50	60	10	30	.20m	1.0	3.0	6.0		200kt			A		TO3	
69	2N1014	666m		#C	5.0	2.0	100	60	65	500u	1.5	1.0			6.5kt			A		TO3	
70	2N1182	666m	50 ∅	#J	5.0		60	12	60	500u	1.2	500m	35	85	5.0k	450m	90u	A		TO3	
71#	2S41	666m	8.0	#S	1.2	1.2	40	12	60	2.0m			62	∅				A		TO3	
72#	2SB129A	666m		#J	6.0		120	60	80	220u	1.0	6.0	30	80				A		TO3	
73#	2SB312	666m	43 ∅	#J	8.0		140	1.0		220u	1.0	8.0	14	100		110m		D		TO3	
74#	2SB313	666m	43 ∅	#J	10		180	1.0		220u	1.0	8.0	14	100		110m		D		TO3	
75#	2SB471A	666m	30 ∅	#J	10	3.0	60	10	45	500u	2.0	1.0	50	100	300kt			A		MD6	
76#	2SB471B	666m	30 ∅	#J	10	3.0	60	10	45	500u	2.0	1.0	80	165	300kt			A		MD6	
77#	2SB472A	666m	30 ∅	#J	10	3.0	80	10	50	500u	2.0	1.0	50	100	300kt			A		MD6	
78#	2SB472B	666m	30 ∅	#J	10	3.0	80	10	50	500u	2.0	1.0	80	165	300kt			A		MD6	
79#	146T1	666m		#J	3.0		40	20	30	1.0m	2.0	2.0	20	150	200kt	130m		A		TO3	
80#	ADY25	666m	40 ∅	#J	7.5	2.0	100	12	80	110u	0.0	1.0	150	∅	250kt			ADA		TO37	
81	B1913	666m	5.0	#J	3.0	300m			50		2.0	600m	65			870m				TO30	
82	B10142	666m	30 ∅	#J	10				325	1.0m											

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M T A E M P	ABSOLUTE MAX. RATINGS @25°C					MAX. hfe			MIN	MAX	fae (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	C O D E	
					lc (A)	lb (A)	BVcbo (V)	BVebo (V)	BVceo (V)	lcbo @ MAX Vcb @25°C (A)	Vcb (V)	lc (A)								
1	B10144A	667m	50	#J	20				130	1.0m	2.0	15	25		.03	1.5u#	ADA	TO3		
2	B10144B	667m	50	#J	20				100	1.0m	2.0	15	25		.03	1.5u#	ADA	TO3		
3	CTP1112	667m		#J	3.0				80		2.0	15	20				A			
4	CTP1117	667m		#J	3.0				40		2.0	15	20				A			
5	CTP1127	667m		#J	3.0				80		2.0	15	20				A			
6	CTP1133	667m		#J	3.0				40	6.0	2.0	15	20				A			
7	CTP1135	667m	40	#J	3.0				40	20	2.0	15	20				A			
8	CTP1137	667m		#J	3.0				40		2.0	15	20				A			
9	CTP1265	667m		#J	8.0	.60			60	50	2.0	15	30	75			AA	TO3		
10	CTP1266	667m		#J	8.0	.30			60	50	2.0	15	60	150			AA	TO3		
11	CTP1296	667m		#J	8.0	.60			80	65	2.0	15	30	75			AA	TO3		
12	CTP1297	667m		#J	8.0	.30			80	65	2.0	15	60	150			AA	TO3		
13	CTP1306	667m		#J	8.0	.60			40	35	2.0	15	30	75			AA	TO3		
14	CTP1307	667m		#J	8.0	.30			40	35	2.0	15	60	150			AA	TO3		
15	CTP1314	667m		#J	8.0	.60			100	75	2.0	15	30	75			AA	TO3		
16#	GET7	667m		∅J	8.0				15	1.5m	1.5	5.0					A			
17#	GET8	667m		∅J	8.0				30	1.5m	1.5	5.0					A			
18#	GET9	667m		∅J	8.0				60	1.5m	1.5	5.0					A			
19	LT5090	667m		#J	6.0	.70			15	30	2.0	1.0	40		1.0			TO3	CØ	
20	LT5093	667m		#J	6.0	.70			15	30	2.0	1.0	80		1.0			TO3	CØ	
21	LT5096	667m		#J	6.0	.70			15	30	2.0	1.0	160		1.0			TO3	CØ	
22	LT5099	667m		#J	6.0	.70			15	60	2.0	1.0	40		1.0			TO3	CØ	
23	LT5102	667m		#J	6.0	.70			15	60	2.0	1.0	80		1.0			TO3	CØ	
24	LT5105	667m		#J	6.0	.70			15	60	2.0	1.0	160		1.0			TO3	CØ	
25	LT5108	667m		#J	6.0	.70			15	75	2.0	1.0	40		1.0			TO3	CØ	
26	LT5111	667m		#J	6.0	.70			15	75	2.0	1.0	80		1.0			TO3	CØ	
27	LT5114	667m		#J	6.0	.70			15	75	2.0	1.0	160		1.0			TO3	CØ	
28	LT5117	667m		#J	6.0	.70			100	15	2.0	1.0	40		1.0			TO3	CØ	
29	LT5120	667m		#J	6.0	.70			100	15	2.0	1.0	80		1.0			TO3	CØ	
30	LT5123	667m		#J	6.0	.70			100	15	2.0	1.0	160		1.0			TO3	CØ	
31	LT5160	667m		#J	6.0				100	15	2.0	1.0	40		1.0			TO3	CØ	
32	LT5161	667m		#J	6.0				100	15	2.0	1.0	40		1.0			TO3	CØ	
33	LT5162	667m		#J	6.0				100	15	2.0	1.0	40		1.0			TO3	CØ	
34#	NKT452S1	667m		#J	3.0	.50			60	10	60	1.5	30	100				TO3		
35	X134	667m		#J	12				40		10									
36	X137	667m		#J	12				60		10									
37#	2SB296	714m	30	∅J	10				160	3.0	180	1.5	25	200	1.5Mf	150m	D	MD6		
38#	2SB300	735m	35	∅J	10				100	1.0	100	1.5	30	200			D	TO3		
39#	2SB301	735m	35	∅J	10				60	1.0	60	1.5	30	200			D	TO3		
40#	2SB228	757m		∅J	5.0	2.0			80	50	35	5.0m	1.5	4.0	20	54		A	TO3	
41#	2SB229	757m		∅J	5.0	2.0			100	50	40	5.0m	1.5	4.0	20	54		A	TO3	
42#	2SB230	757m		∅J	5.0	2.0			120	50	50	5.0m	1.5	4.0	20	54		A	TO3	
43#	2SB85	769m		#J	5.0	2.0			40	20	25	3.0m	1.5	4.0	14			A		
44#	2SB86	769m		#J	5.0	2.0			60	20	35	3.0m	1.5	4.0	14			A		
45#	2SB87	769m		#J	5.0	2.0			80	20	50	3.0m	1.5	4.0	14			A		
46	2N290	833m	55	∅J	12				70	60		1.0m	2.0	1.2	72	∅		A	TO6	
47	2N391	833m		∅J	5.0	1.0			50	20	40	8.0m	2.0	3.0				A		
48#	2SB124	833m		∅J	15				60	25		10m	1.5	15	70	∅		A	MS1	
49#	2SB125	833m		∅J	15				36	25		10m	1.5	15	70	∅		A	MS1	
50#	2SB148	833m		∅J	15				80	20		10m	1.5	15	70	∅		A	MS1	
51#	2SB246	833m	54	∅J	5.0				40		25	500u	1.5	2.0	40	80		A	TO3	
52#	2SB358	833m	50	∅J	6.0	6.0			80	1.5	80	5.0m	1.5	4.0	10	100	∅	D	TO3	
53#	2SB359	833m	50	∅J	10	10			120	1.5	120	5.0m	1.5	4.0	10	100	∅	D	TO3	
54#	2SB360	833m	50	∅J	10	10			80	1.5	180	5.0m	1.5	4.0	10	100	∅	D	TO3	
55	B1151	833m		#	15				30	25	25	2.0m	2.0	4.0	20			A	TO3	
56	B1151A	833m		#	15				50	25	40	2.0m	2.0	4.0	20			A	TO3	
57	B1151B	833m		#	15				80	25	70	2.0m	2.0	4.0	20			A	TO3	
58	B1152	833m		#	15				30	25	25	2.0m	2.0	8.0	20			A	TO3	
59	B1152A	833m		#	15				50	25	40	2.0m	2.0	8.0	20			A	TO3	
60	B1152B	833m		#	15				80	25	70	2.0m	2.0	8.0	20			A	TO3	
61	B10060	833m	60	∅J	14	2.0				80	∅	2.0	12	25			DA	TO3		
62	B10061	833m	60	∅J	14	2.0				80	∅	2.0	12	15			DA	TO3		
63	B10062	833m	60	∅J	14	2.0				80	∅	2.0	12	25			DA	TO3		
64	B10063	833m	60	∅J	14	2.0				80	∅	2.0	12	15			DA	TO3		
65	B10065	833m	60	∅J	14	2.0				80	∅	2.0	12	25			DA	TO41		
66	B10066	833m	60	∅J	14	2.0				80	∅	2.0	12	15			DA	TO41		
67	B10067	833m	60	∅J	14	2.0				80	∅	2.0	12	25			DA	TO41		
68	B10068	833m	60	∅J	14	2.0				80	∅	2.0	12	15			DA	TO41		
69#	GFT8024	833m		∅J	8.0				30	15	15	2.0	8.0	20			A			
70	MP2137	833m	70	∅J					30	15	20	2.0m	2.0	500m	30	60	20k	250m	A	TO41
71	MP2137A	833m	70	∅J					30	15	20	2.0m	2.0	500m	30	60	20k	250m	A	TO41
72	MP2138	833m	70	∅J					45	25	30	2.0m	2.0	500m	30	60	20k	250m	A	TO41
73	MP2138A	833m	70	∅J					45	25	30	5.0m	2.0	500m	30	60	20k	250m	A	TO41
74	MP2139	833m	70	∅J					60	30	45	5.0m	2.0	500m	30	60	20k	250m	A	TO41
75	MP2139A	833m	70	∅J					60	30	45	5.0m	2.0	500m	30	60	20k	250m	A	TO41
76	MP2140	833m	70	∅J					75	40	60	5.0m	2.0	500m	30	60	20k	250m	A	TO41
77	MP2140A	833m	70	∅J					75	40	60	5.0m	2.0	500m	30	60	20k	250m	A	TO41
78	MP2141	833m	70	∅J					90	45	65	5.0m	2.0	500m	30	60	20k	250m	A	TO41
79	MP2141A	833m	70	∅J					90	45	65	5.0m	2.0	500m	30	60	20k	250m	A	TO41
80	MP2142	833m	70	∅J					30	15	20	5.0m	2.0	500m	50	100	20k	250m	A	TO41
81	MP2142A	833m	70	∅J					30	15	20	5.0m	2.0	500m	50	100	20k	250m	A	TO41
82	MP2143	833m	70	∅J					45	25	30	5.0m	2.0	500m	50	100	20k	250m	A	TO41
83	MP2143A	833m	70	∅J					45	25	30	5.0m	2.0	500m	50	100	20k	250m	A	TO41
84	MP2144	833m	70	∅J					60	30	45	5.0m	2.0	500m	50	100	20k	250m	A	TO41
85	MP2144A	833m	70	∅J					60	30	45	5.0m	2.0	500m	50	100	20k	250m	A	TO41
86	MP2145	833m	70	∅J					75	40	60	5.0m	2.0	500m	50	100	20k	250m	A	TO41
87	MP2145A	833m	70	∅J					75	40	60	5.0m	2.0	500m	50	100	20k	250m	A	TO41
88																				

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	Pc	M A E X M P	ABSOLUTE MAX. RATINGS @25°C					MAX. Vcb @ 25°C (A)	hfe			f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O D E
						Ic (A)	Ib (A)	Vcbo (V)	Vebo (V)	Vceo (V)		MIN	MAX	STRUCTURE				DWG. No.		
1	CTP1514	1.0			#J	13		40		30	2.00	5.0	60	120						
2#	CTP1545	1.0	1.7 *		#J	25		80	30	40	15m	2.00	25	25 †	125 †	4.0k	40m			TO3
3#	CTP1553	1.0	1.7 *		#J	25		100	30	50	20m	2.00	25	25 †	125 †	4.0k	40m			TO3
4	H200E	1.0			#J	10		60		30	2.0m	2.00	5.0	20		400k†	.10			AA
5	MN21	1.0			#J	3.0		80			2.0m	4.00	1.0	40	80	280k†	.50			AA
6	MN28	1.0			#J	3.0		30			5.0m	2.00	5.0	30	100	2.0				AA
7	MN29	1.0			#J	3.0		40			5.0m	2.00	5.0	30	100	2.0				AA
8	MN32	1.0			#J	3.0		30			3.0m	12	50 ∅	30	70	.80				AA
9#	OD650	1.0			#J	15	3.0	60	20	25	2.0m	2.00	15	10	25 ∅	100k†				AA
10#	OD650B	1.0	45 ∅		#J	5.0	1.0	60	20	25	2.0m	2.00	5.0	15	25 ∅	100k†				AA
11#	OD651	1.0	45 ∅		#J	15	3.0	60	25	40	2.0m	2.00	15	10	15 ∅	100k†				AA
12#	OD651A	1.0	45 ∅		#J	15	3.0	60	25	30	2.0m	2.00	15	10	25 ∅	100k†				AA
13#	V15/15NP	1.0			#J	6.0		15	4.0	5.0	1.0m	1.5	2.0	15	30	150k†				AA
14#	V15/30NP	1.0			#J	6.0		15	4.0	5.0	1.0m	1.5	2.0	30	60	150k†				AA
15#	V30/15NP	1.0			#J	6.0		15	8.0	10	1.0m	1.5	2.0	15	30	150k†				AA
16#	V30/30NP	1.0			#J	6.0		30	8.0	10	1.0m	1.5	2.0	30	60	150k†				AA
17#	XC141	1.0			#S	2.0		40	12	40	3.0m	1.5	1.0	30	70					AA
18#	XC142	1.0			#J	2.0		60	12	40	3.0m	1.5	1.0	70	70					AA
19#	2G223	1.1			#J	15	5.0	40		30	2.0m	1.50	15	10	12 ∅	250k†	50m	11u		AA
20#	2G224	1.1			#J	15	5.0	60			2.0m	1.50	15	10	12 ∅	250k†	50m	11u		AA
21#	2G225	1.1			#J	15	5.0	80			2.0m	1.50	15	10	12 ∅	250k†	50m	11u		AA
22#	2G226	1.1			#J	20	5.0	40			2.0m	1.50	20	10	12 ∅	300k†	50m	10u		AA
23#	2G227	1.1			#J	20	5.0	60			2.0m	1.50	20	10	12 ∅	300k†	50m	10u		AA
24#	2G228	1.1			#J	20	5.0	80			2.0m	1.50	20	10	12 ∅	300k†	50m	10u		AA
25#	2G229	1.1			#J	25	5.0	40	30		2.0m	1.50	25	10	12 ∅	350k†	.05	10u		AA
26#	2G230	1.1			#J	25	5.0	60	30		2.0m	1.50	25	10	12 ∅	300k†	.05	10u		AA
27#	2G231	1.1			#J	25	5.0	80	30		2.0m	1.50	25	10	12 ∅	300k†	.05	10u		AA
28	2N1029	1.2	90 ∅		#J	15	1.5	50	25	30	15m	2.00	10	20	60	100m	15u			AA
29	2N1030	1.2	90 ∅		#J	15	1.5	50	25	30	15m	2.00	10	50	100	100m	15u			AA
30	2N1030A	1.2	90 ∅		#J	15	1.5	60	25	40	15m	2.00	10	50	100	100m	15u			AA
31	2N1030B	1.2	90 ∅		#J	15	1.5	90	25	70	15m	2.00	10	50	100	100m	15u			AA
32	2N2211	1.2	90 ∅		#S	5.0	3.0	80	40	60	20m	4.00	1.0	60	140	5.0k				AA
33	2N2446†	1.2	90 ∅		#S	7.0	3.0	80	20	50	2.0m	2.00	5.0	15	45	3.0kΔ		30u∅		AA
34	2N3132	1.2	90 ∅		#S	5.0	5.0	100	40	70	5.0m	2.00	2.0	40	200	3.0kΔ	300m	20u∅		AA
35	CRT1544	1.2	90 ∅		#J	25	5.0	60	30	40	15m	2.00	25	25	125	5.0k	40m			AA
36	CRT1545	1.2	90 ∅		#J	25	5.0	80	30	60	15m	2.00	25	25	125	5.0k	40m			AA
37	CRT1552	1.2	90 ∅		#J	25	5.0	40	30	30	10m	2.00	25	25	75	5.0k	40m			AA
38	CRT1553	1.2	90 ∅		#J	25	5.0	100	30	75	10m	2.00	25	25	75	5.0k	40m			AA
39	DTG1000	1.2			#J	15	3.0			100	2.00	8.0	20	50	∅					AA
40	DTG1110B†	1.2			#J	15	3.0	250		80	2.0	4.0	25	150		350k†	160m	6.0u		D
41	DTG1210A†	1.2			#J	15	3.0	250		80	2.0	1.0	35			350k†	160m	6.0u		D
42#	NKT501	1.2	90 ∅		#J	25	4.0	60	12	60	300u∅	1.5	25	12		650k†				AA
43#	NKT502	1.2	90 ∅		#J	25	4.0	30	12	30	300u∅	1.5	25	12		650k†				AA
44#	NKT503	1.2	90 ∅		#J	25	4.0	60	12	60	300u∅	1.5	10	12		650k†				AA
45#	NKT504	1.2	90 ∅		#J	25	4.0	30	12	30	300u∅	1.5	10	12		650k†				AA
46	T1366A	1.2	25 ∅		#J	3.0		60	45	10m	1.00	1.0	50		.10					AA
47	T1367A	1.2	25 ∅		#J	3.0		60	40	20m	1.00	.50	30		.15					AA
48	T1368A	1.2	25 ∅		#J	3.0		45	25	10m	1.00	1.0	50		.10					AA
49	T1389A	1.2	25 ∅		#J	3.0		45	23	20m	1.00	.50	30		.15					AA
50	T1370A	1.2	106 ∅		#J	3.0		30	45	20m	1.00	.50	30		.15					AA
51	TS610	1.2	106 ∅		#J	5.0		25	20	20	5.0m	2.00	2.0	15		4.0k†		25u		AA
52	USAF506ES010M	1.2	20 ∅		#J	15	4.0	80	60	60	200u∅	2.00	5.0	25	50	5.0kΔ	100m			AA
53	2N301B	1.3	90 ∅		#J			40		32	∅									AA
54	2N301G	1.3	90 ∅		#J			40		32	∅									AA
55	2N301W	1.3	90 ∅		#J			40		32	∅									AA
56	2N1030C	1.3	90 ∅		#J	15	1.5	100	25	80	15m	2.00	10	50	100	.10	15u			AA
57	2N1358M	1.3			#J	15	4.0	80	40	40	4.0m	2.00	5.0	25	50	5.0k	.06	15u		AA
58	2N1419	1.3			#J			70		70	15m	2.00	25	40	100	.35	20u			AA
59#	2SB477	1.3	80 ∅		#J	30	3.0	30	15	15	5.0m	2.00	15	20	130	80m				AA
60#	2SB478	1.3	80 ∅		#J	30	3.0	60	30	30	5.0m	2.00	15	20	130	80m				AA
61#	2SB479	1.3	80 ∅		#J	30	3.0	80	40	40	5.0m	2.00	15	20	130	80m				AA
62#	2SB480	1.3	80 ∅		#J	30	3.0	100	50	50	5.0m	2.00	15	20	130	80m				AA
63	B1368B	1.3			#J	25		100		10m	2.00	10	35	140						DA
64	B1368C	1.3			#J	25		100		10m	2.0	10	35	140						DA
65#	CRT1592	1.3			#J	35		80		60	4.0m	4.00	35	12						DA
66	CTP1530	1.3			#J	13	4.0	100		80		5.0	25	50	10k†	.06				AA
67	CYT1549	1.3			#J	15		40	20	20	3.0m	2.00	10	10	30					AA
68	CYT1550	1.3			#J	15		60	30	30	3.0m	2.00	10	10	30					AA
69	CYT1551	1.3			#J	15		80	40	40	3.0m	2.00	10	10	30					AA
70	CYT1552	1.3			#J	15		100	50	50	3.0m	2.00	10	10	30					AA
71	CYT1553	1.3			#J	15														

8. GERMANIUM PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE
& (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM RES. J to C (W)	MAX FREE AIR @ 25°C (W)	Pc	M T A E X P	ABSOLUTE MAX. RATINGS @25°C					MAX. hfe			MIN	MAX	fae (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O D E
						Ic (A)	Ib (A)	BVcbo (V)	BVebo (V)	BVceo (V)	Icbo @ MAX Vcb @25°C (A)	BIAS							DESCRIPTION STRUCTURE	DWG. No.	
												Vcb (V)	Ic (A)								
1	ST109	2.0			#J	15	4.0	80	28	50	7.0m	2.00	10	19	42	5.0k	12u	A	T036		
2	ST110	2.0			#J	15	4.0	60	28	45	7.0m	2.00	10	38	84	3.0k	10u	A	T036		
3	ST111	2.0			#J	15	4.0	80	28	45	7.0m	2.00	10	38	84	3.0k	10u	A	T036		
4	ST112	2.0			#J	15	4.0	60	28	35	20m	2.00	10	25		3.0k	10u	A	T036		
5	TIG05	2.0	150	∅	#S	50	5.0	50	30	35	300u∅	2.00	30	20	80	200k	23m	A	T03		
6	TIG06	2.0	150	∅	#S	50	5.0	75	30	45	200u∅	2.00	30	20	80	200k	13m	A	T03		
7	TIG07	2.0	150	∅	#S	50	5.0	100	30	55	200u∅	2.00	30	20	80	200k	13m	A	T03		
8	TIG08	2.0	150	∅	#S	50	5.0	50	30	35	300u∅	2.00	30	20	80	200k	23m	A	T041		
9	TIG09	2.0	150	∅	#S	50	5.0	75	30	45	200u∅	2.00	30	20	80	200k	13m	A	T041		
10	TIG10	2.0	150	∅	#S	50	5.0	100	30	55	200u∅	2.00	30	20	80	200k	13m	A	T041		
11	TS609	2.0	170	∅	#J	15	4.0	40	20	40	8.0m	2.00	5.0	20		10k	15u	A	T036		

9. GERMANIUM NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE
& (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM. RES. J to C (W)	MAX FREE AIR @ 25°C (W)	Pc	T A X E M P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{cb} @ 25°C (A)	h _{fe}			f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O D E
						I _c (A)	I _b (A)	BV _{cb} (V)	BV _{eb} (V)	BV _{ce} (V)		MAX V _{cb} (V)	BIAS I _c (A)	MIN				MAX	STRUC-TURE	
1#	2SD191	2.9m			ØJ	15		30	12	25	14n	1.0	.05	20	130			A	TO9	
2#	2SD192	2.9m			ØJ	15		30	12	25	14n	1.0	.05	40	130			A	TO9	
3#	2SD194	5.0m			ØJ	40		32	12	32	14n	1.0	.15	40	150			A	TO9	
4	2N95	80m			ØJ	1.5		30	15	15	5.0m	6.0	50m	40	Ø			A	TO9	
5	2N102	80m			ØJ	800m		30	15	15	5.0m	6.0	50m	40	Ø			A	X4	
6	2N142	80m			ØJ	800m		60	30	30	5.0m	12	50m	40	Ø			A	OV4	
7	2N144	80m			ØJ	800m		60	30	30	5.0m	12	50m	40	Ø			A	MM1	
8	2N468	200m			#J	3.0	500m	60	15	60	2.0m	2.0	1.0	15	80	150kt	1.2	A		
9	LT5164	200m	12		#J	3.0	.50	80	15	45	3.0m	2.0	1.0	15	80	150kt	1.2	A		
10	LT5165	200m			#J	3.0	.50	35	15	30	1.0m	2.0	1.0	15	80	150kt	1.2	A		
11	LT5202	286m			#J	1.0		60	30	60	6.0	.25	10	10	150kt			A		
12	LT5210	286m			#J	1.0		30	15	15	10m	1.0	.50	10				A	TO13	

10. SILICON PNP - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	Pc	M T A E X P	ABSOLUTE MAX. RATINGS @25°C					MAX. Vcb @ 25°C (A)	BIAS hfe		MIN	MAX	fae (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION STRUCTURE	DWG. No.	L C E O A D E
						Ic (A)	Ib (A)	BVcbo (V)	BVebo (V)	BVceo (V)		Vcb (V)	Ic (A)								
1	HA7730		1.0		♦			40	20		5.0u	10	5.0mΔ	22 ∅		1.0M†			A	X3	
2	HA7731		1.0		♦			80	40		2.0u	10	5.0mΔ	22 ∅		1.0M†			A	X3	
3	HA7732		1.0		♦			40	20		5.0u	10	5.0mΔ	60 ∅		1.0M†			A	X3	
4	HA7733		1.0		♦			80	40		2.0u	10	5.0mΔ	60 ∅		1.0M†			A	X3	
5	SE9562	200n#	20 ∅		\$J	2.0		5.5	80		100u\$	5.0∅	1.0	30	90 #	50M\$Δ			DPE	T066	C∅
6	SE9563	200n#	20 ∅		\$J	2.0		5.5	80		100u\$	5.0∅	1.0	70	300 #	60M\$Δ			DPE	T066	C∅
7	2N1238	7.1m	1.0		\$J			15	15	15	100n∅	2.0∅	10m	14 ∅		1.2M†			A	X3	
8	2N1239	7.1m	1.0		\$J			15	15	15	100n∅	2.0∅	10m	30 ∅		1.2M†			A	X3	
9	2N1240	7.1m	1.0		\$J			35	35	35	100n∅	2.0∅	10m	14 ∅		1.2M†			A	X3	
10	2N1241	7.1m	1.0		\$J			35	35	35	100n∅	2.0∅	10m	30 ∅		1.2M†			A	X3	
11	2N1242	7.1m	1.0		\$J			60	60	60	100n∅	2.0∅	10m	14 ∅		1.0M†			A	X3	
12	2N1242A	7.1m∅	1.0		\$J			90	90		100n	5.0	1.0mΔ	20 ∅		1.0M†			A	X3	
13	2N1243	7.1m	1.0		\$J			60	60	60	100n∅	2.0∅	10m	30 ∅		1.0M†			A	X3	
14	2N1244	7.1m	1.0		\$J			110	110	110	100n∅	2.0∅	10m	14 ∅		800k†			A	X3	
15	HA7515	7.1m∅	1.0		\$J			150	150		100n	5.0	1.0mΔ	20		800k†			A	X3	
16	HA7520	7.1m∅	1.0		\$J	100m		35	35		100n	5.0	1.0mΔ	12 †		100k†			A	X3	
17	HA7521	7.1m∅	1.0		\$J	100m		60	60		100n	5.0	1.0mΔ	12 †		1.2M†			A	X3	
18	HA7522	7.1m∅	1.0		\$J			15	15		100n	5.0∅	1.0mΔ	20 †		1.2M†			F		
19	HA7523	7.1m∅	1.0		\$J			35	35		100n	5.0∅	1.0mΔ	20 †		1.2M†			F		
20	HA7524	7.1m∅	1.0		\$J			60	60		100n	5.0∅	1.0m∅	20 †		1.0M†			F		
21	HA7525	7.1m∅	1.0		\$J			110	110		100n	5.0∅	1.0m∅	20 †		800k†			F		
22	HA7526	7.1m∅	1.0		\$J			15	15		100n	5.0∅	1.0mΔ	42 †		1.2M†			F		
23	HA7527	7.1m∅	1.0		\$J			35	35		100n	5.0∅	1.0mΔ	42 †		1.2M†			F		
24	HA7528	7.1m∅	1.0		\$J			60	60		100n	5.0∅	1.0m∅	42 †		1.0M†			F		
25	HA7529	7.1m∅	1.0		\$J			90			100n			14 †					A	X3	
26	HA7723	7.1m∅	1.0		\$J	50m		50	10		1.0u	6.0∅	1.0mΔ	25 ∅		100k†			A	X3	
27	HA7725	7.1m∅	1.0		\$J	50m		100	60		1.0u	6.0∅	1.0mΔ	14 ∅		100k†			A	X3	
28	HA7734	7.1m∅	1.0		\$J	50m		50	20		1.0u	6.0∅	1.0mΔ	14 ∅		200k†			A	X3	
29	HA7735	7.1m∅	1.0		\$J	50m		50	20		1.0u	6.0∅	1.0mΔ	25 ∅		300k†			A	X3	
30	HA7736	7.1m∅	1.0		\$J	50m		50	20		1.0u	6.0∅	1.0mΔ	50 ∅		400k†			A	X3	
31	HA7737	7.1m∅	1.0		\$J	50m		50	20		1.0u	6.0∅	1.0mΔ	18 ∅		300k†			A	X3	
32	2N3408	27m∅	4.0		\$S	500m		40	3.0	25	400n∅	15∅	40m	10	100	200M\$Δ			∅	MT30	
33	SE9560	200m#	20 ∅		\$J	2.0		5.5	60		100u\$	5.0∅	1.0	30	90 #	50M\$Δ			DPE	T066	C∅
34	SE9561	200m#	20 ∅		\$J	2.0		5.5	60		100u\$	5.0∅	1.0	70	300 #	60M\$Δ			DPE	T066	C∅
35	ST9001	200m	20		\$J	2.0		5.0	50		100u	10	500m	20	80	25M	3.0		ME	MT11	
36	SE9570	250m#	25 ∅		\$J	2.0		5.5	60		100u\$	5.0∅	1.0	30	90 #	50M\$Δ			DPE	T03	C∅
37	SE9571	250m#	25 ∅		\$J	2.0		5.5	60		100u\$	5.0∅	1.0	70	300 #	60M\$Δ			DPE	T03	C∅
38	SE9572	250m#	25 ∅		\$J	2.0		5.5	80		10u\$	5.0∅	1.0	30	90 #	50M\$Δ			DPE	T03	C∅
39	SE9573	250m#	25 ∅		\$J	2.0		5.5	80		10u\$	5.0∅	1.0	70	300 #	60M\$Δ			DPE	T03	C∅
40	FT400A	370m\$	30 ∅		\$J			80	5.0	80	100u\$	5.0∅	2.0	100	300	120M\$			DPE	T059	
41	FT400B	370m\$	30 ∅		\$J			80	5.0	80	100u\$	5.0∅	2.0	40	120	120M\$			DPE	T059	
42	STC5109/1	400m∅	85 ∅		\$C	3.0		40	10	40		3.0∅	1.0	20	60		300m		Δ	MS8	
43	STC5110/1	400m∅	85 ∅		\$C	3.0		60	10	60		3.0∅	1.0	20	60		300m		Δ	MS8	
44	STC5112/1	400m∅	85 ∅		\$C	2.0		40	10	40		3.0∅	500m	20	60		800m		Δ	MS8	
45	STC5113/1	400m∅	85 ∅		\$C	2.0		60	10	60		3.0∅	500m	20	60		800m		Δ	MS8	
46	STC5114/1	400m∅	85 ∅		\$C	2.0		80	10	80		3.0∅	500m	20	60		800m		Δ	MS8	
47	STC5519/1	400m∅	85 ∅		\$C	3.0		40	10	40		3.0∅	1.0	20	60		300m		Δ	MT10a	
48	STC5520/1	400m∅	85 ∅		\$C	3.0		60	10	60		3.0∅	1.0	20	60		300m		Δ	MT10a	
49	STC5521/1	400m∅	85 ∅		\$C	3.0		80	10	80		3.0∅	1.0	20	60		300m		Δ	MT10a	
50	STC5522/1	400m∅	85 ∅		\$C	2.0		40	10	40		3.0∅	500m	20	60		800m		Δ	MT10a	
51	STC5523/1	400m∅	85 ∅		\$C	2.0		60	10	60		3.0∅	500m	20	60		800m		Δ	MT10a	
52	STC5524/1	400m∅	85 ∅		\$C	2.0		80	10	80		3.0∅	500m	20	60		800m		Δ	MT10a	
53	2P389	454m	85 ∅		\$J	3.0		10	10	60	10m	15∅	1.0	12	60	2.0k\$	5.0		Δ	MS3	
54	2P424	454m	85 ∅		\$J	3.0		10	10	80	10m	15∅	1.0	12	60	2.0k\$	5.0		Δ	MS3	
55	TIXP07	666m\$	3.0		\$C	7.5	1.0	100	8.0	80	1.0u\$	5.0∅	2.0	20 #	90	10M\$Δ	250m		PE	T053	

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J TO C (W)	MAX. FREE AIR @ 25°C (W)	MAX. P _C	M T A E M P	ABSOLUTE MAX. RATINGS @25°C					MAX. hfe				MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		LE O A D E				
						Ic (A)	Ib (A)	V _{cb0} (V)	V _{be0} (V)	V _{ceo} (V)	I _{cb0} @ MAX V _{cb} @ 25°C (A)	V _{cb} (V)	I _c (A)	MIN			MAX	f _{ae} (Hz)		STRUC-TURE	DWG. No.		
1	2N1839A		2.8 ∅			15	15m	45	4.5	30 ∅	1.5∅	10	12	50	80M∅								
2#	25C15		1.0		∅	50m		30			1.0u	5.0	10	60	200M∅		ME						
3#	25C140		1.7		∅	1.0		60			12u	10	50m	30	30 ∅		ME						
4#	28T2C		2.5			100m		60	1.0		5.0u	10	5.0m	14	20M∅								
5#	29T2C		2.5			100m		60	1.0		5.0u	10	5.0m	14	20M∅								
6	957		1.0		∅	50m		60			6.0u	10	5.0m	30	30 ∅								
7	958		1.0		∅	50m		60			6.0u	10	5.0m	30	30 ∅								
8#	FT012		2.0		∅	2.0		70	6.0	40	250u	15∅	50m	2.0	3.0 ∅	40M∅				TO36	∅		
9#	PT3691		2.0		∅	50		70	4.0	40													
10	PT6890		7.0		∅	5.0		60	4.0	40													
11	RT1420M		3.0		∅	5.0		60	5.0	40	1.0u∅	10∅	150 ∅	25	100	250M∅					TO46		
12	TA6200		1.0		∅			60	5.0	30 ∅	10∅	5.0∅	500m	140	80 ∅								
13	XT515		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
14	XT516		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
15	XT517		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
16	XT518		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
17	XT519		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
18	XT520		2.8		∅	75m		120			1.0m	50	30m	5.0	∅								
19#	ZT2831		8.8 ∅		∅	1.5		80	4.0	80	100m∅	15∅	10	10	200M∅							TO39	∅
20	AMF2018	625u	85 ∅		∅	13		50	5.0	100 ∅		15∅	10	10	1.0M∅	400m						MD19	
21	AMF201C	625u	85 ∅		∅	13		50	5.0	100 ∅		15∅	10	10	1.0M∅	400m						MD19	
22	AMF201D	625u	85 ∅		∅	13		50	5.0	130 ∅		15∅	10	10	1.0M∅	400m						MD19	
23	AMF201E	625u	85 ∅		∅	13		50	5.0	150 ∅		15∅	10	10	1.0M∅	400m						MD19	
24	1768-0415	1.1m	200 ∅		∅	25	10	50	7.0	40 ∅	20m #	4.0∅	15	20	40M∅							TO63	
25	1768-0420	1.1m	200 ∅		∅	25	10	50	7.0	40 ∅	20m #	4.0∅	20	20	40M∅							TO63	
26	1768-0425	1.1m	200 ∅		∅	25	10	50	7.0	40 ∅	20m #	4.0∅	25	10	40M∅							TO63	
27	1768-0615	1.1m	200 ∅		∅	25	10	70	7.0	80 ∅	20m #	4.0∅	15	20	40M∅							TO63	
28	1768-0625	1.1m	200 ∅		∅	25	10	70	7.0	80 ∅	20m #	4.0∅	25	10	40M∅							TO63	
29	1768-0815	1.1m	200 ∅		∅	25	10	90	7.0	80 ∅	20m #	4.0∅	15	20	40M∅							TO63	
30	1768-0825	1.1m	200 ∅		∅	25	10	90	7.0	80 ∅	20m #	4.0∅	25	10	40M∅							TO63	
31	1768-1015	1.1m	200 ∅		∅	25	10	110	7.0	100 ∅	20m #	4.0∅	15	20	40M∅							TO63	
32	1768-1025	1.1m	200 ∅		∅	25	10	110	7.0	100 ∅	20m #	4.0∅	25	10	40M∅							TO63	
33	1768-1215	1.1m	200 ∅		∅	25	10	130	7.0	120 ∅	20m #	4.0∅	15	20	40M∅							TO63	
34	1768-1225	1.1m	200 ∅		∅	25	10	130	7.0	120 ∅	20m #	4.0∅	25	10	40M∅							TO63	
35	1768-1415	1.1m	200 ∅		∅	25	10	150	7.0	140 ∅	20m #	4.0∅	15	20	40M∅							TO63	
36	1768-1425	1.1m	200 ∅		∅	25	10	150	7.0	140 ∅	20m #	4.0∅	25	10	40M∅							TO63	
37	1776-0450	1.1m	200 ∅		∅	25	25	50	7.0	40 ∅	20m #	5.0∅	50	10	25M∅							TO63	
38	1776-0650	1.1m	200 ∅		∅	50	25	70	7.0	80 ∅	20m #	5.0∅	50	10	25M∅							TO63	
39	1776-0850	1.1m	200 ∅		∅	50	25	90	7.0	80 ∅	20m #	5.0∅	50	10	25M∅							TO63	
40	1776-1050	1.1m	200 ∅		∅	50	25	110	7.0	100 ∅	20m #	5.0∅	50	10	25M∅							TO63	
41	1776-1250	1.1m	200 ∅		∅	50	25	130	7.0	120 ∅	20m #	5.0∅	50	10	25M∅							TO63	
42	1776-1450	1.1m	200 ∅		∅	50	25	150	7.0	140 ∅	20m #	5.0∅	50	10	25M∅							TO63	
43	1771-0440	1.7m	300 ∅		∅	50	25	50	7.0	40 ∅	20m #	5.0∅	40	10	25M∅							TO114	
44	1771-0450	1.7m	300 ∅		∅	50	25	50	7.0	40 ∅	20m #	5.0∅	50	10	25M∅							TO114	
45	1771-0460	1.7m	300 ∅		∅	50	25	50	7.0	40 ∅	20m #	5.0∅	60	10	25M∅							TO114	
46	1771-0640	1.7m	300 ∅		∅	50	25	70	7.0	60 ∅	20m #	5.0∅	40	10	25M∅							TO114	
47	1771-0650	1.7m	300 ∅		∅	50	25	70	7.0	60 ∅	20m #	5.0∅	50	10	25M∅							TO114	
48	1771-0660	1.7m	300 ∅		∅	50	25	70	7.0	60 ∅	20m #	5.0∅	60	10	25M∅							TO114	
49	1771-0840	1.7m	300 ∅		∅	50	25	90	7.0	80 ∅	20m #	5.0∅	40	10	25M∅							TO114	
50	1771-0850	1.7m	300 ∅		∅	50	25	90	7.0	80 ∅	20m #	5.0∅	50	10	25M∅							TO114	
51	1771-0860	1.7m	300 ∅		∅	50	25	90	7.0	80 ∅	20m #	5.0∅	60	10	25M∅							TO114	
52	1771-1040	1.7m	300 ∅		∅	50	25	110	7.0	100 ∅	20m #	5.0∅	40	10	25M∅							TO114	
53	1771-1050	1.7m	300 ∅		∅	50	25	110	7.0	100 ∅	20m #	5.0∅	50	10	25M∅							TO114	
54	1771-1060	1.7m	300 ∅		∅	50	25	110	7.0	100 ∅	20m #	5.0∅	60	10	25M∅							TO114	
55	1771-1240	1.7m	300 ∅		∅	50	25	130	7.0	120 ∅	20m #	5.0∅	40	10	25M∅							TO114	
56	1771-1250	1.7m	300 ∅		∅	50	25	130	7.0	120 ∅	20m #	5.0∅	50	10	25M∅							TO114	
57	1771-1260	1.7m	300 ∅		∅	50	25	130	7.0	120 ∅	20m #	5.0∅	60	10	25M∅							TO114	
58	1771-1440	1.7m	300 ∅		∅	50	25	150	7.0	140 ∅	20m #	5.0∅	40	10	25M∅							TO114	
59	1771-1450	1.7m	300 ∅		∅	50	25	150	7.0	140 ∅	20m #	5.0∅	50	10	25M∅							TO114	
60	1771-1460	1.7m	300 ∅		∅	50	25	150	7.0	140 ∅	20m #	5.0∅	60	10	25M∅							TO114	
61	1771-1640	1.7m	300 ∅		∅	50	25	170	7.0	160 ∅	20m #	5.0∅	40	10	25M∅							TO114	
62	2N3435	5.0m	1.0		∅	250m		80	4.0	60	1.0u∅	20∅	10m	50	200	140M∅						TO5	∅
63	2N4438	5.0m	1.0		∅	200m	50m	300	8.0	300	1.0u∅	10∅	50m	40	120								

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE
& (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	Pc	M T A E X P	ABSOLUTE MAX. RATINGS @25°C					MAX. Vcb @ 25°C		BIAS hfe		MIN	MAX	f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	STRUC-TURE	DWG. No.	L C O D E
						Ic (A)	Ib (A)	Vcbo (V)	Vbebo (V)	Vceo (V)	Icbo (A)	Vcb (V)	Ic (A)	MIN									
1	RT5004	16m	3.0	∅	SJ			100	5.0	40	1.0u	100	300m	80	∅	#				ME	T05		
2	11C1F1	17m	1.2	∅	SJ	1.0		80	5.0	40	10n	100	150m	100	300		50kΔ	2.3	70n	PE	MT20		
3	11C3F1	17m	1.2	∅	SJ	1.0		80	8.0	50	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MT20		
4	11C5F1	17m	1.2	∅	SJ	1.0		60	5.0	40	10n	100	150m	20	60		50kΔ	2.3	70n	PE	MT20		
5	11C10F1	17m	1.2	∅	SJ	1.0		120	7.0	80	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MT20		
6	11C11F1	17m	1.2	∅	SJ	1.0		60	5.0	40	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MT20		
7	D11C7F1	17m	1.2	∅	SJ	1.0		45	5.0	25	10n	100	150m	20			50kΔ	2.3	70n	PE	MT20		
8	D11C1F1	18m	1.1	∅	SA				5.0	40	15u	100	150m	100	300		130k	1.7		PE	MT62		
9	D11C3F1	18m	1.1	∅	SA				8.0	50	25u	100	150m	40	120		130k	1.7		PE	MT62		
10	D11C5F1	18m	1.1	∅	SA				5.0	40	25u	100	150m	20			130k	1.7		PE	MT62		
11	D11C10F1	18m	1.1	∅	SA				7.0	80	15u	100	150m	40	120		130k	1.7		PE	MT62		
12	D11C11F1	18m	1.1	∅	SA				5.0	40	15u	100	150m	40	120		130k	1.7		PE	MT62		
13	2N4133	20m	3.0	∅	SJ	600m	100m	90	5.0	80	10u	5.0	200m	10	80	#	200mΔ			DPE	T05	A∅	
14	3TE280	20m	3.0	∅	SJ	600m		80	4.0	80	10u	5.0	500m	10	80	#			EΔ	T05			
15	MHT4401	22m	4.0	∅	SJ	500m		60	5.0	80	1.0u	4.0	150m	20	120	#	80M	2.0		E	T05		
16	MHT4402	22m	4.0	∅	SJ	500m		120	5.0	100	2.0u	4.0	150m	20	120	#	80M	4.0		E	T05		
17	MHT4411	22m	4.0	∅	SJ	500m		60	5.0	40	1.0u	4.0	150m	20	60		80M	2.0		E	T05		
18	MHT4412	22m	4.0	∅	SJ	500m		60	5.0	40	1.0u	4.0	150m	40	120		80M	2.0		E	T05		
19	MHT4413	22m	4.0	∅	SJ	500m		60	5.0	40	1.0u	4.0	150m	100			80M	2.0		E	T05		
20	MHT4414	22m	4.0	∅	SJ	500m		80	5.0	60	1.0u	4.0	150m	20	60		80M	3.0		E	T05		
21	MHT4415	22m	4.0	∅	SJ	500m		80	5.0	60	1.0u	4.0	150m	40	120		80M	3.0		E	T05		
22	MHT4416	22m	4.0	∅	SJ	500m		80	5.0	60	1.0u	4.0	150m	100			80M	3.0		E	T05		
23	MHT4417	22m	4.0	∅	SJ	500m		120	5.0	80	2.0u	4.0	150m	20	60		80M	4.0		E	T05		
24	MHT4418	22m	4.0	∅	SJ	500m		120	5.0	80	2.0u	4.0	150m	40	120		80M	4.0		E	T05		
25	MHT4419	22m	4.0	∅	SJ	500m		120	5.0	80	2.0u	4.0	150m	100			80M	4.0		E	T05		
26	3TE160	23m	3.0	∅	SJ	600m		90	5.0	80	10u	5.0	500m	10	80		200m	1.0		PE	T05		
27	2N3152	25m	2.5	∅	SS	100m		120	4.0	120	50u	2.0	30m	40			200kΔ			PE	MT30		
28	TRS1004LP	26m	1.0	∅	SJ	400m	50m	100	3.0	100	10u	4.0	25m	30	∅		50k	80			T05		
29	TRS1204LP	26m	1.0	∅	SJ	400m	50m	120	3.0	120	10u	4.0	25m	30	∅		50k	80			T05		
30	TRS1404LP	26m	1.0	∅	SJ	400m	50m	140	3.0	140	10u	4.0	25m	30	∅		50k	80			T05		
31	TRS1804LP	26m	1.0	∅	SJ	400m	50m	180	3.0	180	10u	4.0	25m	30	∅		50k	80			T05		
32	TRS1804LP	26m	1.0	∅	SJ	400m	50m	180	3.0	180	10u	4.0	25m	30	∅		50k	80			T05		
33	TRS2004LP	26m	1.0	∅	SJ	400m	50m	200	3.0	200	10u	4.0	25m	30	∅		50k	80			T05		
34	TRS2254LP	26m	1.0	∅	SJ	400m	50m	225	3.0	225	10u	4.0	25m	30	∅		50k	80			T05		
35	TRS2504LP	26m	1.0	∅	SJ	400m	50m	250	3.0	250	10u	4.0	25m	30	∅		50k	80			T05		
36	TRS2754LP	26m	1.0	∅	SJ	400m	50m	275	3.0	275	10u	4.0	25m	30	∅		50k	80			T05		
37	TRS3014LP	26m	1.0	∅	SJ	400m	50m	300	3.0	300	10u	4.0	25m	30	∅		50k	80			T05		
38	TRS3504LP	26m	1.0	∅	SJ	400m	50m	350	3.0	350	10u	4.0	25m	30	∅		50k	80			T05		
39	TRS3754LP	26m	1.0	∅	SJ	400m	50m	375	3.0	375	10u	4.0	25m	30	∅		50k	80			T05		
40	TRS4014LP	26m	1.0	∅	SJ	400m	50m	400	3.0	400	10u	4.0	25m	30	∅		50k	80			T05		
41	TRS4254LP	26m	1.0	∅	SJ	400m	50m	425	3.0	425	10u	4.0	25m	30	∅		50k	80			T05		
42	TRS4504LP	26m	1.0	∅	SJ	400m	50m	450	3.0	450	10u	4.0	25m	30	∅		50k	80			T05		
43	TRS4754LP	26m	1.0	∅	SJ	400m	50m	475	3.0	475	10u	4.0	25m	30	∅		50k	80			T05		
44	2N3309A	28m	5.0	∅	SC	500m	100m	60	4.0	60	∅	500n	2.0	75m	5.0	100	300m	2.0			T039	A∅	
45	2N3374	28m	5.0	∅	SC	500m	200m	80	4.0	80	∅	50n	2.0	170m	10	#	230m	2.0			T05	A∅	
46	2N3664	28m	5.0	∅	SC	500m	100m	80	4.0	80	∅	50n	2.0	50m	8.0	80	300m	3.0			MT30	N	
47	11C1B1	28m	1.5	∅	SJ	1.0		60	5.0	40	10n	100	150m	100	300		50kΔ	2.3	70n	PE	MD14		
48	11C3B1	28m	1.5	∅	SJ	1.0		80	8.0	50	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MD14		
49	11C5B1	28m	1.5	∅	SJ	1.0		60	5.0	40	10n	100	150m	20	60		50kΔ	2.3	70n	PE	MD14		
50	11C10B1	28m	1.5	∅	SJ	1.0		120	7.0	80	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MD14		
51	11C11B1	28m	1.5	∅	SJ	1.0		60	5.0	40	10n	100	150m	40	120		50kΔ	2.3	70n	PE	MD14		
52	A213	28m	1.2	∅	SJ	150m		40	2.0	30		5.0	150m	25	#		1.0G			PE	MT59	R	
53	D11C1B1	28m	1.5	∅	SA				5.0	40	15u	100	150m	100	300		130k	1.7		PE	MD14		
54	D11C3B1	28m	1.5	∅	SA				8.0	50	25u	100	150m	40	120		130k	1.7		PE	MD14		
55	D11C5B1	28m	1.5	∅	SA				5.0	40	25u	100	150m	20			130k	1.7		PE	MD14		
56	D11C7B1	28m	1.5	∅	SJ	1.0		45	5.0	25	10n	100	150m	20			50kΔ	2.3	70n	PE	MD14		
57	D11C10B1	28m	1.5	∅	SA				7.0	80	15u	100	150m	40	120		130k	1.7		PE	MD14		
58	D11C11B1	28m	1.5	∅	SA				5.0	40	15u	100	150m	40	120		130k	1.7		PE	MD14		
59	D11C201B20	28m	1.0	∅	SA				5.0	40	15u	100	150m	100	300		130k	1.7		PE	MD30		
60	D11C203B20	28m	1.0	∅	SA				8.0	50	25u	100	150m	40	120		130k	1.7		PE	MD30		
61	D11C205B20	28m	1.0	∅	SA				5.0	40	25u	100	150m	20	60		130k	1.7		PE	MD30		
62	D11C207B20	28m	1.0	∅	SJ	1.0		45	5.0	25	10n	100	150m	20			50kΔ	2.3	70n	PE	MD20		
63	D11C210B20	28m	1.0	∅	SA				7.0	80	15u	100	150m	40	120		130k	1.6		PE	MD30		
64	D11C211B20	28m	1.0	∅	SA				5.0	40	15u	100	150m	40	120		130k	1.6		PE	MD30		
65	NS949T	28m	1.0	∅	SA	1.0		60	5.0	45	* 100n	2.0	150m	40	150	#	200m	2.3	60n	E	T046	A	
66	NS950T	28m	1.0	∅	SA	1.0		75	5.0	60	* 100n	2.0	150m	40	150	#	200m	2.3	60n	E	T046	A	
67	PT3501	28m	5.0	∅	SJ	750m		40	3.0	25	100u	150	500m	15	100	#			PL	D	T039		
68	2N2149	29m	∅	∅	SJ			100	10	10		0.03	40	120			.08k			PLD			
69	2N3053/4053	29m	5.0	∅	SS	700m		60	5.0	50	250n	100	150m	50	250		100m			PLD	T05		
70	11C201B20	29m	1.0	∅	SJ	1.0		80	5.0	40	10n	100	150m	100	300		50kΔ	2.3	70n	PE	MD20		
71	11C203B20	29m	1.0	∅	SJ	1.0		80	8.0	50	10n	100	150m	40	120		5						

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM RES. J to C	MAX. FREE AIR @ 25°C (W)	M P A X E M P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{cb} @ 25°C		BIAS		MIN	MAX	f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L O C O D E
					I _c (A)	I _b (A)	V _{cb} (V)	V _{vebo} (V)	V _{ceo} (V)	I _{cb} (A)	I _{cb} (A)	V _{cb} (V)	I _c (A)						STRUCTURE	DWG. No.	
1	V600	50m	8.8	∅	SJ	1.5		80	4.0	60	100∅				2.0M	670m		PE	TO5	A A A	
2	V601	50m	8.8	∅	SJ	1.5		80	4.0	60	10u∅				2.0M	670m		PE	TO5	A A A	
3	V602	50m	8.8	∅	SJ	1.5		50	4.0	40	10u∅				2.0M	670m		PE	TO5	A A A	
4	TA2084	55m	5.0	∅	SA	1.0	50m	140	10.0	140								ME	TO5		
5	2N3718	57m	10	∅	SJ	1.0	20	60	4.0	60	10u\$	2.0	500m	2.0	100	∅	250M	PL	MT30		
6#	25C699	57m	10	∅	SJ	1.0		50	4.0	50	50∅	12∅	100m	15	30	∅	100M		MD32		
7	MHT4501	57m	10	∅	SJ	600m		60	5.0	40	1.0u∅	4.0	150m	20	120	∅	80M	EΔ	MT9		
8	MHT4502	57m	10	∅	SJ	600m		120	5.0	70	2.0u∅	4.0	150m	20	120	∅	80M	EΔ	MT9		
9	MHT4511	57m	10	∅	SJ	600m		60	5.0	40	1.0u∅	4.0	150m	20	60	∅	80M	E	MT9		
10	MHT4512	57m	10	∅	SJ	600m		60	5.0	40	1.0u∅	4.0	150m	40	120	∅	80M	E	MT9		
11	MHT4513	57m	10	∅	SJ	600m		60	5.0	40	1.0u∅	4.0	150m	100		∅	80M	E	MT9		
12	MHT4514	57m	10	∅	SJ	600m		80	5.0	60	1.0u∅	4.0	150m	20	60	∅	80M	E	MT9		
13	MHT4515	57m	10	∅	SJ	600m		80	5.0	60	1.0u∅	4.0	150m	40	120	∅	80M	E	MT9		
14	MHT4516	57m	10	∅	SJ	600m		80	5.0	60	1.0u∅	4.0	150m	100		∅	80M	E	MT9		
15	MHT4517	57m	10	∅	SJ	600m		120	5.0	80	2.0u∅	4.0	150m	20	60	∅	80M	E	MT9		
16	MHT4518	57m	10	∅	SJ	600m		120	5.0	80	2.0u∅	4.0	150m	40	120	∅	80M	E	MT9		
17	MHT4519	57m	10	∅	SJ	600m		120	5.0	80	2.0u∅	4.0	150m	100		∅	80M	E	MT9		
18	3TE150	58m	7.5	∅	SJ	600m		90	5.0	80	1.0u∅	5.0	500m	10	80	∅	200M	PE	TO37		
19	2N2472	66m	10	∅	SC	1.0		100	10	100	50u	1.0	200m	30	90	∅	10M\$Δ		MD14		
20	2N2655	66m	15	∅	SS	500m	500m	100	8.0	100	100u	8.0	200m	30	90	∅	4.0M		TO5		
21	2N2849-11	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	100	300	∅	30k\$Δ		TO5			
22	2N2849-21	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	100	300	∅	30k\$Δ	400m	125nZ	PE	MT26	
23	2N2849-31	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	100	300	∅	30k\$Δ	400m	125nZ	PE	MT32	
24	2N2850-21	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	40	120	∅	30k\$Δ	250m	125nZ	PE	MT26	
25	2N2850-31	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	40	120	∅	30k\$Δ	250m	125nZ	PE	MT32	
26	2N2851-21	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	40	120	∅	30k\$Δ	400m	125nZ	PE	MT26	
27	2N2851-31	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	40	120	∅	30k\$Δ	400m	125nZ	PE	MT32	
28	2N2852-21	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	20	60	∅	30k\$Δ	400m	125nZ	PE	MT26	
29	2N2852-31	66m\$	850m	∅	SS	3.0		100	5.0	80	1.0	1.0	20	60	∅	30k\$Δ	400m	125nZ	PE	MT32	
30	2N2853-21	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	20	60	∅	30k\$Δ	300m	125nZ	PE	MT26	
31	2N2853-31	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	40	120	∅	30k\$Δ	300m	125nZ	PE	MT32	
32	2N2854-11	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	100	300	∅	30k\$Δ	400m	125nZ	PE	TO5	
33	2N2854-21	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	100	300	∅	30k\$Δ	400m	125nZ	PE	MT26	
34	2N2854-31	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	100	300	∅	30k\$Δ	400m	125nZ	PE	MT32	
35	2N2855-21	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	40	120	∅	30k\$Δ	400m	125nZ	PE	MT26	
36	2N2855-31	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	40	120	∅	30k\$Δ	400m	125nZ	PE	MT32	
37	2N2856-21	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	20	60	∅	30k\$Δ	400m	125nZ	PE	MT26	
38	2N2856-31	66m\$	850m	∅	SS	3.0		60	5.0	40	1.0	1.0	20	60	∅	30k\$Δ	400m	125nZ	PE	MT32	
39	2N3595	66m	1.5	∅	SC	500m	250m	200	10	200	1.0u∅	8.0	200m	30	90	∅	15M\$Δ		MD20a		
40	2N3596	66m	1.5	∅	SC	500m	250m	200	10	200	1.0u∅	8.0	200m	75	150	∅	15M\$Δ		MD20a		
41	40255	66m#	10	∅	SJ	1.0	500m	450	7.0	350	50u#	10	20m	40	160	∅	20M\$Δ	10	DA	MD25	
42	40256	66m#	10	∅	SJ	1.0	500m	300	7.0	250	50u#	10	20m	40	160	∅	20M\$Δ	10	DA	MD25	
43	A515	66m∅	6.0	∅	SJ	150m	30m	220	5.0	100	100u∅	2.0	50m	20	35	∅	65M		TO39		
44	B3629	66m	10	∅	SC	5.0		80	8.0	60	50u∅	1.0	10	40	120	∅	20M\$Δ	500m	PE	MT27	
45	B3630	66m	10	∅	SC	5.0		100	8.0	80	100u∅	1.0	10	40	120	∅	20M\$Δ	500m	PE	MT27	
46#	BLY57	66m	11	∅	SJ	1.0		36	4.0	18	5.0	500m	5.0	150	∅	250M		PE	TO60	A	
47	BR100A5	66m	5.0	∅	SJ	5.0	1.0	60	3.0	40	1.0m∅	5.0	3.0	40	200	∅	300M		R50	A	
48	BR101A5	66m	5.0	∅	SJ	5.0	1.0	90	3.0	75	1.0m∅	5.0	3.0	30	150	∅	300M		R50	A	
49	D7B1	66m	2.0	∅	SJ			80	10	60	50u	10	200m	12	36	∅	20M	DM	MD14		
50	D7B2	66m	2.0	∅	SJ			80	10	60	50u	10	200m	30	90	∅	20M	DM	MD14		
51	D7C1	66m	2.0	∅	SJ			80	10	60	50u	10	200m	12	36	∅	20M	DM	R45		
52	D7C2	66m	2.0	∅	SJ			80	10	60	50u	10	200m	30	90	∅	20M	DM	R45		
53	D7C3	66m	2.0	∅	SJ			120	10	100	50u	10	200m	12	36	∅	20M	DM	R46		
54	D7D1	66m	2.0	∅	SJ			80	10	60	50u	10	200m	12	36	∅	20M	DM	R46		
55	D7D2	66m	2.0	∅	SJ			80	10	60	50u	10	200m	30	90	∅	20M	DM	R46		
56	D7D3	66m	1.0	∅	SJ			120	10	100	50u	10	200m	12	36	∅	20M	DM	R46		
57	D7E1	66m	1.0	∅	SJ			80	10	60	50u	10	200m	12	36	∅	20M	DM	MT19		
58	D7E2	66m	1.0	∅	SJ			80	10	60	50u	10	200m	30	90	∅	20M	DM	MT19		
59	D7E3	66m	1.0	∅	SJ			120	10	100	50u	10	200m	12	36	∅	20M	DM	MT19		
60	D7G1	66m	1.5	∅	SJ			80	10	60	50u	10	200m	12	36	∅	20M	DM	MT20a		
61	D7G2	66m	1.5	∅	SJ			80	10	60	50u	10	200m	30	90	∅	20M	ME	MT20a		
62	D7G3	66m	1.5	∅	SJ			120	10	100	50u	10	200m	12	36	∅	20M	ME	MT20a		
63	MM2264	66m	1.1	∅	SJ	1.5		25	5.0	25	500∅	1.0	150m	70	20	∅	50M\$Δ		TO5	A	
64	TN511	66m	5.0	∅	SJ	5.0		60	5.0	30	100u	5.0	1.0	20	60	∅	40k		MD23a		
65	TN521	66m	5.0	∅	SJ	5.0		60	5.0	30	100u	5.0	1.0	40	120	∅	50k		500m		
66	TRS1005LP	66m	2.0	∅	SJ	400m	50m	100	3.0	100	10u∅	4.0	25m	30	∅	∅	50k		80		
67	TRS1205LP	66m	2.0	∅	SJ	400m	50m	120	3.0	120	10u∅	4.0	25m	30	∅	∅	50k		80		
68	TRS1405LP	66m	2.0	∅	SJ	400m	50m	140	3.0	140	10u∅	4.0	25m	30	∅	∅	50k		80		
69	TRS1605LP	66m	2.0	∅	SJ	400m	50m	160	3.0	160	10u∅	4.0	25m	30	∅	∅	50k		80		
70	TRS1805LP	66m	2.0	∅	SJ	400m	50m	180	3.0	180	10u∅	4.0	25m	30	∅	∅	50k		80		
71	TRS2005LP	66m	2.0	∅	SJ	400m	50m	200	3.0	200	10u∅	4.0	25m	30	∅	∅	50k		80		
72	TRS2255LP	66m	2.0	∅	SJ	400m	50m	225	3.0	225	10u∅	4.0	25m	30	∅	∅	50k		80		
73	TRS2505LP	66m	2.0	∅	SJ	400m	50m	250	3.0	250	10u∅	4.0	25m	30	∅	∅	50k		80		
74	TRS2755LP	66m	2																		

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M A E X P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{cb} @ MAX V _{cb} @25°C (A)	BIAS hfe			MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O D E	
					I _c (A)	I _b (A)	V _{cb} (V)	V _{eb} (V)	V _{ceo} (V)		I _c (A)	MIN	MAX			f _{ae} (Hz)	STRUC-TURE		DWG. No.
1	X32	100m			.14	.03	25	1.0			60	10	3.0						
2	X32A	100m			.14	.03	25	1.0			60	10	6.0						
3	DPT2600	114m					100	5.0	80		40	30		3.0M	200		G		
4#	MTM360	114m	20	∅	\$	1.2	70	4.0		100u∅	120	100m	20	40	∅		PE	MT59b R	
5	PT2622	114m	1.0		\$	1.0	400m	100	4.0	100 \$	100m	40	300m	20	100	#		MT40	
6	PT2690	114m	1.0		\$	1.0		70	4.0	40	100u	120	100m	20	65	#		MT40	
7	PT3690	114m	20	∅	\$	1.2	500m	70	4.0	40	100u	120	100m	20	65	#			
8	2N2340	125m	3.0		\$	1.0	200m	50	4.0	40	500u	6.0	750m	10	40		PL	AA T037	
9	2N2341	125m	3.0		\$	1.0	200m	50	4.0	40	500u	6.0	750m	40	100		AA	AA T037	
10	2N2342	125m	3.0		\$	1.0	200m	100	4.0	80	500u	6.0	750m	10	40		AA	AA T037	
11	2N2343	125m	3.0		\$	1.0	200m	100	4.0	40	500u	6.0	750m	40	100		AD	AD T037	
12	SN166	125m	20	∅				60	3.0	60								MT24	
13	SN167	125m	20	∅				65	1.0	85								MT24	
14	SN171	125m	20	∅				140	2.0	140								MT24	
15	SN172	125m	20	∅				120	2.0	120								MT24	
16	SN173	125m	20	∅				140	2.0	140								MT24	
17	SN230	125m	18	∅	\$A	4.0	2.0	65	1.0	65	100u∅	10	1.0	10	50	∅	ME	T08	
18	SN231	125m	18	∅	\$A	4.0	2.0	140	1.0	140	100u∅	10	1.0	10	50	∅	ME	T08	
19	SN232	125m	18	∅	\$A	4.0	2.0	65	1.0	65	100u∅	10	1.0	10	50	∅	ME	T08	
20	SN234	125m	18	∅	\$A	4.0	2.0	140	1.0	140	100u∅	10	1.0	10	50	∅	ME	T08	
21	X30	125m				.20	.03	40	1.0			20	10	3.0					
22	X31	125m				.16	.03	80	1.0			60	10	3.0					
23	40342	131m	23	∅	\$	3.0		65	4.0	40	5.0	300m	10					T060	
24	40343	131m	23	∅	\$	3.0		65	4.0	40	5.0	300m	10					T060	
25	TIP141	133m	2.0		\$C	4.0	2.0	80	7.0	80	50u	5.0	200m	30	150		PE	X43	
26#	XB404	133m	23			3.0	1.0	65	4.0	40	5.0	250m	10	150			PE	T060	
27#	XB413	133m	23			3.0	1.0	45	4.0	25	10m	1.0	3.0	5.0			PE	MT59	
28	A572	140m	21			2.0	1.0	70	6.0	45	6.0	500m	35					T03	
29#	2SD124	141m∅	21			6.0	3.0	60	10	40	.02m∅	4.0	1.5	10	75		ME	T03	
30#	2SD125	141m∅	21			6.0	3.0	100	10	55	.02m∅	4.0	1.5	10	75		ME	T03	
31	970	141m∅			\$S	1.4		120			10m								
32	JAN2N2525	142m	3.0	#	\$A	1.0		100	5.0	100	4.0u∅	45	350m	10	40	#	G	MT16a	
33	NS9609	142m	25	∅	\$A			50	3.0	45	150u∅	5.0	500m	40	120	#	PL	TO61	
34	PT2634	142m	25	∅	\$	1.2	400m	100	4.0	80	28	350m	15	#					
35	V800	142m	25	∅	\$S			140	1.0	140	750u	10	1.0	10					
36#	3TE440	143m	25	∅	\$	1.5		80	4.0	80	100u∅	5.0	500m	10	#	60	#	PL	MT62
37	MA4990	143m			\$A	1.2	.40	70	5.0	60	.10m∅	28	.35	15	80		PE	MT39	
38	NS9540	143m	20					65	3.0	65								T060	
39#	BUY161	149m	15	∅	\$	10		150	6.0	80	10u	2.0	2.0	40	120	#	DPE	TO59	
40#	BUY171	149m	15	∅	\$	10		120	6.0	80	10u	2.0	2.0	40	100	#	DPE	TO59	
41	FT34A1	151m	15	∅	\$	10		150	6.0	80	10u	2.0	2.0	40	120	#	DPE	TO59	
42	FT34B1	151m	15	∅	\$	10		120	6.0	80	10u	2.0	2.0	40	100	#	DPE	TO59	
43	TIP24	153m	2.0		\$C	2.0	500m	70	9.0	70	250u	5.0	1.5	19	136	#	PE	X43	
44	2N1978	169m	17	\$				60	5.0	40	10u	5.0	500m	20				MT8	
45#	BLY291	171m	30	∅	\$	3.0		100	5.0	80	100n	2.0	1.0	30	90	#	DPE	TO59	
46#	BLY301	171m	30	∅	\$	3.0		100	5.0	80	100n	2.0	1.0	30	90	#	DPE	TO59	
47	TN3011	172m	30	∅	\$A	3.0		100	5.0	80	1.0	50m	50	∅			PE	MT47	
48	TN3021	172m	30	∅	\$A	3.0		100	5.0	80	1.0	50m	15	25	∅		PE	MT47	
49	TN3031	172m	30	∅	\$A	3.0		60	5.0	40	1.0	50m	25	50	∅		PE	MT47	
50	TN3041	172m	30	∅	\$A	3.0		60	5.0	40	1.0	50m	15	25	∅		PE	MT47	
51	2N3929†	200m	20	∅	\$	3.0	500m	80	4.0	40	1.0m#	4.0	1.0	40	150	#	PE	TO59	
52	2N5017	200m#	30	∅	\$S	4.5	1.5	65	4.0	30	4.0	500m	10	200				MT67	
53#	3TE240	200m	25	∅	\$	3.0		80	4.0	80	10u∅	5.0	1.5	10	60		PE	TO3	
54	20C1	200m	15	∅	\$	4.0	1.0	175	15	120	5.0m	5.0	4.0	30	90		PE	TO5	
55	1711-0402	200m	35	∅	\$	5.0	2.0	50	7.0	40	4.0m#	4.0	2.0	15	#		EM	TO59	
56	1711-0405	200m	35	∅	\$	5.0	2.0	50	7.0	40	4.0m#	4.0	2.0	15	#		EM	TO59	
57	1711-0602	200m	35	∅	\$	5.0	2.0	70	7.0	60	4.0m#	4.0	2.0	15	#		EM	TO59	
58	1711-0605	200m	35	∅	\$	5.0	2.0	70	7.0	60	4.0m#	4.0	2.0	15	#		EM	TO59	
59	1711-0802	200m	35	∅	\$	5.0	2.0	90	7.0	80	4.0m#	4.0	2.0	15	#		EM	TO59	
60	1711-0805	200m	35	∅	\$	5.0	2.0	90	7.0	80	4.0m#	4.0	2.0	15	#		EM	TO59	
61	1711-1002	200m	35	∅	\$	5.0	2.0	110	7.0	100	4.0m#	4.0	2.0	15	#		EM	TO59	
62	1711-1005	200m	35	∅	\$	5.0	2.0	110	7.0	100	4.0m#	4.0	2.0	15	#		EM	TO59	
63	1711-1202	200m	35	∅	\$	5.0	2.0	130	7.0	120	4.0m#	4.0	2.0	15	#		EM	TO59	
64	1711-1205	200m	35	∅	\$	5.0	2.0	130	7.0	120	4.0m#	4.0	2.0	15	#		EM	TO59	
65	1711-1402	200m	35	∅	\$	5.0	2.0	150	7.0	140	4.0m#	4.0	2.0	15	#		EM	TO59	
66	1711-1405	200m	35	∅	\$	5.0	2.0	150	7.0	140	4.0m#	4.0	2.0	15	#		EM	TO59	
67	1711-1602	200m	35	∅	\$	5.0	2.0	170	7.0	160	4.0m#	4.0	2.0	15	#		EM	TO59	
68	1711-1605	200m	35	∅	\$	5.0	2.0	170	7.0	160	4.0m#	4.0	2.0	15	#		EM	TO59	
69	1711-1802	200m	35	∅	\$	5.0	2.0	190	7.0	180	4.0m#	4.0	2.0	15	#		EM	TO59	
70	1717-0402	200m	35	∅	\$	5.0	2.0	50	7.0	40	4.0m#	4.0	2.0	15	#		EM	TO62	
71	1717-0405	200m	35	∅	\$	5.0	2.0	50	7.0	40	4.0m#	4.0	2.0	15	#		EM	TO62	
72	1717-0602	200m	35	∅	\$	5.0	2.0	70	7.0	60	4.0m#	4.0	2.0	15	#		EM	TO62	
73	1717-0605	200m	35	∅	\$	5.0	2.0	70	7.0	60	4.0m#	4.0	2.0	15	#		EM	TO62	
74	1717-0802	200m	35	∅	\$	5.0	2.0	90	7.0	80	4.0m#	4.0	2.0	15	#		EM	TO62	
75	1717-0805	200m	35	∅	\$	5.0	2.0	90	7.0	80	4.0m#	4.0	2.0	15	#		EM	TO62	
76	1717-1002	200m	35	∅	\$	5.0	2.0	110	7.0	100	4.0m#	4.0	2.0	15	#		EM	TO62	
77	1717-1005	200m	35	∅	\$	5.0	2.0	110	7.0	100	4.0m#	4.0	2.0	15	#		EM	TO62	
78	1717-1202	200m	35	∅	\$	5.0	2.0	130	7.0	120	4.0m#	4.0	2.0	15	#		EM	TO62	
79	1717-1205	200m	35	∅	\$	5.0	2.0	130	7.0	120	4.0m#	4.0	2.0	15	#		EM	TO62	
80	1717-1402	200m	35	∅	\$	5.0	2.0	150	7.0	140	4.0m#	4.0	2.0	15	#		EM	TO62	
81	1717-1405	200m	35	∅	\$	5.0	2.0	150	7.0	140	4.0m#	4.0	2.0	15	#		EM	TO62	
82	1717-1602	200m	35	∅	\$	5.0	2.0	170	7.0	160	4.0m#	4.0	2.0	15	#		EM	TO62	
83	1717-1605	200m	35	∅	\$	5.0	2.0	170	7.0	160	4.0m#	4.0	2.0	15	#		EM	TO62	
84	1717-1802	200m	35	∅	\$	5.0	2.0	190	7.0	180	4.0m#	4.0	2.0	15	#		EM	TO62	
85#	C4341	200m	15	∅	\$			100											

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	1 MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M T A X E M P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{cb} @ 25°C (A)	hfe		MIN	MAX	fae (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION		L C O D E
					I _c (A)	I _b (A)	V _{cb} (V)	V _{eb} (V)	V _{ce} (V)		I _b (A)	I _c (A)						STRUCTURE	DWG. No.	
1	ST403	250m	25	5A			45	5.0	45	20m	120	2.0	15	40	70M	3.0	250n	D	MS2	
2#	BLY25	300m	30	5J	5.0		120	8.0	80	50u	5.0	2.0	100	300	70M	3.0		DPE	TO59	
3#	BLY26	300m	30	5J	5.0		100	8.0	80	50u	5.0	2.0	100	300	70M	3.0		DPE	TO59	
4#	CP430	300m	30	5J	5.0		100	8.0	60	10u	5.0	2.0	40	120	140M			DPE	TO3	
5#	CP431	300m	30	5J	5.0		100	8.0	60	10u	5.0	2.0	100	300	150M			DPE	TO3	CØ
6#	CP432	300m	30	5J	5.0		120	8.0	80	10u	5.0	2.0	40	120	140M			DPE	TO3	CØ
7#	CP433	300m	30	5J	5.0		120	8.0	80	10u	5.0	2.0	100	300	150M			DPE	TO3	CØ
8	AS22	303m	45	5J	5.0	1.0	60	6.0	35	50u	0.0	1.5	30	100	80M			PE	TO3	
9	AS23	303m	45	5J	5.0	1.0	90	6.0	60	50u	0.0	1.5	30	100	80M			PE	TO3	
10#	3TE230	322m	48	5J	4.0		80	4.0	80	10u	5.0	1.5	10	60	1.0M	3.0		DPE	TO3	DØ
11	2N1470	333m	55	5J	1.0	1.5	60	3.0	60	5.0m	5.0	1.0	15	15	1.0M			PD	TO3	
12	2N1857	333m		5J	2.0		60	3.0	60	5.0m	5.0	1.0	15	15	1.0M			PD	MS3	
13	3TX003	333m	53	#J	5.0		100	5.0	80	10m	5.0	5.0	10		15k	400m		PEA	TO3	CØ
14	3TX004	333m	53	#C	5.0		60	3.0	50	10m	5.0	5.0	10		15k	400m		PEA	TO3	CØ
15	B3556	333m	20	5S	5.0		90	8.0	60	100m	1.0	1.0	40	120	20M	250m		PE	TO59	
16	B3557	333m	20	5S	5.0		120	8.0	80	100m	1.0	1.0	40	120	20M	250m		PE	TO59	
17	B3558	333m	20	5S	5.0		150	8.0	100	100m	1.0	1.0	40	120	20M	250m		PE	TO59	
18	B3559	333m	20	5S	5.0		60	7.0	40	100m	1.0	1.0	20	60	30M	250m		PE	TO59	
19	B3560	333m	30	5S	5.0		80	8.0	60	100m	1.0	1.0	20	60	30M	250m		PE	TO59	
20	B3561	333m	30	5S	5.0		100	8.0	80	100m	1.0	1.0	20	60	30M	250m		PE	TO59	
21	B3562	333m	30	5S	5.0		60	8.0	40	100m	1.0	1.0	40	120	40M	250m		PE	TO59	
22	B3563	333m	30	5S	5.0		80	8.0	60	100m	1.0	1.0	40	120	40M	250m		PE	TO59	
23	B3564	333m	30	5S	5.0		100	8.0	80	100m	1.0	1.0	40	120	40M	250m		PE	TO59	
24	B3565	333m	30	5S	5.0		60	7.0	40	100m	1.0	1.0	100	300	50M	250m		PE	TO59	
25	B3566	333m	30	5S	5.0		80	8.0	60	100m	1.0	1.0	100	300	50M	250m		PE	TO59	
26	B3567	333m	30	5S	5.0		100	8.0	80	100m	1.0	1.0	100	300	50M	250m		PE	TO59	
27	B3631	333m	30	5S	5.0		80	8.0	60	100m	1.0	1.0	20	60	30M	250m		PE	TO59	
28	B3632	333m	30	5S	5.0		80	8.0	60	100m	1.0	1.0	40	120	50M	250m		PE	TO59	
29	B3633	333m	30	5S	5.0		100	8.0	80	100m	1.0	1.0	20	60	30M	250m		PE	TO59	
30	B3634	333m	30	5S	5.0		100	8.0	80	100m	1.0	1.0	40	120	50M	250m		PE	TO59	
31	BR100C	333m	35	5J	10	2.0	60	3.0	40	1.0m	5.0	3.0	40	200	300M			PE	TO59	A A A
32	BR100F	333m	35	5J	10	2.0	60	3.0	40	1.0m	5.0	3.0	40	200	300M			PE	TO59	A A A
33	BR101C	333m	35	5J	10	2.0	90	3.0	75	1.0m	5.0	3.0	40	150	300M			PE	TO59	A A A
34	BR101F	333m	35	5J	10	2.0	90	3.0	75	1.0m	5.0	3.0	40	150	300M			PE	TO59	A A A
35	BR200B	333m	50	5J	20	8.0	60	3.0	40	1.0m	5.0	10	30	150	200M			PE	MT50a	A A A
36	BR201B	333m	50	5J	20	8.0	90	3.0	75	1.0m	5.0	10	40	150	200M			PE	MT50a	A A A
37	NS92101	333m	50	5S	5.0	.50	200	5.0	200	.01m	150	2.0	20	100M	1.5	.08u	PE	TO61		
38	NS92111	333m	50	5S	5.0	.50	250	5.0	250	.01m	150	2.0	20	100M	1.5	.08u	PE	TO61		
39	STC1001	333m		5S			100			4.0	1.5			1.0M			PE			
40	2N1210/1	400m		5S	5.0		60	8.0	60	20m	120	2.0	15	75	2.5M	1.0	.90u	D	MS3	
41	2N1210/1	400m		5S	5.0		80	8.0	70	20m	120	2.0	15	75	2.5M	1.0	.90u	D	MS3	
42	2N1616/1	400m		5S	5.0		60	8.0	60	10m	120	2.0	15	75	2.5M	1.0	.90u	D	MT10	
43	2N1617/1	400m		5S	5.0		80	8.0	70	10m	120	2.0	15	75	2.5M	1.0	.90u	D	MT10	
44	2N1618/1	400m		5S	5.0		100	8.0	80	10m	120	2.0	15	75	2.5M	1.0	.90u	D	MT10	
45	2N1619	400m		5S	5.0					1.0	2.0	2.0	35	75	2.5M	1.0	1.2u	D		
46	2N1620/1	400m		5S	5.0		100	8.0	80	10m	120	2.0	15	75	2.5M	1.0	.90u	D	MS3	
47	3TE130	400m	60	5J	5.0	2.0	90	4.0	80	10m	5.0	5.0	30	80	180M	200m		PE	TO3	
48	3TE220	400m	60	5J	5.0	2.0	80	4.0	80	10m	5.0	5.0	30	60	180M	200m		PE	TO3	
49	3TX002	400m	70	#J	5.0		100	5.0	80	10u	5.0	5.0	10		15k	200m		DPE	TO3	CØ
50	4JD20A7	400m	2.0	5J	2.0	1.0	50	8.0	30	10u	5.0	1.0	20	60	10M	1.2		DM	MT47	
51	4JD20A8	400m	2.0	5J	2.0	1.0	50	8.0	30	10u	5.0	1.0	20	120	10M	1.2		DM	MT47	
52	20A10	400m	30	5J	2.0	1.0	125	8.0	80	1.0m	5.0	1.0	90	180	10M	1.0		DM	TO59	
53	20A11	400m	30	5J	2.0	1.0	100	8.0	60	1.0m	5.0	1.0	90	180	10M	1.0		DM	TO59	
54	20A12	400m	30	5J	5.0	1.0	175	15	120	5.0m	5.0	5.0	30	90	10M	1.0		DM	TO59	
55	BR100E	400m	35	5J	10	2.0	60	3.0	40	1.0m	5.0	3.0	40	200	300M			DM	MT50a	A A A
56	BR101E	400m	35	5J	10	2.0	90	3.0	75	1.0m	5.0	3.0	40	150	300M			DM	MT50a	A A A
57	BR200A	400m	50	5J	20	8.0	60	3.0	40	1.0m	5.0	10	30	150	200M	200m		DM	MT50a	A A A
58	BR201A	400m	50	5J	20	8.0	90	3.0	75	1.0m	5.0	10	40	150	200M	200m		DM	MT50a	A A A
59#	DT4110	400m	30	5S	1.5	300m	45	3.0	30	1.0m	6.0	1.5	15	45	500k	1.5		D	TO3	
60#	DT4111	400m	30	5S	1.5	300m	80	3.0	60	1.0m	6.0	1.5	15	45	500k	1.5		D	TO3	
61#	DT4112	400m	30	5S	1.5	300m	120	3.0	100	1.0m	6.0	1.5	15	45	500k	1.5		D	TO3	
62#	DT4120	400m	30	5S	1.5	300m	45	3.0	30	1.0m	6.0	1.5	30	90	500k	1.5		D	TO3	
63#	DT4121	400m	30	5S	1.5	300m	80	3.0	60	1.0m	6.0	1.5	30	90	500k	1.5		D	TO3	
64	STC1035	400m		5S	7.5		30		30	4.0	2.0	10	↑		.75				TO3	
65	STC1035A	400m		5S	7.5		30		30	4.0	2.0	10	↑		.75				TO3	
66	STC1036	400m		5S	7.5		30		30	4.0	2.0	10	↑		.50				TO3	
67	STC1036A	400m		5S	7.5		30		30	4.0	2.0	10	↑		.50				TO3	
68#	XC723	400m		5S	6.0	3.0	60	10	40	.02m	4.0	1.5	15	50	1.0M	2.0	1.0u	D	TO3	
69	JAN2N1511	429m	75	5J	6.0	3.0	60	10	40	25u	4.0	1.5	15	45	500k	2.0		Δ	TO67	
70	JAN2N1512	429m	75	5J	6.0	3.0	100	10	55	25u	4.0	1.5	15	45	500k	2.0		Δ	TO67	
71	JAN2N1513	429m	75	5J	6.0	3.0	60	10	40	25u	4.0	1.5	15	45	500k	670m		Δ	TO67	
72	JAN2N1514	429m	75	5J	6.0	3.0	100	10	55	25u	4.0	1.5	15	45	500k	670m		Δ	TO67	
73	AMF104	429m	75	5J	4.0		30	.50	30	150	1.0	1.0	10	50	1.0M	5.0		MEA	TO3	
74	AMF105	429m	75	5J	4.0		60	.50	60	150	1.0	1.0	10	50	1.0M	5.0		MEA	TO3	
75	AMF106	429m	75	5J	4.0		100	.50	100	150	1.0	1.0	10	50	1.0M	5.0		MEA	TO3	
76	AMF115	429m	75	5J	7.5		60	.50	60	150	2.0	2.0	10	50	1.0M	5.0		MEA		

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M T A E M P	ABSOLUTE MAX. RATINGS @ 25°C					MAX. I _{cb0} @ MAX V _{cb} @ 25°C (A)	BIAS hfe		MIN	MAX	f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	L C O D E
					I _c (A)	I _b (A)	V _{cb0} (V)	V _{eb0} (V)	V _{ce0} (V)		V _{cb} (V)	I _c (A)							
1	AMF101	476m	85	\$J	4.0		30	50	30	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
2	AMF102	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
3	AMF103	476m	85	\$J	4.0		100	50	100	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
4	AMF107	476m	85	\$J	4.0		30	50	30	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
5	AMF108	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
6	AMF109	476m	85	\$J	4.0		100	50	100	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
7	AMF110	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.5M†	1.5		MEΔ	MT10	
8	AMF111	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.5M†	5.0		MEΔ	MS3	
9	AMF112	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.0M†	5.0		MEΔ	MS3	
10	AMF113	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.0M†	1.5		MEΔ	MT10	
11	AMF114	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.5M†	1.5		MEΔ	MS3	
12	AMF121	476m	85	\$J	4.0		55	50	55	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
13	AMF121A	476m	85	\$J	4.0		55	50	55	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
14	AMF122	476m	85	\$J	4.0		45	50	45	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
15	AMF122A	476m	85	\$J	4.0		45	50	45	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
16	AMF123	476m	85	\$J	4.0		35	50	35	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
17	AMF123A	476m	85	\$J	4.0		35	50	35	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
18	AMF124	476m	85	\$J	4.0		25	50	25	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
19	AMF124A	476m	85	\$J	4.0		25	50	25	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
20	F101	476m	85	\$J	4.0		30	50	30	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
21	F102	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
22	F103	476m	85	\$J	4.0		100	50	100	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
23	F107	476m	85	\$J	4.0		30	50	30	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
24	F108	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
25	F109	476m	85	\$J	4.0		100	50	100	150	1.0	10	50	1.5M†	5.0		MEΔ	MT10	
26	F110	476m	85	\$J	4.0		60	50	60	150	1.0	10	50	1.5M†	1.5		MEΔ	MT10	
27	F111	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.5M†	5.0		MEΔ	MT10	
28	F112	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.0M†	5.0		MEΔ	MS3	
29	F113	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.0M†	1.5		MEΔ	MT10	
30	F114	476m	85	\$J	7.5		60	50	60	150	2.0	10	50	1.5M†	1.5		MEΔ	MS3	
31	F121	476m	85	\$J	4.0		55	50	55	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
32	F121A	476m	85	\$J	4.0		55	50	55	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
33	F122	476m	85	\$J	4.0		45	50	45	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
34	F122A	476m	85	\$J	4.0		45	50	45	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
35	F123	476m	85	\$J	4.0		35	50	35	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
36	F123A	476m	85	\$J	4.0		35	50	35	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
37	F124	476m	85	\$J	4.0		25	50	25	150	1.0	10	50	1.0M†	5.0		MEΔ	MS3	
38	F124A	476m	85	\$J	4.0		25	50	25	150	1.0	10	50	1.0M†	800m		MEΔ	MS3	
39	ST440	476m	60	\$S	2.0		60	50	60	150	1.0	10	25	4.0M		1.8u	D	MT10	
40	ST450	476m	60	\$S	2.0		60	50	60	150	1.0	10	25	4.0M		1.8u	D	MT10	
41	ST7120	476m		\$S	3.0		45	80	35	20m	12	20	80		5.0		D	MS3	
42	ST7130	476m		\$S	3.0		45	80	35	10m	12	20	80		5.0		D	MT10	
43	STC1101	476m		\$S	6.0	3.0	60	10	40	4.0	1.5	10	50	1.0M†	2.0		D		
44	STC1102	476m		\$S	6.0	3.0	100	10	55	4.0	1.5	10	50	1.0M†	6.7		D		
45	STC1103	476m		\$S	6.0	3.0	60	10	40	4.0	1.5	25	75	1.0M†	6.7		D		
46	STC1104	476m		\$S	6.0	3.0	100	10	55	4.0	1.5	25	75	1.0M†	7.5		D		
47	STC1105	476m		\$J	7.5		30	30	30	4.0	2.0	10	†		7.5			MS3	
48	STC1105A	476m		\$J	7.5		60	60	60	4.0	2.0	10	†		7.5			MS3	
49	STC1106	476m		\$J	7.5		30	30	30	4.0	5.0	10	†		5.0			MS3	
50	STC1106A	476m		\$J	7.5		60	60	60	4.0	5.0	10	†		5.0			MS3	
51	TT500	476m		\$J	2.0		60	10	60	10m	150	45	135	25MΔ			D	MT10	
52	TT501	476m		\$J	2.0		80	10	80	10m	150	45	135	25MΔ			D	MT10	
53	TT502	476m		\$J	2.0		100	10	100	10m	150	45	135	25MΔ			D	TO3	
54#	2SC492	478m	50	\$J	5.0		110	50	110	10m	5.0	60	†	20M			ME		
55	2N389/1	480m		\$S	3.0		60	10	60	150	1.0	12	60	2.5M†	5.0	900n		MS3	
56	2N389A/1	480m		\$S	3.0		60	10	60	4.0	1.0	12	60	2.5M†	750m	900n		MS3	
57	2N424/1	480m		\$S	3.0		80	10	80	150	1.0	12	60	2.5M†	900n	900n		MS3	
58	2N424A/1	480m		\$S	3.0		80	10	80	4.0	1.0	12	60	2.5M†	750m	900n		MS3	
59	2N1616A/1	480m		\$S	7.5		60	10	60	10m	4.0	5.0	10	2.5M†	500m	900n		MT10	
60	2N1617A/1	480m		\$S	7.5		80	10	70	10m	4.0	5.0	10	2.5M†	500m	900n		MT10	
61	2N1618A/1	480m		\$S	7.5		100	10	80	10m	4.0	5.0	10	2.5M†	500m	900n		MT10	
62	2N1722/1	480m		\$S	7.5		120	10	80	10m	150	20	90	2.5M†	500m	900n		MS3	
63	2N1724/1	480m		\$S	7.5		120	10	80	10m	150	20	90	2.5M†	500m	900n		MT10	
64#	2SC101	480m		\$J	2.0			5.5		3.0m	10	500m	16	†			ME	MD10	
65	2N1660†	485m	85	\$J	2.0		60	10	60	150	1.0	45	135	25MΔ	4.0	110n	PDA	MS3	
66	2N1661†	485m	85	\$J	2.0		80	10	80	150	1.0	45	135	25MΔ	4.0	110n	PDA	MS3	
67	2N1662†	485m	85	\$J	2.0		100	10	100	150	1.0	45	135	25MΔ	4.0	110n	PDA	MS3	
68	2N1722A/1	485m	85	\$C	7.5		180	120	120	5.0	5.0	20	20	300m	300m			TO61	
69	2N1724A/1	485m	85	\$C	7.5		180	120	120	5.0	5.0	20	20	300m	300m			TO61	
70	2N1894	485m	85	\$J	2.0		60	10	60	150	1.0	12	60	25MΔ	5.0		DΔ	MT16	
71	2N1895	485m	85	\$J	2.0		80	10	80	150	1.0	12	60	25MΔ	10		DΔ	MT16	
72	2N1896	485m	85	\$J	2.0		60	10	60	150	1.0	45	135	25MΔ	4.0	110n	DΔ	MT16	
73	2N1897	485m	85	\$J	2.0		80	10	80	150	1.0	45	135	25MΔ	4.0	110n	DΔ	MT16	
74	2N1898	485m	85	\$J	2.0		100	10	100	150	1.0	45	135	25MΔ	4.0	110n	DΔ	MT16	
75#	2S720	500m		\$A	1.0	.50		5.0	120	10m	100	50	10	30			D	MS3	
76#	2SC21	500m		\$J	2.0		60	5.5	60	1.0m	10	1.0	25				MEΔ	TO3	
77#	2SC244	500m	75	\$J	6.5		60	5.0	60	50m	100	1.0	15	35			ME	TO3	
78#	2SC245	500m	75	\$J	6.5		120	5.0	120	20m	100	1.0	15	35			ME	TO3	
79#	2SC246	500m	75	\$J	6.5		180	5.0	180	20m	100	1.0	15	35			ME	TO3	
80#	180T2	500m	85	\$J	6.0	3.0	60	10	60	4.0	2.0	15	#	180	10M		ME	TO3	
81#	181T2	500m	85	\$J	6.0	3.0	100	10	90	4.0	2.0	15	#	180	10M		ME	TO3	
82#	182T2	500m	85	\$J	6.0	3.0	200	10	140	4.0	2.0	15	#	180	10M		ME	TO3	
83#	183T2	500m	85	\$J	6.0	3.0	300	10	180	4.0	2.0	15	#	180	10M		ME	TO3	
84#	184T2	500m	85	\$J	6.0	3.0	400	10	200	4									

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE
& (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	MAX. P _c (W)	M A X P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{co} @ MAX V _{cb} @25°C (A)	BIAS hfe		MIN	MAX	f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	L O A D E	
						I _c (A)	I _b (A)	V _{cb} (V)	V _{eb} (V)	V _{ce} (V)		V _{cb} (V)	I _c (A)								
1	AMF210A	526m	80 ∅	80 ∅	∅C	8.0			50	100 ∅	150 ∅	5.0	10	10	1.5M†	800m		ME	MD19		
2	AMF210B	526m	80 ∅	80 ∅	∅C	8.0			50	100 ∅	150 ∅	5.0	10	1.5M†	800m		ME	MD19			
3	AMF210C	526m	80 ∅	80 ∅	∅C	8.0			50	100 ∅	150 ∅	5.0	10	1.5M†	800m		ME	MD19			
4	STC389	556m∅								60		4.0∅	1.5		2.0M†			D			
5	2N3577	564m	85 ∅	85 ∅	∅S	2.0	500m	100	10	80	100u#	150	1.0	12	60	10MΔ	5.2		∅	TO53	
6	2N2403	571m∅	8.0 ∅		∅S	1.0		60	5.0	60 ∅	50u	2.5∅	600m	20	60	150M†	2.5	20n	EA	TO53	
7	2N2404	571m∅	8.0 ∅		∅S	1.0		60	5.0	60 ∅	50u	2.5∅	600m	40	120	150M†	2.5	20n	EA	TO53	
8	AMF201	625m	85 ∅	85 ∅	∅C	13			50	30 ∅		150	1.0	10	1.0M†	400m		ME	MD19		
9	AMF201A	625m	85 ∅	85 ∅	∅C	13			50	30 ∅		150	1.0	10	1.0M†	400m		ME	MD19		
10	2N451	666m	85 ∅	85 ∅	∅J	5.0	500m	65	10	65	20m	100	1.0	10	10	4.0		D	MT4		
11	2N452	666m	85 ∅	85 ∅	∅J	5.0	500m	65	10	65	50m	200	2.0	8.0	30	400k†	2.5		∅	MT4	
12	2N453	666m	85 ∅	85 ∅	∅J	2.0	500m	30	10	30	20m	200	1.0	20	30	400k†	6.0		∅	MT4	
13	2N454	666m	85 ∅	85 ∅	∅J	2.0	500m	65	10	65	20m	200	1.0	8.0	15	400k†	1.0		D	MT4	
14	2N5049†	666m	100 ∅	100 ∅	∅J	10	2.0	60	14	50	1.0m#	4.0∅	1.0	15	60	10M†	250m	1.0u		TO61	
15	6B10	666m	50 ∅	50 ∅	∅J	10	5.0	175	15	120	10m	150	1.0	30	90	10M†	500m		DM	TO61	
16	1713-0402	666m	115 ∅	115 ∅	∅J	5.0	2.0	50	7.0	40	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
17	1713-0405	666m	115 ∅	115 ∅	∅J	5.0	2.0	50	7.0	40	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
18	1713-0602	666m	115 ∅	115 ∅	∅J	5.0	2.0	70	7.0	60	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
19	1713-0805	666m	115 ∅	115 ∅	∅J	5.0	2.0	70	7.0	60	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
20	1713-0802	666m	115 ∅	115 ∅	∅J	5.0	2.0	90	7.0	80	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
21	1713-0805	666m	115 ∅	115 ∅	∅J	5.0	2.0	90	7.0	80	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
22	1713-1002	666m	115 ∅	115 ∅	∅J	5.0	2.0	110	7.0	100	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
23	1713-1005	666m	115 ∅	115 ∅	∅J	5.0	2.0	110	7.0	100	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
24	1713-1202	666m	115 ∅	115 ∅	∅J	5.0	2.0	130	7.0	120	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
25	1713-1205	666m	115 ∅	115 ∅	∅J	5.0	2.0	130	7.0	120	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
26	1713-1402	666m	115 ∅	115 ∅	∅J	5.0	2.0	150	7.0	140	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
27	1713-1405	666m	115 ∅	115 ∅	∅J	5.0	2.0	150	7.0	140	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
28	1713-1602	666m	115 ∅	115 ∅	∅J	5.0	2.0	170	7.0	160	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
29	1713-1605	666m	115 ∅	115 ∅	∅J	5.0	2.0	170	7.0	160	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
30	1713-1802	666m	115 ∅	115 ∅	∅J	5.0	2.0	190	7.0	180	4.0m#	4.0∅	2.0	15	#	40MΔ			EM	TO3	
31	A1381	666m	100 ∅	100 ∅	∅J	10		100	4.0	80	1.0	1.0	10	Δ	40	50MΔ		PL	TO36		
32	B148005†	666m	100 ∅	100 ∅	∅S	15	4.0	70	7.0	60	10u#	5.0∅	2.0	4.0	160 #	60MΔ	100m	200n		TO61	
33	TIX155	666m	50 ∅	50 ∅	∅J	10	1.0	120	15	80	5.0m	5.0∅	2.0	1.5k	10k#	20k†	500m		PME	TO53	
34#	2N4519	667m	50 ∅	50 ∅	∅J	5.0		110	5.0	100	10m∅	5.0∅	2.0	50	∅	20k†			ME	TO3	
35#	2SC520	667m	50 ∅	50 ∅	∅J	5.0		70	5.0	80	10m∅	5.0∅	1.0	50	∅	20k†			ME	TO3	
36#	2SC521	667m	50 ∅	50 ∅	∅J	5.0		40	5.0	50	10m∅	5.0∅	1.0	50	∅	20k†			ME	TO3	
37	CTP1136	667m			∅J			60	20			5.0						A		TO3	
38#	ST66†	667m∅	80		∅J	6.0	3.0	60	10	40	1.0m	4.0	1.5	10	80	25k†	50	1.3u	D	TO3	
39#	ST610†	667m∅	80		∅J	6.0	3.0	100	10	55	10m	4.0	1.5	10	80	25k†	1.0	1.3u	D	TO3	
40#	ST615†	667m∅	80		∅J	6.0	3.0	150	10	70	10m	4.0	1.5	10	80	25k†	1.0	1.3u	D	TO3	
41	156-04	684m	120 ∅		∅J	8.0	3.0	50	10	40	20m#	4.0∅	5.0	15		1.0MΔ	200m		D	TO3	
42	156-06	684m	120 ∅		∅J	8.0	3.0	70	10	60	20m#	4.0∅	5.0	15		1.0MΔ	200m	1.6u	D	TO3	
43	156-08	684m	120 ∅		∅J	8.0	3.0	90	10	80	20m#	4.0∅	5.0	15		1.0MΔ	200m	1.6u	D	TO3	
44	156-10	684m	120 ∅		∅J	8.0	3.0	110	10	100	20m#	4.0∅	5.0	15		1.0MΔ	200m	1.6u	D	TO3	
45	2N2902	729m	40 ∅		∅S	750m	500m	120	10	120		10	50m	30		1.0MΔ	15		D	MT5	
46	2N1675	800m	100 ∅		∅J	10		50	7.0	50	7.0	10	10	25	44 ∅	55M†	500m	180n∅	D	TO32	
47#	2SC102	800m∅			∅J	7.0			5.0		45m∅	10	500m	10	150	10		ME	TO36		
48#	40444	800m	140 ∅		∅J	20	10	120	5.0	60	20mΔ	5.0	2.0	30	150	60MΔ		F	TO3		
49#	M5A	800m	100		∅J	5.0	3.0	50	4.0	30	10m∅	5.0	5.0	10	50	500k	200m	700n			
50#	M5B	800m	100		∅J	5.0	3.0	100	4.0	60	10m∅	5.0	5.0	10	50	500k	200m	700n			
51#	M5C	800m	100		∅J	5.0	3.0	200	4.0	140	10m∅	5.0	5.0	10	50	500k	200m	700n			
52#	M5D	800m	100		∅J	5.0	3.0	300	4.0	200	10m∅	5.0	5.0	10	50	500k	200m	700n			
53#	M10A	800m	100		∅J	10	3.0	100	4.0	30	10m∅	5.0	10	10	50	500k	200m	700n			
54#	M10B	800m	100		∅J	10	3.0	100	4.0	60	10m∅	5.0	10	10	50	500k	200m	700n			
55#	M10C	800m	100		∅J	10	3.0	200	4.0	140	10m∅	5.0	10	10	50	500k	200m	700n			
56#	M10D	800m	100		∅J	10	3.0	300	4.0	200	10m∅	5.0	10	10	50	500k	200m	700n			
57#	SE7030	800m			∅J	400m		300	7.0	300	1.0u#	1.0∅	50m	40	240 #	30MΔ			DPL	MD10e	C∅
58	130-04	833m#	120 ∅		∅J	8.0	3.0	50	10	40	10m#	4.0∅	5.0	15	#	1.0MΔ	200m	1.6u	D	MT1	
59	130-06	833m#	120 ∅		∅J	8.0	3.0	70	10	60	10m#	4.0∅	5.0	15	#	1.0MΔ	200m	1.6u	D	MT1	
60	130-08	833m#	120 ∅		∅J	8.0	3.0	90	10	80	10m#	4.0∅	5.0	15	#	1.0MΔ	200m	1.6u	D	MT1	
61	130-10	833m#	120 ∅		∅J	8.0	3.0	110	10	100	10m#	4.0∅	5.0	15	#	1.0MΔ	200m	1.6u	D	MT1	
62	2N2589	847m	85 ∅		∅A	7.0		150	25	150	2.0m	4.0∅	7.0	17	51	1.0MΔ			∅	MT18	
63	1726-0405	854m	150 ∅		∅J	10		50	7.0	40	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
64	1726-0410	854m	150 ∅		∅J	10		50	7.0	40	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
65	1726-0605	854m	150 ∅		∅J	10		70	7.0	60	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
66	1726-0610	854m	150 ∅		∅J	10		70	7.0	60	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
67	1726-0805	854m	150 ∅		∅J	10		90	7.0	80	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
68	1726-0810	854m	150 ∅		∅J	10		90	7.0	80	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
69	1726-1005	854m	150 ∅		∅J	10		110	7.0	100	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
70	1726-1010	854m	150 ∅		∅J	10		110	7.0	100	4.0m#	4.0∅	5.0	15	#	40MΔ			EM	TO61	
71	1726-1205	854m	150 ∅		∅J	10		130	7.0	120	4.0m#	4.0∅	5.0	15	#	40MΔ					

11. SILICON NPN - HIGH POWER TRANSISTORS

IN ORDER OF (1) MAX THERMAL RESISTANCE & (2) TYPE No.

LINE No.	TYPE No.	MAX. THERM. RES. J to C (W)	MAX. FREE AIR @ 25°C (W)	M A X P	ABSOLUTE MAX. RATINGS @25°C					MAX. I _{cb} @ 25°C (A)	hfe		MIN	MAX	f _{ae} (Hz)	MAX. SAT. RES. (Ω)	tr (s)	DESCRIPTION	L C O D E
					I _c (A)	I _b (A)	V _{cb} (V)	V _{eb} (V)	V _{ce} (V)		V _{cb} (V)	V _{eb} (V)							
1#	XT2D	1.0	200	\$	5.0		500	5.0	350	10m	5.0	5.0	10	50	75k	100m		D	TO36
2	153-05	1.3	200	\$	7.5	3.0	75	15	50		4.0	1.5	15	15		870m		F	MT24
3	153-07	1.3	200	\$	7.5	3.0	95	15	70		4.0	1.5	15	15		870m	3.0u	F	MT24
4	153-09	1.3	200	\$	7.5	3.0	115	15	90		4.0	1.5	15	15		870m	3.0u	F	MT24
5	154-05	1.3	200	\$	7.5	3.0	75	15	70		4.0	1.5	25	25		830m	3.0u	F	MT24
6	154-07	1.3	200	\$	7.5	3.0	95	15	90		4.0	1.5	25	25		830m	3.0u	F	MT24
7	154-09	1.3	200	\$	7.5	3.0	115	15	90		4.0	1.5	25	25		830m	3.0u	F	MT24
8	DTS3704	1.3	200	\$	7.5	3.0	200	5.0	200		5.0	5.0	20	80	115k	1.6			TO41
9	DTS3704A	1.3	200	\$	7.5	3.0	300	5.0	300		5.0	5.0	20	80	115k	1.6			TO41
10	DTS3704B	1.3	200	\$	7.5	3.0	400	5.0	335		5.0	5.0	20	80	115k	1.6			TO41
11	DTS3705	1.3	200	\$	7.5	3.0	200	5.0	200	50m	5.0	1.0	25	75	110k	80			TO3
12	DTS3705A	1.3	200	\$	7.5	3.0	300	5.0	300	50m	5.0	1.0	25	75	110k	80			TO3
13	DTS3705B	1.3	200	\$	7.5	3.0	400	5.0	400	50m	5.0	1.0	25	75	110k	80			TO3
14	2N1018B/M	1.4	150	*	7.5	5.0	100	25	100	1.0m	4.0	5.0	10	35	30k	500m	6.0u	F	MT1
15	2N1018C/M	1.4	150	*	7.5	5.0	150	25	150	1.0m	4.0	5.0	10	35	30k	500m	6.0u	F	MT1
16	151-05	1.4	100	\$	6.0	3.0	100	50	50	10m	4.0	1.5	11	46		830m	10u	F	MT1
17	151-07	1.4	100	\$	6.0	3.0	140	25	70	10m	4.0	1.5	11	46		830m	10u	F	MT1
18	151-09	1.4	100	\$	6.0	3.0	180	25	90	10m	4.0	1.5	11	46		830m	10u	F	MT1
19	152-05	1.4	100	\$	6.0	3.0	100	25	50	10m	4.0	1.5	18	75		6.9	10u	F	MT1
20	152-07	1.4	100	\$	6.0	3.0	140	25	70	10m	4.0	1.5	18	75		6.9	10u	F	MT1
21	152-09	1.4	100	\$	6.0	3.0	180	25	90	10m	4.0	1.5	18	75		6.9	10u	F	MT1
22	AMF227	1.4	150	*	7.5		50	50	30		4.0	2.0	10		20k	750m		ME	MT1
23	AMF227A	1.4	150	*	7.5		50	50	60		4.0	2.0	10		20k	750m		ME	MT1
24	AMF227B	1.4	150	*	7.5		50	50	100		4.0	2.0	10		20k	750m		ME	MT1
25	AMF227C	1.4	150	*	7.5		50	50	150		4.0	2.0	10		20k	750m		ME	MT1
26	AMF228	1.4	150	*	7.5		50	50	30		4.0	5.0	10		20k	500m		ME	MT1
27	AMF228A	1.4	150	*	7.5		50	50	60		4.0	5.0	10		20k	500m		ME	MT1
28	AMF228B	1.4	150	*	7.5		50	50	100		4.0	5.0	10		20k	500m		ME	MT1
29	AMF228C	1.4	150	*	7.5		50	50	150		4.0	5.0	10		20k	500m		ME	MT1
30	AMF229	1.4	150	*	7.5		50	50	30		4.0	1.0	10		20k	1.0		ME	MT1
31	AMF229A	1.4	150	*	7.5		50	50	60		4.0	1.0	10		20k	1.0		ME	MT1
32	AMF229B	1.4	150	*	7.5		50	50	100		4.0	1.0	10		20k	1.0		ME	MT1
33	AMF229C	1.4	150	*	7.5		50	50	150		4.0	1.0	10		20k	1.0		ME	MT1
34	BSC1015	1.4	150	*	7.5	5.0	10	10	30		4.0	2.0	10		20k	750m		DM	MT1
35	BSC1015A	1.4	150	*	7.5	5.0	10	10	60		4.0	2.0	10		20k	750m		DM	MT1
36	BSC1015B	1.4	150	*	7.5	5.0	10	10	100		4.0	2.0	10		20k	750m		DM	MT1
37	BSC1016	1.4	150	*	7.5	5.0	10	10	30		4.0	5.0	10		20k	500m		DM	MT1
38	BSC1016A	1.4	150	*	7.5	5.0	10	10	60		4.0	5.0	10		20k	500m		DM	MT1
39	BSC1016B	1.4	150	*	7.5	5.0	10	10	100		4.0	5.0	10		20k	500m		DM	MT1
40	SEC1477	1.4					9.0	50				5.0				2.0			MT1
41	SEC1478	1.4					9.0	100				5.0				2.0			MT1
42	SEC1479	1.4					9.0	50				2.0				2.0			MT1
43	SEC1480	1.4					9.0	100				2.0				2.0			MT1
44#	STX5/3010	1.4	∅		5.0		100	9.0	100	5.0m	15	5.0	10	25	25	10M			
45#	STX5/3025	1.4	∅		5.0		30	2.0	30	5.0m	15	5.0	10	25	25	10M			
46#	STX5/5010	1.4	∅		5.0		50	2.0	50	5.0m	15	5.0	10	25	25	10M			
47#	STX5/5025	1.4	∅		5.0		50	2.0	50	5.0m	15	5.0	10	25	25	10M			
48#	STX5/8010	1.4	∅		5.0		60	2.0	60	5.0m	15	5.0	10	25	25	10M			
49#	STX5/8025	1.4	∅		5.0		60	2.0	60	5.0m	15	5.0	10	25	25	10M			
50#	STX5/7010	1.4	∅		5.0		70	2.0	70	5.0m	15	5.0	10	25	25	10M			
51#	STX5/7025	1.4	∅		5.0		70	2.0	70	5.0m	15	5.0	10	25	25	10M			
52	2N1421	1.6	30	∅	3.0	500m	60	10	60	10m	5.0	1.0	20	80	10M	3.0			MT10
53	2N1422	1.6	30	∅	3.0	500m	60	10	60	10m	5.0	1.0	20	80	10M	2.0			TO3
54#	L10A	1.6	200		10	10	100	4.0	30	10m	6.0	10	10	50	500k	10	.80		
55#	L10B	1.6	200		10	10	100	4.0	60	10m	6.0	10	10	50	500k	10	.80		
56#	L10C	1.6	200		10	10	200	4.0	140	10m	6.0	10	10	50	500k	10	.80		
57#	L10D	1.6	200		10	10	300	4.0	200	10m	6.0	10	10	50	500k	10	.80		
58#	L20A	1.6	200		20	10	100	4.0	30	10m	6.0	20	10	50	500k	10	.80		
59#	L20B	1.6	200		20	10	200	4.0	60	10m	6.0	20	10	50	500k	10	.80		
60#	L20C	1.6	200		20	10	400	4.0	140	10m	6.0	20	10	50	500k	10	.80		
61#	L20D	1.6	200		20	10	400	4.0	200	10m	6.0	20	10	50	500k	10	.80		
62#	L30A	1.6	200		30	10	50	4.0	30	10m	6.0	30	10	50	500k	10	.80		
63#	L30B	1.6	200		30	10	100	4.0	60	10m	6.0	30	10	50	500k	10	.80		
64#	L30C	1.6	200		30	10	200	4.0	140	10m	6.0	30	10	50	500k	10	.80		
65#	L30D	1.6	200		30	10	300	4.0	200	10m	6.0	30	10	50	500k	10	.80		
66#	SDD320	1.6	20		2.0	40	6.0	30	30	500u	15	50m	20	35	∅	30M	6.0		TO36
67	2N2743	2.0	200	\$	20	7.5	250	15	250		4.0	10	10		14k	150m	6.0u	∆	MT1
68	2N2744	2.0	200	\$	20	7.5	300	15	300		4.0	10	10		14k	150m	6.0u	∆	MT1
69	2N2749	2.0	200	\$	20	7.5	250	15	250		4.0	15	10		14k	100m	6.0u	∆	MT1
70	2N2750	2.0	200	\$	20	7.5	300	15	300		4.0	15	10		14k	100m	6.0u	∆	MT1
71	2N2755	2.0	200	\$	20	7.5	250	15	250		4.0	20	10		16k	75m	7.0u	∆	MT1
72	2N2756	2.0	200	\$	20	7.5	300	15	300		4.0	20	10		16k	75m	7.0u	∆	MT1
73	2N2762	2.0	200	\$	30	7.5	300	15	300		4.0	10	10		14k	150m	6.0u	∆	MT33
74	2N2767	2.0	200	\$	30	7.5	250	15	250		4.0	15	10		14k	100m	6.0u	∆	MT33
75	2N2768	2.0	200	\$	30	7.5	300	15	300		4.0	15	10		14k	100m	6.0u	∆	MT33
76	2N2773	2.0	200	\$	30	7.5	250	15	250		4.0	20	10		16k	75m	7.0u	∆	MT33
77	2N2774	2.0	200	\$	30	7.5	300	15	300		4.0	20	10		16k	75m	7.0u	∆	MT33
78	2N2779	2.0	200	\$	30	7.5	250	15	250		4.0	25	10		16k	60m	8.0u	∆	MT33
79	2N2780	2.0	200	\$	30	7.5	300	15	300		4.0	25	10		16k	60m	8.0u	∆	MT33
80	163-05	2.0	200	\$	20	7.5	65	15	50		4.0	5.0	15		220m	6.0u		F	MT33
81	163-07	2.0	200	\$	20	7.5	85	15	70		4.0	5.0	15		220m	6.0u		F	MT33
82	163-09	2.0																	

12. SWITCHING TRANSISTORS

IN ORDER OF (1) fab, (2) MAX RISE TIME & (3) TYPE No.

LINE No.	TYPE No.	fab (Hz)	MAX RISE TIME tr (s)	MAX DELAY TIME td (s)	MAX STORE TIME ts (s)	MAX FALL TIME tf (s)	MAX. P _c IN FREE AIR @ 25°C (W)	BIAS			MAX. SAT. RES. (Ω)	Cob (F)	r _{bb} X Cob (s)	DESCRIPTION		MAX. TEMP (°C)	DWG. No.	L C O D E
								V _{cb} (V)	I _e (A)	h _{fe}				STRUCTURE	MATERIAL			
1	NS1116		1.0n	5.0n		4.0n	500m			500m				N	Si	175J	TO18	DD
2	A197		5.0n	15n		20n	200m						16ps	N	Si	150J	TO106	DD
3	A198		5.0n	15n		35	200m						16ps	N	Si	150J	TO106	DD
4	A199		5.0n	15n		50	200m						16ps	N	Si	150J	TO106	DD
5	D26B1		12n		10n	15n	90m	1.0	10m	60 #		4.0p	N-EP	Si	100J	u40b	DD	
6	D26B2		12n		13n	18n	90m	1.0	10m	120 #		4.0p	N-EP	Si	100J	u40b	DD	
7	2N2967		15n		6.0n	15n	300m	1.0	30m	15 Δ	2.0	3.0p	N	Si	200J	TO18		
8	V220		15n				300m	100m	10m	90 Δ	285		N-PE	Si	200J	ZA18		
9	V221		15n		30n		300m	100m	10m	130 Δ	285		N-PE	Si	200J	ZA18		
10	V222		15n		30n		300m	100m	10m	160 Δ	285		N-PE	Si	200J	ZA18		
11#	MD501		18n		12n	10n	60m	500m	10m	20 Δ		5.0p	P-MD	Ge		TO1		
12#	MD501B		18n		12n	10n	60m	500m	10m	20 Δ		3.0p	P-MD	Ge		TO1		
13	2N2100A		20n		50n	40n	300m	1.0	200m	30 Δ			P	Ge	100S	TO9		
14	2N847		32n		25n	33n	200m				1.5		N	Si	175S			
15	2N848		32n		25n	33n	200m				1.5		N	Si	175S			
16	2N1763		32n		25n	33n	300m				1.5		N	Si	175S			
17	2N1764		32n		25n	33n	300m				1.5		N	Si	175S			
18	MM2102		50n	20n	30n	50n	800m	10	2.0m	1.0 \$	200 \$	4.5ps	N-MOS	Si	200J	R38y		
19	MM2103		50n	30n	25n	50n	800m	10	2.0m	1.0 \$	600 \$	6.5ps	P-MOS	Si	200J	R38y		
20	2N781		60n		20n	50n	150m	22	10m	25 Δ	16		P	Ge	100J	TO18	A	
21	2N1961		75n		35n	75n	150m	25	10m	20 Δ	20		P	Ge	100J	TO46	A	
22#	MDS37		75n		120n	100n	150m	300m	40m	20 Δ			P-MD	Ge		TO18		
23#	D4D22		100n		100n	100n	150m	5.0	10m	120	150	4.0p	N-GD	Si	150J	R133b	A	
24	3N21		200n		500n		100m			2.5			P	Ge	50A			
25#	ASY63		1500nt				200m	.10	3.0m	100 1/2			P	Ge	75J	R47		
26	2N1821		20u		25u		250	4.0	15m	10 Δ			N	Si	175J	TO49		
27	2N1827		20u		25u		250	4.0	20m	10 Δ			N	Si	175J	TO49		
28	2N1828		20u		25u		250	4.0	20m	10 Δ			N	Si	175J	TO49		
29	2N1834		20u		25u		250	4.0	25m	10 Δ			N	Si	175J	TO49		
30	2N1835		20u		25u		250	4.0	25m	10 Δ			N	Si	175J	TO49		
31	2N2121		20u		25u		250	4.0	15m	10 Δ			N	Si	175J	TO83		
32	2N2127		20u		25u		250	4.0	20m	10 Δ			N	Si	175J	TO83		
33	2N2128		20u		25u		250	4.0	20m	10 Δ			N	Si	175J	TO83		
34	2N2134		20u		25u		250	4.0	25m	10 Δ			N	Si	175J	TO83		
35	2N2135		20u		25u		250	4.0	25m	10 Δ			N	Si	175J	TO83		
36#	AS716	25M	20u		15u	40u	250	1.0	1.0m	45 Δ			P-A	Ge	90J	TO3		
37	DTG110B	450k	600n		1.6u	1.4u	105	2.0	4.0	25 Δ	160m		P-D	Ge	110	TO3		
38	D441-0815	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
39	1401-1220	500kΔ	500n				10u	625m	4.0	200u	10 #		N-D	Si	200J	MT14a	C	
40	1401-1225	500kΔ	500n				10u	625m	4.0	250u	10 #		N-D	Si	200J	MT14a	C	
41	1401-1415	500kΔ	500n				10u	625m	4.0	150u	10 #		N-D	Si	200J	MT14a	C	
42	1401-1420	500kΔ	500n				10u	625m	4.0	200u	10 #		N-D	Si	200J	MT14a	C	
43	1401-1425	500kΔ	500n				10u	625m	4.0	250u	10 #		N-D	Si	200J	MT14a	C	
44	1441-0415	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
45	1441-0420	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
46	1441-0425	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
47	1441-0615	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
48	1441-0620	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
49	1441-0625	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
50	1441-0820	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
51	1441-0825	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
52	1441-1015	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
53	1441-1020	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
54	1441-1025	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
55	1441-1215	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
56	1441-1220	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
57	1441-1225	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
58	1441-1415	500kΔ	500n				10u	350m	4.0	50u	10 #		N-D	Si	200J	TO114		
59	1441-1420	500kΔ	500n				10u	350m	4.0	75u	10 #		N-D	Si	200J	TO114		
60	1441-1425	500kΔ	500n				10u	350m	4.0	100u	10 #		N-D	Si	200J	TO114		
61	ST86	.60M	1300n	160n	2.5u	2.6u	80	4.0	3.0m	10	1.0		N-D	Ge	150J	TO3		
62	ST810	.60M	1300n	160n	2.5u	2.6u	80	4.0	3.0m	10	1.0		N-D	Ge	150J	TO3		
63	ST815	.60M	1300n	160n	2.5u	2.6u	80	4.0	3.0m	10	1.0		N-D	Ge	150J	TO3		
64	DTG1210A	.700k	600n		1.6u	1.4u	105	2.0	1.0	35	160m		P-D	Ge	110	TO3		
65#	AC155	1.20M	300n		3.5u	2.0u	200m*	0.0	10m	68 1/2		100p	P-A	Ge	85J	TO1		
66#	ASY14	1.50M	280n		1.5u	2.0u	75m*	700m	80m	25 1/2		25p	P	Ge	75	RA3		
67#	ASY82	1.50M	300n		3.5u	2.0u	200m*	1.0	300m	35 Δ	1.6	100p	P-A	Ge	85J	TO1		
68#	ASY84	1.50M	300n		3.5u	2.0u	200m*	1.0	300m	35 Δ	1.6	100p	P-A	Ge	85J	TO1		
69#	2SB453	1.50M	3300n		2.0u	2.5u	250m	1.0	100m	125	6.5		P-A	Ge	85J	RO107a		
70#	2SB454	1.50M	3300n		2.0u	2.5u	250m	1.0	100m	120	6.5		P-A	Ge	85J	RO107a		
71#	2SB455	1.50M	3300n		2.0u	2.5u	250m	1.0	100m	120	6.5		P-A	Ge	85J	RO107a		
72#	AC156	1.80M	3300n		3.5u	2.0u	200m*	0.0	10m	114 1/2		100p	P-A	Ge	85J	TO1		
73#	AC154	2.00M	3300n		3.5u	2.0u	200m*	0.0	10m	225 1/2		100p	P-A	Ge	85J	TO1		
74#	AC165	2.00M	3300n		4.0u	2.0u	200m*	0.0	10m	280 1/2		100p	P-A	Ge	85J	TO1		
75#	AC166	2.00M	3300n		3.5u	2.0u	200m*	0.0	10m	290 1/2		100p	P-A	Ge	85J	TO1		
76#	AC167	2.00M	3300n		3.5u	2.0u	200m*	0.0	10m	235 1/2		100p	P-A	Ge	85J	TO1		
77#	AC177	2.00M	3300n		3.5u	2.0u	200m*	0.0	10m	235 1/2		100p	P-A	Ge	85J	TO1		
78	2N159	2.00MΔ	200n			200n	80m						P-PC	Ge	85	OV4		
79#	ASY86	2.00M	1800n		2.5u	2.0u	200m*	1.0	300m	35 Δ	2.0	100p	N-A	Ge	85J	TO1		
80#	ASY88	2.00M	1800n		2.5u	2.0u	200m*	1.0	300m	35 Δ	2.0	100p	N-A	Ge	85J	TO1		
81#	2G524	2.00M	3000n	600n	1.0u	1.6u	225	1.0	20m	35	35		P-A	Ge	85J	TO5		
82#	2G1024	2.00M	3000n	600n	1.2u	1.6u	225m	1.0	20m	35		27p	P-A	Ge	85J	TO5		
83#	AC157	2.50M	3000n		3.0u	2.0u	200m*	0.0	10m	190 1/2		100p	N-A	Ge	85J	TO1		
84#	AC188	2.50M	3000n		3.5u	2.0u	200m*	0.0	10m	235 1/2		100p	N-A	Ge	85J	TO1		
85	2N817	2.50MΔ	700n		800n	500n	75m	1.0	50m	25	5.0	9.0p	N-FA	Ge	85J	u8		
86	2N818	2.50MΔ	700n		800n	500n	75m	1.0	50m	25	5.0	9.0p	N-FA	Ge	85J	u9		
87#	ASY83	2.50M	1500n		3.5u	2.0u	200m*	1.0	300m	85 Δ	1.6	100p	P-A	Ge	85J	TO1		
88#	ASY85	2.50M	1500n		3.5u	2.0u	200m*	1.0	300m	85 Δ	1.6	100p	P-A	Ge	85J	TO1		
89#	2G525	2.50M	2000n	500n	1.2u	1.5u												

12. SWITCHING TRANSISTORS

IN ORDER OF (1) fab, (2) MAX RISE TIME & (3) TYPE No.

LINE No.	TYPE No.	fab	MAX RISE TIME tr (s)	MAX DELAY TIME td (s)	MAX STORE TIME ts (s)	MAX FALL TIME tf (s)	MAX. P _c IN FREE AIR @ 25°C (W)	BIAS			MAX. SAT. RES. (Ω)	Cob (F)	r _{bb} X Cob (s)	DESCRIPTION		MAX. TEMP (°C)	DWG. No.	L E A D E
								V _{cb} (V)	I _e (A)	h _{fe}				STRUCTURE P-NPN N-PNP	MAX. T			
1#	NKT123	5.00M	2000n		2.0u	750n	75m	500m∅	80		20p	4.4n	P-A	Ge	75J	T05		
2#	NKT129	5.00M	2000n		2.0u	750n	75m	1.0m∅	80		20p	4.4n	P-A	Ge	75J	T05		
3#	2G395	5.50M	1200n	260n	650n	650n	150m	1.0∅	10m	150	4.0	1.6n	P-A	Ge	85J	T05		
4#	2N1173	6.00M		500n∅	1.5u∅		250m	1.0∅	10m	92	4.0	25p∅	N-A	Ge	100S	T029		
5#	2N801	6.00M	500n∅		300n∅	350n∅	75m	250m∅	1.0m∅	40	3.2	14p	P-FA	Ge	85J	u8		
6#	2N802	6.00M	500n∅		300n∅	350n∅	75m	250m∅	1.0m∅	40	3.2	14p	P-FA	Ge	85J	u9		
7#	CK26	6.00M	500n∅		300n∅	350n∅	80m	250m∅	1.0m∅	40	3.2	14p	P-FA	Ge	85J	u11		
8#	CK26A	6.00M	500n∅		300n∅	350n∅	80m	350m∅	1.0m∅	55	3.2	14p	P-FA	Ge	85J	u12		
9#	2SA458	6.0M	1000n		700n	700n	150m	1.0∅	10m	60		55n∅	P-A	Ge	85J	RO107b		
10#	2SA459	6.0M	1000n		700n	700n	150m	1.0∅	10m	120			P-A	Ge	85J	RO107b		
11#	2N1174	7.00M		500n∅	1.5u∅		250m	1.0∅	10m	110	4.0	25p∅	N-A	Si	100S	T029		
12#	JAN2N496	7.20M\$Δ	175n\$		600n∅	310n∅	100m	50∅	15m	6.0Δ	30		P	Si	140S	T05		
13#	2N1606	7.20M\$Δ	300n∅		300n∅	310n∅	75m	1.0∅	10m	90	4.0	12p	P-FA	Ge	85J	u8		
14#	2N825	8.00M	400n∅	190n∅	600n∅	310n∅	75m	1.0∅	10m	90	4.0	12p	P-FA	Ge	85J	u8		
15#	2N826	8.00M	400n∅	190n∅	600n∅	310n∅	75m	1.0∅	10m	90	4.0	12p	P-FA	Ge	85J	u9		
16#	2N123/5	8.00M	450n		400n∅	400n∅	150m	5.0	1.0m	65†	15p		P-A	Ge	85S	T05		
17#	2N815	8.00M	600n∅		400n∅	400n∅	75m	750m∅	200m∅	80	14p		N-FA	Ge	85J	u8		
18#	2N816	8.00M	600n∅		400n∅	400n∅	75m	750m∅	200m∅	80	14p		N-FA	Ge	85J	u9		
19#	2G396	8.00M	750n	230n	650n	450n	150m	1.0∅	10m	150	4.0	12p	P-A	Ge	85J	T05		
20#	2G604	9.20M	380n		150m		150m	1.0∅	10m	70	12p		P-A	Ge	100S	T05		
21#	2G605	9.40M	350n∅	160n∅	440n∅	280n∅	150m	25∅	4.5m∅	75	12p		P-A	Ge	85J	T05		
22#	2G603	9.40M	400n	180n	410n	280n	150m	1.0∅	10m	150	12p		P-A	Ge	85J	T05		
23#	2SA326	10.0M	85n		2.3u	700n	80m	1.0∅	80m	60	13p		P-A	Ge	85J	T01		
24#	NKT735	10.0M	220n		500n	600n	150m	3.5m∅	3.0Δ	20Δ	20	20p∅	N	Ge	85J	T05	A	
25#	2N1607	10.0M\$Δ	265n∅		265n∅	100m	100m	50∅	15m	6.0Δ			P	Si	140S	T05		
26#	2N822	10.0MΔ	300n∅		600n∅	200n∅	75m	1.0∅	50m	70	5.0	9.0p	N-FA	Ge	85J	u9		
27#	2SC86	10.0M	300n		400n	200n	120m	30∅	200m∅	60	1.5	20p∅	N-A	Ge	85J	T01		
28#	2SC85	10.0M	500n		400n	300n	120m	30∅	200m∅	30	1.5	20p∅	N-A	Ge	85J	T01		
29#	2SC84	10.0M	600n		400n	300n	120m	50∅	20m	40	1.5	20p∅	N-A	Ge	85J	T01		
30#	2N5049	10.0M\$∇	1000n		2.5u	1.0u	100	4.0∅	100m∅	15Δ	250m		N	Si	200S	T061	A∅	
31#	NKT102	10.0M	1000n		2.0u	600n	75m	500m∅	80		20p	4.4n	P-A	Ge	75J	T022		
32#	NKT105	10.0M	1000n		2.0u	600n	75m	25m∅	120		20p	4.4n	P-A	Ge	75J	T022		
33#	NKT108	10.0M	1000n		2.0u	600n	75m	1.0m∅	80		20p	4.4n	P-A	Ge	75J	T022		
34#	NKT122	10.0M	1000n		2.0u	600n	75m	500m∅	80		20p	4.4n	P-A	Ge	75J	T05		
35#	NKT128	10.0M	1000n		2.0u	600n	75m	1.0m∅	80		20p	4.4n	P-A	Ge	75J	T05		
36#	2N803	11.0M	400n∅		300n∅	350n∅	75m	250m∅	1.0m∅	55	2.1	14p	P-FA	Ge	85J	u8		
37#	2N804	11.0M	400n∅		300n∅	350n∅	75m	250m∅	1.0m∅	55	2.1	14p	P-FA	Ge	85J	u9		
38#	CK27	11.0M	400n∅		300n∅	350n∅	80m	250m∅	1.0m∅	55	2.1	14p	P-FA	Ge	85J	u11		
39#	CK27A	11.0M	400n∅		300n∅	350n∅	80m	250m∅	1.0m∅	55	2.1	14p	P-FA	Ge	85J	u11		
40#	2N799	12.0M		1.4u∇			75m	150m∅	400m∅	60	12	12p	P-FA	Ge	85J	u2		
41#	2N800	12.0M		1.4u∇			75m	150m∅	400m∅	60	12	12p	P-FA	Ge	85J	u2		
42#	2N823	12.0M		1.4u∇			75m	250m∅	20m	40Δ	8.3	12p	N-FA	Ge	85J	u8		
43#	2N824	12.0M		1.4u∇			70m	250m∅	20m	40Δ	8.3	12p	N-FA	Ge	85J	u9		
44#	ASZ10	12.0MΔ	300n		400n	1.4u	150m	55∅	200m∅	20Δ	1.2	4.0p∅	P-D	Ge	75J	X12		
45#	ASZ30	12.0MΔ	300n		400n	1.4u	30m	55∅	200m∅	20Δ	1.2	4.0p∅	P-D	Ge	75J	R76		
46#	2G397	12.0M	450n	200n	650n	350n	150m	1.0∅	10m	150	4.0	12p	P-A	Ge	85J	T05		
47#	CK4	12.0M	1400n∇		80m		80m	150m∅	400m∅	60	8.3	12p	P-FA	Ge	85J	u11		
48#	CK4A	12.0M	1400n∇		80m		80m	150m∅	400m∅	60	8.3	12p	P-FA	Ge	85J	u12		
49#	2N1103	12.5M\$Δ	50n∅		20n	80n	125m	3.0∅	10m∅	30Δ	3.0p∅		N	Si	150S	T05		
50#	2N805	17.0M	400n∅		300n∅	300n∅	75m	250m∅	1.0m∅	80	1.6	14p	P-FA	Ge	85J	u8		
51#	2N806	17.0M	400n∅		300n∅	300n∅	75m	250m∅	1.0m∅	80	1.6	14p	P-FA	Ge	85J	u9		
52#	CK28	17.0M	400n∅		300n∅	300n∅	80m	25∅	1.0m∅	80	1.6	14p	P-FA	Ge	85J	u11		
53#	CK28A	17.0M	400n∅		300n∅	300n∅	80m	250m∅	1.0m∅	80	1.6	14p	P-FA	Ge	85J	u12		
54#	NKT101	18.0M	500n		2.0u	300n	75m	500m∅	80		20p	4.4n	P-A	Ge	75J	T022		
55#	NKT104	18.0M	500n		2.0u	300n	75m	25m∅	120		20p	4.4n	P-A	Ge	75J	T022		
56#	NKT107	18.0M	500n		2.0u	300n	75m	1.0m∅	80		20p	4.4n	P-A	Ge	75J	T022		
57#	NKT121	18.0M	500n		2.0u	300n	75m	500m∅	80		20p	4.4n	P-A	Ge	75J	T05		
58#	NKT127	18.0M	500n		2.0u	300n	75m	1.0m∅	80		20p	4.4n	P-A	Ge	75J	T05		
59#	2N1065	20.0MΔ	100n		120m		120m	1.0∅	50m∅	50	7.0p∅		P-D	Ge	85S	T09		
60#	RT730M	20.0M	110n∅		350m		350m	10∅	150m∅	40	10	35p∅	N-PL	Si	175J	T046		
61#	RT731M	20.0M	110n∅		350m		350m	10∅	150m∅	80	10	35p∅	N-PL	Si	175J	T046		
62#	TN304	20.0M\$	150n	50n	700n	200n	30∅	1.0∅	50m∅	25	250m	125p∅	N-PE	Si	200A	MT47		
63#	2N2161	20.0M	350n∅	350n	350n	200m	200m	5.0∅	100m∅	30Δ	3.0p		N	Si	175S	T05		
64#	USAF525ES085M	20.0M\$Δ	500n∅		1.5u	400n	2.0m	3.0∅	15m∅	27Δ	12	900p∅	N-PE	Si	200S	X20		
65#	2SC166	20.0M	580n		2.0u	650n	200m	12	3.0m	30Δ	18p		N	Si	150J	T018		
66#	2SC167	20.0M	580n		2.0u	650n	200m	12	3.0m	30Δ	18p		N	Si	150J	T018		
67#	2N3601	20.0M\$Δ	1000n	300n	2.0u	700n	500m	1.5∅	1.0∅	180	330m		P-DA	Ge	100J	R81		
68#	2N3602	20.0M\$Δ	1000n	300n	2.0u	700n	500m	1.5∅	1.0∅	180	330m		P-DA	Ge	100J	MT55		
69#	2N3803	20.0M\$Δ	1000n	300n	2.0u	700n	500m	1.5∅	1.0∅	180	330m		P-DA	Ge	100J	R81		
70#	2N3604	20.0M\$Δ	1000n	300n	2.0u	700n	500m	1.5∅	1.0∅	180	330m		P-DA	Ge	100J	MT55		
71#	USAF501ES001M	20.0M\$Δ	1000n∅		1.0u	250n	250m	5.0∅	200m∅	20Δ	150	4.0p∅	N-GD	Si	150J	T039		
72#	DAT1A	25.0M\$Δ			75n∅	20m	20m	3.0∅	500m∅	25Δ		6.0p∅	P-MA	Ge	100J	T01		
73#	DAT2	25.0M\$Δ			70n∅	30m	30m	500m∅	50m∅	40Δ		6.0p∅	P-MA	Ge	100J	T01		
74#	MA393E	25.0M\$Δ			75n∅	30m	30m	500m∅	50m∅	40Δ		6.0p∅	P-MA	Ge	100J	T01		
75#	HA9054	25.0MΔ	30n				250m	10	2.0m	25†	10p∅		P-ME	Si	160A	T018		
76#	HA9056	25.0MΔ	30n				250m	10	2.0m	25†	10p∅		P-ME	Si	160A	T018		
77#	HA9058	25.0MΔ	30n				250m	10	2.0m	25†	10p∅		P-ME	Si	160A	T018		
78#	2N3148	25.0M\$Δ	80n\$				25m*	500m∅	50m	60Δ	6.0		P	Ge	100S	T024		
79#	2N1608	25.0M\$Δ	235n∅		235n∅		100m	50∅	15m∅	6.0Δ			P	Si	140S	T05		
80#	2N496/18	28.8M\$Δ	175n\$		150m		150m	50∅	15m∅	15Δ	30	12p∅	P-S	Si	140S	T018		
81#	2N643	30.0M\$	10n	80n	6.0n	80n	120m	7.0∅	5.0m</									

12. SWITCHING TRANSISTORS

IN ORDER OF (1) fab, (2) MAX RISE TIME &
(3) TYPE No.

LINE No.	TYPE No.	fab	MAX RISE TIME tr (s)	MAX DELAY TIME td (s)	MAX STORE TIME ts (s)	MAX FALL TIME tf (s)	MAX. Pc IN FREE AIR @ 25°C (W)	BIAS			MAX. SAT. RES. (Ω)	Cob (F)	r'bb X Cob (s)	DESCRIPTION		MAX. TEMP (°C)	DWG. No.	L O D E
								Vcb (V)	Ic (A)	hfe				STRUCTURE	MAX. T			
1	2N1660	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-PD	Si	200J	MS3		
2	2N1661	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-PD	Si	200J	MS3		
3	2N1662	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-PD	Si	200J	MS3		
4	2N1896	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-D	Si	200J	MT16		
5	2N1897	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-D	Si	200J	MT16		
6	2N1898	40.0M\$	110m∅		1.7u	1.4u	85m∅	15	1.0	80	4.0		N-D	Si	200J	MT16		
7	TIP14	40.0M\$Δ	150m∅			600m∅	2.0	5.0	200m∅	30	60 #		P-E	Si	150	X43		
8	TN301	40.0M\$	150n	50n	700n	200n	30	3.0	50m∅	50	125p∅		N-PF	Si	200A	MT47		
9	TN302	40.0M\$	150n	50n	700n	200n	30	3.0	50m∅	50	125p∅		N-PF	Si	200A	MT47		
10	TN303	40.0M\$	150n	50n	700n	200n	30	3.0	50m∅	50	125p∅		N-PF	Si	200A	MT47		
11	2N1252A	40.0M\$Δ	230m∅		150m∅	800m∅	10	1.0	150m∅	45	1.0		N	Si	200J	T05		
12#	2SA375	40.0M	550n		300n	200n	80m	1.0	50m∅	40	3.0	2.5p	P-D	Ge	85J	T01	A∅	
13	2N908	45.0M	50nt		20nt	80nt	150m	5.0	10m∅	75	150	1.4p	N-PD	Si	175J	u10		
14#	BLY29	46.0M\$∅	300m∅			1.5u∅	30	5.0	2.0	50 #	500m#	40p	N-DPE	Si	200J	T059		
15	2N867	50.0M\$Δ			150m∅		500m	10	150m∅	30	40	45p	N	Si	300S	T018		
16#	ST54	50.0M\$Δ	300n				300m	400m∅	1.0m∅	35	10p∅		N-PF	Si		T018		
17#	ST160	50.0M\$Δ	25n				600m	10	150m∅	30	25p∅		N-PF	Si		T05		
18#	ST161	50.0M\$Δ	25n				600m	10	150m∅	20	25p∅		N-PF	Si		T05		
19#	ST162	50.0M\$Δ	25n				600m	10	150m∅	40	25p∅		N-PF	Si		T05		
20#	ST163	50.0M\$Δ	25n				600m	10	150m∅	20	25p∅		N-PF	Si		T05		
21	2N644	50.0M\$	8.0n	60n	4.0n	60n	120m	7.0	5.0m	45	2.0p		P-A	Ge	71A	T09	A	
22	2N748	50.0M	15n∅		10nt	10nt	200m	5.0	10m∅	30	120	4.0p	N-AD	Si	175J	u2		
23	TN52	50.0M\$	35n	15n	300n	50n	5.0m	5.0	1.0m	80	500m	100p	N-PF	Si	200J	MT26		
24	TN72	50.0M\$	35n	15n	300n	50n	5.0m	5.0	1.0m	80	500m	100p	N-PF	Si	200J	T05		
25	USAF511ES036P	50.0M\$Δ	100n	80n	4.0u	500n	600m	10	2.0m	120	100	35p∅	N-PL	Si	200J	T039		
26	USAF520ES070M	50.0M\$Δ	100m∅		450n	85n	438m	10	1.0m	90	3.3	38p∅	PE	Si	200J	u26a		
27	USAF521ES071M	50.0M\$Δ	150m∅		450n	85n	438m	10	150m∅	120	4.0	40p∅	P-PL	Si	200J	u25		
28	2N1253A	50.0M\$Δ	190m∅		150m∅	800m∅	10	1.0	150m∅	90	1.0	45p	N	Si	200J	T05	A∅	
29#	BLY30	50.0M\$∅	300n			1.5u∅	30	5.0	2.0	75 #	500m#	40p	N-DPE	Si	200J	T059		
30	SE3040	50.0M\$	300n	50n	350n	300n	15	2.0	2.0m	75	20 #	45p	N	Si	150J	T066	C∅	
31	SE3041	50.0M\$	300n	50n	350n	300n	15	2.0	2.0m	75	20 #	45p	N	Si	150J	T066	C∅	
32	USAF517ES060M	50.0M\$Δ	300m∅		600n	130n	438m	10	5.0m	180	7.0	55p∅	PE	Si	200J	u26a		
33	USAF514ES050M	50.0M\$Δ	1000m∅		4.0n	1.0u	2.0	2.0	1.0	90	150m	800p	N	Si	150J	X15a		
34#	ST150	60.0M\$Δ			100nt		600m	10	150m∅	20	25p∅		N-PF	Si		T05		
35	2N747	60.0M	13n∅		10nt	10nt	200m	5.0	10m∅	45	120	4.0p	N-AD	Si	175J	u2		
36	2N604	60.0M*	40n				120m	1.0	500uΔ	90	3.0p		P-D	Ge	85S	T09		
37#	MDS34	60.0M\$Δ	60n				80m	500m∅	40m∅	20	3.0p∅		P-MD	Ge		T01		
38	2N1301	60.0M\$	70nt	90nt	90nt	70nt	150m	500m∅	40m	75			P-ME	Ge	85A	T05	A	
39#	2SC117	60.0M\$	75n		150n	50n	2.0	15	30m	10			N-D	Si	175J	T08		
40	B148005	60.0M\$Δ	200n	25n	300n	100	100	5.0	0.2m	160	10	35p∅	N	Si	175J	T061	A∅	
41	CS696	64.0M\$	200nt				1.5	10	150m∅	20	10	35p∅	N-D	Si		R97		
42	SE9020	70.0M\$	400m∅		500nt	1.0n	62	5.0	1.0	125	55p		N-DPE	Si	150J	T03		
43	2N645	75.0M\$	6.0n	40n	2.0n	40n	120m	7.0	5.0m	45	2.0p		P-A	Ge	71A	T09		
44	JAN2N1199A	75.0M\$Δ	55n		20n	35n	150m	1.0	20m∅	60	25	2.5p∅	N	Si	150S	R49		
45#	SI341P	80.0M\$	50m∅			50m∅	600m	5.0	1.5m	45	12	35p	P-DPL	Si	175J	ZA15		
46#	SI342P	80.0M\$	50m∅			50m∅	600m	5.0	1.5m	90	10	35p	P-DPL	Si	175J	ZA15		
47#	SI343P	80.0M\$	50m∅			50m∅	600m	5.0	1.5m	180	10	35p	P-DPL	Si	175J	ZA15		
48#	2SC114	80.0M	70n		110n	25n	750m	2.0	200m	20	18p		N	Si	150J	T05		
49	CS718	80.0M\$Δ	200nt				1.0	2.0	150m∅	40	10	35p∅	N-D	Si		R97a		
50	FT34A	80.0M\$Δ	500m∅			1.0u∅	15	2.0	2.0	85	120m	60p∅	N-PF	Si	200S	T059		
51	FT34B	80.0M\$Δ	500m∅			1.0u∅	15	2.0	2.0	210	120m	80p∅	N-PF	Si	200S	T059		
52	2N5017/18	90.0M\$	18n	9.0nt	12n	10n	150m	5.0	10m	20	20		P-ME	Ge	100J	T018		
53	2N2234	90.0M\$	30m∅			600m∅	10	2.0	100m∅	35	23p		N-PF	Si	150	T03		
54#	SI321P	90.0M\$	40m∅			50m∅	400m	5.0	1.5m	45	1.9	20p	P-DPL	Si	175J	ZA16		
55#	SI322P	90.0M\$	40m∅			50m∅	400m	5.0	1.5m	90	1.9	20p	P-DPL	Si	175J	ZA16		
56#	SI353P	90.0M\$	40m∅			50m∅	400m	5.0	1.5m	180	1.9	20p	P-DPL	Si	175J	ZA16		
57#	2N3216	90.0M\$Δ	350m∅		250n		22	200m∅	60	1.1	20p∅		P	Ge	100S	T05		
58	2N1060	100M	50n		50n∅		250m	1.0	10m	60	10p∅		N-DM	Si	150J	T028		
59	2N3450	100M\$Δ	50n	50n	150n	85n	600m	1.0	150m∅	120	3.3	15p∅	N	Si	200S	T05		
60	NS9210	100M\$	50n	50n	80n	40n	50	15	100m∅	30	1.5	30p	N-PF	Si	175	T061		
61	NS9211	100M\$	50n	50n	80n	40n	50	15	100m∅	30	1.5	30p	N-PF	Si	175	T061		
62#	BLY10	100M\$	55nt		105nt	10	10	1.6	100m∅	22	25p		N-PL	Si	150	T03		
63	2N995A	100M\$Δ	60m∅		280nt	90m∅	380m	1.0	20m∅	140	6.0p∅		P-PF	Si	200J	T018		
64#	2N1959A/51	100M\$	60m∅		25n	45m∅	300m	1.0	1	25	14p∅		N-D	Si	200J	T051		
65#	MDS31	100M\$Δ	60n				60m	300m∅	20m∅	30	3.0p∅		P-MD	Ge		T01		
66#	MDS36	100M\$Δ	60n				60m	300m∅	10m∅	30	3.0p∅		P-MD	Ge		T018		
67	2N1958/18	100M\$Δ	65m∅		25n	20n	300m	10	150m	40	3.0	18p∅	N-E	Si	175J	T018		
68	2N1959/18	100M\$Δ	65m∅		25n	20n	300m	10	150m	40	3.0	18p∅	N-E	Si	175J	T018		
69	2N1964	100M\$Δ	65m∅		25n	45m∅	400m	10	150m∅	60	3.0	18p∅	N	Si	175J	T046	A∅	
70	2N1964/46	100M\$Δ	65m∅		25n	45m∅	400m	10	150m∅	40	3.0	18p∅	N-E	Si	300S	T046		
71	2N1965	100M\$Δ	65m∅		25n	45m∅	400m	10	150m∅	120	3.0	18p∅	N	Si	175J	T046	A∅	
72	2N1965/46	100M\$Δ	65m∅		25n	20n	400m	10	150m∅	40	3.0	18p∅	N-E	Si	175J	T046		
73	2N2927/46	100M\$Δ	75m∅		170m∅	400m	1.0	50m∅	30	3.0	20p∅		P-PF	Si	200J	T046		
74	2N2927/51	100M\$Δ	75m∅		170m∅	300m	1.0	50m∅	30	3.0	20p∅		P-PF	Si	200J	T051		
75	USAF515ES045M	100M\$Δ	75m∅		150n	50n	350m	1.0	50m∅	20	15	8.0p∅	P-PL	Si	200J	X34		
76	USAF515ES046M	100M\$Δ	75m∅				350m	1.0	50m∅	20	15	8.0p∅	P-PL	Si	200J	X34		
77	RT1115	100M\$	85n		100n	55n	800m	1.0	150m∅	120	3.3	15p∅	N-PF	Si	200J	T05		
78	USAF516ES047M	100M\$Δ	100m∅		200n	80n	350m	1.0	10m∅	30	15	8.0p∅	P-PL	Si	200J	X34		
79	USAF516ES048M	100M\$Δ	100m∅				350m	1.0	50m∅	20	15	8.0p∅	P-PL	Si	200J	X34		
80#	VH10	100M\$Δ	100m∅			200m∅	3.0	1.0	50m∅	130	20p∅		P-DPE	Si	200J	T05		
81#	BFY15	100M\$Δ	120m∅		300n	1.0u∅	600m	2.5	200m∅	20	48p∅		N-PL	Si	150A	T05		
82	2N1444	100M	250m∅			250m∅	500m	5.0	250m	25	32p		N-ME	Si	150J	T029		
83#	C434	100M\$	250m∅			600m∅</												

12. SWITCHING TRANSISTORS

IN ORDER OF (1) fab, (2) MAX RISE TIME & (3) TYPE No.

LINE No.	TYPE No.	fab	MAX RISE TIME tr (s)	MAX DELAY TIME td (s)	MAX STORE TIME ts (s)	MAX FALL TIME tf (s)	MAX. P _c AIR FREE IN @ 25°C (W)	BIAS			MAX. SAT. RES. (Ω)	Cob (F)	r'bb X Cob (s)	DESCRIPTION			L E A D E
								Vcb (V)	le (A)	hfe				STRUCTURE P-NPN N-PNP	MAX. TEMP (°C)	DWG. No.	
1	NS6207	150MSΔ	60n			60n	150m	1.0	150m	30 #Δ	3.3	8.0p	N-E	Si	150	X16	
2	2N2718	150MSΔ	100n			250n	240m	2.7	170m	25 Δ		10p	P	Si	100S	T05	
3#	BFY16	150MS	120n			300n	1.0u	2.5	200m	36 Δ		48p	N-PL	Si	150A	T05	∅
4#	BLY11	150MS	120n			300n	1.0	2.5	100m	40 Δ		25p	N-PL	Si	150	T03	
5#	2SA363	150MS	200n			300n	100n	3.0	20m	80	30	6.0p	P-ME	Ge	85J	T044	
6#	2N1500/18	175MS	13n				60m	500m	10m	70		1.5p	P-MD	Ge	100S	T018	
7#	2SC112	180M	50n			110n	17n	75m	2.0	200m	125	7.0p	N	Si	175	T05	
8#	2SC113	180M	50n			110n	17n	75m	2.0	200m	125	7.0p	N	Si	175	T05	
9#	RT719M	180M	80nt				400m	10	150m	30 #	5.3	14p	N-PL	Si	175J	T046	
10	2N706/51	200MSΔ				60n	300m	1.0	10m	20 Δ	60	6.0p	N-E	Si	175J	T051	
11#	BSY33	200MSΔ	10nt	27n	130n	16nt	100m	2.0	10m	55		4.0p	N-PE	Si	100J	u18	
12#	BSY48	200MSΔ	10nt	27n	130n	16nt	100m	2.0	10m	55		4.0p	N-PE	Si	100J	u19	
13#	BSY32	200MSΔ	12nt	27n	130n	16nt	100m	2.0	10m	32		4.0p	N-PE	Si	100J	u18	
14#	BSY47	200MSΔ	12nt	27n	130n	16nt	100m	2.0	10m	32		4.0p	N-PE	Si	100J	u19	
15#	BFY25	200MSΔ	13nt	9.0nt	400nt	300nt	600m	9.0	10m	26 Δ	150	5.5p	N-PL	Si	200J	T05	
16	2N1962	200MSΔ	18n			10n	30m	1.0	10m	80 Δ	25	3.5p	N	Si	175J	T046	A∅
17	2N1962/46	200MS	18n			10n	30m	1.0	10m	20 Δ			N-E	Si	175J	T046	A∅
18	2N1963	200MSΔ	20n			15n	40m	1.0	10m	25 Δ	19	3.5p	N	Si	175J	T046	A∅
19	2N1963/46	200MSΔ	20n			15n	25m	1.0	10m	25 Δ	19	3.5p	N-E	Si	175J	T046	A∅
20	2N3928	200MSΔ	30n	5.0n	50n	25n	5.0m	10	1.5	20 Δ	3.3	25p	N	Si	175J	T114	∅
21	2N3929	200MSΔ	30n	5.0n	50n	25n	2.0m	10	1.5	20 Δ	3.3	25p	N	Si	175J	T059	∅
22#	2SA247	200M	30n			450n	70m	3.0	20m	125		5.5p	P	Ge	85	T044	
23	LDS208	200MSΔ	30nt	12nt	225n	36m	300m	1.0	150m	100 #	60	8.0p	N-PE	Si	150J	u34	A
24	2N706A/51	200MSΔ	40n			25n	50m	1.0	10m	20 Δ	40	5.0p	N-E	Si	175J	T051	
25	2N706C/46	200MSΔ	40n			25n	50m	1.0	10m	20 Δ	40	5.0p	N-E	Si	200J	T046	
26	2N706C/51	200MSΔ	40n			25n	50m	1.0	10m	20 Δ	40	5.0p	N-E	Si	200J	T051	
27	2N753/51	200MSΔ	40n			35n	50m	1.0	10m	40 Δ	60	5.0p	N-E	Si	175J	T051	
28	40218	200MSΔ	40n	25n	75n	30m	300m	1.0	10m	20 Δ		5.0p	N	Si	175	T052	∅
29	40222	200MSΔ	40n	25n	75n	30m	300m	1.0	10m	20 Δ		6.0p	N	Si	175	T052	∅
30	USA55191/35	200MSΔ	50n			60n	700m	700m	8.0m	20 Δ	13	6.0p	N	Si	200J		∅
31	FK3299	200MSΔ	60n			150n	350m	10	150m	40 Δ#	1.2	8.0p	N-PE	Si	300S	u17b	
32	FV3299	200MSΔ	60n			150n	350m	10	150m	40 Δ#	1.2	8.0p	N-PE	Si	300S	u5b	
33	NS949	200MSΔ	60n			100n	5.0	2.0	500m	15 Δ		2.3p	N-E	Si	200A	T046	
34	NS950	200MSΔ	60n			70n	5.0	2.0	500m	10 Δ		2.3p	N-E	Si	200A	T046	
35	2N2397	200MS	70n			25n	40m	1.0	10m	25 Δ		5.0p	N-EM	Si	200J	T051	
36#	2SC479H	200MSΔ	100n			80n	650m	1.0	100m	130		20p	N-PE	Si	175J	T05	A
37	NS2100	200MS	125n			225n	500m	10	10m	40 Δ		10p	N	Si	200J	T018	∅
38	NS2101	200MS	125n			225n	800m	10	10m	40 Δ		10p	N	Si	200J	T050	∅
39	2N2797	235MS		15n	120n	25n	75m	30	10m	80	15	2.5p	P-D	Ge	100S	T09	
40	2N2798	235MS	25n	20n	140n	30n	75m	30	10m	50	20	2.5p	P-D	Ge	100S	T09	
41	LDS206	250M				2.0n	360m	5.0	1.0m	100		6.0p	N	Si	150J	T0122	P
42	2N595	250MS	1.6nt			2.0n	75m	300m	10m	40		3.5p	P-ME	Ge	100J	T017	
43	2N3982	250MSΔ	15n	15n	25n	15n	3.0	1.0	150m	140	2.7	8.0p	N	Si	200J	T05	∅
44#	MDS33C	250MSΔ	18n	12n	10n	10n	60m	5.0	10m	6.2 Δ		4.0p	P-MD	Si	200J	T01	∅
45	2N2981	250MSΔ	20n	15n	30n	10n	3.0	1.0	150m	120	2.7	8.0p	N	Si	200J	T05	∅
46	FM2242	250MSΔ	30n			45n	2.0	1.0	500m	10 #Δ	2.0	10p	N-DPE	Si	200J	T046	A∅
47	2N2231	250MSΔ	30n			50n	350m	1.0	10m	40 Δ	7.0	6.0p	N	Si	200	T046	∅
48	2N3132	250M	35n	10n	25n	75n	150m	1.0	10m	120	25	4.0p	N-P	Si	150J	X16	
49#	2SC103A	250MSΔ	40n			500n	60m	250m	1.0	10m	40 Δ	4.0p	N-PL	Si	175J	T018	
50	TA2628	250MSΔ	40n			80n	800m	1.0	100m	30 Δ	800m	12p	N-DPE	Si	200J	T05	∅
51	TA2750	250MSΔ	40n			60n	800m	1.0	100m	30 Δ	800m	10p	N-DPE	Si	200J	T05	∅
52#	96EP	250MSΔ	50n			100n	250m	5.0	150m	30 #Δ	3.3	12p	N-PET	Si	125J	u46	A
53#	FK3300	250MSΔ	60n			150n	350m	10	150m	100 Δ#	1.2	8.0p	N-PE	Si	300S	u17b	
54	FV3300	250MSΔ	60n			150n	350m	10	150m	100 Δ#	1.2	8.0p	N-PE	Si	300S	u5b	
55	USAF522ES067M	250MSΔ	60n			60n	350m	1.0	70m	15 #	6.4		N-PE	Si	200J	X34	
56	USAF522ES075M	250MSΔ	60n			60n	350m	1.0	70m	20 #	6.4		N-PE	Si	200J	X34	
57	USAF523ES077M	250MSΔ	60n			60n	350m	1.0	70m	15 #	6.4		N-PE	Si	200J	X34	
58	USAF523ES078M	250MSΔ	60n			60n	350m	1.0	70m	15 #	6.4		N-PE	Si	200J	X34	
59#	ST50	270MSΔ				25n	300m	1.0	10m	22 Δ			N-PE	Si		T018	∅
60#	ST502	270MSΔ				25n	300m	1.0	10m	50 Δ			N-PE	Si		T018	∅
61#	MDS38	300MSΔ	30n			20n	50m	500m	10m	20 Δ	9.0	4.0p	P-MD	Si	200J	T018	∅
62	2N1992	300MSΔ				20n	350m	500m	1.0m	45 Δ		6.0p	N-E	Si	200J	T018	∅
63#	ST02	300MSΔ				200n	360m	1.0	10m	20 Δ		6.0p	N-PE	Si	200J	T018	∅
64#	ST03	300MSΔ				200n	360m	1.0	10m	20 Δ		6.0p	N-PE	Si	200J	T018	∅
65#	ST04	300MSΔ				200n	360m	1.0	10m	40 Δ		6.0p	N-PE	Si	200J	T018	∅
66#	ST05	300MSΔ				200n	360m	1.0	10m	100 Δ		6.0p	N-PE	Si	200J	T018	∅
67#	ST51	300MSΔ				130n	300m	350m	10m	40 Δ		6.0p	N-PL	Si	200J	T018	∅
68#	ST55	300MSΔ				25n	300m	1.0	10m	40 Δ		6.0p	N-PE	Si	200J	T018	∅
69#	ST56	300MSΔ				25n	300m	1.0	10m	40 Δ		6.0p	N-PE	Si	200J	T018	∅
70#	ST57	300MSΔ				25n	300m	500m	10m	40 Δ		6.0p	N-PE	Si	200J	T018	∅
71#	ST63	300MSΔ				16n	125m	350m	5.0m	40 #Δ		5.0p	N-PE	Si	200J	T018	∅
72#	ZT190	300MSΔ				150n	300m	400m	1.0m	30		6.0p	N-PL	Si	175A	T018	∅
73#	ZT191	300MSΔ				300n	300m	400m	1.0m	30		6.0p	N-PL	Si	175A	T018	∅
74#	ZT192	300MSΔ				200n	300m	400m	1.0m	30		6.0p	N-PL	Si	175A	T018	∅
75#	ZT193	300MSΔ				200n	300m	400m	1.0m	50		6.0p	N-PL	Si	175A	T018	∅
76#	BSY37	300MSΔ	5.0nt	20n	30n	13nt	100m	2.0	10m	54		3.5p	N-PE	Si	100J	u18	
77#	BSY50	300MSΔ	5.0nt	20n	30n	13nt	100m	2.0	10m	54		3.5p	N-PE	Si	100J	u18	
78#	BSY36	300MSΔ	7.0nt	20n	30n	14nt	100m	2.0	10m	54		3.5p	N-PE	Si	100J	u18	
79#	2SC62	300MSΔ	8.0n	10n	55n	20n	360m	1.0	10m	3.0 Δ		6.0p	N-PL	Si	200J	T018	
80	2N4421	300MSΔ	12n			18n	12n	500m	30m	25 Δ#	60	5.0p	N-PL	Si	150S	X55	A A A A
81	A344	300MSΔ	14n			16n	45m	300m	10m	120	60	5.0p	N-PE	Si	175J	T018	
82	A345	300MSΔ	14n			16n	45m	300m	10m	120	60	5.0p	N-PE	Si	175J	T018	
83	A346	300MSΔ	14n			16n	45m	300m	10m	120	60	5.0p	N-PE	Si	175J	T018	
84	JAN2N851	300MSΔ	16n			40n	300m	350m	10m	20 Δ	35	5.0p	N	Si	300S	T050	
85	JAN2N852	300MSΔ	16n			45n	300m	350m	10m	60 Δ	35	5.0p	N	Si	300S	T050	
86	FK3014	300MSΔ	16n			25n	350m	400m	30m	30 Δ#	3.5						

12. SWITCHING TRANSISTORS

IN ORDER OF (1) fab, (2) MAX RISE TIME & (3) TYPE No.

LINE No.	TYPE No.	fab (Hz)	MAX RISE TIME tr (s)	MAX DELAY TIME td (s)	MAX STORE TIME ts (s)	MAX FALL TIME tf (s)	MAX. Pc IN FREE AIR @ 25°C (W)	BIAS			MAX. SAT. RES. (Ω)	Cob (F)	r _{bb} X Cob (s)	DESCRIPTION			C O D E
								Vcb (V)	Ic (A)	hfe				STRUCTURE P-NPN N-PNP	MAX. TEMP (°C)	DWG. No.	
1	CS2481	300MΔ	40n∅		20n	45n∅	650m∅	1.0 ∅	10m∅	40 #Δ			N			R97a	
2	FK914	300MΔ	40n∅			40n∅	350m∅	1.0 ∅	10m∅	55 #			N-PE			u17b	
3	FV914	300MΔ	40n∅			40n∅	350m∅	1.0 ∅	10m∅	55 #	3.5		N-PE			300S	
4 #	PEP7	300M	40n∅		25n	75n	300m	1.0 ∅	10m	20			N-PE			200	TO18
5 #	PEP5	300MΔ	40n∅		25n	75n	300m	1.0 ∅	10m∅	40			N			200	TO18
6 #	PEP6	300MΔ	40n∅		25n	75n	300m	1.0 ∅	10m∅	40			N			200	TO18
7 #	PEP7	300MΔ	40n∅		25n	75n	300m	1.0 ∅	10m∅	40			N			200	TO18
8 #	PEP8	300MΔ	40n∅		25n	75n	300m	1.0 ∅	10m∅	40			N			200	TO18
9 #	ST59	300MΔ	40n∅		20n	40n∅	360m	1.0 ∅	10m∅	30 #Δ			N-PE			200	TO18
10	D11E404	300MΔ	50n∅		100n∅	80m∅	800m	5.0 ∅	800m	12 #Δ			N-EP			200J	TO5
11	GME9022	300MΔ	50n∅		20n	70n∅	625m∅	1.0 ∅	10m∅	30 #Δ			N-PE			125S	X45
12	PET9004	300M	50n			75n∅	250m	1.0 ∅	10m∅	100			N-PE			125	TO18
13	XT300	300MΔ	50n∅			75n∅	250m	1.0 ∅	10m∅	40 #Δ	12		P-D			100S	TO18
14	D11E405	300MΔ	60n∅		100n∅	80m∅	800m	5.0 ∅	800m	12 #Δ			N-EP			200J	TO5
15	D11E406	300MΔ	70n∅		130n∅	80m∅	800m	5.0 ∅	800m	12 #Δ			N-EP			200J	TO5
16	D11E407	300MΔ	70n∅		130n∅	80m∅	800m	5.0 ∅	800m	12 #Δ			N-EP			200J	TO5
17	2N779B	320MΔ	18n	50n\$	18n	150m	150m	5.0 ∅	50m∅	35 Δ	4.0		P			100S	TO18
18	2N846B	320MΔ	18n	50n\$	18n	150m	150m	5.0 ∅	50m∅	20 Δ	14		P			100S	TO18
19	101A	320M	80n∅		120n	80n	150m	3.0 ∅	50m∅	40	30		P-ME			TO18	A
20	101B	320M	80n∅		120n	80n	150m	3.0 ∅	50m∅	40	30		P-ME			TO18	A
21	101M	320M	80n∅		120n	80n	150m	3.0 ∅	50m∅	40	30		P-ME			TO18	A
22 #	ST64	350MΔ	18n		18n	360m	360m	1.0 ∅	10m∅	40 #Δ			N-PE			TO18	
23	2N4420	350MΔ	10n	8.0n	15n	10m	500m∅	400m∅	30m∅	30 #Δ			N			150S	X55
24	2N4422	350MΔ	15n	10n	20n	15n	400m∅	400m∅	30m∅	120 #Δ			N			150S	X55
25	2N834/46	350MΔ	35n∅		25n	50n	400m	1.0 ∅	10m∅	25 Δ	25		N-E			175J	TO46
26	2N834/51	350MΔ	35n∅		25n	50n	300m	1.0 ∅	10m∅	25 Δ	25		N-E			175J	TO51
27	16J1	350M	35n∅		18n	45n∅	200m	1.0 ∅	10m∅	30 #Δ	25		N-PE			100J	R67
28	40220	350MΔ	35n∅	25n\$	40n	75n∅	300m	1.0 ∅	10m∅	25 Δ	25		N			175	TO52
29	16J2	350M	45n∅		40n	60n∅	200m	1.0 ∅	10m∅	30 #Δ	25		N-PE			R67	
30 #	ST58	360MΔ	40n∅		25n	75n∅	360m	1.0 ∅	10m∅	30 #Δ			N-PE			TO18	
31 #	ST60	400MΔ	18n		18n	360m	360m	1.0 ∅	10m∅	30 #Δ			N-PE			TO18	
32 #	ST61	400MΔ	18n		18n	360m	360m	1.0 ∅	10m∅	30 #Δ			N-PE			TO18	
33 #	ST62	400MΔ	18n		18n	360m	360m	1.0 ∅	10m∅	30 #Δ			N-PE			TO18	
34 #	ST80	400MΔ	10n		10n	360m	360m	1.0 ∅	10m∅	25 #Δ			N-PE			TO18	
35	GME9001	400MΔ	9.0n∅			13n∅	625m∅	1.0 ∅	10m∅	120			N-PE			125S	X45
36	GME9002	400MΔ	9.0n∅			15n∅	625m∅	1.0 ∅	10m∅	150			N-PE			125S	X45
37	2N977	400MΔ	10n		20n	150m	300m	3.0 ∅	40m∅	50 Δ	2.5		P			100S	TO18
38 #	97EPA	400MΔ	12n∅			18n∅	300m	1.0 ∅	10m∅	60 #Δ			N-PLT			125J	u46
39 #	97EPB	400MΔ	12n∅			18n∅	300m	1.0 ∅	10m∅	150			N-PLT			125J	u46
40 #	BSW78	400MΔ	12n∅		10n	15n∅	200m	2.0 ∅	100m∅	10 #Δ	25		N-PE			125J	X64
41 #	BSX19\$	400MΔ	12n∅		10n	15n∅	360m	1.0 ∅	10m∅	20 #Δ	30		N-PE			200J	TO18
42 #	BSX19∅	400MΔ	12n∅		10n	18n∅	360m	1.0 ∅	10m∅	60 #Δ	30		N-PE			200J	TO18
43 #	P346	400MΔ	12n∅		15n	300m	300m	2.0 ∅	10m∅	25 Δ	35		N-PE			175A	TO18
44	2N743/46	400M	16n∅		14n	10n	300m	1.0 ∅	100m∅	10 Δ	35		N-E			175J	TO51
45	2N743/51	400M	16n∅		14n	10n	300m	1.0 ∅	100m∅	10 Δ	35		N-E			175J	TO51
46	2N744/46	400M	16n∅		18n	10n	400m	1.0 ∅	100m∅	20 Δ	35		N-E			175J	TO46
47	2N744/51	400M	16n∅		18n	10n	300m	1.0 ∅	100m∅	20 Δ	35		N-E			175J	TO51
48	CS2218	400M	26n∅		68n∅	1.5 ∅	10 ∅	150m∅	40 #Δ				N			R97	
49	CS2219	400M	26n∅		68n∅	1.5 ∅	10 ∅	150m∅	100 #Δ				N			R97	
50	CS2221	400M	26n∅		68n∅	1.0 ∅	10 ∅	150m∅	40 #Δ				N			R97a	
51	CS2222	400M	26n∅		68n∅	1.0 ∅	10 ∅	150m∅	100 #Δ				N			R97a	
52	2N4423	400MΔ	30n	15n	40n	15n	360m	500m∅	30m∅	150 #Δ			P			150S	X55
53	40217	400M	60n\$			90n∅	200m	1.0 ∅	10m∅	20 #Δ			N			175	TO52
54 #	BSW81	400MΔ	60n∅			90n∅	200m	300m∅	10m∅	30 #Δ			P-PE1			125J	X64
55	MM2894	400MΔ	60n∅			60n∅	1.2 ∅	30 ∅	1.0m∅	25 #Δ	5.0		P-E			200J	RO38w
56	MPS2894	400MΔ	60n∅			90n∅	1.0 ∅	500m∅	30m∅	70 #Δ	15		P-E			125J	X20b
57 #	V405	400MΔ	80n∅			110n∅	300m	500m∅	30m∅	20 #Δ			N-PE			175J	TO18
58 #	2SC63	400M	120n		100n	100n	150m	1.0 ∅	10m∅	40	60		N-ME			175	TO18
59	2N559	440M1	100 t∅		37n∅	300m	300m	500m∅	10m	45	20		P-ME			150	TO28
60	u7003	450MΔ	15n∅		15n∅	200m	50 ∅	10m∅	70				N-D			175J	TO51
61	2N846	450M	18n			85n∅	60m	500m∅	50m	35	12		P-MD			100S	TO18
62	2N960/46	460M	50n∅			85n∅	150m	300m∅	10m	40	18		P-EM			100J	TO46
63	2N962/46	460M	50n∅			100n∅	150m	300m∅	10m	40	20		P-EM			100J	TO46
64	2N708/46	480MΔ	40n∅		25n	75n∅	360m	40 ∅	10m	30 Δ	40		N-PL			200J	TO46
65	2N708/51	480MΔ	40n∅			75n∅	360m	1.0 ∅	10m	30 Δ	40		N-PL			200J	TO51
66	TC0914	480MΔ	40n∅	20n\$		40n∅	360m	1.0 ∅	10m∅	30 #Δ	3.5		N-PE			200J	
67 #	ST82	500MΔ	13n		13n	360m	360m	1.0 ∅	10m∅	50 #Δ			N-PE			TO18	
68	ST8110	500M	10n		10n	300m	500m∅	10m∅	20	20	117		N-PE			TO18	
69 #	BSW79	500MΔ	12n∅		13n	18n∅	200m	200m∅	100m∅	20 #Δ	25		N-PE			200J	X64
70 #	BSX20\$	500MΔ	12n∅		13n	18n∅	360m	1.0 ∅	10m∅	40 Δ	30		N-PE			200J	TO18
71 #	BSX20∅	500MΔ	12n∅		13n	21n∅	360m	1.0 ∅	10m∅	120 #Δ	30		N-PE			200J	TO18
72	FK2369A	500MΔ	12n∅			18n∅	350m∅	1.0 ∅	10m∅	66 #	5.0		N-PE			200S	u17b
73	FV2369A	500MΔ	12n∅			18n∅	350m∅	1.0 ∅	10m∅	66 #	5.0		N-PE			200S	u17b
74	FK2894	500M	60n∅			75n∅	200m\$	300m∅	10m∅	55 #	7.0		PDPE			200J	u5b
75	FV2894	500M	60n∅			75n∅	200m\$	300m∅	10m∅	55 #	7.0		PDPE			200J	u5b
76 #	2SC679H	600MΔ	13n∅		10n	300m	300m	1.0 ∅	10m∅	40	100		N-PE			175	TO18
77	2N709/51	600MΔ	15n∅			15n∅	300m	50 ∅	10m∅	20 Δ	100		N-E			200J	TO51
78	10E1051	600M	15n∅		6.0n	15n∅	15n∅	10m∅	120	3.5			N-PE			TO51	u40
79	2N2475/51	600MΔ	20n∅			15n∅	300m	.50 ∅	50m∅	20 Δ	20		N-E Si			200J T	O51
80 #	78EP	600MΔ	20n∅			15n∅	300m	400m∅	150	40			N-PE1			125J	u46
81	2N2368/51	640MΔ	12n∅	10n\$		15n∅	300m	1.0 ∅	10m∅	40			N-PE			200J	TO51
82	CS2368	640MΔ	12n∅	10n\$	15n∅	360m	360m	1.0 ∅	10m∅	40			N-PE			200J	TO18
83 #	BSW80	675M	12n∅		13n	200m	350m∅	10m∅	40	63 #			N-PE1			125J	X64
84	RT2459	700MΔ	20n	20n\$	100n	40n	360m	400m∅	10m∅	300	10		P-PE∅			200J	TO18
85	PMT023	750M	20n	110n\$		100m	1.0 ∅	10m	20	20			N-ME			150S	u7
86	PMT123	750M	20n\$	110n		250											

13. MISCELLANEOUS TRANSISTORS

IN ORDER OF (1) CATEGORY & (2) TYPE No.

LINE No.	TYPE No.	CATEGORY	M A T	DWG. No.	L C O D E	DESCRIPTION
1	USAF526ES090P	9 P	Si	RO3	3	P-450mW;ISR-.61 max;RB1B2-6.6Kohms max;Ip-5.88uA max.
2	2N1468	1 N-FA	Si	TO5		Pc-25W max; Ip-2.0A max; tr-10ns
3	CK273	1 N	Si	TO5		Pc-25W max; BVCO-25V
4	CK277	1 N	Si	TO5		Pc-25W max; BVCO-90V
5	NS11161	1 N	Si	TO18Ø	Ø	ICBO-1.0uA max;Ih-300mA;Vh-9.0V;IA-2.0mA;Ip-2.5A;BVCS-190V min.
6	PADT51	1 P-AD	Ge	TO7		Pc-85mW;BVEBO-2.0V;tr-1.0ns
7	SYL3013	1 N-EM	Si	TO18		Pc-30W; BVCO-75V; BVEBO-5.0V; Ic-20A; hFE-20 min at Ic-10 ma.
8	2N592	2 P	Ge	TO5		BVCO-20V;hib-30;hob-2.0umhos;ICBO-5.0uA;hfe-25;Cob-35pf;NF-16db.
9	2N593	2 P	Ge	TO9		Pc-150mW; BVCO-20V; hFE-80;Ø .50 deg. C/mW; ICBO-25 ua.
10#	ASY60	2 P-ΔΔ	Ge	R47		Pc-20W max; BVCO-20V; fab-11.0Mc; hFE-50; ICBO-5uA max.
11#	ASY64	2 P-ΔΔ	Ge	R47		Pc-20W max; BVCO-30V; fab-3.5Mc; hFE-35; ICBO-3uA max.
12#	ASY66	2 P-ΔΔ	Ge	R47		Pc-20W max; BVCO-30V; fab-6.0Mc; hFE-35; ICBO-5uA max.
13	C301A	2 P-Δ	Si	TO5		Pc-25 max; BVCO-70V; IC-50mA MAX; FAB-04Mc
14	GT34S	2 P	Si	TO22		Pc-150mW;BVCO-40V;BVEBO-40V;ICBO-100uA;hfe-15 at 10ma.
15	TK20C	2 P-A	Ge	R47		Pc-20W Max; BVCO-30V; fab-6.0
16#	TK21C	2 P-ΔΔ	Ge	R47		Pc-20W max; BVCO-30V; fab-2.0Mc; hFE-21; ICBO-3uA max.
17#	TK24C	2 P-A	Ge	R47		Pc-20W max; BVCO-30V; fab-3.5
18#	TK25C	2 P-A	Ge	R47		Pc-20W max; BVCO-20V; fab-11.0
19	2N2457	3 PL	Si	TO5		Vpo-5.0V max; ho-125u mhos min; hi-50M ohms Typ.
20	2N2458	3 PL	Si	TO51		Vpo-5.0V max; ho-125u mhos min; hi-100M ohms Typ.
21	2N2620	3 N	Si	TO5		BVDGO-50V min;gm-3.0m mhos; Vpo-20V max; IGSS-10uA max.
22	2N2794	3 P-D	Si	TO5		Pc-30W; BVDGO - 20V; IG - 50mA; IGSS - 2.0nA
23	3N98	3 N	Si	RO38c		Pc-150mW at 85C;Vds-32V; Id-7.7mA max. at 12V-VDS
24	3N99	3 N	Si	RO38c		Pc-150mW at 85C;Vds-32V; Id-10.5mA max. at 12V-VDS
25	4Z9-4Z12	3 P	Si	TO5		N-Channel
26	11005	3 P	Si	L18		Pc-1.0W;BVDSS-30V min;IDSS-35nA max;gFS-650 umho. Matched pair
27	31004	3 P	Si			4 Leaded TO5 or TO46; BVDSS-25V; IDSS-100mA max; gFS-850u mhos.
28	51009	3 P	Si	RO38k		BVDSS-20V min;IDSS-10nA max;gFS-70 umho;Vgs-20V max
29	C610	3 N-Δ	Si	TO5		Pc-25W max;Vpo-20V max;ho-100u mhos min;IGDO-10uA;BVGD-40V max.
30	C611	3 N-Δ	Si	TO5		Pc-25W max;Vpo-20V max;ho-200u mhos min;IGDO-10uA;BVGD-40V max.
31	C612	3 N-Δ	Si	TO5		Pc-25W max;Vpo-20V max;ho-400u mhos min;IGDO-10uA;BVGD-40V max.
32	C613	3 N-Δ	Si	TO5		Pc-25W max;Vpo-20V max;ho-800u mhos min;IGDO-10uA;BVGD-40V max.
33	C614	3 N-Δ	Si	TO5		Pc-25W max;Vpo-10V max;ho-100u mhos min;IGDO-10uA;BVGD-40V max.
34	C615	3 N-Δ	Si	TO5		Pc-25W max;Vpo-10V max;ho-500u mhos min;IGDO-10uA;BVGD-40V max.
35	C620	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-5.0db max.
36	C621	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-5.0db max.
37	C622	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-2.0db max.
38	C623	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-2.0db max.
39	C624	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-50db max.
40	C625	3 N	Si	TO5		Pc-25W max;Vpo-10V max;ho-50u mhos min;IGDO-10uA;NF-50db max.
41	C631	3 N-Δ	Si	TO5		Pc-25W max;Vpo-30V max;ho-125u mhos min;BVGD-150V max.
42	C632	3 N-Δ	Si	TO5		Pc-25W max;Vpo-40V max;ho-100u mhos min;BVGD-250V max.
43	C633	3 N-Δ	Si	TO5		Pc-25W max;Vpo-40V max;ho-100u mhos min;BVGD-350V max.
44	C640	3 N	Si	OV10		Pc-875W max;Vpo-10V max;ho-1000u mhos min;IGDO-10uA
45	C641	3 N	Si	OV10		Pc-875W max;Vpo-10V max;ho-2000u mhos min;IGDO-10uA
46	C642	3 N	Si	OV10		Pc-875W max;Vpo-10V max;ho-3000u mhos min;IGDO-10uA
47	C643	3 N	Si	OV10		Pc-875W max;Vpo-10V max;ho-4500u mhos min;IGDO-10uA
48	C644	3 N	Si	OV10		Pc-875W max;Vpo-10V max;ho-6000u mhos min;IGDO-10uA
49	C650	3 N-ΔΔ	Si	TO5		Pc-25W max; ICBO-10uA
50	C651	3 N-ΔΔ	Si	TO5		Pc-25W max; ICBO-10uA
51	C652	3 N-ΔΔ	Si	TO5		Pc-25W max; ICBO-10uA
52	C653	3 N-ΔΔ	Si	TO5		Pc-25W max; ICBO-10uA
53	DA102	3 N	Si	L21		Diff Ampl.;Pc-75W both sides;BVDGO-50V min;IGSS-10nA max.
54	DA402	3 N	Si	L21		Diff Ampl.;Pc-75W both sides;BVDGO-50V min;IGSS-25nA max.
55	DPT200	3 N	Si	RO38h		Insulated Gate;VDSS-25V;gm-1500uV min;Enhancement Type
56	DPT201	3 N	Si	RO38h		Insulated Gate;VDSS-25V;gm-1500uV min;Depletion Type
57	FE250	3 N-PL	Si	TO18		BVDGO-200V min;gm-400u mhos; Vpo-10V max; IDGO-2.0nA max.
58	FE252	3 N-PL	Si	TO18		BVDGO-200V min;gm-300u mhos; Vpo-5.0V max; IDGO-2.0nA max.
59	FE254	3 N-PL	Si	TO18		BVDGO-200V min;gm-200u mhos; Vpo-2.5V max; IDGO-2.0nA max.
60	FE350	3 N-PL	Si	TO18		BVDGO-200V min;gm-1000u mhos; Vpo-10V max; IDGO-5.0nA max.
61	FE352	3 N-PL	Si	TO18		BVDGO-200V min;gm-700u mhos; Vpo-5.0V max; IDGO-5.0nA max.
62	FE354	3 N-PL	Si	TO18		BVDGO-200V min;gm-500u mhos; Vpo-2.5V max; IDGO-5.0nA max.
63	FE1900	3 N	Si	R82		BVDGO-30V min; IGSS-2.0nA max; Ron-50 ohms max; Vp-15V max.
64	FG34	3 N-PL	Si	TO5		BVDGO-50V min;gm-1.0m mhos; Vpo-20V max; IDGO-10uA max.
65	FG35	3 N-PL	Si	TO5		BVDGO-100V min;gm-1.0m mhos; Vpo-20V max; IDGO-10uA max.
66	FG36	3 N-PL	Si	TO5		BVDGO-150V min;gm-1.0m mhos; Vpo-20V max; IDGO-10uA max.
67	FG37	3 N-PL	Si	TO5		BVDGO-200V min;gm-1.0m mhos; Vpo-20V max; IDGO-10uA max.
68	FSP400	3 PL	Si			Vpo-3.0V; VdGO-30V; IDGO-10 na max.
69	MM21021	3 N-MOS	Si	RO38y		Pd-300mW;VDS-25V;Id-30mA;VGS(th)4Vmax;Yfs-1000umhos min.
70	MM21031	3 P-MOS	Si	RO38y		Pd-300mW;VDS-25V;Id-30mA;VGS(th)5Vmax;Yfs-1000umhos min.
71#	PC500	3 P-PL	Si	RO38L		Pc-0.7W max; BVCO-50V; gm-.05 umhos min; Igs-10 ua
72	P1003	3 P-PL	Si	RO38L		BVDGO-50V min; gm-1000 umhos min; Vp-3.0V max; Pd-30W
73	P1004	3 P-PL	Si	RO38L		BVDGO-50V min; gm-2500 umhos min; Vp-5.0V max; Pd-30W
74	P1005	3 P-PL	Si	RO38L		BVDGO-50V min; gm-3500 umhos min; Vp-8.0V max; Pd-30W
75	PT320	3 MOSA S	Si	RO38y		Pd-120mW;BVDSS-25V;BVGSS-50V;Yfs-2500umhos;VG8th1-3.0V max.
76	SA2345	3 N-PL	Si	RO38f		BVDGO-50V min;IGSS-50nA max;RF-80mohms min;IG-20nA max.
77#	ST3	3 Ge	Si	RO38d		Pc-200mW max; fab-200Mc; BVCO-100V; TJ-85 deg. C max.
78	SU2000	3 N-PL	Si			BVDGO-50V min;gm-750umhos max;Vp-4.0V max;CDG-35pt max.
79	SU2020	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.95-1.0;gm1/gm2-.95-1.0
80	SU2021	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.90-1.0;gm1/gm2-.90-1.0
81	SU2022	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.90-1.0;gm1/gm2-.90-1.0
82	SU2023	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.80-1.0;gm1/gm2-.80-1.0
83	SU2024	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.95-1.0;gm1/gm2-.95-1.0
84	SU2025	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.90-1.0;gm1/gm2-.90-1.0
85	SU2026	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.90-1.0;gm1/gm2-.90-1.0
86	SU2027	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;IDSS1/IDSS2-.80-1.0;gm1/gm2-.80-1.0
87	SU2030	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;gm-300umhos min;gm1/gm2-.95-1.0
88	SU2031	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;gm-400umhos min;gm1/gm2-.95-1.0
89	SU2033	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;gm-2500umhos min;gm1/gm2-.95-1.0
90	SU2035	3 N-PL	Si	L21		Matched Pair;BVDGO-50Vmin;gm-2500umhos min;gm1/gm2-.95-1.0
91	SU2037	3 N-PL	Si	TO59		BVDGO-100V min;gm-20,000umhos min;Vp-15V max;Pd-10W at Tc 25 deg.
92#	THP169	3 Ge	Si			Max. Pc-80mW; BVCO-80V;Derate Free Air 3.3 deg.C/mW;85J
93#	THP170	3 Ge	Si			Max. Pc-50mW; BVCO-50V;Derate Free Air 3.3 deg.C/mW;85J
94#	THP171	3 Ge	Si			Max. Pc-80mW; BVCO-80V;Derate Free Air 3.3 deg.C/mW;85J
95#	THP172	3 Ge	Si			Max. Pc-50mW; BVCO-50V;Derate Free Air 3.3 deg.C/mW;85J
96	TIS11	3 P-MOS	Si	RO38e		BVSS-30V;IDSS-.01mA max;Yfs-800umhos min;Ciss-8.0pf max.
97	TIX690	3 Ge	Si	TO12		Max. Coil diss: 500mW; Max temp: 175 deg. C. J.
98	TIX881	3 P-A	Ge	TO11		Pd-150mW; BVDGO-40V min; Yfs-40u mho max; Yfs-400u mho min.
99	TIX882	3 P-A	Ge	TO11		Pd-150mW; BVDGO-40V min; Yfs-40u mho max; Yfs-600u mho min.
100	TIX883	3 P-A	Ge	TO11		Pd-150mW; BVDGO-40V min; Yfs-40u mho max; Yfs-800u mho min.
101	TIX811	3 PMOS	Si	RO38y		Pd-300mW;BVDS-30V;IDSS-10nA;VGS(th)3.0V min;Yfs-800umhos min.
102	u1327	3 N-PL	Si	TO18		BVDGO-50V min;gm1-1100umhos;gm2-800umhos;Vps-4.0V max;Pd-300mW.
103	u3000	3 N-PL	Si	TO18		BVDGO-30V min;gm-300umhos min;Vp-15V max;Pd-225mW.
104	u3001	3 N-PL	Si	TO18		BVDGO-30V min;gm-250umhos min;Vp-10V max;Pd-60mW.
105	u3002	3 N-PL	Si	TO18		BVDGO-30V min;gm-200umhos min;Vp-5.10V max;Pd-15mW.
106	u3010	3 N-PL	Si	TO18		BVDGO-30V min;gm-750umhos min;Vp-15V max;Pd-350mW.
107	u3011	3 N-PL	Si	TO18		BVDGO-30V min;gm-600umhos min;Vp-10V max;Pd-120mW.
108	u3012	3 N-PL	Si	TO18		BVDGO-30V min;gm-500umhos min;Vp-5.0V max;Pd-30mW.
109	U287	3 N-PL	Si	TO5		BVDGO-30V min;RON-50 ohms max;Vp-15V max;IGSS-2.0nA max.
110	U1327	3 N-PL	Si	L36		BVDGO-50V min;gm1-1100umhos;gm2-800umhos;Vps-4.0V max;Pd-30W

13. MISCELLANEOUS TRANSISTORS

IN ORDER OF (1) CATEGORY & (2) TYPE No.

LINE No.	TYPE No.	CATEGORY	STRUCTURE	MATERIAL	DWG. No.	LEAD	CODE	DESCRIPTION
1	U3000	3	N-PL	Si	TO18			BVDGO-30V min;gm-300umhos min;Vp-15V max;Pd-.225W
2	U3001	3	N-PL	Si	TO18			BVDGO-30V min;gm-250umhos min;Vp-10V max;Pd-.06W
3	U3002	3	N-PL	Si	TO18			BVDGO-30V min;gm-200umhos min;Vp-5.0V max;Pd-.015W
4	U3010	3	N-PL	Si	TO18			BVDGO-30V min;gm-750umhos min;Vp-15V max;Pd-.35W
5	U3011	3	N-PL	Si	TO18			BVDGO-30V min;gm-600umhos min;Vp-10V max;Pd-.12W
6	U3012	3	N-PL	Si	TO18			BVDGO-30V min;gm-500umhos min;Vp-5.0V max;Pd-.03W
7	X1004	3		Si				4 leaded TO5 or TO46; BVDS-50V; IDSS-100nA max; gfs-1000u mhos
8#	ZFT16	3	N-PL	Si	L40			Pt-.35W;Vpo-5.0V;BVDS-50V;IDO-6.0mA;BVDG-65V.
9#	ZFT18	3	N-PL	Si	L40			Pt-.35W;Vpo-5.0V;BVDS-100V;IDO-6.0mA;BVDG-100V.
10	2N1019	4	PNN	Ge-Si				Pc-10W max;BVBCO-30V; Ic-3.0A max;hFE-15000 Typ/VCE-5.0V;Ic-1.0A.
11	2N1020	4	NPP	Ge-Si				Pc-10W max;BVBCO-30V; Ic-3.0A max;hFE-15000 Typ/VCE-5.0V;Ic-1.0A.
12	2N67	5		Δ		Ge		Max. Coll. Dist. 100mW; Ic 50mA;BVEB 50V; Max. Temp 85 deg.CS
13#	2SB43	5	P-A	Ge	TO1			fab-1.0Mc; BVBCO-25V; IC-.05A max; hFE-70 at IC-.05A
14#	AC154/AC157	5	A	Ge	TO1			Matched pair of AC154 and AC157
15#	AC166/AC168	5	A	Ge	TO1			Matched pair of AC166 and AC168
16	GA53080	5	Δ	Ge				Max. Coll. Dist. 250mW; FaB 10mC;BVCB 100V; Ic 50mA;BVEB 100V
17#	2AT128	6	P-A	Ge	TO1			Matched Pair of AT128; hFE/hFE2-.83 max.
18	2N214MP	6	N-A	Ge				Max. Coll. Diss. 180mW;FaB.80mC;Max.Temp.85J;Matched pair of 2N214
19	2N3162	6	N	Si	L8			VCEO-25V max;ICBO-10nA max;hFE-50 min;hFE1/hFE2-1.0 max.
20	2N3514	6	N	Si	X26			PT-1.4W both sides;VCBO-80V max;VCEO-40V max;VEBO-5.0V max.
21	2N3517	6	N	Si	X26			PT-1.4W both sides;VCBO-100V max;VCEO-60V max;VEBO-7.0V max.
22	2N3519	6	N	Si	X26			PT-1.4W both sides;VCBO-60V max;VCEO-30V max;VEBO-7.0V max.
23	2N3523	6	N	Si	X26			PT-1.4W both sides;VCBO-70V max;VCEO-55V max;VEBO-7.0V max.
24	2N3587	6	N	Si	L19			Pc-300mW ea;BVBCO-60V ea;hFE-500 max;Ic-1mA;BVCEO-45V ea;BVEBO-5V
25	2N3941	6	N	Si	L2d			BVCBO-60V;IC-50mA;Pt-1.5W;VBE(1-2)-3.0mV;hFE1/2-.90min.
26	2N3942	6	N	Si	L2d			BVCBO-60V;IC-50mA;Pt-1.5W;VBE(1-2)-10mV;hFE1/2-.80min.
27	2N3943	6	N	Si	L2j			BVCBO-60V;IC-50mA;Pt-.75W;VBE(1-2)-3.0mV;hFE1/2-.90min.
28	2N3944	6	N	Si	L2j			BVCBO-60V;IC-50mA;Pt-.75W;VBE(1-2)-10mV;hFE1/2-.80min.
29	2N4042	6	N	Si	L2m			BVCBO-60V;IC-10mA;Pt-.50W;VBE(1-2)-3.0mV;hFE1/2-.90min.
30	2N4043	6	N	Si	L2m			BVCBO-45V;IC-10mA;Pt-.50W;VBE(1-2)-5.0mV;hFE1/2-.80min.
31	2N4099*	6	N	Si	L2m			VBE(1-2)-5.0mV max;IB(1-2)-10nA max;ΔIB(1-2)-70nA/C max.
32#	2OC26	6	P-A	Ge	TO3			Matched Pair of OC26;hFE1/2-.15 at IE-3.0A.
33	2SB30	6	P-A	Ge	TO3			BVCBO-15V; Ic-50A max; fae-7.0Mc; hFE-68/Ic-20A
34	2SB31	6	P-A	Ge	TO3			BVCBO-15V; Ic-50A max; fae-7.0Mc; hFE-115/Ic-20A
35#	2SB145	6	P-A	Ge	TO3			BVCBO-30V; Ic-1.0A max; fae-7.0Mc; hFE-37/Ic-1.0A
36#	2SB146	6	P-A	Ge	TO3			BVCBO-30V; Ic-1.0A max; fae-7.0Mc; hFE-75/Ic-1.0A
37#	2SC96	6	N-PE	Si	L16			VCEO-15V;IC-150mA;Pc-500mW max;hFE1/hFE2-80-1.0 at 1mA
38	2SFT212	6	P	Ge	TO3		∅	BVCBO-30V;Pc-30W at Tc;hFE-40 at FC-2.0A;fab-200kc min.
39#	2T3041	6						Max. Thermal Res. 3.0 oC/mW; Matched Pair 2T3031
40#	2T3042	6						Max. Thermal Res. 3.0 oC/mW; Matched Pair 2T3032
41#	2T3043	6						Max. Thermal Res. 3.0 oC/mW; Matched Pair 2T3033
42#	2xOC308	6	P	Ge				Pair of OC308
43#	2xOC318	6	P	Ge				Pair of OC318
44	3N96*	6	P ∅	Si	L24b			VGS(1-2)-100mV max;ΔVGS(1-2)/ΔT-1mV/deg.C;Yfs1/2-.95 min.
45	3N97*	6	P ∅	Si	L24b			VGS(1-2)-200mV max;ΔVGS(1-2)/ΔT-8mV/deg.C;Yfs1/2-.95 min.
46	4JD12X043	6	N-PE	Si	L2b			Pt-800mW; Two 2N2193 Transistors
47	4JD12X047	6	N-PE	Si	L2b			Pt-600mW; Two 2N2195 Transistors
48#	12A8	6	N	Si	L2b			Pt(Both Sides)-500mW;hFE1/hFE2-.60min;VBE1-VBE2-15mVmax.
49	12A304	6	N-PL	Si	X26			Pt-250mW ea;ICBO-2.0nA max;hFE-25min;Vbe1/Vbe2-5.0mVmax;ft-60Mcmmin.
50	12A308	6	N-PL	Si	X26			Pt-1.4W both sides;VCBO-50Vmin;hFE match-40%;VBE match-15mV.
51	12A904	6	N-PL	Si	X27			Pt-250mW ea;ICBO-2.0nA max;hFE-25min;Vbe1/Vbe2-5.0mVmax;ft-60Mcmmin.
52	12G301	6	N-PL S	Si X 26				Pt-1.4W Both Sides;VCBO-35V min;ICBO-20nA.
53	12G302	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-35V min;ICBO-20nA.
54	12H301	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-30V min;ICBO-10nA.
55	12H302	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-30V min;hFE Match-80/1.0;VBE Match 10mV.
56	12H303	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-25V min;hFE Match-85/1.0
57	12J301	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-40V;ICBO-40uA.
58	12J302	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-40V;ICBO-40uA;hFE Match-80/1.0
59	12J303	6	N-PL	Si	X26			Pt-1.4W Both Sides;VCBO-40V;ICBO-40uA;hFE Match-80/1.0
60	A520	6	N-PL	Si	RO52g			VCBO-80V;Ic-50mA max;Pt-1200mW(both sides);VBE1-VBE2-3mV;hFE-40 min.
61	A521	6	N-PL	Si	RO52g			VCBO-80V;Ic-50mA max;Pt-1200mW(both sides);VBE1-VBE2-3mV;hFE-100 min.
62	A640*	6	N ∅	Si	X36a			VBE1/VBE2-3.0mV max;hFE1/hFE2-1.0 max;Pt-30W(both);IC-30mA.
63	A641*	6	N ∅	Si	X36a			VBE1/VBE2-3.0mV max;hFE1/hFE2-1.0 max;Pt-30W(both);IC-30mA.
64	A642*	6	N ∅	Si	X36a			VBE1/VBE2-3.0mV max;hFE1/hFE2-1.0 max;Pt-30W(both);IC-30mA.
65	ASA2	6	N-PL	Si	L2			Pc-.75W; BVBCO-60V; BVEBO-7.0V; HFE-45min at IC-10mA, VCE-10V.
66	ASA1000	6	N-PL	Si	TO5			Pc-.50W max. BVBCO-60V;hFE1/hFE2-1.25max; VBE1-VBE2-10 mV max.
67	ASA1001	6	N-PL	Si	TO5			Pc-.50W max. BVBCO-60V;hFE1/hFE2-1.1 max; VBE1-VBE2-20 mV max.
68#	BFX10	6	P-PE	Si	L2d			Pt-.55W;ICBO-10nA max;hFE-2 min;hFE bal 80 min;VBE diff 3mV max.
69#	BSY42	6	N-PE	Si	L2			Pc-.70W max; BVBCO-20V; Ic-200mA;hFE-25-120;ft-200 min.
70#	BSY43	6	N-PE	Si	L2			Pc-.70W max; BVBCO-15V; Ic-200mA;hFE-30-120;ft-300 min.
71	CD91*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
72	CD92*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
73	CD93*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
74	CD94*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
75	CD95*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
76	CD96*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
77	CD97*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
78	CD98*	6	P-E	Si	L17a			hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
79	CD912*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
80	CD922*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
81	CD932*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
82	CD942*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
83	CD952*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
84	CD962*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
85	CD972*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-5.0mV max;ΔVBE1/2-10uV/C max.
86	CD982*	6	P-E	Si	TO46		A ∅	hFE1/2-.80 min;VBE1/2-10mV max;ΔVBE1/2-20uV/C max.
87	DFNA3-50*	6	N-E	Si	TO18			Pt-300mW both sides;VGS(1-2)-50mV;gfs1/2-.95umhos min.
88	DFNA3-100*	6	N-E	Si	TO18			Pt-300mW both sides;VGS(1-2)-100mV;gfs1/2-.95umhos min.
89	DP1001*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-5.0mV;ΔVGS(1-2)/ΔT-5uV/C.
90	DP1002*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-15mV;ΔVGS(1-2)/ΔT-10uV/C.
91	DP1003*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-5.0mV;ΔVGS(1-2)/ΔT-25uV/C.
92	DP1004*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-15mV;ΔVGS(1-2)/ΔT-25uV/C.
93	DP1005*	6	P*	Si	TO71			gm1/2-.90 min;VGS(1-2)-25mV;ΔVGS(1-2)/ΔT-50uV/C.
94	DP1006*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-5.0mV;ΔVGS(1-2)/ΔT-10uV/C.
95	DP1007*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-15mV;ΔVGS(1-2)/ΔT-10uV/C.
96	DP1008*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-5.0mV;ΔVGS(1-2)/ΔT-25uV/C.
97	DP1009*	6	P*	Si	TO71			gm1/2-.95 min;VGS(1-2)-15mV;ΔVGS(1-2)/ΔT-25uV/C.
98	DP1010*	6	P*	Si	TO71			gm1/2-.90 min;VGS(1-2)-2.0mV;ΔVGS(1-2)/ΔT-50uV/C.
99	HA7807	6	P-A	Si	TO5		A	Pair of HA7806;Vo-2.0mV max.
100	HA7809	6	P-A	Si	TO5		A	Pair of HA7808; Vo-1.5mV max.
101	KY4042	6	N	Si	u36			BVCBO-60V;IC-10mA;Pt-.50W;ΔVBE-3.0uV/OC;VBE(1-2)-3.0mV;hFE1/2-.90min.
102	KY4043	6	N	Si	u36			BVCBO-45V;IC-10mA;Pt-.50W;ΔVBE-10uV/OC;VBE(1-2)-3.0mV;hFE1/2-.80min.
103	KY4099	6	N	Si	u36			BVCBO-55V;IC-10mA;Pt-.50W;ΔVBE-5.0uV/OC;VBE(1-2)-5.0mV;hFE1/2-.85min.
104	MA7807	6	P-A	Si	TO5		A	Matched pair of HA7808;ΔVoff-100uVmax.
105	MA7809	6	P-A	Si	TO5		A	Matched pair of HA7808;ΔVoff-50uVmax.
106	MD1123	6	P	Si	L2			hFE-30/120 at Ic-100uA;(VBE1-VBE2) max-.10mV at Ic-100uA
107	MD1123F	6	P	Si	X22			hFE-30/120 at Ic-100uA;(VBE1-VBE2) max-.10mV at Ic-100uA.
108	MD1124	6	P	Si	L2			hFE-30/120 at Ic-100uA;(VBE1-VBE2) max-.10mV at Ic-100uA.
109	MD1124F	6	P	Si	X22			hFE-30/120 at Ic-100uA;(VBE1-VBE2) max-.10mV at Ic-100uA.
110	MD1125	6	P	Si	L2			hFE-30/120 at Ic-100uA;(VBE1-VBE2) max-.50mV at Ic-100uA.

13. MISCELLANEOUS TRANSISTORS

IN ORDER OF (1) CATEGORY & (2) TYPE No.

LINE No.	TYPE No.	CATEGORY	MATERIAL	DWG. No.	LCODE	DESCRIPTION
1	MD1125F	6 P	Si	X22		hFE-30/120 at IC-100uA;(VBE1-VBE2) max.-5.0mV at IC-100uA.
2	MD1133	6 N-EA	Si	L2d		Pt(Both Sides)-600mW;VCBO-60V;hFE-30 min at IC-150mA and VCE-5V.
3	MD1133F	6 N-EA	Si	L2f		Pt(Both Sides)-350mW;VCBO-60V;hFE-30 min at IC-150mA and VCE-5V.
4	ME5011	6 N-PE	Si	L2		BVCEO-10V; BVEBO-3.0V;ICBO-10mA max at VCB-10V;hFE-60min/IC-100uA
5#	NKT450X2	6 P	Ge	TO3		BVBCO-38V; hFE-30 min. at 1.0A; ICBO-100uA at 1.5V.
6	NS7000	6 N	Si	X17		Pd-200mW;BVCEO-45V min;hFE-125 at 10uA;hFE1/hFE2-90 min.
7	NS7001	6 N	Si	L2		Pd-300mW;BVCEO-45V min;hFE-125 at 10uA;hFE1/hFE2-90 min.
8	NS7070	6 N-PL	Si	X23		Pt(both sides)-200mW;hFE1/2-.90min;VBE(1-2)-5.0mVmax.
9#	OC740M	6 P	Si	RO66		50uV max; Voff-2.0mV max.
10#	OC740Q	6 P	Si	RO66		50uV max; Voff-2.0mV max; Quadruple.
11	RT3501	6 P-PL	Si	TO46		Matched Pair of RT3500; Pd-400mW
12	SA2254	6 N	Si	L8a		hFE1/hFE2-8-1.0;VBE1-VBE2-10mV at IC-100uA;BVBCO-60V min.
13	SA2255	6 N	Si	L8a		BVBCO-45V min;hFE1/hFE2-8-1.0;VBE1-VBE2-10mV at IC-50uA
14#	TA-M93	6 NPN	Si	TO5		Dual 2N930;10% hFE match;5.0mV VBE match;hFE at 10uA-50 min.
15	U205*	6 N	Si	TO71		Pt-30W;IG(1-2)-5.0mA max;VGS(1-2)-5.0mV max;gfs1/2-.95 min.
16	U206*	6 N	Si	TO71		Pt-30W;IG(1-2)-5.0mA max;VGS(1-2)-10mV max;gfs1/2-.95 min.
17	U207*	6 N	Si	TO71		Pt-30W;IG(1-2)-5.0mA max;VGS(1-2)-15mV max;gfs1/2-.95 min.
18	UD1000	6 P-PE	Si	L38		Pt(Both Sides)-200mW;BVBCO-50V;Vo(1-2)-100uV max;IB and IC-20mA.
19	UD2000	6 P-PE	Si	L2n		Pt-400mW;BVBCO-50V;VBE1/2-5mV max;hFE1/2-.90 min;ΔVBE1-2-10uV/degC
20	2N318	7 P-A	Ge			Pc-50mW; VCE-12V max; Sens-25uA/ft can;fab-750kc.
21	2N469	7 P	Ge	X42		BVBCO-6.0V;hfe-50;hie-3.0kohms;ICBO-15uA;Sens-15uA/FC;Cob-30pf.
22	2N469A	7 P-A	Ge			Pc-.05W max;BVBCO-20V;Photo-Sens-14.9ua/ft max;Area-.0011 sq. in.
23	2N577	7 P	Ge			Pt-25mW; IC-10mA; Idark-300uA; Photosens-30A/lumen.
24	2N1392	7 P-A	Ge			Pc-.05W max;BVBCO-20V;Photo-Sens-6.9ua/ft max;Area-.0011 sq. in.
25	2N1393	7 P-A	Ge			Pc-.05W max;BVBCO-20V;Photo-Sens-15ua/ft min;Area-.0011 sq. in.
26	2N1394	7 P-A	Ge			Pc-.05W max;BVBCO-10V;Photo-Sens-7.0ua/ft;Area-.0011 sq. in.
27	800	7 N-G	Ge			Max. Coll. Dist. 65mW; BVCE 20V; IC 5.0mA; Max. Temp. 75 deg.C.A.
28#	BPY62	7 N-PE	Si	X8a	AS	Pt-20W;IC-1.0mA min. at B-1000 lux;Sens-1.0uM;VCE-15V.
29	EIP	7 P	Ge			Idk-10uA; Ilt-10mA; Sens-300uA/1m.
30#	ES3501	7 P-A	Ge	R71		Pc-36mW at 45 deg. C;BVBCO-10V; IC-10mA max;Photosens-20uA/ft.
31#	ES3511	7 P-A	Ge	R88		Pc-50mW; BVBCO-25V; IC-20mA max; Photosens-1.0uA/Lux
32	FF400*	7 N-EA	Si	TO72	DH	IG(Light)-15nA/FC min;ID(Light)-30uA/FC typ;tr-30ns;tf-50ns.
33	FPN100	7 N-PL	Si			Phototrans;Pd-75mW;ID-10uA max;IL-1-80mA min.
34	FSP5	7 N-PL	Si	X8		Pc-.50W max; BVBCO-100V; Photo-Sens-1.0ua/ft min.
35	HPA4202	7 N	Si	X40		BVCEO-25V; fae-120Kc; Cob-9.0pf; hFE-400 typ.
36	ME510	7 N-PE	Si	TO18		BVBCO-10V; Photosens-2.0ua/ft min. at VCE-5.0V, IB-0.0
37#	OS13	7 P	Ge	X1		Pc-15mW max; BVBCO-30; IC-2mA max.
38#	OS15	7 N	Si	X1		Pc-30mW max;BVCEO-30Vmax;IC-200uA max; Photo-Sens-1uA/500 Lumen.
39#	OS16	7 N	Si	X1		Pc-30mW max;BVCEO-30Vmax;IC-200uA max; Photo-Sens-4uA/500 Lumen.
40#	OS17	7 N	Si	X1		Pc-30mW max;BVCEO-30Vmax;IC-200uA max; Photo-Sens-7uA/500 Lumen.
41	PD3L	7 P	Ge			Pc-.10W max; BVBCO-50V; IC-5.0mA max.
42	PD6	7 P	Ge			Pc-20mW max; BVBCO-50V; IC-5.0mA max.
43#	Ph241*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-10uA/FC.
44#	Ph241N*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-10uA/FC.
45#	Ph242*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-16uA/FC.
46#	Ph242N*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-16uA/FC.
47#	Ph243*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-25uA/FC.
48#	Ph243N*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-25uA/FC.
49#	Ph244*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-40uA/FC.
50#	Ph244N*	7 N	Si	TO18		IGSS(light)-5.0nA/FC;ID(light)-40uA/FC.
51	3N25	8 PGD	Ge			Pc-25mW max; fab-200Mc; IC-2.0mA max.
52	3N35A	8 N	Si	TO12		Pd-.125W;Rsat-300 ohms;ries-20 ohms min;Coep-3.0pf
53	3N56	8 N-Δ	Si	TO5		Pc-.15W max; BVBCO-18V; IC-30ma max.
54	3N57	8 N-Δ	Si	TO5		Pc-.15W max; BVBCO-18V; IC-30ma max.
55#	3S001	8 N-D	Si			Pc-125mW;BVBCO-30V;IC-10mA; Gain 18 db ICBO-.2uA
56#	3S002	8 N-GD	Si	TO12		Pc-.125W max; fab-100Mc; BVBCO-30V; IC-10mA max.
57#	3S003	8 N-D	Si			Pc-125mW;BVBCO-30V;IC-10mA; Gain 20 db ICBO-.2uA
58#	3S004	8 N-GD S	Si	TO1	2	Pc-.125W max; fab-150Mc; BVBCO-30V; IC-10mA max.
59	GTA3	8 P	Si			Pc-2.5mW; fab-200Mc; BVBCO-15V; IC-2.0mA max.
60	JAN2N489	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.62 max;RBBO-6.8k Ω max.
61	JAN2N490	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.62 max;RBBO-6.8k Ω max.
62	JAN2N491	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.68 max;RBBO-6.8k Ω max.
63	JAN2N492	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.68 max;RBBO-6.8k Ω max.
64	JAN2N493	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.75 max;RBBO-6.8k Ω max.
65	JAN2N494	9 P-N	Si	R33		Pc-.45W max;VE-60V max;ISR-.75 max;RBBO-6.8k Ω max.
66	2N2213	9 P	Si			Pc-.45W; Rbb-9.1 ohms max; VB2B1-40V; VB2E-60V.
67	2N2307	9 P	Si	R86		Pc-250mW;Rbb-9.1kohms max;IP-2.0A max.
68	2N3406	9 P	Si	R33		Pc-.45W;VB2E-60V max;VB2B1-70V max;VEB1(SAT)-5.0V max;IV-8mA max.
69	2N3482	9 P	Si	RO33 G	F	Pc-.40W;RBBO-6.8kohms max;n-.62 max;IV-4mA min;IP-2.0uA max.
70	2N3879	9 P	Si	L7a		Pt-250mW;ISR-.80 max;RBBO-9.1Kohms max;IV-4.2mA min;VOB1-4.0V min.
71	5B24	9 P	Si	TO5		P-450mW; ISR-.47 min; IP-25uA max;IV-8.0mA min;IB2 Mod.-6.8-30
72	5B25	9 P	Si	TO5		P-450mW; ISR-.47 min; IP-25uA max; IV-8.0mA min;IB2 Mod.-6.8-30
73	5C28	9 NP	Si	TO18		Pc-.30W; ISR-.75 max; Rb1b2-12K ohms; IV-8.0mA min; IP-20mA max.
74	5C29	9 NP	Si	TO18		Pc-.30W; ISR-.86 max; Rb1b2-12K ohms; IV-20mA min; IP-12mA max.
75	5C30	9 NP	Si	TO18		Pc-.30W; ISR-.75 max; Rb1b2-12K ohms; IV-20mA min; IP-12mA max.
76	5E29	9		TO18		IP-25uA max;IV-4.0mA min;IEO-12uA;N-.68 min., .82 max.
77	5G514	9		TO18		IP-25uA max;IV-8.0mA min;IEO-12uA;N-.47 min., .62 max.
78	5G515	9		TO18		IP-25uA max;IV-8.0mA min;IEO-12uA;N-.47 min., .62 max.
79	5G516	9		TO18		IP-6.0uA max;IV-8.0mA min;IEO-20uA;N-.47 min., .62 max.
80	551B	9 N	Si	TO18		Pc-.45W;ISR-.62 max;Rb1b2-6.8K ohms;IV-20ma min;IP-2.0ma max.
81	BB3	9	Si	TO5		Pt-450mW;RBB-10kΩ max;VBB-35V max;n-.62 max.
82	BB4A	9	Si	TO5		Pt-450mW;RBB-10kΩ max;VBB-35V max;n-.78 max.
83	BB4B	9	Si	TO5		Pt-450mW;RBB-10kΩ max;VBB-35V max;n-.78 max.
84	BB5	9	Si	TO5		Pt-450mW;RBB-12kΩ max;VBB-60V max;n-.75 max.
85	BB5A	9	Si	TO5		Pt-450mW;RBB-12kΩ max;VBB-60V max;n-.62 max.
86	BB5B	9	Si	TO5		Pt-450mW;RBB-12kΩ max;VBB-60V max;n-.68 max.
87	BB5C	9	Si	TO5		Pt-450mW;RBB-12kΩ max;VBB-60V max;n-.75 max.
88	D5E29	9 N	Si	R33a	CA	Pt-.30W;RBB-9.1kΩ max;IV-25mA max;n-.82 max;IP-25uA max.
89	D5E35	9 N	Si	R33a	CA	Pt-.30W;RBB-9.1kΩ max;IV-10mA typ;n-.82 max.
90	D5E36	9 N	Si	R33a	CA	Pt-.30W;RBB-9.1kΩ max;IV-10mA typ;n-.82 max.
91#	TAM93	9 NPN	Si	TO5		Dual 2N930;10% hFE match;5.0mV VBE match;hFE at 10uA-50 min.
92	TIS01	9 P	Si	X20a		Pc-.30W;ISR-.75 max;RBB-9.1Kohms max;IP-5.0uA max.
93	TIS02	9 P	Si	X20a		Pc-.30W;ISR-.82 max;RBB-9.1Kohms max;IP-2.0uA max.
94	2N2181	10 P	Si	TO1		Pc-150mW;VCBO-25V max;VCEO-25V max;VEBO-25V max;Voff-4mV max.
95	2N2182	10 P	Si	TO1		Pc-150mW;VCBO-25V max;VCEO-25V max;VEBO-25V max;Voff-4mV max.
96	2N2183	10 P	Si	TO1		Pc-150mW;VCBO-15V max;VCEO-10V max;VEBO-15V max;Voff-3mV max.
97	2N2184	10 P	Si	TO1		Matched Pair of 2N2183.
98	2N2871*	10 P	Si	L17j		Voff-1.5mV max;Voff(1-2)-200uV max;hFE-15 min.
99	2N2872*	10 P	Si	L17j		Voff-1.5mV max;Voff(1-2)-200uV max;hFE-15 min.
100	2N3586*	10 PΔ*	Si	X37		Pt-.25W max;ΔVoff-500uV max;rs(on)-75 ohm max.
101	4JD12C101	10 N-PE	Si	L1a		BVBCO-25V;Pt-.50W;Vo(1-2)-50uV;ICBO-10nA;ft-50Mc;Io(1-2)-2.0nA
102	4JD12C102	10 N-PE	Si	L1a		BVBCO-25V;Pt-.50W;Vo(1-2)-50uV;ICBO-10nA;ft-50Mc;Io(1-2)-2.0nA
103	4JD12X013	10 N-PL	Si	L11		4-2N2356 transistors;Vo(1-2)-50uV;ICBO-10nA;BVCEO-20V.
104	4JD12X070	10 N-PL	Si	L11		4-2N2356A transistors;Vo(1-2)-50uV;ICBO-10nA;BVCEO-20V.
105	40460*	10 N-MOS	Si	TO72	DRS	Voff-0.0V;IDS(off)-50nA at VDS-1.0V;VGS-10V;Pt-150mW.
106#	BSX31	10 N-PLΔ	Si	RO38a		Pt-.15W max;ΔVoff-30mV max;IE1E2-.30nA max;Rd-200 ohms max.
107	HA7804	10 P-A	Si	TO5		Vo-3.0mV max; Rsat-25 ohms max; Tr-15 usec max.
108	HA7806*	10 P-A	Si	TO5		BVBCO-15V;ICBO-50nA;fab-1.0MHZ;Cob-90pf;Voff-2.0mV;trr-15usec.
109	HA7808*	10 P-A	Si	TO5		BVBCO-15V;ICBO-50nA;fab-1.0MHZ;Cob-70pf;Voff-1.5mV;trr-15usec.
110	HA7810	10 P-A	Si	TO5		Vo-1.5mV max; Rsat-30 ohms max; Tr-15 usec max.

13. MISCELLANEOUS TRANSISTORS

IN ORDER OF (1) CATEGORY & (2) TYPE No.

LINE No.	TYPE No.	CATEGORY	STRUCTURE	MATERIAL	DWG. No.	LEAD CODE	DESCRIPTION
1	HA7815	10	P-A	Si	T05		Vo-1.5mV max; Rsat-25 ohms max; Tr-15 usec max.
2	MA3227	10	P	Si	L2		Matched; Voff-20mV; BVCEO,BVEBO,BVCE0-35V
3	MA7805	10	P-A	Si	T05		Vo-3.0mV max; ΔVc-100uV max; Rsat-25 ohms max; Tr-15 usec max.
4	MA7811	10	P-A	Si	T05		Vo-5mV max; ΔVoff-100uV max; Rsat-30 ohms max; Tr-15 usec max.
5	MA7816	10	P-A	Si	T05		Vo-1.5mV max; ΔVoff-100uV max; Rsat-25 ohms max; Tr-15 usec max.
6	MA7817	10	P-A	Si	T05		Vo-1.5mV max; ΔVoff-50uV max; Rsat-25 ohms max; Tr-15 usec max.
7	ME509	10	N-PE	Si	L2		BVEBO-5.0V; Voff-50uV at IB-150uA; IE=0
8	NS3000	10	N	Si	R038a		Voff-200uV max; Rd-50 ohms max; BVEEO-10V; IEEO-50na
9	NS3001	10	N	Si	R038a		Voff-50uV max; Rd-50 ohms max; BVEEO-10V; IEEO-50na
10	NS3039	10	N	Si	L15a		Max.(ΔVo/T-30uV/deg.C;Rd-50 ohms;IE1E20-2.0nA;Vc-200uV)
11	NS3040	10	N	Si	L15a		Max.(ΔVo/T-30uV/deg.C;Rd-50 ohms;IE1E20-2.0nA;Vc-100uV)
12	NS3041	10	N	Si	L15a		Max.(ΔVo/T-30uV/deg.C;Rd-50 ohms;IE1E20-2.0nA;Vc-50uV)
13	NS3050	10	N	Si	R038a		Voff-100uV max; Rd-50 ohms max; BVEEO-10V; IEEO-50na
14	NS3051	10	N	Si	R038a		Voff-100uV max; Rd-100 ohms max; BVEEO-10V; IEEO-50na
15	NS3052	10	N	Si	R038a		Voff-200uV max; Rd-100 ohms max; BVEEO-10V; IEEO-50na
16	NS3053	10	N	Si	R038a		Voff-200uV max; Rd-100 ohms max; BVEEO-6.0V; IEEO-50na
17	NS3108	10	N	Si	L15a		Pd-100mW max; IE * IB-10mA max; BVEBO-30V min.
18	NS3109	10	N	Si	L15a		Pd-100mW max; IE * IB-10mA max; BVEBO-30V min.
19	NS3110	10	N	Si	L15a		Pd-100mW max; IE * IB-10mA max; BVEBO-30V min.
20	NS3300	10	N-PE	Si	TO18	∅	VCEoff-6.0mV max; Inverse hFE-3.0 min; VCEoff-1.0mV max.
21	NS6208	10	N	Si			Voff-100uV;rd-50uA max;BVEECS-12V;IEECS-5.0nA max.
22	NS6209	10	N	Si			Voff-50uV;rd-50uA max;BVEECS-12V;IEECS-5.0nA max.
23	NS6210	10	N	Si	X16		BVCEO-30Vmin;BVCEO-15Vmin;hFE(INV)-2.0min;Voff-1.0mVmax.
24	NS6211	10	N	Si	X16		BVCEO-30Vmin;BVCEO-25Vmin;hFE(INV)-3.0min;Voff-2.0mVmax.
25	NS7630	10	N	Si	L38a		Pt-200mW;BVEE20-15Vmin;IEE2CS-2nAmax;Voff-200uV
26	NS8000	10	N	Si	T077		Pt-500mW; Voff-100uV; BVCEO-12V; Freq.Range 50-1500Kc.
27	NS8003	10	N	Si	T077		Pt-500mW; Voff-100uV; BVCEO-12V; Freq.Range 0-50Kc.
28#	OC740	10	P	Si	R066		Available as matched pair or quad-50uV max; Voff-2mV max.
29#	OC742	10	P	Si	R066		Available as matched pair or quad-50uV max; Voff-5mV max.
30	SAC100	10	N-PL	Si	L2		Pc-50W; BVCEO-60V max; BVCEO-30V max; hFE1/hFE2-90; VBE1-VBE2-0.2V
31#	SAC40*	10	P-A	Si	T01		Vo-2mV max; IO-0.5uA max; VCE-15V; hFE-2.5 min at 3V; 1mA; 4Mc/s
32#	SAC40A*	10	P-A	Si	T01		Vo-2mV max; IO-0.5uA max; VCE-15V; hFE-1.5 min at 3V; 1mA; 4Mc/s
33#	SAC40*	10	P-A	Si	T01		Vo-2mV max; IO-0.5uA max; VCE-15V; hFE-2.5 min at 3V; 1mA; 4Mc/s
34#	SAC42*	10	P-A	Si	T01		Vo-5mV max; IO-0.5uA max; VCE-25V; hFE-2.5 min at 3V; 1mA; 4Mc/s
35#	SAC42A*	10	P-A	Si	T01		Vo-5mV max; IO-0.5uA max; VCE-25V; hFE-2.5 min at 3V; 1mA; 4Mc/s
36#	SAC42B*	10	P-A	Si	T01		Vo-10mV max; IO-0.5uA max; VCE-25V; hFE-2.5 min at 3V; 1mA; 4Mc/s
37#	SAC44*	10	P-A	Si	T01		Vo-10mV; IO-0.1uA max; VCB-5V; hFE-1 min at 3V; 1mA; 4Mc/s
38#	SAC40*	10	N-PE	Si	TO18		Vo-2mV max; VCB0-25V max; VCB0-6V max
39#	SFC42*	10	N-PE	Si	TO18		Vo-5mV max; VCB0-25V max; VCB0-6V max
40#	SFC50*	10	N-PE	Si	R038		ΔVo-50uV max; rd-125 ohms typ; Double emitter device
41#	SFC51*	10	N-PE	Si	R038		ΔVo-100uV max; rd-125 ohms typ; Double emitter device
42#	SFC52*	10	N-PE	Si	R038		ΔVo-200uV max; rd-125 ohms typ; Double emitter device
43#	SSA43A*	10	P-A	Si	T01		Symmetrical hFE-7 min at VE2E1-3V; IE-1mA
44#	SSA48*	10	P-A	Si	T01		Symmetrical hFE-7 min at VE2E1 or VE1E2-3V; IE-1mA
45#	SSA48A	10	P-A	Si	T01		Symmetrical hFE1E2(SAT)-500mV max at IC-5mA; IB-1mA
46#	SSA48*	10	P-A	Si	T01		Symmetrical hFE-7 min at VE2E1 or VE1E2-3V; IE-1mA
47	ST5810	10	N-PE	Si	TO72	GD∅	BVCEO-25V; BVEEO-18V; Voff-50uV; rs-50Ω; Ton and Toff-500ns.
48	ST5811	10	N-PE	Si	TO72	GD∅	BVCEO-25V; BVEEO-18V; Voff-100uV max; rs-100Ω; Ton and Toff-500ns.
49	ST5812	10	N-PE	Si	TO72	GD∅	BVCEO-25V; BVEEO-12V; Voff-50uV max; rs-50Ω; Ton and Toff-500ns.
50	ST5813	10	N-PE	Si	TO72	GD∅	BVCEO-25V; BVEEO-12V; Voff-100uV max; rs-100Ω; Ton and Toff-500ns.
51	ST5814	10	N-PE	Si	TO72	GD∅	BVCEO-15V; BVEEO-6.0V; Voff-150uV max; rs-150Ω; Ton and Toff-500ns.
52	TW135	10	P-PE	Si	TO18	A	Voff-1.0mV max at IB-1.0mA; rs-20 ohms; Cib-6.0pF max.
53	UB9*	10	P	Si	TO18 D	U	Cgd-1.8pF typical at Vds-5V; Vgs-0V; Vg2s-1V.
54	UD1001	10	P-PE	Si	TO90		Dual Emit Pr; Pt-200mW(both sides); BVE1E20-30V; BVEBO-30
55	2N626	11	N	Ge-Si	L29a		Pc-10W max; BVCEO-30V; Ic-3.0A max; hFE-18000 min; VCE-5.0V; Ic1.0A.
56	2N676	11	P	Ge-Si	L35		Pc-10W max; BVCEO-30V; Ic-3.0A max; hFE-15000; VCE-5.0V; Ic1.0A.
57	2N3230	11	NA	Si	L29a		Pd-25W; VCEV-80V; Ic-7A max; hFE-1000 min. at IC-5A; Ton-350ns max.
58	2N3231	11	NA	Si	L35		Pd-25W; VCEV-100V; Ic-7A max; hFE-1000 min. at IC-5A; Ton-350ns max.
59	4JD12X010	11	N-PL	Si	L27		Contains 2-2N1613 transistors; PT-300mW/Transistor.
60	4JD12X011	11	N-PL	Si	L27		Contains 3-2N1613 type transistors; Darlington input and output.
61	4JD12X012	11	N-PL	Si	L28		4-2N1613 type transistor; Darl. Diff. Amp.; hFE1/2-.80 to 1.25
62	4JD12X014	11	N-PL	Si	L26		Contains 3-2N1613 typ transistors; Darlington input and output.
63	4JD12X132	11	N-PE	Si	L4		Darlington Amp; BVCEO-80V; BVCEO-60V; BVEBO-15V; Pt-50W
64	22MP65	11	P	Ge-Si	L5		BVCEO-10V; BVCEO-4.0V; Ic-50A; fab-40 Mc.
65	22MP55	11	P	Ge-Si	L5		BVCEO-20V; BVCEO-5.0V; Ic-50A; fab-10 Mc.
66#	A25Q	11	N-PE	Si	L5		Pc-600mW; VCB0-30V max; hFE-500 min at 5V; 1mA
67	A431*	11	N-PE	Si	L29a		hFE(pulsed)-20 min. at IC-100mA; ft(pulsed)-1.0GHz min.
68	ARA46P	11	P	Si	L2		Pc-40W max; BVCEO-40V; Ic-3.0A max; hFE-10000 Typ; VCE-40V; Ic-3.0A.
69	ASA31	11	N-PL	Si	TO18		2N1613 in isolated TO18 Package; BVCEO-75V.
70	ASA51	11	N-PL	Si	T05		2N1889 in isolated TO5 Package; BVCEO-100V.
71	ASA1003	11	N-PL	Si	TO18		Pc-50W max; BVCEO-60V; hFE-5000 min/Ic-10 mA; ICBO-10nA max.
72	ASA1004	11	N-PL	Si	TO18		Pc-50W max; BVCEO-60V; hFE-20,000 min/Ic-10 mA; ICBO-10nA max.
73#	BFY21	11	N-PL	Si	L2		Pc-70W max; BVCEO-40V; Ic-200mA; hFE-64; ft-200Mc/s min.
74	CA3018	11	N	Si	L60		BVCEO-15V; BVCEO-20V; hFE-70 at IC-1mA; ft-400MHz.
75	CA3036	11	N	Si	L65		Darlington Array; Pt-300mW; BVCEO-30max; hFE-82typ at IC-1mA.
76	D16P3	11	N	Si	L3e		Darlington Amp. hFE-2.0k min; Pt-320mW; Zin-650k; BVCEO-20V.
77	D16P4	11	N	Si	L3e		Darlington Amp; hFE-7.0k-15k typ; Pt-320mW; Zin-650k; BVCEO-20V.
78	EM500	11	N	Ge-Si	L3		Pc-10W max; BVCEO-30V; Ic-3.0A max; hFE-26000 min; VCB-5.0V; Ic1.0A.
79	EM600	11	P	Ge-Si	L3		Pc-10W max; BVCEO-30V; Ic-3.0A max; hFE-26000 min; VCB-5.0V; Ic1.0A.
80	FSP22	11	N-PL	Si	L3		Pc-50W max; BVCEO-100V; hFE-1600 min/Ic-10mA; ICBO-.005ua; BVCEO-60V
81	FSP598	11	N	Si	TO18		BVCEO-25V; BVEBO-4.0V; ICBO-60uA; hFE-20 min.
82	MA3228	11	P	Si	L2		Diff. Ampl. Matched; ΔhFE-20%; ΔVBE-10mV; BVCEO-90V
83	MA3229	11	P	Si	L2		Diff. Ampl. Matched; ΔhFE-20%; ΔVBE-15mV; BVCEO-60V
84	MA3230	11	P	Si	L2		Diff. Ampl. Matched; ΔhFE-40%; ΔVBE-20mV; BVCEO-35V
85	MA3231	11	P	Si	L2		Darlington Ampl.; hFE-100-1000; BVCEO-90V.
86	MA3232	11	P	Si	L2		Darlington Ampl.; hFE-100-1000; BVCEO-35V.
87	MA3233	11	P	Si	L2		Darlington Ampl.; hFE-1000-5000; BVCEO-90V.
88	MA3234	11	P	Si	L2		Darlington Ampl.; hFE-1000-5000; BVCEO-35V.
89	NS7100	11	N-PL	Si	L4a		BVCEO-80V; BVCEO-60V; BVEBO-15V; hFE-2000 min.
90	RM3001	11	N-PL	Si	TO18∅		Darl. Ampl; Pc-1.0W max; BVCEO-80V; hFE-900 min. at Ic-1.0mA
91	RM3002	11	N-PL	Si	TO18∅	∅	Photo Darl. Ampl; Pc-1.8W max; BVCEO-60V; Sens-25ua/Ic
92	RM3010	11	N-PL	Si	TO18∅		Darl. Ampl; Pc-1.0W max; BVCEO-80V; hFE-2000 min. at Ic-30mA
93	SA102	11	N-PL	Si	TO18		Pc-50W; BVCEO-60V max; BVCEO-30V max; hFE-5000; VCES-1.0V max.
94	SA107	11	N-PL	Si	TO18		Pc-50W; BVCEO-60V max; BVCEO-30V max; hFE-20,000; VCES-1.0V max.
95	SP8411	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-60 min. at Ic-10uA; VCE-5.0V.
96	SP8411A	11	N-PL	Si	L8		Pc-30W; BVCEO-60V; hFE-60 min. at Ic-10uA; VCE-5.0V.
97	SP8412	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-150 min. at Ic-10uA; VCE-5.0V.
98	SP8412A	11	N-PL	Si	L8		Pc-30W; BVCEO-60V; hFE-150 min. at Ic-10uA; VCE-5.0V.
99	SP8413	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-60 min. at Ic-10uA; VCE-5.0V.
100	SP8413A	11	N-PL	Si	L8		Pc-30W; BVCEO-60V; hFE-60 min. at Ic-10uA; VCE-5.0V.
101	SP8414	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-150 min. at Ic-10uA; VCE-5.0V.
102	SP8414A	11	N-PL	Si	L8		Pc-30W; BVCEO-60V; hFE-150 min. at Ic-10uA; VCE-5.0V.
103	SP8588	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-60 min. at Ic-10uA; VCE-5.0V.
104	SP8588A	11	N-PL	Si	L8		Pc-30W; BVCEO-45V; hFE-150 min. at Ic-10uA; VCE-5.0V.
105	SST610	11	N-DM	Si	L3a		Darl. Ampl; Pc-50W max; BVCEO-60V; Ic-50A max; hFE-12000; Ic-50mA
106#	TA-D93	11	NPN	Ge	T05		Darlington Compound Amp; Pc-36W; BVCEO-45V; hFE min-5000 at 1.0mA.
107#	TAB101	11	NPN	Ge	L84		Pc-1W; VBE-5mV; hFE-20 min; ft-100MHz.
108#	TAD93	11	NPN	Si	T05		Darlington Compound Amp; Pc-360mW; BVCEO-45V; hFE min-5000 at 1.0mA.
109	TI155	11	N-D	Si	L3d		Pt-3W; BVCEO-120V; BVCEO-80V; Ic10A; hFE-1200
110	CG1	12	N	Si	TO18		Pd-500mW; BVCEO-35V min; hFE-50 at 1mA * 200 deg.C; ft-60Mc min.

13. MISCELLANEOUS TRANSISTORS

IN ORDER OF (1) CATEGORY & (2) TYPE No.

LINE No.	2] TYPE No.	1] CATEGORY	M A T	DWG. No.	L C E A D E	DESCRIPTION
		STRUC-TURE				
1	2N5276*	13	NΔ	Si	TO18	A∅ Post Rad. for ICBO-20uA max;hFE-20 min;VCE(sat)-1V max;all pulsed.
2	BR100A*	13	N	Si	R50	A∅ Max.Rad.Level-500T nvt;Post Rad. hFE-25;ICBO-1.0mA.
3	BR100C*	13	N	Si	TO59	A Max.Rad.Level-500T nvt;Post Rad. hFE-25;ICBO-1.0mA.
4	BR100E*	13	N	Si	MT50a	A∅ Max.Rad.Level-500T nvt;Post Rad. hFE-25;ICBO-1.0mA.
5	BR100F*	13	N	Si	MT50a	A Max.Rad.Level-500T nvt;Post Rad. hFE-25;ICBO-1.0mA.
6	BR101A*	13	N	Si	R50	A∅ Max.Rad.Level-500T nvt;Post Rad. hFE-15;ICBO-1.0mA.
7	BR101C*	13	N	Si	TO59	A Max.Rad.Level-500T nvt;Post Rad. hFE-15;ICBO-1.0mA.
8	BR101E*	13	N	Si	MT50a	A∅ Max.Rad.Level-500T nvt;Post Rad. hFE-15;ICBO-1.0mA.
9	BR101F*	13	N	Si	MT50a	A Max.Rad.Level-500T nvt;Post Rad. hFE-15;ICBO-1.0mA.
10	BR200A*	13	N	Si	MT50a	A∅ Post Radiation of 100T nvt;hFE-15 min;at VCE-5.0V.
11	BR200B*	13	N	Si	MT50a	A∅ Post Radiation of 100T nvt;hFE-15 min;at VCE-5.0V.
12	BR201A*	13	N	Si	MT50a	A∅ Post Radiation of 100T nvt;hFE-10 min;at VCE-5.0V.
13	BR201B*	13	N	Si	MT50a	A Post Radiation of 100T nvt;hFE-10 min;at VCE-5.0V.
14	NS9808*	13	N-PE	Si	TO60	A After irradiation of 100T n/cm.sq.;ICBO at 15V-30uA;hFE-10 min.
15	NS9809*	13	N-PE	Si	TO61	A After irradiation of 100T n/cm.sq.;ICBO at 20V-250uA;hFE-8.0 min.
16	NS9809A*	13	N-PE	Si	TO61	A Post Radiation of 300T NVT;ICBO at 20V-250uA;hFE-8.0 typ.
17	NS9726*	13	N-PE	Si	RC38w	A After irradiation: ICBO at 15V-10uA;Ft-600Mc;hFE-20 min.
18	RT10	13	N	Si	TO18	A Max Rad Level 1000T nvt;Post Rad Vp-10Vmax;IDSS-30%max;gfs-25%.
19	RT20	13	N-MOS	Si	TO18	A Max Rad Level 1000T nvt;Post Rad Vp-13Vmax;ΔIDSS-60%max.
20	V120RH*	13	NPL	Si	ZA15	A All parameters measured after 10kT nvt Irradiation

MANUFACTURERS AND THEIR ADDRESSES

Manufacturers in order of code letters

SPACE-SAVERS UTILIZED IN THIS MANUFACTURER LISTING

(*) — Manufacturer not a current commercial producer of transistors — address is that last recorded in our files. Company may or may not be active at this address.

see (code) — Indicates one or more of the following changes have occurred since original letter code was used: (1) Change of code; (2) Change of manufacturer name; (3) Purchase by or combination with another manufacturer.

- (*) **ADV** — **Advanced Research Assoc.**,
Box 68, Kensington, Md. 20795
- (*) **AEG** — **Allgemeine Elektricitaets - Gesellschaft**
— See TFKG
- AEIE** — **Assoc. Elec. Industries** — see AEIL
- (*) **AEIL** — **AEI-Thorn Semiconductors Ltd.**,
Carholm Road, Lincoln, England
- AKER** — **A/S Akers Electronics**, Forskningsvsn, 1,
Horten, Norway
- (*) **AME** — **Advanced Micro-Electronics**,
99 Bald Hill Road, Cranston, R. I. 02910
- (*) **AMF** — **American Machine & Foundry, Semicon. Dept.**,
P. O. Box 128, Vandalia, Ohio 45377
- AML** — **Amelco Semiconductor**,
P. O. Box 1030, Mountain View, Calif. 94040
- AMP** — **Amperex** — see APX
- ANOA** — **Anodeon Semiconductor Div.**
Hamilton St., Huntingdale, Victoria, Australia
- APX** — **Amperex Electronic Corp., Semicon. Div.**,
Slatersville, R. I. 02876
- ASC** — **American Semiconductor Corp.**,
4 North Hickory Ave., Arlington Heights,
Illinois 60004
- ASMB** — **Assoc. Semicon. Mfrs.** — see MULB
- ATEI** — **ATES**, via Tempesta 2, Milan, Italy
- ATLB** — **Associated Transistor Ltd.** — See MULB
- BACE** — **Bendix** — see BEN
- BELI** — **Bharat Electronics Limited**,
Jalahalli P. O., Bangalore 13, South India
- BEM** — **Bogue** — see BOG
- BEN** — **Bendix Semiconductor Division**
South Street, Holmdel, N. J. 07733
- BNT** — **Burns & Towne Inc.**,
18-36 Granite Street, Haverhill, Mass. 01830
- (*) **BOG** — **Bogue Electric Mfg. Co.**,
100 Pennsylvania Ave., Paterson, N. J. 07503
- BRDB** — **G. & E. Bradley** — see LUCB
- BRUB** — **Brush Clevite** — see STCB
- BTHB** — **British Thomson-Houston** — see AEIL
- (*) **BUR** — **Burroughs Electronic Components Div.**,
Mt. Bethel Road, Plainfield, New Jersey 07060
- (*) **CBS** — **CBS Electronics**,
900 Chelmsford Street, Lowell, Mass. 01851
- CDC** — **Continental Device Corp.**,
12515 Chadron Avenue, Hawthorne,
California 90250
- CDLF** — **Compagnie Industrielle Francaise Des Tubes
Electroniques**,
50 Rue J. P. Timbaud, Courbevoie 92, France
- (*) **CGEF** — **COMPELEC**, 13 Rue d'Enghien, Paris 10, France
- CLE** — **Clevite** — see ITT
- CNS** — **Continental Semi-Conductor Inc.**,
59 Central Avenue, East Farmingdale,
New York 11735
- (*) **CPC** — **C. P. Clare Transistor Corp.**,
260 Glen Head Road, Glen Head,
Long Island, New York 11545
- CRY** — **Crystalonics**,
147 Sherman St., Cambridge, Mass. 02140
- CSC** — **Clark Semicon.** — see NSC
- CSF** — **American Radio Co., Inc.**
445 Park Avenue, New York, N. Y. 10022
- DEL** — **Delco Radio Div.**,
G. M. C., Kokomo, Indiana 46901
- DES** — **Delta Semiconductors**,
225 Pularino Ave., Costa Mesa, Calif. 92626
- DETM** — **Delsa-Toshiba S. A.**,
Calzada Aurora No. 303, Cuautitlan,
Edo de Mexico
- DIC** — **Dickson Electronics Corp.**,
310 South Wells Fargo Avenue, Scottsdale,
Arizona 85252
- (*) **EBAS** — **Ebauches S. A.**,
Faubourg Hopital 1, Neuchatel, Switzerland
- ECD** — **United Aircraft Corp.,
Electronic Components Div.**,
Trevose, Penna. 19047
- (*) **EEVB** — **English Electric Valve Co.**,
Waterhouse Lane, Chelmsford, England
- (*) **ELBR** — **Electronica Nacional Braileira**,
525 Rua Thiers, Sao Paulo, Brazil
- (*) **ELE** — **Electromation Co.**,
4254 Glencoe Ave., Venice, Calif. 90291
- ETC** — **Electronic Transistors Corp.**,
153-13 Northern Blvd., Flushing, N. Y. 11354
- FCAJ** — **Fujitsu Ltd.**, 1015 Kamikodanaka,
Kawasaki City, Kanagawa, Japan
- FERB** — **Ferranti Ltd.**,
Gem Mill, Chadderton, Oldham, Lancs., England
- FSC** — **Fairchild Semiconductor**,
313 Fairchild Dr., Mountain View, Calif. 94040
- (*) **FTC** — **Fanon Transistor Corp.**,
439 Frelinghuysen Ave., Newark, N. J. 07114
- FTHF** — **French Thomson-Houston** — see SESC
- GECB** — **General Electric Ltd.** — see MULB
- (*) **GEM** — **Great Eastern Mfg. Co.**,
163 Remsen Ave., Brooklyn, N. Y. 11212
- GESY** — **General Electric Company**,
Semiconductor Products Dept.,
Electronic Comp. Div.,
Northern Lights, Syracuse, N. Y. 13201
- GIC** — **General Instrument Corporation**,
P. O. Box 600, Hicksville, New York 11802
- GME** — **General Micro-Electronics** — See PHIL
- GSI** — **General Sensors**,
P. O. Box 231, Athens, Texas 75751
- GTC** — **General Transistor** — see GIC
- HAC** — **Hughes Aircraft** — see HUG
- HITJ** — **Hitachi, Ltd.**, Nippon Building No. 8, 2-chome,
Ohtemachi, Chiyoda-ku, Tokyo, Japan
- (*) **HIVB** — **Hivac Ltd.**, Stonefield Way, Victoria Road
South Ruislip, England
- HON** — **Honeywell Inc.** — See SOD
- HPA** — **HP Associates**,
620 Page Mill Road, Palo Alto, Calif. 94304

Manufacturers continued

- HSC** — **Helios Semiconductor Company**,
500 Dyer Road, Santa Clara, California 92707
- (*) **HSD** — **Hoffman Semiconductor**,
1001 Arden Drive, El Monte, Calif. 91731
- (*) **HSDC** — **Hoffman Semiconductor** — See HSD
- (*) **HUG** — **Hughes Aircraft Co.**,
P. O. Box 278 Newport Beach, Calif. 92663
- HUGS** — **Hughes International (U.K.) Ltd.**,
Glenrothes, Fife, Scotland
- IDC** — **International Diode Corp.**,
90 Forrest Street, Jersey City, N. J. 07304
- INRC** — **International Rectifier Corporation**,
233 Kansas Street, El Segundo, Calif. 90245
- INTG** — **Intermetall Halbleiterwerk der**,
Deutsche ITT - Ind. GmbH, Germany
- ITC** — **Industro Transistor Corp.**,
35-10 36th Ave., Long Island City, N. Y. 11106
- ITT** — **ITT Semiconductors**,
3301 Electronics Way, West Palm Beach,
Florida 33047
- KMC** — **KMC Semiconductor Corp.**,
Parker Road, R. D. 2, Long Valley, N. J. 07853
- (*) **KOKJ** — **Kobe Kogyo Corp.**, Hyogo-ku, Kobe, Japan
- KSC** — **KSC Semiconductor Corp.**,
KSC Way (Katrina Road), Chelmsford,
Massachusetts 01824
- (*) **LCTF** — **Laboratoire Central de Telecommunications**,
46 Avenue de Breteuil, Paris 7e, France
- LTF** — **Lignes Telegraphiques & Telephoniques**,
Conflans-Sainte-Honorine (Seine Et Oise) France
- LUCB** — **Joseph Lucas (ELEC.), Ltd.**
Mere Green Works, Mere Green Road
Four Oaks, Sutton Coldfield
Warwickshire, England
- (*) **MAL** — **P. R. Mallory & Co.**, Indianapolis, Ind. 62832
- MATJ** — **Matsushita Electronics Corp.**,
Saiwaicho 1-1 Takatsuki, Osaka, Japan
- (*) **MIC** — **Microwave Associates**,
Burlington, Mass. 01803
- MIFI** — **Microfarad** — see MISI
- MIN** — **Honeywell** — see HON
- MINA** — **Miniwatt Electronics Div.**,
Philips Electrical Pty. Ltd.,
20 Herbert St., Artarmon, N. S. W., Australia
- MISI** — **MISTRAL**, via Carnevali 113, Milan, Italy
- MITJ** — **Mitsubishi Electric Corp.**, 2-12 Marunouchi,
Chiyoda-ku, Tokyo, Japan
- MOTA** — **Motorola Semiconductor Products**,
5005 E. McDowell Road, Phoenix, Ariz. 85005
- (*) **MSC** — **MicroSemiconductor Corp.**,
11250 Playa Court, Culver City, Calif. 90230
- MST** — **M. S. Transistor Corp.**, 80-02 51st Avenue,
Elmhurst, New York 11373
- MULB** — **Mullard Ltd.**, Mullard House,
Torrington Place, London W.C. 1, England
- (*) **NAC** — **National Aircraft Corp.**,
3411 Tulare Ave., Burbank, Calif. 91502
- NAS** — **National Semicon.** — see NSC
- NECJ** — **Nippon Electric Co.**,
1753 Shimonumabe, Kawasaki City, Japan
- NIPJ** — **Nippon Electric Co.**, — See NECJ
- (*) **NORC** — **Northern Electric Co.**, Advance Devices Centre,
75 Moodie Drive, Ottawa, Ontario, Canada
- NPC** — **Nucleonic Products Co.**,
3133 E. 12th St., Los Angeles, Calif. 90023
- NSC** — **National Semiconductor Corporation**,
2975 San Ysidro Way, Santa Clara,
California 95051
- NTLB** — **Newmarket Transistors Ltd.**,
Exning Road, New Market, England
- PHIC** — **Philips Electron Devices Ltd.**, 116 Vanderhoof
Ave., Toronto, Ontario, Canada
- PHIL** — **Philco Corp.**, Micro-Electronics Div.,
2920 San Ysidro Way, Santa Clara,
California 95051
- PHIN** — **Philips Gloeilampenfabrieken**,
Eindhoven, Netherlands
- PIR** — **Pirgo Electronics, Inc.**,
P. O. Box 397, Farmingdale, Long Island,
New York 11735
- PPC** — **Power Physics Corporation**,
Industrial Way West, P. O. Box 626,
Eatontown, New Jersey 07724
- PSI** — **TRW Semicon.** — see TRW
- QDC** — **Qualidyne Corporation**,
3699 Tahoe Way, Santa Clara, Calif. 95051
- RADF** — **La Radiotechnique**, Div. Tubes Electroniques,
130 Avenue Ledru Rolin, Paris 11e, France
- (*) **RAU** — **The Rauland Corp.**,
4245 N. Knox Ave., Chicago, Ill. 60630
- RAYI** — **Raytheon-Elsi**,
via Villagrazia 79, Palermo, Italy
- RAYN** — **Raytheon Semiconductor Div.**,
350 Ellis St., Mountain View, Calif. 94040
- RCA** — **R. C. A. Electronic Components & Devices**,
Somerville, New Jersey 08876
- (*) **RCAC** — **RCA Victor Co. Ltd.**, 1001 Lenoir St.,
Montreal, Quebec, Canada
- RCAS** — **R. C. A.** — see RCA
- RHE** — **Rheem Semicon.** — see RAYN
- ROSG** — **Dr. Ing. Rudolph Rost**,
Ubbenstrasse 21, Hanover 1, Germany
- SAKJ** — **Sanken Electric Co.**, 1-22-8 Nishi-Ikebukuro,
Toshima-ku, Tokyo, Japan
- SANJ** — **Tokyo Sanyo** — see TSAJ
- SEC** — **Seco Electronics Division** — See SIL
- SELB** — **Semiconductor Division, Plessey Company, Ltd.**,
Cheney Manor, Swindon, Wiltshire, England
- (*) **SELG** — **Standard Elektrik Lorenz**, Gerschaeftsbereich
Bauemente, 66 Platenstrasse, 85 Nuremberg,
Germany
- (*) **SEM** — **Semi-Elements, Inc.**
Saxonburg Blvd., Saxonburg, Penna. 16056
- SES** — **Semitronics Corporation**,
265 Canal Street, New York, N. Y. 10013
- SESC** — **SESCO**, 41 Rue de l'Amiral-Mouchez,
Paris 13e, France
- SGSI** — **Societa Generale Semiconduttori SpA SGS**,
Via C. Olivetti 1, Agrate, Milano, Italy
- SLA** — **Slater Electric Inc.**, Semiconductor Division,
45 Sea Cliff Ave., Glen Cove, New York 11542
- SLCB** — **Semitron Limited**,
Cricklade, Wiltshire, England
- SHEJ** — **Shindengen Electric Mfg. Co.**, 4, 2-Chome
Ohtemachi, Chiyoda-ku, Toyko, Japan
- SHWG** — **Siemens Aktiengesellschaft**, Balanstrasse 73,
8000 Munich 8, Germany
- SIHG** — **Siemens & Halske Aktiengesellschaft**
— See SHWG
- SIL** — **Silicon Transistor Corp.**,
East Gate Blvd., Garden City, N. Y. 11532
- SIX** — **Siliconix**,
1140 W. Evelyn Ave., Sunnyvale, Calif. 94086

Manufacturers continued

- SOA** — **Semicoa**, 940 South Ajax Avenue,
City of Industry, California 91744
- SOD** — **Solitron Devices, Inc.**,
1177 Blue Heron Blvd., Riviera Beach,
Florida 33404
- (*) **SOI** — **Semi-Onics**, 4 Broadway, Lowell, Mass. 01854
- SOIF** — **Soc. Industriel des Liaisons Electriques**,
64 bis Rue de Monceau, Paris 8e, France
- SONY** — **Sony Corp.**, 14 Asahi-Cho-4, Atsugi-Shi,
Kanagawa-Ken, Japan
- SPC** — **Solid Power Corporation**,
440 Eastern Parkway, Farmingdale,
New York 11735
- SPR** — **Sprague Electric Co.**, North Adams, Mass. 01247
- SSD** — **Sperry Semiconductor** — See SOD
- SSE** — **Solid State Electronics Co.**,
15321 Rayen St., Sepulveda, Calif. 91343
- SSI** — **Solid State Devices Inc.**,
12741 Los Nietos Road, Santa Fe, Calif. 90670
- SSP** — **Solid State Products**,
1 Pingree St., Salem, Mass. 01970
- SSS** — **Solid State Scientific Corporation**,
Montgomeryville Industrial Center,
Montgomeryville, Pennsylvania 18936
- STAG** — **Tekade** — see TKAD
- (*) **STCA** — **Standard Tels. & Cables Pty. Ltd.**,
252 Botany Rd. Alex., Sydney, Australia
- STCB** — **S.T.C. Semiconductors Ltd.**,
Footscray, Sidcup, Kent, England
- STL** — **Stow Laboratories, Inc.**,
Barton Road, Stow, Massachusetts 01775
- (*) **SYL** — **Sylvania Semiconductor**,
100 Sylvan Road, Woburn, Mass. 01801
- SUH** — **Siemens Aktiengesellschaft** — See SHWG
- TADI** — **Tadiran**,
3, Derech Hashalom, Tel-Aviv, Israel
- TAGS** — **Transistor AG**, Hohlstrasse 610,
Zurich 9, Switzerland
- TEC** — **Transitron Electronic Corp.**,
168 Albion St., Wakefield, Mass. 01880
- TEK** — **Trans-Tek Manufacturing Company**
4405 South Clinton Avenue, South Plainfield,
New Jersey 07080
- TFKG** — **Allgemeine Elektricitats-Gesellschaft**
AEG Telefunken,
71 Heilbronn (Neckar), Postfach 1042,
West Germany
- THOB** — **Thorn-AEI** — See AEIL
- TII** — **Texas Instruments Inc., Components Group**,
P. O. Box 5012, Dallas, Texas 75222
- TIIB** — **Texas Instruments Ltd.**,
Manton Lane, Bedford, England
- TIIF** — **Texas Instruments France**,
Villeneuve-Loubet (A.M.), France
- (*) **TKAD** — **Tekade**,
Schliessfach 870, Nurnberg 2, Germany
- TOSJ** — **Tokyo Shibaura Electric Co.**,
1 Komukaitoshiba Cho, Kawasaki, Japan
- TRW** — **TRW Semiconductors**,
14520 Aviation Blvd., Lawndale, Calif. 90260
- TSAJ** — **Tokyo Sanyo Electric Co.**,
Oizumimachi, Orangun Gumma, Japan
- TSE** — **Tung-Sol** — see TUNE
- TTKJ** — **Tokyo Tsushin** — see SONY
- (*) **TUNE** — **Tung-Sol Electric**,
545 N. Arlington Ave., E. Orange, N. J. 07017
- (*) **TYC** — **Tyco Semicon. Corp.**,
Bear Hill, Waltham, Mass. 02154
- UCC** — **Union Carbide Linde Div.**,
365 Middlefield Road, Mountain View,
California 94040
- UEHK** — **Micro Electronics Ltd.**, Kwun Tong, Hong Kong
- (*) **UST** — **U. S. Transistor Corp.**,
149 Eileen Way, Syosset, N. Y. 11791
- VALG** — **VALVO**, Hamburg 1, Germany
- (*) **VANN** — **Van Der Heem NV**,
Maanweg 156, The Hague, Netherlands
- VSS** — **Vector Solid State Labs.** — See ECD
- (*) **WEC** — **Western Electric Co.**,
Marion & Vine Sts., Laureldale, Pa. 19605
- WESY** — **Westinghouse Semiconductor Dept.**,
Youngwood, Pa. 15697
- WTC** — **Western Transistor Corp.**,
11518 Federal Drive, El Monte, Calif. 91731
- (*) **YECJ** — **Yaou Electric Co.**,
1116 Suenaga, Kawasaki, Kanagawa, Japan

NOTES

We feel you may have some useful comments which deserve consideration for future editions. Please complete and return to us the **User Feedback Card** which you will find inside front cover.

THESE ARE THE D.A.T.A.B O O K S

. . . Convenient Order Card at Front of this D.A.T.A.B O O K . . .

E LINEAR INTEGRATED CIRCUIT D.A.T.A.B O O K

Covers the current linear IC's of all manufacturers throughout the world. First semiannual complete edition Spring 1969.

Contents

Type Number Cross Index
Technical Data Sections
Operational and Differential Amplifiers
Audio Amplifiers
Wideband Amplifiers
RF/IF Amplifiers
Voltage Regulators
Misc. Linear IC's
Circuit Drawing Section
Outline Drawing Section
Manufacturers and Their Type Numbers

One-Year Subscription:
\$24.50 U. S. & Canada
\$25.00 Elsewhere

A TRANSISTOR D.A.T.A.B O O K

Covers the current transistors of all manufacturers throughout the world. Completely updated semiannually since 1956.

Contents

Type Number Cross Index
Technical Data Sections
Low-Power Germanium PNP
Low-Power Germanium NPN
Low-Power Silicon PNP
Low-Power FET's, P-Channel
Low-Power Silicon NPN
Low-Power FET's, N-Channel
High-Power Germanium PNP
High-Power Germanium NPN
High-Power Silicon PNP
High-Power Silicon NPN

Tech. Data Sections (contd.)
Switching
Misc. Transistors
Outline Drawing Section,
incl. LeadCodes
U.S. MIL Spec. Transistors
Manufacturers and Their
Type Numbers
Manufacturers' Local Offices
Mounting Hardware Manufac-
turers' Local Offices

One-Year Subscription:
\$34.50 U. S. & Canada
\$35.50 Elsewhere

B SEMICON. DIODE & SCR D.A.T.A.B O O K

Covers the current diodes & SCR's of all manufacturers throughout the world. Completely updated semiannually since 1957.

Contents

Type Number Cross Index
Technical Data Sections
Silicon Reference Diodes
Diodes
Switching Diodes
Rectifiers
SCR's
Misc. Silicon PNP Devices
Microwave Mixer Diodes
Microwave Video Detector
Diodes
Voltage Variable Capacitors
& Varactor Diodes

Tech. Data Sections (contd.)
Tunnel Diodes
Miscellaneous Diodes
Outline Drawing Section
U.S. MIL Spec. Diodes & SCR's
Manufacturers and Their
Type Numbers
Manufacturers' Local Offices
Mounting Hardware Manufac-
turers' Local Offices

One-Year Subscription:
\$42.50 U. S. & Canada
\$44.50 Elsewhere

C DIGITAL INTEGRATED CIRCUIT D.A.T.A.B O O K

Covers the current digital IC's of all manufacturers throughout the world. Completely updated semiannually since 1965.

Contents

Type Number Cross Index
Technical Data Sections
Binary or Flip-Flops
Clocks or Multivibrators
Counters
Decoders
Gates
Shift Registers
Time Delays
Misc. Digital IC's

Circuit Drawing Section
Outline Drawing Section
Manufacturers and Their
Type Numbers
Manufacturers' Local Offices

One-Year Subscription:
\$33.50 U. S. & Canada
\$34.50 Elsewhere

D DISCONTINUED TRANSISTOR D.A.T.A.B O O K

Covers the discontinued transistors of all present and past manufacturers throughout the world. Completely and cumulatively updated annually since 1965.

Contents

Type Number Cross Index
Technical Data Sections
Low-Power Germanium PNP
Low-Power Germanium NPN
Low-Power Silicon PNP
Low-Power FET's, P-Channel
Low-Power Silicon NPN
Low-Power FET's, N-Channel

Tech. Data Sections (contd.)
High-Power Germanium PNP
High-Power Germanium NPN
High-Power Silicon PNP
High-Power Silicon NPN
Switching
Misc. Transistors
Ex-Manufacturers & Addresses

Annual Edition:
\$16.00 U. S. & Canada
\$16.25 Elsewhere

F MICROWAVE TUBE D.A.T.A.B O O K

Covers the current microwave tubes of all manufacturers throughout the world. Completely updated semiannually since 1958.

Contents

Type Number Cross Index
Technical Data Sections
BWT's FWT's TWT's Crossed-Field
Amplifiers & Noise Generators Helitrons
. . . . Klystrons Magnetrons Platinotrons
(including weights)
U. S. MIL Spec. Microwave Tubes
Manufacturers and Their Type Numbers
Manufacturers' Local Offices

One-Year Subscription:
\$24.50 U. S. & Canada
\$25.00 Elsewhere


Compiled, Organized & Published by:

D.A.T.A. inc.

32 Lincoln Avenue, Orange, N. J. 07050

Telephone: (201) 673-8030 TWX: 710-994-5839

**D.A.T.A.BOOK
OF
DISCONTINUED
TRANSISTORS**



D.A.T.A. INC.