

Small Business Computer Specifications

From their humble beginnings as the electronic accounting machines of the 1960's, small business computers have grown into a billion-dollar market. Users, who at one time had only a few vendors to investigate, are now faced with a seemingly never-ending list. If the current trends of steadily increasing performance and decreasing price continue, that list could grow even longer, and the installed population of these systems should continue to increase dramatically. The small business computer will no longer be an unaffordable luxury; it will be a common sight in most small businesses, perhaps as commonplace as an office copier or telephone switchboard. The ever-increasing costs and complexities of doing business are forcing small businessmen to find new ways to cut their labor costs and gain tighter control over their operations—and a wisely chosen small computer can help immeasurably in both these critical areas.

In price and performance, the small business computers span a wide range that fills the gap between conventional accounting machines at one extreme and medium-scale computer systems at the other. Though the current small business systems differ widely in their architecture, data formats, peripheral equipment, and software, they are generally characterized by purchase prices in the \$5,000 to \$100,000 range and by a strong orientation, in both their equipment and software, toward conventional business data processing applications.

In its basic configuration, today's small business computer system typically consists of a keyboard/CRT unit for data entry (cards, floppy disks, or cassettes may also be used), a processor with about 8K bytes of memory, a disk unit for file storage, and a serial printer with a speed of about 30 characters per second. From there, the only way to go is upward: more memory, additional peripheral devices, faster printers, etc.—as far as your wallet will allow you to go.


The current products of 89 suppliers of small business computers are represented in this comprehensive report. Detailed characteristics, features, and prices of 249 systems are presented in convenient comparison chart form. In addition, the report includes buying hints and discussions of new technologies.

These low-cost business data processing systems are known by various names, such as business minicomputers, electronic accounting machines, office computers, electronic billing computers, or magnetic record computers. To simplify matters, we have chosen to use the term "small business computers" (SBC's) throughout this report.

This report is designed to bring you, in concise comparison-chart form, the up-to-date hardware and software characteristics of nearly all the small business computer systems that are currently being marketed in the United States. For guidance in selecting and acquiring the particular system that will best meet your needs, we urge you to consult Report M07-100-201, *Selection and Installation of Business Minicomputers*. Also keep in mind that DATAPRO REPORTS ON MINICOMPUTERS also contains detailed individual reports on most of the popular business minicomputer systems, as listed in the Index or Table of Contents.

The Small Business Computer Marketplace

The small business computer market is served by four distinct types of vendors. The first type is the "Fortune 500" companies such as Burroughs, Honeywell, IBM, Litton, NCR, and Sperry Rand, all of whom have vast product lines and resources. For these companies, the



Logical Machine Corporation's Adam is an innovative product billed as "the first truly programmerless business data processing system." A highly interactive software monitor constantly prompts the user, simplifying the programming process and ensuring recovery from most user mistakes. A minimum Adam configuration consists of a central processor with 32K bytes of memory, a 24-by-80-character CRT display/keyboard, a 10-megabyte cartridge disk drive, and a 165-cps serial printer. The basic system is priced at \$39,995, with maintenance costing approximately \$200 per month.

Small Business Computer Specifications

➤ small business computer is just one of a broad line of products (although in the cases of NCR and Burroughs, business minicomputers now account for a very sizeable portion of total corporate sales revenues).

A second group consists of minicomputer manufacturers such as Digital Equipment Corporation (DEC), Data General, Computer Automation, Harris, Hewlett-Packard, Microdata, Wang Laboratories, and others. This group has watched the small business computer marketplace mushroom in size, and now wants a piece of the action. Their answer to this segment of the marketplace is a packaged configuration consisting of a minicomputer and associated peripherals from their current product line, usually accompanied by some applications software. Most minicomputer vendors also offer assemblers and compilers for the user who wants to do his own programming or solve business problems that cannot be handled by packaged software.

System houses or turnkey vendors, such as Basic/Four, Mini-Computer Systems, Qantel, STC Systems, and many others, comprise the third group of suppliers of small business computers. This group is very similar to the second group except that the turnkey vendors generally buy minicomputers and/or peripheral devices from the manufacturers, package the configurations, and supply their own software. The prime appeal of a full turnkey system is that all software is written by the vendor; therefore, the user is not required to employ a high-priced programming staff.

Microcomputer companies are beginning to appear on the scene as the fourth group of SBC suppliers. Companies such as Applied Data Communications, Applied Systems Corporation, Cado Systems Corporation, Wintex Computer Corporation, and others are now offering microprocessor-based small business systems that sell for \$20,000 or less. This group is still in its infancy, but seems destined to be a major force in the SBC marketplace in the near future.

Most of the current members of the last two groups sell small business computers and services exclusively, and in many cases are themselves small businesses. However, what they lack in size and resources is often more than compensated for by their quick reaction time to problems, general expertise, and eagerness to satisfy.

IBM, a long-time laggard in the small business computer sector of the EDP marketplace, has climbed into its accustomed position of market leadership during the last few years on the strength of two highly significant product offerings: the System/3 and the System/32.

The IBM System/3, introduced in 1969, is a strong entry at the upper end of the SBC market segment. It is offered in numerous models at system purchase prices ranging

from about \$40,000 to more than \$300,000. With well over 30,000 installations worldwide, the System/3 ranks as one of the fastest-selling computers in history.


The newer IBM System/32, unveiled in January 1975, is the smallest and lowest-priced general business computer ever announced by the industry giant. All components of the System/32—processor, main storage, keyboard, display, printer, disk storage unit, and diskette drive—are housed in a single compact, desk-sized cabinet. What's more, IBM is billing the System/32 as a "programmer-less" machine whose software, for most users, will consist entirely of preprogrammed Industry Application Packages supplied by IBM. With equipment purchase prices beginning at \$33,560 and monthly rentals (on a 3-year lease) beginning at \$680, the System/32 has already convinced thousands of small businesses that it's time to take their first step into computer usage. The availability of the System/32, backed by IBM's powerful marketing forces, has substantially enlarged the total market for small business computers and appears to be generating increased sales for both IBM and many of its competitors.

The IBM System/34, just introduced in April 1977, represents the next logical step in IBM's succession of small business computer systems. As compared with the System/32, the new system features more processing power, larger memory capacity, larger disk storage capacity, and the ability to attach up to seven additional independent multiprogramming workstations to the basic system. This last feature is the most significant difference between the two systems, since the biggest single drawback to the System/32 for most potential users has been the fact that it is rigidly restricted to serving one user at a time. Thus, with the System/34, IBM has strongly endorsed the concept of multi-user, multi-terminal SBC systems of the type that have long been offered, with considerable success, by vendors such as Basic Four, Datapoint, and Microdata.

Burroughs and NCR, the perennial leaders in the SBC marketplace until the recent IBM onslaught, are still strong contenders. Both firms offer a broad range of products backed by extensive marketing and service organizations.

Sperry Rand is the latest of the "Fortune 500" companies to announce a bold thrust into the SBC market. The firm's Sperry Univac Division, which had long lacked an effective SBC to complement its strong line of larger computers, corrected that oversight by introducing the Univac BC/7 in January 1977. A cardless system designed for turnkey operations, the BC/7 can consist of a processor with 32K, 48K, or 64K bytes of MOS main memory; an operator's console; up to four workstations, each with CRT display and optional non-impact page printer; up to 3 million bytes of floppy disk storage; up to 40 million bytes of cartridge disk storage; one or two tape drives; ➤

Small Business Computer Specifications



The IBM System/34 is a multi-workstation system and the newest in the IBM family of small business computers. Whereas IBM's popular System/32 is restricted to serving only one user at a time, the System/34 can handle up to eight independently functioning users plus a background output spooling task. The three-workstation system pictured has a purchase price of \$59,720.

▷ and one or two printers. Purchase prices for the BC/7 packaged systems range from about \$17,000 up to about \$43,000. Sperry Univac's new commitment to the SBC field is underscored by the fact that at the time of the BC/7 announcement, nearly \$25 million had already been invested in the associated organization, facilities, people, and product. Then, in June 1977, Sperry Univac purchased Varian Data Machines, a major manufacturer of minicomputers since 1967. There's little doubt that the technology developed by Varian will show up in future Univac offerings in the small business computer marketplace.

Digital Equipment Corporation, the leading builder of scientific minicomputers, offers business-oriented users its Datasystem 300 and 500 Series systems based upon the popular DEC PDP-8 and PDP-11 minicomputers. In January 1975, just 10 days after IBM introduced its System/32, DEC countered with the Datasystem 310, a complete business data processing system priced at just \$14,095. The basic Datasystem 310 includes a PDP-8/A minicomputer with 8,192 12-bit words of core storage, two diskette ("floppy disk") drives, CRT display unit, and typewriter-style keyboard. Optional extras include a printer, a communications interface, and expanded main or diskette storage. DEC is marketing the Datasystem 310 in two ways: directly to end users who are prepared to write their own applications programs, and through a distributorship network of software houses that will do the applications programming for less sophisticated users.

Hewlett-Packard, General Automation, Harris, and Microdata are other major suppliers of scientific minicomputers that now offer "packaged" hardware/software configurations oriented toward business data processing applications.

European-made equipment is making a much greater impact upon the small business computer market than in any other segment of the U.S. computer market.

Honeywell, International Computers Limited, Olivetti, Philips, and Nixdorf are marketing equipment which they manufacture in France, Great Britain, Italy, the Netherlands, and Germany, respectively.

Buying Guidance

As with all categories of data processing equipment, the watchword in selecting a small business computer is "Buyer beware." These machines come in a wide range of types, sizes, and capabilities—with price tags to match—and there's a great deal to be gained through systematic selection of the most appropriate system for your particular needs.


But all too often, the buyers of this class of equipment have little or no understanding of data processing principles and are likely to buy the wares of the salesman who arrives first or sells hardest.

No company should *ever* buy a computer from the first salesman who comes through the door. It's always far wiser to check out the offerings of at least a few of the other major suppliers, and you shouldn't hesitate to play one vendor against another in an effort to get the most for your money. Just remember that all promises of extra software, technical support, or other concessions should be specifically included in the final contract.

Before seriously considering the acquisition of any business minicomputer, you should demand:

- Detailed specifications of all the pertinent hardware and software.
- A full-scale demonstration of the equipment on at least one of your own principal applications—or, if that's not practical, on a demonstration program whose functions are similar enough to your own needs so that you can draw realistic conclusions about the system's

Small Business Computer Specifications



Distribution Management Systems' DMS 1000 is a purchase-only turn-key system built upon the DEC PDP-8/e minicomputer. Featuring COBOL, FORTRAN, BASIC and Assembler languages, the system in a basic configuration can be purchased for \$65,500. The operating system supplied with the DMS 1000 allows main memory to be partitioned to handle up to 30 users simultaneously.

- ▷ processing speed and ease of programming and operation.
- A detailed proposal that spells out exactly what *equipment, software, and technical support* will be supplied, estimated processing times for each of your applications, all responsibilities of both the vendor and the buyer, and the total purchase price or monthly rental price.
- A list of users in your geographical area who are employing the system for applications similar to yours. Talk to several of these users and find out as much as you can about their experiences. While they may not be able to give you much help in developing a sophisticated comparison to other alternative systems, they *can* give you a good idea of what pitfalls to watch out for in installing and using that particular system.

A critically important area to be evaluated is *software*—the programming packages and languages used to program the computer and thereby direct its operations. It is important that you carefully investigate the available software. This investigation should include the programming languages, preprogrammed utility packages such as sorts and file maintenance, and application packages such as payroll, inventory, control, general ledger, etc.

Vendors' claims and promises concerning the availability and capability of software should be carefully checked. This is particularly true of software that has been announced but not yet released. Vendors have frequently failed to live up to their marketing publicity.

Since SBC users typically start with no programming staffs of their own, it is important that appropriate program packages be available to fit your specific requirements. If not, you should require the vendor to take on full responsibility to write and test the initial programs you'll need. Otherwise, you'll have to either recruit and train your own programmers or pay an outside software firm to develop your programs. If not kept under strictest control, software costs can accumulate until they equal, or even exceed, hardware costs. Potential dollar savings can be quickly devoured by software costs.

The availability of reliable and qualified vendor support for both equipment maintenance and software aid is another vitally important factor in the business minicomputer environment. The limited resources generally available to small computer users make you depend heavily on your vendor for such assistance. In many cases the vendor will even design the initial system and make any required changes to his program packages for you. Thus, the ability of the vendor to render competent and continuing service in these matters is a vital concern to you.

Some vendors do not offer equipment maintenance and/or software to complement their hardware offerings. In this case, the user must deal with independent firms in order to complete the package. In one respect this is good, because overall costs may well be lower. However, when a problem occurs, the finger-pointing game can begin: one vendor blaming the other for the system's malfunction. Fortunately, this kind of reaction is in the minority, and despite the potential for problems, the multi-vendor approach can work well. If it didn't, the independent equipment maintenance and software firms would disappear, and that just isn't happening.

Most potential users of an SBC naturally raise the question of purchase versus lease. The single most important consideration is the length of time that this particular system is likely to be able to handle the data processing requirements of your company. Is there room for system expansion, with regard to both the processor and the peripherals, or is this the top of the line? In most cases, it is not a wise decision to make your first system the most powerful system offered by a particular vendor. If your company's operations expand, how will you expand the system? Will you have to acquire a new and more expensive processor? Or, worse yet, will you have to change vendors? Generally, if you are confident that a particular system can handle your data processing needs for five years or more, then purchasing the system will be advantageous. However, if you have selected the top of the line or if there are fewer than five years of potential life in the system, you will probably be better off to lease. ▷

Small Business Computer Specifications

➤ For a detailed discussion of all the aspects of selecting, acquiring, installing, and converting to a low-cost business data processing system, be sure to see Report M07-100-201, *Selection and Installation of Business Minicomputers*.

Alternatives

There are several other alternatives you might want to consider before deciding that a small computer system is the answer to all your problems. Many small companies (fewer than 200 employees and sales of less than \$5 million) have selected programmable calculators, computer service bureaus, or time-sharing companies to provide the same or comparable services. Each user must decide which alternative provides the most cost-effective solution to his problems. Beyond that, decisions must be made regarding expandability, flexibility, ease of operation, reliability, turnaround time, compatibility with present operations, and the desirability of keeping all operations in-house. After careful consideration is given to these aspects and any other factors peculiar to your operations, an informed decision can be made as to which approach will work best in your company.

The Comparison Charts

The principal characteristics of 249 small business computers from 89 vendors are presented in the accompanying comparison charts. All of these systems are currently being marketed in the United States. Nearly all of the information in the charts was supplied and/or verified by the manufacturers or U.S. suppliers during June and July 1977; their close cooperation with the Datapro Research staff in the preparation of these charts is gratefully acknowledged.

No report on today's small business computers could be totally complete. The field of suppliers is just too large and growing too fast. We have, however, made every reasonable effort to include all of the major suppliers and a high proportion of the smaller ones as well. The absence of any company's products from these comparison charts means either that the company was unknown to us or that it failed to respond to our repeated requests for information.

The comparison chart entries and their significance to potential users of small business computers are explained in the following paragraphs, together with some useful guidelines for selecting the equipment that will most effectively meet your needs.

Data Formats

This section of the comparison charts describes the formats used to store and process data within each system.

Word length is the number of bits (binary digits) of data that can be stored in or retrieved from the internal storage

unit during a single cycle. Some SBC's have a "fixed word length," meaning that each machine word or operand always has the same number of bits, digits, or characters. Others have a "variable word length," meaning that their operands may consist of a variable number of bits, digits, or characters. In the latter case, the "word length" entry shows the number of data bits used to represent each byte or character within the variable-length operands.

Digits per word is the number of decimal digits that can be represented within each machine word as defined above. At least four binary bits are required to represent each decimal digit, and in some systems six or eight bits are used.

Bytes (characters) per word is the number of alphanumeric characters that can be represented within each machine word as defined above. Most systems use either six or eight bits to represent each character.

Operand length is the length of each data element upon which such basic internal processing operations as addition and subtraction are performed. Fixed-word-length computers usually have an operand length of one word. For variable-word-length computers, the ranges of permissible operand lengths for addition and subtraction are shown.

Instruction length is the number of words (or bits) used to specify each operation to be performed by the system. In general, each instruction indicates the specific operation to be executed (add, multiply, move, print, etc.) and the storage locations of one or more of the operands involved.

CPU

Model indicates the manufacturer and model of the minicomputer used as the system's central processing unit (CPU). In some cases this entry will be identical with the entry at the top of the chart; however, in the case of a packaged turnkey system, the entries will differ.

Add time is the time required, in microseconds, to develop the arithmetic sum of two operands. It is a widely used measure of computer performance—but a figure that turns out to be of comparatively little importance in the selection of many SBC's. The reason is that the overall speed of many of these systems is largely determined by the operator's keying speed. Add times for the systems covered in our survey span the range from a few microseconds to more than half a second—yet in many applications the key question is still whether the operator can "beat the machine." If not, the machine is probably as fast as it needs to be for these keyboard-oriented business applications. (It should be noted that for larger equipment configurations, in applications where there are two or more operators at separate terminals or where the transaction data is prerecorded on cards, or tape, add times—and internal speeds in general—become highly significant considerations.) ➤

Small Business Computer Specifications

▷ *Number of programmable registers.* A register is a device that stores a small quantity of data (usually one word) and serves some special purpose. Most computers have one or more accumulators (in which arithmetic operations are performed), an instruction register, and a sequence counter. Multiple registers can facilitate programming and increase program execution speeds. In many small computers, reserved locations in internal storage, rather than special hardware elements, serve as registers in order to keep the cost down. The comparison charts show the number of programmable registers and their capacities in all cases where the manufacturers have released this information.

Number of I/O ports is an indication of the input/output capability and expandability of the system. Generally, each port allows the user to interface one peripheral device to the system, although multiple disks, CRT's or communication lines are often interfaced to one I/O port. Two numbers are given wherever possible, the first indicating the number of ports included on the basic system and the second showing the maximum number of ports that can optionally be included. Some of the figures are quite large and indicate that the vendors took into consideration the use of multiple-device interfaces and the maximum number of terminal devices theoretically connectable. It should be noted that additional hardware, in the form of expansion chassis and power supplies, may have to be added to achieve the maximum I/O capability.

Internal Storage

One of the principal characteristics that distinguishes computers from adding machines and conventional accounting machines is the provision of an internal storage unit capable of holding and selectively retrieving a significant quantity of data and/or instructions. This section of the comparison charts describes each system's internal storage facilities.

Type indicates whether the system uses core or MOS (semiconductor) memory. Magnetic core storage has been widely used for more than a decade, and has proved to be fast, flexible, and reliable. Semiconductor storage, which is rapidly superseding core storage as the principal storage medium for large computers, is becoming quite popular in business minicomputers as well. When both types of memory are available for a system, we've made every attempt to denote the specifications for both.

Capacity of basic system specifies the amount of memory, in bytes, included in the basic system. The amount of internal storage is one of the most significant characteristics in appraising the power of any computer. The amount of productive processing that a computer can perform during any one run is largely determined by the number of instructions and/or operands it can hold.

Maximum capacity, bytes shows the largest memory size available for this model; *increment size, bytes* indicates the size of the memory modules that can be added to expand the basic system.

Cycle time, microseconds is the minimum time interval that must elapse between the starts of two successive accesses to any one storage location. The storage cycle time normally ranges with word length as one of the most significant individual indicators of a computer's performance potential. However, as discussed earlier, the throughput of the equipment covered in this report is frequently determined by the operator's keying speed rather than by the machine's internal performance.

Access time, microseconds is the actual elapsed time between the CPU's request for data and the time when that data is received (read). In core memory, the access time is usually one-half the cycle time; MOS memories do not display a similar relationship.

Mass Storage Capabilities

The inclusion of mass storage devices (magnetic disk units) can greatly increase the data storage and processing capabilities of a business data processing system. Disk units enable millions of characters of information to be constantly accessible to the computer. Moreover, any desired record can be retrieved, updated, and re-recorded on the disk, usually within a fraction of a second.

By replacing or augmenting slower, less flexible file storage media such as punched cards, paper tape, or magnetic ledger cards, disk units can enable small business computers to handle applications and processing volumes that would otherwise be impossible. The principal disadvantages of disk units are their comparatively high costs and the software complexities that are encountered by users who attempt to harness their full potential. One or both of these considerations may make disk units impractical for many small computer buyers, despite the obvious appeal of disk-oriented data processing.

The diskette, or "floppy disk," is an innovation that can significantly reduce the cost of disk-oriented data processing. The diskette itself consists of a flexible Mylar disk, about 8 inches in diameter, that is permanently housed in a plastic envelope. It can serve as an input/output and/or random-access storage medium that is considerably smaller in capability and slower in performance than conventional disk units—but also far lower in cost. Introduced by IBM in 1972, diskettes and diskette drive units are now being produced by dozens of vendors and are finding their way into numerous small business computer systems, such as the IBM System/32 and DEC Datasystem 310. Recent enhancements to the floppy disk concept include more concentrated data storage and "flippies" (floppy disks that utilize both sides of the diskette), allowing more data to be stored on-line.

The other, more conventional types of mass storage devices, cartridge and disk pack drives, provide access to far more data and at significantly faster rates. Unfortunately, they also carry price tags several times higher than their floppy counterparts. Most of these units ▷

Small Business Computer Specifications



One of the latest entries in the desk-top computer race is the CompuCorp 625, a system incorporating a 16-line by 64-character CRT, up to two mini-floppy disk drives, a 40-column printer, and a standard teleprinter keyboard with 10-key numeric pad, all in a neat package. The 625 is built around a Zilog Z80 microprocessor with up to 65,536 bytes of memory. The operating system is diskette-based and requires a minimum of 15K bytes for residence in conjunction with the only available language, Extended BASIC. For convenience of operations, a 20-key row of special function keys can be customized for individual applications.

▷ employ cartridges or disk packs that can easily be removed from the drive units and interchanged in much the same manner as magnetic tape reels.

Some cartridge-type units either use nonremovable media or use two cartridges, one fixed and the other removable. Nonremovable disks impose two important limitations. First, the system's file storage capacity is effectively limited to the amount of information that can be stored on-line. Second, disk dumps to create backup files for efficient restart procedures in case of catastrophe are not available to the user.

Interchangeable disks, conversely, provide great flexibility and make it practical to use small business computers effectively for both sequential and random data processing applications. In sequential applications, files of virtually unlimited size can be handled through the use of multiple disk packs or cartridges.

Fixed-head (head-per-track) disk and drum units can provide much faster access to on-line data than any other type of mass storage device. The reason is that there is no loss of time due to head positioning because a head is provided for each track. The only delay is rotational delay (latency), or the time required for the desired data to move under the read/write head. But the price of this type of equipment is higher than that of the preceding varieties, and less data can be stored on-line. Fixed-head devices are used when data bases are relatively small and very rapid access to the information is required. Most SBC users are not faced with such demanding requirements, but for those who need them, the devices are offered by some vendors.

Entries in this section of the charts fall into four categories: *floppy disk drive*, *cartridge disk drive*, *pack*

disk drive, and *fixed-head disk/drum*. The entries indicate which devices are standard on the basic system and which ones are optional or not available.

Some SBC's are not marketed as packaged systems; thus, the user is required to pick and choose the particular devices that best suit his needs. In this case, all peripherals are indicated as optional, and this should be reflected in a lower "basic system" price.

These entries also specify the maximum quantity of disk-stored information that is directly accessible to the computer at any one time. The indicated figure may be the capacity of a single disk drive or the total capacity of two or more (typically, four to eight) drives that can be connected to one controller. It is difficult to imagine an SBC user wanting more disk storage; but if an I/O slot is open, theoretically, another controller and its associated drives can be added.

Keyboard Input

The principal source of input to most small business computers is data keyed in by a human operator. Therefore, the keyboard facilities for on-line data entry deserve careful consideration. Entries denote whether each type of keyboard is standard on the basic system, optional, or not available.

Alphanumeric (typewriter) keyboard. Virtually all of the systems covered in our survey include a keyboard, arranged in the conventional typewriter format, that permits direct entry of both alphabetic and numeric information.

10-key numeric keyboard. A 10-key adding-machine-style keyboard, standard in many of the systems and optional ▷

Small Business Computer Specifications

▷ in others, permits all-numeric data to be entered at considerably higher speeds than via a typewriter-style keyboard. The numeric keys are usually accompanied by control keys which activate various machine functions.

Full accounting keyboards, with multiple columns of 9 or 10 keys each, have nearly disappeared from the SBC field, though they are still available for a few machines.

Input/Output Devices

Many SBC's can be equipped with additional input/output devices such as a *paper tape reader, paper tape punch, punched card reader, punched card punch, punched card reader/punch, serial printer, line printer, reel-to-reel tape drive, cassette tape drive, cartridge tape drive, magnetic ledger card device*, and *CRT*. Chart entries depict which devices are standard on the basic system and which ones are optional or not available. Once again, non-packaged systems will have all the available I/O devices listed as optional. The comparison charts also indicate the rated speed, or range of speeds, available for each peripheral device wherever that information could be obtained.

Punched tape, punched cards, and magnetic tape can be used to store master file records or to accumulate previously recorded transaction data. It's worth noting that many of the paper tape readers and punches employed in these systems can also accommodate edge-punched cards, which represent an effective unit-record storage medium for many applications. Also, many tape drives in use on SBC's are now of the cassette or cartridge variety. Cassettes and cartridges offer increased convenience in that they can be transported and stored with little fear of damaging the data which has been recorded. What's more, price tags for cassette and cartridge drives are significantly lower than those of the more conventional reel-to-reel variety, but once again the trade-off of slower transfer rates and reduced on-line storage must be accepted.

Serial (character-at-a-time) printers are enjoying increased popularity with the prolific growth of the small business computer marketplace. The main reason is price; serial printers can provide excellent-quality hard-copy reports for far less money than the line-at-a-time printers used with larger computers. However, for users who require faster printing capabilities, line printers are also available for many SBC's. Serial printers generally range in speed from about 30 to 600 or more characters per second (cps), while line printers operate at speeds of 100 to 2000 or more lines per minute (lpm). The user who needs faster printed output can obviously get it, but he must be willing to pay the higher price tag associated with the line printers.

Magnetic ledger cards have long been a popular input/output medium for business/accounting mini-computers, though they are now decreasing in popularity. Their principal attraction is that they enable small businesses to retain the individual, hard-copy ledger records they have long been accustomed to using. In

addition, machine-readable data can be recorded on the cards, usually on one or more vertical magnetic "stripes." Identity and status information about each account can be recorded on the appropriate card in both printed and magnetically encoded form, and the encoded data can be re-read and updated whenever necessary. Thus, magnetic ledger cards combine many of the advantages of both traditional visible records and machine-readable media such as punched cards or magnetic tape. Their chief disadvantage is that the low speed of most of the available card-handling equipment precludes the use of magnetic ledger cards in high-volume data processing applications.

CRT's are becoming increasingly important to the small business computer. Many systems now include a CRT display and its associated keyboard as the principal means of entering data into the system. In fact, on many SBC's, one or more CRT/keyboard units represent the *only* way to enter data into the system. The comparison charts indicate the capacity of the CRT, in number of lines and, characters per line, whenever possible.

Communications Capabilities

Communications capabilities enable some of the small business computers to function as "intelligent terminals" in data communications networks. An interface equips the small computer to send and receive data over a common-carrier communications link, usually to a larger central computer installation. The small computer's internal processing and storage capabilities enable it to do some data processing locally and to handle a variety of code translation, editing, and control functions in connection with the data communications activities.

Maximum no. of lines indicates how many communications lines can be handled by a particular system. The types of lines are specified in the next two entries.

Synchronous and *asynchronous* have entries of standard, optional, or no, indicating their availability, and also a notation as to the speed of each line in bits per second (bps). Most entries will be of the type "to 4800 bps," indicating one or more transmission speeds up to a maximum of 4800 bps.

Software Support

Virtually as important as the computer hardware are the software and technical support each manufacturer furnishes to aid the user in utilizing the hardware effectively. The available software (if any), together with the pricing policies for both software and support, are summarized in this section of the comparison charts.

COBOL (COmmon Business Oriented Language), *RPG* (Report Program Generator), *FORTRAN* (FORmula TRANslator), and *BASIC* (Beginners All-purpose Symbolic Instruction Code) entries specify whether a particular compiler is available or not. ▷

Small Business Computer Specifications

➤ A compiler is a software tool designed to shift part of the program preparation task from the user to the computer itself by converting programs written in a simplified, procedure-oriented language into machine-language object programs. Compilers are now used in virtually all large and medium-scale computer installations because of their demonstrated ability to slash programming costs—and they are becoming increasingly available for the small business computers. This trend is possible because of the more powerful central processors now being used, since compilation is an intricate process that requires more storage space and processing power than the earlier small business computers provided. Where compilers are offered, however, they frequently limit the programmer to restricted subsets of the standard programming languages and/or require the use of a larger computer to perform the compilation process.

An *assembler* is a special-purpose program that uses the computer's power to facilitate the preparation of other programs. It enables the programmer to write his own program in a simplified format that uses mnemonic operation codes and symbolic operand addresses. The assembler program then converts these symbolic instructions into their machine-language equivalents, producing computer programs ready for loading and execution. Entries here indicate the availability of an assembler or, in some cases, a macro assembler.

A macro assembler is another software tool to aid the programmer and make his job a little easier. Macro routines can be called by the programmer and copied right into his program. This saves the programmer from having to recode the routine each time it is used and also eliminates the possibility of keying errors when that part of the program is entered. As usual, there is a price to pay: the use of macros usually wastes memory space.

Other programming languages specifies languages such as ALGOL, SNOBOL, or proprietary languages that are available from a vendor for use on a particular SBC. The key word of warning here is that if you use a language that is unique to a vendor, you will be faced with a big problem if someday you decide to change vendors. Your investment in software will be lost, since the programs will not operate on any other system without extensive conversion work.

Multiprogramming gives an indication as to the power of the small business computer. Entries here stipulate yes or no, and, if multiprogramming is available, the number of partitions in memory. Multiple partitions allow for concurrent operation of several programs, thus permitting more processing to be accomplished in less time.

Some responses indicate the actual number of hardware partitions, generally two or three, while other responses are geared to the number of independent jobs that can be functioning at one particular time. The difference lies in the fact that multiple jobs may be able to function within the same partition. Although the responses differ, they are all important and help to describe the overall capabilities of the systems.

Language implemented in firmware and operating system implemented in firmware tell the reader whether or not the language processor and/or the operating system are contained in microcode. The entries stipulate yes, partially, or no to indicate the extent of firmware implementation. An advantage to the user is that a language and/or operating system implemented in firmware frees up more memory space for the user's programs and data. Also, the microcode is usually inaccessible to the user (generally contained in read-only memory), eliminating any possible tampering with the language processor or operating system and reducing chances for error. A third advantage derived from firmware implementation is the ability to create more sophisticated and complex system functions at the hardware level. Microcode routines can be substituted for often-used subroutines, thereby increasing system performance.

General accounting packages indicates the availability of already-written software to handle the normal accounting functions of a company. The most common business functions include payroll, accounts payable, accounts receivable, inventory control, and general ledger accounting. If available, and if these programs can be tailored to meet the requirements of a particular company, they will allow the user to become operational in far less time and at a substantial saving in software development costs.

Industry application areas denotes specific areas where each vendor specializes. Turnkey vendors often take one segment of the marketplace and develop in-house expertise to the point that their hardware and software combination becomes a ready-made answer to the problems of a large class of users. Some current areas of specialization include hospitals, automobile dealers, the distribution industry, trucking firms, and the financial industry. If the vendor's specialized software can be tailored to the user's exact needs, or if the user can learn to live within the constraints of the existing software, thousands of dollars worth of programming effort can be saved. A library of pertinent applications programs can be a valuable asset when selecting an SBC. Space precludes a complete listing of available applications software in the charts, so the entries attempt to summarize and present the vendor's areas of heaviest concentration.

The availability of a *data base management system* is becoming more important to users of small business computers. A DBMS is a software system that is intended to manage and maintain data in a nonredundant structure for the purpose of being processed by multiple applications. It organizes data elements in some predefined structure and retains relationships between different data elements within the data base. The main advantage to the user of a data base management system is that information retrieval and report generation are made much easier with one common data base.

File access methods supported tells the user which methods are supported by the software available for a particular system. The entries include random, sequential, ➤

Small Business Computer Specifications

▷ indexed sequential, and direct access. These four file access methods are the most popular, but there are others in use. In most instances it is desirable to have several access methods supported so that you can choose the one most suitable for each application.

Software separately priced tells whether the software described in the preceding entries, and any other available software, is included in the equipment price or offered at some additional cost. Some systems have the entry "some," which usually indicates that the company provides the operating systems and language processors bundled with the hardware, but charges for applications software packages. Separate pricing of software was virtually unheard of in the computer field until June 1969, when IBM "unbundled" by placing separate price tags on many of its software products and professional services. Since then, the various manufacturers have adopted a wide range of software pricing policies. Separate pricing of software, of itself, is neither good nor bad; the buyer must carefully assess the cost of the total package consisting of the equipment and all the software and support his installation will require.

Technical help separately priced indicates whether the services of the manufacturer's technical support staff are included in the equipment cost or separately priced. Nearly every company that is installing a computer for the first time will need a good deal of help from the equipment maker's systems analysts, programmers, and/or instructors (or, alternatively, from an independent consulting firm). In fact, the equipment supplier does *all* the programming for the majority of small business computer installations (more than 90 percent, in the case of one major supplier). The additional cost of these services, if any, should be carefully estimated and considered in all equipment comparisons.

Pricing and Availability

Purchase price of basic system shows the minimum purchase price of a system equipped to perform basic business data processing functions. All of the facilities identified as "standard" in the charts (but none of the "optional" ones) are included in the listed prices. The addition of expanded storage capacities or optional input/output capabilities can lead to large price increases in nearly every case. Any additional information about the basic system or packaged system (if one exists) not covered in specific chart entries appears in the *Comments* section. For detailed pricing information, the manufacturers should be contacted directly.

Monthly rental of basic system specifies the monthly rental for the basic configuration of each system, as described above. All rental prices are based on a one-year lease and include equipment maintenance unless otherwise indicated. Longer-term leases are frequently available at lower monthly charges. Some systems are not available on a rental basis from the vendor and are so specified by an entry of "purchase only." In such cases, a prospective user can nearly always obtain a full-payout lease for the SBC of his choice from an independent leasing firm.

Date of first U.S. delivery tells when the first production models of each system were delivered (or are scheduled to be delivered) to customers in the United States.

Number installed in U.S. to date shows how many systems of each type had been delivered to U.S. customers as of approximately June 30, 1977. Nearly all of the figures were supplied by the manufacturers themselves.

Comments

This final entry on the comparison charts is used to explain or amplify the preceding entries and to provide other pertinent information about each system's hardware, software, pricing, or applications.

Suppliers

Listed below, for your convenience in obtaining additional information, are the full names, addresses, and telephone numbers of the 89 suppliers whose products are listed in the comparison charts that follow.

Advanced Information Design, 745 Distel Drive, Los Altos, California 94022. Telephone (415) 961-0500.

A.K. Industries, P.O. Box 286, Skippack, Pennsylvania 19474. Telephone (215) 584-1776.

Anderson-Jacobson, Inc., 1065 Morse Avenue, Sunnyvale, California 94086. Telephone (408) 734-4030.

Applied Data Communications, 1509 East McFadden, Santa Ana, California 92705. Telephone (714) 547-6954.

Applied Data Processing, Inc., 33 Bernhard Road, North Haven, Connecticut 06473. Telephone (203) 787-4107.

Applied Digital Communications, 214 W. Main St., Moorestown, New Jersey 08057. Telephone (609) 234-3666.

Applied Digital Technology, Inc., 8550 West Bryn Mawr Avenue, Chicago, Illinois 60631. Telephone (312) 694-4190.

Applied Systems Corp., 26401 Harper Avenue, St. Clair Shores, Michigan 48081. Telephone (313) 779-8700.

J. Baker & Associates, 5135 W. Golf Road, Skokie, Illinois 60076. Telephone (312) 677-9760.

Basic/Four Corporation, 18552 MacArthur Boulevard, Santa Ana, California 92707. Telephone (714) 833-9530.

Basic Timesharing Inc., 650 North Mary Avenue, Sunnyvale, California 94086. Telephone (408) 733-1122.

Binary Data Systems, Inc., 88 Sunnyside Boulevard, Plainview, New York 11803. Telephone (516) 822-1585.

Burroughs Corporation, Burroughs Place, Detroit, Michigan 48232. Telephone (313) 972-7000.


Business Controls Corporation, 507 Boulevard, Elmwood Park, New Jersey 07407. Telephone (201) 791-7661.

Business Systems Products, Inc., 2121 Campus Drive, Irvine, California 92715. Telephone (714) 752-1799.

Cado Systems Corporation, 2730 Monterey Street, Torrance, California 90503. Telephone (213) 320-9660.



Small Business Computer Specifications



General Information Systems has chosen the DEC Datasystems as the foundation for its turnkey SBC systems. Main application packages offered include financial control, manufacturing control, order entry and inventory control, accounts receivable, accounts payable, and payroll. All of these packages can be used on any of the Datasystems from the 322 through the 570. Pictured here is a Datasystem 530.

- ▷ *Cascade Data, Inc.*, 300 Kraft Avenue, S.E., Grand Rapids, Michigan 94508. Telephone (616) 942-1420.
- CDA, Inc.*, 470 Commercial Avenue, Palisades Park, New Jersey 07650. Telephone (201) 944-2500.
- Century Computer Corporation*, 1601 North Main Street, Walnut Creek, California 94596. Telephone (415) 933-6736.
- Complete Computer Systems*, 1 Fairway Plaza, Huntingdon Valley, Pennsylvania 19006. Telephone (215) 947-7900.
- Compucorp*, 12312 W. Olympic Boulevard, Los Angeles, California 90064. Telephone (213) 820-5611.
- Computata Systems, Inc.*, 772 Post Road East, Westport, Connecticut 06880. Telephone (203) 226-4791.
- Computer Automation, Inc.*, 18651 Von Karman Avenue, Irvine, California 92664. Telephone (714) 833-8830.
- Computer Covenant Corporation*, 136 Old Farms Road, West Simsbury, Connecticut 06092. Telephone (203) 658-6697.
- Computer Hardware, Inc.*, 4111 North Freeway Boulevard, Sacramento, California 95825. Telephone (916) 929-2020.
- Computer Horizons Corporation*, 747 Third Avenue, New York, New York 10017. Telephone (212) 371-9600.
- Computer Interactions, Inc.*, P.O. Box 1354, Roslyn Heights, New York 11577. Telephone (516) 487-9810.
- Control Data Corporation*, P.O. Box 0, Minneapolis, Minnesota 55440. Telephone (616) 853-4656.
- Corstar Business Computing Co., Inc.*, One Aqueduct Road, White Plains, New York 10606. Telephone (914) 428-5550.
- Data Communications Corp.*, Minicomputer Division, 3000 Directors Row, Memphis, Tennessee 38131. Telephone (901) 332-3544.
- Data General Corporation*, Route 9, Southboro, Massachusetts 01772. Telephone (617) 485-9100.
- Datapoint Corporation*, 9725 Datapoint Drive, San Antonio, Texas. Telephone (512) 690-7000.
- Decision Data Computer Corporation*, 100 Witmer Road, Horsham, Pennsylvania 19044. Telephone (215) 674-3300.
- Design Data, Inc.*, 238 Main Street, Cambridge, Massachusetts 02142. Telephone (617) 661-7710.
- Digital Computer Controls, Inc.*, 12 Industrial Road, Fairfield, New Jersey 07006. Telephone (201) 227-4861.
- Digital Equipment Corporation (DEC)*, Parker Street, PK 3-2, Maynard, Massachusetts 01754. Telephone (617) 897-5111.
- Digital Scientific Corporation*, 11455 Sorrento Valley Road, San Diego, California 92121. Telephone (714) 453-6050.
- Digital Systems Corporation*, P.O. Box 396, Walkersville, Maryland 21793. Telephone (301) 845-4141.
- Dimis, Inc.*, 1060 Highway 35 South, Middletown, New Jersey 07748. Telephone (201) 671-1011.
- Display Data Corporation*, Executive Plaza IV, Hunt Valley, Maryland 21031. Telephone (301) 667-9211.
- Distribution Management Systems Inc.*, 11 DeAngelo Drive, Bedford, Massachusetts 01730. Telephone (617) 275-2000.
- Educomp-Quodata Corporation*, 196 Trumbull Street, Hartford, Connecticut 06103. Telephone (203) 768-6777.
- Financial Computer Corporation*, 412 W. Redwood Street, Baltimore, Maryland 21201. Telephone (301) 837-9510.
- Four-Phase Systems, Inc.*, 19333 Valco Parkway, Cupertino, California 95014. Telephone (408) 255-0900.
- GRI Computer Corporation*, 320 Needham Street, Newton, Massachusetts 02164. Telephone (617) 969-0800.
- General Automation, Inc.*, 1055 S. East Street, Anaheim, California 92805. Telephone (714) 778-4800.
- General Information Systems*, 2024 N. Broadway, Santa Ana, California 92706. Telephone (714) 834-0220.
- Harris Corporation, Computer Systems Division*, 1200 Gateway Drive, Fort Lauderdale, Florida 33309. Telephone (305) 974-1700.
- Hewlett-Packard, Calculator Products Division*, P.O. Box 301, Loveland, Colorado 80537. Telephone (303) 667-5000.
- Hewlett-Packard, Data Systems Division*, 11000 Wolfe Road, Cupertino, California 95014. Telephone (408) 257-7000.
- Hewlett-Packard, GSD Division*, 5303 Stevens Creek Road, Santa Clara, California 95050. Telephone (408) 249-7020.
- Honeywell Information Systems Inc.*, 200 Smith Street, Waltham, Massachusetts 02154. Telephone (617) 890-8400.
- IBM Corporation, General Systems Division*, P.O. Box 2150, Atlanta, Georgia 30301. Telephone (404) 256-7000.
- International Computers (USA) Limited*, 555 Madison Avenue, New York, New York 10022. Telephone (212) 486-7400.
- Jacquard Systems*, 2502 Broadway, Santa Monica, California 90404. Telephone (213) 829-3493.
- Litton Industries, Inc.*, Sweda International Division, 34 Maple Avenue, Pine Brook, New Jersey 07058. Telephone (201) 575-8100. ▷

Small Business Computer Specifications

- *Logical Machine Corporation*, 887A Mitten Road, Burlingame, California 94010. Telephone (415) 692-4970.
- Medical Computer Sciences, Inc.*, 2400 West Bay Drive, Largo, Florida 33540. Telephone (813) 581-8721.
- Microdata Corporation*, 17481 Red Hill Avenue, Irvine, California 92705. Telephone (714) 540-6730.
- Mini-Computer Systems, Inc.*, 525 Executive Boulevard, Elmsford, New York 10523. Telephone (914) 592-8812.
- Minuteman Computer Corporation*, 230 Second Avenue, Waltham, Massachusetts 02154. Telephone (617) 890-4070.
- Modular Computer Systems, Inc.*, 1650 W. McNab Road, Ft. Lauderdale, Florida 33309. Telephone (305) 974-1380.
- Mylee Digital Sciences, Inc.*, 155 Weldon Parkway, Maryland Heights, Missouri 63043. Telephone (314) 567-3420.
- NCR Corporation*, Main & K Streets, Dayton, Ohio 45409. Telephone (513) 449-2000.
- Nixdorf Computer Inc.*, O'Hare Plaza, 5725 East River Road, Chicago, Illinois 60631. Telephone (312) 693-6600.
- Norfield Datasystems, Inc.*, 3 Depot Place, Norwalk, Connecticut 06855. Telephone (203) 853-2777.
- Northrop Data Systems*, 19000 South Vermont Avenue, Torrance, California 90502. Telephone (213) 532-1510.
- Olivetti Corporation of America*, 500 Park Avenue, New York, New York 10022. Telephone (212) 371-5500.
- Pako Corporation*, 6300 Olson Memorial Highway, Minneapolis, Minnesota 55440. Telephone (612) 571-6466.
- Philips Business Systems, Inc.*, 175 Froelich Farm Boulevard, Woodbury, New York 11797. Telephone (516) 921-9310.
- Prime Computer, Inc.*, 40 Walnut St., Wellesley Hills, Massachusetts 02181. Telephone (617) 237-6990.
- Programmed Control Corporation*, 2 East Broad Street, Hopewell, New Jersey 08525. Telephone (609) 466-2100.
- Qantel Corporation*, 3525 Breakwater Avenue, Hayward, California 94545. Telephone (415) 783-3410.
- QI Corporation*, 6 Dubon Court, Farmingdale, New York 11735. Telephone (516) 293-0700.
- Randal Data Systems, Inc.*, 365 Maple Avenue, Torrance, California 90503. Telephone (213) 320-8550.
- Raytheon Data Systems Company*, 1415 Boston-Providence Turnpike, Norwood, Massachusetts 02062. Telephone (617) 762-6700.
- Shasta General Systems*, 895 Stanton Road, Burlingame, California 94010. Telephone (415) 692-0722.
- STC Systems, Inc.*, E-210 Route 4, Paramus, New Jersey 07652. Telephone (201) 843-0560.
- A.O. Smith Corp.*, Data Systems Division, P.O. Box 584, Milwaukee, Wisconsin 53201. Telephone (414) 447-4472.
- Span Management Systems*, Westminster Industrial Park, East Providence, Rhode Island 02914. Telephone (401) 438-2200.
- Sperry Univac Division, Sperry Rand Corporation*, P.O. Box 500, Blue Bell, Pennsylvania 19422. Telephone (215) 542-4011.
- Sycor, Inc.*, 100 Phoenix Drive, Ann Arbor, Michigan 48104. Telephone (313) 995-1264.
- Tal-Star Computer Systems, Inc.*, P.O. Box T-1000, Princeton Junction, New Jersey 08550. Telephone (609) 799-1111.
- Tealtronic of America Inc.*, 14 Commerce Drive, Cranford, New Jersey 07016. Telephone (201) 272-2922.
- Terak Corporation*, 14425 N. Scottsdale Rd., Suite 100, Scottsdale, Arizona 85260. Telephone (602) 991-1580.
- Vanguard Computer Systems, Inc.*, 7417 Van Nuys Boulevard, Van Nuys, California 91405. Telephone (213) 994-7343.
- Wang Laboratories, Inc.*, 836 North Street, Tewksbury, Massachusetts 08176. Telephone (617) 851-4111.
- Warrex Computer Corporation*, P.O. Box 943, Richardson, Texas 75080. Telephone (214) 238-7238.
- Wintex Computer Corporation*, 544 Lunt Avenue, Schaumburg, Illinois 60172. Telephone (312) 529-2080. □

Small Business Computer Specifications

MANUFACTURER & MODEL	Advanced Information Design System 3000 Model 40	Advanced Information Design System 3000 Model 60	Advanced Information Design System 3000 Model 80	Advanced Information Design System 4000	A.K. Industries Inc. AKI-9C
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 ½ to 2 1, 2	16 4 2 ½ to 2 1, 2	16 4 2 ½ to 2 1, 2	32 7 4 ½ to 2 1	8-bit byte 2 per byte 1 per byte 1, 2 bytes 1-3 bytes
CPU Model Add time, microseconds	Interdata 7/16 1.5	Interdata 7/16 1.5	Interdata 7/16 1.5	Interdata 7/32, 8/32 0.6	Datapoint —
No. of programmable registers No. of I/O ports on basic system and maximum	16 64; 256	16 64; 256	16 64; 256	32 128; 1024	14 16
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 32K 64K 16, 32, 64K 1.000 0.300	Core 32K 64K 16, 32, 64K 1.000 0.300	Core 32K 64K 16, 32, 64K 1.000 0.300	Core 32K 1M 32K 0.750; 0.300 0.300	MOS 128K 16K 16K — 1.6 0.5
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 2.4M bytes Opt.; 40M bytes Opt.; 1200M bytes No	Opt.; 2.4M bytes Std.; 40M bytes Opt.; 1200M bytes No	Opt.; 2.4M bytes Opt.; 40M bytes Std.; 1200M bytes No	Opt.; 2.4M bytes Opt.; 40M bytes Std.; 300M bytes No	Standard (4) No No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Optional	Standard Standard Optional	Standard Standard Optional	Standard Standard Optional	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 120-600 lpm Std.; 9-75 KBS Optional Optional Optional Optional; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 120-600 lpm Std.; 9-75 KBS Optional Optional Optional Optional; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 120-600 lpm Std.; 9-75 KBS Optional Optional Optional Optional; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 120-600 lpm Std.; 9-72 KBS Optional Optional Optional Optional; 24 x 80 char.	No No No No No No Std.; 165 cps Opt.; 125-600 lpm No No No No Standard; 12 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	15 Opt.; to 9600 bps Std.; to 9600 bps IBM 2780/3780, SDLC	15 Opt.; to 9600 bps Std.; to 9600 bps IBM 2780/3780, SDLC	15 Opt.; to 9600 bps Std.; to 9600 bps IBM 2780/3780, SDLC	Limit unknown Std.; to 9600 bps Std.; to 9600 bps IBM 2780/3780, SDLC	1 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Macro assembler No Yes; 5 partitions No No Yes Insur., inven., dist., ord. entry, wd. proc. Yes Random, sequential, index sequential Yes No	Yes Yes Yes Yes Macro assembler No Yes; 5 partitions No No Yes Insur., inven., dist., ord. entry, wd. proc. No Random, sequential, index sequential Yes No	Yes Yes Yes Yes Macro assembler No Yes; 5 partitions No No Yes Insur., inven., dist., ord. entry, wd. proc. No Random, sequential, index sequential Yes No	Yes Yes Yes Yes Macro assembler No Yes; 12 partitions No No Yes Insur., inven., dist., ord. entry, wd. proc. Random, sequential, index sequential Yes No	No No No Yes Yes Databus, Dataform No No No Yes Inventory No Random, sequential, index sequential No No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$18,528 \$426.14 March 1975 20	\$26,430 \$607.89 March 1975 20	\$43,700 \$1,005.10 March 1975 20	\$66,750 \$1,535.25 October 1976 NA	\$25,000 \$550 November 1974 10
COMMENTS	System price includes terminal, 32KB, 1.2MB of floppy disk storage; swapping available	System price includes terminal, 32KB, 10MB of removable disk storage; swapping available	System price includes terminal, 32KB, 100MB of removable disk storage; swapping available	System price includes terminal, 96KB, 100MB of removable disk storage; swapping available	Turnkey system; does not require data processing professional for operation

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	A.K. Industries Inc. AKI-91	Anderson Jacobson 1500	Applied Data Communications Series 70	Applied Data Processing Inc. Resource/100	Applied Digital Communications 101
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 1, 2 bytes 1-3 bytes	8-bit byte 1 per byte 1 per byte 1, 2 bytes 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	16 2 2 Variable 1	8-bit byte 1 per byte 1 per byte 1 byte 1 byte
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	8080A — 7 256	AJ 1500 4.0 (1 word) 128 3; 11	Intel 8080 2 (1 byte) 7 1; 256	DG Nova 1.35 (1 word) 4 8; 16	Wang 2200 800 (13 digits) None 4
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 64K 4K 0.5 0.45	Core/MOS 32K 65K 32K 1.2 0.6	MOS 16K 65K 16K 2 —	Core 64K 212K 32K 1.0 0.5	MOS 8K 32K 8K 1.6 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No Std.; 80M bytes No	Std.; 653K bytes Opt.; 40M bytes No No	Std.; 256K bytes Opt.; 10M bytes No Opt., 2.5M bytes	No No Std.; 320M bytes No	Standard Std.; 10M bytes — —
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Std.; any RS-232 Optional Optional	Standard Optional Yes	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 165 cps Opt.; 125-600 lpm No No No No No Standard; 24 x 80 char.	No No No No No Std.; 45, 120 cps Opt.; 300 lpm No No No No Optional; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps No No No Opt.; to 165 cps Opt.; to 1400 lpm Opt.; to 120 KBS No Optional No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165, 330 cps Opt.; 300, 600 lpm Optional No No No Standard; 27 x 74 char.	Optional Optional Optional Optional Optional No Std.; 125 lpm Optional No No No Std.; 1024/1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	8 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	9 No Opt.; to 9600 bps None	2 Opt.; to 9600 bps Opt.; to 9600 bps Bisync	7 No Std.; 1200 bps IBM 2780	No No No No
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes None Yes; 2 partitions Partially Partially Yes Inventory No Random, sequential, index sequential No No	No No No Yes Yes ESP Yes; 8 partitions Partially Partially Yes CPA's, public accountants No Sequential, direct access Yes Yes	No No No Yes Yes None Yes No Partially No Random, sequential, index sequential Yes Yes	No No No Yes Yes Extended BASIC Yes No No Yes Yes	No No No Yes No No Yes Medicine Mfg. No Random, index seq., sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$30,000 \$600 August 1976 1	\$19,990 Contact vendor April 1977 NA	\$8,285 — May 1975 100 +	\$39,300 \$865 June 1976 NA	\$30,000 — 1977 —
COMMENTS	Turnkey system; does not require data processing professional for operation	Two-diskette system; also available with four diskettes; up to 10M bytes	Expandable to 8 double-density floppies or 4 10 MB disk drives; time-shared multi-user operating system for up to 4 CRT's	Resource/100 Extended Operating Systems are said to meet 95% of most users' needs for business applications	Drug inventory control, patient profile, payroll, text editing

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Applied Digital Communications 201	Applied Digital Communications 301	Applied Digital Technology	Applied Systems Corp. ASC 80	Applied Systems Corp. ASC 1800
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 1	16 2 2 1 1, 2	16 2 2 1/2, 1 1, 2	8, 16 1, 2 1 1, 2 1, 2, 3	8-bit byte 2 per byte 1 per byte 1 byte 1-3 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Varian V77 2.32 (1 word) 8 8	HP 2100 1.96 5 4	GA SPC-16/45, /65 0.96; 1.4 (word) 8 2	Intel 8080/85; Opt. 780 2 per digit 7 4 to 64	Intel 8080 2 (1 byte) 16 2; 256
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 8K 32K 8K 0.66 0.37	MOS 8K 32K 4K 0.65 0.40	Core 4K 64K 4K, 8K 0.96; 1.4 —	MOS 4 to 64K 64K plus 4K 0.5 0.5	MOS 4K 64K 4K 0.5 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional — — —	Optional — — —	Opt.; 147K bytes Std.; 10M bytes Opt.; 100M bytes Opt.; 256K bytes	Opt.; 90K/250K Opt.; RPQ Opt.; RPQ Opt.; 7M bytes	Opt.; 500K bytes Opt.; 250K bytes RPQ RPQ
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Optional Optional Optional	Standard Optional Optional
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional No No Optional No No No No Std.; 1920 char.	Optional Optional Optional Optional Optional No No Optional No No No No Std.; 1920 char.	Opt.; 300, 400 cps Opt.; 75 cps Opt.; 300-1000 cpm Opt.; 35 cpm No Std.; 165 cps Opt.; 200-600 lpm Std.; 7.5-60 KBS No No No No Standard; 8 x 64, 27 x 74 char.	Opt.; 300, Opt.; 100 cps Opt.; RFQ Opt.; RFQ No Opt.; to 30 cps Opt.; 100/300 Opt.; RFQ Opt.; 100 Opt.; 400 No Opt.; to 80 x 24/ graphic	Opt.; 20-300 cps Opt.; 10-50 cps Opt.; 200 cpm Opt.; 100 cpm Opt.; RPQ Std.; 30 cps Opt.; 100-600 lpm Opt.; RPQ Opt.; RPQ Opt.; RPQ Opt.; RPQ Opt.; 20 x 40 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	No No No No	No No No No	4 Std.; to 9600 bps Std.; to 9600 bps None	16, 32 Opt.; to 50K Opt.; to 9600K IBM—Bisync; DECnet (RPQ)	16 Opt.; to 9600 bps Opt.; to 9600 bps Bisync, other error correct. protocols
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	No Yes Yes Yes Yes No Yes No No No No Process control	No Yes Yes Yes Yes ALGOL Yes No No No No Mfg. mgmt., acctg., data logging	Yes Yes Yes No Yes None Yes No No Yes Property mgmt., accounting	No No Optional Yes Yes PL/M optional Optional Optional Optional Yes Communications, graphics, d.p.	No No No Yes Yes PL/M — Partially Fully Yes; custom Communications
Data base management system File access methods supported	Yes Random, index sequential	Yes Random, index sequential	No Direct, sequential, index sequential	Sequential, random	No Sequential, random
Software separately priced Technical help separately priced	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$40,000 — 1976 —	\$40,000 — 1977 —	\$50,000-\$100,000 Purchase only January 1972 10	\$1,500 \$75 1975 NA	\$5,000 \$250 1974 NA
COMMENTS	Computer-gen- erated image systems, process control systems	Data base management	Marketed in Chicago area only; see Report M11-446-101 for more details on CPU	Basic computer system for business and data communi- cations with modular expansion and peripheral options	Oriented toward local and satellite processing with communications support or custom applications

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	J. Baker & Associates Distribution System 11/03	J. Baker & Associates Distribution System	J. Baker & Associates Distribution System 2	Basic Four Corporation Model 350	Basic Four Corporation Model 400
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 1-3	16 2 2 1 1-3	16 2 2 1 1-3	8-bit byte 1 per byte 1 per byte — 2 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/03 7.7 (1 word) 8 3; 16	DEC PDP-11/34 4.9 (1 word) 8 3; 32	DEC PDP-11/70 1.8 (1 word) 8 3; 64	BFC 1320 7.4 3 11 (above req.)	BFC 1320 7.4 3 11 (above req.)
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 56K 8K — —	MOS, core 128K 256K 32K 0.51 1.00	MOS, core 128K 4M 32K 0.41 0.99	MOS 24K 64K 8K, 16K 0.6 0.4	MOS 24K 64K 8K, 16K 0.6 0.4
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 1024K bytes Std.; 4.8M bytes No No	Opt.; 512K bytes Std.; 14M bytes No Opt.; 2M bytes	Opt.; 512K bytes Std.; 88M bytes Opt.; 176M bytes Opt.; 2M bytes	No Std.; M bytes No No	No Std.; 20M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 180 cps Std.; 230, 300 lpm No No No No Optional, 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 1200 cpm No Opt.; 285 cpm Std.; 30 cps Opt.; 230, 300 lpm Opt.; 9 KBS Opt.; 562 cps No Optional, 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 1200 cpm No Opt.; 285 cpm Opt.; 30 cps Opt.; 300, 900 lpm Opt.; 9 KBS Opt.; 562 cps No Optional, 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 300-400 cpm No No Std.; 165 cps Opt.; 300, 600 lpm Opt.; 10 KBS No Std.; 24 x 80, 16 x 32 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 300-400 cpm No No Std.; 165 cps Opt.; 150-600 lpm Opt.; 10 KBS No Std.; 24 x 80, 16 x 32 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	3 Opt.; 9600 bps Opt.; 9600 bps IBM 2780	32 Opt.; 9600 bps Opt.; 9600 bps IBM 2780	64 Opt.; 9600 bps Opt.; 9600 bps IBM 2780	8 No Std.; 9600 bps None	8 No Std.; 9600 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No Yes Yes Yes DIBOL (COBOL) Yes Partially No Yes Manufacturing, distribution No Sequential, random, index seq. Yes Yes	Yes Yes Yes Yes Yes DIBOL (COBOL) Yes; 4 partitions Partially No Yes Manufacturing, distribution Yes Sequential, random, index seq. Yes Yes	Yes Yes Yes Yes Yes DIBOL (COBOL) Yes; 4 partitions Partially No Yes Manufacturing, distribution Yes Sequential, random, index seq. Yes Yes	No No No Yes No None Yes; 8 partitions No Partially Yes Medical, insurance, general business No Sequential, random Yes Yes	No No No Yes No — Yes; 8 partitions No Partially Yes Medical, insurance, general business No Sequential, random Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$34,995 Contact vendor May 1977 5	\$45,000 Contact vendor September 1975 25	\$70,000 Contact vendor September 1975 NA	\$34,400 \$757 1971 4000 (all models)	\$36,900 \$812 1971 4000 (all models)
COMMENTS	See Report M11-384-301 for more details on CPU	Software costs \$7K to \$9.5K for plumbing, soft drinks, auto parts, or hardware distribution; full manufacturing system also available	See Distribution System comments; developed with major brewery; see Report M11-384-301 for more details on CPU	Available as packaged systems only; system price also includes cartridge disk subsystem, serial or line printer, and CRT terminal; see Report M11-088-101 for more details	Available as packaged systems only; system price also includes cartridge disk subsystem, serial or line printer, and CRT terminal; see Report M11-088-101 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Basic Four Corporation Model 600	Basic Four Corporation Model 700	Basic Timesharing 4000/15	Basic Timesharing 4000/25	Binary Data Systems UCOM I
DATA FORMATS					
Word length, bits	8-bit byte	8-bit byte	16	16	16
Decimal digits per word	1 per byte	1 per byte	2	2	2, 4
Bytes (characters) per word	1 per byte	1 per byte	2	2	2
Operand length, words	—	—	1	1	1, 2
Instruction length, words	2 bytes	2 bytes	1	1	1
CPU					
Model	BFC 1320	BFC 1320	BTI 4020	BTI 4020	DG Nova 3
Add time, microseconds	7.4	7.4	20	20	10 (1 word)
No. of programmable registers	3	3	2	2	5
No. of I/O ports on basic system and maximum	11 (above req.)	9 (above req.)	11	11	3, 10
INTERNAL STORAGE					
Type	MOS	MOS	MOS	MOS	Core
Capacity of basic system, bytes	32K	64K	64K	64K	64K
Maximum capacity, bytes	64K	128K	64K	64K	256K
Increment size, bytes	8K, 16K	8K, 16K	None	None	32K
Cycle time, microseconds	0.6	0.6	0.65	0.65	0.8
Access time, microseconds	0.4	0.4	0.3	0.3	0.4
MASS STORAGE CAPABILITIES*					
Floppy disk drive	No	No	No	No	Optional
Cartridge disk drive	Std.; 40M bytes	No	Std.; 40M bytes	Opt.; 40M bytes	Std.; 40M bytes
Pack disk drive	No	Std.; 300M bytes	Opt.; 389M bytes	Std.; 389M bytes	Opt.; 800M bytes
Fixed-head disk/drum	No	No	No	No	Optional
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	No	No	Standard
10-key numeric keyboard	Standard	Standard	No	No	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	Opt.; 300 cps	No	No	No	Opt.; 400 cps
Paper tape punch	Opt.; 75 cps	No	No	No	Opt.; 75
Punched card reader	Opt.; 300-400 cpm	No	No	No	Opt.; 1000 cpm
Punched card punch	No	No	No	No	Opt.; 150 cpm
Punched card reader/punch	No	No	No	No	No
Serial printer	Std.; 165 cps	Opt.; 165 cps	No	No	Opt.; 165 cps
Line printer	Opt.; 300, 600 lpm	Std.; 300 lpm	Opt.; 300-900 lpm	Opt.; 300-900 lpm	Std.; 200-1500 lpm
Reel-to-reel tape drive	Opt.; 10 KBS	Opt.; 10 KBS	Opt.; to 72 KBS	Opt.; to 72 KBS	Opt.; 10-72 KBS
Cassette tape drive	No	No	No	No	Opt.; 1.6 KBS
Cartridge tape drive	No	No	Std.; 192 KBS	Std.; 192 KBS	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 16 x 32 char.	Std.; 24 x 80, 16 x 32 char.	No	No	Std.; 1920 cps
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	8	—	4	4	256
Synchronous	Opt.; 2400 bps	Opt.; 2400 bps	No	No	Opt.; to 48K bps
Asynchronous	Std.; 9600 bps	Std.; 9600 bps	Opt.; 2500 bps	Opt.; 2500 bps	Opt.; to 9600 bps
Protocols supported	IBM 2780	IBM 2780	User-programmable	User-programmable	IBM 2780/3780 SDLC
SOFTWARE SUPPORT					
COBOL	No	No	No	No	Yes
RPG	No	No	No	No	No
FORTRAN	No	No	No	No	Yes
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	No	No	No	No	Yes
Other programming languages	—	—	No	No	—
Multiprogramming	Yes; 8 partitions	Yes; 16 partitions	No	No	Yes; 64 partitions
Language implemented in firmware	No	No	Partially	Partially	No
Operating system implemented in firmware	Partially	Partially	Partially	Partially	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Medical, insurance, general business	Medical, insurance, general business	School administration	School administration	Whlsl./dist., real estate, medical
Data base management system	No	No	Yes	Yes	Yes
File access methods supported	Sequential, random	Sequential, random	Random, sequential, index seq.	Random, sequential, index seq.	Random, sequential, ISAM
Software separately priced	Yes	Yes	Yes	Yes	No
Technical help separately priced	Yes	Yes	No	No	Yes
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$51,400	\$115,000	\$35,950	\$56,300	\$45,000
Monthly rental of basic system, \$	\$1131	\$2530	No	—	—
Date of first U.S. delivery	1975	1976	January 1976	January 1976	July 1973
Number installed in U.S. to date	4000 (all models)	4000 (all models)	NA	NA	NA
COMMENTS	Available as packaged systems only; system price also includes cartridge disk subsystem, serial or line printer, and CRT terminal; see Report M11-088-101 for more details	600-lpm printer available as an option; available only as packaged system including pack disk, line printer, and CRT; see Report M11-088-101 for more details	Up to 32 user terminals concurrently, or 24 + 4 comm. lines; 10M-byte non-removable disk drive std; see Report M11-089-101 for details	Up to 32 user terminals concurrently, or 24 + 4 comm. lines; 49M-byte pack drive std.; see Report M11-089-101 for more details	See Report M11-304-101 for more details on CPU

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Binary Data Systems UCOM II	Binary Data Systems UCOM III	Burroughs B 80	Burroughs B 730/B 720	Burroughs B 801
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2, 4 2 1, 2 1	16 2, 4 2 1, 2 1	8 2 1 Variable Variable	64 15 8 Variable Variable	64 16 8 1 2, 3, 4, 5 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Dual Nova 3/D 10 (1 word) 5 3, 10	DG Eclipse C330 6 (5 digits) 8 64	B 80/30/40/50 — None 8, 11	Burroughs B 731 430 4 6, 8	Burroughs B 800 — 20 7
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 128K each 256K each 32K 0.8 0.4	Core 256K 512K 32K 0.8 0.4	MOS 32K/60K 60K/124K 4K/16K 1.0 0.5	MOS 32K 80K 8K 1.0 0.5	MOS 32K 80K 8K 1.0 0.5
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Std.; 40M bytes Opt.; 800M bytes Optional	Optional Std.; 40M bytes Opt.; 800M bytes Optional	Opt.; 6M bytes Opt.; 27.6M bytes No No	Opt.; 243K bytes Opt.; 36.8M bytes No No	Opt.; 486K bytes Opt.; 36.8M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 400 cps Opt.; 75 cps Opt.; 1000 cpm Opt.; 150 cpm No Opt.; 165 cps Std.; 200-1500 lpm Opt.; 10-72 KBS Opt.; 1.6 KBS No No Std.; 1920 cps	Opt.; 400 cps Opt.; 75 cps Opt.; 1000 cpm Opt.; 150 cpm No Opt.; 165 cps Std.; 200-1500 lpm Opt.; 10-72 KBS Opt.; 1.6 KBS No No Std.; 1920 cps	No No No No No Std.; 60, 180 cps Opt.; 160, 250 lpm No Std.; 1 KBS No No Standard; 8 x 32 char.	Opt.; 40 cps Opt.; 40 cps Opt.; 600 cpm No Opt.; 600/60 cpm Std.; 60 cps Opt.; 85-400 lpm Opt.; 10 KBS Opt.; 1 KBS No No Optional; 24 x 80, 12x40, 8x32 char.	No No Opt.; 300 cpm No Opt.; 300/60,200/45 Std.; 120 cps Opt.; 85-400 lpm Opt.; 10 KBS Opt.; 1 KBS No No Opt.; 256-1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	256 Opt.; to 48K bps Opt.; to 9600 bps IBM 2780/3780 SDLC	256 Opt.; to 48K bps Opt.; to 9600 bps IBM 2780/3780 SDLC	4 Opt.; to 4800 bps Opt.; to 9600 bps Basic mode, bisync., BDLC	1 Opt.; to 9600 bps Opt.; to 9600 bps Basic mode, bisync., 3780, BDLC	4 Opt.; to 9600 bps Opt.; to 9600 bps Basic mode, bisync., 3780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	Yes No Yes Yes Yes — Yes; 64 partitions No No Yes Basic accounting	Yes No Yes Yes Yes — Yes; 2 partitions No No Yes Basic accounting	Yes Yes No No No DSC/MPL/NDL Yes; to 3 programs Fully Fully	Yes Yes No No No AEL Yes; see comments Fully Fully	Yes Yes No No No AEL, MPL, NDL Yes Fully Fully
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$95,000 — May 1975 NA	\$130,000 — March 1976 NA	\$22,010 w/MCP \$720 with MCP April 1976 NA	\$30,400 \$968 May 1973 NA	\$32,400 \$880 April 1977 —
COMMENTS	Dual processor featuring completely redundant systems; see Report M11-304-101 for more details on CPU	See Report M11-304-101 for more details on CPU	See Report M11-112-351 for more details	AEL programs can execute concurrently w./RPG or COBOL programs; B 730 supports up to 4 Direct Data Entry stations; see Report M11-112-451 for details	See Report M11-112-401 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Burroughs B 810/B 820	Burroughs B 1830 Series	Burroughs B 1860 Series	Burroughs B 1870 Series	Business Controls System 80/8
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	64 16 8 1 2, 3, 4, 5 bytes	16 4 2 Variable Variable	16 4 2 Variable Variable	16 4 2 Variable Variable	12 4 2 1 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Burroughs B 800 — 20 7	Burroughs B 1830 — — 1, 14	Burroughs B 1860 — — 1, 14	Burroughs B 1870 — — 1, 14	DEC PDP-8/A, E 2.6-3.0 (word) 8 2, 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 64K 131K 8K 1.0 0.5	MOS/LSI 48K 256K 16K, 32K, 64K 1.2 0.4	MOS/LSI 64K 384K 32K, 64K, 128K 0.333 0.167	MOS/LSI 64K 512K 32K, 128K 0.333 0.167	Core 32K 256K 16K 1.2 0.6
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 2 million Opt.; 368 million Opt.; 521 million No	Opt.; 486K bytes Std.; 74.4M bytes Opt.; 697.6M bytes No	Opt.; 486K bytes Opt.; 74.4K bytes Std.; 697.6M bytes No	Opt.; 486K bytes Opt.; 74.4K bytes Std.; 697.6M bytes Std.; 18M bytes	Opt.; 670K bytes Std.; 25.6M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard No No	Standard No No	Standard No No	Standard Optional No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No Opt.; 300/60,200/45 Opt.; 120 cps Opt.; 85-750 lpm Opt.; 10 KBS Opt.; 1 KBS No No Opt.; 256-1920 char.	No No Std.; 300 cpm Opt.; 150, 300 cpm Opt.; 200/45,300/60 No Std.; 400 lpm Opt.; 10-120 KBS Opt.; 1 KBS No No Std.; 24 x 80 char.	No No Std.; 600 cpm Opt.; 150, 300 cpm Opt.; 200/45,300/60 No Std.; 750 lpm Opt.; 10-120 KBS Opt.; 1 KBS No No Std.; 24 x 80 char.	No No Std.; 1400 cpm Std.; 300 cpm Opt.; 200/45,300/60 No Std.; 1500 lpm Std.; 80 KBS (4) Opt.; 1 KBS No No Std.; 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 200 cpm No No Std.; 180 cps Opt.; 250-600 lpm Opt.; 36 KBS Opt.; 3 KBS No No Std.; 12 x 80 char.; Opt.; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4 Opt.; to 9600 bps Opt.; to 9600 bps Basic mode, bisync, 360/20 HASP	4 Opt.; 50,000 bps Opt.; 9600 bps Basic mode, bisync, BDLC	32 Opt.; 50,000 bps Opt.; 9600 bps Basic mode, bisync, BDLC	8 Std.; 24 opt. Opt.; 50,000 bps Opt.; 9600 bps Basic mode, bisync, BDLC	16 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes No No No Yes Yes Fully Fully Yes All business acct'g applications No Random, indexed seq., index random Yes Yes	Yes Yes Yes Yes No Yes Fully Fully Yes All business acct'g applications Yes Random, index seq., index random Yes Yes	Yes Yes Yes Yes No Yes Fully Fully Yes All business acct'g applications Yes Random, index seq., index random Yes Yes	Yes Yes Yes Yes No Yes Fully Fully Yes All business acct'g applications Yes Random, index seq., index random Yes Yes	No No Yes Yes Yes DIBOL, COM Yes; 15 partitions No No Yes Retail, mfg., dist., whlsl., list maint. No Random, sequential, indexed sequential No No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$35,900 \$975 April 1977 —	\$115,590 (98KB) \$3,058 (5-yr. lease) 2nd quarter 1977 NA	\$194,760 (160KB) \$4,815 (5-yr. lease) 2nd quarter 1977 NA	\$470,935 (384KB) \$11,671 (5-yr. lease) 2nd quarter 1977 NA	\$29,990 \$600 1971 100
COMMENTS	See Report M11-112-401 for more details	300-1400 cpm card readers opt.; 85-1500 lpm line printers opt.; see Report M11-112-601 for more details	300-1400 cpm card readers opt.; 85-1500 lpm line printers opt.; see Report M11-112-601 for more details	150 cpm card punch, 300-1400 cpm card readers, 85-1500 lpm line printers, 10-120KB mag tapes opt.; see Report M11-112-601 for more details	

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Business Controls System 80/11	Business Systems Products Adviser II	Business Systems Products Adviser III	Cado Systems Corporation System 40	Cascade Data, Inc. Concept II
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 5 2+ ½, 1, 2 1	16 bits 2 2 2 1, 2, 3	16 bits 2 2 2 1, 2, 3	8-bit byte 2 per byte 1 per byte 0-4 1 byte	16 2 2 1-256 bytes 2-5 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/34, /70 2.7-7.3 (word) 8-16 2, 64	CA LSI-2/60 8.24 msec (8 digits) 8 4, 24	CA LSI-2/60 8.24 msec (8 digits) 8 8, 24	Intel 8080A 200 (9 digits) 6 2	Cascade Data 8.8 (word) 16 5, 32
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core, MOS, bipolar 64K 204K 16K 0.980 0.490	Core 64K 64K — 0.980 0.520	Core 64K 304K 16K 0.980 0.520	MOS 5K 9K 4K 1.1 —	Core 16K 64K 16K 1.2 per byte 0.35 per byte
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 2048K bytes Std.; 112M bytes Opt.; 1400M bytes Opt.; 8M bytes	No Std.; 40M bytes No No	No No Std.; 640M bytes No	Std.; 3.6M bytes Opt.; 19M bytes No No	No Std.; 40M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Optional No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 300-1200 No No Std.; 180 cps Opt.; 250-1200 lpm Opt.; 10-72 KBS Opt.; 4 KBS No No No Std.; 12 x 80 char.; Opt.; 24 x 80 char.	Opt.; 1300 cps Opt.; 60 cps Opt.; 300 cpm Opt.; 50 cpm None 1 Std.; 120 cps Opt.; 300-600 lpm Opt.; 20-40 KCS No No No Std.; 1920 char.	Opt.; 1300 cps Opt.; 60 cps Opt.; 300 cpm Opt.; 50 cpm None Std.; 120 cps Opt.; 300-600 lpm Opt.; 20-40 KCS No No No Std.; 1920 char.	Optional Optional Optional No No Optional Std.; 300 lpm Optional No No No Standard; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 300 cpm No No Opt.; 55 cps Opt.; 125-600 lpm Opt.; 30, 60 KBS No No No Std.; 16 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	64 Opt.; to 50K bps Opt.; to 9600 bps IBM 2780, SDLC	24 Opt.; 4800 bps Std.; 9600 bps IBM 2780, 3780, SDLC	24 Opt.; 4800 bps Std.; 9600 bps IBM 2780, 3780, SDLC	1 Std.; to 9600 bps Std.; to 9600 bps IBM 2770, 2780, 3780	8 Opt.; to 9600 bps Opt.; to 9600 bps 2780 bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes DIBOL, DECform Yes; 63 partitions No No Yes Retail, mfg., dist., whls., list maint. DBMS-11 Random, sequential, indexed sequential No No	No No Yes No No ABOL Yes, 24 partitions No Partially Yes Distribution Yes Seq., Random, ISAM Yes Yes	No No Yes No No ABOL Yes, 24 partitions No Partially Yes Distribution Yes Seq., Random, ISAM Yes Yes	No No No Yes (CADOL) No None No Fully Fully Yes Dist. proc., text editing Yes Random, indexed sequential Yes No	No Yes No No Yes None Yes; 2 partitions No No Yes Route acctg., Banking, Medical No All Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$40,000 \$800 1976 NA	\$38,700 \$850 7/76 Not published	\$65,800 \$1,450 12/76 Not published	\$19,900* 3rd party April 1976 200	\$22,200 \$666 January 1970 200+
COMMENTS	Supports all DEC operating systems, sorts, etc.	Single-source responsibility for software & service; applications program packages library	Single-source responsibility for software & service; applications program packages library	*Price includes 80-column printer; add \$700 for 132-column unit; 2 floppy disk drives std.; 6 max.	Add'l. industry applications: release acctg., public acctg., auto dealerships, grain elevators, film processors

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Cascade Data, Inc. Concept III	Cascade Data, Inc. Concept IV	CDA, Inc. INVOMAT-20	CDA, Inc. INVOMAT-40	CDA, Inc. INVOMAT-60
DATA FORMATS					
Word length, bits	16	8	16	16	16
Decimal digits per word	2	1	4	4	4
Bytes (characters) per word	2	1	2, 3	2, 3	2, 3
Operand length, words	1-256 bytes	1-256 bytes	½	½	½
Instruction length, words	2-5 bytes	1-2 bytes	1	1	1
CPU					
Model	Cascade Data	Cascade Data	DG Nova 1200/D-116	DG Nova 1200/D-116	DG Nova 1200/D-116
Add time, microseconds	7.5 (word)	2.0 (byte)	1.35	1.35	1.35
No. of programmable registers	16	14	4	4	4
No. of I/O ports on basic system and maximum	5; 32	6; 256	2; 4	4; 8	4; 12
INTERNAL STORAGE					
Type	Core	MOS	Core	Core	Core
Capacity of basic system, bytes	16K	16K	32K	32K	48K
Maximum capacity, bytes	64K	64K	64K	64K	64K
Increment size, bytes	16K	16K	16K	16K	16K
Cycle time, microseconds	1.0 per byte	1.0 per byte	1.35	1.35	1.35
Access time, microseconds	0.35 per byte	0.2 per byte	—	—	—
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Opt.; 1.2M bytes	Std.; 4.8M bytes	Std.; 0.6M bytes	Std.; 1.2M bytes	Std.; 2.4M bytes
Cartridge disk drive	Std.; 40M bytes	No	No	No	No
Pack disk drive	No	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	No	Optional	Optional
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	Opt.; 300 cps	No	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps
Paper tape punch	Opt.; 75 cps	No	Opt.; 10 cps	Opt.; 10 cps	Opt.; 10 cps
Punched card reader	Opt. 300 cpm	No	No	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 55 cps	Opt.; 60 cps	Std.; 1; 30 cps	Std.; 1; 30 cps	Std.; 1; 165 cps
Line printer	Opt.; 125-600 lpm	Opt.; 200-400 lpm	No	Opt.; 200 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Opt.; 30, 60 KBS	No	No	No	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 16 x 80 char.	Std.; 16 x 80 char.	Std.; 1; 960	Std.; 2; 960-1920	Std.; 3; 960-1920
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	8	8	No	4	4
Synchronous	Opt.; to 9600 bps	Std.; to 9600 bps	No	—	—
Asynchronous	Opt.; to 9600 bps	Std.; to 9600 bps	No	—	Opt.; to 9600 bps
Protocols supported	2780 bisync	2780 bisync	No	—	IBM 2780
SOFTWARE SUPPORT					
COBOL	No	No	No	No	No
RPG	Yes	No	No	No	No
FORTRAN	No	No	No	No	No
BASIC	No	Yes	No	No	No
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	None	None	No	No	No
Multiprogramming	Yes; 4 partitions	Yes; 2 partitions	No	No	No
Language implemented in firmware	No	Partially	No	No	No
Operating system implemented in firmware	No	Partially	No	No	No
General accounting packages	Yes	Yes	No	No	Yes
Industry application areas	Dist., MRP VSAM telecomm. network	Business acctg.	Distrib., inventory, acctg.	Distrib., inventory, acctg.	Distrib., inventory, acctg.
Data base management system	No	No	No	Yes	Yes
File access methods supported	All	All	Sequential; index sequential	Sequential; index sequential	Sequential; index sequential
Software separately priced	Yes	Yes	Some	Some	Some
Technical help separately priced	Yes	Yes	No	No	No
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$26,900	\$14,000	\$16,800	\$23,600	\$29,600
Monthly rental of basic system, \$	\$807	\$420	\$355	\$500	\$625
Date of first U.S. delivery	November 1977	April 1978	November 1974	May 1977	September 1977
Number installed in U.S. to date	NA	NA	50	8	NA
COMMENTS			Turnkey system; inventory mgt. program is included in price	Turnkey system; inventory manage- ment; invoicing, A/R programs are included in price	Turnkey system; inventory/purchas- ing mgt., invoicing, and A/R programs are included in price

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	CDA, Inc. INVOMAT-200	Century Computer Century 300	Century Computer Century 400	Century Computer Century 700	Century Computer Century 900
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2, 3 ½ 1	8 2 1 1 1-3	16 4 2 1 ½ to 1½	8, 16 4 2 2 ½ to 3	8, 16 4 2 2 ½ to 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 1200/D-116 1.35 4 4; 16	Century 200 2.6 (5 digits) 16 2,256	Century 400 2.6 (5 digits) 16 2,256	Century 400 2.6/5 digits 16 2; 256	Century 400 2.6/5 digits 16 2; 256
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 48K 64K 16K 1.35 —	MOS 32K 60K 16K, 32K 0.6 0.2	MOS 32K 256K 32K 0.6 0.2	MOS 32K 256K 32K .05 1.4	MOS 96K 512K 32K .05 1.2
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std., 1; 0.6M bytes Std., 1; 10M bytes No No	Opt.: 376K bytes Std.: 20M bytes Opt.: 100M bytes No	Opt.: 384K bytes Std.: 20M bytes Opt.: 100M bytes No	Opt.: 376K Std.: 20M bytes Opt.: 200M bytes No	Opt.: 376K Opt.: 40M bytes Opt.: 600M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Optional No	Standard Standard Optional	Standard Standard Optional	Optional Optional Optional	Optional Optional Optional
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 300 cps Opt.: 60 cps Opt.: 200 cpm Opt.: 100 cpm Opt.: 250/60 cpm Std.: 165 cps Opt.: 300 lpm Opt.: 60 KBS No No No Std.: 3; 960-1920	Opt.: 300, 400 cps No Opt.: 300, 600 cpm No No Std.: 165 cps Opt.: 300, 600 lpm Opt.: 120 KBS Opt.: 300 cps No No Standard; 24 x 80 char.	Opt.: 300, 400 cps No Opt.: 300/600 cpm No No Opt.: 165 cps Std.: 300, 600 lpm Opt.: 120 KBS Opt.: 300 cps No No Standard; 24 x 80 char.	Opt.: 400 cps Opt.: 150 cps Opt.: 300 cpm No No 300 lpm 120K bytes Opt.: 300 cps No No Std.: 24 x 80 char.	Opt.: 400 cps Opt.: 150 cps Opt.: 300 cpm No No 600 lpm 120K bytes 300 cps No No Std.: 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	8 — Opt.: to 9600 bps IBM 2780	256 Opt.: to 9600 bps Opt.: to 9600 bps CCS	256 Opt.: to 9600 bps Opt.: to 9600 bps CCS	256 Opt.: 9600 bps Opt.: 9600 bps CCS	256 Opt.: 9600 bps Opt.: 9600 bps CCS
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Optional No Optional Optional Yes No No No Yes Distrib., inventory, accounting Yes Sequential, index sequential Some No	No No No Yes Yes CPL Yes; 10 partitions No No Yes Bus. acct'g., dist. Yes Random sequential, index seq. Yes Yes	No No No Yes Yes CPL Yes; 10 partitions No Partially Yes Bus. acct'g., dist. Yes Random, sequential, index seq. Yes Yes	No No No Yes Yes CPL, MOD. Fortran Yes; 20 partitions Partial Partial Yes Distribution, Business, Finance Yes Random, sequential, index seq. Yes Yes	No No No Yes Yes CPL Yes; 20 partitions Partial Partial Yes Business, Finance, Hotel Yes Random, sequential, index, seq. Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$37,500 \$790 June 1975 10	\$30,000 Purchase only February 1971 Over 600	\$34,000 Purchase only March 1975 117	\$38,000 Purchase/lease April 1976 40	\$45,000 Purchase/lease February 1977 23
COMMENTS	Turnkey system; inventory/purchasing management, invoicing, and A/R programs are included in price	Turnkey system or business accounting; all software sold separately	Turnkey business accounting system with communications capability	Designed for general bus., distribution, & finance markets; expandable with software/hardware	Designed for large data base processing, real-time operating environment, finance, hotels, inventory control

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Century Computer Century 1000	Complete Computer System #2820	Complete Computer System #2851	Complete Computer System #3510	Complete Computer System #3720
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8, 16, 24 4 2 2 ½ to 3	16 + 1 4 2 1 1	16 + 1 4 2 1 1	16 + 1 4 2 1 1	16 + 1 4 2 1 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Century 400 2.6/5 digits 16 2; 256	DG Nova 2/10 1 (1 word) 16 4; 12	DG Nova 2/10 1 (1 word) 16 7; 11	DG Nova 3/4 0.7 (1 word) 32 3; 4	DG Nova 3/12 0.7 (1 word) 32 4; 20
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 128K 512K 32K 1.2 0.5	Core 64K 64K — 1 —	Core 64K 64K — 1 —	MOS 64K 64K — 0.70 0.35	MOS 64K 256K 32K 0.70 0.35
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 376K Opt.: 40M bytes Opt.: 900M bytes No	Opt.: 630K bytes Std.: 46.4M bytes No No	Opt.: 630K bytes Std.: 46.4M bytes No No	Opt.: 630K bytes Std.: 232M bytes No No	Opt.: 630K bytes Std.: 46.4M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional Optional	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 400 cps Opt.: 150 cps Opt.: 300 cpm No No 1200 lpm 120K bytes 300 cps No No No No No Std.: 24 x 80 char.	Opt.: 400 cps Opt.: 60 cps Opt.: 300 cpm No No Std.: 330 cps Opt.: 300 lpm Opt.: 36 KBS Opt.: 1.6 KBS No No No Std.: 1920 char. 24 x 80	Opt.: 400 cps Opt.: 60 cps Opt.: 300 cpm No No Std.: 330 & 30 cps Opt.: 300 lpm Opt.: 36 KBS Opt.: 1.6 KBS No No No Std.: 1920 char.	Opt.: 400 cps Opt.: 60 cps Opt.: 300 cpm No No Std.: 60 cps Opt.: 300 lpm No No No Std.: 1920 char.	Opt.: 400 cps Opt.: 60 cps Opt.: 300 cpm No No Std.: 180 cps Opt.: 300 lpm Opt.: 36 KBS Opt.: 1.6 KBS No No No Std.: 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	256 Opt.: 9600 bps Opt.: 9600 bps CCS	10 Opt.: to 9600 bps Opt.: to 9600 bps Opt.: 2780 via DG RSTCP	9 Opt.: to 9600 bps Opt.: to 9600 bps Opt.: 2780 via DG RSTCP	2 Opt.: to 9600 bps Opt.: to 9600 bps Opt.: 2780 via DG RSTCP	18 Opt.: to 9600 bps Opt.: to 9600 bps Opt.: 2780 via DG RSTCP
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes Yes CPL, ALGOL Yes; 20 partitions Partially Partially Yes Bus., fin., dist., hotel, medicine Yes Random, sequential, index seq. Yes Yes	No No Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mfg., costing, dist., printing Yes Seq., Random, ind. seq. Yes Yes	No No Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mortgage banking, mfg. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Property mgt., mfg., dist. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Municipal acctg., mfg., DBMS, dist. Yes Seq., random, ind. seq. Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$65,000 Purchase/lease June 1977 6	\$35,675 \$774 March 1974 NA	\$41,275 \$895 December 1974 NA	\$23,850 \$517 October 1976 NA	\$28,300 \$614 September 1976 NA
COMMENTS	Large data base management systems; real-time/batch processing	Includes two CRT's and hardware floating-point unit	The 30-cps printer includes forms control; system includes hardware floating-point unit	Disk storage expandable to 100MB	Disk storage expandable to 100MB

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Complete Computer System #3955	Compucorp 402	Compucorp 450	Compucorp 450/D	Compucorp 450/DP
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 + 1 4 2 1 1	64 13 8 1, 2 1-7 bytes	64 13 8 1, 2 1-7 bytes	64 13 8 1, 2 1-7 bytes	64 13 8 1, 2 1-7 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 0.7 (1 word) 32 4/20	Compucorp 3000 80 (13 digits) — —	Compucorp 3000 80 (13 digits) — —	Compucorp 3000 80 (13 digits) — —	Compucorp 3000 80 (13 digits) — —
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 96K 256K 32K 0.7 0.5	MOS 12K 16K 4K — —	MOS 16K 16K None — —	MOS 16K 16K None — —	MOS 16K 16K None — —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 630K bytes Std.; 384M bytes No No	Std.; 1.2M bytes No No No	Std.; 1.2M bytes No No No	Std.; 1.2M bytes No No No	Std.; 1.2M bytes No No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 400 cps Opt.; 400 cps Opt.; 300 cpm No No Std.; 660 cps Opt.; 300 lpm Opt.; 36 KBS Opt.; 1.6 KBS No No Std.; 1920 char.	No No No No No Std.; 30 cps No Opt.; 40 KBS No No No Optional; 24 x 80 char.	No No No No No Std.; 30 cps No No No No Optional; 24 x 80 char.	No No No No No Std.; 30 cps No No No No Standard; 24 x 80 char.	No No No No No Std.; 30 cps No No No No Optional; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	18 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 VIA D.G. RSTCP	4 No Std.; to 4800 bps None	7 No Std.; to 4800 bps None	7 No Std.; to 4800 bps None	7 No Std.; to 4800 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Optional Optional Yes Yes Yes Yes Partially Partially Yes Shared logic; word proc. & DBMS Yes Seq., random, index seq. Yes Yes	No No No No Yes None No Partially Fully No Agric. bus.; gen'l. bus. Yes Random, sequential, index seq. No Yes	No No No No Yes None No Partially Fully No Agric. bus.; gen'l. bus. Yes Random, sequential, index seq. No Yes	No No No No Yes None No Partially Fully No Agric. bus.; gen'l. bus. Yes Random, sequential, index seq. No Yes	No No No No Yes None No Partially Fully No Agric. bus.; gen'l. bus. Yes Random, sequential, index seq. No Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$55,500 \$1,204 October 1976 NA	\$12,880 Purchase only January 1976 15	\$11,490 Purchase only April 1976 2	\$14,550 Purchase only June 1976 1	\$15,320 Purchase only April 1976 1
COMMENTS	System includes floating-point processor; handles word processing along with DBMS or business applications	Over 400 delivered in Europe; kits available to upgrade Monroe 1800 Series calculators to 402 status	Also being delivered in Europe; includes magnetic card reader	Also being delivered in Europe; includes magnetic card reader	Also being delivered in Europe; includes magnetic card reader

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Compucorp 450-OPD	Compucorp 625	Computata Systems (DEC 300 Series)	Computata Systems (DEC 500 Series)	Computata Systems (IBM Series/1)
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	64 13 8 1 1, 2	48 12 6 — 1, 4	16 + 2 5 2 1, 2 1, 2, 3	16 + 2 5 2 1, 2 1, 2, 3	16 5 2 1 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Compucorp 3000 80 32 16	Zilog Z-80 50 — 256	DEC LSI-11. PDP-11/34 2.03 6 1-8	DEC PDP-11/34, 11/70 0.30-1.20 12 1-64	IBM 4953/4955 4.2 32 4-56
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 8K 16K 4K 4 4	MOS 24K 65K 8K 1.6 0.4	MOS 32K 256K 32K 0.98; 0.725 0.51/0.635	Core 128K 512K 32K 0.98 0.36	MOS 64K 128K 32K 0.66 0.50
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 630K bytes No No No	Std.; 630K bytes Optional No No	Opt.; 310K bytes Std.; 2.5 or 5M bytes Opt.; 14M bytes No	Opt.; 310K bytes Std.; 2.5 or 5M bytes Opt.; 14, 88, 176 MB Opt.; 512M bytes	Opt.; 2.5M bytes Opt.; 9 or 13M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 30 cps Optional Optional No No No No Std.; 1920 char.	No No No No No Std.; 80 cps Optional Optional No Optional No No Std.; 1024 char.	Optional Optional No No Opt.; 300 cpm Std.; 180 cps Opt.; 300 lpm Opt.; 800/1600 bpi No No No Std.; 1920 char.	Optional Optional Optional No Opt.; 300, 1200 cpm Std.; 180 cps Opt.; 300 lpm Opt.; 800/1600 bpi No No No Std.; 1920 char.	No No No No No Opt.; 120 cps Opt.; 155 lpm No No No No Std.; 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4 No Optional RS-232	4 No Optional RS-232	32 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780	64 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780	256 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No Yes No No Partially Partially Yes Various Yes Random, keyed, hashed Yes Yes	No No No Yes Yes No No No No Yes Various Yes Random, keyed, hashed Yes Yes	No No Yes No No DIBOL Yes No No Yes Manuf., distrib., services, retail Yes Sequential, random, index sequential Yes Yes	Yes Yes Yes Yes No DIBOL Yes No No Yes Manuf., distrib., services, retail Yes Sequential, random, index sequential Yes Yes	Yes No Yes No Yes No Yes No No Yes Manuf., distrib., services, retail No Sequential, random, index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$15,000 — February 1976 100	\$7,000 — July 1977 NA	\$17,000 \$350 1975 100	\$60,000 \$1,250 1976 25	\$26,000 \$540 1977 1
COMMENTS					

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Computer Automation SyFA	Computer Covenant CPBS 1	Computer Covenant CPBS 2	Computer Covenant CPBS 3	Computer Hardware Inc. 2130
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 bit to 255 bytes 1, 2	16 2 2 1, 2 1	16 2 2 1, 2 1	16 2 2 1, 2 1	16 2 2 16 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	CA LSI-2/60 76 (5 digits) 2 2, 6	DEC PDP-11/04 3.2 (1 word) 8 9	DEC PDP-11/34 3.2 (1 word) 9 4	DEC PDP-11/70 0.40 (1 word) 10 26	CHI 2130 2.7 8 21; 128
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 64K 304K 16K 1.2 0.5	MOS 56K 56K None 0.98 0.49	MOS 64K 2048K 16K 0.51 0.26	Core 256K 2048K 64K, 256K 0.38 0.19	MOS 16K bytes 4M bytes 16K bytes 0.8 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.: 40M bytes Opt.: 640M bytes No	Opt.: 512K bytes Opt.: 10M bytes No No	Opt.: 512K bytes Std.: 10M bytes Opt.: 1408M bytes No	No Opt.: 10M bytes Opt.: 1408M bytes No	— Opt.: 2M bytes Std.: 1200M bytes Opt.: 2M bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Optional Optional
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Opt.: 100, 165 cps Opt.: 300, 600 lpm No No No No Optional; 24 x 80 char.	No No Opt.: 300 cpm No No Std.: 30, 180 cps Opt.: 300 lpm Opt.: 10-120 KBS No No Standard; 24 x 80 char.	No No Opt.: 300 cpm No No Std.: 30, 180 cps Opt.: 300-1200 lpm Opt.: 10-120 KBS No No Standard; 24 x 80 char.	No No Opt.: 300 cpm No No Std.: 30, 180 cps Opt.: 300-1200 lpm Opt.: 10-120 KBS No No Standard; 24 x 80 char.	Opt.: 300 cps Opt.: 110 cps Opt.: 1000 cpm Optional (IBM 1442) Optional (IBM 1442) Opt.: 60 cps Std.: 600 lpm Opt.: 75 lps Opt.: 30 cps No No Std.: 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	25 Opt.: to 4800 bps Std.: to 2400 bps IBM 2780/3780 HASP	4 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780, bisync, SDLC, DDCMP	16 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780, bisync, SDLC, DDCMP	60 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780, bisync, DLC, DDCMP	32 async.; 4 sync. Opt.: to 4800 bps Opt.: to 9600 bps IBM 3270, 2780, 3780, 3741
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No Yes Yes No SYBOL Yes; 43 partitions No No No Distributed processing No Random, sequential, index seq. Yes No	No No Yes Yes Yes DIBOL-11 Yes; 4 partitions No No Yes Manufacturing, dist./wholesale RMS-11 Random, sequential, index seq. Yes Yes	Yes No Yes Yes Yes DIBOL-11 Yes; 16 partitions No No Yes Manufacturing, dist./wholesale RMS-11 Random, sequential, index seq. Yes Yes	Yes No Yes Yes Yes DIBOL-11 Yes; 60 partitions No No Yes Manufacturing, dist./wholesale RMS-11/DBMS-11 Random, sequential, index seq. Yes Yes	Yes Yes Yes Yes Yes ALGOL, SNOBOL Yes; 32 partitions No Partially Yes General accounting Yes Random, sequential, index seq. Some No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$45,000 NA 1976 NA	\$24,000 \$530 (5-yr. lease) June 1976 2	\$42,000 \$910 (5-yr. lease) September 1976 2	\$100,000 \$2,150 (5-yr. lease) December 1976 1	Consult factory Consult factory 1974 NA
COMMENTS	Supports up to 24 terminals and up to 35 peripherals; FORTRAN and BASIC are un-bundled	Includes 180-cps serial printer	Includes 180-cps serial printer	High-speed controllers and dual access disk drives; cache memory	Hardware floating-point available

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Computer Hardware Inc. 3230	Computer Hardware Inc. 4210	Computer Horizons CHC Distribution System	Computer Interactions Compo-II	Control Data Cyber 18-10
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 16 1	16 2 2 16 1	16 2 2 ½ or 1 1-3	12 3 2 (6-bit) 1 1, 2	16 — 2 — 1-3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	CHI 3231 2.7 8 21; 128	CHI 4210 50 16 12	DEC PDP-11/34 2 (1 word) 8 3, 7	DEC PDP-8/E or F 15 (5 digits) 8 3, 32	Cyber 18-10 1.76 (1 word) 22 2 per memory mod.
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 16K bytes 4M bytes 16K bytes 0.8 —	MOS 8K bytes 4M bytes 8K bytes 1.2 —	MOS, core 16K 248K 16K, 32K, 64K 0.49, 0.725, 0.98 —	Core, MOS 16K 64K 8K 1.2 0.6	Core, MOS 32K 64K 16K 0.75 0.3
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	— Opt.; 2M bytes Std.; 1200M bytes Opt.; 2M bytes	Std.; 1.0M bytes Opt.; 3M bytes — —	No No Std.; 88M bytes No	Opt.; 256K bytes Std.; 26M bytes Opt.; 90M bytes No	Opt.; 560K bytes No No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional Optional	Standard Optional Optional	No No No	Yes Yes No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Opt.; 1920 char.	No No Optional No No Opt.; 180 cps Opt.; 300 lpm No Standard No No No Opt.; 1920 char.	No No No No No Std.; 180 cps Opt.; 1200 lpm Std.; 75 ips No No No Standard; 24 x 80 char.	Opt.; 300 cps Opt.; 60 cps Opt.; 600-1200 No No Opt.; 165, 300 cps Std.; 300 lpm Opt.; 20, 40 KBS No Opt.; 40 KBS No Standard; 24 x 80 char.	No No Std.; 300, 600 cps No No No Opt.; 300, 600 lpm Opt.; 20 KBS No No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	32 async.; 4 sync. Opt.; to 4800 bps Opt.; to 9600 bps IBM 3270, 2780, 3780, 3741	8 async.; 1 sync. Opt.; to 4800 bps Opt.; to 9600 bps IBM 3780	64 Opt.; to 9600 bps Opt.; to 9600 bps HDLC, ADDCP, DDCMP, SDLC	32 Opt.; to 9600 bps Opt.; to 2400 bps None	— Opt.; to 9600 bps Opt.; to 19.2K bps IBM 2780/3780, HASP, CDC 200
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes ALBOL, SNOBOL Yes; 32 partitions No Partially Yes General accounting Yes Random, sequential, index seq. Some No	No No Yes No Yes — Yes; 8 partitions No No Yes General accounting No Sequential, random Yes No	Yes No No Yes No None Yes; 32 partitions No No Yes Inv., order proc., business acct'g. No Sequential, index sequential No Yes	No No Yes Yes Yes None Yes; 4 partitions No No No Yes Wholesale dist., pharm., medical No Random, sequential, index seq. No Yes	No No No No Yes None No No No No Under development No — Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	Consult factory Consult factory 1976 NA	Consult factory Consult factory 1977 NA	\$30,000 No NA 0	\$50,000 \$1,200 (5-yr. lease) 2nd quarter 1972 77	\$27,840 \$933 (3-yr. lease) May 1976 NA
COMMENTS	Hardware floating-point available		DEC PDP-11/70 CPU can also be used; see Report M11-384-301 for more details on CPU	System has paged memory	Lower prices for quantity purchasers; full-payout 5-yr. lease plans also available

*“Std.” means the device is included in the price of the “basic system” as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Control Data Cyber 18-20	Corstar Business Computing Co. Corstar 310	Corstar Business Computing Co. Corstar 350	Corstar Business Computing Co. Corstar 534	Corstar Business Computing Co. Corstar 570
DATA FORMATS					
Word length, bits	16	12	16	16	16
Decimal digits per word	—	2	2	2	2
Bytes (characters) per word	2	2 (6-bit)	2	2	2
Operand length, words	—	1, 2	1, 2	1, 2	1, 2
Instruction length, words	1-3	1, 2	1, 2	1, 2	1, 2
CPU					
Model	Cyber 18-20	DEC Datasystem 310	DEC Datasystem 350	DEC Datasystem 534	DEC Datasystem 570
Add time, microseconds	1.76 (1 word)	2.8	7.0 (11/10); 1.0 (11/40)	6.0	2.7
No. of programmable registers	22	8	8; 10	10	16
No. of I/O ports on basic system and maximum	2 per memory mod.	—	—	—	—
INTERNAL STORAGE					
Type	MOS	Core, MOS	Core	Core, MOS	Core
Capacity of basic system, bytes	32K	16K (6-bit)	32K	64K	128K
Maximum capacity, bytes	256K	64K (6-bit)	64K	248K	1024K
Increment size, bytes	32K, 64K	16K (6-bit)	32K	16K	64K
Cycle time, microseconds	0.75	1.4	0.98	0.98; 0.725	0.98
Access time, microseconds	0.3	0.7	0.49	0.49; 0.500	0.49
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Opt.; 560K bytes	Std.; 1.2M bytes	No	No	No
Cartridge disk drive	No	Opt.; 1.28M bytes	Std.; 19.2M bytes	Std.; 19.2M bytes	Std.; 19.2M bytes
Pack disk drive	Opt.; 400M bytes	No	Opt.; 160M bytes	Opt.; 704M bytes	Std.; 1408M bytes
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Optional	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	No	Optional	Optional	Optional	Optional
Paper tape punch	No	Optional	Optional	Optional	Optional
Punched card reader	Std.; 300, 600 cps	Optional	Optional	Optional	Optional
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	No	Std.; 180 cps	Std.; 180 cps	Opt.; 180 cps	Opt.; 180 cps
Line printer	Opt.; 300, 600 lpm	Opt.; 300 lpm	Opt.; 300 lpm	Std.; 300 lpm	Std.; 300 lpm
Reel-to-reel tape drive	Opt.; 20 KBS	No	Optional	Optional	Optional
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Standard; 12 x 80, 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	—	1	4	32	63
Synchronous	Opt.; to 9600 bps	Opt.; to 2200 bps	Opt.; to 2200 bps	Opt.; to 2200 bps	Opt.; to 2200 bps
Asynchronous	Opt.; to 19.2K bps	No	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	—	IBM 2780	IBM 2780	IBM 2780	IBM 2780
SOFTWARE SUPPORT					
COBOL	No	No	No	Yes	Yes
RPG	No	No	No	RPG II	RPG II
FORTRAN	Yes	No	No	Yes	Yes
BASIC	Yes	No	No	BASIC Plus	BASIC Plus
Assembler	Macro assembler	No	No	No	No
Other programming languages	None	DIBOL	DIBOL	None	None
Multiprogramming	Yes; 16 partitions	No	Yes; 4 partitions	Yes; 32 partitions	Yes; 63 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	No	Yes	Yes	Yes	Yes
Industry application areas	Manufacturing, distribution	Manufacturing, distribution	Manufacturing, distribution	Advert. agency, financial	Financial, publishing
Data base management system	No	No	No	No	No
File access methods supported	—	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$29,940	\$13,000-\$23,000	\$36,000-\$65,000	\$75,000-\$125,000	\$135,000-\$250,000
Monthly rental of basic system, \$	\$981 (3-yr. lease)	Purchase only	Purchase only	Purchase only	Purchase only
Date of first U.S. delivery	August 1976	1972	October 1975	November 1973	June 1975
Number installed in U.S. to date	NA	10	4	14	4
COMMENTS					
	Lower prices for quantity purchasers; full-payout 5-yr. lease plans also available	See Reports M11-385-101 and M11-384-101 for more details on hardware	See Reports M11-385-201 and M11-384-301 for more details on hardware	See Reports M11-385-501 and M11-384-301 for more details on hardware	See Reports M11-385-501 and M11-384-301 for more details on hardware

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Data Communications Corp. TPS	Data Communications Corp. DPS	Data Communications Corp. DCS	Data General CS/40 Mod. C1	Data General CS/40 Mod. C3
DATA FORMATS					
Word length, bits	16	16	16	16	16
Decimal digits per word	4	4	4	4	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1	1, 2	1	1	1
Instruction length, words	1	1, 2	1	1	1
CPU					
Model	DG Nova 3/12	DG S/200, C/300	DG Nova 3/4	DG Nova 3/12	DG Nova 3/12
Add time, microseconds	0.800 (1 word)	0.600 (1 word)	0.800 (1 word)	0.700 (1 word)	0.700 (1 word)
No. of programmable registers	4	16	4	4	4
No. of I/O ports on basic system and maximum	4; 24	5; 59	4; 24	1; 1	1; 4
INTERNAL STORAGE					
Type	Core	Core	Core	MOS	MOS
Capacity of basic system, bytes	96K	32K, 64K	8K	64	64
Maximum capacity, bytes	256K	256K	32K	64	64
Increment size, bytes	32K	16K	8K	—	—
Cycle time, microseconds	0.800	0.800	0.800	0.700	0.700
Access time, microseconds	0.400	0.400	0.400	—	—
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Opt.; 500K bytes	Opt.; 500K bytes	Opt.; 500K bytes	Std.; 315K bytes	Std.; 315K bytes
Cartridge disk drive	Std.; 10M bytes	Std.; 10M bytes	Std.; 10M bytes	Std.; 10M bytes	Std.; 10M bytes
Pack disk drive	Opt.; 92M bytes	Opt.; 92M bytes	Opt.; 92M bytes	No	No
Fixed-head disk/drum	Opt.; 2M bytes	Opt.; 2M bytes	Opt.; 2M bytes	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Optional	Standard	Optional	Standard	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps	No	No
Paper tape punch	Opt.; 70 cps	Opt.; 70 cps	Opt.; 70 cps	No	No
Punched card reader	Opt.; 150-1000 cpm	Opt.; 150-1000 cpm	Opt.; 150-1000 cpm	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps
Line printer	Opt.; 300-1200 lpm	Opt.; 200-1200 lpm	Opt.; 300-1200 lpm	Std.; 300 lpm	Std.; 300 lpm
Reel-to-reel tape drive	Opt.; 60 KBS	Opt.; 60 KBS	Opt.; 60 KBS	Opt.; 60 KCS	Opt.; 60 KCS
Cassette tape drive	Optional	Optional	Optional	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Std.; 24 x 80; single-term model	Std.; 24 x 80; up to 4 units
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	256	256	256	1	1
Synchronous	Opt.; to 9600 bps	Opt.; to 50K bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	No	No
Protocols supported	All	All	All	IBM 2780/3780	IBM 2780/3780
SOFTWARE SUPPORT					
COBOL	Yes	Yes	Yes	Yes	Yes
RPG	No	RPG II	Yes	No	No
FORTRAN	FORTRAN IV, V	FORTRAN IV, V	FORTRAN IV, V	No	No
BASIC	Yes	Yes	Yes	No	No
Assembler	Yes	Yes	Yes	No	No
Other programming languages	ALGOL	ALGOL	ALGOL	No	No
Multiprogramming	No	Yes; 1F, 1B	Yes	No	Yes
Language implemented in firmware	No	Fully	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	No	No
Industry application areas	Mortgages	Mortgages	Gen'l. mktg., mortgages, broadcasting	—	—
Data base management system	No	INFOS	No	No	No
File access methods supported	Random, sequential, index seq.	Random, sequential, index seq.	Random, sequential, index sequential	Sequential, random, ISAM	Sequential, random, ISAM
Software separately priced	Yes	Yes	Yes	No	No
Technical help separately priced	Yes	Yes	Yes	No	No
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$7,500	\$10,000	\$5,000	\$32,915	\$34,165
Monthly rental of basic system, \$	Purchase only	Purchase only	Purchase only	\$741	\$769
Date of first U.S. delivery	NA	September 1976	March 1977	September 1977	September 1977
Number installed in U.S. to date	NA	NA	NA	NA	NA
COMMENTS	Transactional Processing System; see Report M11-304-101 for more details on CPU	Distributed Processing System; see Report M11-304-201 for more details on CPU	Data Collection System; see Report M11-304-101 for more details on CPU	Interactive COBOL; built-in screen handlers	Interactive COBOL; up to 4 terminals; multiterminal control & built-in screen handlers

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Data General CS/40 Mod. C5	Datapoint Cassette 1100	Datapoint Diskette 1100	Datapoint 1150	Datapoint 1170
DATA FORMATS					
Word length, bits	16	8-bit byte	8-bit byte	8-bit byte	8-bit byte
Decimal digits per word	4	1 per byte	1 per byte	1 per byte	1 per byte
Bytes (characters) per word	2	1 per byte	1 per byte	1 per byte	1 per byte
Operand length, words	1	1 byte	1 byte	1 byte	1 byte
Instruction length, words	1	1-3 bytes	1-3 bytes	1-3 bytes	1-3 bytes
CPU					
Model	DG Nova 3/D	Datapoint 1100	Datapoint 1100	Datapoint 1150	Datapoint 1170
Add time, microseconds	0.700 (1 word)	4.8	4.8	1.4	1.4
No. of programmable registers	4	14	14	16	16
No. of I/O ports on basic system and maximum	1, 9	1	1	2	4
INTERNAL STORAGE					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	128	4K	16K	24K (user)	48K (user)
Maximum capacity, bytes	192	8K	16K	24K (user)	48K (user)
Increment size, bytes	64	4K	None	None	None
Cycle time, microseconds	0.700	1.6	1.6	0.8	0.8
Access time, microseconds	—	0.6	0.3	0.3	0.3
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Std.; 315K bytes	No	Std.; 1M bytes	Std.; 1M bytes	Std.; 1M bytes
Cartridge disk drive	Std.; 10M bytes	No	No	No	No
Pack disk drive	No	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	No	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Std.; 165 cps	Opt.; 120 lpm	Opt.; 120 lpm	Opt.; 80/120 cps	Opt.; 80/120 cps
Line printer	Std.; 300 lpm	Opt.; 300-600 lpm	Opt.; 300-500 lpm	Opt.; 300, 600 lpm	Opt.; 300, 600 lpm
Reel-to-reel tape drive	Opt.; 60K cps	Opt.; 9.6-20 KBS	Opt.; 9.6-20 KBS	Opt.; to 1600 bpi	Opt.; to 1600 bpi
Cassette tape drive	No	Std.; 352 cps	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80; up to 9 units	Standard; 12 x 80 char.	Standard; 12 x 80 char.	Std.; 12 x 80 char.	Std.; 12 x 80 char.
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	1	1	1	1	5
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	No	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	IBM 2780/3780	IBM 2265, 2741, 2780/3780, HASP	IBM 2265, 2741, 2780/3780, HASP	IBM, Burroughs, CDC, HIS, Univac	IBM, Burroughs, CDC, HIS, Univac
SOFTWARE SUPPORT					
COBOL	Yes	No	No	No	No
RPG	No	Yes	Yes	Yes	Yes
FORTRAN	No	No	No	No	No
BASIC	No	Yes	Yes	Yes	Yes
Assembler	No	Yes	Yes	Yes	Yes
Other programming languages	No	Databus, Scribe	Databus, Scribe	Databus, Datashare	Databus, Datashare
Multiprogramming	Yes	No	No	No	No
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	No	No	Yes	Yes	Yes
Industry application areas	—	—	Banking, insur., govt., acctg.	Banking, insur., govt., pub. acctg.	Banking, insur., govt., pub. acctg.
Data base management system	No	No	No	No	No
File access methods supported	Sequential, random, ISAM	Sequential	Random, sequential, index seq.	Seq., random, ISAM	Seq., random, ISAM
Software separately priced	No	Yes	Yes	Yes	Yes
Technical help separately priced	No	No	No	No	No
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$46,240	\$7,200	\$12,880	\$14,480	\$15,980
Monthly rental of basic system, \$	\$1,041	\$165 (2-yr. lease)	\$214 (2-yr. lease)	\$344 (2-yr. lease)	\$384 (2-yr. lease)
Date of first U.S. delivery	September 1977	January 1974	February 1975	January 1977	July 15
Number installed in U.S. to date	NA	3500	2500	NA	NA
COMMENTS					
	Interactive COBOL; up to 9 terminals; multiterminal control & built-in screen handlers	Dataform and Data- share program lan- guages are also supported	Dataform, Data- share, and RPG II program languages are also supported	Under Databus/ Multilink, system can run 2 programs without partitioning	Under Datashare, system can run 4 programs without partitioning

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Datapoint 2200	Datapoint 5500	Datapoint 6600	Decision Data Computer Corp. System/4	Design Data ECS 40
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-4 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-4 bytes	8-bit byte 2 per byte 1 per byte 1 byte 2-4 bytes	16 2 2 1 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Datapoint 2200 4.8 14 4	Datapoint 5500 1.4 16 16	Datapoint 6600 1.15 16 24	System/4 — 6 5.8	DG Nova 3/12 0.95; 0.7 8 64
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 4K 16K 4K 1.6 0.6	MOS 48K 48K None 0.8 0.3	MOS 120K (user) 120K (user) None 0.6 0.2	MOS 32K 64K 16K 1.0 0.5	Core; MOS 32K 96K 32K 1.0; 0.7 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 1M bytes Opt.; 9.6M bytes Opt.; 50M bytes No	Opt.; 1M bytes Opt.; 160M bytes Opt.; 200M bytes No	Opt.; 1M bytes Opt.; 160M bytes Opt.; 200M bytes No	Std.; 2M bytes Opt.; 40M bytes No No	Std.; 1.2M bytes Opt.; 10M bytes Opt.; 92M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard Standard	Standard No No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No Opt.; 120 lpm Opt.; 300, 600 lpm Opt.; 9.6-20 KBS Std.; 352 cps No No Standard; 12 x 80 char.	No No Opt.; 300 cpm No No Opt.; 120 lpm Opt.; 300, 600 lpm Opt.; 9.6-20 KBS Std.; 352 cps No No Standard; 12 x 80 char.	No No Opt.; 300 cpm No No Opt.; 80/120 cps Opt.; 300, 600 lpm Opt.; to 1600 bsi Std.; 352 cps No No Std.; 12 x 80 char.	No No Opt.; 300-1200 No Opt.; 300/120 cpm Std.; 120 cps Opt.; 300/600 lpm No No No Standard; 24 x 80 char.	Std.; 400 cps Opt.; 62.2 cps Optional No No Std.; 165 cps Opt.; to 1200 lpm Optional Optional No No Standard; 24 x 90 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2265, 2741, 2780/3780, HASP	16 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2265, 2741, 2780/2780, HASP	25 Opt.; to 9600 bps Opt.; to 9600 bps IBM, Burroughs, CDC, HIS, Univac	2 Std.; to 9600 bps Opt.; to 9600 bps IBM 2780/3780	32 Optional Standard IBM 2780/3780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No Yes No Yes Yes Databus, Scribe No No No Yes Banking, insur., gov't., acct'g. No Random, sequential, index seq. Yes No	Yes Yes No Yes Yes Databus, Scribe Yes, 2 partitions No No Yes Banking, insur., gov't., acct'g. No Random, sequential, index seq. Yes No	Yes Yes No Yes Yes Databus, Datashare Yes, 2 partitions No No Yes Banking, insur., gov't., acct'g. No Seq., random, ISAM Yes No	No Yes No No No Ideal Yes; 2 partitions No Partially Yes Distribution No Direct, sequential, index seq. Some Some	Yes No Yes Yes Yes ALGOL Yes; 2 partitions No No Yes Manufacturing, order entry No Index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$8,571 \$216 (2-yr. lease) April 1972 9000	\$33,888 \$855 (2-yr. lease) 1975 500	\$32,500 \$975 (2-yr. lease) July 1, 1977 NA	\$20,000 NA July 1975 15	\$40,000 Purchase only May 1977 15
COMMENTS	Dataform, Data-share, and RPG II program languages are also supported	Dataform, Data-share, and RPG II program languages are also supported	Under Datashare, system can run 24 programs without partitioning		See Report M11-304-101 for more details on CPU

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Design Data EC330	Digital Computer Controls Synergist Model 1500	Digital Computer Controls Synergist Model 2500	Digital Computer Controls Synergist Model 3700	Digital Equipment Corp. Datasytem 310
DATA FORMATS					
Word length, bits	16	16	16	16	12
Decimal digits per word	2	5	5	5	2
Bytes (characters) per word	2	2	2	2	2 (6-bit)
Operand length, words	1	1	1	1	1
Instruction length, words	1	1	1	1	1
CPU					
Model	DG Eclipse C/300	DG MicroNova	DG Nova 3/12	DG Nova 3/D	DEC PDP-8/A
Add time, microseconds	2.4	2.4	1 msec.	1 nsec.	1000 (15 digits)
No. of programmable registers	12	4	4	4	8 + 8 in mem.
No. of I/O ports on basic system and maximum	64	1-3	1-8	1-16	2, 12
INTERNAL STORAGE					
Type	Core	MOS	Core	Core	Core
Capacity of basic system, bytes	96K	48K	64K	128K	16K (6-bit)
Maximum capacity, bytes	256K	64K	64K	256K	64K (6-bit)
Increment size, bytes	16K	8K, 16K	8K, 16K, 32K	8K, 16K, 32K	16K, 32K (6-bit)
Cycle time, microseconds	0.8	0.96	1.0	1.0	1.4
Access time, microseconds	0.4	0.16	1.0	1.0	0.7
MASS STORAGE CAPABILITIES*					
Floppy disk drive	No	Std.; 1.26M bytes	No	No	Std.; 670K bytes
Cartridge disk drive	Opt.; 10M bytes	No	Std.; 10M bytes	Std.; 10M bytes	Opt.; 12.8M bytes
Pack disk drive	Opt.; 92M bytes	No	Opt.; 96-192M bytes	Opt.; 96-192M bytes	No
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	No	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps	No
Paper tape punch	Opt.; 62.2 cps	Opt.; 63 cps	Opt.; 63 cps	Opt.; 63 cps	No
Punched card reader	Optional	Opt.; 400-1000 cpm	Opt.; 400-1000 cpm	Opt.; 400-100 cpm	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Std.; 165 cps	Std.; 30 cps	Std.; 275 cps	No	Opt.; 30, 165 cps
Line printer	Opt.; to 1200 lpm	No	Opt.; 300, 600 lpm	Std.; 300 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Standard	Opt.; 60, 72 KCS	Opt.; 60, 72 KCS	Opt.; 60, 72 KCS	No
Cassette tape drive	Optional	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 22 x 90 char.	Opt.; 1920 char.	Std.; 1920 char.	Std.; 1920 char.	Optional; 12 x 80 char.
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	256	16	16	16	1
Synchronous	Optional	Optional	Optional	Optional	Opt.; to 4800 bps
Asynchronous	Standard	Optional	Optional	Optional	No
Protocols supported	IBM 2780/3780, HASP	No	IBM 2780/3780	IBM 2780/3780	IBM 2780
SOFTWARE SUPPORT					
COBOL	Yes	No	No	No	No
RPG	Yes	No	No	No	No
FORTRAN	Yes	No	No	No	No
BASIC	Yes	Yes	Yes	Yes	No
Assembler	Yes	Yes	Yes	Yes	No
Other programming languages	ALGOL	No	No	No	DIBOL (COBOL)
Multiprogramming	Yes; 2 partitions	No	No	No	No
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	No
Industry application areas	Manufacturing, order entry	Manufacturing, wholesale distr.	Manufacturing, wholesale distr.	Manufacturing, wholesale distr.	Business accounting
Data base management system	Yes	No	No	No	No
File access methods supported	Random, sequential, index seq.	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, index sequential
Software separately priced	Yes	Yes	Yes	Yes	No
Technical help separately priced	Yes	No	No	No	Yes
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$60,000	\$8,000	\$27,000	\$40,000	\$14,095
Monthly rental of basic system, \$	Purchase only	NA	NA	NA	Purchase only
Date of first U.S. delivery	November 1975	January 1977	December 1976	January 1977	May 1975
Number installed in U.S. to date	5	10	40	10	NA
COMMENTS	See Report M11-304-201 for more details on CPU	1-, 2-, and 3-user versions of Synergist are available	Supports "logi-safe" application library including EIS, an executive inquiry system	Supports "logi-safe" application library including EIS, an executive inquiry system	Bytes are 6 bits; see Report M11-385-101 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Equipment Corp. Datasystem 322	Digital Equipment Corp. Datasystem 324	Digital Equipment Corp. Datasystem 354	Digital Equipment Corp. Datasystem 357	Digital Equipment Corp. Datasystem 530
DATA FORMATS					
Word length, bits	16	16	16	16	16
Decimal digits per word	2	2	2	2	2
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1	1	1	1	1/2, 1, 2
Instruction length, words	1, 2, 3	1, 2, 3	1, 2, 3	1, 2, 3	1
CPU					
Model	DEC LSI-11	DEC LSI-11	DEC PDP-11/34	DEC PDP-11/34	DEC PDP-11/34
Add time, microseconds	1.07 (word)	7.3 (word)	1.07 (word)	1.07 (word)	7.3 (word)
No. of programmable registers	8	8	9	9	7
No. of I/O ports on basic system and maximum	4	4	15	15	2, 10
INTERNAL STORAGE					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	32K	32K	32K	64K	64K
Maximum capacity, bytes	56K	56K	248K	248K	-256K
Increment size, bytes	8K	8K	32K	32K	-64K
Cycle time, microseconds	1.2	0.7	0.7	0.7	0.7 (w/parity)
Access time, microseconds	0.7	0.7	0.7	0.7	0.7 (w/parity)
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Std.; 1M bytes	Std.; 7.2M bytes	Opt.; 512K bytes	Opt.; 512K bytes	No
Cartridge disk drive	Opt.; 19.2M bytes	Opt.; 19.2M bytes	Std.; 19.2M bytes	Std.; 112M bytes	Std.; 7.2M bytes
Pack disk drive	No	No	No	No	Opt.; 704M bytes
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 30, 180 cps	Opt.; 30, 180 cps	Opt.; 30, 180 cps	Opt.; 30, 180 cps	Std.; 30, 180 cps
Line printer	Opt.; 240, 300 lpm	Opt.; 240, 300 lpm	Opt.; 240, 300 lpm	Opt.; 240, 300 lpm	Opt.; 860-1200 lpm
Reel-to-reel tape drive	Opt.; 10 KBS	Opt.; 10 KBS	Opt.; 10 KBS	Opt.; 10 KBS	Opt.; 10-72 KBS
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Opt.; 24 x 80 char.; EIA inter.
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	4	4	8	8	32EIA; 20 ma
Synchronous	Opt.; to 4800 bps	Opt.; to 4800 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 50K bps
Asynchronous	No	No	No	No	Opt.; to 9600 bps
Protocols supported	IBM 2780	IBM 2780	IBM 2780	IBM 2780	2780/3780, 3271, SDLC, DDCMP
SOFTWARE SUPPORT					
COBOL	No	No	No	No	Yes
RPG	No	No	No	No	Yes
FORTRAN	No	No	No	No	Yes
BASIC	No	No	No	No	Yes
Assembler	No	No	No	No	Yes, and macro
Other programming languages	DIBOL (COBOL)	DIBOL (COBOL)	DIBOL (COBOL)	DIBOL (COBOL)	APL, DIBOL
Multiprogramming	No	No	No	No	Yes; 32 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	No	No	No	No	No
Industry application areas	Business accounting	Business accounting	Business accounting	Business accounting	Business acctg. and data proc.
Data base management system	No	No	No	No	No
File access methods supported	Sequential, index sequential	Sequential, index sequential	Sequential, index sequential	Sequential, index sequential	Direct, seq., index seq.
Software separately priced	No	No	No	No	See comments
Technical help separately priced	Yes	Yes	Yes	Yes	See comments
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$19,315	\$32,615	\$37,950	\$51,170	\$35,000
Monthly rental of basic system, \$	Purchase only	Purchase only	Purchase only	Purchase only	Special arrangements
Date of first U.S. delivery	March 1977	March 1977	July 1975	July 1975	October 1976
Number installed in U.S. to date	NA	NA	600	600	NA
COMMENTS	See Report M11-385-201 for more details	See Report M11-385-201 for more details	See Report M11-385-201 for more details	See Report M11-385-201 for more details	Replaces Datasystems based on PDP-11/40 and 11/45; see Report M11-385-401 for more details; optional bundled software and support

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Equipment Corp. Datasystem 570	Digital Scientific Corporation Meta 4/1130	Digital Scientific Corporation Meta 4/VM2-TSO	Digital Scientific Corporation Meta 4/1800	Digital Systems Galaxy/5 Model 130
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 ½, 1, 2 1	16 (+2 parity) 5 2 1-2 1-2	16 (+2 parity) 5 2 1-2 1-2	16 (+2 parity) 5 2 1-2 1-2	8 1 per byte 1 per byte 1-256 bytes 2, 4, 6 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/70 2.7 (word) 10 10 & high speed	DSC 4030 2.9 (5 digits) 5 4	DSC 4031 2.9 (5 digits) 5 4	DSC 4040 2.9 (5 digits) 5 4	Galaxy/5 5 (5 digits) 8-20 15-60
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 128K 2048K 64K 1.0 (w/parity) 0.5 (w/parity)	Core 16K 128K 16K 0.9 0.5	Core 16K 128K 16K 0.9 0.5	Core 16K 256K 16K 0.9 0.5	MOS 64K 1M 64K 0.75 0.50
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Opt.; 14-28M bytes Std.; 88M bytes Opt.; 8M bytes	No Opt.; 5.12M bytes Opt.; 160M bytes No	No Opt.; 5.12M bytes Opt.; 160M bytes Opt.; 1-2M bytes	No Opt.; 5.12M bytes Opt.; 160M bytes No	See comments See comments Std.; 32-240M bytes 24M bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard No No	Standard No No	Standard No No	Yes Yes Yes
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No Std.; 30, 180 cps Opt.; 860-1200 lpm Opt.; 10-72 KBS No No No No Opt.; 24 x 80 char.; EIA int.	Opt.; 400 cps Opt.; 50 cps Opt.; 600, 1000 Opt.; 35, 160 cpm Opt.; 400/160 cpm No Opt.; 300, 600 lpm Opt.; 30, 60 KBS No No No No	Opt.; 400 cps Opt.; 50 cps Opt.; 600, 1000 Opt.; 35, 160 cpm Opt.; 400/160 cpm No Opt.; 300, 600 lpm Opt.; 30, 60 KBS No No No No	Opt.; 400 cps Opt.; 50 cps Opt.; 600, 1000 Opt.; 35, 160 cpm Opt.; 400/160 cpm No Opt.; 300, 800 lpm Opt.; 30, 60 KBS No No No No	See comments See comments Yes See comments See comments See comments Std.; 100-900 lpm Yes See comments No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	63 EIA; 20 ma Opt.; to 50K bps Opt.; to 9600 bps 2780/3780, 3271, SDLC, DDCMP	32 Opt.; to 9600 bps Opt.; 50-19.2K bps IBM 2780/3780, BSC	32 Opt.; to 9600 bps Opt.; 50-19.2K bps IBM 2780/3780, BSC	2 Opt.; to 9600 bps No IBM 2780/3780, BSC	120 Std.; to 15,000 bps Std.; to 9600 bps Programmable
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes, and macro APL, DIBOL Yes; 63 partitions No No No Business acctg. and data proc. DBMS-11 Direct, seq. index seq. See comments See comments	Yes Yes Yes No Yes, and macro None No Partially No Yes Mktg. research, civil eng., educ. Yes Random, sequential, index seq. Yes No	Yes Yes Yes Yes Yes, and macro APL, S/1 Yes; 32 partitions Partially No Yes Mktg. research, civil eng., educ. Yes Random, sequential, index seq. Yes No	No No Yes No No Yes, and macro None Yes; 24 partitions Partially No Med., process ctl., eng., research No Random, sequential, index seq. No No	No Yes Yes (early 1978) Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$108,000 Special arrangements May 1976 NA	\$60,000 \$1,500	\$100,000 2,300	\$80,000 \$1,850	\$32,700 (CPU only) \$752 (CPU only)
COMMENTS	High-speed controllers and dual-access disks avail.; see Report M11-385-401 for more details; optional bundled software and support	Can run most IBM 1130/1180 programs; firmware arithmetic unit is optional; see Report M11-388-101 for more details	Can run most IBM 1130/1800 programs; firmware arithmetic unit is optional; time-share, conversational operating system	Can run most IBM 1130/1800 programs; digital/analog I/O; real-time, batch, time-share OS	Nonstd. peripherals are not sold by DSC but may be connected thru comm. port; lease is 5-yr. full-payout with purchase

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Systems Galaxy/5 Model 140	Digital Systems Galaxy/5 Model 150	Dimis Inc. Total 100	Display Data Corporation In*Sight	Distribution Management Systems DMS-1000-8
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 1 per byte 1 per byte 1-256 bytes 2, 4, 6	8 1 per byte 1 per byte 1-256 bytes 2, 4, 6	16 4 4 4 1	8 2 1 to 4 1-5	12 2 2 1 1, 2
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Galaxy/5 5 (5 digits) 8-20 15-60	Galaxy/5 5 (5 digits) 8-20 15-60	Modcomp II 0.8 15 2; 8	Microdata 1600/30 4.6 3 2; 20	DEC PDP-8 3.0 (word) 8+8 in memory 2-10
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 128K 1M 64K 0.75 0.50	MOS 256K 1M 64K 0.75 0.50	Core 128K 128K None 0.80 0.50	Core 32K 64K 8K-16K 1.00 0.35	Core 32K (6-bit) 32K 16K 1.2-1.5 0.75
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	See comments See comments Std.; 32-240M bytes 24M bytes	See comments See comments Std.; 32-240M bytes 24M bytes	Optional Optional Std.; 700M bytes No	No Std.; 80M bytes No No	No Std.; 6.4-25.6M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Yes Yes Yes	Yes Yes Yes	Optional Optional Optional	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	See comments See comments Yes See comments See comments See comments Std.; 100-900 lpm Yes See comments No No Standard; 24 x 80 char.	See comments See comments Yes See comments See comments See comments Std.; 100-900 lpm Yes See comments No No Standard; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 300 lpm Std.; 36 KBS No No No Standard; 24 x 80 char.	No No No No No Std.; 120 cps Opt.; 300-600 lpm Opt.; 10, 20 KBS No No No Standard; 24 x 80 char.	No No No No No Std.; 180 cps Opt.; 300 lpm Opt.; 36 KBS No No No Standard; 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	240 Std.; to 15,000 bps Std.; to 9600 bps Programmable	480 Std.; to 15,000 bps Std.; to 9600 bps Programmable	32 Optional Std.; to 9600 bps None	16 No Std.; to 9600 bps None	10 Opt.; to 50 K bps Opt.; to 9600 bps IBM 2780/3780 HASP
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No Yes Yes (early 1978) Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes	No Yes (late 1976) Yes (early 1978) Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes	No No Yes No Yes None Yes No No Yes Distribution Yes Random, sequential, index seq. No Yes	No No No No Yes None Yes; 20 partition Fully No Yes Auto dtrs., contrac- tors, whlsrns. No Sequential, random, index seq. Yes No	No No No No Yes DEAL, ORACLE Yes; 10 partitions No No Yes Distribution Yes Index sequential, sequential, random Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$60,800 (CPU only) \$1,400 (CPU only) October 1976 3	\$108,400 (CPU only) \$3,500 (CPU only) October 1976 NA	\$135,000 NA June 1974 3	\$37,700 NA January 1974 180	\$54,000 Purchase only 1970 43
COMMENTS	Dual-processor system	Three-processor system	3 CRT's standard; package includes staff & mgmt. training & conversion support; see Report M11-641-101 for more details on CPU	Specialists in complete turnkey systems, support, forms, & maintenance for selected businesses	

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Distribution Management Systems DMS-1000-11	Educomp-Quodata E-100	Educomp-Quodata E-500	Educomp-Quodata E-600	Educomp-Quodata E-700
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1/2, 1, 2 1, 2, 3	12 4 2 1 1	12 3 2 — 1	16 4 2 1, 2 1	16 4 2 — 1 or 2 or 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11 0.3-3.17 (word) 9-47 7-50	DEC PDP-8A 3.0 6 + 8 in mem. 3; 7	DEC PDP-8/A 2.6 1 —	DEC PDP-11/34 3.0 8 4; 6	DEC PDP-11/34 2.16 8 —
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core; MOS 64K 248K-2048K 8K-64K 0.980 0.490	Core 64K (6-bit) 64K (6-bit) None 1.2, 1.5 0.6, 0.75	Core or MOS 64K 256K 32K 1.2 1.2	Core 32K 256K 32K 0.9 0.45	MOS 128K 248K 32K 0.775 0.635
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 512K bytes Opt.; 20M bytes Std.; 28-1200M bytes Opt.; 8M bytes	Std.; 500K bytes Optional Optional Optional	Optional Std.; 64M bytes No No	Optional Standard Optional Optional	Optional Optional Std.; 20M bytes Optional
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Optional No	Standard Standard	Standard Optional No	Standard Standard
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 180 cps Opt.; 60-1200 lpm Opt.; 36-120 KBS No No No No Std.; 1920 char.	Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional; 24 x 80 char.	Optional Optional Optional Optional Optional Opt.; 180 cps Opt.; 300-900 lpm No No No No Opt.; 1920 char.	Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional; 24 x 80 char.	Optional Optional Optional Optional Optional Opt.; 180 cps Opt.; 300-900 lpm Standard No No No Opt.; 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Opt.; to 50K bps Opt.; to 9600 bps IBM 2780/3780, HASP, SDLC	16 Optional Standard IBM 2780/3780, SDLC, etc.	32 Optional Std.; to 19.2K bps IBM 2780, DDCMP	32 Optional Standard IBM 2780/3780, SDLC, etc.	63 Optional Std.; to 9600 bps IBM 2780, DDCMP
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	Yes No Yes Yes Yes DEAL; ORACLE Yes; 30 partitions No No Yes Distribution	Yes No Yes Yes Yes FOCAL Yes No Partially	Yes (subset) No Yes Yes Yes DIBOL Yes; 63 partitions No Partially	Yes Yes Yes Yes Yes FOCAL Yes No No	Yes Yes Yes Yes Yes APL, PASCAL, DIBOL Yes; 63 partitions No No
Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Indexed sequential, sequential, random Yes Yes	No Education, municipal government No Random, sequential, index sequential Yes Yes	No General No Sequential, random Yes Yes	Yes Education, municipal government Yes Random, sequential, index seq. Yes Yes	Yes Education & government Yes Sequential, random, index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$65,000 Purchase only NA NA	\$6,000 to \$40,000 NA 1971 NA	\$33,000 — 1974 100+	\$45,000 NA 1972 NA	\$65,000 — 1973 100+
COMMENTS		Complete administrative and instructional systems built to customer spec's; see Report M11-384-101 for more details on CPU		Complete administrative and instructional systems built to customer spec's; see Report M11-384-301 for more details on CPU	Software systems specifically designed for educational institutions and government entities

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Educomp-Quodata E-940	Financial Computer Fedder System III/10	Financial Computer Fedder System III/6	Four-Phase Systems Inc. System IV/40	Four-Phase Systems Inc. System IV/50
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 or 32 4 or 8 2 or 4 — 1 or 2 or 3	8-bit byte 2 per byte 1 per byte 1 byte 1 byte	8-bit byte 2 per byte 1 per byte 1 byte 1 byte	24 — 3 15 bits 1	24 — 3 15 bits 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/70 Variable 16 —	Fedder S III — 256 5; 64	Fedder S III — 256 5; 64	Four-Phase 16 (word) 5 34	Four-Phase 16 (word) 5 29
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core Cache plus 256K 2 million 64K Variable Variable	MOS 32K 256K 8, 16, 32K —	MOS 32K 256K 8, 16, 32K —	MOS 24K 72K 24K 2 —	MOS 24K 96K 12K, 24K 2 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Optional Std.: 88M bytes Optional	Opt.: 2.4M bytes Std.: 10.6M bytes No No	Std.: 1.8 bytes Opt.: 10.6M bytes No No	Opt.: 354K bytes Std.: 10M bytes No No	Std.: 354K bytes Std.: 10M bytes Opt.: 270M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional Opt.: 180 cpm Opt.: 300-900 lpm Standard No No No Opt.: 1920 char.	Opt.: 300, 1000 cps Opt.: 300, 1000 cps Opt.: 300, 600 cpm Opt.: 300 cpm No Std.: 200 cps Opt.: 300-1250 lpm Opt.: 72 KBS Optional No No Standard; 24 x 80 char.	Opt.: 300, 1000 cps Opt.: 300, 1000 cps Opt.: 300, 600 cpm Opt.: 300 cpm No Opt.: 30 cps Opt.: 300-1250 lpm Opt.: 72 KBS Optional No Standard; 24 x 80 char.	No No Opt.: 300, 600 cpm No No Opt.: 30 cps Opt.: 245-700 lpm No No No Standard; 24 x 80 char.	No No Opt.: 300, 600 cpm No No Opt.: 30 cps Opt.: 245-700 lpm No No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	63 Optional Std.: to 9600 bps IBM 2780, DDCMP	64 Opt.: to 9600 bps Std.: to 9600 bps None	64 Opt.: to 9600 bps Std.: to 9600 bps None	— Std.: to 9600 bps Opt.: to 2400 bps IBM 3270, 2780, 3780	— Std.: to 9600 bps Opt.: to 2400 bps IBM 3270, 2780, 3780, bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes APL, PASCAL, DIBOL Yes; 63 partitions No No Yes Education & government Yes Sequential, random, index sequential Yes Yes	No No No Yes Yes Yes CPL, PL/X Yes; 32 partitions No Partially Yes Dist., manuf., construct., acctg. Yes Random, sequential, index sequential Yes Yes	No No No Yes Yes CPL, PL/X Yes; 32 partitions No Partially Yes Dist., manuf., construct., acctg. Yes Random, sequential, index sequential Yes Yes	No; comp. on IV/70 No; comp. on IV/70 No No Yes Yes None No — No Mfg., insurance, education No Contig., chained, seq., rand., ind. seq. No —	Yes No No No Yes Yes None No — No Mfg., insurance, education No Contig., chained, seq., rand., ind. seq. No —
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$142,000 — 1975 —	\$37,500 \$750 January 1975 150	\$22,950 \$460 April 1977 20	\$30,315 \$604 June 1973 2300+ (IV/40, 70)	\$69,330 \$1,335 (42-mo. lease) 4th quarter 1976 NA
COMMENTS	Software systems specifically designed for educational institutions and government entities	Can run interactive or batch in any partitions; Fedder Data Systems is a division of Financial Computer Corp.		4 CRT's & 2.5M-byte cartridge disk are standard; applications in data entry & network transaction processing see Report M11-435-101 for more details	12 CRT's and 10M-byte cartridge disk are standard; applications in data entry & network transaction processing

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Four-Phase Systems Inc. System IV/70	General Automation 440 Data Series	General Automation DM-130/2	General Automation DM-130	General Automation DM-140
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	24 — 3 15 bits 1	18 4 2 1 1, 2	16 4 2 1, 2 1	16 4 2 1, 2 1	16 4 2 1, 2 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Four-Phase 16 (word) 5 78	GA-16/440 0.78 (16 bits) 16 1; 128	GA SPC-16/40 1.44 16 8	GA SPC-16/65 0.96 16 18	GA SPC-16/65 0.96 16 18
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 24K 96K 12K, 24K 2 —	Core 128K 128K — 0.72 0.25	Core 64K 64K — 1.44 0.72	Core 64K 64K — 0.96 0.48	Core 80K 128K 4K 0.96 0.48
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 354K bytes Std.; 10M bytes Opt.; 270M bytes No	No Std.; 40M bytes Opt.; 2400M bytes Opt.; 2M bytes	No Std.; 20M bytes No No	No Std.; 40M bytes Opt.; 200M bytes No	No Std.; 40M bytes Opt.; 200M bytes Opt.; 512K bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300, 600 cpm No No Opt.; 30 cps Opt.; 245-700 lpm Std.; 10, 60 KBS No No No No Standard; 6 x 48 char.	No No Opt.; 400, 1000 cpm No No No Std.; 200,300,600 lpm Opt.; 20, 30, 60 KBS No No No Std.; 24 x 80 char.	No No Opt.; 400, 1000 cpm No No Std.; 165 cpm 200-600 lpm No No No Standard (2); 24 x 80 char.	No No Opt.; 400, 1000 cpm No No Std.; 165 cps Std.; 200-600 lpm No No No Standard; 24 x 80 char.	No No Opt.; 400, 1000 cpm Opt.; 35 cpm No Std. (2); 165 cps Std. (2); to 600 lpm Opt.; 30, 60 KBS No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	— Opt.; to 9600 bps Opt.; to 2400 bps IBM 3270, 2260, 2780, 3780	16 Opt.; to 9600 bps Std.; to 9600 bps IBM 2780	5 Opt.; to 9600 bps Opt.; to 9600 bps IBM HASP, 2780	5 Opt.; to 9600 bps Opt.; to 9600 bps IBM HASP, 2780	25 Opt.; to 9600 bps Opt.; to 9600 bps IBM HASP, 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes No No Yes None No — — No Mfg., insurance, education No Contig., chained, seq., random, ind seq. No —	Yes No No No No None Yes; 4 partitions No No No Mfg., insurance, dist., medicine No ISAM, sequential, relative No Yes	No No Yes No Yes None Yes; 4 partitions No No Yes Mfg., insurance, dist., medicine Index sequential No Yes	No No Yes No Yes None Yes; 4 partitions No No Yes Mfg., insurance, dist., medicine Index sequential No Yes	No No Yes No Yes None Yes; 2 partitions No No Yes Mfg., insurance, dist., medicine Index sequential No Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$68,055 \$1,432 February 1971 2300+ (IV/40, 70)	\$57,566 Purchase only May 1977 NA	\$35,000 Purchase only January 1974 NA	\$35,000 Purchase only November 1974 NA	\$55,000 Purchase only June 1975 NA
COMMENTS	12 CRT's and 2.5M-byte cartridge disk are standard; applications in data entry and network transaction processing	Bundled software includes COBOL and full ISAM file management system	Sold as turnkey system by OEM's		

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	General Information Systems ABLE-322	General Information Systems ABLE-322F	General Information Systems ABLE-350	GRI Computer Corp. System 99	Harris Computer Systems S110
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1 to 3	16 4 2 1 1 to 3	16 4 2 1 1 to 3	16 4 2 — 1-3	24 6 3 1 or 2 1 or 2
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/03 3.1, 6 8 2, 16	DEC PDP-11/03 3.1, 6 8 2, 16	DEC PDP-11/34 3.1, 6 8 5, 64	GRI 99/50 — 13 9; 80	Harris Series 100 0.75 (1 word) 5 3; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 24K 56K 16K 0.72 0.5	MOS 24K 56K 16K 0.72 0.5	Core, MOS 32K 256K 16K 0.98 0.75	Static MOS 32K 64K 16K/32K 1.76 0.15	Core 96K 768K 24K or 48K 0.750 0.300
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 1024K bytes Std.; 20M bytes — —	Std.; 1024K bytes Std.; 20M bytes — 1, 2, 9.6M bytes	— 2, 8, 29M bytes 0, 8 160M bytes —	No Std.; 6M bytes No No	Opt.; 310K bytes Std.; 10.8M bytes Opt.; 1200M bytes Opt.; 2.15M bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Standard No	Standard No No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; 2, 180 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; 2, 180 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; to 900 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 75 cps Opt.; 300 cpm No Opt.; 300/120 cpm Opt.; 100/165 cps Opt.; 250/600 cpm Opt.; 30K cps No No No Std.; 640/1280 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 1000 cpm No Opt.; 500/100 cpm Opt.; 30 cps Opt.; 900 lpm Std.; 36K cps Opt.; 30 cps No No Std.; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	16 No Opt.; to 4800 bps IBM 2780	16 No Opt.; to 4800 bps IBM 2780	16 No Opt.; to 9600 bps IBM 2780	3 Opt.; 4800 bps Opt.; 1200 bps None	128 Opt.; to 9.6K bps Opt.; to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Yes DIBOL Yes; 16 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes	Yes Yes Yes Yes Yes Yes DIBOL Yes; 16 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes	Yes Yes Yes Yes Yes DIBOL Yes; 24 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes	No Yes (interactive) No No Yes None Yes; 4 partitions No No Yes Mfg., retail, dist., constr., banking No Sequential, random, indexed sequential Applications only Yes	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No No Multi-use and time- sharing Yes Sequential, random, indexed sequential No (see comments) No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$24,000 \$500 NA NA	\$31,000 \$650 NA NA	\$48,000 \$1,000 December 1975 4	\$33,333 Purchase only 2nd qtr. 1975 NA	\$85,000 3rd-party lease 1975 NA
COMMENTS	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000	Sold through distributor network	Total DBMS and query language priced separately; RJE host and remote

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Harris Computer Systems S115	Harris Computer Systems S120	Harris Computer Systems S125	Harris Computer Systems S130	Harris Computer Systems S135
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Harris Series 100 Model 6-5 0.6 (1 word) 5 3; 7	Harris Series 100 0.75 (1 word) 5 4; 12	Harris Series 100 Model 6-6 0.6 (1 word) 5 3; 24	Harris Series 100 0.75 (1 word) 5 4; 12	Harris Series 100 Model 6-7 0.6 (1 word) 5 3; 24
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 144K 192K 48K 0.450 0.300	Core 192K 768K 24K or 48K 0.750 0.300	MOS 144K 624K 48K 0.450 0.300	Core 288K 768K 24K or 48K 0.750 0.300	MOS 384K 768K 48K 0.450 0.300
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 310K bytes Std.: 10.8M bytes Opt.: 3000M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 10.8M bytes Opt.: 1200M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 40M bytes Opt.: 3000M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 40M bytes Opt.: 1200M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 40M bytes Opt.: 3000M bytes Opt.: 2.15M bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard No No	Standard No No	Standard No No	Standard No No	Standard No No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 300 cps Opt.: 75 cps Opt.: 1000 cpm No Opt.: 500/100 cpm Opt.: 30 cps Opt.: 900 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Std.: 300 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 300 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Opt.: 1000 cpm No Opt.: 500/100 cpm Opt.: 30 cps Opt.: 900 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Std.: 300 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 300 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Opt.: 1000 cpm No Opt.: 500/100 cpm Opt.: 30 cps Opt.: 900 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	128 Mux. std.; LIU opt. Mux. std.; LIU opt. IBM 2780, HASP, CDC, UT200, Univac 1004	128 Opt.: to 9.6K bps Opt.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	128 Std.: to 50K bps Std.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	128 Opt.: to 9.6 bps Opt.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	128 Std.: to 50K bps Std.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No Yes Sequential, random, index sequential No (see comments) No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$85,000 3rd-party lease 1977 NA	\$125,000 3rd-party lease 1975 NA	\$100,000 3rd-party lease 1977 NA	\$155,000 3rd-party lease 1975 NA	\$150,000 3rd-party lease 1977 NA
COMMENTS	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote; 40MB disk drive is standard	Total DBMS and query language priced separately; RJE host and remote; 40MB disk drive is standard

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Harris Computer Systems S140	Harris Computer Systems S150	Hewlett-Packard Data Systems Div. 1000 Model 20/21	Hewlett-Packard Data Systems Div. 1000 Model 30/31	Hewlett-Packard Data Systems Div. 1000 Model 80/81
DATA FORMATS					
Word length, bits	24	24	16	16	16
Decimal digits per word	6	6	2	2	2
Bytes (characters) per word	3	3	2	2	2
Operand length, words	1 or 2	1 or 2	1, 2	1, 2	1, 2
Instruction length, words	1 or 2	1 or 2	1, 2, 3	1, 2, 3	1, 2, 3
CPU					
Model	Harris Series 100	Harris Series 100	HP 21MX E	HP 21MX E	HP 21MX E
Add time, microseconds	0.75 (1 word)	0.75 (1 word)	1.12	1.12	1.12
No. of programmable registers	5	5	20	20	20
No. of I/O ports on basic system and maximum	5; 12	5; 12	14; 46	14; 46	14; 46
INTERNAL STORAGE					
Type	Core	Core	MOS	MOS	MOS
Capacity of basic system, bytes	384K	480K	64K	64K	128K
Maximum capacity, bytes	768K	768K	608K	608K	608K
Increment size, bytes	24K or 48K	24K or 48K	32K	32K	32K
Cycle time, microseconds	0.750	0.750	0.560	0.560	0.560
Access time, microseconds	0.300	0.300	0.300	0.300	0.300
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Opt.; 310K bytes	Opt.; 310K bytes	Opt.; 2M bytes	Opt.; 2M bytes	Opt.; 2M bytes
Cartridge disk drive	Std.; 340M bytes	Std.; 640M bytes	No	Std.; 120M bytes	Std.; 120M bytes
Pack disk drive	Opt.; 1200M bytes	Opt.; 1200M bytes	No	Opt.; 365M bytes	Opt.; 365M bytes
Fixed-head disk/drum	Opt.; 2.15M bytes	Opt.; 2.15M bytes	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Optional	Optional	Optional
10-key numeric keyboard	No	No	No	No	No
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	Opt.; 300 cps	Opt.; 300 cps	Opt.; 500 cps	Opt.; 500 cps	Opt.; 500 cps
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps
Punched card reader	Std.; 600 cpm	Std.; 1000 cpm	Opt.; 600 cpm	Opt.; 600 cpm	Opt.; 600 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	Opt.; 500/100 cpm	Opt.; 500/100 cpm	No	No	No
Serial printer	Opt.; 30 cps	Opt.; 30 cps	Opt.; 10-120 cps	Opt.; 10-120 cps	Opt.; 10-120 cps
Line printer	Std.; 600 lpm	Std.; 900 lpm	Opt.; 200-1250 lpm	Optional	Std.; 200 lpm
Reel-to-reel tape drive	Std.; 36K cps	Std.; 36K cps	Opt.; 72 KBS	—	Std.; 36 KBS
Cassette tape drive	Opt.; 30 cps	Opt.; 30 cps	No	No	No
Cartridge tape drive	No	No	Std.; 960 cps	Std.; 960 cps	Std.; 960 cps
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	128	128	16—see comments	16—see comments	16—see comments
Synchronous	Opt.; to 9.6K bps	Opt.; to 9.6K bps	No	Opt.; 9600 bps	Opt.; 9600 bps
Asynchronous	Opt.; to 19.2K bps	Opt.; to 19.2K bps	No	Opt.; 1800 bps	Opt.; 1800 bps
Protocols supported	IBM 2780, HASP, CDC UT200, Univac 1004	IBM 2780, HASP, CDC UT200, Univac 1004	IBM 2780	IBM 2780, bisync	IBM 2780, bisync
SOFTWARE SUPPORT					
COBOL	Yes	Yes	No	No	No
RPG	Yes	Yes	No	No	No
FORTRAN	Yes	Yes	Yes	Yes	Yes
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	SNOBOL, FORGO	SNOBOL, FORGO	ALGOL	ALGOL	ALGOL
Multiprogramming	Yes; 256 partitions	Yes; 256 partitions	Yes	Yes	Yes
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	Partially	Partially	Partially
General accounting packages	No	No	No	No	No
Industry application areas	Multi-use and time-sharing	Multi-use and time-sharing	Manufacturing	Manufacturing	Manufacturing
Data base management system	Yes	Yes	No	Yes	Yes
File access methods supported	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random	Sequential, random	Sequential, random
Software separately priced	No (see comments)	No (see comments)	Yes—see comments	Yes—see comments	Yes—see comments
Technical help separately priced	No	No	Yes	Yes	Yes
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$225,000	\$290,000	\$21,000	\$31,500	\$61,700
Monthly rental of basic system, \$	3rd-party lease	3rd-party lease	See comments	See comments	See comments
Date of first U.S. delivery	1975	1975	May 1977	December 1976	December 1976
Number installed in U.S. to date	NA	NA	NA	NA	NA
COMMENTS	Total DBMS and query language priced separately; RJE host and remote; one 300 MB and one 40 MB disk drives are standard	Total DBMS and query language priced separately; RJE host and remote; two 300 MB and one 40 MB disk drives are standard	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Hewlett-Packard General Sys. Div. 3000 Series I	Hewlett-Packard General Sys. Div. 3000/II Model 6	Hewlett-Packard General Sys. Div. 3000/II Model 8	Hewlett-Packard Calculator Products Division 9830A	Hewlett-Packard Calculator Products Division 9830B
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1, 2, 4 ½, 1	16 2 2 1, 2, 4 ½, 1	16 2 2 1, 2, 4 ½, 1	8-bit byte 1 per byte 1 per byte — 2 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	HP 3000 1.225 16 5; 15	HP 3000 1.050 20 10	HP 3000 1.050 20 23	HP 9830A 1000 (approx.) See comments 5; 13	HP 9830B 1000 (approx.) See comments 5; 13
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 128K 128K — 1.00 0.50	MOS 128K 256K 64K 0.70 0.35	MOS 320K 512K 64K 0.70 0.35	MOS 3520 15,808 4, 8K 13 —	MOS 15,808 30,144 14,336 13 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No Std.: 50-350M bytes No	No No Std.: 50-400M bytes No	No No Std.: 50-400M bytes No	No Opt.: 4.8M bytes No No	No Opt.: 4.8M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 500 cps Opt.: 75 cps Opt.: 600 cpm No Opt.: 75/45 cpm Opt.: 30-120 cps Opt.: 200-1250 lpm Std.: 72 KBS No Opt.: 240 cps No No Opt.: 24 x 80 char.	Opt.: 500 cps Opt.: 75 cps Opt.: 600 cpm No Opt.: 200/75 cpm Opt.: 30-120 cps Opt.: 200-1250 lpm Std.: 72 KBS No Opt.: 240 cps No No Opt.: 24 x 80 char.	Opt.: 500 cps Opt.: 75 cps Opt.: 600 cpm No Opt.: 200/75 cpm Opt.: 30-120 cps Opt.: 200-1250 lpm Std.: 72 KBS No Opt.: 240 cps No No Opt.: 24 x 80 char.	Opt.: 20 cps No Opt.: 300 cpm No No No Std.: 250, 300 lpm No Std.: 375 bps No No Opt.: 24 x 80 char.	Opt.: 20 cps No Opt.: 300 cpm No No No Opt.: 250, 300 lpm No Std.: 375 bps No No Opt.: 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	16 Opt.: to 4800 bps Opt.: to 2400 bps IBM 2780/3780	31 Opt.: to 9600 bps Opt.: to 2400 bps IBM 2780/3780	63 Opt.: to 9600 bps Opt.: to 2400 bps IBM 2780/3780	1 Opt.: to 9600 bps Opt.: to 9600 bps None	1 Opt.: to 9600 bps Opt.: to 9600 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes Yes SPL None Yes Partially Partially No Manufacturing education Yes Direct, sequential, keyed sequential Yes Yes	Yes Yes Yes Yes SPL APL Yes Partially Partially No Manufacturing, education Yes Direct, sequential, keyed seq., chained Yes Yes	Yes Yes Yes Yes SPL APL Yes Partially Partially No Manufacturing, education Yes Direct, sequential, keyed seq., chained Yes Yes	No No No Yes SPL None No Fully Fully Yes Real estate, medical, engineering No None Yes Yes	No No No Yes SPL None No Fully Fully Yes Real estate, medical, engineering No None Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$75,000 \$1,566 April 1977 850 (3000 Series)	\$110,000 \$2,297 (5-yr. lease) March 1977 850 (3000 Series)	\$140,000 \$2,923 (5-yr. lease) March 1977 850 (3000 Series)	\$4,900 NA November 1972 NA	\$8,350 NA May 1976 NA
COMMENTS		3000 Series II is upgrade from previous 3000CX Series; see Report M11-472-601 for more details	3000 Series II is upgrade from previous 3000CX Series; see Report M11-472-601 for more details	Software assigns portions of read/write memory to serve as registers; see Report M11-472-401 for more details	Software assigns portions of read/write memory to serve as registers; see Report M11-472-401 for more details

*Std. means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Hewlett-Packard Calculator Products Division 9896A	Honeywell Series 60 Model 6/06	Honeywell Series 60 Model 6/34	Honeywell Series 60 Model 6/36	Honeywell Series 60 Model 6/43
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 — 1	16 2 2 bit, 1/2, 1, 2 1	16 2 2 bit, 1/2, 1, 2 1, 2, 3	16 2 2 bit 1/2, 1, 2 1, 2, 3	16 2 2 bit, 1/2, 1, 2 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	HP 9831A 470 (12 digits) No 3; 12	Honeywell CPS 92XX 2 7 64	Honeywell CPS 945X 1.9 18 8 maximum	Honeywell CPS 946X 1.9 18 160 maximum	Honeywell CPS 955X — 24 + 3 (SIP) 160 maximum
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 7,162 31,738 7,162 1.83 —	NMOS, core 8K 128K 8K, 16K 0.65/0.55, 1.2 0.44/0.29, 0.4	NMOS, core 8K 64K 8K, 16K, 32K 0.65/0.55, 1.2 0.44/0.29, 0.4	NMOS, core 8K 128K 8K, 16K 0.65/0.55, 1.2 0.44/0.29, 0.4	NMOS, core 8K 1024K 8K, 16K 0.65/0.55, 1.2 0.44/0.29, 0.4
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 2M bytes Std.; 250K bytes No No	No Opt.; 40M bytes Opt.; 60M bytes Opt.; 1024K bytes	Opt.; 1024K bytes Opt.; 40M bytes No No	Opt.; 1024K bytes Opt.; 40M bytes No No	Opt.; 1024K bytes Opt.; 40M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Optional Optional No	Optional Optional No	Optional Optional No	Optional Optional No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 20 cps No Opt.; 300 cpm No No Std.; 30 cps Opt.; 250, 300 lpm No No Opt.; 2750 cps No Opt.; 24 x 80 char.	Opt.; 300 cps Opt.; 110 cps Opt.; 300-1000 cpm Opt.; 100-400 cpm Opt.; 400/100 cpm Opt.; 165 cps Opt.; 240-1100 cpm Opt.; 20 KBS Opt.; 700 cps No Opt.; 12 x 80, 24 x 80 char.	No No Opt.; 300, 500 cpm No No Opt.; 165 cps Opt.; 240-600 lpm Opt.; 25-60 KBS Opt.; 700 cps No No Opt.; 12 x 80, 24 x 80 char.	No No Opt.; 300, 500 cpm No No Opt.; 165 cps Opt.; 240-600 lpm Opt.; 25-60 KBS Opt.; 700 cps No No Opt.; 12 x 80, 24 x 80 char.	No No Opt.; 300, 500 cpm No No Opt.; 165 cps Opt.; 240-600 lpm Opt.; 25-60 KBS Opt.; 700 cps No No Opt.; 12 x 80, 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	None No No None	128 Opt.; to 100K bps Opt.; to 9600 bps None	8/controller Opt.; to 72K bps Opt.; to 9600 bps Bisync/2780	8/controller Opt.; to 72K bps Opt.; to 9600 bps Bisync/2780	8/controller Opt.; to 72K bps Opt.; to 9600 bps Bisync/2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes No None No Fully Fully Yes Manufacturing, distribution No Direct Yes Yes	No No Yes Yes Macro assembler None Yes No No Yes Hospital, manuf., inventory, education No Random, sequential, index seq. Yes Yes	Yes Yes Yes Yes Yes Macro preprocessor Yes No No No Office automation No Random, sequential, fixed random Yes Yes	Yes Yes Yes Yes Yes Macro preprocessor Yes No No No Office automation No Random, sequential, fixed random Yes Yes	Yes Yes Yes Yes Yes Macro preprocessor Yes No No No Office automation No Random, seq., index seq., fixed random Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$18,700 \$500 March 1977 —	\$5,500 (proc.) — January 1976 NA	\$4,500 (proc.) \$211 (3-yr. lease) January 1976 NA	\$3,700 (proc.) \$161 (3-yr. lease) January 1976 NA	\$6,350 (proc.) \$295 (3-yr. lease) 1977 NA
COMMENTS		Microprogrammed to emulate the Honeywell 716 CPU; see Report M11-480-201 for more details	Processor includes basic control panel and 4-slot chassis; see Report M11-480-301 for more details	Processor includes basic control panel and 5-slot chassis; see Report M11-480-301 for more details	Processor includes basic control panel and 5-slot chassis; see Report M11-480-301 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Honeywell Series 60 Level 62	IBM System/3	IBM System/32	IBM System/34	IBM 1130
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 2 bytes 2-8 bytes	8-bit byte 1 per byte 1 per byte 1-16 digits 4-6 bytes	8-bit byte 1 per byte 1 per byte 1-16 digits 3-6 bytes	8-bit byte 1 per byte 1 per byte 1-16 digits 4, 5, 6 bytes	16 2 2 1, 2 1, 2
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Honeywell 62 — 29 6 std.; 3 opt.	IBM System/3 24 (5 digits) — —	IBM System/32 150 (5 digits) — 4 —	IBM System/34 68.5 (5 digits) — NA —	IBM 1130 4.9; 8.0 — 3 —
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 48K 224K 16K 1.0 —	Core, MOS 8K 256K 4, 8, 16, 32K 1.52 —	MOS 16K 32K 8K 0.60 0.25	MOS 32K 65K 16K 0.60 —	Core 8K 64K 8K 2.2; 3.6 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 512K bytes Opt.; 46.4M bytes Opt.; 480M bytes No	Opt.; via 3741 Opt.; 9.8M bytes Opt.; 506M bytes No	Std.; 303K bytes See comments No No	Std.; 303K bytes See comments No No	No Std.; 5.12M bytes Opt.; 5.12M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Optional Optional No	Standard Standard No	Optional Optional No	Standard No No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300-1050 cpm Opt.; 100-400 cpm Opt.; 500, 1000 cpm Std.; 30 cps console Opt.; 100-1600 lpm Opt.; 10.4-60 KBS Opt.; 700 cps No No No Opt.; 12 x 80 char.	No No Opt.; 600, 1000 cpm No Opt.; 250/60 cpm Opt.; 85 cps Opt.; 100-1100 lpm Opt.; 20-80 KBS No No No Opt.; 12 x 40, 12 x 80, 24 x 80 char.	No No No No Opt.; 50/12-50 cpm Std.; 40, 80 cps Std.; 50-155 lpm No No No Standard; 6 x 40 char.	No No No No No Opt.; 40, 80, 120 cps Opt.; 160, 300 lpm No No No Optional; 24 x 80 char.	Opt.; 60 cps Opt.; 14.8 cps Opt.; 100, 600 cpm Opt.; 120 cpm Opt.; 300/60 cpm Std.; 15 cps Opt.; 40-1100 lpm Opt.; 15 KBS No No No Optional; 52 x 74 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	9 Opt.; 9600 bps Opt.; to 2400 bps None	8 Opt.; to 50K bps No SDLC	1 Opt.; to 7200 bps No SDLC, Bisync	8 Opt.; to 9600 bps No SDLC, Bisync	16 Opt.; to 4800 bps No Bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes Yes Yes No No None Yes No No Yes Distribution, manufacturing Yes Sequential, indexed, relative Yes Yes	Yes RPG II Yes Yes No None Yes; 3 partitions No No Yes Dist., medical, manuf., educ. No Random, sequential, index sequential Yes Yes	No RPG II No No Macro assembler None No No Partially Yes Dist., medical, manuf., word proc. No Random, sequential, index sequential Yes Yes	No RPG II No No Yes No Yes; 8 partitions Partially Yes Distribution, medical, manufacturing No Random, sequential, index sequential Yes Yes	No Yes Yes No Yes, and macro None No No No Yes Engin., manuf., dist., medical No Random, sequential, index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$36,879 (proc.) \$885 (1-yr. lease) August 1974 NA	\$22,430 \$674 December 1970 Over 30,000	\$33,560 \$748 February 1975 Over 10,000	\$34,700 \$1,062 January 1978 0	\$19,840 \$136 1965 4,000 (approx.)
COMMENTS	Performance increase packages of 25, 67, or 117 percent opt.; see Report M11-480-701 for more details	Six different models currently in line; see Report M11-491-501 for more details	System also includes 3.2M-13.75M bytes of nonremovable disk storage; see Report M11-491-601	Multi-user system; serves up to 8 independently functioning users; system includes 8.6M to 27.1M bytes of nonremovable disk storage; see Report M11-491-651	Also available without std. disk for as little as \$14,150; cycle times vary with processor model; see Report M11-491-701 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	IBM System/360 Model 20	IBM 5100	International Computers Ltd. 2903	International Computers Ltd. 2904	Jacquard Systems J100 Videocomputer
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 1-16 digits 2, 4, 6 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes	24 7 4 12 bits 1	24 7 4 12 bits 1	16 4 2 1 1
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	IBM 360/20 209 (5 digits) 8 —	IBM 5100 1000 (approx.) Software-assigned 2, variable	ICL 2903 17.7 (12 bits) 8 6	ICL 2904 11.8 (12 bits) 8 8	Jacquard J100 7 4 1, 63
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 4K 32K 4K See comments —	MOS 16K 64K 16K 0.53 (2 bytes) 0.33	MOS 64K (6-bit) 256K (6-bit) 32K (6-bit) 1.14 0.57	MOS 128K (6-bit) 384K (6-bit) 32K (6-bit) 1.14 0.57	MOS, core 32K 256K 32K 1.5 3.0
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No Opt.: 21.6M bytes No	No No No No	No Opt.: 30M bytes Opt.: 240M bytes No	No Opt.: 30M bytes Opt.: 240M bytes No	Std.; 2; 250K bytes Opt.; 4; 12M bytes Opt.; 4; 80M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional No No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 600, 1000 cpm Opt.: 300, 500 cpm Opt.: 310/90 cpm Opt.: 15.5 cps Opt.: 260-1100 lpm Opt.: 150-60 KBS No No No No No	No No No No Opt.; 80 cps No No Std.; 2850 cps No Standard; 16 x 64 char.	Opt.: 1000 cps Opt.: 110 cps Std.; 300 cpm Opt.: 100 cpm No No Std.; 300-1200 lpm Opt.; 80 KBS No No No Standard; 8 x 32, 20 x 50 char.	Opt.: 1000 cps Opt.: 110 cps Std.; 300 cpm Opt.: 100 cpm No No Std.; 300-1500 lpm Opt.; 80 KBS No No No Standard; 8 x 32, 20 x 50 char.	No No Opt.; 300/60 cpm No No Opt.; to 166 cps Opt.; to 900 lpm Opt.; 72K cps No No No Opt.; 1920 char.; up to 30 units
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.; to 50K bps No Bisync	1 No Opt.; to 300 bps IBM 2741	4 Std.; to 4800 bps Opt.; 600 bps ICL 7181, IBM 2780	6 Std.; to 4800 bps Opt.; 600-1200 bps ICL 7181, IBM 2780	10 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780/3780; SILA II
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	No Yes No No Yes and macro PL/1 No No No Yes Manuf., dist., educ., gov't.	No No No Yes No APL No Fully Fully No Financial analy- sis, statistics	Yes Yes Yes Yes No None Yes; 4 partitions No Partially Yes Mfg., retail, distribution	Yes Yes Yes No Yes None Yes; 4 partitions No Partially Yes Mfg., retail, distribution	No No No Yes Yes None Yes; 256 partitions No No Yes Distrib. processing, bus., med., word proc.
Data base management system File access methods supported Software separately priced Technical help separately priced	No Random, sequential, index seq. Yes Yes	Sequential Some Yes	Random, sequential, index seq. Yes Yes	Random, sequential, index seq. Yes Yes	Sequential, random, index sequential Yes (app. packages) Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$13,470 \$638 November 1964 10,000 (approx.)	\$8,975 \$450 (3-mo. lease) September 1975 NA	\$85,000 \$2,200 July 1974 16	\$135,000 \$3,500 NA NA	\$21,060 \$725 August 1975 500
COMMENTS	Low end of IBM's 360 Series; cycle times vary with processor model; see Report M11-491-801 for more details	Portable computer weighing 50 lbs.; RS-232C interface available for non-IBM peripherals; see Report M11-491-201 for more details	Multijobbing capability with full simultaneity; direct data entry through CRT displays (8 max.); jobs include RJE, batch, spooling	Firmware-enhanced version of 2903	Includes CPU with 64K bytes of memory, 45-cps printer, & multi-tasking system that permits simultaneous execution of word processing and data processing tasks

Std. means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Jacquard Systems J50 Videocomputer	Litton/Sweda International Litton 1600 Series	Logical Machine Corp. ADAM	Medical Computer System 2000	Microdata Reality
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1	16 4 2 ½, 1 1	16 — 2 1 1, 2	16 4 2 1-3 1-3	16 2 2 ½, 1, 2, 3 ½, 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Jacquard J50 7 4 1; 63	DG Nova 1220 0.95 4 1	LOMAC ALP — 64 7; 7	HP 2108 1.94 (5 digits) 5 9; 41	Microdata 1600 5 34 —
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS, core 32K 256K 32K 1.5 3.0	Core 64K 64K — 1.2 0.5	MOS 32K 64K 32K 0.8 0.5	MOS 4K 384K 8, 16, 32K 0.65 0.40	Core 16K 128K 8, 16K 1 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 2; 250K bytes No No No	No Std.; 40M bytes No No	Opt.; 280K bytes Std.; 10.6M bytes No No	Std.; 300K bytes Optional Opt.; 160M bytes No	No Std.; 40M bytes Opt.; 900M bytes Opt.; 2M bytes
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard Standard	Standard Standard No	Optional Optional No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Opt.; to 166 cps Opt.; to 900 lpm No No No No No No	No No No No No Std.; 165 cps No No No No No No Opt.; 24 x 80 char	No No No No No Std.; 100-300 cps No No No No No Std.; 1920 char.	No No No No No Std.; to 1200 lpm Std.; 72 KBS Standard Standard No Standard; 24 x 80 char.	No No Opt.; 150-600 cpm No Opt.; 200/75 cpm Opt.; 165 cps Opt.; 300-600 lpm Std.; 20, 40 KBS No Opt.; 12.8 KBS No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	10 Std.; to 9600 bps Std.; to 9600 bps IBM 2780/3780; SILA II	8 — — —	No No No No	G4 Opt.; to 9600 bps Std.; to 9600 bps None	32 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes None Yes; 256 partitions No No Yes Distrib. processing, bus., med., word proc. No Sequential, random, index sequential Yes (app. packages) Yes	No No No Yes No None Yes No No Yes Wholesale distribu- tion, client acctg. No Sequential, index sequential Yes Yes	No No No No No ADAM Partial Partial No All No Index sequential No No	No No Yes Yes Yes ALGOL No Partially No Yes Hospital Yes Sequential, index sequential Yes No	No Yes No Yes Yes English Yes Partially Partially Yes Engin., educ. time-share, acctg. Yes Random, sequential No No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$17,960 \$550 August 1975 150	\$40,140 — — NA	\$34,995 \$720 (5-yr. lease) April 1975 250-300	\$150,000-\$550,000 \$2,500-\$7,500 October 1973 15	\$33,950 Purchase only November 1973 Over 500
COMMENTS	Includes CPU with 64K bytes of mem-ory, 45-cps printer, stand-alone word or data processing sys-tem with sophisti-cated communica-tions capability	See Report M11-791-101 for more details	ADAM is designed for use by non-data processing profes-sionals	Separate systems for on-line admis-sion and charge col-lection also avail-able; see Report M11-472-201 for more details on CPU	Multi-user, interac-tive system; mar-keted through a nationwide dealer network; see Report M11-663-301 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Mini-Computer Systems MICOS System 1003	Mini-Computer Systems MICOS System 2003	Mini-Computer Systems MICOS System 3003	Mini-Computer Systems MICOS System 4006	Minuteman Computer Corp. 1774
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 Variable 1, 2, 3	16 4 2 Variable 1, 2, 3	16 4 2 Variable 1, 2, 3	16 4 2 Variable 1, 2, 3	16 2 2 1 1, 2
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 0.8 4 62 maximum	DG Nova 3/12 0.8 4 62 maximum	DG Nova 3/12 0.8 4 62 maximum	DG Nova 3/12 0.8 4 62 maximum	DG Nova 3/4 2.7 5 2
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 65K 256K 32K 0.8 0.4	Core 65K 256K 32K 0.8 0.4	Core 65K 256K 32K 0.8 0.4	Core 128K 256K 32K 0.8 0.4	Core 16K 32K 8, 16K 0.8; 1.0 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.: 9.8M bytes Opt.: 40-160M bytes No	No Opt.: 9.8M bytes Std.: 80M bytes No	No Opt.: 9.8M bytes Std.: 160M bytes No	No Opt.: 9.8M bytes Std.: 160M bytes No	No Std.: 40M bytes Optional No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Opt.: 300-1000 cpm No No Std.: 165 cps Opt.: 300, 600 lpm Opt.: 30-72 KBS No No No Std.: 24 x 80 char.	Optional Optional Opt.: 300-1000 cpm No No Opt.: 165, 330 cps Opt.: 300 lpm Opt.: 30-72 KBS No No No Std.: 24 x 80 char.	Optional Optional Opt.: 300-1000 cpm No No Opt.: 165, 330 cps Opt.: 600 lpm Opt.: 30-72 KBS No No No Std.: 24 x 80 char.	Optional Optional Opt.: 300-1000 cpm No No Opt.: 165, 330 cps Std.: 600 lpm Opt.: 30-72 KBS No No No Std.: 24 x 80 char.	Optional Optional Optional Optional Optional Std.: 165 cps Opt.: 300-900 lpm Optional Optional No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.: 50,000 bps No IBM 2780, HASP, CDC 200 UT	1 Opt.: 50,000 bps No IBM 2780, HASP, CDC 200 UT	1 Opt.: 50,000 bps No IBM 2780, HASP, CDC 200 UT	1 Opt.: 50,000 bps No IBM 2780, HASP, CDC 200 UT	1 Optional Optional None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes (Extensive) No None Yes No No Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	No No No Yes (Extensive) No None Yes No No Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	No No No Yes (Extensive) No None Yes No No Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	No No No Yes (Extensive) No None Yes No No Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	Yes No Yes Yes Yes None No No No Yes Dist., mfg., liquor wholesalers Yes Random, sequential, index seq. Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$49,900 NA March 1973 Over 600 all mdl.	\$74,600 NA — Over 600 all mdl.	\$84,450 NA — Over 600 all mdl.	\$104,950 No — Over 600 all mdl.	\$34,995 Purchase only 1973 10
COMMENTS	3 CRT's std.; 330-cps printer opt.; see Reports M11-683-101 and M11-304-101 for more details	3 CRT's std.; 600-lpm printer opt.; see Reports M11-683-101 and M11-304-101 for more details	3 CRT's std.; 300-lpm printer opt.; see Reports M11-683-101 and M11-304-101 for more details	3 CRT's std.; 300-lpm printer opt.; see Reports M11-683-101 and M11-304-101 for more details	Turnkey system; see Report M11-304-101 for more details on CPU

* "Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Minuteman Computer Corp. 1775	Minuteman Computer Corp. 1776	Modular Computer Systems Modcomp II	Modular Computer Systems Modcomp IV	Mylee Digital Sciences 3056
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 1, 2	16 2 2 1 1, 2	16 words 4 2 1 1 or 2	16 words 4 2 1 or 2 1, 2, 3, or 4	16 2 2 ½-8 1-3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 2.7 5 14	DG Nova 3/12 2.7 5 14	Modcomp II/26 2.4 15 8, 16	Modcomp IV/35 1.6 15 16; 32	Mylee System 3000 125 (5 digits) 4 11; 19
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 16K 64K 8, 16, 32K 0.8; 1.0 —	Core 32K 64K 8, 16, 32K 0.8; 1.0 —	Core 64K 128K 32, 64 0.8; 1.1 NA	Core 128K 1M 128 0.5 NA	MOS 56K 152K 32K 0.8 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 40M bytes Optional No	No Std.; 40M bytes Optional No	Opt.; 315K bytes Opt.; 40M bytes Opt.; 168M bytes Opt.; 2M bytes	Opt.; 315K bytes Opt.; 40M bytes Opt.; 168M bytes Opt.; 2M bytes	No Std.; 12.5M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Optional Optional No	Optional Optional No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional Std.; 165 cps Std.; 300-900 lpm Optional Optional Optional No Standard; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Std.; 300-900 lpm Optional Optional Optional No Standard; 24 x 80 char.	Opt.; 625 cps Opt.; 110 cps Opt.; 300-1000 cpm Opt.; 100 cpm No Opt.; 165 cps Opt.; 300-1000 lpm Opt.; 45-75 ips No No No Opt.; 1920 char.	Opt.; 625 cps Opt.; 110 cps Opt.; 300-1000 cpm Opt.; 100 cpm No Opt.; 165 cps Opt.; 300-1000 lpm Opt.; 45-75 ips No No No Opt.; 1920 char.	No No Opt.; 300 cpm No No Std.; 165 cpm Opt.; 300 lpm No No No No Standard (2); 11 x 32 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Optional Optional None	1 Optional Optional None	32 Opt.; 250-2400 bps Opt.; 10-960 bps IBM 2780/3780, 3270, SDLC	128 Optional Optional IBM 2780/3780, 3270, SDLC	16 No Opt.; to 1200 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes No Yes Yes Yes None No No No Yes Dist., mfg., liquor wholesalers Yes Random, sequential, index seq. Yes Yes	Yes No Yes Yes Yes None No No No Yes Dist., mfg., liquor wholesalers Yes Random, sequential, index seq. Yes Yes	October 1977 Yes Yes No Yes None Yes; 256 tasks No No	October 1977 Yes Yes No Yes None Yes; 256 tasks No No	No No No No No ACE Yes; 12 partitions Partially Partially Some No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$36,995 Purchase only 1973 30	\$39,995 Purchase only 1973 40	\$45,000 Purchase only 1973 NA	\$75,000 Purchase only 1976 NA	\$37,500 Purchase only May 1976 12
COMMENTS	Turnkey system; see Report M11-304-101 for more details on CPU	Turnkey system; see Report M11-304-101 for more details on CPU	Full turnkey system and support available	Full turnkey system and support available	Turnkey system; user has choice of 1 of 8 inventory management packages included with system

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Mylee Digital Sciences 3088	NCR 8200	NCR 8250	NCR Century 50 and 50 Mod 1	NCR Century 75
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 ½-8 1-3	16 4 2 1 1, 2, 3	16 4 2 1 1, 2, 3	8 2 1 1-256 4-8	8 2 1, 2 1-256 4-8
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Mylee System 3000 125 (5 digits) 4 11; 19	NCR 605 2.4 (8 digits) 0 5; 8	NCR 6080 2.4 (8 digits) 0 8	NCR 615-910 59 (5 digits) 63 6; 7	NCR 615-950 28.8 (5 digits) — 2; 2
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 88K 152K 32K 0.8 —	Core 32K 128K 8K 1.2 0.650	MOS 48K 128K 16K 0.8 —	Thin film 32K 16K 0.800 —	Core 16K 64K 8K, 16K 1.2 0.600
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 12.5M bytes No No	No Std.; 39.2M bytes No No	Opt.; 250K bytes No Std.; 80M bytes No	No No Std.; 16M bytes No	No No Std.; 9.98M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard No No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No Std.; 165 cpm Opt.; 300 lpm No No No No Standard (2); 11 x 32 char.	No No Opt.; 300 cpm No No Opt.; 175 cps Opt.; 100-300 lpm No Std.; 750 cps No No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Std.; 175 cps Opt.; 125-600 lpm Opt.; 10/20 KBS Std.; 750 cps No No Standard; 24 x 80 char.	Opt.; 1000, 1500 cps Opt.; 200 cps Std.; 300 cpm Opt.; 60-294 cpm No Opt.; 6 cps Std.; 125-900 lpm Opt.; 10-80 KBS Opt.; 750 cps No Optional; 24 x 80 char.	No No No Std.; 300 cpm No Std.; 200-450 lpm No Opt.; 750 cps No No Optional; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	16 No Opt.; to 1200 bps None	7 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780, Bisync	7 Opt.; to 9600 bps Opt.; to 1800 bps IBM 2780/3780	16 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780, Bisync	10 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780, Bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No No ACE Yes; 12 partitions Partially Partially Yes Dist., inventory, accounting Yes Index sequential Some No	Yes No No No Yes NEAT/3 Yes; 7 partitions No No Yes Hosp. acctg., gov't, dist./whlsl. No Random, sequen., index seq. Yes Yes	Yes No No No Yes No Yes Wholesale dist., medical, educ., mfg. No Sequential, index sequential Yes Yes	Yes RPG II No Yes No NEAT/3 No No Yes All business applications No Random, seq., index seq. Yes Yes	Yes Yes Yes Yes Yes NEAT/3 No No No Yes All business applications Yes Random, seq., index seq. Yes Some
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$40,750 Purchase only May 1976 50	\$33,420 \$945 September 1974 300-400	\$42,420 \$1,205 March 1977 NA	\$32,000 \$1,075 December 1970 NA	\$56,850 \$1,650 May 1976 NA
COMMENTS	Turnkey system; user has choice of 1 of 8 inventory management pack- ages included with system	See Report M11- 656-401 for more details		Century 50 and 50 Mod. 1 are no longer manufactured; see Report M11-656- 301 for more details	

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	NCR Century 100	NCR Century 101	NCR Century 151	NCR 299-100/200	NCR 499
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 1-256 4-8	8 2 1 1-256 4-8	8 2 1 1-256 4-8	64 16 8 1 1	16 4 2 12 bits Variable
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	NCR 615-910 59 (5 digits) 63 6; 7	NCR 615-952 25.2 (5 digits) 63 5; 32	NCR 615-955 15.8 (5 digits) 63 ¹ 5; 32	NCR 299 220 milliseconds 10-50/30-100 3, 5/10 devices	NCR 605 1700 (5 digits) 0 4; 15
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Thin film 16K 32K 16K 0.800 —	Core 16K 128K 8K, 16K, 32K 1.2 0.600	MOS 32K 131K 16K, 32K 0.75 —	Core 4K/8K bits 8K/16K bits 4K/8K bits 7 (per bit) —	Core 12K 32K 2K, 4K 1.2 0.650
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No Std.; 16M bytes No	No Std.; 19.6M bytes Opt.; 380M bytes No	No Std.; 19.6M bytes Opt.; 380M bytes No	No No No No	No Opt.; 9.8M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Yes Yes No	Yes Yes No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 1000, 1500 cps Opt.; 200 cps Std.; 300 cpm Opt.; 60-294 cpm No Opt.; 6 cps Std.; 450-1500 lpm Opt.; 10-40 KBS Opt.; 750 cps No No Optional; 24 x 80 char.	Opt.; 1000, 1500 cps Opt.; 200 cps Std.; 300 cpm Opt.; 60-294 cpm No Opt.; 6 cps Std.; 300-3500 lpm Opt.; 40-320 KBS Opt.; 750 cps No Optional; 24 x 80 char.	Opt.; 1000, 1500 cps Opt.; 200 cps Std.; 300 cpm Opt.; 60-294 cpm No Std.; 6 cps Std.; 300-3500 lpm Opt.; 40-320 KBS Opt.; 750 cps No Optional; 24 x 80 char.	No Opt.; 50 cps No No No Std.; 15 cps No No Opt.; 750 cps Optional No	Opt.; 125 cps Opt.; 75 cps Opt.; 300 cpm No Std.; 75, 130 cps Opt.; 55-300 lpm No Std.; 750 cps No Opt.; 47 cpm Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	16 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780, bisync	255 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780, bisync	255 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	None/one None None/opt. None	2 Opt.; to 9600 bps Opt.; to 1800 bps Bisync
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes RPG II No Yes No NEAT/3 No No No Yes All business applications No Random, seq., index seq. Yes Yes	Yes RPG II FORTRAN IV Yes Yes NEAT/3 Yes; 9 partitions No Yes All business applications TOTAL Random, seq., index seq. Yes Yes	Yes RPG II FORTRAN IV Yes Yes NEAT/3 Yes; 9 partitions No No Yes All business applications TOTAL Random, sequential, index seq. Yes Yes	No No No No Yes None No Yes Yes Retail, financial, mfg., wholesale No None Yes Yes	No No No No No NEAT/AM No No No Yes All business accounting No Random, sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$40,000 \$1,600 March 1963 NA	\$69,520 \$2,005 August 1972 Over 1,200	\$120,325 \$2,975 February 1975 NA	\$7,250/\$9,300 \$310 (see comments) January 1974 Over 15,000	\$17,900 Purchase only February 1976 Over 300
COMMENTS	Century 100 is no longer manufactured; see Report M11-656-301 for more details	See Report M11-656-301 for more details		Rental price shown is for 299-200; 299-100 is available for purchase only; see Report M11-656-201 for details	See Report M11-656-151 for more details

Std. means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Nixdorf 8870	Norfield Datatypes (Nova-based system)	Norfield Datatypes (Eclipse-based system)	Northrop Data Systems BDS 700	Northrop Data Systems BDS 1000
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1	16 2 2 1, 2 1	16 4 2 ½, 1, 2 1, 2	Variable, 8-32 1-7 1-4 Variable Variable	Variable, 8-32 1-7 1-4 Variable Variable
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DCC 116-H 1.0 (1 word) 4 17	DG Nova 0.800 (1 word) 5 3, 62	DG Eclipse C/300 0.600 (1 word) 12 3, 59	Microdata 1600 9.68 (7 digits) 16 4, 16	Microdata 1600 9.68 (7 digits) 16 4, 16
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 64K 128K 32K 0.96 0.48	Core 32K 256K 16K 0.800 0.400	Core 32K 128K 16K 0.800 0.400	Core 16K 64K 8, 16K 1.0 —	Core 16K 64K 8, 16K 1.0 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 40M bytes No No	No Std.; 2.5M bytes Opt.; 200M bytes No	No Std.; 2.5M bytes Opt.; 200M bytes No	No Std.; 10M bytes No No	No Std.; 10M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Optional No	Standard Optional No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 75 cps Opt.; 300 cpm No No Std.; 165 cps Opt.; 300, 600 lpm Opt.; 10, 20 KBS No No No Standard; 27 x 74 char.	Opt.; 400 cps Opt.; 63 cps Opt.; 300 cpm No No Opt.; 100-420 cps Opt.; 300, 600 lpm Opt.; 20-72 KBS Opt.; 750 cps No Standard; 24 x 80 char.	Opt.; 400 cps Opt.; 63 cps Opt.; 300 cpm No No Opt.; 100-420 cps Opt.; 300, 600 lpm Opt.; 20-72 KBS Opt.; 750 cps No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Opt.; 30-120 cps Std.; 200 lpm Opt.; 20 KBS No No No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Opt.; 30-120 cps Std.; 200 lpm Opt.; 20 KBS No No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	9 Optional Std.; to 9600 bps Various	32 (typical) Opt.; 50K bps Opt.; to 9600 bps IBM 2780, 3780, 2260; all async	128 (typical) Opt.; 50K bps Opt.; to 9600 bps IBM 2780, 3780, 2260; all async	4 No Std.; to 1200 bps None	4 No Std.; to 1200 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes Yes None Yes No No Yes; APL, GL, Pay. Distribution, medical, garment	No No Yes Yes Yes None Yes; 2 partitions No No No Automated report- ing, order entry Yes	Yes Yes Yes Yes Yes None Yes Fully No No Automated report- ing, order entry Yes	No No No Yes Yes None Yes; 3 partitions Partially Partially	No No No Yes Yes None Yes; 3 partitions Partially Partially
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$37,990 \$851 1975 NA	\$35,000 \$1,250 June 1973 Over 20	\$75,000 \$3,000 NA NA	\$38,900 Purchase only March 1977 NA	\$49,276 Purchase only June 1972 20
COMMENTS	Turnkey system that includes NIDAS distribution accounting system	Automated reporting system for organizations with multiple dispersed operations; see Report M11-304-101 for more details on CPU	See Report M11-304-201 for more details on CPU	Number of CRT's is limited to two; see Reports M11-633-101 and M11-663-101 for more details	See Reports M11-633-101 and M11-663-101 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Olivetti A4	Olivetti A5 Model 10	Olivetti A5 Model 20	Olivetti A5 Model 30	A6
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte — 1, 2 bytes	64 15 8 8 bits 4 instr./word	64 15 8 8 bits 4 instr./word	64 15 8 8 bits 4 instr./word	64 15 8 8 bits 4 instr./word
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Olivetti 4000 150 milliseconds 10 1	Olivetti 5010 10 47 2	Olivetti 5020 10 111, 229, 485 2	Olivetti 5030 10 111, 229, 485 2	Olivetti 5040 10 (word) 229, 485 4
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 224 224 — 5 milliseconds —	MOS 0.5K 4K 1K, 2K 1.5 —	MOS 1K 4K 1K, 2K 1.5 —	MOS 1K 4K 1K, 2K 1.5 —	MOS 2K 4K 2K 1.5 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No No No	No No No No	No No No No	No No No No	Opt.; 1.2M bytes No No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	No Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No Opt.; 24 cps No No No Std.; 16 cps No No Opt.; 1000 cps No No No No	No Opt.; 24 cps No No No Std.; 16 cps No No Opt.; 1000 bps No No No No	No Opt.; 24 cps No No No Std.; 16 cps No No Opt.; 1000 bps No No No No	Opt.; 20 cps Opt.; 24 cps No No No Std.; 16 cps Opt.; 60 lpm No Opt.; 1000 bps No No No No	Opt.; 20 cps Opt.; 24 cps No No No Std.; 16 cps Opt.; 60-130 lpm No Opt.; 1000 cps No Optional No
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	None No No None	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No No No BAL No Fully Fully Yes Credit union, finan., fuel oil No None Yes Yes	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes	No No No No Yes APCO No Fully Partially Yes Whlsl. dist., credit unions, educ. No Random, sequential, index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$2,395 \$86.45 (3-yr. lease) November 1975 Over 2,000	\$4,900 \$177 (3-yr. lease) February 1975 NA	\$6,600 \$232 (3-yr. lease) February 1975 NA	\$7,150 \$252 (3-yr. lease) February 1975 NA	\$8,820 \$310 (3-yr. lease) January 1976 NA
COMMENTS		Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-109 for more details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Olivetti A7 (7072 CPU)	Olivetti A7 (7074 CPU)	Pako Corp. Pricing System	Pako Corp. Pricing/ Invoicing System	Philips P310
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 1-3 bytes 1, 2 bytes	8-bit byte 2 per byte 1 per byte 1-3 bytes 1, 2 bytes	16 4 2 1 1, 2	16 4 2 1 1, 2	8-bit byte 1 per byte 1 per byte Variable Variable
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Olivetti 7072 6.1 — 16	Olivetti 7074 6.1 — 16	CAI LSI-2/20 25 (8 digits) 2 —	CAI LSI-2/20 25 (8 digits) 2 —	Philips 310 — 8 10
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 16K 48K 8K 0.9 —	MOS 16K 48K 8K 0.9 —	Core 16K 64K 8K 1.2 —	Core 24K 64K 8K 1.2 —	Core 8K 16K 8K 1.5 0.6
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Opt. 40M bytes No Opt.; 160K bytes	Std.; 512K bytes Opt.; 40M bytes No Opt.; 160K bytes	Opt.; 500K bytes No No No	No Std.; 10M bytes No No	Opt.; 1.024M bytes No No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	No Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 20 cps Opt.; 24 cps Opt.; 400 cpm No No Std.; 40 cps Opt.; 130-600 lpm No Std.; 1000 bps No Optional 16-char. alpha-numeric display	Opt.; 20 cps Opt.; 24 cps Opt.; 400 cpm No No Std.; 40 cps Opt.; 130-600 lpm No Opt.; 1000 bps No Optional 16-char. alpha-numeric display	Opt.; 150 cps Opt.; 75 cps Opt.; 300 cpm Opt.; 23 cpm No No Optional No No No No	No Opt.; 75 cps Opt.; 300 cpm Opt.; 23 cpm No No Std.; 125-300 lpm Optional No No No Optional; 24 x 80 char.	No Opt.; 50 cps No Opt.; 50 cpm No Std.; 50 cps Opt.; 70 lpm No Opt.; 1000 cps No Optional No
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt. to 9600 bps Opt. to 1200 bps Bisync	1 Opt. to 9600 bps Opt. to 1200 bps Bisync	1 Opt.; to 2400 bps No IBM 2780	1 Opt.; to 2400 bps No IBM 2780	1 Opt.; to 9600 bps Opt.; to 2400 bps IBM 2780
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No Yes No No Yes PL/1 Yes; 2 partitions Fully Partially Yes Whsl. dist., contractors Yes Random, sequential, index sequential Yes Yes	No Yes No No Yes PL/1 Yes; 2 partitions Fully Partially Yes Whsl. dist., contractors Yes Random, sequential, index sequential Yes Yes	No No No No No None Yes; 10 partitions No No	No No No No No None Yes; 15 partitions No No	No No No No Yes None No Partially Partially Yes Banking, insur., medical, utilities No Random, sequential, index seq. Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$12,935 \$455 (3-yr. lease) March 1975 NA	\$14,885 \$524 (3-yr. lease) March 1975 NA	\$29,505 Purchase only June 1975 NA	\$76,404 Purchase only June 1975 NA	\$7,500-\$14,000 \$170-\$315 June 1975 750 (P300 Series)
COMMENTS	See Report M11-671-101 for more details	See Report M11-671-101 for more details	Includes pricing terminal (8 opt.) with bar code reader & keyboard; bar code is read & pricing info. printed on customer envelope	Same as pricing system with added capability for statements, invoices, and other management reports; see Report M1-168-101 for more details on CPU	Another 1500 P300's have been installed worldwide

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Philips P320	Philips P350	Prime 300	Prime 400	Prime 500
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte Variable Variable	64 15 8 1 1	16 + 2 2 2 1-4 1, 2, 3	16 + 2 or 6 (ECC) 2 2 1-4 1, 2, 3	16 + 6 (ECC) 2 2 1-4 1, 2, 3
CPU Model Add time, microseconds	Philips 320 —	Philips 350 —	Prime 300 1.56	Prime 400 0.56	Prime 500 0.56
No. of programmable registers No. of I/O ports on basic system and maximum	8 10	Software-assigned 16	8 10	14 64	17 64
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 8K 16K 8K 1.5 0.6	Core 12.8K 19.2K 6.4K 1.5 0.6	MOS 64KB 512KB 64K, 256K 0.76 0.60	MOS 128K 8 million 128K, 256K 0.76 0.60	MOS 256K 8 million 256K 0.76 0.60
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 1.024M bytes No No No	No Opt.: 9.2M bytes No No	Opt.: 2.4M bytes Opt.: 48M bytes Opt.: 2400M bytes Opt.: 8 million	Opt.: 2.4M bytes Opt.: 48M bytes Opt.: 2400M bytes Opt.: 8 million	Opt.: 2.4M bytes Opt.: 48M bytes Opt.: 2400M bytes Opt.: 8 million
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Optional No	Standard Optional No	Standard Optional No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No Opt.: 50 cps No Opt.: 50 cpm No Std.: 50 cps Opt.: 70 lpm No Opt.: 1000 cps No Standard No	Opt.: 50 cps Opt.: 50 cps Opt.: 280 cpm Opt.: 50 cpm No Std.: 40 cps Opt.: 120-600 lpm No Opt.: 1000 cps No Standard No	Opt.: 200 cps Opt.: 75 cps Opt.: 285 cpm No Opt.: 300 cpm Opt.: 165 cps Opt.: 1220 lpm Opt.: 120 KBS No No No Opt.: 24 x 80 char.	Opt.: 200 cps Opt.: 75 cps Opt.: 285 cpm No Opt.: 300 cpm Opt.: 165 cps Opt.: 1220 lpm Opt.: 120 KBS No No No Opt.: 24 x 80 char.	Opt.: 200 cps Opt.: 75 cps Opt.: 285 cpm No Opt.: 300 cpm Opt.: 165 cps Opt.: 1220 lpm Opt.: 120 KBS No No No Opt.: 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.: to 9600 bps Opt.: to 2400 bps IBM 2780	1 Opt.: to 9600 bps Opt.: to 2400 bps IBM 2780	64 Opt.: 56K bps Opt.: 19.2K bps 2780, HASP, UT200	64 Opt.: 56K bps Opt.: 19.2K bps 2780, HASP, UT200	64 Opt.: 56K bps Opt.: 19.2K bps 2780, HASP, UT200
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	No No No No Yes None No Partially Partially Yes Banking, insur., medical, utilities No	No No No No Yes None No No No Yes Banking, insur., medical, utilities No	Yes Yes Yes Yes Yes Forms Yes, 31 Partially Partially No Graphics, statistics No	Yes Yes Yes Yes Yes Forms Yes, 63 Partially Partially No Graphics, statistics Yes	Yes Yes Yes Yes Yes Forms Yes, 63 Partial Partial No Graphics, statistics Yes
Data base management system File access methods supported	No Random, sequential, index seq.	No Random, sequential, index seq.	Sequential, random, index sequential Yes	Sequential, random, index sequential Yes	Sequential, random, index sequential Yes
Software separately priced Technical help separately priced	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$	\$14,000-\$19,000 \$315-\$430	\$15,500-\$26,500 \$350-\$600	\$21,500 \$473 (5-yr. lease)	\$69,600 \$1,524 (5-yr. lease)	\$130,000 \$2,847 (5-yr. lease)
Date of first U.S. delivery Number installed in U.S. to date	June 1975 750 (P300 series)	June 1970 2300	February 1973 450	2nd qtr. 1976 200	3rd qtr. 1977 10
COMMENTS	Another 1500 P300's have been installed worldwide	Another 20,000 P350's have been installed worldwide	Each user has 128K bytes of virtual address space	Each user has 512 million bytes of virtual address space	Each user has 512 million bytes of virtual address space; includes fast floating-point business instruction set hardware

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Programmed Control Corp. Prophet 21 Model 1	Programmed Control Corp. Prophet 21 Model 2	Q1 Corporation Q1/LMC	Q1 Corporation Q1/LITE	Qantel 900, 950
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 2	16 4 2 1 1-3	8-bit byte 2 per byte 1 per byte 1, 2 bytes 1-3 bytes	8 2 1 1, 2 3	8 2 1 Variable 3-10
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	TI 960B 3.6 (word) 16 1, 22	TI 990/10 2.8 (word) 16 1, 128	8080 2 7 11, 32	Q1/LITE — 4 64; 256	Qantel std. CPU — 17 in memory 6
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 128K 8K 0.7 —	MOS 32K 2048K 8K 0.7 —	MOS 8K 64K 8, 16K 0.5 0.3	MOS 16K; 6K ROM 64K 16K 0.35 0.25	MOS 32K 64K 8K 1.5 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 5M bytes No No	No Std.; 50M bytes Opt.; 5M bytes No	Std.; 1.2M bytes Opt.; 24M bytes No No	Std.; 500K bytes No Opt.; 54M bytes Opt.; bubble memory	No Std.; 6-36M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard Standard	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 30 cps Opt.; 250 lpm No No No No No Standard; 24 x 80 char.	No No No No No Std.; 165 cps Opt.; 250 lpm No No No No No Standard; 24 x 80 char.	No No No No No Std.; 45-200 cps Opt.; 300 lpm No No No No No Standard; 6 x 40 char.	No No No No No Std.; 45 cps Std.; 40 cps Opt.; 300 lpm No No No No Plasma display; 12 x 47 char.	No No Opt.; 500 cpm No No Std.; 165 cps Opt.; 300-600 lpm Opt.; 36-72 KBS No No No Std.; 27 x 64 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	— No Opt.; to 1200 bps None	— No Opt.; to 9600 bps None	8 Opt.; to 2400 bps Opt.; to 9600 bps IBM 3741	16 Std.; to 4800 bps Opt.; to 1200 bps IBM 2780 Bisync	1 Opt.; to 50K bps Opt.; to 38,400 cps HASP
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No No Prophet 21 Yes; 22 partitions No No Yes Industrial dist. & wholesalers Yes Random, sequential, index seq. No No	No No No No No Prophet 21 Yes; 128 partitions No No Yes Industrial dist. & wholesalers Yes Random, sequential, index seq. No No	No No No No Yes PL/1 Yes Partially Fully Yes Acctg., credit unions, word proc. Yes Random, sequential No No	No No No No Yes PL/1 Multiprocessing PL/1 interpreter Fully Yes Credit unions, banks, gen'l. bus., wd. proc. — ISAM, KSAM Yes No	No No No No Yes QICBASIC Yes; 5 partitions Partially Partially Yes Whlsl. dist., medical clinics No Random, sequential, index sequential Some Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$42,500 Purchase only 1972 20	\$42,500 Purchase only January 1978 NA	\$17,950 Purchase only 1975 200	\$21,000 NA July, 1977 NA	\$27,900 NA 1st qtr., 1975 —
COMMENTS	Turnkey system is marketed nation-wide	Turnkey system is marketed nation-wide; see Report M11-840-301 for more details on CPU	A 24 x 80 char. CRT is optionally available; up to 4 CRT/workstations per system	Std. config. for data and wd. proc., data entry, prog. calc., intel. ter., graphics. Up to 64 intelligent workstations can share data base	Program and report generating packages; up to 16 on-line terminals

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Qantel 1400	Qantel 1400-2	Randal Data Systems Link-100	Randal Data Systems Link-200	Randal Data Systems Link-500
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 Variable 3-10	8 2 1 Variable 3-10	16 4 2 Variable 1, 2, 3	16 4 2 Variable 1, 2, 3	16 4 2 Variable 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Qantel high-performance CPU — 6 + 17 in memory 12	Qantel high-performance CPU — 6 + 17 in memory 12	Randal-100 1.2 4 63 max.	Randal-200 1.2 4 63 max.	Randal-500 1.2 (5 digits) 4 63 max.
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 40K 128K 8K 1.1 —	MOS 48K 128K 8K 1.1 —	MOS 32K 64K 16K 0.3 0.3	MOS 32K 64K 16K 0.3 0.3	MOS 64K bytes 128K bytes 32K bytes 0.3 0.3
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.: 12-48MB Opt.: 25-600MB No	No Opt.: 12-48MB Std.: 25-600MB No	Std.: 2.5M bytes No No No	No Std.: 10M bytes No No	Std.: 1.2M bytes No Std.: 200M bytes No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 500 cpm No No Std.: 165 cps Std.: 300-600 lpm Opt.: 36-72 KBS No No No Std.: 27 x 64 char.	No No Opt.: 500 cpm No No Std.: 165 cps Std.: 300-600 lpm Std.: 36-72 KBS No No No Std.: 27 x 64 char.	No No Opt.: 450 cpm No No Opt.: 30, 55, 180 cps Opt.: 300 lpm Opt.: 10 KBS No No No Std.: 12 x 80 char.	No No Opt.: 450 cpm No No Opt.: 30, 55, 180 cps Opt.: 300 lpm Opt.: 10 KBS No No No Std.: 12 x 80 char.	No No 450 cpm No No Std.: 180 cps Opt.: 300 lpm Opt.: 10K cps No No No Std.: 12 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4 Opt.: to 50K bps Opt.: to 38,400 cps HASP	4 Opt.: to 50K bps Opt.: to 38,400 cps HASP	2 Opt.: 9600 bps Opt.: 9600 bps IBM 2780, Univac DCT 1000	8 Opt.: 9600 bps Opt.: 9600 bps IBM 2780, Univac DCT 1000	16 Opt.: 9600 bps Opt.: 9600 bps IBM 2780, DCT 1000
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No Yes Yes Yes; 30 partitions Partially Partially Yes Whlsl. dist., medical clinics No Random, sequential, index sequential Some Yes	No No No No Yes Yes Yes; 30 partitions Partially Partially Yes Whlsl. dist., medical clinics No Random, sequential, index sequential Some Yes	No No No Yes Yes — Yes; 2 users No No; Timeshare OS Yes Lumber industry; med., dental mgmt. No Formatted, text, index sequential Yes Yes	No No No Yes No None Yes; 16 partitions No No; Timeshare OS Yes Lumber industry; med., dental mgmt. No Formatted, text, index sequential Yes Yes	No No No Yes Yes — Yes No No Yes Distribution, medical, accounting No Formatted, text, index sequential Yes Yes
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$43,900 — 2nd qtr. 1977	\$64,900 — 2nd qtr. 1977	\$12,750 \$280 October 1975 200	\$24,506 \$551 August 1976 NA	\$45,900 \$1,000 October 1977 0
COMMENTS	Program and report generating packages; up to 64 on-line terminals	Program and report generating packages; up to 64 on-line terminals	Marketed exclusively through qualified distributors	Marketed exclusively through qualified distributors	Marketed exclusively through qualified distributors

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Raytheon PTS/1200	Shasta General Systems Diablo 3200	A. O. Smith Mesa Two 7000 Series	Span Management Systems	Sperry Univac BC/7
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 ½, 1, 1½ 1, 2	8 + parity 2 1 1 or 2 1-3	16 4, 9 2 1 1	16 2 2 Variable 1	8 2 1 1 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Raytheon PTS/1200 2.8 (1 word) 4 42	Diablo 3200 23.9/6 digits 7 22; 256	DG Nova 3 — 4 4; 16	IBM Series/1 — 8 8; 256	Univac T3038 106 (5 digits) 7 3; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 48K 128K 16K 1.28 0.80	MOS 16 65 4K, 8K, 12K, 16K 0.488 0.300	Core 64K 256K 64K 1.0 —	MOS 16K 128K 16K 0.660 0.300	MOS 32K 64K 16K 1.0 0.5
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 40M bytes No No	Std.; 2M bytes Opt.; 10M bytes No No	No No Std.; 320M bytes No	Opt.; 606K bytes — Opt.; 13.9M bytes Opt.; 9.4M bytes	Std.; 2M bytes Opt.; 40M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Optional No	Standard Standard No	Standard Standard No	Optional Optional Optional	Standard Standard —
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No No Opt.; 15-165 cps Opt.; 300 lpm Std.; 800 bpi No No Std.; 600 bytes/sec. No No No Opt.; 480 to 1920 char.	No No No No No Std.; 45, 55, 200 cps No No No No No No Std.; 24 x 80 char.	No No No No No Std.; 165 cps Std.; 300-600 lpm Opt.; 800 bpi No No No No Std.; 23 x 74 char.	No No No No No Opt.; 120 cps Opt.; 414 lpm No No No No Opt.; 24 x 80 char.	No No Opt.; 300, 600 cpm No No Std.; 200 cps Opt.; 125, 250 lpm Opt.; 20, 40 KBS No No No No Std.; 1920 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Std.; to 9600 bps Std.; to 9600 bps IBM 2780, 3780	9 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	16 Opt.; to 4800 bps Opt.; to 1200 bps IBM 3780, HASP	— Optional Optional Bisync, SDLC	2 Std.; to 9600 bps No Transparent
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No No MACROL Yes; 20 partitions No No No Transport., insurance, finance Yes Random, sequential, index seq. No No	No No No No Yes DACL Yes No No Yes Whlsl., dist., med., finan., gen'l. acct'g. No Random, sequential, index sequential No Yes	No Yes No No No Mesa RPG II, FPG Yes; 2 partitions No No Yes Distribution, manufacturing Yes Random, sequential, index seq. No No	No No No No Yes Yes No No Yes Many Yes IAM Yes Yes	No Yes No No No ESCORT Yes; 2 partitions Partially No Yes Distribution, manufacturing No Random, sequential, index seq. Partly Partly
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$30,580 \$830 (3-yr. lease) November 1974 100	\$18,950 Various December 1976 50	\$56,700 Lease available May 1977 5	\$35,000 \$1,167 (1-yr. lease) June 1977 NA	\$17,283 \$385 March 1977 NA
COMMENTS	Display-oriented distributed system. Applications also in RJE, data entry, 3270 emulation	DACL compiler language is high level English-like language source statement compiler	System designed for data base management with remote job entry	System features sophisticated time-shared operating system on IBM hardware; vendor provides turnkey systems	Interactive applications; high-level ESCORT language provides both direct and tutorial programming modes; see Report M11-877-401 for details

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	STC Systems Ultimacc 2010	STC Systems Ultimacc 3010	STC Systems Ultimacc 3080	STC Systems Ultimacc 3300	Sycor 410
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2.3 ½ 1	16 4 2.3 ½ 1	16 4 2.3 ½ 1	16 4 2.3 ½ 1	8 1 1 1 1-5
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 1.35 4 20	Nova 3D 1 4 60	Nova 3D 1 4 60	Nova 3D 1 4 60	Sycor 410 7 16, 512
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 32K 64K 16K 1.35	Core 32K 256K 32K 1	Core 32K 256K 32K 1	Core 32K 256K 32K 1	MOS 40K 64K 8K 0.50 0.25
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Std.; 10-40M bytes No No	Optional Std.; 10-40M bytes No No	Optional No Std.; 80-320M bytes No	Optional No Std.; 300-1200M bytes No	Opt.; 256K bytes Std.; to 5M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-600 lpm Opt.; 60 KBS No No No No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-900 lpm Opt.; 60 KBS No No No No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-900 lpm Opt.; 60 KBS No No No No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-900 lpm Opt.; 60 KBS No No No No Std.; 24 x 80 char.	Optional No Opt.; 250 cpm No No Std.; to 180 cps Opt.; 300 lpm Opt.; 10,000 cps Std.; 1000 cps No No Std.; 576 char. per screen
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	Unlimited Opt.; to 9600 bps Opt.; to 1200 bps IBM 2780/3780, 3270	Unlimited Opt.; to 9600 bps Opt.; to 1200 bps IBM 2780/3780, 3270	Unlimited Opt.; to 9600 bps Opt.; to 1200 bps IBM 2780/3780, 3270	Unlimited Opt.; to 9600 bps Opt.; to 1200 bps IBM 2780/3780, 3270	2 Std.; to 9600 bps Opt.; to 1200 bps IBM 2770, 2780, 3780, HASP, TTY, RJE
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes No No Yes Yes ENGLISH 210 Yes; 8 partitions No No Yes Mfg., banking, dist., govt., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes Yes ENGLISH 210 Yes; 50 partitions No No Yes Mfg., banking, dist., govt., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes Yes ENGLISH 210 Yes; 50 partitions No No Yes Mfg., banking, dist., govt., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes Yes ENGLISH 210 Yes; 50 partitions No No Yes Mfg., banking, dist., govt., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes No TAL-2 Yes No No Yes Used in many industries No Sequential, ISAM, random No No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$41,000 Purchase only 1973 100	\$62,000 Purchase only 1975 20	\$75,000 Purchase only 1976 5	\$87,000 Purchase only 1976 3	\$25,230 \$553 May 1976 600
COMMENTS	Company was formerly called Ultimacc Systems, Inc.; turn-key system; see Report M11-304-101 for more details on CPU	See Report M11-304-101 for more details on CPU	See Report M11-304-101 for more details on CPU	See Report M11-304-104 for more details on CPU	Designed for transaction proc. in distributed or stand-alone environments; industry application software packages are available through Sycor's distributors

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Sycor 440	Tal-Star TDMS System	Tealtronic 2500	Terak 8510	Terak 8510A
DATA FORMATS					
Word length, bits	8	16	8-bit byte	16	16
Decimal digits per word	1	4	1 per byte	2	2
Bytes (characters) per word	1	2	—	2	2
Operand length, words	1	1	—	—	—
Instruction length, words	1-5	1, 2	4 bytes	1-3	1-3
CPU					
Model	Sycor 440	GA 18/30	Tealtronic 2500	DEC LSI-11	DEC LSI-11
Add time, microseconds	—	2.4	—	3.5	3.5
No. of programmable registers	7	16	26	8	8
No. of I/O ports on basic system and maximum	16; 512	—	32	2; 21	2; 21
INTERNAL STORAGE					
Type	MOS	Core	MOS	MOS, RAM	MOS, RAM
Capacity of basic system, bytes	24K	32K	20,480 bytes	24K	56K
Maximum capacity, bytes	64K	64K	65,536 bytes	56K	56K
Increment size, bytes	8K	8, 16K	4K, 8K, 16K	8K	—
Cycle time, microseconds	0.50	1.2	0.60	1.2	1.2
Access time, microseconds	0.25	—	—	0.6	0.6
MASS STORAGE CAPABILITIES*					
Floppy disk drive	Opt.; 256K	Opt.; 300K bytes	Std.; 512K bytes	Std.; to 1024K bytes	Std.; to 1024K bytes
Cartridge disk drive	Std.; to 5M bytes	No	No	No	No
Pack disk drive	No	Std.; 20M bytes	No	No	No
Fixed-head disk/drum	No	No	No	No	No
KEYBOARD INPUT*					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Optional	Standard
10-key numeric keyboard	Standard	Optional	Standard	Optional	Standard
Full accounting keyboard	No	No	No	No	No
INPUT/OUTPUT DEVICES*					
Paper tape reader	No	Opt.; 400 cps	No	No	No
Paper tape punch	No	Opt.; 75 cps	No	No	No
Punched card reader	Opt.; 250 cpm	Std.; 400 cpm	No	No	No
Punched card punch	No	Opt.; 100 cpm	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; to 180 cps	Std.; 10 cps	Opt.; 45, 165 cps	Opt.; 100 cps	Opt.; 100 cps
Line printer	Opt.; 300 lpm	Std.; 240 lpm	Opt.; 300 lpm	Opt.; 300 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Opt.; 10,000 cps	Opt.; 20-60 KBS	No	No	No
Cassette tape drive	Std.; 1000 cps	No	No	No	No
Cartridge tape drive	Opt.; to 24,000 cps	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Opt.; to 8,576 char. per screen	Opt.; 25 x 80 char.	Std.; 6 x 40 char.	Opt.; 80x 24 char.	Opt.; 80 x 24 char. 240x320 dot graphics
COMMUNICATIONS CAPABILITIES*					
Maximum no. of lines	2	15	1	4	4
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 4800 bps	No	No
Asynchronous	Opt.; to 1200 bps	Std.; to 1200 bps	No	Opt.; to 19.2K bps	Opt.; to 19.2K bps
Protocols supported	IBM 2770, 2780, 3780,HASP,TTY,RJE	None	IBM 2780	None	None
SOFTWARE SUPPORT					
COBOL	Yes	Yes	No	No	No
RPG	No	Yes	No	No	No
FORTRAN	No	Yes	No	Yes	Yes
BASIC	Yes	No	No	Yes	Yes
Assembler	No	Yes	Yes	Yes	Yes
Other programming languages	TAL-2	None	ACL	APL, AG/1	APL, AG/1
Multiprogramming	Yes	Yes; 2 partitions	No	Yes	Yes
Language implemented in firmware	No	No	Partially	No	No
Operating system implemented in firmware	No	No	Partially	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Used in many industries	Graphic arts, newspapers	—	Small business, education	Education, graphics
Data base management system	No	Yes	No	Yes	Yes
File access methods supported	Sequential, ISAM, random	Random, sequential, index sequential	Sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	No	Yes	Free	Yes	Yes
Technical help separately priced	No	Yes	Yes	Yes	Yes
PRICING & AVAILABILITY					
Purchase price of basic system, \$	\$25,670	\$73,600	\$9,900	\$6,615	\$7,225
Monthly rental of basic system, \$	\$641	Purchase only	NA	—	—
Date of first U.S. delivery	May 1976	1972	2nd qtr. 1977	June 1976	April 1977
Number installed in U.S. to date	600	NA	—	NA	NA
COMMENTS					
	Designed for transaction processing in distributed or stand-alone environments; industry application software packages are avail. through Sycor's distributors	System features on-line data base support; direct entry circulation system for publications with large files	ACL is compatible with the IBM 3741; see Report M11-823-101 for more details	Compatible with DEC RT-11 and standard DEC languages; compact, portable system	Features simultaneous graphics and character display; compact, portable system

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Vanguard Computer Systems V500	Vanguard Computer Systems V400	Wang 2200T	Wang WCS-20	Wang WCS-25
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2, 4 2 1, 2, 3 1, 2, 3	16 2, 4 2 1, 2, 3 1, 2, 3	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Raytheon RDS500 400 (18 digits) 15 6; 15	Raytheon RDS500 400 (18 digits) 15 6; 15	Wang 2200T 800 (13 digits) None 6; 9	Wang 2200T 800 (13 digits) None 3; 9	Wang 2200T 800 (13 digits) None 6; 9
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 65K 131K 32K 0.7, 0.9 0.35	Core 65K 65K — 0.9 0.45	MOS 16K 32K 4, 8K 1.6 —	MOS 8K 32K 8K 1.6 —	MOS 24K 32K 8K 1.6 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Opt.; 40M bytes Std.; 3200M bytes No	Optional Std.; 40M bytes No	Opt.; 786K bytes Opt.; 20M bytes No No	Std.; 786K bytes Opt.; 20M bytes No No	Std.; 524K bytes Opt.; 20M bytes No No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Optional Optional No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 200, 1000 cpm No No Std.; 30, 330 cps Std.; 300, 1250 lpm Std.; 30-200 KBS No No No No Standard; 24 x 80 char.	No No No No No Std.; 330 cps No No No No No Standard; 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm Opt.; 45 cpm No Opt.; 200 cps Opt.; 250 lpm Opt.; 10 KBS Opt.; 326 bps No No Optional; 16 x 64, 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm Opt.; 45 cpm No Opt.; 200 cps Opt.; 250 lpm Opt.; 10 KBS Opt.; 326 cps No No Standard; 16 x 64 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 30 cpm No No Std.; 120 cps Opt.; 600 lpm Opt.; 10 KBS Opt.; 200 cps No No Standard; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Opt.; to 9600 bps Std., 110-9600 bps 4th qtr. 1977	None No No None	1 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	4 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	4 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	Yes No No No No SPL Yes; variable No No No No Inventory billing; customized only Yes Direct, sequential linked, index seq. Yes Yes	Yes No No No No SPL Yes; variable No No No No Inventory billing; customized only No Direct, sequential linked, index seq. No Yes	No No No Yes No None No Fully Partially Yes Mfg. dist., insur., banking No Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg. dist., insur., banking Yes Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg. dist., insur., medical Yes Random, sequential, index sequential Yes No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$55,000-\$250,000 Third party March 1976 5	\$46,000 Third party July 1977 1	\$6,400 \$156.80 January 1975 NA	\$12,200 \$229 (5-yr. lease) April 1975 NA	\$26,750 \$655 (5-yr. lease) August 1977 NA
COMMENTS	Terminal-oriented system supporting variable number of tasks; designed for ease of development and application; multi-CPU capability to 5 CPU's		See Report M11-908-101 for details	Packaged system includes 16K 2200T, CRT/key-board, and 262K-byte floppy disk drive; see Report M11-908-101 for details	Pkgd. system includes 24K 2200T, 3 int. terminals, 2 diskette drives, 120-cps printer, & terminal access methods programs; see Report M11-908-101

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Wang WCS-30	Wang WCS-40	Warrex Computer Centurion I-A	Warrex Computer Centurion II	Warrex Computer Centurion IIA
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8 2 1 1, 2 1, 2, 3	16 2 1 1/2, 1 1/2, 1, 1 1/2	8 2 1 1, 2 1, 2, 3
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	Wang 2200T 800 (13 digits) None 3; 9	Wang 2200MVP 110 (13 digits) None 9	CC-201 3.6 (16 bits) 16 4; 12	CC-202 — 8 3; 4	CC-202 3.6 (16 bits) 16 4; 12
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 16K 32K 8K 1.6 —	MOS 32K 64K 16K 1.6 —	MOS 32K 60K 8K, 16K, 32K 0.800 —	MOS 16K 16K None 0.800 —	MOS 32K 60K 8K, 16K, 32K 0.800 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 786K bytes Std.; 20M bytes No No	Std.; 262K bytes Std.; 10M bytes No No	Std.; 616 bytes No No No	No Std.; 41.6M bytes No No	Std.; 616 bytes No Std.; 10.4-41.6MB No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm Opt.; 45 cpm No Std.; 200 cps Opt.; 250 lpm Opt.; 10 KBS Opt.; 326 cps No No Std.; 16 x 64 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm No No Std.; 240 lpm Opt.; 600 lpm Opt.; 10 KBS No No Std.; 24 x 80 char.	No No No No Optional Opt.; 125-600 lpm No No No Std.; 24 x 80 char.	Opt.; 50 cps No Opt.; 300 cpm No No Std.; 175 cps Opt.; 125-600 lpm No Opt.; 200 cps No No Std.; 24 x 80 char.	No No No No Optional Opt.; 125-600 lpm No No No Std.; 24 x 80 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	5 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	4, 12 No Optional None	1 No Optional None	4, 12 No Optional None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No Yes No None No Fully Partially Yes Mfg., dist., insur., banking Yes Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg., dist., banking, insur., medical Yes Random, sequential, index sequential Yes No	No No No No Yes CPL I Yes No No	No No Yes Yes Yes CPL I No No No	No No No No Yes CPL I Yes No No
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$30,400 \$744.80 (5-yr. lease) April 1975 NA	\$48,950 \$1,200 (5-yr. lease) November 1977 NA	Approx. \$20,000 Purchase/lease 2nd qtr., 1977 NA	\$26,950 Purchase only 1975 NA	Below \$30,000 Purchase/lease 2nd qtr., 1977 NA
COMMENTS	Packaged system includes 16K 2200T, CRT/keyboard, 262K-byte floppy disk drive, and 200-cps printer; see Report M11-908-101 for details	Pkgd. system includes 32K 2200MVP, 3 int. terminals, 1 diskette drive, 10MB disk, 240-lpm serial printer, access methods programs			

*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Warrex Computer Centurion III	Warrex Computer Centurion IV	Warrex Computer Centurion VI	Wintex Computer 200 NS Business Information System
DATA FORMATS Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 1, 2 1, 2, 3	16 2 2 ½, 1 ½, 1, 1½	8 2 1 1-256 1-7	8 1 or 2 1 1, 2, variable 1-6
CPU Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	CC-203 3.6 (16 bits) 16 4; 12	CC-204 — 8 4; 25	CC-206 2.2 (16 bits) 16 4; 64	Wintex microproc. 1500 (5 digits) Unltd. (in memory) 256
INTERNAL STORAGE Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 60K 8K, 16K, 32K 0.800 —	MOS 32K 60K 16K; 32K 0.800 —	MOS (error corr.) 32K 252K 8K, 16K, 32K 0.600 —	MOS 8K 64K 4K 0.650 —
MASS STORAGE CAPABILITIES* Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Std.; 10.4-41.6MB Optional No	No Std.; 41.6M bytes No No	Optional Std.; 10.4-77.6MB Optional No	Std.; 6M bytes Opt.; 10-40M bytes Optional No
KEYBOARD INPUT* Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
INPUT/OUTPUT DEVICES* Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 120 cps No Opt.; 300 cpm No No Optional Std.; 125-600 lpm No No No No No Std.; 24 x 80 char.	Opt.; 50 cps No Opt.; 300 cpm No No Std.; 175 cps Opt.; 125-600 lpm Optional Opt.; 200 cps No No Std.; 24 x 80 char.	Opt.; 120 cps No Opt.; 300 cpm No No Optional Std.; 125-600 lpm No No No No Std.; 24 x 80 char.	No No No No No No Std.; 66 lpm No No No No Std.; 27 x 40 char.
COMMUNICATIONS CAPABILITIES* Maximum no. of lines Synchronous Asynchronous Protocols supported	4, 12 No Optional None	8 No Standard None	4, 64 No Optional None	1 Under development Opt.; to 9600 bps None
SOFTWARE SUPPORT COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No No No Yes CPL I Yes No No Yes Oil & gas acct'g., dist., banking, medical No Random, sequential Some Yes	No No Yes Yes Yes CPL I Yes No No Yes Accounting, distribution No Sequential Some Yes	No No No No Yes CPL I, CPL II Yes Partially Partially Yes Oil & gas acct'g., dist., banking, medical No Random, sequential Some Yes	No No No Yes Yes None Under development Fully; assembler Partially Yes Distribution, professional services No Random, sequential, index sequential Yes Some
PRICING & AVAILABILITY Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	Below \$40,000 Purchase/lease 1974 NA	\$34,150 Purchase only 1975 NA	NA Purchase/lease 1st qtr. 1978 0	\$12,000 — January 1975 NA
COMMENTS				Two 300K-byte floppy disk drives are standard; cartridge disk drives hold 2.5-10M bytes each

*"Std." means the device is included in the price of the "basic system" as listed here.