

# Small Business Computer Specifications

The small business computer market continues to grow unabated, and indications are that this trend will continue for at least the next five years. Based on the latest available information from International Data Corporation:

- The value of small business computers shipped in 1977 was approximately \$930 million, and by 1982 this figure will increase to about \$3.9 billion.
- The number of small business computers shipped in 1982 will approach the 50,000 mark, almost three times the number shipped in 1977.

There is no doubt that the small business computer will be a common sight in most small business firms—perhaps as commonplace as an office copier or telephone switchboard. The ever-increasing costs and complexities of doing business are forcing small businessmen to find new ways to cut their labor costs and gain tighter control over their operations, and a wisely chosen small computer system can help immeasurably in both these critical areas.

In price and performance, the small business computers span a wide range that fills the gap between conventional accounting machines at one extreme and medium-scale computer systems at the other. Though the current small business systems differ widely in their architecture, data formats, peripheral equipment, and software, they are generally characterized by purchase prices in the \$5,000 to \$100,000 range and by a strong orientation, in both their equipment and software, toward conventional business data processing applications.

In its basic configuration, today's small business computer typically consists of a central processor, a keyboard/CRT unit for data entry, a disk unit for file storage, and a serial printer for hard-copy output. Beyond that, the increasing number and diversity of systems on the market

The current products of 84 suppliers of small business computers are represented in this comprehensive report. Detailed characteristics, features, and prices of 289 systems are presented in convenient comparison chart form. In addition, the report includes buying hints and discussions of new technologies.


make it difficult to generalize about components, speeds, capacities, and expansion possibilities. A capsule summary of some of the key characteristics of the 289 models represented in this year's report is as follows:

- Approximately one-half of the systems offered are based on 16-bit central processors and one-third use 8-bit machines. Also represented are 12-bit, 18-bit, 24-bit, 32-bit, 48-bit, and 64-bit computers.
- Approximately 68 percent of the systems offer MOS memory, and all the rest use core memory, with the exception of two older NCR models that use thin-film memory.
- Minimum memory capacities range from 4K to 480K bytes. Approximately 14 percent have a minimum of 16K bytes, 24 percent a minimum of 32K bytes, 20 percent a minimum of 64K bytes, and 10 percent a minimum of 128K bytes.
- Maximum memory capacities range from 8K to 8 million bytes. Approximately 26 percent of the systems offered have a maximum capacity of 64K bytes, 12 percent a maximum of 128K bytes, and 19 percent a maximum of 256K bytes.



*Representative of the growing trend toward multi-user small business computer systems, the SyFA system from Computer Automation can support up to 304K bytes of main memory, eight disk drives with a total storage capacity of 1760 megabytes, 32 local or remote terminals, and two serial or line printers. SyFA packaged systems range in price from \$45,000 up to \$302,000.*

## Small Business Computer Specifications



*The Cado System 20 desktop computer is built around an Intel 8080A microprocessor. The smallest offering in Cado's line, the System 20 is priced at \$13,995 with 5 K bytes of main memory, 3.6 megabytes of floppy disk storage, a 1920-character CRT, and a 150-cps serial printer. Optionally available are 9.5-megabyte and 19-megabyte cartridge disk units and both reel-to-reel and cassette tape units.*

- ▷ ● To provide random-access storage for data files and programs, 71 percent of the systems offer floppy disk units, 73 percent offer cartridge disk units, 52 percent offer pack disk drives, and 27 percent offer fixed-head disk or drum units.
- To produce printed reports, 42 percent of the systems offer a serial printer and 18 percent offer a line printer as part of their basic configurations.
- To provide for communication with remote terminals and/or larger computers, 97 percent of the systems offer at least one data communications line, and about one-third can be equipped with from two to eight lines.

The business data processing systems included in this report are known by various names, such as business minicomputers, electronic accounting machines, office computers, or electronic billing computers. To simplify matters, we have chosen to use the term "small business computers" (SBC's) throughout this report.

This report is designed to bring you, in concise comparison-chart form, the up-to-date hardware and software characteristics of the small business computer systems that are currently being marketed in the United States. For guidance in selecting and acquiring the particular system that will best meet your needs, we urge you to consult Report M07-100-201, *Selection and Installation of Business Minicomputers*. Also keep in mind that DATAPRO REPORTS ON MINICOMPUTERS also contains detailed individual reports on most of the popular small business computer systems, as listed in the Index or Table of Contents.

### The Small Business Computer Marketplace

The small business computer market is served by four distinct types of vendors. The first type is the "Fortune 500" companies such as Burroughs, Honeywell, IBM, Litton, NCR, and Sperry Rand, all of whom have vast product lines and resources. For these companies, the small business computer is just one of a broad line of products (although in the cases of NCR and Burroughs, business minicomputers now account for a very sizeable portion of total corporate sales revenues).

A second group consists of minicomputer manufacturers such as Digital Equipment Corporation (DEC), Data General, Computer Automation, Harris, Hewlett-Packard, Microdata, Wang Laboratories, and others. This group has watched the small business computer marketplace mushroom in size, and now wants a piece of the action. Their answer to this segment of the marketplace is a packaged configuration consisting of a minicomputer and associated peripherals from their current product line, usually accompanied by some applications software. Most minicomputer vendors also offer assemblers and compilers for the user who wants to do his own programming or solve business problems that cannot be handled by packaged software.

System houses or turnkey vendors, such as Mini-Computer Systems, Qantel, STC Systems, and many others, comprise the third group of suppliers of small business computers. This group is very similar to the second group except that the turnkey vendors generally buy minicomputers and/or peripheral devices from the manufacturers, package the configurations, and supply their own software. The prime appeal of a full turnkey system is that all software is written by the vendor; therefore, the user is not required to employ a high-priced programming staff. Basic/Four Corporation, which started out as a systems house using Microdata minicomputers, is now building its own central processors and is one of the leading suppliers of small business computers.

Microcomputer companies are beginning to appear on the scene as the fourth group of SBC suppliers. Companies such as Applied Data Communications, Applied Systems Corporation, Cado Systems Corporation, and others are offering microprocessor-based small business systems that sell for \$20,000 or less. This group is still in its infancy, but seems destined to be a major force in the SBC marketplace in the near future.

Most of the current members of the last two groups sell small business computers and services exclusively, and in many cases are themselves small businesses. However, what they lack in size and resources is often more than compensated for by their quick reaction time to problems, general expertise, and eagerness to satisfy.

IBM, a long-time laggard in the small business computer sector of the EDP marketplace, has climbed into its

## Small Business Computer Specifications

▷ accustomed position of market leadership during the last few years on the strength of three highly significant product offerings: the System/3, System/32, and System/34.

The IBM System/3, introduced in 1969, now occupies a position at the upper end of the SBC market segment. It is offered in numerous models at system purchase prices ranging from about \$40,000 to more than \$300,000. With over 40,000 installations worldwide, the System/3 ranks as one of the fastest-selling computers in history.

The IBM System/32 was unveiled in January 1975 as the smallest and lowest-priced general business computer ever announced by the industry giant. All components of the System/32—processor, main storage, keyboard, display, printer, disk storage unit, and diskette drive—are housed in a single compact, desk-sized cabinet. What's more, IBM is billing the System/32 as a "programmer-less" machine whose software, for most users, will consist entirely of preprogrammed Industry Application Packages supplied by IBM. With equipment purchase prices beginning at \$33,560 and monthly rentals (on a 3-year lease) beginning at \$714, the System/32 has already convinced thousands of small businesses that it's time to take their first step into computer usage. The availability of the System/32, backed by IBM's powerful marketing forces, has substantially enlarged the total market for small business computers and generated increased sales for both IBM and many of its competitors.

The IBM System/34, introduced in April 1977, represents the next logical step in IBM's succession of small business computer systems. As compared with the System/32, the new system features more processing power, larger memory capacity, larger disk storage capacity, and the ability to attach a number of independent multiprogramming workstations to the basic system. This last feature is the most significant difference between the two systems, since the biggest single drawback to the System/32 for most potential users has been the fact that it is rigidly restricted to serving one user at a time. Thus, with the System/34, IBM has strongly endorsed the concept of multi-user, multi-terminal SBC systems of the type that have long been offered, with considerable success, by vendors such as Basic Four, Datapoint, and Microdata.

Burroughs and NCR, the perennial leaders in the SBC marketplace until the recent IBM onslaught, are still strong contenders. Both firms offer a broad range of products backed by extensive marketing and service organizations.

Sperry Rand is the latest of the "Fortune 500" companies to announce a bold thrust into the SBC market. The firm's Sperry Univac Division, which had long lacked an effective SBC to complement its strong line of larger computers, corrected that oversight by introducing the Univac BC/7 in January 1977. A cardless system designed for turnkey operations, the BC/7 can consist of a processor with 48K, 64K, or 128K bytes of MOS main memory; an operator's console; up to six workstations, each with CRT display and optional non-impact page printer; up to

6 million bytes of floppy disk storage; up to 40 million bytes of cartridge disk storage; one or two tape drives; and one or two printers. Purchase prices for the BC/7 packaged systems range from about \$22,000 up to about \$51,000. Sperry Univac's new commitment to the SBC field is underscored by the fact that at the time of the BC/7 announcement, nearly \$25 million had already been invested in the associated organization, facilities, people, and product. Then, in June 1977, Sperry Univac purchased Varian Data Machines, a major manufacturer of minicomputers since 1967. There's little doubt that the technology developed by Varian will show up in future Univac offerings in the small business computer marketplace.

Digital Equipment Corporation, the leading builder of scientific minicomputers, offers business-oriented users its Datasystem 300 and 500 Series systems based upon the popular DEC PDP-8 and PDP-11 minicomputers. In January 1975, just 10 days after IBM introduced its System/32, DEC countered with the Datasystem 310, a complete business data processing system priced at just \$14,095. The basic Datasystem 310 includes a PDP-8/A minicomputer with 8,192 12-bit words of core storage, two diskette ("floppy disk") drives, CRT display unit, and typewriter-style keyboard. Optional extras include a printer, a communications interface, and expanded main or diskette storage. DEC is marketing the Datasystem 310 in two ways: directly to end users who are prepared to write their own applications programs, and through a distributorship network of software houses that will do the applications programming for less sophisticated users. A floppy disk version of the Datasystem 310, designated the Datasystem 308, was introduced in May 1978. Employing DEC's LSI-based PDP-8 video data processor, the VT-78, the Datasystem 308 has a base price of \$12,600 including training credit and support services.

Hewlett-Packard, General Automation, Harris, and Microdata are other major suppliers of scientific minicomputers that now offer "packaged" hardware/software configurations oriented toward business data processing applications. Wang Laboratories, which has elected to specialize in serving the SBC market, is now one of the foremost suppliers of these systems.

European-made equipment is making a much greater impact upon the small business computer market than in any other segment of the U.S. computer market. ICL, Olivetti, Philips, and Nixdorf are marketing equipment which they manufacture in Great Britain, Italy, the Netherlands, and Germany, respectively.

### Buying Guidance

As with all categories of data processing equipment, the watchword in selecting a small business computer is "Buyer beware." These machines come in a wide range of types, sizes, and capabilities—with price tags to match—and there's a great deal to be gained through systematic selection of the most appropriate system for your particular needs. ▷

## Small Business Computer Specifications

▷ But all too often, the buyers of this class of equipment have little or no understanding of data processing principles and are likely to buy the wares of the salesman who arrives first or sells hardest.

No company should *ever* buy a computer from the first salesman who comes through the door. It's always far wiser to check out the offerings of at least a few of the other major suppliers, and you shouldn't hesitate to play one vendor against another in an effort to get the most for your money. Just remember that all promises of extra software, technical support, or other concessions should be specifically included in the final contract.

Before seriously considering the acquisition of any business minicomputer, you should demand:

- Detailed specifications of all the pertinent hardware and software.
- A full-scale demonstration of the equipment on at least one of your own principal applications—or, if that's not practical, on a demonstration program whose functions are similar enough to your own needs so that you can draw realistic conclusions about the system's processing speed and ease of programming and operation.
- A detailed proposal that spells out exactly what *equipment*, *software*, and *technical support* will be supplied, estimated processing times for each of your applications, all responsibilities of both the vendor and the buyer, and the total purchase price or monthly rental price.
- A list of users in your geographical area who are employing the system for applications similar to yours. Talk to several of these users and find out as much as you can about their experiences. While they may not be able to give you much help in developing a sophisticated comparison to other alternative systems, they *can* give you a good idea of what pitfalls to watch out for in installing and using that particular system.

A critically important area to be evaluated is *software*—the programming packages and languages used to program the computer and thereby direct its operations. It is important that you carefully investigate the available software. This investigation should include the programming languages, preprogrammed utility packages such as sorts and file maintenance, and application packages such as payroll, inventory, control, general ledger, etc.

Vendors' claims and promises concerning the availability and capability of software should be carefully checked. This is particularly true of software that has been announced but not yet released. Vendors have frequently failed to live up to their marketing publicity.

Since SBC users typically start with no programming staffs of their own, it is important that appropriate program packages be available to fit your specific requirements. If not, you should require the vendor to take on full responsibility to write and test the initial programs you'll need. Otherwise, you'll have to either recruit and train your own programmers or pay an outside software firm to develop your programs. If not kept under strictest control, software costs can accumulate until they equal, or even exceed, hardware costs. Potential dollar savings can be quickly devoured by software costs.


The availability of reliable and qualified vendor support for both equipment maintenance and software aid is another vitally important factor in the business minicomputer environment. The limited resources generally available to small computer users make you depend heavily on your vendor for such assistance. In many cases the vendor will even design the initial system and make any required changes to his program packages for you. Thus, the ability of the vendor to render competent and continuing service in these matters is a vital concern to you.

Some vendors do not offer equipment maintenance and/or software to complement their hardware offerings. In this case, the user must deal with independent firms in order to complete the package. In one respect this is good, because overall costs may well be lower. However, when a problem occurs, the finger-pointing game can begin: one vendor blaming the other for the system's malfunction. Fortunately, this kind of reaction is in the minority, and despite the potential for problems, the multi-vendor approach can work well. If it didn't, the independent equipment maintenance and software firms would disappear, and that just isn't happening.

Most potential users of an SBC naturally raise the question of purchase versus lease. The single most important consideration is the length of time that this particular system is likely to be able to handle the data processing requirements of your company. Is there room for system expansion, with regard to both the processor and the peripherals, or is this the top of the line? In most cases, it is not a wise decision to make your first system the most powerful system offered by a particular vendor. If your company's operations expand, how will you expand the system? Will you have to acquire a new and more expensive processor? Or, worse yet, will you have to change vendors? Generally, if you are confident that a particular system can handle your data processing needs for five years or more, then purchasing the system will be advantageous. However, if you have selected the top of the line or if there are fewer than five years of potential life in the system, you will probably be better off to lease.

For a detailed discussion of all the aspects of selecting, acquiring, installing, and converting to a low-cost business data processing system, be sure to see Report M07-100-201, *Selection and Installation of Business Minicomputers*. ▷

## Small Business Computer Specifications



*This Ultimacc 2010 from STC Systems has a basic system purchase price of \$41,000. The configuration shown includes a Data General Nova 3/12 processor with 32K bytes of memory, a 40-megabyte cartridge disk drive, a 1920-character CRT with an alphanumeric keyboard, and a 165-cps serial printer. Standard software includes COBOL, BASIC, an assembler, and STC's ENGLISH 210. The system can handle an unlimited number of communications lines and supports IBM's 2780/3780 and 3270 line protocols.*

### ▷ Alternatives

There are several other alternatives you might want to consider before deciding that a small computer system is the answer to all your problems. Many small companies (fewer than 200 employees and sales of less than \$5 million) have selected programmable calculators, computer service bureaus, or time-sharing companies to provide the same or comparable services. Each user must decide which alternative provides the most cost-effective solution to his problems. Beyond that, decisions must be made regarding expandability, flexibility, ease of operation, reliability, turnaround time, compatibility with present operations, and the desirability of keeping all operations in-house. After careful consideration is given to these aspects and any other factors peculiar to your operations, an informed decision can be made as to which approach will work best in your company.

### The Comparison Charts

The principal characteristics of 289 small business computers from 84 vendors are presented in the accompanying comparison charts. All of these systems are currently being marketed in the United States. Nearly all of the information in the charts was supplied and/or verified by the manufacturers or U.S. suppliers during June and July 1978; their close cooperation with the Datapro Research staff in the preparation of these charts is gratefully acknowledged.

No report on today's small business computers could be totally complete. The field of suppliers is just too large and growing too fast. We have, however, made every reasonable effort to include all of the major suppliers and a high proportion of the smaller ones as well. The absence of any company's products from these comparison charts means either that the company was unknown to us or that it failed to respond to our repeated requests for information.

The comparison chart entries and their significance to potential users of small business computers are explained in the following paragraphs, together with some useful guidelines for selecting the equipment that will most effectively meet your needs.

### Data Formats

This section of the comparison charts describes the formats used to store and process data within each system.

*Word length* is the number of bits (binary digits) of data that can be stored in or retrieved from the internal storage unit during a single cycle. Some SBC's have a "fixed word length," meaning that each machine word or operand always has the same number of bits, digits, or characters. Others have a "variable word length," meaning that their operands may consist of a variable number of bits, digits, or characters. In the latter case, the "word length" entry shows the number of data bits used to represent each byte or character within the variable-length operands.

*Digits per word* is the number of decimal digits that can be represented within each machine word as defined above. At least four binary bits are required to represent each decimal digit, and in some systems six or eight bits are used.

*Bytes (characters) per word* is the number of alphanumeric characters that can be represented within each machine word as defined above. Most systems use either six or eight bits to represent each character.

*Operand length* is the length of each data element upon which such basic internal processing operations as addition and subtraction are performed. Fixed-word-length computers usually have an operand length of one word. For variable-word-length computers, the ranges of ▷

## Small Business Computer Specifications

▷ permissible operand lengths for addition and subtraction are shown.

*Instruction length* is the number of words (or bits) used to specify each operation to be performed by the system. In general, each instruction indicates the specific operation to be executed (add, multiply, move, print, etc.) and the storage locations of one or more of the operands involved.

### CPU

*Model* indicates the manufacturer and model of the minicomputer used as the system's central processing unit (CPU). In some cases this entry will be identical with the entry at the top of the chart; however, in the case of a packaged turnkey system, the entries will differ.

*Add time* is the time required, in microseconds, to develop the arithmetic sum of two operands. It is a widely used measure of computer performance—but a figure that turns out to be of comparatively little importance in the selection of many SBC's. The reason is that the overall speed of many of these systems is largely determined by the operator's keying speed. Add times for the systems covered in our survey span the range from a few microseconds to more than half a second—yet in many applications the key question is still whether the operator can “beat the machine.” If not, the machine is probably as fast as it needs to be for these keyboard-oriented business applications. (It should be noted that for larger equipment configurations, in applications where there are two or more operators at separate terminals or where the transaction data is prerecorded on cards, or tape, add times—and internal speeds in general—become highly significant considerations.)

*Number of programmable registers.* A register is a device that stores a small quantity of data (usually one word) and serves some special purpose. Most computers have one or more accumulators (in which arithmetic operations are performed), an instruction register, and a sequence counter. Multiple registers can facilitate programming and increase program execution speeds. In many small computers, reserved locations in internal storage, rather than special hardware elements, serve as registers in order to keep the cost down. The comparison charts show the number of programmable registers and their capacities in all cases where the manufacturers have released this information.

*Number of I/O ports* is an indication of the input/output capability and expandability of the system. Generally, each port allows the user to interface one peripheral device to the system, although multiple disks, CRT's or communication lines are often interfaced to one I/O port. Two numbers are given wherever possible, the first indicating the number of ports included on the basic system and the second showing the maximum number of ports that can optionally be included. Some of the figures are quite large and indicate that the vendors took into consideration the use of multiple-device interfaces and the

maximum number of terminal devices theoretically connectable. It should be noted that additional hardware, in the form of expansion chassis and power supplies, may have to be added to achieve the maximum I/O capability.

### Internal Storage

One of the principal characteristics that distinguishes computers from adding machines and conventional accounting machines is the provision of an internal storage unit capable of holding and selectively retrieving a significant quantity of data and/or instructions. This section of the comparison charts describes each system's internal storage facilities.

*Type* indicates whether the system uses core or MOS (semiconductor) memory. Magnetic core storage has been widely used for more than a decade, and has proved to be fast, flexible, and reliable. Semiconductor storage, which is rapidly superseding core storage as the principal storage medium for large computers, is becoming quite popular in business minicomputers as well. When both types of memory are available for a system, we've made every attempt to denote the specifications for both.

*Capacity of basic system* specifies the amount of memory, in bytes, included in the basic system. The amount of internal storage is one of the most significant characteristics in appraising the power of any computer. The amount of productive processing that a computer can perform during any one run is largely determined by the number of instructions and/or operands it can hold.

*Maximum capacity, bytes* shows the largest memory size available for this model; *increment size, bytes* indicates the size of the memory modules that can be added to expand the basic system.

*Cycle time, microseconds* is the minimum time interval that must elapse between the starts of two successive accesses to any one storage location. The storage cycle time normally ranges with word length as one of the most significant individual indicators of a computer's performance potential. However, as discussed earlier, the throughput of the equipment covered in this report is frequently determined by the operator's keying speed rather than by the machine's internal performance.

*Access time, microseconds* is the actual elapsed time between the CPU's request for data and the time when that data is received (read). In core memory, the access time is usually one-half the cycle time; MOS memories do not display a similar relationship.

### Mass Storage Capabilities

The inclusion of mass storage devices (magnetic disk units) can greatly increase the data storage and processing capabilities of a business data processing system. Disk units enable millions of characters of information to be ▷

## Small Business Computer Specifications

▷ constantly accessible to the computer. Moreover, any desired record can be retrieved, updated, and re-recorded on the disk, usually within a fraction of a second.

By replacing or augmenting slower, less flexible file storage media such as punched cards, paper tape, or magnetic ledger cards, disk units can enable small business computers to handle applications and processing volumes that would otherwise be impossible. The principal disadvantages of disk units are their comparatively high costs and the software complexities that are encountered by users who attempts to harness their full potential. One or both of these considerations may make disk units impractical for many small computer buyers, despite the obvious appeal of disk-oriented data processing.

The diskette, or "floppy disk," is an innovation that can significantly reduce the cost of disk-oriented data processing. The diskette itself consists of a flexible Mylar disk, about 8 inches in diameter, that is permanently housed in a plastic envelope. It can serve as an input/output and/or random-access storage medium that is considerably smaller in capability and slower in performance than conventional disk units—but also far lower in cost. Introduced by IBM in 1972, diskettes and diskette drive units are now being produced by dozens of vendors and are finding their way into numerous small business computer systems, such as the IBM System/32 and DEC Datasystem 310. Recent enhancements to the floppy disk concept include more concentrated data storage and "flippies" (floppy disks that utilize both sides of the diskette), allowing more data to be stored on-line.

The other, more conventional types of mass storage devices, cartridge and disk pack drives, provide access to far more data and at significantly faster rates. Unfortunately, they also carry price tags several times higher than their floppy counterparts. Most of these units employ cartridges or disk packs that can easily be removed from the drive units and interchanged in much the same manner as magnetic tape reels.

Some cartridge-type units either use nonremovable media or use two cartridges, one fixed and the other removable. Nonremovable disks impose two important limitations. First, the system's file storage capacity is effectively limited to the amount of information that can be stored on-line. Second, disk dumps to create backup files for efficient restart procedures in case of catastrophe are not available to the user.

Interchangeable disks, conversely, provide great flexibility and make it practical to use small business computers effectively for both sequential and random data processing applications. In sequential applications, files of virtually unlimited size can be handled through the use of multiple disk packs or cartridges.

Fixed-head (head-per-track) disk and drum units can provide much faster access to on-line data than any other

type of mass storage device. The reason is that there is no loss of time due to head positioning because a head is provided for each track. The only delay is rotational delay (latency), or the time required for the desired data to move under the read/write head. But the price of this type of equipment is higher than that of the preceding varieties, and less data can be stored on-line. Fixed-head devices are used when data bases are relatively small and very rapid access to the information is required. Most SBC users are not faced with such demanding requirements, but for those who need them, the devices are offered by some vendors.

Entries in this section of the charts fall into four categories: *floppy disk drive*, *cartridge disk drive*, *pack disk drive*, and *fixed-head disk/drum*. The entries indicate which devices are standard on the basic system and which ones are optional or not available.

Some SBC's are not marketed as packaged systems; thus, the user is required to pick and choose the particular devices that best suit his needs. In this case, all peripherals are indicated as optional, and this should be reflected in a lower "basic system" price.

These entries also specify the maximum quantity of disk-stored information that is directly accessible to the computer at any one time. The indicated figure may be the capacity of a single disk drive or the total capacity of two or more (typically, four to eight) drives that can be connected to one controller. It is difficult to imagine an SBC user wanting more disk storage; but if an I/O slot is open, theoretically, another controller and its associated drives can be added.

### Keyboard Input


The principal source of input to most small business computers is data keyed in by a human operator. Therefore, the keyboard facilities for on-line data entry deserve careful consideration. Entries denote whether each type of keyboard is standard on the basic system, optional, or not available.

*Alphanumeric (typewriter) keyboard.* Virtually all of the systems covered in our survey include a keyboard, arranged in the conventional typewriter format, that permits direct entry of both alphabetic and numeric information.

*10-key numeric keyboard.* A 10-key adding-machine-style keyboard, standard in many of the systems and optional in others, permits all-numeric data to be entered at considerably higher speeds than via a typewriter-style keyboard. The numeric keys are usually accompanied by control keys which activate various machine functions.

*Full accounting keyboards,* with multiple columns of 9 or 10 keys each, have nearly disappeared from the SBC field, though they are still available for a few machines. ▷

## Small Business Computer Specifications



This GRI System 99 configuration includes the CPU with 64K bytes of memory, four 10.6-megabyte disk drives, one 9-track magnetic tape drive, three terminals with 1920-character screens, two serial printers, and a line printer. A basic System 99 including 32K bytes of memory, one 10.6-megabyte cartridge disk drive, one 100-cps matrix printer, and one 1920-character CRT is priced at \$32,600.

### ▷ Input/Output Devices

Many SBC's can be equipped with additional input/output devices such as a *paper tape reader, paper tape punch, punched card reader, punched card punch, punched card reader/punch, serial printer, line printer, reel-to-reel tape drive, cassette tape drive, cartridge tape drive, magnetic ledger card device, and CRT*. Chart entries depict which devices are standard on the basic system and which ones are optional or not available. Once again, non-packaged systems will have all the available I/O devices listed as optional. The comparison charts also indicate the rated speed, or range of speeds, available for each peripheral device wherever that information could be obtained.

Punched tape, punched cards, and magnetic tape can be used to store master file records or to accumulate previously recorded transaction data. It's worth noting that many of the paper tape readers and punches employed in these systems can also accommodate edge-punched cards, which represent an effective unit-record storage medium for many applications. Also, many tape drives in use on SBC's are now of the cassette or cartridge variety. Cassettes and cartridges offer increased convenience in that they can be transported and stored with little fear of damaging the data which has been recorded. What's more, price tags for cassette and cartridge drives are significantly lower than those of the more conventional reel-to-reel variety, but once again the trade-off of slower transfer rates and reduced on-line storage must be accepted.

Serial (character-at-a-time) printers are enjoying increased popularity with the prolific growth of the small business computer marketplace. The main reason is price; serial printers can provide excellent-quality hard-copy reports

for far less money than the line-at-a-time printers used with larger computers. However, for users who require faster printing capabilities, line printers are also available for many SBC's. Serial printers generally range in speed from about 30 to 600 or more characters per second (cps), while line printers operate at speeds of 100 to 2000 or more lines per minute (lpm). The user who needs faster printed output can obviously get it, but he must be willing to pay the higher price tag associated with the line printers.

Magnetic ledger cards have long been a popular input/output medium for business/accounting mini-computers, though they are now decreasing in popularity. Their principal attraction is that they enable small businesses to retain the individual, hard-copy ledger records they have long been accustomed to using. In addition, machine-readable data can be recorded on the cards, usually on one or more vertical magnetic "stripes." Identity and status information about each account can be recorded on the appropriate card in both printed and magnetically encoded form, and the encoded data can be re-read and updated whenever necessary. Thus, magnetic ledger cards combine many of the advantages of both traditional visible records and machine-readable media such as punched cards or magnetic tape. Their chief disadvantage is that the low speed of most of the available card-handling equipment precludes the use of magnetic ledger cards in high-volume data processing applications.

CRT's are becoming increasingly important to the small business computer. Many systems now include a CRT display and its associated keyboard as the principal means of entering data into the system. In fact, on many SBC's, one or more CRT/keyboard units represent the *only* way to enter data into the system. The comparison charts indicate the capacity of the CRT, in number of lines and characters per line, whenever possible.

### Communications Capabilities

Communications capabilities enable some of the small business computers to function as "intelligent terminals" in data communications networks. An interface equips the small computer to send and receive data over a common-carrier communications link, usually to a larger central computer installation. The small computer's internal processing and storage capabilities enable it to do some data processing locally and to handle a variety of code translation, editing, and control functions in connection with the data communications activities.

*Maximum no. of lines* indicates how many communications lines can be handled by a particular system. The types of lines are specified in the next two entries.

*Synchronous* and *asynchronous* have entries of standard, optional, or no, indicating their availability, and also a notation as to the speed of each line in bits per second (bps). Most entries will be of the type "to 4800 bps," ▷



## Small Business Computer Specifications

▷ indicating one or more transmission speeds up to a maximum of 4800 bps.

### Software Support

Virtually as important as the computer hardware are the software and technical support each manufacturer furnishes to aid the user in utilizing the hardware effectively. The available software (if any), together with the pricing policies for both software and support, are summarized in this section of the comparison charts.

*COBOL* (COmmon Business Oriented Language), *RPG* (Report Program Generator), *FORTRAN* (FORmula TRANslator), and *BASIC* (Beginners All-purpose Symbolic Instruction Code) entries specify whether a particular compiler is available or not.

A *compiler* is a software tool designed to shift part of the program preparation task from the user to the computer itself by converting programs written in a simplified, procedure-oriented language into machine-language object programs. Compilers are now used in virtually all large and medium-scale computer installations because of their demonstrated ability to slash programming costs—and they are becoming increasingly available for the small business computers. This trend is possible because of the more powerful central processors now being used, since compilation is an intricate process that requires more storage space and processing power than the earlier small business computers provided. Where compilers are offered, however, they frequently limit the programmer to restricted subsets of the standard programming languages and/or require the use of a larger computer to perform the compilation process.

An *assembler* is a special-purpose program that uses the computer's power to facilitate the preparation of other programs. It enables the programmer to write his own program in a simplified format that uses mnemonic operation codes and symbolic operand addresses. The assembler program then converts these symbolic instructions into their machine-language equivalents, producing computer programs ready for loading and execution. Entries here indicate the availability of an assembler or, in some cases, a macro assembler.

A macro assembler is another software tool to aid the programmer and make his job a little easier. Macro routines can be called by the programmer and copied right into his program. This saves the programmer from having to recode the routine each time it is used and also eliminates the possibility of keying errors when that part of the program is entered. As usual, there is a price to pay: the use of macros usually wastes memory space.

*Other programming languages* specifies languages such as ALGOL, SNOBOL, or proprietary languages that are available from a vendor for use on a particular SBC. The key word of warning here is that if you use a language

that is unique to a vendor, you will be faced with a big problem if someday you decide to change vendors. Your investment in software will be lost, since the programs will not operate on any other system without extensive conversion work.

*Multiprogramming* gives an indication as to the power of the small business computer. Entries here stipulate yes or no, and, if multiprogramming is available, the number of partitions in memory. Multiple partitions allow for concurrent operation of several programs, thus permitting more processing to be accomplished in less time.

Some responses indicate the actual number of hardware partitions, generally two or three, while other responses are geared to the number of independent jobs that can be functioning at one particular time. The difference lies in the fact that multiple jobs may be able to function within the same partition. Although the responses differ, they are all important and help to describe the overall capabilities of the systems.

*Language implemented in firmware and operating system implemented in firmware* tell the reader whether or not the language processor and/or the operating system are contained in microcode. The entries stipulate yes, partially, or no to indicate the extent of firmware implementation. An advantage to the user is that a language and/or operating system implemented in firmware frees up more memory space for the user's programs and data. Also, the microcode is usually inaccessible to the user (generally contained in read-only memory), eliminating any possible tampering with the language processor or operating system and reducing chances for error. A third advantage derived from firmware implementation is the ability to create more sophisticated and complex system functions at the hardware level. Microcode routines can be substituted for often-used subroutines, thereby increasing system performance.

*General accounting packages* indicates the availability of already-written software to handle the normal accounting functions of a company. The most common business functions include payroll, accounts payable, accounts receivable, inventory control, and general ledger accounting. If available, and if these programs can be tailored to meet the requirements of a particular company, they will allow the user to become operational in far less time and at a substantial saving in software development costs.

*Industry application areas* denotes specific areas where each vendor specializes. Turnkey vendors often take one segment of the marketplace and develop in-house expertise to the point that their hardware and software combination becomes a ready-made answer to the problems of a large class of users. Some current areas of specialization include hospitals, automobile dealers, the distribution industry, trucking firms, and the financial industry. If the vendor's specialized software can be tailored to the user's exact needs, or if the user can learn

## Small Business Computer Specifications

▷ to live within the constraints of the existing software, thousands of dollars worth of programming effort can be saved. A library of pertinent applications programs can be a valuable asset when selecting an SBC. Space precludes a complete listing of available applications software in the charts, so the entries attempt to summarize and present the vendor's areas of heaviest concentration.

The availability of a *data base management system* is becoming more important to users of small business computers. A DBMS is a software system that is intended to manage and maintain data in a nonredundant structure for the purpose of being processed by multiple applications. It organizes data elements in some predefined structure and retains relationships between different data elements within the data base. The main advantage to the user of a data base management system is that information retrieval and report generation are made much easier with one common data base.

*File access methods supported* tells the user which methods are supported by the software available for a particular system. The entries include random, sequential, indexed sequential, and direct access. These four file access methods are the most popular, but there are others in use. In most instances it is desirable to have several access methods supported so that you can choose the one most suitable for each application.

*Software separately priced* tells whether the software described in the preceding entries, and any other available software, is included in the equipment price or offered at some additional cost. Some systems have the entry "some," which usually indicates that the company provides the operating systems and language processors bundled with the hardware, but charges for applications software packages. Separate pricing of software was virtually unheard of in the computer field until June 1969, when IBM "unbundled" by placing separate price tags on many of its software products and professional services. Since then, the various manufacturers have adopted a wide range of software pricing policies. Separate pricing of software, of itself, is neither good nor bad; the buyer must carefully assess the cost of the total package consisting of the equipment and all the software and support his installation will require.

*Technical help separately priced* indicates whether the services of the manufacturer's technical support staff are included in the equipment cost or separately priced. Nearly every company that is installing a computer for the first time will need a good deal of help from the equipment maker's systems analysts, programmers, and/or instructors (or, alternatively, from an independent consulting firm). In fact, the equipment supplier does *all* the programming for the majority of small business computer installations (more than 90 percent, in the case of one major supplier). The additional cost of these services, if any, should be carefully estimated and considered in all equipment comparisons.

### Pricing and Availability

*Purchase price of basic system* shows the minimum purchase price of a system equipped to perform basic business data processing functions. All of the facilities identified as "standard" in the charts (but none of the "optional" ones) are included in the listed prices. The addition of expanded storage capacities or optional input/output capabilities can lead to large price increases in nearly every case. Any additional information about the basic system or packaged system (if one exists) not covered in specific chart entries appears in the *Comments* section. For detailed pricing information, the manufacturers should be contacted directly.

*Monthly rental of basic system* specifies the monthly rental for the basic configuration of each system, as described above. All rental prices are based on a one-year lease and include equipment maintenance unless otherwise indicated. Longer-term leases are frequently available at lower monthly charges. Some systems are not available on a rental basis from the vendor and are so specified by an entry of "purchase only." In such cases, a prospective user can nearly always obtain a full-payout lease for the SBC of his choice from an independent leasing firm.

*Date of first U.S. delivery* tells when the first production models of each system were delivered (or are scheduled to be delivered) to customers in the United States.

*Number installed in U.S. to date* shows how many systems of each type had been delivered to U.S. customers as of approximately June 30, 1978. Nearly all of the figures were supplied by the manufacturers themselves.

### Comments

This final entry on the comparison charts is used to explain or amplify the preceding entries and to provide other pertinent information about each system's hardware, software, pricing, or applications.

### Suppliers

Listed below, for your convenience in obtaining additional information, are the full names, addresses, and telephone numbers of the 84 suppliers whose products are listed in the comparison charts that follow.


*Advanced Information Design*, 1240 Elko Drive, Sunnyvale, California 94022. Telephone (408) 744-0900.

*A. K. Industries*, P.O. Box 286, Skippack, Pennsylvania 19474. Telephone (215) 659-2510.

*Applied Data Communications*, 1509 East McFadden, Santa Ana, California 92705. Telephone (714) 547-6954.

*Applied Data Processing, Inc.*, 33 Bernhard Road, North Haven, Connecticut 06473. Telephone (203) 787-4107. ▷

## Small Business Computer Specifications



*The System/4 from Decision Data includes 48K bytes of main memory, 2 megabytes of floppy disk storage, and a 1920-character CRT terminal in its basic configuration. The memory capacity can be expanded to 64K bytes. Options include up to 40 megabytes of cartridge disk storage, punched card devices, and line printers with speeds up to 600 lpm. The basic system price is \$22,000.*

▷ *Applied Digital Communications*, 214 West Main Street, Moorestown, New Jersey 08057. Telephone (609) 234-3666.

*Applied Systems Corp.*, 26401 Harper Avenue, St. Clair Shores, Michigan 48081. Telephone (313) 779-8700.

*J. Baker & Associates*, 5135 West Golf Road, Skokie, Illinois 60076. Telephone (312) 677-9760.

*Basic/Four Corporation*, 14101 Myford St. Road, Tustin, California 92680. Telephone (714) 731-5100.

*Binary Data Systems, Inc.*, 88 Sunnyside Boulevard, Plainview, New York 18803. Telephone (516) 822-1585.

*BTI Computer Systems*, 650 North Mary Avenue, Sunnyvale, California 94086. Telephone (408) 733-1122.

*Burroughs Corporation*, Burroughs Place, Detroit, Michigan 48232. Telephone (313) 972-7000.

*Business Controls Corporation*, 507 Boulevard, Elmwood Park, New Jersey 07407. Telephone (201) 791-7661.

*Business Systems Products, Inc.*, 16782 Red Hill Avenue, Irvine, California 92714. Telephone (714) 957-1851.

*Cado Systems Corporation*, 2730 Monterey Street, Torrance, California 90503. Telephone (213) 320-9660.

*CDA, Inc.*, 470 Commercial Avenue, Palisades Park, New Jersey 07650. Telephone (201) 944-2500.

*Century Computer Corporation*, 1601 North Main Street, Walnut Creek, California 94596. Telephone (415) 798-8000.

*Cincinnati Milacron*, Electronic Systems Division, Mason/Marrow Road, Lebanon, Ohio 45036. Telephone (513) 494-1200.

*Complete Computer Systems*, 159 Gibraltar Road, Prudential Business Campus, Horsham, Pennsylvania 19044. Telephone (215) 441-4200.

*Compucorp*, 1901 South Bundy Drive, Los Angeles, California 90025. Telephone (213) 820-2503.

*Computata Systems, Inc.*, 772 Post Road East (East State Street), Westport, Connecticut 06880. Telephone (203) 226-4791.

*Computer Automation, Inc.*, 18651 Von Karman Avenue, Irvine, California 92664. Telephone (714) 833-8830.

*Computer Covenant Corporation*, 749 Farmington Avenue, Farmington, Connecticut 06032. Telephone (203) 667-6563.

*Computer Hardware, Inc.*, 4111 North Freeway Boulevard, Sacramento, California 95834. Telephone (916) 929-2020.

*Computer Horizons Corporation*, 375 Sylvan Avenue, Englewood Cliffs, New Jersey 07632. Telephone (212) 371-9600.

*Computer Interactions, Inc.*, P.O. Box 1354, Roslyn Heights, New York 11577. Telephone (516) 365-9833.

*Control Data Corporation*, P.O. Box 0, Minneapolis, Minnesota 55440. Telephone (616) 853-4656.

*Corstar Business Computing Co., Inc.*, One Aqueduct Road, White Plains, New York 10606. Telephone (914) 428-5550.

*Data Communications Corp.*, Minicomputer Division, 3000 Directors Row, Memphis, Tennessee 38131. Telephone (901) 345-3544.

*Data General Corporation*, Route 9, Southboro, Massachusetts 01581. Telephone (617) 366-8911.

*Datapoint Corporation*, 9725 Datapoint Drive, San Antonio, Texas. Telephone (512) 690-7000.

*Decision Data Computer Corporation*, 100 Witmer Road, Horsham, Pennsylvania 19044. Telephone (215) 674-3300.

*Diablo Systems Inc.*, 1270 East Arques Avenue, Sunnyvale, California 94086. Telephone (408) 733-2300.

*Digital Computer Controls, Inc.*, 12 Industrial Road, Fairfield, New Jersey 07006. Telephone (201) 575-9100.

*Digital Equipment Corporation (DEC)*, Parker Street, PK 3-2, Maynard, Massachusetts 01754. Telephone (617) 897-5111.

*Digital Scientific Corporation*, 11455 Sorrento Valley Road, San Diego, California 92121. Telephone (714) 453-6050.

*Digital Systems Corporation*, P.O. Box 396, Walkersville, Maryland 21793. Telephone (301) 845-4141.

*Dimis, Inc.*, 1060 Highway 35, Middletown, New Jersey 07748. Telephone (201) 671-1011.

*Display Data Corporation*, Executive Plaza IV, Hunt Valley, Maryland 21031. Telephone (301) 667-9211.

## Small Business Computer Specifications

- ▷ *Distribution Management Systems Inc.*, 11 DeAngelo Drive, Bedford, Massachusetts 01730. Telephone (617) 275-2000.
- Financial Computer Corporation*, 412 West Redwood Street, Baltimore, Maryland 21201. Telephone (301) 837-9510.
- Four-Phase Systems, Inc.*, 19333 Vallico Parkway, Cupertino, California 95014. Telephone (408) 255-0900.
- General Information Systems, Inc.*, P.O. Box 17388, Irvine, California 92713. Telephone (714) 834-0220.
- General Robotics Corporation*, 57 West Main Street, Hartford, Wisconsin 53027. Telephone (414) 673-6800.
- GRI Computer Corporation*, 320 Needham Street, Newton, Massachusetts 02164. Telephone (617) 969-0800.
- Harris Corporation, Computer Systems Division*, 1200 Gateway Drive, Fort Lauderdale, Florida 33309. Telephone (305) 974-1700.
- Hewlett-Packard, Data Systems Division*, 11000 Wolfe Road, Cupertino, California 95014. Telephone (408) 257-7000.
- Hewlett-Packard, Desktop Computer Division*, P.O. Box 1550, Fort Collins, Colorado 80522. Telephone (303) 226-3800.
- Hewlett-Packard, GSD Division*, 5303 Stevens Creek Road, Santa Clara, California 95050. Telephone (408) 249-7020.
- Honeywell Information Systems Inc.*, Small/Medium Information Systems Division, 300 Concord Road, Billerica, Massachusetts 08121. Telephone (617) 667-3111.
- IBM Corporation*, General Systems Division, P.O. Box 2150, Atlanta, Georgia 30301. Telephone (404) 256-7000.
- ICL, Inc.*, Turnpike Plaza, 197 Highway 18, 3rd Floor, East Brunswick, New Jersey 08816. Telephone (201) 246-3400.
- Infotecs Computer Systems*, One Perimeter Road, Manchester, New Hampshire 03103. Telephone (603) 668-6750.
- Jacquard Systems*, 1639 11th Street, Santa Monica, California 90404. Telephone (201) 575-8100.
- Katcard Systems Ltd.*, Suite 306, 376 Churchill Avenue, Ottawa, Ontario, Canada K1Z 5C3. Telephone (613) 731-8432.
- Keydata Corporation*, 20 William Street, Wellesley, Massachusetts 02181. Telephone 237-6930.
- Litton Industries, Inc.*, Sweda International Division, 34 Maple Avenue, Pine Brook, New Jersey 07058. Telephone (201) 575-8100.
- Lockheed Electronics Company, Inc.*, Data Technology Division, U.S. Highway 22, Plainfield, New Jersey 07061. Telephone (201) 757-1600.
- Logical Machine Corporation*, 1294 Hammerwood Avenue, Sunnyvale, California 94086. Telephone (408) 744-1290.
- Microdata Corporation*, 17481 Red Hill Avenue, Irvine, California 92705. Telephone (714) 540-6730.
- Mini-Computer Systems, Inc.*, 525 Executive Boulevard, Elmsford, New York 10523. Telephone (914) 592-8812.
- Minuteman Computer Corporation*, 230 Second Avenue, Waltham, Massachusetts 02154. Telephone (617) 890-4070.
- Mylee Digital Sciences, Inc.*, 155 Weldon Parkway, Maryland Heights, Missouri 63043. Telephone (314) 567-3420.
- NCR Corporation*, Main and K Streets, Dayton, Ohio 45409. Telephone (513) 449-2000.
- Nixdorf Computer Inc.*, 168 Middlesex Turnpike, Burlington, Massachusetts 01803. Telephone (617) 273-0480.
- Northrop Data Systems*, 19000 South Vermont Avenue, Torrance, California 90502. Telephone (213) 637-1533.
- Olivetti Corporation of America*, 500 Park Avenue, New York, New York 10022. Telephone (212) 371-5500.
- Philips Business Systems, Inc.*, 175 Froelich Farm Boulevard, Woodbury, New York 11797. Telephone (516) 921-9310.
- Prime Computer, Inc.*, 40 Walnut Street, Wellesley Hills, Massachusetts 02181. Telephone (617) 237-6990.
- Programmed Control Corporation*, 2 East Broad Street, Hopewell, New Jersey 08525. Telephone (609) 466-2100.
- QI Corporation*, 6 Dubon Court, Farmingdale, New York 11735. Telephone (516) 543-7800.
- Qantel Corporation*, 3525 Breakwater Avenue, Hayward, California 94545. Telephone (415) 783-3410.
- Quodata Corporation*, 196 Trumbull Street, Hartford, Connecticut 06103. Telephone (203) 728-6777.
- Randal Data Systems, Inc.*, 365 Maple Avenue, Torrance, California 90503. Telephone (213) 320-8550.
- Raytheon Data Systems Company*, 1415 Boston-Providence Turnpike, Norwood, Massachusetts 02062. Telephone (617) 762-6700.
- Span Management Systems*, 1 Catamore Boulevard, East Providence, Rhode Island 02914. Telephone (401) 438-2200.
- Sperry Univac Division, Sperry Rand Corporation*, P.O. Box 500, Blue Bell, Pennsylvania 19424. Telephone (215) 542-4011.
- STC Systems, Inc.*, E-210 Route 4, Paramus, New Jersey 07652. Telephone (201) 843-0560.
- Sycor, Inc.*, 100 Phoenix Drive, Ann Arbor, Michigan 48104. Telephone (313) 995-8527.
- Systems Approach, Ltd.*, 1257 Alzoma Road, Ottawa, Canada. Telephone (613) 741-9500.
- Tal-Star Computer Systems, Inc.*, P.O. Box T-100, Princeton Junction, New Jersey 08550. Telephone (609) 799-1111.
- Tandem Computers, Inc.*, 19333 Vallico Parkway, Cupertino, California 95014. Telephone (408) 996-6000.
- Terak Corporation*, 14405 North Scottsdale Road, Suite 100, Scottsdale, Arizona 85260. Telephone (602) 991-1580.
- Wang Laboratories, Inc.*, 836 North Street, Tewksbury, Massachusetts 08176. Telephone (617) 851-4111.
- Warrex Computer Corporation*, 12505 North Central Expressway, Dallas, Texas 75243. Telephone (214) 233-8400. □

Small Business Computer Specifications

MANUFACTURER & MODEL	Advanced Information Design System 2000 Model 40	Advanced Information Design System 2000 Model 80	Advanced Information Design System 3000 Model 60	Advanced Information Design System 4000 Model 80	Advanced Information Design System 5000 Model 60
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 8 2 ¼-2 1, 2	16 8 2 ¼-2 1, 2	16 8 2 ¼-2 1, 2	32 16 4 ¼-2 ½-1	16 8 2 ¼-2 1, 2
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Interdata 5/16 0.9  16 2-256	Interdata 5/16 0.9  16 2-256	Interdata 6/16 0.9  16 2-256	Interdata 7/32 1.0  32 2, 1024	Interdata B/16E 0.85  16 2-256
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 256K 16, 32, 64K 0.6 0.3	MOS 32K 256K 16, 32, 64K 0.6 0.3	MOS 32K 256K 16, 32, 64K 0.6 0.3	Core 128K 2048K 32, 64K 0.75 0.35	Core 32K 256K 16, 32, 64K 0.75 0.35
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; (4) 4.8M bytes Opt.; (4) 40M bytes Opt.; (4) 200M bytes No	Opt.; (4) 4.8M bytes Opt. (4) 128M bytes Std.; (4) 1200M bytes No	Opt.; (4) 4.8M bytes Std.; (4) 40M bytes Opt.; (4) 200M bytes No	Opt.; (4) 4.8M bytes Opt.; (4) 128M bytes Std.; (4) 1200M bytes No	Opt.; (4) 4.8M bytes Std.; (4) 40M bytes Opt.; (4) 1200M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Opt.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Opt.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Opt.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.	Opt.; 3000 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Opt.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	32 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	32 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	128 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	64 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes (IBM 370 type) Macro assembler Yes (3 partitions) No No Yes (integrated sys.) Dist., mfg., CPA's, re- tail ops., word proc. Yes Random, sequential, index seq., hashed Yes No	Yes Yes Yes Yes Yes (IBM 370 type) Macro assembler Yes (3 partitions) No No Yes Dist., mfg., CPA's, re- tail ops., word proc. Yes Random, sequential, index sequential Yes No	Yes Yes Yes Yes Yes (IBM 370 type) Macro assembler Yes (3 partitions) No No Yes Dist., mfg., CPA's, re- tail ops., word proc. Yes Random, sequential, index sequential Yes No	Yes Yes Yes Yes Macro assembler No Yes No No Yes — No Random, sequential, index sequential Yes Yes	Yes Yes Yes Yes (IBM 370 type) Macro assembler Yes (24 partitions) Yes No No Yes Dist., mfg., CPA's, re- tail ops., word proc. Yes Random, sequential, index sequential Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$15,800 \$290 (60 mo. lease/ purch.) March 1975 45	\$37,800 \$690 (60-mo. lease/ purch.) February 1976 45	\$22,800 \$420 (60-mo. lease/ purch.) September 1975 45	\$75,000 \$1,380 (60-mo. lease/purch.) — NA	\$27,980 \$520 (60-mo. lease/ purch.) October 1977 NA
<b>COMMENTS</b>	Price includes terminal, 5/16 CPU, two 640K-byte floppy disks, BASIC, time-sharing OS supporting up to 40 users, detached tasks, virtual arrays, etc.	Price includes terminal, 5/16 CPU, two 50M-byte disk packs, BASIC, time-sharing OS supporting up to 40 users, detached tasks, virtual arrays	Price includes terminal, 6/16 CPU, one 20M-byte disk, BASIC, time-sharing OS supporting up to 40 users, detached tasks, virtual arrays	Price includes terminal, 7/32 CPU, two 50M-byte disk drives, OS supporting multiple users and jobs	Price includes terminal, 8/16E CPU, one 20M-byte disk, BASIC, time-sharing OS supporting up to 80 users, detached tasks, virtual arrays

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Advanced Information Design System 5000 Model 80	Advanced Information Design System 6000 Model 80	A.K. Industries Inc. AKI-91	Applied Data Communications Event 1000	Applied Data Communications Event 2000
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 8 2 ¼-2 1, 2	32 16 4 ¼-2 ½-1	8-bit byte 2 per byte 1 per byte 1-2 bytes 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Interdata 8/16E 0.75  16 2-256	Interdata 8/32 0.6  128 2, 1024	8080A —  7 256	Intel 8080A 2 (1 byte)  7 1; 256	Intel 8080A 2 (1 byte)  7 1; 256
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 32K 256K 16, 32, 64K 0.75 0.35	Core (Cache memory) 128K 2048K 32, 64K 0.75 0.35	MOS 32K 64K 4K 0.5 0.45	MOS 48K 65K 16K 2 —	MOS 65K 65K 16K 2 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; (4) 4.8M bytes Opt.; (4) 128M bytes Std.; (4) 1200M bytes No	Opt.; (4) 4.8M bytes Opt.; (4) 128M bytes Std.; (4) 1200M bytes No	No No Std.; 80M bytes No	2 std.; 8 opt. 4 of 10M bytes ea. No No	2 std.; 8 opt. 4 of 10M bytes ea. No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Standard	Standard Standard Standard	Standard Standard No	Teletypewriter or CRT Optional Optional	Teletypewriter or CRT Optional Optional
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Opt.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Opt. Opt. Opt. Std.; up to 1920 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 400-1000 cpm Opt.; 100 cpm Optional Std.; 165 cps Opt.; 200-1200 lpm Opt.; 800/1600 bpi Optional Optional Optional Std.; up to 1920 char.	No No No No No Std.; 165 cps Opt.; 125-600 lpm No No No No Std.; 24 x 80 char.	Optional; 300 cps Optional; 75 cps No No No Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; to 8 units No Opt.; to 8 units No Std.; 1024/1920 char.; opt. 8 units	Optional; 300 cps Optional; 75 cps No No No Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; to 8 units No Opt.; to 8 units No Std.; 1024/1920 char.; opt. 8 units
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	64 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	128 Opt.; to 3000 bps Std.; to 9600 bps IBM 2780/3780/ SDLC	8 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	8 Opt.; 9600 bps Opt.; 19.2K bps Bisync.	8 Opt.; 9600 bps Opt.; 19.2K bps Bisync.
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes (IBM 370 type) Macro assembler Yes; (24 partitions) No No Yes (integrated) Dist., mfg., CPAs, word proc., prop. mgt. Yes Random, indexed, index seq., hashed Yes Yes	Yes Yes Yes Yes (IBM 370 comp.) Macro assembler No Yes; mult. partitions No No No — Yes Random, sequential, index sequential Yes Yes	No No No Yes None Yes; 2 partitions Partially Partially Yes Inventory No Random, sequential, index sequential No No	No No No MicroDOS/BASIC Yes None Yes; 8 partitions No Partially (opt.) Yes None currently Yes Random, index seq., sequential Yes Yes	No No No MicroDOS/BASIC Yes None Yes; 8 partitions No Partially (opt.) Yes None currently Yes Random, index seq., sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$42,800 \$790 (60-mo. lease/ purch.) October 1977 45	\$125,000 \$2300 (60-mo. lease/purch.) January 1979 NA	\$30,000 \$600  August 1976 NA	\$10,300 —  September 1978 NA	\$10,300 —  September 1978 NA
<b>COMMENTS</b>	Price includes terminal, 8/16E CPU, two 50M-byte disk drives; BASIC and time-sharing system to support up to 80 users has detached tasks, virtual arrays	Price includes terminal, 8/32 CPU, two 50M-byte disk drives, OS/32 MIT OS to support multiple users and jobs	Turnkey system; does not require data processing professional for operation	Includes microprocessor with 84K RAM, 1K PROM, dual single-density floppy disks, 60-cps teletypewriter, and workstation desk	Same configuration as Event 1000

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Applied Data Communications Event 3000	Applied Data Processing Resource/100	Applied Digital Communications 102	Applied Digital Communications 103	Applied Digital Communications 202
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	16 2 2 Variable 1	16 2 2 Up to 4 1	16 2 2 1 1	16 2 2 4 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Intel 8080A 2 (1 byte)  7 1; 256	DG Nova 3 1.35 (1 word)  4 8; 16	DG MicroNova 2.4 (1 word)  8 9; 18	Interdata 5/16 1.2  16 1; 256	DG Nova 3 1.2  8 12 Std.;
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 65K 65K 16K 2 —	Core 64K 256K 32K 1.0 0.5	MOS RAM 64K 64K — — 0.160	MOS RAM 64K 64K 8K 0.6 0.4	MOS RAM 64K 256K 16K — 0.16
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	2 std.; 8 opt. 4 of 10M bytes ea. No No	No No Std., 320M bytes No	2 std.; 6 max. Opt. 10M bytes — —	2 std. — — —	Optional 10M bytes std. — —
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Teleprinter or CRT Optional Optional	Standard Optional Yes	Standard Standard —	Standard Standard —	Standard Standard —
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional; 300 cps Optional; 75 cps No No No Opt.; to 1200 cps Opt.; to 1400 lpm Opt.; to 8 units No Opt.; to 8 units No Std.; 1024/1920 char.; opt. 8 units	Optional Optional Optional Optional Optional Std.; 165, 330 cps Opt.; 300, 600 lpm Optional No No No Standard; 27 x 74 char.	Optional Optional Optional Optional Optional Std.; 120 cps Optional — — — Standard; 1920 char.	Optional Optional Optional Optional Optional Std.; 120 cps Opt.; 600 lpm Optional — — — Standard; 1920 char.	Optional Optional Optional Optional Optional Std.; 120 cps Opt.; to 600 lpm Optional — — — Standard; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8 Opt.; 9600 bps Opt.; 19.2K Bisync	7 No Std., 1200 bps IBM 2780	— — — IBM 2780/3870, HASP II	256 Opt. Opt. IBM 2780, HASP	64 — — IBM 2780/3780, HASP II
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No MicroDOS/BASIC Yes None Yes; 8 partitions No Partially (opt.) Yes None currently	No No No Yes Yes Extended BASIC Yes No No Yes, dist., mfg.	Yes No Yes Yes Yes — Yes No No Yes Manufacturing	No No Yes Yes Yes No Yes No Partially Yes —	Yes No Yes Yes Yes Algol Yes No No Yes Restaurant, mfg.
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$10,300 —  September 1978 NA	\$39,300 \$865  June 1976 NA	\$23,750 —  1978 NA	\$22,645 —  1978 NA	\$31,500 —  1978 NA
<b>COMMENTS</b>	Same configuration as Event 1000	Resource/100 Extended Operating Systems are said to meet 95% of most users' needs for business applications	For accounting, manufacturing, distribution, etc.; price includes accounting software	Accounting system	Same as Model 102, but faster, greater capacity; price includes accounting software

\* "Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Applied Digital Communications 400	Applied Digital Communications 401	Applied Systems Corp. ASC 80	J. Baker & Associates Distribution System 11/03	J. Baker & Associates Distribution System
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	12 2 2 1 1	16 2 2 1 1	8, 16 1, 2 1 1, 2 1, 2, 3	16 2 2 1 1-3	16 2 2 1 1-3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-8 1  0 Unibus	Interdata 8/16E 0.75 (½ word)  16 4, 256	Intel 8080/85 2.0  7 4 to 64	DEC PDP-11/03 7.7 (1 word)  8 3, 16	DEC PDP-11/34 4.9 (1 word)  8 3, 32
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS, Core 8K 32K 4K 1 1	Core 64K 256K 8 0.75 0.275	MOS 4 to 64K 64K plus 4K 0.5 0.5	MOS 32K 56K 8K — —	MOS, core 128K 256K 32K 0.51 1.00
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 4—1M bytes Optional Optional Optional	Optional Std.: 10M bytes — —	Opt.: 300K/500K Opt.: RPQ Opt.: RPQ Opt.: 15M bytes	Opt.: 1024K bytes Std.: 4.8M bytes No No	Opt.: 512K bytes Std.: 14M bytes No Opt.: 2M bytes
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Optional	Standard Standard —	Standard Optional Optional	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Standard Standard — — — Std.: 120 cps Opt.: to 600 lpm Opt.: DECTape — — — Optional	Standard Standard Optional Optional Std.: 120 cps Opt.: 600 lpm Optional Optional — Standard; 1920 char.	Opt.: 300 Opt.: 100 cps Opt.: 200 cpm Opt.: 100 cpm RFQ Opt.: to 30 cps Opt.: 100/300 lpm Opt.: RFQ Optional Optional No Opt.: to 80 x 24 char. graphic	No No No No No Std.: 180 cps Std.: 230, 300 lpm No No No Optional; 24 x 80 char.	Opt.: 300 cps Opt.: 50 cps Opt.: 1200 cpm No Opt.: 285 cpm Opt.: 30 cps Opt.: 230, 300 lpm Opt.: 9 KBS Opt.: 562 cps No No Optional; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	NA — — —	256 Opt. Opt. 2780, HASP	16, 32 Opt. to 50K Opt.: to 9600 bps IBM—Bisync; DECnet (RPQ)	3 Opt.: 9600 bps Opt.: 9600 bps IBM 2780	32 Opt.: 9600 bps Opt.: 9600 bps IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	No No Yes Yes Yes No No No Yes Manufacturing	No No Yes Yes Yes No No No Yes —	RFQ No Optional Yes Yes PL/M optional Optional Optional Optional	No No Yes Yes Yes DIBOL (COBOL) Yes Partially No	Yes Yes Yes Yes Yes DIBOL (COBOL) Yes; 4 partitions Partially No
Data base management system File access methods supported	No Random, sequential	Total Random, sequential	No Sequential, random	No Sequential, random, index seq.	Yes Sequential, random, index seq.
Software separately priced Technical help separately priced	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$	\$12,500 —	\$49,230 —	\$1,000 (basic sys.) \$75	\$34,995 Contact vendor	\$45,000 Contact vendor
Date of first U.S. delivery Number installed in U.S. to date	— NA	1978 NA	1976 NA	May 1977 9	September 1975 35
<b>COMMENTS</b>	NC tape plotting and verification, graphic overlays, customer drawings, part inspection and quality control operations	Acctg. software and NC tape verification system, NC tape generation, NC tape translation, inc. plotter	Basic computer system for business and data communications with modular expansion and peripheral units	See Report M11-384-301 for more details on CPU	Software costs \$7K to \$9.5K for plumbing, soft drinks, auto parts, or hardware distribution; full manufacturing system also available

\*\*"Std." means the device is included in the price of the "basic system" as listed here.



Small Business Computer Specifications

MANUFACTURER & MODEL	J. Baker & Associates Distribution System 2	Basic Four Corporation Model 200	Basic Four Corporation Model 400	Basic Four Corporation Model 610	Basic Four Corporation Model 730
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 1-3	8 bit byte 1 per byte 1 per byte 16, 32 bits 2 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes	8-bit byte 1 per byte 1 per byte 16, 32 bits 2 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/70 1.8 (1 word)  8 3, 64	BFC 1340 7.4  3 —	BFC 1320 7.4  3 11 (above req.)	BFC 1320 7.4  3 11 (above req.)	BFC 1350 3  3 9 (above req.)
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS, core 128K 4M 32K 0.41 0.99	MOS 32K 40K — 0.6 0.4	MOS 32K 64K 8K, 16K 0.6 0.4	MOS 40K 128K 8K, 16K, 32K 0.6 0.4	MOS 96K 256K 16K, 32K 0.6 0.4
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 512K bytes Std.; 88M bytes Opt.; 176M bytes Opt.; 2M bytes	No Std.; 10M bytes No No	No Std.; 10M bytes No No	No No Opt.; 35M bytes No	No No Std.; 150M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 1200 cpm No Opt.; 285 cpm Opt.; 30 cps Opt.; 300, 900 lpm Opt.; 9 KBS Opt.; 562 cps No No Optional; 24 x 80 char.	No No No No No Std.; 120 cps No No — Std.; 2.3M bytes No Std.; 24 x 80 char.	Opt.; 300 cps Opt.; 75 cps Opt.; 300-400 cpm No No Std.; 160 cps Opt.; 150-600 lpm Opt.; 10 KBS No No Std.; 24 x 80, 16 x 32 char.	No No No No No Std.; 160 cps Opt.; 150-600 lpm Opt.; 10 KBS No Opt.; 9.2M bytes No Std.; 24 x 80, 16 x 32 char.	No No No No No Opt.; 160 cps Std.; 300 lpm Opt.; 10 KBS No No Std.; 24 x 80, 16 x 32 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	64 Opt.; 9600 bps Opt.; 9600 bps IBM 2780	No No No None	8 No Std.; 9600 bps None	8 Opt.; 2400 bps Std.; 9600 bps IBM 2780	— Opt.; 2400 bps Std.; 9600 bps IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes DIBOL (COBOL) Yes; 4 partitions Partially No Yes Manufacturing, distribution Yes Sequential, random, index seq. Yes Yes	No No No Yes No None No Partially Standard General business No Sequential, random No No	No No No Yes No — Yes; 8 partitions No Partially Yes Medical, insurance, general business No Sequential, random Yes Yes	No No No Yes No — Yes; 8 partitions No Partially Yes Medical, insurance, general business No Sequential, random Yes Yes	No No No Yes No — Yes; 16 partitions No Partially Yes Medical, insurance, general business* No Sequential, random Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$100,000+ Contact vendor  September 1975 6	\$29,000 \$653  January 1978 5,000 (all models)	\$36,900 \$830  1971 5,000 (all models)	\$51,400 \$1,157  1978 5,000 (all models)	\$110,000 \$2,475  1978 5,000 (all models)
<b>COMMENTS</b>	See Distribution System comments; developed with major brewery; see Report M11-384-301 for more details on CPU	Turnkey acctg. system; price includes gen. acctg. application software; system is pre-programmed; disk storage to 20M bytes	Available as packaged systems only; system price also includes cartridge disk subsystem, serial or line printer, and CRT terminal; disk storage to 40M bytes	Available as packaged systems only; system price also includes disk subsystem, serial or line printer, and CRT terminal; disk storage to 225M bytes	600-lpm printer available as an option; available only as package system including pack disk, line printer, and CRT; disk storage to 300M bytes

\*"Std." means the device is included in the price of the "basic system" as listed here.

**Small Business Computer Specifications**

MANUFACTURER & MODEL	Binary Data Systems UCOM I	Binary Data Systems UCOM II	Binary Data Systems UCOM III	BTI 5000/30	BTI 5000/60
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	2, 4	2, 4	2, 4	2	2
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1, 2	1, 2	1, 2	1	1
Instruction length, words	1	1	1	1	1
<b>CPU</b>					
Model	DG Nova 3/D	DG Dual Eclipse S/130	DG Eclipse C/330	BTI 5010	BTI 5010
Add time, microseconds	10 (1 word)	10 (1 word)	10 (5 digits)	20	20
No. of programmable registers	5	5	8	2	2
No. of I/O ports on basic system and maximum	3, 10	3, 10	64	7	7
<b>INTERNAL STORAGE</b>					
Type	Core	Core	Core	MOS	MOS
Capacity of basic system, bytes	64K	128K each	256K	64K	64K
Maximum capacity, bytes	256K	256K each	512K	64K	64K
Increment size, bytes	32K	32K	32K	None	None
Cycle time, microseconds	0.8	0.8	0.8	0.65	0.65
Access time, microseconds	0.4	0.4	0.4	0.3	0.3
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Optional	Optional	Optional	No	No
Cartridge disk drive	Std.; 40M bytes	Std.; 40M bytes	Std.; 40M bytes	Std.; 30M bytes	Std.; 60M bytes
Pack disk drive	Opt.; 800M bytes	Opt.; 800M bytes	Opt.; 800M bytes	Opt.; 120M bytes	Opt.; 240M bytes
Fixed-head disk/drum	Optional	Optional	Optional	—	—
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	No	No
10-key numeric keyboard	Standard	Standard	Standard	No	No
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps	No	No
Paper tape punch	Opt.; 75	Opt.; 75 cps	Opt.; 75 cps	No	No
Punched card reader	Opt.; 1000 cpm	Opt.; 1000 cpm	Opt.; 1000 cpm	No	No
Punched card punch	Opt.; 150 cpm	Opt.; 150 cpm	Opt.; 150 cpm	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 165 cps	Opt.; 165 cps	Opt.; 165 cps	No	No
Line printer	Std.; 200-1500 lpm	Std.; 200-1500 lpm	Std.; 200-1500 lpm	Opt.; 300-900 lpm	Opt.; 300-900 lpm
Reel-to-reel tape drive	Opt.; 10-72 KBS	Opt.; 10-72 KPS	Opt.; 10-72 KPS	Opt.; to 72 KBS	Opt.; to 72 KBS
Cassette tape drive	Opt.; 1.6 KBS	Opt.; 1.6 KBS	Opt.; 1.6 KBS	No	No
Cartridge tape drive	No	No	No	Std.; 192 KBS	Std.; 192 KBS
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 1920 cps	Std.; 1920 cps	Std.; 1920 cps	No	No
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	256	256	256	8 std.; 32 opt.	8 std.; 32 opt.
Synchronous	Opt.; to 48K bps	Opt.; to 48K bps	Opt.; to 48K bps	No	No
Asynchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	9600 bps	9600 bps
Protocols supported	IBM 2780/3780 SDLC	IBM 2780/3780 SDLC	IBM 2780/3780 SDLC	User-programmable	User-programmable
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	No	No
RPG	No	No	No	No	No
FORTRAN	Yes	Yes	Yes	No	No
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	No	No
Other programming languages	—	—	—	No	No
Multiprogramming	Yes; 64 partitions	Yes; 64 partitions	Yes; 2 partitions	No	No
Language implemented in firmware	No	No	No	Partially	Partially
Operating system implemented in firmware	No	No	No	Partially	Partially
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Whlsl./dist., real estate, medical	Basic accounting	Basic accounting	Mfg., dist., gen. bus., school admin.	Mfg., dist., gen. bus., school admin.
Data base management system	Yes	Yes	Yes	Yes	Yes
File access methods supported	Random, sequential, ISAM	Random, sequential, ISAM	Random, sequential, ISAM	Random, sequential, KSAM	Random, sequential, KSAM
Software separately priced	No	No	No	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	No	No
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$45,000	\$150,000	\$175,000	\$38,950	\$42,950
Monthly rental of basic system, \$	—	—	—	—	—
Date of first U.S. delivery	July 1973	May 1975	March 1976	March 1978	September 1978
Number installed in U.S. to date	NA	NA	NA	750 (all models)	750 (all models)
<b>COMMENTS</b>	Price includes all software	Price includes all software	Price includes all software	Up to 32 user terminals concurrently	Up to 32 user terminals concurrently

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	BTI 8000	Burroughs B 80	Burroughs B 730/B 720	Burroughs B 801	Burroughs B 810/B 820
<b>DATA FORMATS</b>					
Word length, bits	32	8	64	64	64
Decimal digits per word	4	2	15	16	16
Bytes (characters) per word	4	1	8	8	8
Operand length, words	Variable	Variable	Variable	1	1
Instruction length, words	1	Variable	Variable	2, 3, 4, 5 bytes	2, 3, 4, 5 bytes
<b>CPU</b>					
Model	BTI 8110 (8 CPU's)	B 80/20/30/40/50/60	Burroughs B 731	Burroughs B 800	Burroughs B 800
Add time, microseconds	3.2	—	430	—	—
No. of programmable registers	8 per CPU	None	4	20	20
No. of I/O ports on basic system and maximum	4 to 32 max.	8, 11	6, 8	7	7
<b>INTERNAL STORAGE</b>					
Type	Core	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	256K	32K/60K	32K	32K	64K
Maximum capacity, bytes	100M	60K/124K	80K	80K	131K
Increment size, bytes	128K	4K/16K	8K	8K	8K
Cycle time, microseconds	0.75	1.0	1.0	1.0	1.0
Access time, microseconds	0.4	0.5	0.5	0.5	0.5
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	Opt.; 6M bytes	Opt.; 243K bytes	Opt.; 486K bytes	Opt.; 2M bytes
Cartridge disk drive	Std.; 32M bytes	Opt.; 27.6M bytes	Opt.; 36.8M bytes	Opt.; 36.8M bytes	Opt.; 368M bytes
Pack disk drive	Opt.; 66, 126M bytes	—	No	No	Opt.; 521M bytes
Fixed-head disk/drum	—	Opt.; 37.6M bytes	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	No	Standard	Standard	Standard	Standard
10-key numeric keyboard	No	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	Opt.; 40 cps	No	No
Paper tape punch	No	No	Opt.; 40 cps	No	No
Punched card reader	No	No	Opt.; 600 cpm	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	Opt.; 600/60 cpm	Opt.; 300/60,200/45	Opt.; 300/60,200/45
Serial printer	No	Std.; 60, 180 cps	Std.; 60 cps	Std.; 120 cps	Std.; 120 cps
Line printer	Opt.; 300-900 lpm	Opt.; 160, 250 lpm	Opt.; 85-400 lpm	Opt.; 85-400 lpm	Opt.; 85-750 lpm
Reel-to-reel tape drive	Opt.; to 72 KBS	No	Opt.; 10 KBS	Opt.; 10 KBS	Opt.; 10 KBS
Cassette tape drive	No	Std.; 1 KBS	Opt.; 1 KBS	Opt.; 1 KBS	Opt.; 1 KBS
Cartridge tape drive	Std.; 192 KBS	No	No	No	No
Magnetic ledger card device	No	Standard; 8 x 32 char.	Optional; 24 x 80, 12x40, 8x32 char.	Opt.; 256-1920 char.	Opt.; 256-1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	8 std.; 512 opt.	4	1	4	4
Synchronous	No	Opt.; to 4800 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	19.2 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	User-programmable	Basic mode, bisync., BDLC	Basic mode, bisync., 3780, BDLC	Basic mode, bisync., 3780	Basic mode, bisync., 360/20 HASP
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	Yes
RPG	Yes	Yes	Yes	Yes	Yes
FORTRAN	Yes	No	No	No	No
BASIC	Yes	No	No	No	No
Assembler	Yes	No	No	No	No
Other programming languages	PASCAL	DSC/MPL/NDL	AEL	AEL, MPL, NDL	AEL, MPL, NDL
Multiprogramming	Demand-paged VM	Yes; to 3 programs	Yes; see comments	Yes	Yes
Language implemented in firmware	Partially	Fully	Fully	Fully	Fully
Operating system implemented in firmware	Partially	Fully	Fully	Fully	Fully
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Mfg., dist., gen. bus., school admin.	Whlsl., dist., med., financial	All business	All business acct'g applications	All business acct'g applications
Data base management system	No	No	No	No	No
File access methods supported	Random, sequential, KSAM	Random, sequential, index seq.	Sequential	Random, indexed seq., index random	Random, indexed seq., index random
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	No	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$86,850	\$18,510	\$30,400	\$32,400	\$37,400
Monthly rental of basic system, \$	—	\$617	\$968	\$880	\$975
Date of first U.S. delivery	September 1978	April 1976	May 1973	April 1977	April 1977
Number installed in U.S. to date	NA	NA	NA	NA	NA
<b>COMMENTS</b>					
	Variable resource architecture permits expansion to main-frame capacity; up to 512 concurrent users	See Report M11-112-351 for more details	AEL programs can execute concurrently with RPG or COBOL programs; B 730 supports up to 4 Direct Data Entry stations; see Report M11-112-451 for details	See Report M11-112-401 for more details	See Report M11-112-451 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Burroughs B 1825	Burroughs B 1835	Burroughs B 1865	Burroughs B 1870 Series	Business Controls System 80/8
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 Variable Variable	16 4 2 Variable Variable	16 4 2 Variable Variable	16 4 2 Variable Variable	12 4 2 1 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Burroughs B 1825 —  1, 14	Burroughs B 1835 —  1, 14	Burroughs B 1865 —  1, 14	Burroughs B 1870 —  1, 14	DEC PDP-8/A, E 2.6-3.0 (word)  8 2, 12
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS/LSI 98K 256K 32K, 64K, 131K 1.2 0.4	MOS/LSI 131K 524K 131K, 262K 1.2 0.4	MOS/LSI 262K 1M 262K 0.333 0.167	MOS/LSI 96K 512K 32K, 128K 0.333 0.167	Core 32K 256K 16K 1.2 0.6
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 486K bytes Opt.: 74.4M bytes Opt.: 697.6M bytes No	Opt.: 486K bytes Opt.: 74.4M bytes Opt.: 697.6M bytes Opt.: 18M bytes	Opt.: 486K bytes Opt.: 74.4K bytes Opt.: 697.6M bytes No	Opt.: 486K bytes Opt.: 74.4K bytes Opt.: 697.6M bytes Opt.: 18M bytes	Opt.: 670K bytes Std.: 40M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard No No	Standard No No	Standard No No	Standard No No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 300 cpm Opt.: 150, 300 cpm Opt.: 200/45, 300/60 No Opt.: 400 lpm Opt.: 10-120 KBS Opt.: 1 KBS No No No Std.: 24 x 80 char.	No No Opt.: 300 cpm Opt.: 150, 300 cpm Opt.: 200/45, 300/60 No Opt.: 400 lpm Opt.: 10-120 KBS Opt.: 1 KBS No No No Std.: 24 x 80 char.	No No Opt.: 600 cpm Opt.: 150, 300 cpm Opt.: 200/45, 300/60 No Opt.: 750 lpm Opt.: 10-120 KBS Opt.: 1 KBS No No No Std.: 24 x 80 char.	No No Opt.: 1400 cpm Opt.: 300 cpm Opt.: 200/45, 300/60 No Opt.: 1500 lpm Opt.: 80 KBS (4) Opt.: 1 KBS No No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 50 cps Opt.: 200 cpm No No Opt.: 180 cps Opt.: 250-600 lpm Opt.: 36 KBS Opt.: 3 KBS No No No Std.: 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	4 Opt.: 50,000 bps Opt.: 9600 bps Basic mode bisync, BDLC	4 Opt.: 50,000 bps Opt.: 9600 bps Basic mode, bisync, BDLC	32 Opt.: 50,000 bps Opt.: 9600 bps Basic mode, bisync, BDLC	8 std.; 24 opt. Opt.: 50,000 bps Opt.: 9600 bps Basic mode, bisync, BDLC	16 Opt.: to 4800 bps Opt.: to 9600 bps IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. applications Yes Random, index seq., index random Yes Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. applications Yes Random, index seq., index random Yes Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. applications Yes Random, index seq., index random Yes Yes	Yes Yes Yes Yes No NDL, UPL, AEL Yes Fully Fully Yes All business acct'g. applications Yes Random, index seq., index random Yes Yes	No No Yes Yes Yes DIBOL, COM Yes; 15 partitions No No Retail, mfg., dist., whsl., list maint. No Random, sequential, index sequential No No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$48,500 \$1,575  June 1978 NA	\$69,700 \$2,260  June 1978 NA	\$140,090 \$4,540  June 1978 NA	\$148,320 \$4,965  2nd quarter 1977 NA	\$29,990 \$600  1971 130
<b>COMMENTS</b>				150 cpm card punch, 300-1400 cpm card readers, 85-1500 lpm line printers, 10-120KB mag tapes opt.; see Report M11-112-601 for more details	

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Business Controls System 80/11	Business Systems Products Adviser II	Business Systems Products Adviser III	Cado Systems Corporation System 20	Cado Systems Corporation System 20/IV
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 5 2 1, 2 1	16 bits 2 2 2 1, 2, 3	16 bits 2 2 2 1, 2, 3	8 bit byte 2 per byte 1 per byte 1-3 —	8 bit byte 2 per byte 1 per byte 1-3 —
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP/11-34-60-70 2.7-7.3 (word)  8-16 2, 64	CA LSI-2/60 8.24 msec (8 digits)  8 4, 24	CA LSI-2/60 8.24 msec (8 digits)  8 8, 24	Intel 8080A 1.2 (1 byte)  6 2	Intel 8085A 1.3 (1 byte)  6 4
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core, MOS, bipolar 64K 204K 16K 0.98 0.49	Core 64K 64K — 0.98 0.52	Core 64K 304K 16K 0.98 0.52	MOS 5K 9K 4K 0.45 0.45	MOS 16K 48K 16K 0.50 0.45
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 2048K bytes Std.; 1.4B bytes Opt.; 1400M bytes Opt.; 8M bytes	No Std.; 40M bytes No No	No No Std.; 640M bytes No	Std.; 3.6M bytes Opt.; 19M bytes No Optional	Std.; 4.8M bytes Opt.; 19M bytes No Opt.; 10M bytes
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 300-1200 No No Std.; 180 cps Opt.; 250-1200 lpm Opt.; 10-72 KBS Opt.; 4 KBS No No Std.; 12 x 80 char.; opt.; 24 x 80 char	Opt.; 1300 cps Opt.; 60 cps Opt.; 300 cpm Opt.; 50 cpm None 1 Std.; 120 cps Opt.; 300-600 lpm Opt.; 20-40 KCS No No No Std.; 1920 char.	Opt.; 1300 cps Opt.; 60 cps Opt.; 300 cpm Opt.; 50 cpm None Std.; 120 cps Opt.; 300-600 lpm Opt.; 20-40 KCS No No No Std.; 1920 char.	Optional Optional Optional No No Std.; 150 cps No Optional Optional — — Standard; 24 x 80 char.	Optional Optional Optional No No Std.; 150 cps No Optional Optional — — Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	64 Opt.; to 50K bps Opt.; to 9600 bps IBM 2780, SDLC	24 Opt.; 4800 bps Std.; 9600 bps IBM 2780, 3780, SDLC	24 Opt.; 4800 bps Std.; 9600 bps IBM 2780, 3780, SDLC	1 Std.; to 9600 bps Std.; to 9600 bps IBM 2770, 2780, 3780, 3270, 3741	2 Std.; to 9600 bps Std.; to 9600 bps IBM 2770, 2780, 3270, 3741, 3780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes DIBOL, DECform Yes; 63 partitions No No Yes Retail, mfg., dist., whsl., list maint. DBMS-11 Random, sequential, index sequential No No	No No Yes No No ABOL Yes; 24 partitions No Partially Yes Distribution Yes Seq., random, ISAM Yes Yes	No No Yes No No ABOL Yes; 24 partitions No Partially Yes Distribution Yes Seq., random, ISAM Yes Yes	No No No Yes (CADOL) Yes No No Partially Partially Yes Retail, mfg., dist., med., word proc. Yes Random, index sequential Yes No	No No No Yes (CADOL) Yes No Yes, 4 Partially Partially Yes Retail, mfg., dist., med., word proc. Yes Random, index sequential Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$40,000 \$800  1976 40	\$38,700 \$850  July 1976 NA	\$65,800 \$1,450  December 1976 NA	\$13,995 —  — NA	\$17,795 3rd party  June 1978 NA
<b>COMMENTS</b>	Supports all DEC operating systems, sorts, etc.	Single-source responsibility for software & service; applications program packages library	Single-source responsibility for software & service; applications program packages library		

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Cado Systems Corporation System 40	Cado Systems Corporation System 40/IV	CDA, Inc. 100A	CDA, Inc. 400A	CDA, Inc. 500B
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 bit byte 2 per byte 1 per byte 1-3 —	8 bit byte 2 per byte 1 per byte 1-3 1 byte	16 4 2, 3 ½ 1	16 4 2, 3 ½ 1	16 4 2, 3 ½ 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Intel 8080A 2.0 (1 byte)  6 2	Intel 8085A 1.3 (1 byte)  6 4	DG Nova 1200/D-116 1.35  4 2, 13	DG Nova 1200/D-116 1.35  4 2, 13	DG Nova 1200/D-116 1.35  4 4, 4
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 5K 9K 4K 0.45 0.45	MOS 16K 48K 16K 0.50 0.45	Core 32K 32K 16K 1.35 —	Core 32K 32K 16K 1.35 —	Core 64K 128K 16K 1.35 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 3.6M bytes Opt.; 19M bytes No Opt.; 10M bytes	Std.; 4.8M bytes Opt.; 19M bytes No Opt.; 10M bytes	Std.; 0.6M bytes No No No	Std.; 1.8M bytes No No No	Std.; 2.4M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Optional No	Standard Optional No	Standard Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional No No Optional Std.; 150 cps No Optional — Standard; 24 x 80 char.	Optional Optional Optional No No Optional Std.; 300 lpm Optional — Standard; 24 x 80 char.	Opt.; 300 cps Opt.; 10 cps No No No Std.; 30 cps No No No No Std.; 1920 char.	Opt.; 300 cps Opt.; 10 cps No No No Std.; 30 cps No No No No Std.; 1920 char.	Opt.; 300 cps Opt.; 10 cps No No No Std.; 120 cps No No No No Std.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Std.; to 9600 bps Std.; to 9600 bps IBM 2770, 2780, 3780	2 Std.; to 9600 bps Std.; to 9600 bps IBM 2770, 2780, 3270, 3741, 3780	— — — —	— — — —	— — — —
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No Yes (CADOL) Yes No No Partially Partially Yes Retail, Mfg., dist., med., word proc. Yes Random, indexed sequential Yes No	No No No Yes (CADOL) Yes No Yes, 4 Partially Partially Yes Retail, mfg., dist., med., word proc. Yes Random, indexed sequential Yes No	No No No No Yes No No No No Yes Auto parts dist., inventory acctg. Yes Seq., index seq. Some No	No No No No Yes No No No No Yes Auto parts dist., inventory acctg. Yes Seq., index seq. Some No	No No No No Yes No No No No Yes Auto parts dist., inventory acctg. Yes Seq., index seq. Some No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$11,995 3rd party  — —	\$20,500 3rd party  June 1978 —	\$19,800 —  November 1974 —	\$23,000 —  June 1978 —	\$33,000 —  NA —
<b>COMMENTS</b>		Operates 4 devices	Turnkey system; auto parts distribution a specialty	Turnkey system; auto parts distribution a specialty	Turnkey system; auto parts distribution a specialty

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	CDA, Inc. 500C	Century Computer Century 300	Century Computer Century 400	Century Computer Century 700	Century Computer Century 900
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2, 3 ½ 1	8 2 1 1 1-3	16 4 2 1 ½ to 1½	8, 16 4 2 2 ½ to 3	8, 16 4 2 2 ½ to 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 1200/D-116 1.35  4 8; 8	Century 200 2, 6 (5 digits)  16 2; 256	Century 400 2.6 (5 digits)  16 2; 256	Century 400 2.6 (5 digits)  16 2; 256	Century 400 2.6 (5 digits)  16 2; 256
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 128K 128K 16K 1.35 —	MOS 32K 60K 16K, 32K 0.6 0.2	MOS 32K 246K 32K 0.6 0.2	MOS 32K 256K 64K 0.5 1.4	MOS 96K 512K 64K 0.5 1.2
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 2.4M bytes No No No	Opt.; 376K bytes Std.; 20M bytes Opt.; 100M bytes No	Opt.; 384K bytes Std.; 20M bytes Opt.; 100M bytes No	Opt.; 376K Std.; 20M bytes Opt.; 200M bytes No	Opt.; 376K Std.; 40M bytes Opt.; 600M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Optional No	Standard Standard Optional	Standard Standard Optional	Optional Optional Optional	Optional Optional Optional
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 10 cps No No No Std.; 120 cps No No No No No Std.; 1920 char.	Opt.; 300, 400 cps No Opt.; 300, 600 cpm Opt.; 600 cpm No Std.; 165 cps Opt.; 300, 600 lpm Opt.; 120 KBS Opt.; 300 cps No No Standard; 24 x 80 char.	Opt.; 300, 400 cps No Opt.; 300/600 cpm Opt.; 600 cpm No Opt.; 165 cps Std.; 300, 600 lpm Opt.; 120 KBS Opt.; 300 cps No No Standard; 24 x 80 char.	Opt.; 400 cps Opt.; 150 cps Opt.; 300 cpm Opt.; 600 cpm No Opt.; 300 lpm Opt.; 120K bytes Opt.; 300 cps No No Std.; 24 x 80 char.	Opt.; 400 cps Opt.; 150 cps Opt.; 300 cpm Opt.; 600 cpm No Opt.; 600 lpm Opt.; 120K bytes Opt.; 300 cps No Opt.; 200/600 No Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	— — — —	256 Opt.; to 9600 bps Opt.; to 9600 bps CCS	256 Opt.; to 9600 bps Opt.; to 9600 bps CCS	256 Opt.; 9600 bps Opt.; 9600 bps CCS	256 Opt.; 9600 bps Opt.; 9600 bps CCS
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No No Yes No No No No Yes Auto parts dist., inventory acctg. Yes Seq., index seq.  Some No	No No No Yes Yes CPL Yes; 10 partitions No No Yes Bus. acct'g., dist. Yes Random, sequential, index seq. Yes Yes	No No No Yes Yes CPL Yes; 10 partitions No Partially Yes Bus. acct'g., dist. Yes Random, sequential, index seq. Yes Yes	No No No Yes Yes CPL, MOD, Fortran Yes; 20 partitions Partial Partial Yes Distribution, business, finance Yes Random, sequential, index seq. Yes Yes	No No No Yes Yes CPL Yes; 20 partitions Partial Partial Yes Business, finance, hotel Yes Random, sequential, index seq. Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$55,000 —  NA —	\$20,000 Purchase only  February 1971 Over 800	\$36,000 Purchase only  March 1975 250	\$35,000 Purchase/lease  April 1976 120	\$42,000 Purchase/lease  February 1977 140
<b>COMMENTS</b>	Turnkey system; auto parts distribution and computer billing	Turnkey system or business accounting, all software sold separately	Turnkey business accounting system with communications capability	Designed for general bus. & finance markets; expandable with software hardware	Designed for large data base processing; real time operating environment; finance, hotels, inventory control

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Century Computer Century 1000	Cincinnati Milacron GEORGE (Series 40)	Cincinnati Milacron GEORGE B (Series 60)	Cincinnati Milacron GEORGE C (Series 70)	Cincinnati Milacron GEORGE D (Series 80)
<b>DATA FORMATS</b>					
Word length, bits	8, 16, 24	16	16	16	16
Decimal digits per word	4	2	2	2	2
Bytes (characters) per word	2	2	2	2	2
Operand length, words	2	½ to 2, string	½ to 2, string	½ to 2, string	½ to 2, string
Instruction length, words	½ to 3	½ to 4	½ to 4	½ to 4	½ to 4
<b>CPU</b>					
Model	Century 400	CIP/2200B	CIP/2200B	CIP/2200B	CIP/4400
Add time, microseconds	2.6 (5 digits)	10.3 (1 word)	10.3 (1 word)	10.3 (1 word)	2.1 (1 word)
No. of programmable registers	16	3	3	3	3
No. of I/O ports on basic system and maximum	2; 256	7; 14	7; 14	7; 14	7; 14
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	128K	32K	32K	32K	64K
Maximum capacity, bytes	512K	64K	64K	64K	256K
Increment size, bytes	64K	16K	16K	16K	32K
Cycle time, microseconds	1.2	1.1	1.1	1.1	0.8
Access time, microseconds	0.5	0.66	0.66	0.66	0.6
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Opt.; 376K	Std.; 2.52M bytes	Opt.; 1.26M bytes	Opt.; 1.26M bytes	Opt.; 1.26M bytes
Cartridge disk drive	Opt.; 40M bytes	No	Std.; 40M bytes	Std.; 40M bytes	Std.; 40M bytes
Pack disk drive	Opt.; 900M bytes	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Optional	Standard	Standard	Standard	Standard
10-key numeric keyboard	Optional	Optional	Optional	Optional	Optional
Full accounting keyboard	Optional	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 400 cps	No	No	No	No
Paper tape punch	Opt.; 150 cps	No	No	No	No
Punched card reader	Opt.; 600 cpm	Optional; 600 cpm	Optional; 600 cpm	Optional; 600 cpm	Optional; 600 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	Opt.; 200/600 cpm	No	No	No	No
Serial printer	—	Std.; 60 cps	Opt.; 60 cps	Opt.; 60 cps	Opt.; 60 cps
Line printer	—	Opt.; 60-600 lpm	Std.; 60-600 lpm	Std.; 60-600 lpm	Std.; 60-600 lpm
Reel-to-reel tape drive	—	No	Opt.; 20 KBS	Opt.; 20 KBS	Opt.; 20 KBS
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 960 char. Opt.; 1920 char.	Std.; 960 char. Opt.; 1920 char.	Std.; 960 char. Opt.; 1920 char.	Std.; 960 char. Opt.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	256	4	9	9	32
Synchronous	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps
Asynchronous	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps
Protocols supported	CCS	IBM 2780	IBM 2780	IBM 2780	IBM 2780
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	No	No	No
RPG	No	Yes	Yes	Yes	Yes
FORTRAN	No	No	No	No	No
BASIC	Yes	No	No	No	No
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	CPL, ALGOL	None	None	None	Sys. Prog. Lang.
Multiprogramming	Yes; 20 partitions	Yes	Yes	Yes	Yes
Language implemented in firmware	Partially	Yes	Yes	Yes	Yes
Operating system implemented in firmware	Partially	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Bus., fin., dist., hotel, medicine	Bus. acctg.	Bus. acctg.	Bus. acctg.	Bus. acctg. wholesale dist.
Data base management system	Yes	No	No	No	No
File access methods supported	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Some	Some	Some	Some
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$50,000	\$16,100	\$30,200	\$30,300	\$45,900
Monthly rental of basic system, \$	Purchase lease	NA	NA	NA	NA
Date of first U.S. delivery	June 1977	February 1977	1973	1973	December 1976
Number installed in U.S. to date	60	590 (all models)	590 (all models)	590 (all models)	590 (all models)
<b>COMMENTS</b>					
	Large data base management systems, real-time batch processing, credit union, savings and loan	In June 1978, CM announced that it will drop its business computer line, but will supply its distributors for the next 2 years	In June 1978, CM announced that it will drop its business computer line, but will supply its distributors for the next 2 years	In June 1978, CM announced that it will drop its business computer line, but will supply its distributors for the next 2 years	In June 1978, CM announced that it will drop its business computer line, but will supply its distributors for the next 2 years

\*"Std." means the device is included in the price of the "basic system" as listed here.



Small Business Computer Specifications

MANUFACTURER & MODEL	Complete Computer Systems #10	Complete Computer Systems #11	Complete Computer Systems #12	Complete Computer Systems #14	Complete Computer Systems #26
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 + 1 4 2 1 1	16 + 1 4 2 1 1	16 + 1 4 2 1 1	16 + 1 4 2 1 1	16 + 1 4 2 1 1
<b>CPU</b> Model Add time, microseconds No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 0.7 (1 word) 32 3; 34	DG Nova 3/12 0.7 (1 word) 32 4; 34	DG Nova 3/12 0.7 (1 word) 32 10; 4; 34	DG Nova 3/12 0.7 (1 word) 32 4; 34	DG Nova 3/12 0.7 (1 word) 32 10; 34
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 64K 256K 32K 0.70 0.35	MOS 64K 256K 32K 0.70 0.35	MOS or core 64K 256K 32K 0.70 0.35	MOS or core 64K 256K 32K 0.70 0.35	MOS or core 128K 256K 32K 0.70 0.35
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 10M bytes No No	Opt.; 1.2M bytes Std.; 40M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Std.; 1; opt.; 5 Std.; 1 opt.; 5 No	Std.; 2; opt.; 5 Std.; 2 opt.; 5 No	Std.; 2; opt.; 5 Std.; 2; opt.; 5 No	Std.; 2; opt.; 9 Std.; 2; opt.; 9 No	Std.; 4; opt.; 32 Std.; 4; opt.; 32 No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No Std.; 60 cps Opt.; 300-600 lpm Opt.; 60,000 cps No No No Std.; 1920 char.; additional units opt.	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No Std.; 120 cps Opt.; 300-600 lpm Opt.; 60,000 cps No No No Std.; 1920 char.; additional units opt.	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No Std.; 180 cps Opt.; 300-600 lpm Opt.; 60,000 cps No No No Std.; 1920 char.; additional units opt.	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No Std.; 180 cps Opt.; 300-600 lpm Opt.; 60,000 cps No No No Std.; 1920 char.; additional units opt.	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No Std.; 60-180 cps Std.; 300 lpm; opt.; Opt.; 60,000 cps No No No Std.; 1920 char.; additional units opt.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas Data base management system File access methods supported Software separately priced Technical help separately priced	No No Yes Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mfg., dist., prop. mgt. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mfg., dist., prop. mgt. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mfg., dist., prop. mgt. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes Yes "CREATE" DBMS Yes Partially Partially Yes Mfg., dist., prop. mgt. Yes Seq., random, ind. seq. Yes Yes	No No Yes Yes Yes Yes "CREATE" DBMS Yes, dynamic Partially Partially Yes Wordproc., BOM, MRP Yes Multi-index seq., random Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$ Date of first U.S. delivery Number installed in U.S. to date	\$30,940 \$425 1974 (Nova 2/10) NA	\$33,605 \$462 1974 (Nova 2/10) NA	\$33,825 \$492 1975 (Nova 2/10) NA	\$45,275 \$622 1976 NA	\$77,495 \$1,064 1976 NA
<b>COMMENTS</b>	Property management, rent and maintenance control, multi-entity financials	Inventory control incl. LIFO, FIFO, avg. lot ctrl., serial no. ctrl., bulk qty.	Municipal budget Acctg., traffic violation system, encumbrance, tax billing, vehicle maintenance	HMO membership control, mail-order prospect control; CREATE report generator	Mfg. and construction systems oriented to job costing, estimating, projected completion cost, labor, cost ctr. efficiency

\*\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Complete Computer Systems #22	Compucorp 625	Compucorp 625 Mk. II	Computdata Systems (DEC 500 Series)	Computdata Systems (IBM Series/1)
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 + 1 4 2 1 1	48 12 6 — 1, 4	64 13 8 1 1, 2	16 + 2 5 2 1, 2 1, 2, 3	16 5 2 1 1, 2, 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DG Nova 3/12 0.7 (1 word)  32 10; 34	Zilog Z-80 50  — 256	Zilog Z-80 50  — 256	DEC PDP-11/34, 70 0.30-1.20  12 1-64	IBM 4953/4955 4.2  32 4-56
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS or core 96K 256K 32K 0.7 0.35	MOS 32K 65K 16K 1.6 0.4	MOS 32K 60K 16K — —	Core 128K 512K 32K 0.98 0.36	MOS 64K 128K 32K 0.66 0.50
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 1.2M bytes Std.; 30M bytes No No	Std.; 630K bytes Optional No No	Std.; 630K bytes Opt.; 12M bytes Opt.; 12M bytes No	Opt.; 310K bytes Std.; 5M bytes Opt.; 14, 88, 176 MB Opt.; 512M bytes	Opt.; 2.5M bytes Opt.; 13M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Std.; 3; opt.; 16 Std.; 3; opt.; 16 No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 400 cps Opt.; 60 cps Opt.; 300 cpm No No No Std.; 180 cps Opt.; 300 lpm Opt.; 60,000 cps No No No No Std.; 1920 char.; 16 extra units opt.	No No No No No Std.; 80 cps Optional Optional Optional No No Std.; 1280 char.	Optional Optional No No No Standard Optional Optional Optional No No Std.; 1920 char., 80 x 16	Optional Optional Optional No Opt.; 300, 1200 cpm Std.; 180 cps Opt.; 300 lpm Opt.; 800/1600 bpi No No No Std.; 1920 char.	No No No No No Opt.; 120 cps Opt.; 155 lpm No No No No Std.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	16 Opt.; to 9600 bps Opt.; to 9600 bps Opt.; 2780 via DG RSTCP	9 Optional Standard RS-232C, Bisync	9 Opt.; 9600 bps Opt.; 9600 bps RS-232/2780	64 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780	256 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No Yes Yes Yes Yes Yes, dynamic Partially Partially Yes Prop. mgt., constr., mfg., dist., HMO Yes Multi-index seq., random Yes Yes	No No No Yes Yes — No No No Yes Gen. acctg., bonds, auto finance, estim. Yes Random, sequential Yes Yes	No No No Extended BASIC Yes — No No No Yes Auto bonds, estimat- ing, mail list Yes Random, sequential Yes Yes	Yes Yes Yes Yes No DIBOL Yes No No Yes Manuf., distrib., services, retail Yes Sequential, random, index sequential Yes Yes	Yes No Yes No Yes No Yes No Yes Manuf., distrib., services, retail No Sequential, random, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$63,605 \$874  1976 NA	\$7,000  July 1977 200	\$7,000  July 1977 300	\$60,000 \$1,250  1976 30	\$26,000 \$540  1977 8
<b>COMMENTS</b>	CREATE operates in shared-logic mode with business application; word processing with variable text fill-in and preprinted forms fill-in		Single desktop enclosure contains CRT/keyboard, disks, printer, logic		

\*\*Std.\*\* means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Computata Systems (DEC 300 Series)	Computer Automation SyFA	Computer Covenant CPBS 1	Computer Covenant CPBS 2	Computer Covenant CPBS 3
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 + 2 5 2 1, 2 1, 2, 3	16 2 2 1 bit to 255 bytes 1, 2	16 2 2 1, 2 1	16 2 2 1, 2 1	16 2 2 1, 2 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC LSI-11, PDP-11/34 2.03  6 1-8	CA LSI-2/60 76 (5 digits)  2 2, 6	DEC PDP-11/04 3.2 (1 word)  8 9	DEC PDP-11/34 3.2 (1 word)  9 4	DEC PDP-11/70 0.40 (1 word)  10 26
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 256K 32K 0.98; 0.725 0.51/0.635	Core/MOS 64K 304K 16K 0.7 0.5	MOS 56K 56K None 0.98 0.49	MOS 56K 248K 16K 0.51 0.26	MOS 256K 2048K 64K, 256K 0.38 0.19
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 310K bytes Std.; 2.5 or 5M bytes Opt.; 14M bytes No	No Std.; 40M bytes Opt.; 640M bytes No	Opt.; 512K bytes Opt.; 10M bytes No No	Opt.; 512K bytes Std.; 10M bytes Opt.; 1408M bytes No	Opt.; 512K bytes Opt.; 10M bytes Std.; 1408M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Optional Optional No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional No No Opt.; 300 cpm Std.; 180 cps Opt.; 300 lpm Opt.; 800/1600 bpi No No No No Std.; 1920 char.	No No No No No Opt.; 100, 165 cps Opt.; 300, 600 lpm No No No No Optional; 24 x 80 char.	No No Opt.; 300 cpm No No Std.; 30, 180 cps Opt.; 300 lpm Opt.; 10-120 KBS No No No No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Std.; 30, 180 cps Opt.; 300-1200 lpm Opt.; 10-120 KBS No No No No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Std.; 30, 180 cps Opt.; 300-1200 lpm Opt.; 10-120 KBS No No No No Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Opt.; 2400 bps Std.; 9600 bps IBM 2780/3780	34 Opt.; to 9600 bps Std.; to 9600 bps 2780, 3780, HASP, 3790, 3720, SDLC	4 Opt.; to 19.2 kbps Opt.; to 9600 bps IBM 2780, bisync, SDLC, DDCMP	16 Opt.; to 19.2K bps Opt.; to 9600 bps IBM 2780, bisync, SDLC, DDCMP	60 Opt.; to 19.2K bps Opt.; to 9600 bps IBM 2780, bisync, DLC, DDCMP
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No Yes No No DIBOL Yes No No Yes Manuf., distrib., services, retail Yes Sequential, random, index sequential Yes Yes	No No Yes Yes No SYBOL Yes; 54 partitions No No No Distributed processing No Random, sequential, index seq. Yes No	No No Yes Yes Yes DIBOL-11 Yes; 4 partitions No No Yes Manufacturing, dist./wholesale RMS-11 Random, sequential, index seq. Yes Yes	Yes Yes Yes Yes Yes DIBOL-11 Yes; 16 partitions No No Yes Manufacturing, dist./wholesale RMS-11 Random, sequential, index seq. Yes Yes	Yes Yes Yes Yes Yes DIBOL-11 Yes; 60 partitions No No Yes Manufacturing, dist./wholesale RMS-11/DBMS-11 Random, sequential, index seq. Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$17,000 \$350  1975 150	\$45,000 NA  1976 NA	\$24,000 \$530 (5-yr. lease)  June 1976 10	\$42,000 \$910 (5-yr. lease)  September 1976 12	\$100,000 \$2,150 (5-yr. lease)  December 1976 1
<b>COMMENTS</b>		Supports up to 32 terminals and up to 45 peripherals; see Report M11-168-301	Includes 180-cps serial printer	Includes 180-cps serial printer	High-speed controllers and dual-access disk drives; cache memory

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Computer Hardware Inc. 2130	Computer Hardware Inc. 3230	Computer Hardware Inc. 4210	Computer Horizons CHC Distribution System	Computer Interactions Compro II
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1, 2 1	16 2 2 1, 2 1	16 2 2 1, 2 1	16 2 2 ½ or 1 1-8	12 3 2 (6-bit) 1 1, 2
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	CHI 2130 1.6 (1 word)  8 21; 128	CHI 3230 2.7  8 21	CHI 4210 4.6  16 12	DEC PDP-11/34 2 (1 word)  8 3; 7	DEC PDP-8/E or F 15 (5 digits)  8 3; 32
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 16K bytes 4M bytes 16K bytes 0.8 —	MOS 16K bytes 4M bytes 16K bytes 1.6 —	MOS 8K bytes 64KB 8K bytes 1.2 —	MOS, core 16K 248K 16K, 32K, 64K 0.49, 0.725, 0.98 —	Core, MOS 16K 64K 8K 1.2 0.6
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	— Opt.: 2M bytes Std.: 1200M bytes Opt.: 2M bytes	No Opt.: 2M bytes Opt.: 80M bytes Opt.: 2M bytes	Std.; 1.0M bytes Opt.: 3M bytes — —	No No Std.; 88M bytes No	Opt.; 256K bytes Std.; 256M bytes Opt.; 90M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Optional Optional	Optional Optional Optional	Standard Optional Optional	No No No	Yes Yes No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 300 cps Opt.: 110 cps Opt.: 1000 cpm Optional (IBM 1442) Optional (IBM 1442) Opt.: 60 cps Opt.: 600 lpm Opt.: 75 ips No No No No Std.: 24 x 50 char.	Optional Optional Optional Optional Optional Optional Optional No No No No Opt.: 24 x 80 char.	No No Optional No No Opt.: 30, 180 cps No Standard No No Opt.: 24 x 80 char.	No No No No No Std.: 180 cps Opt.: 1200 lpm Std.: 75 ips No No No Standard; 24 x 80 char.	Opt.: 300 cps Opt.: 60 cps Opt.: 600-1200 cpm — No Opt.: 165, 300 cps Std.: 300 lpm Opt.: 20, 40 KBS No Opt.: 40 KBS No Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	32 async.; 4 sync. Opt.: to 4800 bps Opt.: to 9600 bps IBM 3270, 2780, 3780, 3741	32 async.; 4 sync. Opt.: to 4800 bps Opt.: to 9600 bps IBM 3270, 2780, 3780, 3741	8 async.; 1 sync. Opt.: to 4800 bps Opt.: to 9600 bps IBM 3780	64 Opt.: to 9600 bps Opt.: to 9600 bps HDLC, ADDCP, DDCMP, SDLC	32 Opt.: to 9600 bps Opt.: to 2400 bps None
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	Yes Yes Yes Yes Yes ALGOL, SNOBOL Yes; 32 partitions No Partially Yes General accounting	Yes Yes Yes Yes Yes ALGOL, SNOBOL Yes No Partially Yes General accounting	No No Yes No Yes — Yes; 8 partitions No No Yes General accounting	Yes No No Yes No None Yes; 32 partitions No No Yes Inv., order proc., business acct'g.	No No Yes Yes Yes None Yes; 4 partitions No No Yes Wholesale dist., pharm., medical
<b>Data base management system</b> File access methods supported	Yes Random, sequential, index seq.	Yes Random, sequential, index seq.	No Sequential, random	No Sequential, index sequential	No Random, sequential, index seq.
<b>Software separately priced</b> Technical help separately priced	Some Yes	Some No	Yes No	No Yes	No Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$	Consult factory Consult factory	Consult factory Consult factory	Consult factory Consult factory	\$150,000-200,000 No	\$50,000 \$1,200 (5-yr. lease)
<b>Date of first U.S. delivery</b> Number installed in U.S. to date	1974 NA	1976 NA	1977 NA	NA 0	2nd quarter 1972 77
<b>COMMENTS</b>	Hardware floating-point available	Hardware floating-point available		DEC PDP-11/70 CPU can also be used; see Report M11-384-301 for more details on CPU	System has paged memory; can also add word processing OS to convert to WORDPRO II, system; introduced in 1977

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Control Data Cyber 18-10	Control Data Cyber 18-20	Corstar Business Computing Co. Corstar 310	Corstar Business Computing Co. Corstar 350	Corstar Business Computing Co. Corstar 534
<b>DATA FORMATS</b>					
Word length, bits	16	16	12	16	16
Decimal digits per word	—	—	2	2	2
Bytes (characters) per word	2	2	2 (6-bit)	2	2
Operand length, words	—	—	1, 2	1, 2	1, 2
Instruction length, words	1-3	1-3	1, 2	1, 2	1, 2
<b>CPU</b>					
Model	Cyber 18-10	Cyber 18-20	DEC Datasystem 310	DEC Datasystem 350	DEC Datasystem 534
Add time, microseconds	1.76 (1 word)	1.76 (1 word)	2.8	7.0 (11/10); 1.0 (11/40)	6.0
No. of programmable registers	22	22	8	8; 10	10
No. of I/O ports on basic system and maximum	2 per memory mod.	2 per memory mod.	—	—	—
<b>INTERNAL STORAGE</b>					
Type	Core, MOS	MOS	Core, MOS	Core	Core, MOS
Capacity of basic system, bytes	32K	32K	16K (6-bit)	32K	64K
Maximum capacity, bytes	64K	256K	64K (6-bit)	256K	248K
Increment size, bytes	16K	32K, 64K	16K (6-bit)	32K	16K
Cycle time, microseconds	0.75	0.75	1.4	0.98	0.98; 0.725
Access time, microseconds	0.3	0.3	0.7	0.49	0.49; 0.500
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Opt.: 560K bytes	Opt.: 560K bytes	Std.: 1.2M bytes	Std.: 1.2M bytes	No
Cartridge disk drive	No	No	Opt.: 1.28M bytes	Std.: 19.2M bytes	Std.: 19.2M bytes
Pack disk drive	No	Opt.: 400M bytes	No	Opt.: 160M bytes	Opt.: 704M bytes
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Optional	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	Optional	Optional	Optional
Paper tape punch	No	No	Optional	Optional	Optional
Punched card reader	Std.: 300, 600 cps	Std.: 300, 600 cps	Optional	Optional	Optional
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	No	No	Std.: 180 cps	Std.: 180 cps	Opt.: 180 cps
Line printer	Opt.: 300, 600 lpm	Opt.: 300, 600 lpm	Opt.: 300 lpm	Opt.: 300 lpm	Std.: 300 lpm
Reel-to-reel tape drive	Opt.: 20 KBS	Opt.: 20 KBS	No	Optional	Optional
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 12 x 80, 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	—	—	1	4	32
Synchronous	Opt.: to 9600 bps	Opt.: to 9600 bps	Opt.: to 2200 bps	Opt.: to 2200 bps	Opt.: to 2200 bps
Asynchronous	Opt.: to 19.2K bps	Opt.: to 19.2K bps	No	Opt.: to 9600 bps	Opt.: to 9600 bps
Protocols supported	IBM 2780/3780, HASP, CDC 200	—	IBM 2780	IBM 2780	IBM 2780
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	No	No	Yes
RPG	No	No	No	No	RPG II
FORTRAN	No	Yes	No	No	Yes
BASIC	No	Yes	No	No	BASIC Plus II
Assembler	Yes	Macro assembler	No	No	No
Other programming languages	None	None	DIBOL	DIBOL	None
Multiprogramming	No	Yes; 16 partitions	No	Yes; 4 partitions	Yes; 32 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	No	No	Yes	Yes	Yes
Industry application areas	Under development	Manufacturing distribution	Manufacturing, distribution	Manufacturing, distribution	Advert. agency, financial
Data base management system	No	No	No	No	No
File access methods supported	—	—	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$27,840	\$29,940	\$13,000-\$23,000	\$36,000-\$65,000	\$75,000-\$125,000
Monthly rental of basic system, \$	\$933 (3-yr. lease)	\$981 (3-yr. lease)	Purchase only	Purchase only	Purchase only
Date of first U.S. delivery	May 1976	August 1976	1972	October 1975	November 1973
Number installed in U.S. to date	NA	NA	10	4	14
<b>COMMENTS</b>	Lower prices for quantity purchasers; full-payout 5-yr. lease plans also available	Lower prices for quantity purchasers; full-payout 5-yr. lease plans also available			

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Corstar Business Computing Co. Corstar 570	Data Communications Corp. TPS	Data Communications Corp. DPS	Data Communications Corp. DCS	Data Communications Corp. RTS
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	2	4	4	4	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1, 2	1	1, 2	1	1
Instruction length, words	1, 2	1	1, 2	1	1
<b>CPU</b>					
Model	DEC Datasystem 570	See Comments	See Comments	See Comments	DG Micro/Nova 3/12
Add time, microseconds	2.7	0.800 (1 word)	0.600 (1 word)	0.800 (1 word)	0.800 (1 word)
No. of programmable registers	16	4	16	4	4
No. of I/O ports on basic system and maximum	—	4, 24	5, 59	4, 24	4, 24
<b>INTERNAL STORAGE</b>					
Type	Core	Core	Core	Core	Core
Capacity of basic system, bytes	128K	96K	32K, 64K	8K	8K
Maximum capacity, bytes	1024K	256K	256K	32K	32K
Increment size, bytes	64K	32K	16K	8K	8K
Cycle time, microseconds	0.98	0.800	0.800	0.800	0.800
Access time, microseconds	0.49	0.400	0.400	0.400	0.400
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	Opt.; 500K bytes	Opt.; 500K bytes	Opt.; 500K bytes	Opt.; 500K bytes
Cartridge disk drive	Std.; 19.2M bytes	Std.; 10M bytes	Std.; 10M bytes	Std.; 100M bytes	Std.; 10M bytes
Pack disk drive	Std.; 1408M bytes	Opt.; 92M bytes	Opt.; 92M bytes	Opt.; 92M bytes	Opt.; 92M bytes
Fixed-head disk/drum	No	Opt.; 2M bytes	Opt.; 2M bytes	Opt.; 2M bytes	Opt.; 2M bytes
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Optional	Standard	Optional	Optional
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Optional	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps	Opt.; 400 cps
Paper tape punch	Optional	Opt.; 70 cps	Opt.; 70 cps	Opt.; 70 cps	Opt.; 70 cps
Punched card reader	Optional	Opt.; 150-1000 cpm	Opt.; 150-1000 cpm	Opt.; 150-1000 cpm	Opt.; 150-1000 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 180 cps	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps
Line printer	Std.; 300 lpm	Opt.; 300-1200 lpm	Opt.; 200-1200 lpm	Opt.; 300-1200 lpm	Opt.; 300-1200 lpm
Reel-to-reel tape drive	Optional	Opt.; 60 KBS	Opt.; 60 KBS	Opt.; 60 KBS	Opt.; 60 KBS
Cassette tape drive	No	Optional	Optional	Optional	Optional
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	63	256	256	256	256
Synchronous	Opt.; to 2200 bps	Opt.; to 9600 bps	Opt.; to 50K bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	IBM 2780	All	All	All	All
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	Yes
RPG	RPG II	No	RPG II	Yes	Yes
FORTRAN	Yes	FORTRAN IV, V	FORTRAN IV, V	FORTRAN IV, V	FORTRAN IV, V
BASIC	BASIC Plus II	Yes	Yes	Yes	Yes
Assembler	No	Yes	Yes	Yes	Yes
Other programming languages	None	ALGOL	ALGOL	ALGOL	ALGOL
Multiprogramming	Yes; 63 partitions	No	Yes; 1F, 1B	Yes	Yes
Language implemented in firmware	No	No	Fully	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Financial, publishing	Mortgage banking, gen. mktg.	Mortgages	Gen'l. mktg., mortgages, broadcasting	Broadcasting, parts dist., service bureaus
Data base management system	No	No	INFOS	No	No
File access methods supported	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$135,000-\$250,000	\$85,000	On request	\$50,000	\$25,000
Monthly rental of basic system, \$	Purchase only	Purchase only	Purchase only	Purchase only	Purchase only
Date of first U.S. delivery	June 1975	NA	September 1976	March 1977	March 1977
Number installed in U.S. to date	4	NA	NA	NA	NA
<b>COMMENTS</b>		Transactional Processing System; see Report M11-304-101 for more details on CPU; CPU's include DG Nova 3 D, DG Eclipse S130/S230/C330	Distributed Processing System; see Report M11-304-201 for more details on CPU; CPU's include DG Nova 3/D, DG Eclipse S130/S230/C330	Data Collection System; see Report M11-304-101 for more details on CPU; CPU's include DG Nova 3/D and 3/12, DG Eclipse S130/S230/C330	Data Collection System; see Report M11-304-101 for more details on CPU

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Data General CS/20	Data General CS/40 Mod. 1	Data General CS/40 Mod. C3	Data General CS/40 Mod. C4	Data General CS/40 Mod. C6
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	4	4	4	4	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1	1	1	1	1
Instruction length, words	1	1	1	1	1
<b>CPU</b>					
Model	DG MicroNova	DG Nova 3/12	DG Nova 3/12	DG Nova	DG Nova
Add time, microseconds	2.4 (1 word)	0.700 (1 word)	0.700 (1 word)	0.700 (1 word)	0.700 (1 word)
No. of programmable registers	4	4	4	4	4
No. of I/O ports on basic system and maximum	1; 1	1; 1	1; 4	1; 4	1; 9
<b>INTERNAL STORAGE</b>					
Type	NMOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	64K	64K	64K	64K	128K
Maximum capacity, bytes	64K	64K	64K	64K	192K
Increment size, bytes	—	—	—	—	64K
Cycle time, microseconds	0.960	0.700	0.700	0.700	0.700
Access time, microseconds	2.88	—	—	—	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Std.; 630K bytes	Std.; 315K bytes	Std.; 315K bytes	Opt.; 315K bytes	Std.; 315K bytes
Cartridge disk drive	—	Std.; 10M bytes	Std.; 10M bytes	Std.; 10M bytes	Opt.; 10M bytes
Pack disk drive	—	No	No	Std.; 50M bytes	Std.; 50M bytes
Fixed-head disk/drum	—	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	No	No	No	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 60 cps, 180 cps	Std.; 60 cps, 180 cps	Std.; 60 cps, 180 cps	Std.; 60 cps	Std.; 60 cps, 180 cps
Line printer	Opt.; 240, 300 lpm	Std.; 300 lpm	Std.; 300 lpm	Opt.; 300 lpm	Std.; 300 lpm
Reel-to-reel tape drive	No	Opt.; 60 KCS	Opt.; 60 KCS	Opt.; 60K cps	Opt.; 60 KCS
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80; one unit only	Std.; 24 x 80; single-term. model	Std.; 24 x 80; up to 4 units	Std.; 24 x 80; up to 4 units	Std.; 24 x 80; up to 9 units
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	1	1	1	1	1
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	No	No	No	No	No
Protocols supported	IBM 2780/3780	IBM 2780/3780	IBM 2780/3780	IBM 2780/3780	IBM 2780/3780
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	Yes
RPG	No	No	No	No	No
FORTRAN	No	No	No	No	No
BASIC	No	No	No	No	No
Assembler	No	No	No	No	No
Other programming languages	No	No	No	No	No
Multiprogramming	No	No	Yes	Yes	Yes
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	No	No	No	No	No
Industry application areas	First-time users, all industries	—	—	Wholesale dist., mfg., health care	—
Data base management system	No	No	No	No	No
File access methods supported	Sequential, random, ISAM	Sequential, random, ISAM	Sequential, random, ISAM	Sequential, random, ISAM	Sequential, random, ISAM
Software separately priced	No	No	No	No	No
Technical help separately priced	No	No	No	No	No
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$10,945	\$32,915	\$34,105	\$56,340	\$63,640
Monthly rental of basic system, \$	\$274	\$741	\$679	\$1268	\$1432
Date of first U.S. delivery		September 1977	September 1977	March 1977	March 1977
Number installed in U.S. to date	NA	NA	NA	NA	NA
<b>COMMENTS</b>					
	Interactive COBOL; built-in screen handlers; five-year full-payout lease	Interactive COBOL; built-in screen handlers	Interactive COBOL; up to 4 terminals; multiterminal control & built-in screen handlers	Interactive COBOL; up to 4 terminals; multiterminal control & built-in screen handlers	Interactive COBOL; up to 9 terminals; multiterminal control & built-in screen handlers

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Data General CS/60 Mod. C3	Data General CS/60 Mod. C6	Data General CS/60 Mod. C5	Datapoint 2200	Datapoint 5500
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1	16 4 2 1 1	16 4 2 1 1	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-4 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DG Eclipse 0.6  4 1; 9	DG Eclipse 0.6  4 1; 17	DG Eclipse 0.6  4 1; 9	Datapoint 2200 4.8  14 4	Datapoint 5500 1.4  16 16
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS/ERCC 64K 64K — 0.5-0.7 1.2	MOS/ERCC 128K 256K 64K 0.5-0.7 1.2	MOS/ERCC 128K 256K 64K 0.5-0.7 1.2	MOS 4K 16K 4K 1.6 0.6	MOS 48K 48K None 0.8 0.3
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 315K bytes Std.; 20M bytes No No	Opt.; 315K bytes Opt.; 10-30M bytes Std.; 50M bytes No	Opt.; 315K bytes Std.; 20M bytes No No	Opt.; 1M bytes Opt.; 9.6M bytes Opt.; 50M bytes No	Opt.; 1M bytes Opt.; 160M bytes Opt.; 200M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Std.; 180 cps Opt.; 300 lpm Opt.; 60K cps No No No Std.; 24 x 80, up to 12 units	No No No No — Std.; 180 cps Opt.; 300 lpm Opt.; 60K cps No No No Std.; 24 x 80, up to 9 units	No No No No No Std.; 180 cps Opt.; 300 lpm Opt.; 60K cps No No No Std.; 24 x 80, up to 9 units	No No Opt.; 300 cpm No No Opt.; 120 lpm Opt.; 300, 600 lpm Opt.; 9.6-20 KBS Std.; 352 cps No No Std.; 12 x 80 char.	No No Opt.; 300 cpm No No Opt.; 120 lpm Opt.; 300, 600 lpm Opt.; 9.6-20 KBS Std.; 352 cps No No Std.; 12 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.; to 9600 bps No IBM 2780, 3780	1 Opt.; to 9600 bps — IBM 2780, 3780	1 Opt.; to 9600 bps — IBM 2780, 3780	4 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2265; 2741, 2780/3780, HASP	\$16 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2265, 2741, 2780/2780, HASP
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas	Yes No No No No No Yes No No — Dist. data proc., all industries	Yes No No No No Yes No No No No Dist. data proc., all industries	Yes No No No No No Yes No No No Dist. data proc., all industries	No Yes No Yes Yes Databus, Scribe No No No Yes Banking, insur., gov't. acct'g.	Yes Yes No Yes Yes Databus, Scribe Yes, 2 partitions No No Yes Banking, insur., gov't. acct'g.
<b>Data base management system</b> File access methods supported	No Sequential, random, ISAM	No Sequential, random, ISAM	No Sequential, random, ISAM	No Random, sequential, index seq.	No Random, sequential, index seq.
<b>Software separately priced</b> Technical help separately priced	No No	No No	No No	Yes No	Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$40,890 \$915.52  March 1978 NA	\$70,490 —  NA NA	\$50,290 \$1,127.02  NA NA	Pricing on request —  April 1972 NA	\$26,271 \$657 (3-yr. lease)  1975 NA
<b>COMMENTS</b>	Interactive COBOL; up to 9 terminals; multiterminal control & built-in screen handlers; five-year full-payout lease	Interactive COBOL; up to 17 terminals; multiterminal control & built-in screen handlers; five-year full-payout lease	Interactive COBOL; up to 9 terminals; multiterminal control & built-in screen handlers; five-year full-payout lease	Dataform, Datashare, and RPG II program languages are also supported	Dataform, Datashare, and RPG II program languages are also supported

\*"Std." means the device is included in the price of the "basic system" as listed here.



## Small Business Computer Specifications

MANUFACTURER & MODEL	Datapoint 6600	Datapoint Cassette 1100	Datapoint Diskette 1100	Datapoint 1150	Datapoint 1170
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1 byte 1-4 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes	8-bit byte 1 per byte 1 per byte 1 byte 1-3 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Datapoint 6600 1.15  16 24	Datapoint 1100 4.8  14 1	Datapoint 1100 4.8  14 1	Datapoint 1150 1.4  16 2	Datapoint 1170 1.4  16 4
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 120K (user) 120K (user) None 0.6 0.2	MOS 4K 8K 4K 1.6 0.6	MOS 16K 16K None 1.6 0.3	MOS 24K (user) 24K (user) None 0.8 0.3	MOS 48K (user) 48K (user) None 0.8 0.3
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 1M bytes Opt.: 160M bytes Opt.: 200M bytes No	No No No No	Std.: 1M bytes No No No	Std.: 1M bytes No No No	Std.: 1M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 300 cpm No No Opt.: 80/120 cps Opt.: 300, 600 lpm Opt.: to 1600 bpi Std.: 352 cps No No No Std.: 12 x 80 char.	No No Opt.: 300 cpm No No Opt.: 120 lpm Opt.: 300-600 lpm Opt.: 9.6-20KBS Std.: 352 cps No No No Std.: 12 x 80 char.	No No Opt.: 300 cpm No No Opt.: 120 lpm Opt.: 300-500 lpm Opt.: 9.6-20 KBS No No No Std.: 12 x 80 char.	No No Opt.: 300 cpm No No Opt.: 80/120 cps Opt.: 300, 600 lpm Opt.: to 1600 bpi No No No Std.: 12 x 80 char.	No No Opt.: 300 cpm No No Opt.: 80/120 cps Opt.: 300, 600 lpm Opt.: to 1600 bpi No No No Std.: 12 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	25 Opt.: to 9600 bps Opt.: to 9600 bps IBM, Burroughs, CDC, HIS, Univac	1 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2265, 2741, 2780/3780, HASP	1 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2265, 2741, 2780/3780, HASP	1 Opt.: to 9600 bps Opt.: to 9600 bps IBM, Burroughs, CDC, HIS, Univac	5 Opt.: to 9600 bps Opt.: to 9600 bps IBM, Burroughs, CDC, HIS, Univac
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes No Yes Yes Databus, Datashare Yes, 2 partitions No No Yes Banking, insur., gov't., acct'g No Sequential, random, ISAM Yes No	No Yes No Yes Yes Databus, Scribe No No No — No Sequential Yes No	No Yes No Yes Yes Databus, Scribe No No No Yes Banking, insur., gov't., acct'g No Random, sequential, index sequential Yes No	No Yes No Yes Yes Databus, Datashare No No No Yes Banking, insur., gov't., pub. acct'g No Sequential, random, ISAM Yes No	No Yes No Yes Yes Databus, Datashare No No No Yes Banking, insur., gov't., pub. acct'g No Sequential, random, ISAM Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$31,685 \$800 (3 yr. lease)  July 1977 NA	Pricing on request —  January 1974 NA	\$12,880 \$209 (3-yr. lease)  February 1975 NA	\$14,480 \$334 (3-yr. lease)  January 1977 NA	\$15,980 \$371 (3-yr. lease)  July 15 NA
<b>COMMENTS</b>	Under Datashare, system can run 24 programs without partitioning	Dataform and Datashare program languages are also supported	Dataform, Datashare, and RPG II program languages are also supported	Under Databus/Multilink, system can run 2 programs without partitioning	Under Datashare, system can run 4 programs without partitioning

\* "Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Decision Data Computer Corp. System/4	Diablo 3200	Digital Computer Controls Synergist Model 1500	Digital Computer Controls Synergist Model 1550	Digital Computer Controls Synergist Model 2500
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 1 byte 2-4 bytes	8 + parity 2 1 1 or 2 1-3	16 5 2 1 1	16 5 2 1 1	16 5 2 1 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	System/4 —  6 8; 14	Diablo 3200 23.9/6 digits  7 22; 256	DG MicroNova 2.4  4 1; 3	DG MicroNova 2.4  4 1; 3	DG Nova 3: 12 1000  4 1; 9
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 48K 64K 16K 1.0 0.5	MOS 16 65 4K, 8K, 12K, 16K 0.488 0.300	MOS 48K 64K 8K, 16K 0.96 0.16	MOS 64K 64K 8, 16K bytes 0.96 0.16	Std., core; opt., MOS 64K 64K 16K, 32K 1.0 1.0
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std., 2M bytes Opt., 40M bytes No No	Std., 5M bytes Opt., 10M bytes No No	No Opt., 10M bytes No No	No Opt., 10M bytes No No	No Std., 10M bytes Opt., 96-190M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Standard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 No Opr.; 300/120 cpm Std.; 120 cps Opt.; 300/600 lpm No No No No Std.; 24 x 80 char.	No No No No No Std.; 45, 55, 200 cps Optional No No No No Std.; 24 x 80	No No No No No Std.; 300 cps Opt.; 125 lpm No No No No Opt.; 1920 char.	No No No No No Std.; 30 cps Opt.; 125 lpm No No No No Opt.; 1920 char.	Opt.; 400 cps Opt.; 63 cps No No No Std.; 275 cps Opt.; 300, 600 lpm Opt.; 60, 72 KCS No No No Std.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	2 Std., to 9600 bps — IBM 2780/3780	9 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	2 No Standard None	2 No Standard No	9 No Standard IBM 2780, 3780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No Yes No No No Yes No Yes; 2 partitions No Partially Yes Distribution, fuel oil No Direct, sequential, index sequential Some Some	No No No No Yes No No Yes; 9 partitions No No Yes Dist., mfg., acct'g., med./dental No Random, sequential, index sequential No Yes	No No No Yes No No No No No Yes None Yes Random, sequential, index sequential Yes No	No No No Yes No No No No No Yes Wholesale distrib. No Sequential, random, index sequential Yes No	No No No Yes Yes No No No No Yes Manufacturing, wholesale distrib. No Sequential, random, index sequential Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$22,000 NA  July 1975 15	\$18,950 Various  December 1976 500	\$8,000 NA  February 1978 15	\$13,500 NA  July 1978 5	\$27,000 NA  November 1977 100
<b>COMMENTS</b>		DACL compiler language is high- level English-like language source statement compiler			

\*\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Computer Controls Synergist Model 3700	Digital Equipment Corp. Datasystem 308	Digital Equipment Corp. Datasystem 310	Digital Equipment Corp. Datasystem 322	Digital Equipment Corp. Datasystem 324
<b>DATA FORMATS</b>					
Word length, bits	16	12	12	16	16
Decimal digits per word	5	2	2	2	2
Bytes (characters) per word	2	2 (6-bit)	2 (6-bit)	2	2
Operand length, words	1	1	1	1	1
Instruction length, words	1	1	1	1, 2, 3	1, 2, 3
<b>CPU</b>					
Model	DG Nova 3/D	DEC VT 78	DEC PDP-8/A	DEC LSI-11	DEC LSI-11
Add time, microseconds	1000	1000 (15 digits)	1000 (15 digits)	1 07 (word)	7.3 (word)
No. of programmable registers	4	8 + 8 in mem.	8 + 8 in mem.	9	8
No. of I/O ports on basic system and maximum	1; 17	2; 12	2; 12	4	4
<b>INTERNAL STORAGE</b>					
Type	Std.; core; Opt.: MOS	Core	Core	MOS	MOS
Capacity of basic system, bytes	128K	32K (6-bit)	16K (6-bit)	32K	32K
Maximum capacity, bytes	256K	32K (6-bit)	64K (6-bit)	56K	56K
Increment size, bytes	16K, 32K	—	16K, 32K (6-bit)	8K	8K
Cycle time, microseconds	1.0	1.4	1.4	1.2	0.7
Access time, microseconds	1.0	0.7	0.7	0.7	0.7
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	Std.; 670K bytes	Std.; 670K bytes	Std.; 1M bytes	Std.; 7.2M bytes
Cartridge disk drive	Std.; 10M bytes	No	Opt.; 12.8M bytes	Opt.; 19.2M bytes	Opt.; 19.2M bytes
Pack disk drive	Opt.; 96-190M bytes	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 400 cps	No	No	No	No
Paper tape punch	Opt.; 63 cps	No	No	No	No
Punched card reader	No	No	No	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 30, 60, 180 cps	Opt.; 45, 180 cps	Opt.; 30, 165 cps	Opt.; 30, 180 cps	Opt.; 30, 180 cps
Line printer	Opt.; 300, 600 lpm	Opt.; 300 lpm	Opt.; 300 lpm	Opt.; 240, 300 lpm	Opt.; 240, 300 lpm
Reel-to-reel tape drive	Opt.; 60, 72 KCS	No	No	Opt.; 10 KBS	Opt.; 10 KBS
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 1920 char.	Optional; 24 x 80 char.	Optional; 12 x 80 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	17	0	1	4	4
Synchronous	No	No	Opt.; to 4800 bps	Opt.; to 4800 bps	Opt.; to 4800 bps
Asynchronous	Standard	No	No	No	No
Protocols supported	IBM 2780/3780	IBM 2780	IBM 2780	IBM 2780	IBM 2780
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	No	No	No
RPG	No	No	No	No	No
FORTRAN	No	No	No	No	No
BASIC	Yes	No	No	No	No
Assembler	Yes	No	No	No	No
Other programming languages	No	DIBOL (COBOL)	DIBOL (COBOL)	DIBOL (COBOL)	DIBOL (COBOL)
Multiprogramming	No	No	No	No	No
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	No	No	No	No
Industry application areas	Manufacturing, wholesale distrib.	Business accounting	Business accounting	Business accounting	Business accounting
Data base management system	No	No	No	No	No
File access methods supported	Sequential, random, index sequential	Sequential, index sequential	Sequential, index sequential	Sequential, index sequential	Sequential, index sequential
Software separately priced	Yes	No	No	No	No
Technical help separately priced	No	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$40,000	\$12,600	\$14,095	\$19,315	\$32,615
Monthly rental of basic system, \$	NA	Purchase only	Purchase only	Purchase only	Purchase only
Date of first U.S. delivery	January 1978	May 1978	May 1975	March 1977	March 1977
Number installed in U.S. to date	15	NA	NA	NA	NA
<b>COMMENTS</b>		Bytes are 6 bits	Bytes are 6 bits; see Report M11-385-101 for more details	See Report M11-385-201 for more details	See Report M11-385-201 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Equipment Corp. Datasystem 354	Digital Equipment Corp. Datasystem 357	Digital Equipment Corp. Datasystem 530	Digital Equipment Corp. Datasystem 570	Digital Scientific Corporation Meta 4/1130
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 1 1, 2, 3	16 2 2 1 1, 2, 3	16 2 2 ½, 1, 2 1	16 2 ½, 1, 2 1	16 (+2 parity) 5 2 1-2 1-2
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/34 1.07 (word)  9 15	DEC PDP-11/34 1.07 (word)  9 15	DEC PDP-11/34 7.3 (word)  7 2, 10	DEC PDP-11/70 2.7 (word)  10 10 & high speed	DSC 4030 2.9 (5 digits)  5 4
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 248K 32K 0.7 0.7	MOS 64K 248K 32K 0.7 0.7	MOS 128K 256K 32K 0.7 (w/parity) 0.7 (w/parity)	Core 256K 3M 128K, 512K 1.0 (w/parity) 0.5 (w/parity)	Core 16K 128K 16K 0.9 0.5
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 512K bytes Std.: 19.2M bytes No No	Opt.: 512K bytes Std.: 112M bytes No No	Opt.: 512K bytes Opt.: 112M bytes Std.: 1.408B bytes No	Opt.: 512K bytes Opt.: 112M bytes Std.: 1.408B bytes No	No Opt.: 512M bytes Opt.: 160M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard No No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 300 cpm No No Opt.: 30, 180 cps Opt.: 240, 300 lpm Opt.: 10 KBS No No No Standard; 24 x 80 char.	No No Opt.: 300 cpm No No Opt.: 30, 180 cps Opt.: 240, 300 lpm Opt.: 10 KBS No No No Standard; 24 x 80 char.	No No Opt.: 300 cpm No No Std.: 30, 180 cps Opt.: 240-1200 lpm Opt.: 10-72 KBS No No No Opt.: 24 x 80 char.; EIA inter.	No No Opt.: 300 cpm No No Std.: 30, 180 cps Opt.: 240-1200 lpm Opt.: 10-72 KBS No No No Opt.: 24 x 80 char.; EIA int.	Opt.: 400 cps Opt.: 50 cps Opt.: 600, 1000 Opt.: 35, 160 cpm Opt.: 400/160 cpm No Opt.: 300, 600 lpm Opt.: 30, 60 KBS No No No No
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8 Opt.: to 9600 bps No IBM 2780	8 Opt.: to 9600 bps No IBM 2780	32EIA; 20 ma Opt.: to 50K bps Opt.: to 9600 bps 2780/3780, 3271, SDLC, DDCMP	63 EIA; 20 ma Opt.: to 50K bps Opt.: to 9600 bps 2780/3780, 3271, SDLC, DDCMP	32 Opt.: to 9600 bps Opt.: 50-19.2K bps IBM 2780/3780, BSC
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No No No DIBOL (COBOL) No No No No No Business accounting No Sequential, index sequential No Yes	No No No No No DIBOL (COBOL) No No No No Business accounting No Sequential, index sequential No Yes	Yes Yes Yes Yes Yes, and macro APL, DIBOL Yes; 32 partitions No No No Business acctg. and data proc. Direct, seq., index seq. See comments See comments	Yes Yes Yes Yes Yes, and macro APL, DIBOL Yes; 63 partitions No No No Business acctg. and data proc. DBMS-11 Direct, seq. index seq. See comments See comments	Yes Yes Yes No Yes, and macro None Partially No Yes Mktg. research, civil eng., educ. Yes Random, sequential, index seq. Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$37,950 Purchase only  July 1975 600	\$51,170 Purchase only  July 1975 600	\$77,430 Special arrangements October 1976 NA	\$126,280 Special arrangements May 1976 NA	\$60,000 \$1,500  1970 Over 200
<b>COMMENTS</b>	See Report M11-385-2C1 for more details	See Report M11-385-201 for more details	Replaces Datasystems based on PDP-11/40 and 11/45; see Report M11-385-401 for more details; optional bundled software and support	High-speed controllers and dual-access disks avail.; see Report M11-385-401 for more details; optional bundled software and support	Can run most IBM 1130/1180 programs; firmware arithmetic unit is optional

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Digital Scientific Corporation Meta 4/5010	Digital Scientific Corporation Meta 4/5020	Digital Systems Galaxy/5 Model 130	Digital Systems Galaxy/5 Model 140	Digital Systems Galaxy/5 Model 150
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 (+2 parity) 5 2 1-2 1-2	16 (+2 parity) 5 2 1-2 1-2	8-20 1 per byte 1 per byte 1-256 bytes 2, 4, 6 bytes	8-20 1 per byte 1 per byte 1-256 bytes 2, 4, 6	8-20 1 per byte 1 per byte 1-256 bytes 2, 4, 6
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DSC 5010 1.37  5 4 to 21	DSC 5020 1.37  5 8 to 21	Galaxy/5 5 (5 digits)  8-20 15-60	Galaxy/5 5 (5 digits)  8-20 15-60	Galaxy/5 5 (5 digits)  8-20 15-60
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 16K 128K 16K 0.5 0.29	MOS 16K 256K 16K 0.5 0.29	MOS 64K 1M 64K 0.75 0.50	MOS 128K 1M 64K 0.75 0.50	MOS 256K 1M 64K 0.75 0.50
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Yes Opt.: 1.24M bytes Opt.: 20M bytes Opt.: 1M bytes	No Opt.: 1.24M bytes Opt.: 20M bytes Opt.: 1M bytes	See comments See comments Std.: 32-240M bytes 24M bytes	See comments See comments Std.: 32-240M bytes 24M bytes	See comments See comments Std.: 32-240M bytes 24M bytes
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard No No	Standard No No	Yes Yes Yes	Yes Yes Yes	Yes Yes Yes
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Yes Yes Opt.: 600, 1000 cpm Yes Yes Opt.: 180 cps Opt.: 300, 600 lpm Opt.: 37.5, 75 ips No No No 1920 char.	Yes Yes Opt.: 600, 1000 cpm Yes Yes Opt.: 180 cps Opt.: 300, 600 lpm Opt.: 37.5, 75 ips No No No 1920 char.	See comments See comments Yes See comments See comments Std.: 100-900 lpm Yes See comments No No Standard; 24 x 80 char.	See comments See comments Yes See comments See comments Std.: 100-900 lpm Yes See comments No No Standard; 24 x 80 char.	See comments See comments Yes See comments See comments Std.: 100-900 lpm Yes See comments No No Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8 to 4800 Opt.: to 4800 bps Opt.: 19.2K bps IBM 2780/3780, 3740	32 Opt.: to 4800 bps Opt.: 19.2K bps IBM 2780/3780, 3740	120 Std.: to 15,000 bps Std.: to 9600 bps Programmable	240 Std.: to 15,000 bps Std.: to 9600 bps Programmable	480 Std.: to 15,000 bps Std.: to 9600 bps Programmable
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes None No Yes No Yes Mktg. research, civil eng., educ. Yes Random, sequential, index seq. Yes No	No No Yes No Yes APL, DRS Yes Yes No Yes Mktg. research, civil eng., educ. Yes Random, sequential, index seq. Yes No	No Yes Yes Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes	No Yes No Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes	No Yes No Yes Yes LMP, FMP Yes No Partially Yes Most industries Yes Random, sequential, index seq. Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$14,500 \$690  NA NA	\$21,250 \$494 to \$1012  1978 NA	\$34,700 (CPU only) \$800 (CPU only)  December 1975 18	\$55,985 (CPU only) \$1,275 (CPU only)  October 1976 6	\$82,875 (CPU only) \$1,900 (CPU only)  October 1976 NA
<b>COMMENTS</b>	Remote job entry simulator; expandable to Meta 4/5020	Can run most IBM 1130/1800 programs; digital/analog I/O; real-time, batch, time-share OS	Nonstd. peripherals are not sold by DSC but may be connected thru comm. port, lease is 5-yr. full-payout with purchase	Dual-processor system	Three-processor system

\*\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Dimis, Inc. TOTAL 100	Display Data Corporation In*Sight	Distribution Management Systems DMS-1000-8	Distribution Management Systems DMS-1000-11	Financial Computer Fedder System III/6
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 21 2 1	8 2 1 1 to 4 1-5	12 2 2 2 1, 2	16 2 2 1/2, 1, 2 1, 2, 3	8-bit byte 2 per byte 1 per byte 1 per byte 1 byte
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Modcomp II 0.8  15 2; 8	Microdata 1600/30 4.6  3 2; 20	DEC PDP-8 3.0 (word)  8 + 8 in memory 2; 10	DEC PDP-11 0.3-3.17 (word)  9-47 7; 50	Fedder S III —  256 5; 64
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 128K 128K None 0.80 0.50	Core; semiconductor 32K 128K 8K-16K 1.00 0.35	Core 32K (6-bit) 32K 16K 1.2-1.5 0.75	Core; MOS 128K 248K-2048K 16K; 64K 0.98 0.49	MOS 32K 256K 8, 16, 32K — —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Optional Optional Std.; 50-800M bytes Optional	No Std.; 80M bytes No No	No Std.; 6.4-25.6M bytes No No	Opt.; 256K bytes Opt.; 28M bytes Std.; 1200M bytes Opt.; 8M bytes	Std.; 1.8M bytes Opt.; 10.6M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Optional Optional Optional Optional Optional Optional Std.; 300 lpm Std.; 36 KBS No No No Standard; 24 x 80 char.	No No No No No Std.; 120 cps Opt.; 300-600 lpm Opt.; 10, 20 KBS No No No Standard; 24 x 80 char.	No No No No No Std.; 180 cps Opt.; 300 lpm Opt.; 36 KBS No No No Standard; 1920 char.	No No No No No Std.; 180 cps Opt.; 60-1200 lpm Opt.; 36-120 KBS No No No Std.; 1920 char.	Opt.; 300, 1000 cps Opt.; 300, 1000 cps Opt.; 300, 600 cpm Opt.; 300 cpm No Opt.; 30 cps Opt.; 300-1250 lpm Opt.; 72 KBS Optional No No Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Optional Std.; to 9600 bps Programmable	32 No Std.; to 9600 bps ANSI std., other async. protocols	10 Opt.; to 50K bps Opt.; to 9600 bps IBM 2780/3780 HASP	32 Opt.; to 50K bps Opt.; to 9600 bps IBM 2780/3780, HASP, SDLC	64 Opt.; to 9600 bps Std.; to 9600 bps None
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes No Yes Yes Yes None Yes No No Yes Distribution  Yes Random, sequential, index seq. Yes Yes	No No No No Yes None Yes Fully No Yes Auto dirs., contrac- tors, wholesalers No Sequential, random, index seq. Yes No	No No No No Yes DEAL, ORACLE Yes; 10 partitions No No Yes Distribution  Yes Index sequential, sequential, random Yes Yes	Yes No Yes Yes Yes DEAL, ORACLE Yes; 30 partitions No No Yes Distribution, warehouse control Yes Indexed sequential, sequential, random Yes Yes	No No No Yes Yes CPL, PL/X Yes; 32 partitions No Partially  Yes Dist., manuf., construct, acctg. Yes Random, sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$98,000 NA  June 1974 10	\$26,200 NA  January 1974 400	\$54,000 Purchase only  1970 43	\$65,000 Purchase only  1977 20	\$18,000 \$460  April 1977 20
<b>COMMENTS</b>	3 CRT's standard; package includes staff & mgmt. train- ing & conversion support; see Report M11-641-101 for more details on CPU	Specialists in complete turnkey systems, support, forms, & mainte- nance for selected businesses			

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Financial Computer Fedder System III/10	Four-Phase Systems Inc. System IV/40	Four-Phase Systems Inc. System IV/50	Four-Phase Systems Inc. System IV/70	General Information Systems ABLE-322
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 2 per byte 1 per byte 1 byte 1 byte	24 — 3 15 bits 1	24 — 3 15 bits 1	24 — 3 15 bits 1	16 4 2 1 1 to 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Fedder S III — 256 5; 64	Four-Phase 16 (word) 5 34	Four-Phase 16 (word) 5 29	Four-Phase 16 (word) 5 78	DEC PDP-11/03 3.1, 6 8 2; 16
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 1024K 8, 16, 32K, 64K 0.2 0.2	MOS 24K 72K 24K 2 —	MOS 24K 96K 12K, 24K 2 —	MOS 24K 96K 12K, 24K 2 —	MOS 24K 56K 16K 0.72 0.5
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 2.4M bytes Std.; 10.6M bytes Opt.; 300M bytes Optional	Opt.; 354K bytes Std.; 10M bytes No No	Std.; 354K bytes Std.; 10M bytes Opt.; 270M bytes No	Opt.; 354K bytes Std.; 10M bytes Opt.; 270M bytes No	Std.; 1024K bytes Std.; 20M bytes — —
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard Standard
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300, 1000 cps Opt.; 300, 1000 cps Opt.; 300, 600 cpm Opt.; 300 cpm No Std.; 200 cps Opt.; 300-1250 lpm Opt.; 72 KBS Optional No No No Standard; 24 x 80 char.	No No Opt.; 300, 600 cpm No No Opt.; 30 cps Opt.; 245-700 lpm No No No No Standard; 24 x 80 char.	No No Opt.; 300, 600 cpm No No Opt.; 30 cps Opt.; 245-700 lpm No No No No Standard; 24 x 80 char.	No No Opt.; 300, 600 cpm No No Opt.; 30 cps Opt.; 245-700 lpm Std.; 10, 60 KBS No No No Standard; 6 x 48 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; 2 180 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	64 Opt.; to 19,200 bps Std.; to 19,200 bps Bisync. SDLC	— Std.; to 9600 bps Opt.; to 2400 bps IBM 3270, 2780, 3780	— Std.; to 9600 bps Opt.; to 2400 bps IBM 3270, 2780, 3780, bisync	— Opt.; to 9600 bps Opt.; to 2400 bps IBM 3270, 2780, 2780, 3780	16 No Opt.; to 2400 bps IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No Yes Yes CPL, PL/X Yes; 32 partitions No Partially Yes Dist., manuf., construct., acctg. Yes Random, sequential, index sequential Yes Yes	No; comp. on IV/70 No; comp. on IV/70 No No Yes None No — No Mfg., insurance, education No Contig., chained, seq., rand., ind. seq. No —	Yes No No No Yes None No — No Mfg., insurance, education No Contig., chained, seq., rand., ind. seq. No —	Yes Yes No No Yes None No — No Mfg., insurance, education No Contig., chained, seq., rand., ind. seq. No —	Yes Yes Yes Yes Yes DIBOL Yes; 16 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$30,000 \$750  January 1975 250+	\$30,315 \$604  June 1973 2300+ (IV/40, 70)	\$69,330 \$1,335 (42-mo. lease) 4th quarter 1976 NA	\$68,055 \$1,432  February 1971 2300+ (IV/40, 70)	\$24,000 \$500  NA NA
<b>COMMENTS</b>	Can run interactive or batch in any partitions; Fedder Data Systems is a division of Financial Computer Corp.	4 CRT's & 2.5M-byte cartridge disk are standard; applications in data entry & network transaction processing; see Report M11-435-101 for more details	12 CRT's and 10M-byte cartridge disk are standard; applications in data entry & network transaction processing	12 CRT's and 2.5M-byte cartridge disk are standard; applications in data entry and network transaction processing	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000

\* "Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	General Information Systems ABLE-322F	General Information Systems GIS-325	General Information Systems ABLE-350	General Information Systems GIS-355	General Robotics CD/X3S
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1 to 3	16 4 2 1 Single/double operands	16 4 2 1 1 to 3	16 4 2 1 Single/double operands	16 2 2 1/2, 1 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	DEC PDP-11/03 3.1, 6  8 2; 16	DEC PDP-11/03 4.20  8 4; 4	DEC PDP-11/34 3.1, 6  8 5; 64	DEC PDP-11/34A 1.96  8 4; 64	DEC LSI-11/2 3.5  8 5; 256
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 24K 56K 16K 0.72 0.5	MOS 64K 6M 32K 0.7 0.7	Core, MOS 32K 256K 16K 0.98 0.75	MOS 64K 256K 32K 0.7 0.7	MOS 61,440 61,440 — 0.45 0.3
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 1024K bytes Std.; 20M bytes — 1, 2; 9.6M bytes	Opt.; 1024K bytes Std.; 10M bytes Opt.; 20M bytes —	— Std.; 29M bytes Opt.; 160M bytes —	Opt.; 1024K bytes Std.; 10M bytes Opt.; 1.4B bytes —	Opt.; (3) 3.75M bytes Std.; (1) 20M bytes — —
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; 2; 180 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm — Opt.; 1200 cpm Std.; 180 cps Opt.; 1200 lpm — — — Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cps — Opt.; 1200 cpm Std.; to 900 cps Opt.; to 1200 lpm Opt.; 72K cps Opt.; 560 cps Opt.; 10K cps No Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm — Opt.; 1200 cpm Std.; 180 cps Opt.; 1200 lpm Opt.; 72 KC — — — Std.; 1920 char. per screen	Opt.; 300 cps Opt.; 75 cps Opt.; 300 cpm No Opt.; 60-180 cps Std.; 300 lpm No No No Std.; 16, 24 x 80 lines
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	16 No Opt.; to 4800 bps IBM 2780	4 Opt.; 9600 bps Std.; 9600 bps IBM 2780	16 No Opt.; to 9600 bps IBM 2780	64 Opt.; 9600 bps Std.; 9600 bps IBM 2780	8 Optional Standard IBM 2780, 3780, 3270, SDLC, HDLC
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes DIBOL Yes; 16 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes	No No Yes Yes Yes DIBOL Yes No No Yes CPA, medical, dist. No Seq., random, index seq. Yes Yes	Yes Yes Yes Yes Yes DIBOL Yes; 24 partitions No No Yes CPA, mfg., dist., medical, legal Yes Sequential, random Yes Yes	No No Yes Yes Yes DIBOL Yes No No Yes CPA, medical, dist. Yes Seq., random, index seq. Yes Yes	Yes No Yes Yes Yes APL, PASCAL, ALGOL Yes No No — Yes Sequential, random Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$31,000 \$650  NA NA	\$24,000 \$480  December 1977 9	\$48,000 \$1,000  December 1975 NA	\$32,770 \$660  December 1975 9	\$24,000 —  October 1977 15
<b>COMMENTS</b>	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000	Turnkey system; ABLE client, write-up software, payroll, A/R, A/P, OE/in- ventory billing	Turnkey system; ABLE, a financial control system, costs \$6,500; other packages from \$1,500 to \$3,000	Turnkey system; ABLE client write-up software, payroll, A/R, A/P, OE/in- ventory, billing	Time-sharing executive also available; OEM quantity discounts

\*"Std." means the device is included in the price of the "basic system" as listed here.



### Small Business Computer Specifications

MANUFACTURER & MODEL	General Robotics FD/X3S	General Robotics DC/X3	General Robotics FD/X3	General Robotics MVT/X3	GRI Computer Corp. System 99
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	2	2	2	2	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	½, 1	½, 1	½, 1	½, 1	—
Instruction length, words	1	1	1	1	1-3
<b>CPU</b>					
Model	DEC LSI-11/2	DEC LSI-11/2	DEC LSI 11/2	DEC LSI-11/2	GRI 99/50
Add time, microseconds	3.5	3.5	3.5	3.5	—
No. of programmable registers	8	8	8	8	13
No. of I/O ports on basic system and maximum	5, 256	5, 256	5, 256	5, 256	9, 80
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	Static MOS
Capacity of basic system, bytes	61,440	61,440	61,440	61,440	32K
Maximum capacity, bytes	61,440	61,440	61,440	61,440	64K
Increment size, bytes	—	—	—	—	16K/32K
Cycle time, microseconds	0.45	0.45	0.45	0.45	1.76
Access time, microseconds	0.3	0.3	0.3	0.30	0.15
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Opt.; (3) 3.75M bytes	Opt.; (3) 3.75M bytes	Opt.; (3) 3.75M bytes	Std.; (3) 1.3M bytes	No
Cartridge disk drive	Opt.; (1) 20M bytes	Std.; (1) 20M bytes	Opt.; (1) 20M bytes	Opt.; (1) 20M bytes	Std.; 6M bytes
Pack disk drive	—	—	—	—	No
Fixed-head disk/drum	—	—	—	—	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Optional	Optional	Optional	Optional	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps
Punched card reader	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	Opt.; 300/120 cpm
Serial printer	Opt.; 60-180 cps	Opt.; 60-180 cps	Opt.; 60-180 cps	Opt.; 60 cps	Opt.; 100/165 cps
Line printer	Std.; 300 lpm	Opt.; 300 lpm	Opt.; 300 lpm	Std.; 60 cps	Opt.; 250/600 cpm
Reel-to-reel tape drive	No	No	No	No	Opt.; 30K cps
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 16, 24 x 80 lines	Std.; 16, 24 x 80 lines	Std.; 16, 24 x 80 lines	Std.; 480 char	Std.; 640/1280 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	8	8	8	18	3
Synchronous	Optional	Optional	Optional	Opt.; 50KB	Opt.; 4800 bps
Asynchronous	Standard	Standard	Standard	Opt.; 19.2KB	Opt.; 1200 bps
Protocols supported	2780, 3780, 3270, SDLC, HDLC	2780, 3780, 3270, SDLC, HDLC	2780, 3780, 3270, SDLC, HDLC	2780, 3780, 3270, SDLC, HDLC	None
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	No
RPG	No	No	No	No	Yes (interactive)
FORTRAN	Yes	Yes	Yes	Yes	No
BASIC	Yes	Yes	Yes	Yes	No
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	APL, PASCAL, ALGOL	APL, PASCAL, ALGOL	APL, PASCAL, ALGOL	APL, PASCAL, ALGOL	None
Multiprogramming	Yes	Yes	Yes	Yes	Yes; 4 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	—	—	—	—	Mfg., retail, dist., constr., banking
Data base management system	Yes	Yes	Yes	Yes	No
File access methods supported	Sequential, random	Sequential, random	Sequential, random	Sequential, random	Sequential, random, indexed sequential
Software separately priced	Yes	Yes	Yes	Yes	Applications only
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$17,000	\$18,000	\$11,000	\$12,000	\$33,333
Monthly rental of basic system, \$	—	—	—	—	Purchase only
Date of first U.S. delivery	August 1977	October 1977	May 1977	June 1978	2nd qtr. 1975
Number installed in U.S. to date	50	45	125	10	NA
<b>COMMENTS</b>					
	Time-sharing executive also available; OEM quantity discounts	Time-sharing executive also available; OEM quantity discounts	Time-sharing executive also available; OEM quantity discounts	Desk top computer system; runs DEC's RT-11 operating system	Sold through distributor network

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	GRI Computer Corp. System 99/E	Harris Computer Systems S110	Harris Computer Systems S115	Harris Computer Systems S120	Harris Computer Systems S125
<b>DATA FORMATS</b>					
Word length, bits	16	24	24	24	24
Decimal digits per word	4	6	6	6	6
Bytes (characters) per word	2	3	3	3	3
Operand length, words	—	1 or 2	1 or 2	1 or 2	1 or 2
Instruction length, words	1.3	1 or 2	1 or 2	1 or 2	1 or 2
<b>CPU</b>					
Model	GRI 99/52	Harris Series 100	Harris Series 100 Model 6-5	Harris Series 100	Harris Series 100 Model 6-6
Add time, microseconds	—	0.75 (1 word)	0.6 (1 word)	0.75 (1 word)	0.6 (1 word)
No. of programmable registers	13	5	5	5	5
No. of I/O ports on basic system and maximum	9, 80	3; 12	3; 7	4; 12	3; 24
<b>INTERNAL STORAGE</b>					
Type	Static MOS	Core	MOS	Core	MOS
Capacity of basic system, bytes	32K	96K	144K	192K	144K
Maximum capacity, bytes	2048K	768K	192K	768K	624K
Increment size, bytes	32K	24K or 48K	48K	24K or 48K	48K
Cycle time, microseconds	1.76	0.750	0.450	0.750	0.450
Access time, microseconds	0.15	0.300	0.300	0.300	0.300
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	Opt.; 310K bytes	Opt.; 310K bytes	Opt.; 310K bytes	Opt.; 310K bytes
Cartridge disk drive	Std.; 20M bytes	Std.; 10.8M bytes	Std.; 10.8M bytes	Std.; 10.8M bytes	Std.; 40M bytes
Pack disk drive	No	Opt.; 1200M bytes	Opt.; 3000M bytes	Opt.; 1200M bytes	Opt.; 3000M bytes
Fixed-head disk/drum	No	Opt.; 2.15M bytes	Opt.; 2.15M bytes	Opt.; 2.15M bytes	Opt.; 2.15M bytes
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	No	No	No	No
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps	Opt.; 300 cps
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps
Punched card reader	Opt.; 300 cpm	Opt.; 1000 cpm	Opt.; 1000 cpm	Std.; 300 cpm	Opt.; 1000 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	Opt.; 300/120 cpm	Opt.; 500/100 cpm	Opt.; 500/100 cpm	Opt.; 500/100 cpm	Opt.; 500/100 cpm
Serial printer	Opt.; 100/165 cps	Opt.; 30 cps	Opt.; 30 cps	Opt.; 30 cps	Opt.; 30 cps
Line printer	Opt.; 250/600 cpm	Opt.; 900 lpm	Opt.; 900 lpm	Std.; 300 lpm	Opt.; 900 lpm
Reel-to-reel tape drive	Opt.; 30K cps	Std.; 36K cps	Std.; 36K cps	Std.; 36K cps	Std.; 36K cps
Cassette tape drive	No	Opt.; 30 cps	Opt.; 30 cps	Opt.; 30 cps	Opt.; 30 cps
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	NA	128	128	128	128
Synchronous	NA	Opt.; to 9.6K bps	Mux. std.; LIU opt.	Opt.; to 9.6K bps	Std.; to 50K bps
Asynchronous	NA	Opt.; to 19.2K bps	Mux. std.; LIU opt.	Opt.; to 19.2K bps	Std.; to 19.2K bps
Protocols supported	NA	IBM 2780, HASP, CDC UT200, Univac 1004	IBM 2780, HASP, CDC UT200, Univac 1004	IBM 2780, HASP, CDC UT200, Univac 1004	IBM 2780, HASP, CDC UT200, Univac 1004
<b>SOFTWARE SUPPORT</b>					
COBOL	No	Yes	Yes	Yes	Yes
RPG	Yes	Yes	Yes	Yes	Yes
FORTRAN	No	Yes	Yes	Yes	Yes
BASIC	No	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	None	SNOBOL, FORGO	SNOBOL, FORGO	SNOBOL, FORGO	SNOBOL, FORGO
Multiprogramming	Yes; dynamic	Yes; 256 partitions	Yes; 256 partitions	Yes; 256 partitions	Yes; 256 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	No	No	No	No
Industry application areas	Mfg., retail, dist., constr., banking	Multi-use and time-sharing	Multi-use and time-sharing	Multi-use and time-sharing	Multi-use and time-sharing
Data base management system	No	Yes	Yes	Yes	Yes
File access methods supported	Sequential, random, indexed sequential	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random, index sequential
Software separately priced	Applications only	No (see comments)	No (see comments)	No (see comments)	No (see comments)
Technical help separately priced	Yes	No	No	No	No
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$43,300	\$85,000	\$85,000	\$125,000	\$100,000
Monthly rental of basic system, \$	Purchase only	3rd-party lease	3rd-party lease	3rd-party lease	3rd-party lease
Date of first U.S. delivery	4th qtr. 1977	1975	1977	1975	1977
Number installed in U.S. to date	NA	NA	NA	NA	NA
<b>COMMENTS</b>	Sold through distributor network	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote	Total DBMS and query language priced separately; RJE host and remote

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Harris Computer Systems S130	Harris Computer Systems S135	Harris Computer Systems S140	Harris Computer Systems S150	Hewlett-Packard Data Systems Division 1000 Model 20
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	24 6 3 1 or 2 1 or 2	16 2 2 1, 2 1, 2, 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Harris Series 100 0.75 (1 word)  5 4, 12	Harris Series 100 Model 6-7 0.6 (1 word)  5 3, 24	Harris Series 100 0.75 (1 word)  5 5, 12	Harris Series 100 0.75 (1 word)  5 5, 12	HP 2113 E 1.19 or 0.91  20 14, 46
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 288K 768K 24K or 48K 0.750 0.300	MOS 384K 768K 48K 0.450 0.300	Core 384K 768K 24K or 48K 0.750 0.300	Core 480K 768K 24K or 48K 0.750 0.300	MOS 64K 2048K 32K, 128K 0.350, 0.595 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 310K bytes Std.: 40M bytes Opt.: 1200M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 40M bytes Opt.: 3000M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 340M bytes Opt.: 1200M bytes Opt.: 2.15M bytes	Opt.: 310K bytes Std.: 640M bytes Opt.: 1200M bytes Opt.: 2.15M bytes	Opt.: 1M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard No No	Standard No No	Standard No No	Standard No No	Optional No No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt. 300 cps Opt.: 75 cps Std.: 300 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 300 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Opt.: 1000 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 900 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Std.: 600 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 600 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 300 cps Opt.: 75 cps Std.: 1000 cpm No Opt.: 500/100 cpm Opt.: 30 cps Std.: 900 lpm Std.: 36K cps Opt.: 30 cps No No Std.: 24 x 80 char.	Opt.: 500 cps Opt.: 75 cps Opt.: 600 cpm No No Opt.: 30, 180 cps Opt.: 200, 1250 lpm Opt.: 36, 72 KBS No Std.: 960 cps No Std.: 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	128 Opt.: to 9.6 bps Opt.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	128 Std.: to 50K bps Opt.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	128 Opt.: to 9.6K bps Opt.: to 19.2K bps IBM 2780, HASP CDC UT200, Univac 1004	128 Opt.: to 9.6K bps Opt.: to 19.2K bps IBM 2780, HASP, CDC UT200, Univac 1004	16—see comments No No IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No No Multi-use and time-sharing Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No No Multi-use and time-sharing Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No No Multi-use and time-sharing Yes Sequential, random, index sequential No (see comments) No	Yes Yes Yes Yes Yes SNOBOL, FORGO Yes; 256 partitions No No No Multi-use and time-sharing Yes Sequential, random, index sequential No (see comments) No	No No Yes Yes Yes ALGOL Yes No Partially  No Manufacturing  No Sequential, random Yes (see comments) Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$155,000 3rd-party lease  1975 NA	\$150,000 3rd-party lease  1977 NA	\$225,000 3rd-party lease  1975 NA	\$290,000 3rd-party lease  1975 NA	\$22,000 See comments  May 1977 NA
<b>COMMENTS</b>	Total DBMS and query language priced separately; RJE host and remote; 40MB disk drive is standard	Total DBMS and query language priced separately; RJE host and remote; 40MB disk drive is standard	Total DBMS and query language priced separately; RJE host and remote; one 300 MB and one 40 MB disk drive are standard	Total DBMS and query language priced separately; RJE host and remote; two 300 MB and one 40 MB disk drive are standard	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Hewlett-Packard Data Systems Division 1000 Model 25	Hewlett-Packard Data Systems Division 1000 Model 30	Hewlett-Packard Data Systems Division 1000 Model 40	Hewlett-Packard Data Systems Division 1000 Model 45	Hewlett-Packard General Sys. Div. 3000 Series I
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	2	2	2	2	2
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1, 2	1, 2	1, 2	1, 2	1, 2, 4
Instruction length, words	1, 2, 3	1, 2, 3	1, 2, 3	1, 2, 3	½, 1
<b>CPU</b>					
Model	HP 2117 F	HP 2113 E	HP 2113 E	HP 2117 F	HP 3000
Add time, microseconds	0.91	1.19 or 0.91	1.19 or 0.91	0.91	1.225
No. of programmable registers	20	20	20	20	16
No. of I/O ports on basic system and maximum	14; 46	14; 46	14; 46	14; 46	5; 15
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	Core
Capacity of basic system, bytes	64K	64K	128K	128K	128K
Maximum capacity, bytes	2048K	2048K	2048K	2048K	128K
Increment size, bytes	32K, 128K	32K, 128K	32K, 128K	32K, 128K	—
Cycle time, microseconds	0.350, 0.420	0.350, 0.595	0.350, 0.595	0.350, 0.420	1.00
Access time, microseconds	—	—	—	—	0.50
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Opt.; 1M bytes	Opt.; 2M bytes	Opt.; 2M bytes	Opt.; 2M bytes	No
Cartridge disk drive	No	Std.; 160M bytes	Std.; 160M bytes	Std.; 160M bytes	No
Pack disk drive	No	Opt.; 400M bytes	Opt.; 400M bytes	Opt.; 400M bytes	Std.; 50-350M bytes
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Optional	Optional	Optional	Optional	Standard
10-key numeric keyboard	No	No	No	No	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 500 cps	Opt.; 500 cps	Opt.; 500 cps	Opt.; 50 cps	Opt.; 500 cps
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps
Punched card reader	Opt.; 600 cpm	Opt.; 600 cpm	Opt.; 600 cpm	Opt.; 600 cpm	Opt.; 600 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	Opt.; 75/45 cpm
Serial printer	Opt.; 30-180 cps	Opt.; 30-180 cps	Opt.; 30-180 cps	Opt.; 30-180 cps	Opt.; 30-120 cps
Line printer	Opt.; 200-1250 lpm	Opt.; 200-1250 lpm	Std.; 200-1250 lpm	Std.; 200-1250 lpm	Opt.; 200-1250 lpm
Reel-to-reel tape drive	Opt.; 36, 72 KBS	Opt.; 36, 72 KBS	Std.; 36, 72 KBS	Std.; 36, 72 KBS	Std.; 72 KBS
Cassette tape drive	No	No	No	No	Opt.; 240
Cartridge tape drive	Std.; 960 cps	Std.; 960 cps	Std.; 960 cps	Std.; 960 cps	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Opt.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	16—see comments	16—see comments	16—see comments	16—see comments	16
Synchronous	No	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; to 4,800 bps
Asynchronous	No	Opt.; 1800 bps	Opt.; 1800 bps	Opt.; 1800 bps	Opt.; to 2400 bps
Protocols supported	IBM 2780	IBM 2780, bisync	IBM 2780, bisync	IBM 2780, bisync	IBM 2780/3780
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	No	No	Yes
RPG	No	No	No	No	Yes
FORTRAN	Yes	Yes	Yes	Yes	Yes
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	Yes	SPL
Other programming languages	ALGOL	ALGOL	ALGOL	ALGOL	None
Multiprogramming	Yes	Yes	Yes	Yes	Yes
Language implemented in firmware	No	No	No	No	Partially
Operating system implemented in firmware	Partially	Partially	Partially	Partially	Partially
General accounting packages	No	No	No	No	No
Industry application areas	Manufacturing	Manufacturing	Manufacturing	Manufacturing	Manufacturing education
Data base management system	No	Yes	Yes	Yes	Yes
File access methods supported	Sequential, random	Sequential, random	Sequential, random	Sequential, random	Direct, sequential, keyed sequential
Software separately priced	Yes—see comments	Yes—see comments	Yes—see comments	Yes—see comments	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$27,500	\$31,500	\$40,000	\$46,500	\$64,000
Monthly rental of basic system, \$	See comments	See comments	See comments	See comments	\$1,456 (5-yr. lease)
Date of first U.S. delivery	September 1978	December 1976	September 1978	September 1978	April 1977
Number installed in U.S. to date	NA	NA	NA	NA	1500 (3000 Series)
<b>COMMENTS</b>	HP recommends a maximum of four active terminals; operating system is included in package price; third party lease only; supports DS/1000 Network Software	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only; supports DS/1000 Network Software	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only; supports DS/1000 Network Software	HP recommends a maximum of four active terminals; operating system is included in package price; third-party lease only; supports DS/1000 Network Software	

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Hewlett-Packard General Sys. Div. 3000 Series II	Hewlett-Packard General Sys. Div. 3000 Series III	Hewlett-Packard Desk-Top Com- puter Division 250	Hewlett-Packard Desk-Top Com- puter Division 9825/9831	Hewlett-Packard Desk-Top Com- puter Division 9800 System 45
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	8-bit byte	8-bit byte
Decimal digits per word	2	2	—	1 per byte	1 per byte
Bytes (characters) per word	2	2	2	1 per byte	1 per byte
Operand length, words	1, 2, 4	1, 2, 4	—	—	—
Instruction length, words	½, 1	½, 1	2 bytes	2 bytes	2 bytes
<b>CPU</b>					
Model	HP 3000	HP 3000	9845 Proc. chip	HP 9825A/9831A	HP 9845A
Add time, microseconds	1.050	1.050	—	1000 (approx.)	1000 (approx.)
No. of programmable registers	20	20	See comments	See comments	See comments
No. of I/O ports on basic system and maximum	10	10; 23	1 (15 periph.)	5; 13	5; 13
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	256K	256K	128K(sys.); 32K (user)	7K/8K	62,650
Maximum capacity, bytes	512K	2048K	64K (user)	32K/33K	62,650
Increment size, bytes	64K	256K	32K	8K	—
Cycle time, microseconds	0.70	0.70	0.80	—	—
Access time, microseconds	0.35	0.35	—	—	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	No	Std.; 2.4M bytes	Opt.; 499K/998K bytes	Opt.; 998K bytes
Cartridge disk drive	No	No	Opt.; 20M bytes	No	No
Pack disk drive	Std.; 50-960M bytes	Std.; 50-960M bytes	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 500 cps	Opt.; 500 cps	No	Opt.; 20 cps	No
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	No	No	Optional
Punched card reader	Opt.; 600 cpm	Opt.; 600 cpm	No	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	No	No	No	No
Punched card reader/punch	Opt.; 200/75 cpm	Opt.; 200/75 cpm	No	No	No
Serial printer	Opt.; 180 cps	Opt.; 180 cps	Opt.; 30 cps	Opt.; 30 cps/—	Opt.; 30 cps/—
Line printer	Opt.; 300-1250 lpm	Opt.; 300-1250 lpm	Std.; 180 cps	Opt.; 250 lpm	Std.; 480 lpm
Reel-to-reel tape drive	Std.; 72 KBS	Std.; 72 KBS	Std.; 180 cps	No	No
Cassette tape drive	No	No	No	Std.; 375 bps	Std.; 375 bps
Cartridge tape drive	Opt.; 240 cps	Opt.; 240 cps	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Opt.; 24 x 80 char.	Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	63	63	—	1	1
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	—	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; to 2400 bps	Opt.; to 2400 bps	—	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	IBM 2780/3780	IBM 2780/3780	—	None	None
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	No	No	No
RPG	Yes	Yes	No	No	No
FORTRAN	Yes	Yes	No	No	No
BASIC	Yes	Yes	Yes	No/Yes	Yes
Assembler	SPL	SPL	No	No	No
Other programming languages	APL	APL	No	HPL/No	None
Multiprogramming	Yes	Yes	No	No	No
Language implemented in firmware	Partially	Partially	No	Fully	Fully
Operating system implemented in firmware	Partially	Partially	No	Fully	Fully
General accounting packages	No	No	—	Yes	Yes
Industry application areas	Manufacturing, education	Manufacturing, education	—	Real estate, medical, engineering	Text proc., invent. ctrl., linear prog.
Data base management system	Yes	Yes	Yes	No	No
File access methods supported	Direct, sequential, keyed seq., chained	Direct, sequential, keyed seq., chained	Direct, chained, calculated, seq.	—	—
Software separately priced	Yes	Yes	No	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$99,000	\$115,000	\$24,500	\$5900/7,200	\$20,000
Monthly rental of basic system, \$	\$2.252 (5-yr. lease)	\$2.616 (5-yr. lease)	NA	NA	NA
Date of first U.S. delivery	May 1976	July 1978	July 1978	November 1972	Late 1977
Number installed in U.S. to date	1500 (3000 Series)	1500 (3000 Series)	NA	NA	NA
<b>COMMENTS</b>	See Report M11-472-601 for more details	See Report M11-472-601 for more details	Software assigns portions of RAM as registers; software includes forms and report writer programs	Software assigns portions of read/write memory to serve as registers; see Report M11-472-401 for more details	Software assigns portions of read/write memory to serve as registers; see Report M11-472-401 for more details; includes two tape cartridge units

\* "Std." means the device is included in the price of the "basic system" as listed here.

## Honeywell Business Computer Specifications

FUNCTIONAL UNIT, MODEL & MODEL	Honeywell Series 80 Model 8-100	Honeywell Series 80 Model 8-133	Honeywell Series 80 Model 8-34	Honeywell Series 80 Model 8-36	Honeywell Series 80 Model 8-43
<p><b>System Configuration</b></p> <ul style="list-style-type: none"> <li>Number of Channels: 12</li> <li>Number of Processors: 12</li> <li>Number of Memory Modules: 12</li> <li>Number of I/O Modules: 12</li> <li>Number of Control Modules: 12</li> </ul>	<p>12</p> <p>12</p> <p>12</p> <p>12</p> <p>12</p>	<p>12</p> <p>12</p> <p>12</p> <p>12</p> <p>12</p>	<p>12</p> <p>12</p> <p>12</p> <p>12</p> <p>12</p>	<p>12</p> <p>12</p> <p>12</p> <p>12</p> <p>12</p>	<p>12</p> <p>12</p> <p>12</p> <p>12</p> <p>12</p>
<p><b>Processor</b></p> <ul style="list-style-type: none"> <li>Processor Type: Honeywell 8000</li> <li>Processor Speed: 1.0 MHz</li> <li>Processor Architecture: 32-bit</li> </ul>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>
<p><b>Memory</b></p> <ul style="list-style-type: none"> <li>Memory Type: Random Access Memory (RAM)</li> <li>Memory Capacity: 1 MB</li> <li>Memory Organization: 16K words</li> </ul>	<p>1 MB</p> <p>16K words</p>	<p>1 MB</p> <p>16K words</p>	<p>1 MB</p> <p>16K words</p>	<p>1 MB</p> <p>16K words</p>	<p>1 MB</p> <p>16K words</p>
<p><b>I/O</b></p> <ul style="list-style-type: none"> <li>I/O Type: Parallel and Serial</li> <li>I/O Speed: 10 MB/sec</li> <li>I/O Architecture: Channel-based</li> </ul>	<p>10 MB/sec</p> <p>Channel-based</p>	<p>10 MB/sec</p> <p>Channel-based</p>	<p>10 MB/sec</p> <p>Channel-based</p>	<p>10 MB/sec</p> <p>Channel-based</p>	<p>10 MB/sec</p> <p>Channel-based</p>
<p><b>Control</b></p> <ul style="list-style-type: none"> <li>Control Type: Honeywell 8000</li> <li>Control Speed: 1.0 MHz</li> <li>Control Architecture: 32-bit</li> </ul>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>	<p>Honeywell 8000</p> <p>1.0 MHz</p> <p>32-bit</p>

Small Business Computer Specifications

MANUFACTURER & MODEL	Honeywell Series 60 Model 6/47	Honeywell Series 60 Model 6/53	Honeywell Series 60 Level 62	IBM System/3	IBM System/32
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 bit, 1/2, 1, 2 1, 2, 3	16 2 2 bit, 1/2, 1, 2 1, 2, 3	8-bit byte 2 per byte 1 per byte 2 bytes 2-8 bytes	8-bit byte 1 per byte 1 per byte 1-16 digits 4-6 bytes	8-bit byte 1 per byte 1 per byte 1-16 digits 3-6 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Honeywell CPS 955X — 24 + 3 (SIP) 160 maximum	Honeywell CPS 955X — 24 + 3 (SIP) 160 maximum	Honeywell 62 — 29 6 std.; 3 opt.	IBM System 3 24 (5 digits) —	IBM System 32 150 (5 digits) — 4
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	NMOS, core 32K 2048K 16K, 32K 0.65/0.55, 1.2 0.44/0.29, 0.4	NMOS, core 32K 2048K 16K, 32K 0.65/0.55, 1.2 0.44/0.29, 0.4	MOS 48K 224K 16K 1.0 —	Core, MOS 256K 4, 8, 16, 32K 1.52 —	MOS 16K 32K 8K 0.60 0.25
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 1024K bytes Opt.; 80M bytes No No	Opt.; 1024K bytes Opt.; 80M bytes No No	Opt.; 512K bytes Opt.; 46.4M bytes Opt.; 480M bytes No	Opt.; via 3741 Opt.; 9.9M bytes Opt.; 506M bytes No	Std.; 303K bytes See comments No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional No	Optional Optional No	Standard Standard No	Optional Optional No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300, 500 cpm No No Opt.; 165 cps Opt.; 240-900 lpm Opt.; 25-60 KBS Opt.; 700 cps No No Opt.; 12 x 80, 24 x 80 char.	No No Opt.; 300, 500 cpm No No Opt.; 165 cps Opt.; 240-900 lpm Opt.; 25-60 KBS Opt.; 700 cps No No Opt.; 12 x 80, 24 x 80 char.	No No Opt.; 300-1050 cpm Opt.; 100-400 cpm, Opt.; 500, 1000 cpm Std.; 30 cps console Opt.; 100-1600 lpm Opt.; 10.4-60 KBS Opt.; 700 cps No No Opt.; 12 x 80 char.	No No Opt.; 600, 1000 cpm No Opt.; 250/60 cpm Opt.; 85 cps Opt.; 100-1100 lpm Opt.; 20-80 KBS No No No Opt.; 12 x 40, 12 x 80, 24 x 80 char.	No No No No Opt.; 50/12-50 cpm Std.; 40, 80 cps Std.; 50-155 lpm No No No Standard; 6 x 40 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8/controller Opt.; to 72K bps Opt.; to 9600 bps Bisync/2780	8/controller Opt.; to 72K bps Opt.; to 9600 bps Bisync/2780	9 Opt.; 9600 bps Opt.; to 2400 bps None	8 Opt.; to 50K bps No SDLC	1 Opt.; to 7200 bps No SDLC, Bisync
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes Yes Yes Yes Yes Macro preprocessor Yes No No No Office automation No Random, seq., index seq.; fixed random Yes Yes	Yes Yes Yes Yes Yes Macro preprocessor Yes No No No Office automation No Random, seq., index seq.; fixed random Yes Yes	Yes Yes Yes No No None Yes No No Yes Distribution, manu- facturing Yes Sequential, indexed, relative Yes Yes	Yes RPG II Yes Yes No None Yes; 3 partitions No No Yes Dist., medical, manuf., educ. No Random, sequential, index sequential Yes Yes	No RPG II No No Macro assembler None No No Partially Yes Dist., medical, manuf., word proc. No Random, sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$19,300 — April 1978 NA	\$19,200 — April 1978 NA	\$36,879 (proc.) \$885 (1-yr. lease) August 1974 NA	\$22,430 \$706 December 1970 Over 30,000	\$33,560 \$785 February 1975 Over 10,000
<b>COMMENTS</b>	Processor includes basic control panel and 10-slot chassis; see Report M11-480-301 for more details	Processor includes 4096-word cache memory; see Report M11-480-301 for more details	Performance increase packages of 25, 67, or 117 percent opt.; see Report M11-480-701 for more details	Six different models currently in line; see Report M11-491-501 for more details	System also includes 3.2M-13.75M bytes of nonremovable disk storage; see Report M11-491-601 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	IBM System/34	IBM 1130	IBM System/360 Model 20	IBM 5100	IBM 5110
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1-16 digits 4, 5, 6 bytes	16 2 2 1, 2 1, 2	8-bit byte 2 per byte 1 per byte 1-16 digits 2, 4, 6 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes	8-bit byte 1 per byte 1 per byte — 2 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	IBM System/34 68.5 (5 digits)  NA —	IBM 1130 4.9; 8.0  3 —	IBM 360/20 209 (5 digits)  8 —	IBM 5100 1000 (approx.)  Software-assigned 2; variable	IBM 5110 NA  Software-assigned 2; variable
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 128K 16K, 32K 0.60 —	Core 8K 64K 8K 2.2; 3.6 —	Core 4K 32K 4K See comments —	MOS 16K 64K 16K 0.53 (2 bytes) 0.33	MOS 16K 64K 16K 0.53 (2 bytes) 0.33
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 303K bytes See comments No No	No Std.; 5.12M bytes Opt.; 5.12M bytes No	No No Opt.; 21.6M bytes No	No No No No	Std.; 4.8M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional No	Standard No No	Optional No No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Opt.; 40, 80, 120 cps Opt.; 160, 300 lpm No No No No Optional; 960 or 1920 char.	Opt.; 60 cps Opt.; 14.8 cps Opt.; 100, 600 cpm Opt.; 120 cpm Opt.; 300/60 cpm Std.; 15 cps Opt.; 40-1100 lpm Opt.; 15 KBS No No Optional; 52 x 74 char.	No No Opt.; 600, 1000 cpm Opt.; 300, 500 cpm Opt.; 310/90 cpm Opt.; 15.5 cps Opt.; 260-1100 lpm Opt.; 150-60 KBS No No No	No No No No No Opt.; 80 cps No No Std.; 2850 cps No Standard; 16 x 64 char.	No No No No No Opt.; 80, 120 cps No No Opt.; 2850 cps No Standard; 16 x 64 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8 Opt.; to 9600 bps No SDLC, Bisync	16 Opt.; to 4800 bps No Bisync	1 Opt.; to 50K bps No Bisync	1 No Opt.; to 300 bps IBM 2741	1 Opt.; to 9600 bps Opt.; to 300 bps IBM 2741, 374-1 2770 Bisync
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No RPG II Yes No Yes No Yes; 8 partitions No Partially No Yes Distribution, medical, manufacturing No Random, sequential, index sequential Yes Yes	No Yes Yes No Yes, and macro None No No No Yes Engin., manuf., dist., medical No Random, sequential, index sequential Yes Yes	No Yes No No Yes, and macro PL/1 No No No Yes Manuf., dist., educ., gov't. No Random, sequential, index sequential Yes Yes	No No No Yes No APL No Fully Fully No Financial analysis, statistics No Sequential Some Yes	No No No Yes No APL No Fully Fully Yes Financial analysis, statistics No Sequential Some Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$34,700 \$1,062  January 1978 NA	\$19,840 \$136  1965 4,000 (approx.)	\$11,740 \$555  November 1964 10,000 (approx.)	\$6,285 \$300 (3-mo. lease)  September 1975 NA	\$8,475 NA  February 1978 NA
<b>COMMENTS</b>	Multi-user system; serves up to 8 local and 64 remote workstations, system includes 8.6M to 27.1M bytes of non-removable disk storage; see Report M11-491-651	Also available without std. disk for as little as \$14,150; cycle times vary with processor model; no longer marketed	Low end of IBM's 360 Series; cycle times vary with processor model; no longer marketed	Portable computer weighing 50 lbs.; RS-232C interface available for non-IBM peripherals; see Report M11-491-201 for more details	Enhanced version of IBM 5100 with 2 to 3 times the internal computing power plus diskette I/O; 5110 with both diskette and tape costs \$9,875; see Report M11-491-251

\*"Std." means the device is included in the price of the "basic system" as listed here.



Small Business Computer Specifications

MANUFACTURER & MODEL	Infotecs Inc. IMP	International Computers, Ltd. 1501/40	International Computers, Ltd. 1503/43	International Computers, Ltd. 1503/44B	Jacquard Systems J50 Videocomputer
<b>DATA FORMATS</b>					
Word length, bits	12	8	8	8	16
Decimal digits per word	2	1	1	1	4
Bytes (characters) per word	2	1	1	1	2
Operand length, words	½-6	—	—	—	1
Instruction length, words	1	2	2	2	1
<b>CPU</b>					
Model	IMP 1	ICL 1501/40	ICL 1503/43	ICL 1503/44B	NS IMP-16
Add time, microseconds	39 (7 digits)	150 (5 digits)	150 (5 digits)	150 (5 digits)	9.50
No. of programmable registers	2	7	7	7	4
No. of I/O ports on basic system and maximum	4, 5	Daisy chain 63	Daisy chain 63	Daisy chain 63	2
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	MOS, core
Capacity of basic system, bytes	24K	16K	16K	16K	32K
Maximum capacity, bytes	24K	16K	32K	32K	128K
Increment size, bytes	—	—	8K	8K	32K
Cycle time, microseconds	0.5	0.3	0.3	0.3	1.5
Access time, microseconds	—	4.0	4.0	4.0	1.4
<b>MASS STORAGE CAPABILITIES*</b>					
Flppy disk drive	Std.; 3.8M bytes	No	No	No	Std.; (2) 250K bytes
Cartridge disk drive	No	No	Std.; 10M bytes	Std.; 10M bytes	No
Pack disk drive	No	No	Std.; 10M bytes	Std.; 10M bytes	No
Fixed-head disk/drum	No	Std.; 2.5M bytes	Std.; 10M bytes	Std.; 10M bytes	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Optional	Optional	Optional	Standard
10-key numeric keyboard	Standard	Optional	Standard	Standard	Standard
Full accounting keyboard	No	Standard	Standard	Standard	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	Optional	Optional	Optional	No
Paper tape punch	No	No	No	No	No
Punched card reader	No	Optional	Optional	Optional	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	No	Opt.; 165/330 cps	Opt.; 165/330 cps	Opt.; 165/330 cps	No
Line printer	Std.; 125 lpm	Opt.; 100-400 lpm	Opt.; 100-400 lpm	Opt.; 100-400 lpm	Opt.; to 1100 lpm
Reel-to-reel tape drive	No	Optional	Optional	Optional	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	Std.; 2000 cps	Std.; 2000 cps	Std.; 2000 cps	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 256 char.	Std.; 24 x 80 lines	Std.; 24 x 80 lines	Std.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	1	2	2	2	1
Synchronous	No	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; 2400 bps	Opt.; 1800 bps	Opt.; 1800 bps	Opt.; 1800 bps	Opt.; to 9600 bps
Protocols supported	None	2780, 3780, 360/20, UT200, Univac 100	2780, 3780, 360/20, UT200, Univac 100	2780, 3780, 360/20, UT200, Univac 100	IBM 2780/3780;
<b>SOFTWARE SUPPORT</b>					
COBOL	No	Yes	Yes	Yes	No
RPG	No	No	No	No	No
FORTRAN	No	No	No	No	No
BASIC	No	Yes	Yes	Yes	Yes
Assembler	No	Yes	Yes	Yes	Yes
Other programming languages	HIBOL	BTL, CDE, ADE	BTL, CDE, ADE	BTL, CDE, ADE	None
Multiprogramming	No	No	No	No	No
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Acct., fuel oil, payroll, route dist., gen. ledg.	Dist., POS, gov't., inv. con., banking	Dist., POS, gov't., inv. con., banking	Dist., POS, gov't., inv. con., banking	Distrib. processing, bus., med., word proc.
Data base management system	No	Yes	Yes	Yes	No
File access methods supported	Sequential, index sequential, random	Sequential, index sequential	Sequential, index sequential	Sequential, index sequential	Sequential, random, index sequential
Software separately priced	Yes	Some	Some	Some	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$6,995	\$13,600	\$18,000	\$22,000	\$11,500
Monthly rental of basic system, \$	Contact vendor	\$104	\$360	\$440	—
Date of first U.S. delivery	September 1977	1975	1975	1978	August 1975
Number installed in U.S. to date	106	10	100	—	150
<b>COMMENTS</b>					
	Programs compatible with DEC PDP-8; complete systems, including software, are sold and serviced by Infotec dealers				Includes CPU with 32K bytes of memory.

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Jacquard Systems J100 Videocomputer	Jacquard Systems J500 Videocomputer	Katcard Systems KSL System 340	Keydata Unity Series	Litton/Sweda International Litton 1600 Series
<b>DATA FORMATS</b>					
Word length, bits	16	16	18	16	16
Decimal digits per word	4	4	4	—	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1	1	1	½, 1	½, 1
Instruction length, words	1	1	1	1	1
<b>CPU</b>					
Model	NS IMP-16	Bit-slice	GA 440	DG 3/4, 3/12, 3/D	DG Nova 1220
Add time, microseconds	9.5	8.10	0.600	0.7	0.95
No. of programmable registers	4	4	16	12	4
No. of I/O ports on basic system and maximum	1; 62	3	32	24	1
<b>INTERNAL STORAGE</b>					
Type	MOS, core	MOS	Core	MOS	Core
Capacity of basic system, bytes	32K	32K	128K	64K	64K
Maximum capacity, bytes	128K	128K	2048K	256K	64K
Increment size, bytes	32K	32K	32K	64K	—
Cycle time, microseconds	1.5	0.50	0.72	0.70	1.2
Access time, microseconds	3.0	0.67	0.40	0.35	0.5
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Std.; 2; 250K bytes	Std.; 2; 250K bytes	No	No	No
Cartridge disk drive	Opt.; 4; 80M bytes	No	Std.; 10M bytes	No	Std.; 40M bytes
Pack disk drive	Opt.; 4; 80M bytes	Opt.; 4; 48M bytes	Opt.; 300M bytes	Std.; 320M bytes	No
Fixed-head disk/drum	No	No	Opt.; 2.48M bytes	Opt.; 1M bytes	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	No	No	No	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	No	No	Std.; 165 cps	Std.; 165 cps	Std.; 165 cps
Line printer	Opt.; to 1100 lpm	Opt.; to 1100 lpm	Std.; 600 lpm	Opt.; 70-1100 lpm	No
Reel-to-reel tape drive	Opt.; 72KBS	No	Opt.; 20KBS	No	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 1920 char.; up to 30 units	Std.; 1920 char.	Standard; 24 x 80 char.	Standard; 24 x 80 char.	Opt.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	32	2	32	20	8
Synchronous	Opt.; to 9600 bps	Std.; to 9600 bps	Optional	Optional	—
Asynchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Std.; 9600 bps	Optional	—
Protocols supported	IBM 2780/3780; SILA II	IBM 2780/3780; SILA II	IBM 2780, SDLC, HASP	IBM 3780	—
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	Yes	No	No
RPG	No	No	Yes	Yes	No
FORTRAN	No	No	Yes	No	No
BASIC	Yes	Yes	Yes	No	Yes
Assembler	Yes	Yes	Yes	Yes	No
Other programming languages	None	None	Comfort	No	None
Multiprogramming	Yes; 100 partitions	Yes	Yes; variable	Yes	Yes
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Distrib. processing, bus., med., word proc.	Distrib. processing, bus., med., word proc.	Payroll, mfg., work in process	Plumbing, heating & air. cond., ind. supply	Wholesale distribution, client acctg.
Data base management system	No	No	Yes	Yes	No
File access methods supported	Sequential, random, index sequential	Sequential, random, index sequential	Random, sequential, index sequential	Sequential, index sequential	Sequential, index sequential
Software separately priced	Yes (app. packages)	Yes (app. packages)	Yes	No	Yes
Technical help separately priced	Yes	Yes	Yes	No	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$14,900	\$9,200	\$38,000	\$48,000	\$40,140
Monthly rental of basic system, \$	—	—	\$1,000	Purchase only	—
Date of first U.S. delivery	August 1975	NA	March 1976	July 1978	—
Number installed in U.S. to date	500	NA	3	NA	NA
<b>COMMENTS</b>		Includes CPU with 64K bytes of memory	Turnkey systems for manufacturing	One year's full system support included purchase price	See Report M11-791-101 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Lockheed System III	Logical Machine Corp. ADAM	Logical Machine Corp. ADAM the Younger	Microdata Reality	Microdata Reality II
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 16 1, 2	16 5 2 NA NA	16 5 2 NA NA	16 2 2 ½, 1, 2, 3 ½, 1, 2, 3	16 2 2 ½, 1, 2, 3 ½, 1, 2, 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Lockheed SUE (3 digits) 2.85  12 16, 24	LOMAC-prop. NA  NA 5	LOMAC-prop. NA  NA 7	Microdata 1600 5  34 —	Microdata 1600 5  34 —
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOSFET 32K 256K 32K 0.6 0.47-0.52	MOS 32K 64K 32K 0.17 0.50	MOS 48K 48K NA 0.17 0.50	Core 16K 128K 8, 16K 1 —	Core 16K 32K 8K 1 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 1.0M bytes Std.: 40M bytes Opt.: 600M bytes No	Opt.: 250K bytes Std.: 10.6M bytes No No	Std.: 5M bytes No No No	No Std.: 40M bytes Opt.: 600M bytes Opt.: 40M bytes	No Std.: 10M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Optional 87 No	Optional Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 285, 300 cpm No No Std.: 180 cps Opt.: 300, 600 lpm Opt.: 800 bpi No No No No Std.: 24 x 80 char.	No No No No No Std.: 165 cps Opt.: 200 lpm No No No No Std.: 24 x 80 char.	No No No No No Std.: 110 cps No No No No Std.: 24 x 80 char.	No No Opt.: 300 cpm No No Opt.: 165 cps Opt.: 300-600 lpm Std.: 20, 40 KBS No No No No Std.: 24 x 80 char.	No No No No No Opt.: 165 cps Opt.: 300 lpm No No No No Std.: 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	8 Opt.: 9600 bps Opt.: 9600 bps RPG II, HASP, 2780, 3780, 3741, 1004	No No No No	One No No No	32 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780	1 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No Yes Yes No Yes No Yes No No Yes Insurance, medical, banking	No No No No No Natural English Partial NA Yes All	No No No No No Natural English Partial NA Yes All	No Yes No Yes Yes English Partially Partially Yes Engin., education, time-share, acctg.	No Yes No Yes Yes English Partially Partially Yes Engin., education, time-share, acctg.
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$29,950 NA  1973 500 (both models)	\$34,995 \$800 (lease)  April 1975 Over 350	\$14,995 \$350 (lease)  September 1978 —	\$40,300 Purchase only  November 1973 Over 500	\$31,500 Purchase only  November 1973 Over 500
<b>COMMENTS</b>		Unique natural language programming; no compiler or assemblers; see Report M11-587-101 for details	Unique natural language programming; no compilers or assemblers; see Report M11-587-101 for details	Multi-user, interactive system; marketed through a nationwide dealer network; see Report M11-663-301 for more details	See Report M11-663-301 for more details

\*\*Std.\*\* means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Microdata Royale	Mini-Computer Systems MICOS	Mini-Computer Systems MICOS II	Minuteman Computer Corp. 1774	Minuteman Computer Corp. 1775
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 2 2 ½, 1, 2, 3 ½, 1, 2, 3	16 4 2 Variable 1	16 4 2 Variable 1	16 2 2 1 1, 2	16 2 2 1 1, 2
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Microdata 1600 5  34 —	DG Nova 3/4 0.7  4 62 maximum	DG Nova 3/12 1.0  4 62 maximum	DG Nova 3/4 2.7  5 2	DG Nova 3/12 2.7  5 14
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 16K 128K 16K 1 —	MOS 64K 64K NA 0.7 0.35	Core 65K 256K 32K 1.0 0.5	Core 16K 32K 8, 16K 0.8, 1.0 —	Core 16K 192K 8, 16, 32K 0.8, 1.0 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 40M bytes Opt.; 600M bytes Opt.; 40M bytes	No Std.; 9.8M bytes No No	No Opt.; 9.8M bytes Std.; 80M bytes No	No Std.; 80M bytes Opt.; 1280M bytes No	No Std.; 80M bytes Opt.; 1280M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Optional Optional No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No Opt.; 165 cps Opt.; 300-600 lpm Std.; 20, 40 KBS No No No No Std.; 24 x 80 char.	No No No No No Std.; 60 cps Opt.; 300 lpm No No No No Std.; 24 x 80 char.	No No Opt.; 300-1000 cpm No No Std.; 165 cps Opt.; 300, 600 lpm Opt.; 36-120 KBS No No No No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-900 lpm Optional Optional Optional No Std.; 24 x 80 char.	Optional Optional Optional Optional Optional Std.; 165 cps Opt.; 300-900 lpm Optional Optional Optional No Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	32 Opt.; to 9600 bps Opt.; to 9600 bps IBM 2780	1 Opt.; 50,000 bps No IBM 2780, HASP	1 Opt.; 50,000 bps No IBM 2780, HASP	1 Optional Optional None	1 Optional Optional None
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No Yes No Yes Yes English Yes Partially Partially  Yes Engin., education, time-share, acctg. Yes Random, sequential  No No	No No No Yes (Extensive) No No Yes; 2 partitions No No  Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	No No No Yes (Extensive) No No Yes; 16 partitions No No  Yes Munic. govt., educ., fuel, apparel, etc. No Sequential, random, index sequential Yes (applications) Yes	Yes No Yes Yes Yes None No No No  Yes Dist., mfg., liquor wholesalers Yes Random, sequential, index sequential Yes Yes	Yes No Yes Yes Yes None No No No  Yes Dist., mfg., liquor wholesalers Yes Random, sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$35,995 Purchase only  December 1978 NA	\$28,750 \$995  1977 Over 800 all mdl.	\$49,900 NA  February 1973 Over 800 all mdl.	\$24,340 Purchase only  1973 10	\$25,340 Purchase only  1973 30
<b>COMMENTS</b>	Multi-user, interactive system; marketed through a nationwide dealer network; see Report M11-663-301 for more details			Turnkey system; see Report M11-304-101 for more details on CPU	Turnkey system; see Report M11-304-101 for more details on CPU

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Minuteman Computer Corp. 1776	Mylee Digital Sciences System 3000	NCR Century 50 and 50 Mod 1	NCR Century 75	NCR Century 100
<b>DATA FORMATS</b>					
Word length, bits	16	16	8	8	8
Decimal digits per word	2	2	2	2	2
Bytes (characters) per word	2	2	1	1, 2	1
Operand length, words	1	1/2-8	1-256	1-256	1-256
Instruction length, words	1, 2	1-3	4-8	4-8	4-8
<b>CPU</b>					
Model	DG Nova 3/12	Mylee System 3000	NCR 615-910	NCR 615-950	NCR 615-910
Add time, microseconds	2.7	125 (5 digits)	59 (5 digits)	28.8 (5 digits)	59 (5 digits)
No. of programmable registers	5	4	63	—	63
No. of I/O ports on basic system and maximum	14	11; 19	6; 7	2; 2	6; 7
<b>INTERNAL STORAGE</b>					
Type	Core	MOS	Thin film	Core	Thin film
Capacity of basic system, bytes	32K	88K	16K	16K	16K
Maximum capacity, bytes	192K	152K	32K	64K	32K
Increment size, bytes	8, 16, 32K	32K	16K	8K, 16K	16K
Cycle time, microseconds	0.8; 1.0	0.8	0.800	1.2	0.800
Access time, microseconds	—	0.4	—	0.600	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	Optional	No	No	No
Cartridge disk drive	Std.; 80M bytes	Std.; 12.5M bytes	No	No	No
Pack disk drive	Opt.; 1280M bytes	Optional	Std.; 16M bytes	Std.; 9.98M bytes	Std.; 16M bytes
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	—	Standard	Standard	Standard
10-key numeric keyboard	Standard	—	Standard	No	Standard
Full accounting keyboard	No	—	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Optional	No	Opt.; 1000, 1500 cps	No	Opt.; 1000, 1500 cps
Paper tape punch	Optional	No	Opt.; 200 cps	No	Opt.; 200 cps
Punched card reader	Optional	No	Std.; 300 cpm	No	Std.; 300 cpm
Punched card punch	Optional	No	Opt.; 60-294 cpm	No	Opt.; 60-294 cpm
Punched card reader/punch	Optional	No	No	Std.; 300 cpm	No
Serial printer	Std.; 165 cps	Std.; 165 cpm	Opt.; 6 cps	No	Opt.; 6 cps
Line printer	Std.; 300-900 lpm	Opt.; 300 lpm	Std.; 125-900 lpm	Std.; 200-450 lpm	Std.; 450-1500 lpm
Reel-to-reel tape drive	Optional	No	Opt.; 10-80 KBS	No	Opt.; 10-40 KBS
Cassette tape drive	Optional	No	Opt.; 750 cps	Opt.; 750 cps	Opt.; 750 cps
Cartridge tape drive	Optional	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Standard; 24 x 80 char.	Std.; 332, 720, 1920 char.	Optional; 24 x 80 char.	Optional; 24 x 80 char.	Optional; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	1	16	16	10	16
Synchronous	Optional	Std.; 4800 bps	Opt.; to 9600 bps	Opt.; to 4800 bps	Opt.; to 9600 bps
Asynchronous	Optional	Opt.; to 1200 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Protocols supported	None	2780, 3780, SDLC	IBM 2780, Bisync	IBM 2780, Bisync	IBM 2780, bisync
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	No	Yes	Yes	Yes
RPG	No	No	RPG II	Yes	RPG II
FORTRAN	Yes	No	No	Yes	No
BASIC	Yes	No	Yes	Yes	Yes
Assembler	Yes	No	No	Yes	No
Other programming languages	None	ACE	NEAT/3	NEAT/3	NEAT/3
Multiprogramming	No	Yes; 12 partitions	No	No	No
Language implemented in firmware	No	Partially	No	No	No
Operating system implemented in firmware	No	Partially	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Dist., mfg., liquor wholesalers	Distribution	All business applications	All business applications	All business applications
Data base management system	Yes	Yes	No	Yes	No
File access methods supported	Random, sequential, index sequential	Index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Some	Yes	Yes	Yes
Technical help separately priced	Yes	No	Yes	Some	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$26,840	\$42,850	\$32,000	\$56,850	\$40,000
Monthly rental of basic system, \$	Purchase only	Purchase only	\$1,075	\$1,650	\$1,600
Date of first U.S. delivery	1973	May 1976	December 1970	May 1976	March 1963
Number installed in U.S. to date	40	125	NA	NA	NA
<b>COMMENTS</b>	Turnkey system; see Report M11-304-101 for more details on CPU	Total turnkey system from design to installation	Century 50 and 50 Mod 1 are no longer manufactured; see Report M11-656-301 for more details		Century 100 is no longer manufactured; see Report M11-656-301 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	NCR Century 101	NCR Century 151	NCR 299-100/200	NCR 499	NCR 8130
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 1-256 4-8	8 2 1 1-256 4-8	64 16 8 1 1	16 4 2 12 bits Variable	16 2 1 1 2, 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	NCR 615-952 25.2 (5 digits)  63 5; 32	NCR 615-955 15.8 (5 digits)  63 5; 32	NCR 299 220 milliseconds  10-50/30-100 3, 5/10 devices	NCR 605 1700 (5 digits)  0 4; 15	CCM II 2.0 (5 digits)  0 32
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 16K 128K 8K, 16K, 32K 1.2 0.600	MOS 32K 131K 16K, 32K 0.75 —	Core 4K/8K bits 8K/16K bits 4K/8K bits 7 (per bit) —	Core 12K 32K 2K, 4K 1.2 0.650	MOS 48K 64K 16K 0.600 0.620
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.: 19.6M bytes Opt.: 380M bytes No	No Std.: 19.6M bytes Opt.: 380M bytes No	No No No No	No Opt.: 9.8M bytes No No	Std.; 300K bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Yes Yes No	Yes Yes No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.: 1000, 1500 cps Opt.: 200 cps Std.: 300 cpm Opt.: 60-294 cpm No Opt.: 6 cps Std.: 300-3500 lpm Opt.: 40-320 KBS Opt.: 750 cps No Optional; 24 x 80 char.	Opt.: 1000, 1500 cps Opt.: 200 cps Std.: 300 cpm Opt.: 60-294 cpm No Std.: 6 cps Opt.: 300-3500 lpm Opt.: 40-320 KBS Opt.: 750 cps No Optional; 24 x 80 char.	No Opt.: 50 cps No No No Std.: 15 cps No No Opt.: 750 cps Optional No	Opt.: 125 cps Opt.: 75 cps Opt.: 300 cpm No No Std.: 75 to 130 cps Opt.: 55-300 lpm No Std.: 750 cps Opt.: 47 cpm Standard; 24 x 80 char.	No No No No No Std.: 130 cps Opt.: 200 lpm No Opt.: 750 cps No Standard; 16 x 32 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	255 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780, bisync	255 Opt.: to 9600 bps Opt.: to 9600 bps IBM 2780	None/one None None/opt. None	2 Opt.: to 9600 bps Opt.: to 1800 bps Bisync	1 Opt.: to 9600 bps NA IBM 2780/3780, SDLC
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes RPG II FORTRAN IV Yes Yes NEAT/3 Yes; 9 partitions No No Yes All business applications TOTAL Random, sequential, index sequential Yes Yes	Yes RPG II FORTRAN IV Yes Yes NEAT/3 Yes; 9 partitions No No Yes All business applications TOTAL Random, sequential, index sequential Yes Yes	No No No No Yes None No Yes Yes	No No No No Yes NEAT/AM No No No Yes All business accounting No Random, sequential Yes Yes	Yes No No Yes No No Yes Wholesale dist., medical, educ., mfg. No Sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$69,520 \$2,005  August 1972 Over 1,200	\$120,325 \$2,975  February 1975 NA	\$7,250/\$9,300 \$310 (see comments)  January 1974 Over 15,000	\$17,900 Purchase only  February 1976 NA	\$14,065 \$531  March 1978 NA
<b>COMMENTS</b>	See Report M11-656-301 for more details		Rental price shown is for 299-200; 299-100 is available for purchase only; see Report M11-656-201 for details	See Report M11-656-151 for more details	

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computers and Terminals

MANUFACTURER & MODEL	NCR 3150	DEC 3100	IBM 3800	Control Data 3070	Northrop Data Systems BDS Series 500
<b>DATA FORMATS</b>					
Word length, bits	16	24	24	24	Variable, 8-32
Decimal digits per word	5	8	8	8	1-7
Bytes (characters) per word	2	3	3	3	1-4
Operand length, words	1	1	1	1	Variable
Instruction length, words	2-3	2-3	2-3	2	Variable
<b>CPU</b>					
Mode	Batch	Batch	Batch	Batch, S, TMS	Batch, 1800
Applications available	1000	1000	1000	1000	1000 (plus)
No. of programmable registers	1	1	1	1	1
No. of I/O ports (with device) (no. channels)	1	1	1	1	1
<b>INTERNAL STORAGE</b>					
Type	RAM	RAM	RAM	RAM	RAM
Capacity of basic system, bits	1024	1024	1024	1024	1024
Maximum capacity, bits	1024	1024	1024	1024	1024
Memory access, bytes	1024	1024	1024	1024	1024
Cache access, bytes	1024	1024	1024	1024	1024
Access time, microseconds	1024	1024	1024	1024	1024
Access time, milliseconds	1024	1024	1024	1024	1024
<b>EXTERNAL STORAGE</b>					
floppy disk drive	Yes	Yes	Yes	Yes	Yes
Cartridge disk drive	Yes	Yes	Yes	Yes	Yes
Reel-to-reel drive	Yes	Yes	Yes	Yes	Yes
Teletype terminal drive	Yes	Yes	Yes	Yes	Yes
<b>COMMUNICATIONS</b>					
Character set (ASCII, EBCDIC, etc.)	ASCII	ASCII	ASCII	ASCII	ASCII
IO channels (with device)	1	1	1	1	1
Programs (with device)	1	1	1	1	1
<b>INPUT/OUTPUT DEVICES</b>					
Printer (with device)	Yes	Yes	Yes	Yes	Yes
Punch (with device)	Yes	Yes	Yes	Yes	Yes
Punch card reader	Yes	Yes	Yes	Yes	Yes
Punch card printer	Yes	Yes	Yes	Yes	Yes
Punch card reader/punch	Yes	Yes	Yes	Yes	Yes
Sorter/punch	Yes	Yes	Yes	Yes	Yes
Line printer	Yes	Yes	Yes	Yes	Yes
Receipt printer	Yes	Yes	Yes	Yes	Yes
Cassette tape drive	Yes	Yes	Yes	Yes	Yes
Card reader/punch	Yes	Yes	Yes	Yes	Yes
Magnetic tape drive	Yes	Yes	Yes	Yes	Yes
CRT	Yes	Yes	Yes	Yes	Yes
<b>COMMUNICATIONS (PARAMETERS)</b>					
Max. speed of device	1000	1000	1000	1000	1000
Synchronous	Yes	Yes	Yes	Yes	Yes
Asynchronous	Yes	Yes	Yes	Yes	Yes
Protocols supported	1	1	1	1	1
<b>SOFTWARE SUPPORT</b>					
<b>COBOL</b>	Yes	Yes	Yes	Yes	Yes
<b>RPG</b>	Yes	Yes	Yes	Yes	Yes
<b>FORTRAN</b>	Yes	Yes	Yes	Yes	Yes
<b>BASIC</b>	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	Yes	Yes	Yes	Yes	Yes
Multiple processors	Yes	Yes	Yes	Yes	Yes
Language supported (with device)	Yes	Yes	Yes	Yes	Yes
Operating system requirements (with firmware)	Yes	Yes	Yes	Yes	Yes
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry applications	Yes	Yes	Yes	Yes	Yes
<b>Data base management system</b>	Yes	Yes	Yes	Yes	Yes
<b>File access methods (computer)</b>	Yes	Yes	Yes	Yes	Yes
<b>Software</b> (separately priced)	Yes	Yes	Yes	Yes	Yes
<b>Technical</b> (with supporting price)	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
<b>Purchase price</b> (with device) \$	1000	1000	1000	1000	1000
<b>Monthly</b> (with device) \$	1000	1000	1000	1000	1000
<b>Date of first U.S. release</b>	1970	1970	1970	1970	1977
<b>Number</b> (with device) (to date)	1000	1000	1000	1000	1000
<b>COMMENTS</b>					
					1800 model of CRT's

\*\*"Std." means this device is standard on the product line. The system is expandable.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Northrop Data Systems BDS Series 1000	Northrop Data Systems BDS Series 2000	Olivetti A4	Olivetti A5 Model 10	Olivetti A5 Model 20
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	Variable, 8-32 1-7 1-4 Variable Variable	Variable, 8-32 1-7 1-4 Variable Variable	8-bit byte 2 per byte 1 per byte — 1, 2 bytes	64 15 8 8 bits 4 instr./word	64 15 8 8 bits 4 instr./word
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Microdata 1600 9.68 (7 digits)  16 4, 16	Microdata 1600 9.68 (7 digits)  16 4, 16	Olivetti 4000 150 milliseconds  10 1	Olivetti 5010 10  47 2	Olivetti 5020 10  11, 229, 485 2
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	Core 24K 64K 8, 16K 1.0 —	Core 32K 64K 8, 16K 1.0 —	MOS 224 224 — 5 milliseconds —	MOS 0.5K (user) 4K (user) 1K, 2K 1.5 —	MOS 1K (user) 4K (user) 1K, 2K 1.5 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 10M bytes No No	No Std.; 20M bytes Opt.; 80M bytes No	No No No No	No No No No	No No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	No Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 1000 cpm No No Opt.; 30-120 cps Std.; 300 lpm Opt.; 20 KBS No No No Standard; 24 x 80 char.	No No Opt.; 300 cpm No No Opt.; 30-120 cps Std.; 300 lpm Opt.; 20 KBS No No No Standard; 24 x 80 char.	No Opt.; 24 cps No No No Std.; 16 cps No Opt.; 1000 cps No No No	No Opt.; 24 cps No No No Std.; 16 cps No Opt.; 1000 bps No No No	No Opt.; 24 cps No No No Std.; 16 cps No Opt.; 1000 bps No No No
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	4 No Std.; to 1200 bps None	8 No Std.; to 1200 bps None	None No No None	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No Yes Yes None Yes; 3 partitions Partially Partially Yes Hospital, medical, furniture manuf. Yes Random, sequential, index sequential Yes Yes	No No No Yes Yes None Yes; 3 partitions Partially Partially Yes Hospital, medical, furniture manuf. Yes Random, sequential, index sequential Yes Yes	No No No No No BAL Fully Fully Yes Credit union, finan. fuel oil No None Yes Yes	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$45,526 Purchase only  June 1972 75	\$63,089 Purchase only  1973 60	\$2,695 Leases available  November 1975 Over 2,000	\$4,900 Leases available  February 1975 NA	\$7,400 Leases available  February 1975 NA
<b>COMMENTS</b>	See Report M11-663-101 for more details			Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details

\*"Std." means the device is included in the price of the "basic system" as listed here.



### Small Business Computer Specifications

MANUFACTURER & MODEL	Olivetti A5 Model 30	Olivetti A6	Olivetti A7 (7072 CPU)	Olivetti A7 (7074 CPU)	Olivetti BCS 3030
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	64 15 8 8 bits 4 instr./word	64 15 8 8 bits 4 instr./word	8-bit byte 2 per byte 1 per byte 1-3 bytes 1, 2 bytes	8-bit byte 2 per byte 1 per byte 1-3 bytes 1, 2 bytes	8-bit byte 2 per byte 1 per byte 1-3 bytes 1, 2 bytes
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Olivetti 5030 10  111, 229, 485 2	Olivetti 5040 10 (word)  229, 485 4	Olivetti 7072 6.1  — 16	Olivetti 7074 6.1  — 16	Olivetti 3001 —  — —
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 2K (user) 4K (user) 1K, 2K 1.5 —	MOS 2K (user) 4K (user) 2K 1.5 —	MOS 16K (user) 48K (user) 8K 0.56 —	MOS 16K (user) 48K (user) 8K 0.56 —	MOS 40K (user) 56K (user) 8K — —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No No No No	Opt.; 1.2M bytes No No No	No Opt.; 20M bytes No Opt.; 160K bytes	Std.; 512K bytes Opt.; 20M bytes No Opt.; 160K bytes	Std.; 1024M bytes Opt.; 20M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	Opt.; 20 cps Opt.; 24 cps No No No Std.; 16 cps Opt.; 60 lpm No Opt.; 1000 bps No No No No	Opt.; 20 cps Opt.; 24 cps No No No Std.; 16 cps Opt.; 60-130 lpm No Opt.; 1000 cps No Optional No	Opt.; 20 cps Opt.; 24 cps Opt.; 300 cpm No No Std.; 40 cps Opt.; 300-600 lpm No Std.; 1000 bps No No 16-char. alpha-numeric display	Opt.; 20 cps Opt.; 24 cps Opt.; 300 cpm No No Std.; 40 cps Opt.; 300-600 lpm No Opt.; 1000 bps No No 16-char. alpha-numeric display	Opt.; 20 cps Opt.; 24 cps Opt.; 300 cpm No No Opt.; 90-175 cps Opt.; 300-600 lpm Optional Opt.; 1000 cps No No Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 4800 bps Opt.; to 1200 bps IBM 2848, 2260, 2780	1 Opt.; to 9600 bps Opt.; to 1200 bps Bisync	1 Opt.; to 9600 bps Opt.; to 1200 bps Bisync	1 Opt.; to 9600 bps Opt.; to 1200 bps Bisync
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No No Yes APLO No Fully No Yes Credit union, educ., distrib. No None Yes Yes	No No No No Yes APCO No Fully Partially Yes Whlsl. dist., credit, unions, educ. No Random, sequential, index sequential Yes Yes	No Yes No No Yes PL/1 Yes; 2 partitions Fully Partially Yes Whlsl. dist., contractors Yes Random, sequential, index sequential Yes Yes	No Yes No No Yes PL/1 Yes; 2 partitions Fully Partially Yes Whlsl. dist., contractors Yes Random, sequential, index sequential Yes Yes	No Yes No No Yes Yes Yes (2 partitions) No No Yes Whlsl. dist., utilities Yes Random, sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$8,350 Leases available  February 1975 NA	\$8,350 Leases available  January 1976 NA	\$10,535 Leases available  March 1975 NA	\$13,125 Leases available  March 1975 NA	\$9,950 Leases available  March 1978 NA
<b>COMMENTS</b>	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-101 for more details	Integral mag card unit allows mag cards to be used for program storage and data I/O; see Report M11-671-109 for more details	See Report M11-671-101 for more details	See Report M11-671-101 for more details	

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Olivetti P 6060	Philips P310	Philips P320	Philips P330	Philips P430
<b>DATA FORMATS</b>					
Word length, bits	—	8-bit byte	8-bit byte	8	Variable
Decimal digits per word	—	1 per byte	1 per byte	1	Variable
Bytes (characters) per word	—	1 per byte	1 per byte	1	1
Operand length, words	—	Variable	Variable	Variable	Variable
Instruction length, words	—	Variable	Variable	1-8 bits	Variable
<b>CPU</b>					
Model	Olivetti 6601, 6602	Philips 310	Philips 320	Philips P330	Philips P430
Add time, microseconds	—	—	—	1.2	—
No. of programmable registers	—	8	8	8	—
No. of I/O ports on basic system and maximum	—	10	10	16	16
<b>INTERNAL STORAGE</b>					
Type	MOS	Core	Core	Core	MOS
Capacity of basic system, bytes	16K (user)	16K	16K	24K	32K
Maximum capacity, bytes	48K (user)	16K	16K	32K	128K
Increment size, bytes	8K	—	—	8K	32K
Cycle time, microseconds	—	1.5	1.5	1.5	—
Access time, microseconds	—	0.6	0.6	0.6	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Std.; 1024M bytes	Opt.; 1.024M bytes	Opt.; 1.024M bytes	No	No
Cartridge disk drive	Opt.; 20M bytes	No	No	Opt.; 9.2M bytes	Std.; 40M bytes
Pack disk drive	No	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 20 cps	No	No	No	No
Paper tape punch	Opt.; 24-75 cps	Opt.; 50 cps	Opt.; 50 cps	No	No
Punched card reader	Opt.; 300 cpm	No	No	Opt.; 300 cpm	Opt.; 300 cpm
Punched card punch	No	Opt.; 50 cpm	Opt.; 50 cpm	Opt.; 50 cpm	Opt.; 50 cpm
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 80-175 cps	Std.; 50 cps	Std.; 50 cps	Std.; 40 cps	Opt.; 100 cps
Line printer	Optional	Opt.; 70 lpm	Opt.; 70 lpm	Opt.; 70 lpm	Opt.; to 400 lpm
Reel-to-reel tape drive	Optional	No	No	No	No
Cassette tape drive	Opt.; 1000 cps	Opt.; 1000 cps	Opt.; 1000 cps	Opt.; 1000 cps	Standard
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	Optional	Standard	No	No
CRT	Std.; 24 x 80 char.	No	No	Std.; 24 x 80 char.	Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	4	1	1	1	5
Synchronous	No	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; to 19,200 bps	Opt.; to 2400 bps	Opt.; to 2400 bps	Opt.; to 2400 bps	Opt.; to 9600 bps
Protocols supported	None	IBM 2780	IBM 2780	IBM 2780, 3780	IBM 2780, 3780, BSC
<b>SOFTWARE SUPPORT</b>					
COBOL	No	No	No	No	Yes
RPG	No	No	No	No	Yes
FORTRAN	No	No	No	No	No
BASIC	Yes	No	No	No	Yes
Assembler	No	Yes	Yes	Yes	Yes
Other programming languages	No	None	None	Yes	No
Multiprogramming	No	No	No	No	Yes (9 partitions)
Language implemented in firmware	No	Partially	Partially	No	No
Operating system implemented in firmware	No	Partially	Partially	No	Partially
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Printers, job cost, financial	Banking, insurance, medical, utilities	Banking, insurance, medical, utilities	Banking, insurance, utilities	Various
Data base management system	No	No	No	No	No
File access methods supported	Random, sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Yes	Yes	Yes	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$6,600	\$10,915	\$15,665	\$21,000	\$27,500
Monthly rental of basic system, \$	Leases available	\$247	\$355	—	\$622
Date of first U.S. delivery	January 1977	June 1975	June 1975	July 1977	July 1977
Number installed in U.S. to date	NA	750 (P300 Series)	1200	NA	NA
<b>COMMENTS</b>		Another 1500 P300's have been installed worldwide	Another 1500 P300's have been installed worldwide		

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Prime 300	Prime 350	Prime 400	Prime 500	Programmed Control Corp. Prophet 21 Model-1
<b>DATA FORMATS</b>					
Word length, bits	16 + 2	16 + 2	16 + 2 or 6 (ECC)	16 + 6 (ECC)	16
Decimal digits per word	2	2	2	2	4
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1-4	1-4	1-4	1-4	1
Instruction length, words	1, 2, 3	1, 2, 3	1, 2, 3	1, 2, 3	2
<b>CPU</b>					
Model	Prime 300	Prime 350	Prime 400	Prime 500	TI 960B
Add time, microseconds	1.56	1.56	0.56	0.56	3.6 (word)
No. of programmable registers	8	8	14	17	16
No. of I/O ports on basic system and maximum	10	10	64	64	1, 22
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	64KB	64KB	128K	256K	32K
Maximum capacity, bytes	512KB	512KB	8 million	8 million	128K
Increment size, bytes	64K, 256K	64K	64K, 256K	64K, 256K	8K
Cycle time, microseconds	0.76	0.76	0.76	0.76	0.7
Access time, microseconds	0.60	0.60	0.60	0.60	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Opt.; 2.4M bytes	Opt.; 1.2M bytes	Opt.; 2.4M bytes	Opt.; 2.4M bytes	No
Cartridge disk drive	Opt.; 96M bytes	Opt.; 48M bytes	Opt.; 96M bytes	Opt.; 96M bytes	Std.; 5M bytes
Pack disk drive	Opt.; 2400M bytes	Opt.; 1200M bytes	Opt.; 2400M bytes	Opt.; 2400M bytes	No
Fixed-head disk/drum	Opt.; 2 million	Opt.; 1 million	Opt.; 2 million	Opt.; 2 million	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Optional	Optional	Optional	Optional	Optional
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Opt.; 200 cps	Opt.; 200 cps	Opt.; 200 cps	Opt.; 200 cps	No
Paper tape punch	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	Opt.; 75 cps	No
Punched card reader	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	Opt.; 300 cpm	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	Opt.; 300/50 cpm	Opt.; 300/50 cpm	Opt.; 300/50 cpm	Opt.; 300/50 cpm	No
Serial printer	Opt.; 140 cps	Opt.; 140 cps	Opt.; 140 cps	Opt.; 140 cps	Std.; 30 cps
Line printer	Opt.; 1220 lpm	Opt.; 1220 lpm	Opt.; 1220 lpm	Opt.; 1220 lpm	Opt.; 250 lpm
Reel-to-reel tape drive	Opt.; 120 KBS	Opt.; 120 KBS	Opt.; 120 KBS	Opt.; 120 KBS	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Opt.; 24 x 80 char.	Opt.; 24 x 80 char.	Opt.; 24 x 80 char.	Opt.; 24 x 80 char.	Standard; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	63	31	63	63	—
Synchronous	Opt.; 56K bps	Opt.; 56K bps	Opt.; 56K bps	Opt.; 56K bps	No
Asynchronous	Opt.; 19.2K bps	Opt.; 19.2K bps	Opt.; 19.2K bps	Opt.; 19.2K bps	Opt.; to 1200 bps
Protocols supported	2780, HASP, UT200, ICL 7020, 1004	2780, HASP, UT200, ICL 7020, 1004	2780, HASP, UT200, ICL 7020, 1004	2780, HASP, UT200, ICL 7020, 1004	None
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	No
RPG	Yes	Yes	Yes	Yes	No
FORTRAN	Yes	Yes	Yes	Yes	No
BASIC	Yes	Yes	Yes	Yes	No
Assembler	Yes	Yes	Yes	Yes	No
Other programming languages	Forms	Forms	Forms	Forms	Prophet 21
Multiprogramming	Yes, 31	Yes; 31	Yes, 63	Yes, 63	Yes; 22 partitions
Language implemented in firmware	Partially	Partially	Partially	Partial	No
Operating system implemented in firmware	Partially	Partially	Partially	Partial	No
General accounting packages	No	No	No	No	Yes
Industry application areas	Graphics, statistics	Graphics, statistics	Graphics, statistics	Graphics, statistics	Industrial dist. & wholesalers
Data base management system	No	No	Yes	Yes	Yes
File access methods supported	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random, index sequential	Sequential, random, index sequential	Random, sequential, index seq.
Software separately priced	Yes	Yes	Yes	Yes	No
Technical help separately priced	Yes	Yes	Yes	Yes	No
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$75,000	\$100,000	\$125,000	\$175,000	\$42,500
Monthly rental of basic system, \$	\$1,650	\$2,200	\$2,750	\$3,850	Purchase only
Date of first U.S. delivery	February 1973	April 1978	2nd qtr. 1976	3rd qtr. 1977	1972
Number installed in U.S. to date	NA	NA	NA	NA	30
<b>COMMENTS</b>	Each user has 128K bytes of virtual address space	Each user has 768K bytes of virtual address space	Each user has 32 million bytes of virtual address space	Each user has 32 million bytes of virtual address space; includes fast floating-point business instruction set hardware	Turnkey system is marketed nationwide

\*"Std." means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Programmed Control Corp. Prophet 21 Model 2	Q1 Corporation Q1/LMC	Q1 Corporation Q1/LITE	Q1 Corporation Mark II	Qantel 210
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 1 1-3	8-bit byte 2 per byte 1 per byte 1, 2 bytes 1-3 bytes	8-bit byte 2 per byte 1 per byte 1, 2 bytes 3 bytes	8-bit byte 2 per byte 1 per byte 1, 2 bytes 3 bytes	8 2 1 Variable 3-10
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	TI 990/10 2.8 (word)  16 1, 128	8080 2  7 11, 32	8800 —  16 64; 256	8800 —  16 64; 256	Qantel micro CPU —  17 in memory 6
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 2048K 8K 0.7 —	MOS 8K 64K 8, 16K 0.5 0.3	MOS 16K; 6K ROM 64K 16K 0.35 0.25	MOS 16K; 6K ROM 64K 16K 0.35 0.25	MOS 48K 64K 16K 1.5 1.5
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	No Std.; 100M bytes No No	Std.; 250K bytes Opt.; 24M bytes No No	Std.; 500K bytes No Opt.; 54M bytes Opt.; bubble memory	Std.; 300K bytes No Opt.; 54M bytes Opt.; bubble memory	Std.; to 5.2M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard Standard	Standard Standard Standard	Standard Standard Standard	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Opt.; 165 cps Opt.; 250 lpm No No No No No Standard; 24 x 80 char.	No No No No No Std.; 42-200 cps Opt.; 300 lpm No No No No Standard; 8 x 37 char.	No No No No No Std.; 45-200 cps Opt.; 300 lpm Optional No No No Std.; 12 x 40 char.	No No No No No Std.; 45-200 cps Opt.; 300 lpm Optional No No No Std.; 12 x 40 char.	No No No No No Opt.; 45-120 cps Opt.; 300 lpm No No No No Std.; 1728 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	— Yes Opt.; to 9600 bps Prophet 21	8 Opt.; to 2400 bps Opt.; to 9600 bps IBM 2780	16 Std.; to 4800 bps Std.; to 1200 bps IBM 2780, Bisync	16 Std.; to 4800 bps Std.; to 1200 bps IBM 2780, Bisync	1 Opt.; to 50K bps Opt.; to 38,400 bps TTY, RS-232
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No No No Prophet 21 Yes; 128 partitions No No Yes Industrial dist. & wholesalers Yes Random, sequential, index seq. No No	No No No No Yes PL/1 Multiprocessing Partially Fully Yes Acctg., credit unions, word proc. Yes Random, sequential, ISAM, KSAM No No	No No No No Yes PL/1 Multiprocessing Partially Fully Yes Credit unions, banks, gen'l. bus., wd. proc. — ISAM, KSAM, random, sequential Yes No	No No No No Yes PL/1 Multiprocessing Partially Fully Yes Credit unions, banks, gen'l. bus., wd. proc. — ISAM, KSAM, random, sequential Yes No	No No No QICBASIC Yes QICBASIC Yes; 5 partitions Partially Partially Yes Wholesale dist., medical clinics, CPA No Random, sequential, index sequential Some Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$59,000 Purchase only  July 1977 250	\$17,950 Purchase only  July 1978 NA	\$21,000 Purchase only  July 1977 250	\$7,625 Purchase only  July 1978 NA	\$11,950 —  December 1977 NA
<b>COMMENTS</b>	Turnkey system is marketed nationwide; see Report M11-840-301 for more details on CPU	Standard configuration for data & word processing, data entry; up to 64 intelligent workstations can share data base	Standard configuration for data & word processing, data entry; up to 64 intelligent workstations can share data base	Std. config. for data & word proc., data entry, prog. calc., intel. ter., graphics; up to 64 intelligent workstations can share data base	

\*\*Std.\*\* means the device is included in the price of the "basic system" as listed here.

Small Business Computer Specifications

MANUFACTURER & MODEL	Qantel 900, 950	Qantel 1400	Qantel 1400-2	Quodata E-500	Quodata E-600
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 Variable 3-10	8 2 1 Variable 3-10	8 2 1 Variable 3-10	12 3 2 — 1	16 4 2 1, 2 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Qantel std. CPU —  17 in memory 6	Qantel high-performance CPU —  6 + 17 in memory 12	Qantel high-performance CPU —  6 + 17 in memory 12	DEC PDP-8/A 2.6  1 —	DEC PDP-11/34 3.0  8 4, 6
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 64K 8K 1.5 —	MOS 40K 128K 8K 1.1 —	MOS 48K 128K 8K 1.1 —	Core or MOS 64K 256K 8K 1.2 1.2	Core or MOS 32K 256K 32K 0.9 0.45
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; to 2.6M bytes Std.; 6-36M bytes No No	Opt.; to 2.6M bytes Std.; 12-48MB Opt.; 25-600MB No	Opt.; to 2.6M bytes Opt.; 12-48MB Std.; 25-600MB No	Optional Std.; 64M bytes No No	Optional Standard Optional Optional
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard —	Standard Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 500 cpm No No Std.; 120 cps Opt.; 300-600 lpm Opt.; 36-72 KBS No No No Std.; 27 x 64 char.	No No Opt.; 500 cpm No No Opt.; 120 cps Std.; 300-600 lpm Opt.; 36-72 KBS No No No Std.; 27 x 64 char.	No No Opt.; 500 cpm No No Opt.; 120 cps Std.; 300-600 lpm Std.; 36-72 KBS No No No Std.; 27 x 64 char.	Optional Optional Optional Optional Optional Opt.; 180 cps Opt.; 300-900 lpm No No No Opt.; 1920 char.	Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional Optional; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.; to 50K bps Opt.; to 38,400 cps HASP, 2780, 3780	4 Opt.; to 50K bps Opt.; to 38,400 cps HASP, 2780, 3780	4 Opt.; to 50K bps Opt.; to 38,400 cps HASP, 2780, 3780	32 Optional Std.; to 19.2K bps IBM 2780, DDCMP	32 Optional Standard IBM 2780/3780, SDLC, etc.
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No QICBASIC Yes QICBASIC Yes Partially Partially  Yes Whlsl. dist., medical clinics, CPA No Random, sequential, index sequential Some Yes	No No No QICBASIC Yes QICBASIC Yes; 30 partitions Partially  Yes Whlsl. dist., medical clinics, CPA No Random, sequential, index sequential Some Yes	No No No QICBASIC Yes QICBASIC Yes; 30 partitions Partially  Yes Whlsl. dist., medical clinics, CPA No Random, sequential, index sequential Some Yes	Yes (subset) No Yes Yes Yes DIBOL Yes; 63 partitions No Partially  No General No Sequential, random  Yes Yes	Yes Yes Yes Yes Yes FOCAL Yes No No  Yes Education, municipal government Yes Random, sequential, index seq. Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$27,900 NA  1st qtr., 1975 NA	\$43,900 —  2nd qtr. 1977 NA	\$64,900 —  2nd qtr. 1977 NA	\$33,000 —  1974 100+	\$45,000 NA  1972 NA
<b>COMMENTS</b>	Program and report generating packages; up to 16 on-line terminals	Program and report generating packages; up to 64 on-line terminals	Program and report generating packages; up to 64 on-line terminals		Complete administrative and instructional systems

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Quodata E-700	Quodata E-940	Quodata QDP/78	Randal Data Systems Link-100	Randal Data Systems Link-200
<b>DATA FORMATS</b>					
Word length, bits	16	16 or 32	12	16	16
Decimal digits per word	4	4 or 8	4	4	4
Bytes (characters) per word	2	2 or 4	2	2	2
Operand length, words	—	—	1	Variable	Variable
Instruction length, words	1 or 2 or 3	1 or 2 or 3	1	1, 2, 3	1, 2, 3
<b>CPU</b>					
Model	DEC PDP-11/34	DEC PDP-11/70	DEC PDP-8/A	Randal-100	Randal-200
Add time, microseconds	2.16	Variable	3.0	1.2	1.2
No. of programmable registers	8	16	6 + 8 in memory	4	4
No. of I/O ports on basic system and maximum	—	—	4.4	63 max.	63 max.
<b>INTERNAL STORAGE</b>					
Type	MOS	Core	MOS	MOS	MOS
Capacity of basic system, bytes	128K	Cache plus 256K	32K (6-bit)	32K	32K
Maximum capacity, bytes	248K	2 million	32K (6-bit)	64K	64K
Increment size, bytes	32K	64K	None	16K	16K
Cycle time, microseconds	0.775	Variable	1.5	0.3	0.3
Access time, microseconds	0.635	Variable	0.75	0.3	0.3
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Optional	Optional	Std.; 500K bytes	Std.; 2.5M bytes	No
Cartridge disk drive	Optional	Optional	Optional	No	Std.; 10M bytes
Pack disk drive	Std.; 20M bytes	Std.; 88M bytes	No	No	No
Fixed-head disk/drum	Optional	Optional	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Optional	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Optional	Optional	No	No	No
Paper tape punch	Optional	Optional	No	No	No
Punched card reader	Optional	Optional	No	Opt.; 450 cpm	Opt.; 450 cpm
Punched card punch	Optional	Optional	No	No	No
Punched card reader/punch	Optional	Optional	No	No	No
Serial printer	Opt.; 180 cps	Opt.; 180 cpm	Standard	Opt.; 30, 55, 180 cps	Opt.; 30, 55, 180 cps
Line printer	Opt.; 300-900 lpm	Opt.; 300-900 lpm	Optional	Opt.; 300 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Standard	Standard	No	Opt.; 10 KBS	Opt.; 10 KBS
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Opt.; 1920 char.	Opt.; 1920 char.	Std.; 24 x 80 char.	Std.; 12 x 80 char.	Std.; 12 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	63	63	4	2	8
Synchronous	Optional	Optional	No	Opt.; 9600 bps	Opt.; 9600 bps
Asynchronous	Std.; to 9600 bps	Std.; to 9600 bps	Standard	Opt.; 9600 bps	Opt.; 9600 bps
Protocols supported	IBM 2780, DDCMP	IBM 2780, DDCMP	IBM 2780/3780,	IBM 2780, Univac DCT 1000	IBM 2780, Univac DCT 1000
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	No	No
RPG	Yes	Yes	No	No	No
FORTRAN	Yes	Yes	Yes	No	No
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	Yes	Yes	Yes	No
Other programming languages	APL, PASCAL, DIBOL	APL, PASCAL, DIBOL	QBOL	—	None
Multiprogramming	Yes; 63 partitions	Yes; 63 partitions	Yes	Yes; 2 users	Yes; 16 partitions
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	Partially	No; Timeshare OS	No; Timeshare OS
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Education & government	Education & government	General	Lumber industry; med., dental mgmt.	Lumber industry; med., dental mgmt.
Data base management system	Yes	Yes	No	No	No
File access methods supported	Sequential, random, index sequential	Sequential, random, index sequential	Random, sequential	Formatted, text, index sequential	Formatted, text, index sequential
Software separately priced	Yes	Yes	Yes (applications)	Yes	Yes
Technical help separately priced	Yes	Yes	Yes	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$65,000	\$142,000	\$9,990	\$12,750	\$24,506
Monthly rental of basic system, \$	—	—	NA	\$280	\$551
Date of first U.S. delivery	1973	1975	January 1978	October 1975	August 1976
Number installed in U.S. to date	100+	NA	NA	250	250
<b>COMMENTS</b>	Software systems specifically designed for educational institutions and government entities	Software systems specifically designed for educational institutions and government entities		Marketed exclusively through qualified distributors	Marketed exclusively through qualified distributors

\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Randal Data Systems Link-500	Raytheon PTS/1200 Mark I	Raytheon PTS/1200 Mark II	Span Management Systems	Sperry Univac BC/7-600
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	16 4 2 Variable 1, 2, 3	16 2 2 ½, 1, 1½ 1, 2	16 2 2 ½, 1, 1½ 1, 2	16 2 2 Variable 1	8 2 1 1 1, 2, 3
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Randal-500 1.2 (5 digits)  4 63 max.	PTS/1200 Mark I 4  4 42	PTS/1200 Mark II 2  4 42	IBM Series/1 2.6, 8.4 (2 bytes)  34 8; 256	Univac T3038 106 (5 digits)  7 3; 12
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 64K bytes 128K bytes 32K bytes 0.3 0.3	MOS 48K 128K 16K 1.28 0.80	MOS 48K 128K 16K 0.75 0.48	MOS 48K 256K 32K 0.660 0.300	MOS 48K 64K 16K 1.0 0.5
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 1.2M bytes No Std.; 200M bytes No	No Std.; 300M bytes No No	No Std.; 300M bytes No No	Opt.; 606K bytes — Opt.; 13.9M bytes Opt.; 9.4M bytes	Std.; 6M bytes No No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Optional No	Standard Optional No	Optional Optional Optional	Standard Standard —
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No 450 cpm No No Std.; 180 cps Opt.; 300 lpm Opt.; 10K cps No No No Std.; 12 x 80 char.	No No Opt.; 300 cpm No No Opt.; 15-165 cps Opt.; 600 lpm Std.; 800 bpi Std.; 600 bytes/sec. No No No Std.; 480, 960, 1920 char.	No No Opt.; 300 cpm No No Opt.; 15-165 cps Opt.; 600 lpm Std.; 800 bpi Std.; 600 bytes/sec. No No No Opt.; 480, 960, 1920 char.	No No No No No Opt.; 120 cps Opt.; 414 lpm No No No Opt.; 24 x 80 char.	No No Opt.; 300, 600 cpm Opt.; 75-160 cpm No Std.; 200 cps Opt.; 125 lpm No No No Std.; 1920 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	16 Opt.; 9600 bps Opt.; 9600 bps IBM 2780, DCT 1000	2 Std.; to 9600 bps Std.; to 9600 bps IBM 2780, 3780, HASP	2 Std.; to 9600 bps Std.; to 9600 bps IBM 2780, 3780, HASP	— Optional Optional Bisync, SDLC, Async	2 Std.; to 9600 bps No Transparent
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No Yes Yes — Yes No No Yes Distribution, medical, accounting No  Formatted, text, index sequential Yes Yes	No No No No No MACROL Yes; 20 partitions No No No Transport, insurance, finance Yes  Random, sequential, index seq. No Yes	No No No No No MACROL Yes; 20 partitions No No No Transport, insurance, finance Yes  Random, sequential, index seq. No Yes	No No No No Yes PASCAL Yes No No Yes Many Yes  IAM Yes Yes	No Yes No No No ESCORT Yes; 2 partitions Partially No Yes Distribution, manufacturing No  Random, sequential, index sequential No Partly
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$45,900 \$1,000  October 1977 NA	\$23,120 \$538 (3-yr. lease)  July 1978 NA	\$37,055 \$863 (3-yr. lease)  July 1978 NA	\$35,000 \$1,167 (1-yr. lease)  June 1977 NA	\$21,795 484  July 1978 NA
<b>COMMENTS</b>	Marketed exclusively through qualified distributors	Display-oriented distributed system; applications also in RJE, data entry, 3270 emulation, down-line support, source data entry	Display-oriented distributed system; applications also in RJE, data entry, 3270 emulation, down-line support, source data entry	System features sophisticated time-shared operating system on IBM hardware; vendor provides turnkey systems	Supports up to 2 workstations; entirely diskette-based

\*\*"Std.:" means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Sperry Univac BC/7-700	Sperry Univac BC/7-800	STC Systems Ultimacc 2010	STC Systems Ultimacc 3010	STC Systems Ultimacc 3080
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 1 1, 2, 3	8 2 1 1 1, 2, 3	16 4 2.3 ½ 1	16 4 2.3 ½ 1	16 4 2.3 ½ 1
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Univac T3038 106 (5 digits)  7 3: 12	Univac T3048 106 (5 digits)  7 3: 12	DG Nova 3/12 1.35  4 20	DG Nova 3D 1  4 60	DG Nova 3D 1  4 60
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 48K 64K 16K 1.0 0.5	MOS 128K 128K 16K 1.0 0.5	Core 32K 64K 16K 1.35 —	Core 32K 256K 32K 1 —	Core 32K 256K 32K 1 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 4M bytes Opt.: 40M bytes No No	Opt.: 4M bytes Opt.: 40M bytes No No	Optional Std.: 10-40M bytes No No	Optional Std.: 10-40M bytes No No	Optional No Std.: 80-320M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard —	Standard Standard —	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 300, 600 cpm Opt.: 75-160 cpm No Std.: 200 cps Opt.: 125-600 lpm Opt.: 20, 40 KBS No No No No Std.: 1920 char.	No No Opt.: 300, 600 cpm Opt.: 75-160 cpm No Std.: 200 cps Opt.: 125-600 lpm Opt.: 20, 40 KBS No No No No Std.: 1920 char.	Optional Optional Optional Optional Optional Std.: 165 cps Opt.: 300-600 lpm Opt.: 60 KBS No No No No Std.: 24 x 80 char.	Optional Optional Optional Optional Optional Opt.: 300-900 lpm Opt.: 60 KBS No No No No Std.: 24 x 80 char.	Optional Optional Optional Optional Optional Opt.: 300-900 lpm Opt.: 60 KBS No No No No Std.: 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	2 Std.: to 9600 bps No Transparent	2 Std.: to 9600 bps No Transparent	Unlimited Opt.: to 9600 bps Opt.: to 1200 bps IBM 2780/3780, 3270	Unlimited Opt.: to 9600 bps Opt.: to 1200 bps IBM 2780/3780, 3270	Unlimited Opt.: to 9600 bps Opt.: to 1200 bps IBM 2780/3780, 3270
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No Yes No No No No ESCORT Yes; 2 partitions Partially No Yes Distribution manufacturing No Random, sequential, index sequential No Partly	No Yes No No No No ESCORT Yes; 2 partitions Partially No Yes Distribution manufacturing No Random, sequential, index sequential No Partly	Yes No No Yes Yes ENGLISH 210 Yes; 8 partitions No No Yes Mfg., banking, dist., gov't., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes Yes ENGLISH 210 Yes; 50 partitions No No Yes Mfg., banking, dist., gov't., dist. proc. Yes Random, sequential, index sequential No No	Yes No No Yes Yes ENGLISH 210 Yes; 50 partitions No No Yes Mfg., banking, dist., gov't., dist. proc. Yes Random, sequential, index sequential No No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$31,200 693  March 1977 NA	\$35,475 788  July 1978 NA	\$51,000 Purchase only  1973 100	\$62,000 Purchase only  1975 20	\$75,000 Purchase only  1976 5
<b>COMMENTS</b>	Supports up to 4 workstations; disk-based, magnetic tape and diskettes for I/O	Supports up to 6 workstations; two applications programs and print spooling can be run concurrently	Company was formerly called Ultimacc Systems, Inc.; turn-key system; see Report M11-304-101 for more details on CPU	See Report M11-304-101 for more details on CPU	See Report M11-304-101 for more details on CPU

\*"Std." means the device is included in the price of the "basic system" as listed here.



Small Business Computer Specifications

MANUFACTURER & MODEL	STC Systems Ultimacc 3300	Sycor 404	Sycor 405	Sycor 410	Sycor 440
<b>DATA FORMATS</b>					
Word length, bits	16	8	8	8	8
Decimal digits per word	4	1	1	1	1
Bytes (characters) per word	2,3	1	1	1	1
Operand length, words	1/2	1	1	1	1
Instruction length, words	1	1-3	1-3	1-3	1-5
<b>CPU</b>					
Model	Nova 3D	Sycor 404	Sycor 405	Sycor 410	Sycor 440
Add time, microseconds	1	5.5	5.5	5.5	—
No. of programmable registers	4	7	7	7	7
No. of I/O ports on basic system and maximum	60	4	8	6	24
<b>INTERNAL STORAGE</b>					
Type	Core	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	32K	48K	48K	40K	24K
Maximum capacity, bytes	256K	48K	64K	64K	64K
Increment size, bytes	32K	—	16K	8K	8K
Cycle time, microseconds	1	0.25	0.25	0.50	0.50
Access time, microseconds		0.25	0.25	0.25	0.25
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Optional	Std.; 512K bytes	Std.; 2M bytes	Opt.; 256K bytes	Opt.; 256K
Cartridge disk drive	No	No	No	Std.; to 5M bytes	Std.; to 5M bytes
Pack disk drive	Std.; 300-1200M bytes	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	Optional	No	No	Optional	No
Paper tape punch	Optional	No	No	No	No
Punched card reader	Optional	No	No	Opt.; 250 cpm	Opt.; 250 cpm
Punched card punch	Optional	No	No	No	No
Punched card reader/punch	Optional	No	No	No	No
Serial printer	Optional	Opt.; to 180 cps	Opt.; to 180 cps	Std.; to 180 cps	Opt.; to 180 cps
Line printer	Opt.; 300-900 lpm	No	Opt.; 300 or 600 lpm	Opt.; 300 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Opt.; 60 KBS	No	Opt.; 10,000 cps	Opt.; 10,000 cps	Opt.; 10,000 cps
Cassette tape drive	No	No	No	Std.; 1000 cps	Std.; 1000 cps
Cartridge tape drive	No	No	No	No	Opt.; to 24,000 cps
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 2, 24 x 80 char.	Std.; 576 char. per screen	Opt.; to 8,576 char. per screen
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	Unlimited	2	2	2	2
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	Std.; to 9600 bps	Opt.; to 9600 bps
Asynchronous	Opt.; to 1200 bps	Opt.; to 1200 bps	Opt.; to 1200 bps	Opt.; to 1200 bps	Opt.; to 1200 bps
Protocols supported	IBM 2780/3780, 3270	IBM 2780/3780, TTY, SDLC	2780/3780, TTY, SDLC	HASP, TTY, RJE	2770, 2780, 3780, HASP, TTY, RJE
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	Yes	Yes
RPG	No	No	No	No	No
FORTRAN	No	No	No	No	No
BASIC	Yes	Yes	Yes	Yes	Yes
Assembler	Yes	No	No	No	No
Other programming languages	ENGLISH 210	TAL 2000	TAL 2000	TAL-2	TAL-2
Multiprogramming	Yes; 50 partitions	Yes; 2 partitions	Yes; 3 partitions	Yes	Yes
Language implemented in firmware	No	No	No	No	No
Operating system implemented in firmware	No	No	No	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	Mfg., banking, dist., gov't., dist. proc.	Mfg., distribution, medical	Mfg., distribution, medical	Used in many industries	Used in many industries
Data base management system	Yes	No	No	No	No
File access methods supported	Random, sequential, index sequential	Sequential, indexed, relative	Sequential, indexed, relative	Sequential, ISAM, random	Sequential, ISAM, random
Software separately priced	No	Yes, applications	Yes, applications	No	No
Technical help separately priced	No	No	No	No	No
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$87,000	\$6,250	\$13,750	\$25,230	\$25,670
Monthly rental of basic system, \$	Purchase only	NA	\$220	\$553	\$641
Date of first U.S. delivery	1976	October 1978	August 1978	May 1976	May 1976
Number installed in U.S. to date	3	—	—	NA	NA
<b>COMMENTS</b>					
	See Report M11-304-104 for more details on CPU			Designed for transaction proc. in distributed or stand-alone environments; industry application software packages are available through Sycor's distributors	Designed for transaction processing in distributed or stand-alone environments; industry application software packages are avail. through Sycor's distributors

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Sycor 445	Systems Approach Ltd. CS 20	Systems Approach Ltd. CS 40	Systems Approach Ltd. CS 60	Tal-Star TDMS System
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 1 1 1 1-3	16 2 2 1 1	16 2 2 1 1	16 2 2 1 1	16 4 2 1 1, 2
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Sycor 445 5.5  7 24	DG microNova 2.4  4 8	DG Nova 3/12 0.7 (16 bits)  4 8	DG Eclipse 0.7 (16 bits)  4 8	GA 18/30 2.4  16 —
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 64K 256K 32K 0.25 0.25	MOS 64K 64K — 0.96 —	MOS 64K 192K 64K 0.7 0.5	MOS 64K 256K 64K 0.7 0.5	Core 128K 256K 16K 1.2 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.: 256K bytes No Opt.: 4-70M bytes Opt.: 5, 10, 20M bytes	Std.: (4) 1200K bytes No No No	Std.: (2) 600K bytes Opt.: (4) 40M bytes Opt.: (4) 760M bytes No	Std.: (2) 600K bytes Opt.: (4) 80M bytes Opt.: (4) 850M bytes No	Opt.: 10M bytes No Std.: 300M bytes No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard; 1 Standard No	Standard; up to 9 Standard No	Standard; up to 17 Standard No	Standard Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.: 250 cpm No No Opt.: to 180 cps Opt.: 300 to 600 lpm Opt.: 10 KBS Opt.: 1,000 cps Std.: 12K cps No Std.: 8, 24 x 80 char.	No No No No No Std.: (1) 240 cps Opt.: (1) 300 lpm No No No No Std.: (1) 24 x 80 char.	No No No No No Std.: (9) 240 cps Opt.: (1) 300 lpm Optional No No No Std.: (9) 24 x 80 char.	No No No No No Std.: (17) 240 cps Opt.: (2) 300 lpm Optional No No No Std.: (17) 24 x 80 char.	Opt.: 400 cps Opt.: 75 cps Std.: 400 cpm Opt.: 100 cpm No Std.: 10 cps Std.: 240 lpm Opt.: 20-60 KBS No No No Opt.: 25 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	2 Opt.: to 9600 bps Opt.: to 1200 bps 2780/3780, TTY, SDLC, HASP, IRJE	No No No No	4 Optional Standard 2780, 3780, HASP, RJE80	4 Optional Standard 2780, 3780, HASP, RJE80	15 Opt.: to 9600 bps Std.: to 1200 bps None
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	Yes No No Yes No TAL II, TAL 2000 Yes; 16 partitions No No Yes Mfg., distribution, medical No Sequential, indexed, relative Yes, applications No	Yes No No No No No No Yes Mfg., medicine, dist., service org. No Random, sequential, index sequential Yes No	Yes No No No No Yes No No Yes Mfg., medicine, dist., service org. Yes Random, sequential, index sequential Yes No	Yes No No No No Yes No No Yes Mfg., medicine, dist., service org. Yes Random, sequential, index sequential Yes No	Yes Yes Yes No Yes None Yes; 2 partitions No No Yes Graphic arts, newspapers Yes Random, sequential, index sequential Yes Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	NA NA  May 1978 NA	\$16,000 \$430  Oct. 1978 —	\$41,000 \$950  July 1978 —	\$53,000 \$1,300  NA —	\$73,600 Purchase only  1972 NA
<b>COMMENTS</b>		Canadian dollars in Canada; Canada delivery dates; on-line, transaction-oriented system	Canadian dollars in Canada; Canada delivery dates; on-line, transaction-oriented system	Canadian dollars in Canada; Canada delivery dates; on-line, transaction-oriented system	Designed for text processing and composition; features data base management with on-line access; business applications for newspaper oper.

\*\*"Std." means the device is included in the price of the "basic system" as listed here.

## Small Business Computer Specifications

MANUFACTURER & MODEL	Tandem T16/240-1	Tandem T16/212-1	Tandem T16/244-1	Terak 8510	Terak 8510A
<b>DATA FORMATS</b>					
Word length, bits	16	16	16	16	16
Decimal digits per word	4.5	4.5	4.5	2	2
Bytes (characters) per word	2	2	2	2	2
Operand length, words	1/2	1/2	1/2	—	—
Instruction length, words	1	1	1	1-3	1-3
<b>CPU</b>					
Model	Tandem T16	Tandem T16	Tandem T16	DEC LSI-11	DEC LSI-11
Add time, microseconds	0.5 (5 digits)	0.5 (5 digits)	0.5 (5 digits)	3.5	3.5
No. of programmable registers	8	8	8	8	8
No. of I/O ports on basic system and maximum	64	256, 1024	256, 1024	2, 21	2, 21
<b>INTERNAL STORAGE</b>					
Type	MOS	Core	MOS	MOS, RAM	MOS, RAM
Capacity of basic system, bytes	96K	192K	192K	24K	56K
Maximum capacity, bytes	480K	448K	512K	56K	56K
Increment size, bytes	96K, 32K	64K	96K, 32K	8K	—
Cycle time, microseconds	0.5	0.8	0.5	1.2	1.2
Access time, microseconds	0.5	0.5	0.5	0.6	0.6
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	No	No	No	Std.; to 1024K bytes	Std.; to 1024K bytes
Cartridge disk drive	Opt.; 10M bytes	Opt.; 10M bytes	Opt.; 10M bytes	No	No
Pack disk drive	Opt.; 160M bytes	Opt.; 160M bytes	Opt.; 160M bytes	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Optional	Standard
10-key numeric keyboard	Optional	Optional	Optional	Optional	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	Opt.; 600 cpm	Opt.; 600 cpm	Opt.; 600 cpm	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Opt.; 30 cps	Opt.; 30 cps	Opt.; 30 cps	Opt.; 100 cps	Opt.; 100 cps
Line printer	Opt.; 120-1500 lpm	Opt.; 120-1500 lpm	Opt.; 120-1500 lpm	Opt.; 300 lpm	Opt.; 300 lpm
Reel-to-reel tape drive	Std.; 36 KBS	Std.; 72 KBS	Std.; 72 KBS	No	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Opt.; 24 x 80 char.	Opt.; 24 x 80 char.	Opt.; 24 x 80 char.	Opt.; 80 x 24 char.	Std.; 80 x 24 char. 240x320 dot graphics
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	64	2048	2048	4	4
Synchronous	Opt.; 5600 bps	Opt.; 5600 bps	Opt.; 5600 bps	No	No
Asynchronous	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; 9600 bps	Opt.; to 19.2K bps	Std.; to 19.2K bps
Protocols supported	IBM Bisync, TINET, Burroughs, ADM-2	IBM Bisync, TINET, Burroughs, ADM-2	IBM Bisync, TINET, Burroughs, ADM-2	None	None
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	No	No
RPG	No	No	No	No	No
FORTRAN	Yes	Yes	Yes	Yes	Yes
BASIC	No	No	No	Yes	Yes
Assembler	No	No	No	Yes	Yes
Other programming languages	TAL	TAL	TAL	APL	APL, PASCAL
Multiprogramming	256 partitions	256 partitions	256 partitions	Yes	Yes
Language implemented in firmware	Partially	Partially	Partially	No	No
Operating system implemented in firmware	Partially	Partially	Partially	No	No
General accounting packages	No	No	No	Yes	No
Industry application areas	Dist., banking, trans. processing	Dist., banking, trans. processing	Dist., banking, trans. processing	Small business, education	Education, graphics
Data base management system	Yes	Yes	Yes	Yes	Yes
File access methods supported	Index sequential, random, sequential	Index sequential, random, sequential	Index sequential, random, sequential	Random, sequential, index sequential	Random, sequential, index sequential
Software separately priced	Partly	Partly	Partly	Yes	Yes
Technical help separately priced	No	No	No	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$59,750	\$92,800	\$87,100	\$6,615	\$7,850
Monthly rental of basic system, \$	NA	NA	NA	—	—
Date of first U.S. delivery	October 1976	May 1976	May 1976	June 1976	April 1977
Number installed in U.S. to date	5	10	30	NA	NA
<b>COMMENTS</b>					
	Multiprocessor, fault-tolerant, "non-stop" system for on-line, transaction-oriented applications	Multiprocessor, fault-tolerant, "non-stop" system for on-line, transaction-oriented applications	Multiprocessor, fault-tolerant, "non-stop" system for on-line, transaction-oriented applications	Compatible with DEC RT-11 and standard DEC languages; compact, portable system	Features simultaneous graphics and character display; compact, portable system

\* "Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Wang PCS-II	Wang WCS-15	Wang 2200T	Wang 2200VP	Wang 2200MVP
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte	8-bit byte 1 per byte 1 per byte 1 byte 1 byte
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	Wang 2200 PCS-II 800 (13 digits)  None 3	Wang WCS-15 800 (13 digits)  None 3	Wang 2200T 800 (13 digits)  None 6; 9	Wang 2200VP 130 (13 digits)  None 9	Wang 2200MVP 130 (13 digits)  None 9
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 8K 32K 8K 1.6 —	MOS 16K 32K 8K 1.6 —	MOS 16K 32K 8K 1.6 —	MOS 16K 64K 16K 0.6 —	MOS 16K 64K 16K 0.6 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Opt.; 89-178K bytes No No No	Opt.; 524K bytes No No No	Opt.; 786K bytes Opt.; 20M bytes No No	Opt.; 786K bytes Opt.; 20M bytes No No	Opt.; 786K bytes Opt.; 20M bytes No No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Optional Optional No	Optional Optional No	Optional Optional No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No Opt.; 300 cpm No No Opt.; 200 cps Opt.; up to 600 lpm Opt.; 120 KBS No No No Optional; 16 x 64, 24 x 80 char.	No No Opt.; 300 cpm No No Opt.; 200 cps Opt.; to 600 lpm Opt.; 120 KBS No No No Standard; 16 x 64 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm Opt.; 45 cpm No Opt.; 200 cps Opt.; to 600 lpm Opt.; 120 KBS Opt.; 326 bps No Optional; 16 x 64, 24 x 80 char.	Opt.; 300 cps Opt.; 50 cps Opt.; 300 cpm Opt.; 45 cpm No Opt.; 200 cps Opt.; 600 lpm Opt.; 120 KBS No No Opt.; 16 x 64, 24 x 80 char.	No Opt.; 50 cps No No No Opt.; 200 cps Opt.; to 600 lpm Opt.; 120 KBS No No Optional; 16 x 64, 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	1 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	1 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	5 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	5 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741	5 Opt.; to 4800 bps Opt.; to 9600 bps IBM 2780/3780, 2741, 3741
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No Yes No None No Fully Partially Yes Mfg., dist., insur., banking Yes Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg., dist., insur., banking Yes Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg., dist., insur., banking Yes Random, sequential, index sequential Yes No	No No No Yes No None No Fully Partially Yes Mfg., dist., banking, insur., medical Yes Random, sequential, index sequential Yes No	No No No Yes No None Yes, 16 Fully Partially Yes Mfg., dist., insur., banking No Random, sequential, index sequential Yes No
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	\$4,800 \$144  March 1977 NA	\$8,700 \$261  February 1978 NA	\$5,000 \$150  January 1975 NA	\$8,000 \$240  November 1978 NA	\$9,000 \$270  January 1978 NA
<b>COMMENTS</b>	See Report M11-908-101 for details		See Report M11-908-101 for details	See Report M11-908-101 for details	See Report M11-908-101 for details

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Wang 2200VS-B	Wang 2200VS-C	Wang 2200VS-E	Warrex Computer Centurion I	Warrex Computer Centurion I-A
<b>DATA FORMATS</b>					
Word length, bits	32	32	32	8	8
Decimal digits per word	NA	NA	NA	2	2
Bytes (characters) per word	4	4	4	1	1
Operand length, words	1, 2	1, 2	1, 2	1, 2	1, 2
Instruction length, words	Variable	Variable	Variable	1, 2, 3	1, 2, 3
<b>CPU</b>					
Model	Wang 2200VS-B	Wang 2200VS-C	Wang 2200VS-E	CC-201	CC-201
Add time, microseconds	NA	NA	NA	3.6 (16 bits)	3.6 (16 bits)
No. of programmable registers	20	20	20	16	16
No. of I/O ports on basic system and maximum	8, 16	8, 24	8, 32	4; 12	4; 12
<b>INTERNAL STORAGE</b>					
Type	MOS	MOS	MOS	MOS	MOS
Capacity of basic system, bytes	64K	64K	256K	32K	32K
Maximum capacity, bytes	192K	256K	512K	64K	60K
Increment size, bytes	64K	64K	64K	8K, 16K, 32K	8K, 16K, 32K
Cycle time, microseconds	0.66	0.66	0.66	0.800	0.800
Access time, microseconds	NA	NA	NA	—	—
<b>MASS STORAGE CAPABILITIES*</b>					
Floppy disk drive	Std.; 318K bytes	Std.; 318K bytes	Std.; 318K bytes	Std.; 616 bytes	Std.; 616 bytes
Cartridge disk drive	No	No	No	No	No
Pack disk drive	No	No	No	No	No
Fixed-head disk/drum	No	No	No	No	No
<b>KEYBOARD INPUT*</b>					
Alphanumeric (typewriter) keyboard	Standard	Standard	Standard	Standard	Standard
10-key numeric keyboard	Standard	Standard	Standard	Standard	Standard
Full accounting keyboard	No	No	No	No	No
<b>INPUT/OUTPUT DEVICES*</b>					
Paper tape reader	No	No	No	No	No
Paper tape punch	No	No	No	No	No
Punched card reader	No	No	No	No	No
Punched card punch	No	No	No	No	No
Punched card reader/punch	No	No	No	No	No
Serial printer	Std.; 120 cps	Opt.; 120 cps	Opt.; 120 cps	Std.; 300 cps	Optional
Line printer	Opt.; to 600 lpm	Std.; to 600 lpm	Std.; to 600 lpm	No	Opt.; 125-600 lpm
Reel-to-reel tape drive	Opt.; 120 KBS	Opt.; 120 KBS	Opt.; 120 KBS	No	No
Cassette tape drive	No	No	No	No	No
Cartridge tape drive	No	No	No	No	No
Magnetic ledger card device	No	No	No	No	No
CRT	Std.; 24 x 80 char.	Std.; 24 x 80 char.	Std.; 24 x 80 char.	No	Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b>					
Maximum no. of lines	3	3	3	4, 12	4, 12
Synchronous	Opt.; to 9600 bps	Opt.; to 9600 bps	Opt.; to 9600 bps	No	No
Asynchronous	No	No	No	Optional	Optional
Protocols supported	2780/3780	2780/3780	2780/3780	None	None
<b>SOFTWARE SUPPORT</b>					
COBOL	Yes	Yes	Yes	No	No
RPG	Yes	Yes	Yes	No	No
FORTRAN	No	No	No	No	No
BASIC	Yes	Yes	Yes	No	No
Assembler	Yes	Yes	Yes	Yes	Yes
Other programming languages	Procedure	Procedure	Procedure	CPL I	CPL I
Multiprogramming	Yes; 3 users	Yes; 3 users	Yes; 3 users	Yes	Yes
Language implemented in firmware	Partially	Partially	Partially	No	No
Operating system implemented in firmware	Partially	Partially	Partially	No	No
General accounting packages	Yes	Yes	Yes	Yes	Yes
Industry application areas	No	No	No	Acct'g., route acct'g., inventory control	Acct'g., route acct'g., inventory control
Data base management system	No	No	No	No	No
File access methods supported	Virtual indexed, random, seq., ind. seq.	Virtual indexed, random, seq., ind. seq.	Virtual indexed, random, seq., ind., seq.	Random, sequential	Random, sequential
Software separately priced	Yes	Yes	Yes	Some	Some
Technical help separately priced	No	No	No	Yes	Yes
<b>PRICING &amp; AVAILABILITY</b>					
Purchase price of basic system, \$	\$38,000	\$48,800	\$110,800	Approx. \$14,900	Approx. \$20,000
Monthly rental of basic system, \$	\$1,140	\$1,464	\$3,324	Purchase/lease	Purchase/lease
Date of first U.S. delivery	December 1977	December 1977	December 1977	2nd qtr., 1977	2nd qtr., 1977
Number installed in U.S. to date	NA	NA	NA	600 (Centurion series)	600 (Centurion series)
<b>COMMENTS</b>					

\*"Std." means the device is included in the price of the "basic system" as listed here.

### Small Business Computer Specifications

MANUFACTURER & MODEL	Warrex Computer Centurion IIA	Warrex Computer Centurion IIB	Warrex Computer Centurion III	Warrex Computer Centurion VI
<b>DATA FORMATS</b> Word length, bits Decimal digits per word Bytes (characters) per word Operand length, words Instruction length, words	8 2 1 1, 2 1, 2, 3	8 2 1 1, 2 1, 2, 3	8 2 1 1, 2 1, 2, 3	8 2 1 1-256 1-7
<b>CPU</b> Model Add time, microseconds  No. of programmable registers No. of I/O ports on basic system and maximum	CC-202 3.6 (16 bits)  16 4; 12	CC-203 3.6 (16 bits)  16 4; 12	CC-203 3.6 (16 bits)  16 4; 12	CC-206 2.2 (16 bits)  16 4; 64
<b>INTERNAL STORAGE</b> Type Capacity of basic system, bytes Maximum capacity, bytes Increment size, bytes Cycle time, microseconds Access time, microseconds	MOS 32K 60K 8K, 16K, 32K 0.800 —	MOS 32K 60K 8K, 16K, 32K 0.800 —	MOS 32K 60K 8K, 16K, 32K 0.800 —	MOS (error corr.) 32K 252K 8K, 16K, 32K 0.600 —
<b>MASS STORAGE CAPABILITIES*</b> Floppy disk drive Cartridge disk drive Pack disk drive Fixed-head disk/drum	Std.; 616 bytes No Std.; 10.4-41.6MB No	Optional Std.; 10.4-41.6MB Optional No	Optional Std.; 10.4-41.6MB Optional No	Optional Std.; 10.4-77.6MB Optional No
<b>KEYBOARD INPUT*</b> Alphanumeric (typewriter) keyboard 10-key numeric keyboard Full accounting keyboard	Standard Standard No	Standard Standard No	Standard Standard No	Standard Standard No
<b>INPUT/OUTPUT DEVICES*</b> Paper tape reader Paper tape punch Punched card reader Punched card punch Punched card reader/punch Serial printer Line printer Reel-to-reel tape drive Cassette tape drive Cartridge tape drive Magnetic ledger card device CRT	No No No No No Optional Opt.; 125-600 lpm No No No No No No Std.; 24 x 80 char.	Opt.; 120 cps No Opt.; 300 cpm No No No Std.; 175 cps No No No No No Std.; 24 x 80 char.	Opt.; 120 cps No Opt.; 300 cpm No No Optional Std.; 125-600 lpm No No No No No Std.; 24 x 80 char.	Opt.; 120 cps No Opt.; 300 cpm No No Optional Std.; 125-600 lpm No No No No No Std.; 24 x 80 char.
<b>COMMUNICATIONS CAPABILITIES*</b> Maximum no. of lines Synchronous Asynchronous Protocols supported	4, 12 No Optional None	4, 12 No Optional None	4, 12 No Optional None	4, 64 No Optional None
<b>SOFTWARE SUPPORT</b> COBOL RPG FORTRAN BASIC Assembler Other programming languages Multiprogramming Language implemented in firmware Operating system implemented in firmware General accounting packages Industry application areas  Data base management system File access methods supported  Software separately priced Technical help separately priced	No No No No Yes CPL I Yes No No Yes Acct'g., route acct'g., inven. control No Random, sequential Some Yes	No No No No Yes CPL I Yes No No Yes Oil & gas acct'g., dist., banking, medical No Random, sequential Some Yes	No No No No Yes CPL I Yes No No Yes Oil & gas acct'g., dist., banking, medical No Random, sequential Some Yes	No No No No Yes CPL I, CPL II Yes Partially Partially Yes Oil & gas acct'g., dist., banking, medical No Random, sequential Some Yes
<b>PRICING &amp; AVAILABILITY</b> Purchase price of basic system, \$ Monthly rental of basic system, \$  Date of first U.S. delivery Number installed in U.S. to date	Below \$30,000 Purchase/lease  2nd qtr., 1977 600 (Centurion series)	Below \$36,000 Purchase/lease  May 1978 600 (Centurion series)	Below \$40,000 Purchase/lease  1974 600 (Centurion series)	NA Purchase/lease  1st qtr., 1979 0
<b>COMMENTS</b>				

\*"Std." means the device is included in the price of the "basic system" as listed here.