

Honeywell



LEVEL 6

**GCOS MOD 400
MASTER INDEX**

**SERIES 60 (LEVEL 6)
GCOS 6 MOD 400
MASTER INDEX**

SUBJECT

Summary of the Indexes for the Software Manuals in the Series 60 (Level 6)
GCOS Manual Set

SOFTWARE SUPPORTED

This publication supports Release 100 of the Series 60 (Level 6) GCOS 6 MOD 400 Operating System; see the Manual Directory of the latest *GCOS 6 MOD 400 System Concepts* manual (Order No. CB20) for information as to later releases supported by this manual.

ORDER NUMBER

CB28, Rev. 0

April 1978

Honeywell

Preface

This document is a master index of the indexes taken from the software manuals in the GCOS 6 manual set.

Except for a summary of the topics covered in the manuals, the indexes of *Sort*, *Remote Batch User's Guide*, *Data Entry Facility User's Guide*, *File Transmission* and the language manuals are not included in the index.

Items in this index reference manuals by order number. Except where items are described alphabetically in a manual, items can also be found in the index of the referenced manual. System service macro calls can be recognized by the "\$" in the first character position of the macro call name and are described in alphabetic order in manual CB08. Commands and operator commands are described in alphabetic order in manuals CB02 and CB24.

Manual Directory

The following publications comprise the GCOS 6 software manual set. The Manual Directory in the latest *GCOS 6 MOD 400 System Concepts* manual lists the current revision number and addenda (if any) for each manual set.

Order No. Manual Title

CB01	<i>GCOS 6 Program Preparation</i>
CB02	<i>GCOS 6 Commands</i>
CB03	<i>GCOS 6 Communications Processing</i>
CB04	<i>GCOS 6 Sort/Merge</i>
CB05	<i>GCOS 6 Data File Organizations and Formats</i>
CB06	<i>GCOS 6 System Messages</i>
CB07	<i>GCOS 6 Assembly Language Reference</i>
CB08	<i>GCOS 6 System Service Macro Calls</i>
CB09	<i>GCOS 6 RPG Reference</i>
CB10	<i>GCOS 6 Intermediate COBOL Reference</i>
CB20	<i>GCOS 6 MOD 400 System Concepts</i>
CB21	<i>GCOS 6 MOD 400 Program Execution and Checkout</i>
CB22	<i>GCOS 6 MOD 400 Programmer's Guide</i>
CB23	<i>GCOS 6 MOD 400 System Building</i>
CB24	<i>GCOS 6 MOD 400 Operator's Guide</i>
CB25	<i>GCOS 6 MOD 400 FORTRAN Reference</i>
CB26	<i>GCOS 6 MOD 400 Entry-Level COBOL Reference</i>
CB28	<i>GCOS 6 MOD 400 Master Index</i>
CB30	<i>Remote Batch Facility User's Guide</i>
CB31	<i>Data Entry Facility User's Guide</i>
CB32	<i>Data Entry Facility Operator's Quick Reference Guide</i>
CB33	<i>Level 6/Level 6 File Transmission</i>
CB34	<i>Level 6/Level 62 File Transmission</i>
CB35	<i>Level 6/Level 64 (Release 0300) File Transmission</i>
CB36	<i>Level 6/Level 66 File Transmission</i>
CB37	<i>Level 6/Series 200/2000 File Transmission</i>
CB38	<i>Level 6/BSC 2780 File Transmission</i>
CB39	<i>Level 6/Level 64 (Release 0220) File Transmission</i>

A-RECORD		
LOGIN FILE A-RECORD	CB24	
ABORT		
ABORT BATCH (ABORT-BATCH) OPERATOR COMMAND	CB24	
ABORT BATCH REQUEST (ABR OPERATOR COMMAND	CB24	
ABORT GROUP (\$ABGRP) MACRO CALL	CB08	
ABORT GROUP (ABORT-GROUP COMMAND)	CB02	
ABORT GROUP (ABORT-GROUP) OPERATOR COMMAND	CB24	
ABORT GROUP REQUEST (\$ABGRQ) MACRO CALL	CB08	
ABORT GROUP REQUEST (AGR) OPERATOR COMMAND	CB24	
WRITABLE CONTROL STORE ASSEMBLER ABORT CODES (XX1D)	CB06	
ABORT-GROUP		
ABORT-GROUP COMMAND	CB02	
ABSOLUTE		
ABSOLUTE ADDRESSES	CB01	
ABSOLUTE PATHNAME	CB01	
ABSOLUTE PATHNAME	CB02	
ABSOLUTE PATHNAMES	CB20	
ABSOLUTE PATHNAME		
ABSOLUTE PATHNAME	CB24	
ACCESS		
ACCESS BY LOGGING IN	CB22	
ACCESS CONTROL	CB05	
ACCESS CONTROL LIST	CB05	
ACCESS CONTROL LIST RECORD FILE/DIRECT (TBL)	CB05	
ACCESS THROUGH THE OPERATOR OR ANOTHER USER	CB22	
ACCESS THROUGH THE OPERATOR TERMINAL	CB22	
ACCESS TIME	CB05	
ACCESSING THE SYSTEM	CB20	
DATA FILE ACCESS	CB20	
DATA FILE ORGANIZATIONS AND ACCESS	CB20	
FILE ACCESS PROTECTION	CB24	
LOGIN COMMAND TO ACCESS SYSTEM	CB24	
METHODS OF ACCESSING RECORDS IN FILES	CB05	
OPERATOR ASSIGNED ACCESS	CB20	
SYSTEM ACCESS	CB20	
USER ACCESS TO THE SYSTEM	CB22	
USER DESIGNED ACCESS	CB20	
WAYS TO ACCESS THE SYSTEM	CB20	
ACCESS, FILE		
FILE ACCESS RIGHTS	CB08	
ACCOMMODATION		
HONEYWELL-SUPPLIED ACCOMMODATION PACKAGE	CB20	
ACCOUNT		
ACCOUNT IDENTIFICATION (\$ACTID) MACRO CALL	CB08	
ACKNOWLEDGE		
BSC WAIT BEFORE ACKNOWLEDGE (WACK) FEATURE	CB03	
EXAMPLE OF WAIT BEFORE ACK (WACK) SEQUENCE (FIG) ...	CB03	

ACTIVATE	
ACTIVATE BATCH (ACTB) OPERATOR COMMAND	CB24
ACTIVATE GROUP (\$ACTVG) MACRO CALL	CB08
ACTIVATE GROUP (ACTG) OPERATOR COMMAND	CB24
ACTIVATING A USER PROGRAM	CB02
ACTIVATED	
THE ACTIVATED LEAD TASK	CB20
ACTIVATION, TASK	
REGISTER CONTENTS TASK ACTIVATION	CB08
TASK ACTIVATION	CB08
ACTIVE	
DETERMINING/SETTING THE ACTIVE LEVEL	CB21
NO LEVEL ACTIVE DURING DUMP EXCEPT LEVEL 63	CB21
USER LEVEL ACTIVE AT THE TIME OF DUMP	CB21
ACTIVITY	
FORMAT OF LEVEL ACTIVITY INDICATORS (FIG)	CB20
ACU	
ACU DIRECTIVE	CB23
ADDITIONAL INFORMATION RECORDS	
DIRECTORY INFORMATION (TBL)	CB05
FILE INFORMATION (TBL)	CB05
REMOTE EXTENTS (TBL)	CB05
ADDRESS	
ABSOLUTE ADDRESS	CB01
ADDRESS AS LINE POSITION RELATIVE TO CURRENT LINE ..	CB01
COMPOUND ADDRESS	CB01
DESIGNATING A LINE NUMBER AS AN ADDRESS -EDITOR ..	CB01
DESIGNATING CONTENTS OF LINE AS AN ADDRESS	CB01
IMMEDIATE MEMORY ADDRESS OPERANDS	CB01
LOCATION ADDRESS ARGUMENTS	CB08
LONG ADDRESS FORM	CB21
METHODS OF SPECIFYING ADDRESS	CB01
SHORT ADDRESS FORM	CB21
ADDRESSING	
ADDRESSING MODE	CB01
ADDRESSING CONVENTIONS	
ADDRESSING CONVENTIONS	CB08
ADVANCED	
ADVANCED DATA TRANSMISSION (BSC)	CB03
TO READ DATA FROM A BSC COMMUNICATION LINE (ADVANCE) CB03	
TO WRITE DATA TO A BSC COMMUNICATION LINE (ADVANCED) CB03	
ALLOCATION	
DATA STRUCTURES ALLOCATION AND INITIALIZATION	CB08
DIRECTORY SECTOR ALLOCATION	CB08
MONITOR SERVICES MEMORY ALLOCATION FUNCTIONS	CB08

AMPERSAND	
(SEE PARAMETER (SUBSTITUTION))	
AMPERSAND (&) PARAMETER	CB24
SUBSTITUTION	CB24
APPEND	
APPEND DIRECTIVE	CB01
AREA	
FILE CONTROL STRUCTURES IN THE SYSTEM POOL AREA	CB20
INTERRUPT SAVE AREA (ISA)	CB20
OPERATING SYSTEM AREA	CB20
SYSTEM POOL AREA	CB20
TRAP SAVE AREA	CB21
AREAS	
INTERRUPT SAVE AREAS	CB21
ARG	
ADDITIONAL COMMAND LINE ARGUMENTS (ARG)	CB02
ARG ARGUMENTS	
ARG ARGUMENTS PASSED TO TASK	CB24
COMMAND LINE (ARG) ARGUMENTS	CB24
ARGUMENT	
ADDITIONAL COMMAND LINE ARGUMENTS (ARG)	CB02
ARGUMENT	CB02
ARGUMENT LIST (FIG)	CB20
ARGUMENT LISTS AND POINTER ARRAYS	CB01
ARGUMENT NESTING	CB24
ARGUMENT PASSING	CB02
ARGUMENTS	CB20
CONTROL ARGUMENT	CB02
CONTROL ARGUMENT	CB24
INPUT-COMMAND ARGUMENT	CB24
KEYWORD ARGUMENT	CB02
KEYWORD ARGUMENT	CB24
LOCATION ADDRESS ARGUMENT	CB08
POSITIONAL ARGUMENT	CB02
POSITIONAL ARGUMENT	CB24
ARRAYS	
ARGUMENT LISTS AND POINTER ARRAYS	CB01
ASCII	
APPEND ASCII CHARACTERS TO PATHNAME	CB08
ASCII AND EBCDIC CHARACTER SETS (FIG)	CB02
ASCII AND ERCDIC CHARACTER SETS	CB03
ASCII AND EBCDIC CHARACTER SETS	CB05
ASCII AND EBCDIC CHARACTERS	CB08
ASCII AND EBCDIC CONTROL CHARACTERS	CB08
ASCII AND HEXADECIMAL EQUIVALENT CHARACTERS	CB24
ASCII CARD-TO-MEMORY CODE FORMAT (FIG)	CB08
ASCII CHARACTERS	CB24
ASCII COLLATING SEQUENCE	CB04
ASCII COLLATING SEQUENCE	CB09

ASCII MODE FORMAT FOR CARD DATA	CB05
ASCII/HEXADECIMAL EQUIVALENTS (TBL)	CB08
ASCII/HEXADECIMAL EQUIVALENTS	CB05
ASCII/HOLLERITH CARD CODES	CB30
ASCII/LEVEL 64 EMULATOR CODE TRANSLATION	CB39
ASCII/SERIES 200/2000 CODE TRANSLATION	CB37
BSC ASCII INPUT	CB03
BSC ASCII OUTPUT	CB03
CARD READER ASCII MODE	CB08
CODE SET	CB33
CODE SET	CB34
CODE SET	CB35
CODE SET	CB38
EBCDIC/ASCII TRANSLATION TABLE	CB34
EBCDIC/ASCII TRANSLATION TABLE	CB35
STANDARD CHARACTER SET (L66 FILE TRANSMISSION)	CB36

ASCII/HEXADECIMAL

ASCII/HEXADECIMAL EQUIVALENTS (TBL)	CB02
ASCII/HEXADECIMAL EQUIVALENTS (TBL)	CB03

ASR/KSR

ASR/KSR DRIVERS	CB08
ASR/KSR IORB FIELDS	CB08
ASR/KSR KEYBOARD INPUT	CB08
ASR/KSR PRINTER OUTPUT	CB08
ASR/KSR RCT FIELDS	CB08
ASR/KSR STATUS CODING MAPPING	CB08

ASSEM

ASSEM COMMAND	CB02
---------------------	------

ASSEMBLER

(SEE ALSO ASSEMBLY LANGUAGE)	
ASSEMBLER MESSAGES (XX10)	CB06
ASSEMBLER OUTPUT LISTING (SMPMAN) (FIG)	CB22
LOADING AND EXECUTING THE ASSEMBLER	CB01
USING THE ASSEMBLER AND MACRO PREPROCESSOR	CB22
WRITABLE CONTROL STORE ASSEMBLER ABORT CODES (XX1D)	CB06

ASSEMBLY

ASSEMBLY LANGUAGE PROGRAM INDEPENDENCE	CB01
ASSEMBLY LANGUAGE PROGRAM INDEPENDENCE	CB20
RELOCATION IN ASSEMBLY	CB21
SAF/LAF INDEPENDENCE BY ASSEMBLY	CB01

ASSEMBLY LANGUAGE

(SEE ALSO ASSEMBLER)	
ASSEMBLER (ASSEM) COMMAND	CB02
DEBUGGING PROGRAMS	CB07
SOURCE CODE ERROR FLAGS	CB07
SOURCE LANGUAGE	CB07
USING THE ASSEMBLER	CB22

ASSIGN

ASSIGN DIRECTIVE	CB21
------------------------	------

ASSIGNING	
ASSIGNING PRIORITIES TO APPLICATION TASKS	CB20
ASSIGNING PRIORITIES TO SYSTEM TASKS	CB20
OPERATOR ASSIGNED ACCESS	CB20
ASSIGNMENTS	
EXAMPLE OF LRN AND PRIORITY LEVEL ASSIGN (FIG)	CB20
PERIPHERAL DEVICE ASSIGNMENTS	CB20
PRIORITY ASSIGNMENTS FOR TASKS	CB20
PRIORITY LEVEL ASSIGN FOR TASKS AND DEVICES (TBL) ..	CB20
ASSOC	
ASSOC COMMAND	CB02
ASSOC COMMAND	CB21
ATTENTION	
DISABLE DEVICE ON ATTENTION (\$DSDV) MACRO CALL	CB08
RESET DEVICE ATTENTION (\$RDVAT) MACRO CALL	CB08
ATTRIBUTE	
BOUND UNIT ATTRIBUTE TABLE AND THE LOADER	CB21
AUTODIAL	
AUTODIAL FEATURE	CB03
AUXILIARY	
AUXILIARY BUFFERS	CB01
BASE	
BASE DIRECTIVE	CB21
BASE PRIORITY LEVEL	CB02
ILLUSTRATION OF USAGE OF BASE DIRECTIVES	CB21
BASIC	
BSC BASIC DATA TRANSMISSION MODE	CB03
FUNCT TO SUPPORT THE BASIC VIP TERMINAL END POINT ..	CB03
TO READ DATA FROM A BSC COMM LINE (BASIC)	CB03
TO WRITE DATA TO A BSC COMM LINE (BASIC)	CB03
BATCH	
BATCH POOL AND ROLL-OUT	CB20
BATCH TASK GROUP	CB20
BATCH TASK GROUP CONTROL STRUCTURES	CB20
EXECUTION OF AN APPLICATION FROM BATCH TASK GROUP ..	CB22
MONITOR SERVICES BATCH FUNCTIONS	CB08
REMOTE BATCH FACILITY (RBF)	CB20
REMOTE BATCH FACILITY MESSAGES (XX33)	CB06
REMOTE BATCH OPERATIONS	CB20
REQUEST BATCH (\$RQBAT) MACRO CALL	CB08
TASK GROUP/TASK FUNCTIONS FROM ONLINE OR BATCH (TBL)	CB20
BATCH COMMANDS	
ABORT BATCH (ABORT-BATCH) OPERATOR COMMAND	CB24
ABORT BATCH REQUEST (ABR) OPERATOR COMMAND	CB24
ACTIVATE BARCH (ACTB) OPERATOR COMMAND	CB24
CREATE BATCH (CB) OPERATOR COMMAND	CB24
DELETE BATCH (DB) OPERATOR COMMAND	CB24

ENTER BATCH REQUEST (EBR) OPERATOR COMMAND	CB24
SUSPEND BATCH (SSPB) OPERATOR COMMAND	CB24
BATCH MEMORY POOL	
MEMORY FOR ONLINE AND BATCH MEMORY POOLS	CB23
BES	
BES SYSTEM SERVICE FUNCTIONS NOT EMULATED	CB20
BES SYSTEM SERVICES EMULATED WITH RESTRICTIONS	CB20
COMPLETELY EMULATED BES SYSTEM SERVICES	CB20
CONVERTING BES PROGRAMS TO MOD 400	CB20
EXECUTING BES PROGRAMS UNDER MOD 400	CB20
EXECUTING BES SYSTEM SERVICES UNDER MOD 400	CB20
BES-MOD 400	
BES-MOD 400 COMPATIBILITY	CB20
BIDIRECTIONAL	
LOGIC OF BIDIRECTIONAL FLOW FOR MULT TERMINALS (FIG)	CB03
LOGIC OF BIDIRECTIONAL FLOW FOR ONE TERM (FIG)	CB03
BIT STRUCTURE, PROGRAM VIEW	
PROGRAM VIEW BIT STRUCTURE	CB08
BLOCK	
BLOCK CHECKING (COMM)	CB03
CLOCK REQUEST BLOCK (\$CRB) MACRO CALL	CB08
CLOCK REQUEST BLOCK FORMAT	CB08
CLOCK REQUEST BLOCK TEMPLATE (\$CRBD) MACRO CALL	CB08
CONTENTS OF FILE INFORMATION BLOCK (FIB) (TBL)	CB08
CONTENTS OF I/O REQUEST BLOCK (IORB) (TBL)	CB08
CONTENTS OF THE I/O REQUEST BLOCK (COMM) (TBL)	CB03
DEFINITION	CB05
DEVICE DRIVER POSITION BLOCK FUNCTION	CB08
FILE INFORMATION BLOCK (FIB)	CB08
FILE INFORMATION BLOCK FORMAT	CB08
FILE SYSTEM FILE INFORMATION BLOCK (FIB)	CB08
FIRST FOUR ITEMS REQUEST BLOCK (FIG)	CB08
FORMAT OF CLOCK REQUEST BLOCK (FIG)	CB08
FORMAT OF FILE INFORMATION BLOCK (FIB) (FIG)	CB08
FORMAT OF I/O REQUEST BLOCK (IORB) (FIG)	CB08
FORMAT OF PARAMETER BLOCK (FIG)	CB08
FORMAT OF SEMAPHORE REQUEST BLOCK (SRB) (FIG)	CB08
FORMAT OF TASK REQUEST BLOCK (FIG)	CB08
GET FILE INFO FILE ATTR BLOCK OFFSETS (\$GIFAB) MACRO	CB08
GET FILE INFO KEY DESC BLOCK OFFSETS (\$GIKDB) MACRO	CB08
GET FILE INFO PARAM STRUCT BLOCK OFFSETS (\$GIPS) MACRO	CB08
GET FILE PARAM STRUCT BLOCK OFFSETS (\$GTPSB) MACRO	CB08
INPUT/OUTPUT REQUEST BLOCK (IORB) (COMM)	CB03
INPUT/OUTPUT REQUEST BLOCK (IORB)	CB08
INPUT/OUTPUT REQUEST BLOCK FORMAT	CB08
MAG TAPE BLK/LOGICAL REC SIZE VALIDITY CHECK (FIG)	CB02
MEMORY BLOCK	CB08
MONITOR SERVICES PARAMETER BLOCK AND WAIT LIST	CB08
MONITOR SERVICES REQUEST BLOCK STRUCTURES	CB08
MONITOR SERVICES REQUEST BLOCK TEMPLATES	CB08
PARAMETER BLOCK FORMAT	CB08

PARAMETER BLOCK GENERATE (\$PRBLK) MACRO CALL	CB08
READ BLOCK (\$RDBLK) MACRO CALL	CB08
REQUEST BLOCK (RB) DEFINITION	CB08
RETURN REQUEST BLOCK ADDRESS (\$RBADD) MACRO	CB08
SEMAPHORE REQUEST BLOCK FORMAT	CB08
TASK CONTROL BLOCK (TCB) DEFINITION	CB08
TASK REQUEST BLOCK FORMAT	CB08
BLOCK HEADER	
BLOCK HEADER FOR TAPE-RESIDENT SEQUENTIAL FILES(TBL)	CB05
CONTROL INTERVAL AND BLOCK HEADERS	CB05
BLOCKS	
REQUEST BLOCKS	CB01
BOOTSTRAP	
BOOTSTRAP OPTIONS	CB23
CREATING ISL BOOTSTRAP RECORD	CB23
BOUND	
BOUND UNIT ATTRIBUTE TABLE AND THE LOADER	CB21
BOUND UNIT FLOATABLE OVERLAY	CB21
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
BOUND UNIT NONFLOATABLE OVERLAY	CB21
BOUND UNIT ROOT	CB21
CLEAR ALL BOUND UNIT DIRECTIVE	CB21
CLEAR BOUND UNIT DIRECTIVE	CB21
CREATING A BOUND UNIT	CB21
CREATING A SHAREABLE BOUND U USING A HIGH LEVEL LANG	CB21
LIST ALL BOUND UNIT BREAKPOINTS DIRECTIVE	CB21
LIST BOUND UNIT BREAKPOINT DIRECTIVE	CB21
SET BOUND UNIT BREAKPOINT DIRECTIVE	CB21
BOUND UNIT COMMANDS	
LOAD SHARABLE BOUND UNIT (LOAD) OPERATOR COMMAND ...	CB24
UNLOAD SHARABLE BOUND UNIT (UNLD) OPERATOR COMMAND ..	CB24
BOUND UNITS	
BOUND UNITS	CB20
COMPARISON OF OS EXTENSIONS AND SHAREABLE BU (TBL) ..	CB20
LOADING BOUND UNITS (SEARCH RULES)	CB20
SHAREABLE BOUND UNITS	CB20
BREAK	
(RESPONSE TO: SEE BYE,PI,SR,UW,NEW-PROC)	CB02
BREAK (TASK INTERRUPT) PROCEDURES	CB24
BREAK COMMAND EXAMPLES	CB24
BREAK FUNCTION USAGE	CB02
BYE RESPONSE COMMAND TO BREAK	CB24
DEVICE DRIVER BREAK NOTIFICATION FUNCTION	CB08
OIM DIRECTIVE FOR BREAK (TASK INTERRUPT)	CB24
PROGRAM INTERRUPT (PI) RESPONSE COMMAND TO BREAK ...	CB24
START (SR) RESPONSE COMMAND TO BREAK	CB24
UNWIND (UW) RESPONSE COMMAND TO BREAK	CB24
BREAKPOINT	
CLEARING A BREAKPOINT	CB21

CONTROLLING OUTPUT USING A BREAKPOINT	CB21
LIST ALL BOUND UNIT BREAKPOINT DIRECTIVE	CB21
LIST ALL BREAKPOINT DIRECTIVE	CB21
LIST BOUND UNIT BREAKPOINT DIRECTIVE	CB21
LIST BREAKPOINT DIRECTIVE	CB21
SET BOUND UNIT BREAKPOINT DIRECTIVE	CB21
SET BREAKPOINT DIRECTIVE	CB21
SETTING BREAKPOINT	CB21

BSC

BSC 2780 TRANSMISSION MODES AND LINE CONNECTION	CB03
BSC ADVANCED DATA TRANSMISSION MODE	CB03
BSC ASCII INPUT	CB03
BSC ASCII OUTPUT	CB03
BSC BASIC DATA TRANSMISSION MODE	CB03
BSC CONSIDERATIONS	CB03
BSC CONTROL BYTE (RECEIVE)	CB03
BSC CONTROL BYTE (TRANSMIT)	CB03
BSC DIRECTIVE	CB23
BSC EBCDIC INPUT	CB03
BSC EBCDIC OUTPUT	CB03
BSC END OF TEXT (EOT) FEATURE	CB03
BSC INPUT FEATURES	CB03
BSC IORB FIELD VALUES	CB03
BSC LINE CONTENTION	CB03
BSC LINE PROTOCOL HANDLER	CB03
BSC LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
BSC MESSAGE FORMAT (INPUT) (FIG)	CB03
BSC MESSAGE FORMAT (OUTPUT) (FIG)	CB03
BSC MESSAGE FORMAT (TRANSMITTING) (FIG)	CB03
BSC MODELS	CB03
BSC NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
BSC OUTPUT FEATURES	CB03
BSC REVERSE INTERRUPT (RVI) FEATURE	CB03
BSC TEMPORARY TEXT DELAY (TTD) FEATURE	CB03
BSC TRANSPARENT EBCDIC INPUT	CB03
BSC TRANSPARENT EBCDIC OUTPUT	CB03
BSC TWO-BUFFER FEATURE (OUTPUT)	CB03
BSC WAIT BEFORE ACKNOWLEDGE (WACK) FEATURE	CB03
COBOL COMM APPLICATION FOR BSC (BSCTST) (FIG)	CB03
EXAMPLE OF BSC 2780 COMMUNICATION (FIG)	CB03
SAMPLE BSC APPLICATION (BSCTST)	CB03
STRUCTURE OF AN APPLICATION FOR A BSC DEVICE (FIG) ..	CB03
STRUCTURE OF AN APPLICATION FOR A BSC DEVICE	CB03
TO READ DATA FROM A BSC COMM LINE	CB03
TO WRITE DATA TO A BSC COMM LINE	CB03

BSC-SPECIFIC

BSC-SPECIFIC IORB FIELD VALUES (TBL)	CB03
--	------

BUFFER

BUFFER STATUS DIRECTIVE	CB01
CHANGE BUFFER DIRECTIVE	CB01

BUFFERED

BUFFERED MODE TTY TRANSMISSION (VIP 7200 ONLY)	CB03
BUFFERED OPERATIONS (COMM)	CB03

BUFFERED READ OPERATIONS	CB20
BUFFERED WRITE OPERATIONS	CB20
DISK AND MAGNETIC TAPE BUFFERED OPERATIONS	CB20
FILE SYSTEM BUFFERED OPERATIONS	CB20
TTY INPUT FEATURES (BUFFERED MODE)	CB03
TTY OUTPUT FEATURES (BUFFERED MODE)	CB03
UNIT RECORD AND TERMINAL BUFFERED OPERATIONS	CB20
BUFFERS	
AUXILIARY BUFFERS	CB01
BYE	
BYE COMMAND	CB02
CALL	
CALL FORTRAN ROUTINES FROM AN ENTRY-LEVEL COBOL MAIN	CB22
INTERPRETING MONITOR CALL NUMBER ON MEMORY DUMPS ...	CB21
SUMMARY OF EXECUTIVE MONITOR CALL (TBL)	CB21
CALL-CANCEL	
CALL-CANCEL DIRECTIVE (CC)	CB21
CALLING	
CALLING SEQUENCE FOR EXTERNAL PROCEDURES	CB20
FORTRAN PROGRAMS CALLING THE CHAIN FUNCTION (FIG) ...	CB22
CALLS	
SEE MACRO CALLS	CB20
CANCEL	
CANCEL CLOCK REQUEST (\$CNCRQ) MACRO CALL	CB08
CANCEL SEMAPHORE REQUEST (\$CNSRQ) MACRO CALL	CB08
CARD	
ASCII MODE FORMAT FOR CARD DATA	CB05
CARD DATA FORMAT	CB05
CARD FILE ORGANIZATION (FIG)	CB05
VERBATIM MODE FORMAT FOR CARD DATA (FIG)	CB05
CARD PUNCH	
CARD PUNCH IORB FIELDS (TBL)	CB08
CARD READER	
CARD READER ASCII MODE	CB08
CARD READER DRIVER	CB08
CARD READER IORB FIELDS	CB08
CARD READER IORB STATUS CODE MAPPING (TBL)	CB08
CARD READER RCT FIELDS	CB08
CARD READER STATUS CODE MAPPING	CB08
CARD READER VERBATIM MODE	CB08
CARD READER/PUNCH	
CARD READER/PUNCH DRIVER	CB08
CARD READER/PUNCH IORB FIELDS	CB08
CARD READER/PUNCH RCT FIELDS	CB08
CARD READER/PUNCH STATUS CODE MAPPING	CB08

CARTRIDGE DISK	
(SEE SYSTEM CARTRIDGE DISK)	
CARTRIDGE DISK DRIVER	CB08
CARTRIDGE DISK IORB FIELDS	CB08
CARTRIDGE DISK RCT FIELDS	CB08
CARTRIDGE DISK RCT/IORB STATUS CODE MAPPING	CB08
CC	
CALL-CANCEL DIRECTIVE (CC)	CB21
CC DIRECTIVE	CB21
CCP	
CHANNEL CONTROL PROGRAM (CCP) FUNCTIONS	CB03
CD	
CD COMMAND	CB02
CF	
CF COMMAND	CB02
CG	
CG COMMAND	CB02
CG COMMAND	CB21
USING THE CG AND EGR COMMANDS	CB21
CHAINING	
CHANNEL	
CHANNEL CONTROL PROGRAM (CCP) FUNCTIONS	CB03
CHARACTER	
APPEND ASCII CHARACTER TO PATHNAME	CB08
ASCII AND EBCDIC CHARACTER	CB08
ASCII AND EBCDIC CHARACTER SETS (FIG)	CB02
ASCII AND EBCDIC CONTROL CHARACTER	CB08
ASCII AND HEXADECIMAL EQUIVALENT CHARACTER	CB24
ASCII CHARACTER	CB24
BSC NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
CHARACTER DELETE IN INPUT MESSAGE	CB24
CONTROL CHARACTER AS DATA CHARACTER	CB24
CONTROL CHARACTERS USED WITH INTERACTIVE FILES	CB03
DECLARING A CONTROL CHARACTER A DATA CHARACTER	CB02
DEVICE-SPECIFIC CONTROL CHARACTERS	CB03
PRINT CONTROL CHARACTERS	CB03
SPECIAL GRAPHIC CHARACTER	CB08
TTY NONALPHANUMERIC CONTROL CHARACTERS (TBI)	CB03
VIP NONALPHANUMERIC CONTROL CHARACTERS (TBI)	CB03
CHARACTERISTICS	
CHARACTERISTICS OF TASK GROUPS AND TASKS	CB20
SYSTEM CHARACTERISTICS	CB20
CHECKING	
BLOCK CHECKING (COMM)	CB03
FORTRAN FILE STATUS CHECKING	CB03

CHECKOUT	
OVERVIEW OF PROGRAM EXECUTION AND CHECKOUT	CB21
PROGRAM EXECUTION AND CHECKOUT PROCEDURES (FIG)	CB21
CI	
(SEE ALSO CONTROL INTERVAL)	
CIP(COMMERCIAL INSTRUCTION PROCESSOR)	
(SEE COMMERCIAL INSTRUCTIONS IN CB07)	
COMMERCIAL INSTRUCTION PROCESSOR (CIP) SIMULATOR ...	CB08
CLEAR	
CLEAR ALL BOUND UNIT DIRECTIVE	CB21
CLEAR ALL DIRECTIVE	CB21
CLEAR BOUND UNIT DIRECTIVE	CB21
CLEAR DIRECTIVE	CB21
CLEAR EXTERNAL SWITCHES (\$CLRSW) MACRO CALL	CB08
CLEARING	
CLEARING A BREAKPOINT	CB21
CLM	
(SEE ALSO CONFIGURATION LOAD MANAGER)	
CLM COMMUNICATIONS ERROR MESSAGES (XX0B)	CB06
COMMUNICATIONS CLM DIRECTIVES	CB23
FILE SYSTEM PATHNAME IN CLM DIRECTIVES	CB23
FORMAT OF CLM DIRECTIVES	CB23
NONCOMMUNICATIONS CLM DIRECTIVES	CB23
RULES FOR ARRANGING NONCOMM CLM DIRECTIVES	CB23
SUMMARY OF COMMUNICATIONS-RELATED CLM DIRECTIVES ...	CB23
TOPICS RELATED TO NONCOMMUNICATIONS CLM DIRECTIVES .	CB23
CLMIN	
CLMIN DIRECTIVE	CB23
CLOCK	
CANCEL CLOCK REQUEST (\$CNCRQ) MACRO CALL	CB08
CLOCK MANAGER MESSAGES (XX04)	CB06
CLOCK REQUEST BLOCK (\$CRB) MACRO CALL	CB08
CLOCK REQUEST BLOCK FORMAT	CB08
CLOCK REQUEST BLOCK TEMPLATE (\$CRBD) MACRO CALL	CB08
DEACTIVATING REAL-TIME CLOCK	CB21
MONITOR SERVICES CLOCK FUNCTIONS	CB08
REQUEST CLOCK (\$RQCL) MACRO CALL	CB08
CLOSE FILE	
CLOSE FILE (\$CLFIL) MACRO CALL	CB08
COBOL	
CALL FORT ROUTINES FROM AN ENTRY-LEV COBOL MAIN PROG	CB22
COBOL COMM APPLICATION FOR A BSC (BSCTST) (FIG)	CB03
COBOL COMMAND	CB02
COBOL COMPILER MESSAGES (XX26)	CB06
COBOL COPY FILES	CB01
COBOL LISTING OF COBFRONT(FIG)	CB22
COBOL SUPPORT OF FILES ON COMMUNICATION DEVICES	CB03
COMMUNICATIONS-PROCESSING APPLICATIONS IN COBOL	CB03

COMPILE DIAGNOSTIC MESSAGES	CB26
GLOSSARY	CB26
INPUT OUTPUT FILE STRUCTURE	CB26
RESERVED WORDS	CB26
RUN-TIME CONSIDERATIONS	CB26
SOURCE LANGUAGE	CB26
STANDARD COBOL VERSUS LEVEL 6 COBOL	CB26
COBOL, ENTRY-LEVEL	
COMPILER DIAGNOSTIC MESSAGES	CB10
GLOSSARY	CB10
INPUT OUTPUT FILE STRUCTURE	CB10
RESERVED WORDS	CB10
RUN-TIME CONSIDERATIONS	CB10
SOURCE LANGUAGE	CB10
STANDARD COBOL VERSUS INTERMEDIATE COBOL	CB10
COBOLI	
COBOLI COMMAND	CB02
CODE	
ASCII CARD-TO-MEMORY CODE FORMAT (FIG)	CB08
COMMUNICATION FUNCTION CODES	CB03
COMMUNICATION HARDWARE/SOFTWARE STATUS CODES (TBL)	CB03
COMMUNICATIONS FUNCTION CODE	CB08
COMPONENT MESSAGES CODE (TBL)	CB06
DEVICE DRIVER FUNCTIONS AND FUNCTION CODE	CB08
DEVICE DRIVER INPUT/OUTPUT FUNCTION CODE (TBL)	CB08
DEVICE TYPE CODE	CB08
ERROR RETURN STATUS CODE (TBL)	CB08
FINDING THE LOCATION IN MEMORY OF YOUR CODE	CB21
HOLLERITH-ASCII CODE TABLE (TBL)	CB05
HOLLERITH-ASCII CODE TABLE (TBL)	CB08
MACRO CALLS AND FUNCTION CODE	CB08
MACRO CALLS, FUNCT CODE , AND REG CONTENTS (TBL)	CB08
PRINTER CONTROL BYTE CODES (TBL)	CB05
PVE FUNCTION CODES	CB03
RETURN STATUS CODES (TBL)	CB03
VIP FUNCTION CODES	CB03
WRITABLE CONTROL STORE ASSEMBLER ABORT CODE (XX1D)	CB06
CODES, HALT	
INITIALIZATION HALT R1-REGISTER CODES	CB24
COLLATING SEQUENCE	
ASCII	CB04
ASCII	CB09
EBCDIC	CB09

COLON		
PATHNAME COLON CONVENTION		CB02
COMM(COMMON)		
COMM DIRECTIVE		CB21
EXTERNAL SYMBOLS COMM DIRECTIVE		CB21
COMM(COMMUNICATIONS)		
COMM DIRECTIVE		CB23
COMMAND		
ACHIEVING COMMAND LEVEL		CB20
ASSOC COMMAND		CB21
CG COMMAND		CB21
COMMAND EMBEDDING		CB08
COMMAND ENVIRONMENT		CB20
COMMAND IN (\$CIN) MACRO CALL		CB08
COMMAND LANGUAGE		CB20
COMMAND LEVEL		CB20
COMMAND LINE FORMAT		CB20
COMMAND LINE PROCESS (\$CMDLN) MACRO CALL		CB08
COMMAND PROCESSOR AS LEAD TASK		CB22
COMMANDS FOR DIRECTORY AND FILE CONTROL		CB20
COMMANDS FOR EXECUTION CONTROL		CB20
COMMANDS FOR PROGRAM PREPARATION		CB20
COMMANDS FOR UTILITY SOFTWARE EXECUTION		CB20
DPEDIT COMMAND		CB21
EGR COMMAND		CB21
FUNCTIONAL SUMMARY OF COMMANDS		CB02
FUNCTIONS PERFORMED AT COMMAND LEVEL		CB20
GET COMMAND		CB21
INTERACTIVE COMMANDS		CB20
MSW COMMAND		CB21
OPERATOR COMMANDS		CB20
OPERATOR COMMANDS FOR EXECUTION CONTROL		CB20
OPERATOR COMMANDS FOR FILE CONTROL		CB20
OPERATOR COMMANDS TO MONITOR THE SYSTEM		CB20
SPACES IN COMMAND LINES		CB20
SYSTEM COMMAND MESSAGES (XX17)		CB06
USING THE CG AND EGR COMMAND		CB21
USING THE LOGIN COMMAND		CB21
USING THE SG COMMAND		CB21
COMMAND FILES		
(SEE COMMAND-IN,ERROR-OUT,USER-IN,USER-OUT IN CB02)		
COMMAND NAMES		
(SEE ALSO COMMANDS, LIST OF)		
ABORT-GROUP		CB02
ASSEM		CB02
ASSOC		CB02
BYE		CB02
CD		CB02
CF		CB02
CG		CB02
COBOL		CB02
COBOLI		CB02

CP	CB02
CPA	CB02
CT	CB02
CV	CB02
CWD	CB02
DG	CB02
DISSOC	CB02
DPEDIT	CB02
DT	CB02
EBR	CB02
FC	CB02
ED	CB02
EGR	CB02
ETR	CB02
EX-PAM	CB02
FC	CB02
FD	CB02
FO	CB02
FORTRAN	CB02
GET	CB02
IM-PAM	CB02
ISLCON	CB02
L	CB02
LCD	CB02
LINKER	CB02
LS	CB02
LSR	CB02
LWD	CB02
MACROP	CB02
MERGE	CB02
MF	CB02
MSG	CB02
MSW	CB02
NPROC	CB02
PATCH	CB02
PI	CB02
PR	CB02
RBT	CB02
RDF	CB02
RDN	CB02
REMOVE	CB02
RENAME	CB02
RL	CB02
RPG	CB02
RS	CB02
SDL	CB02
SG	CB02
SORT	CB02
SR	CB02
ST	CB02
STG	CB02
STTY	CB02
TIME	CB02
TRAN	CB02
TRANB	CB02
TRANH	CB02
UW	CB02

COMMAND NAMES, OPERATOR	
ABORT-BATCH	CB24
ABORT-GROUP	CB24
ABR	CB24
ACTB	CB24
ACTG	CB24
AGR	CB24
CB	CB24
CG	CB24
CSD	CB24
CWD	CB24
DB	CB24
DG	CB24
EBR	CB24
EC	CB24
EGR	CB24
FD	CB24
LOAD	CB24
LSR	CB24
LWD	CB24
MF	CB24
MSW	CB24
RAS	CB24
SG	CB24
SK	CB24
SSPB	CB24
SSPG	CB24
STG	CB24
STS	CB24
TIME	CB24
UNLD	CB24
WCSLD	CB24

COMMAND PROCESSOR FILES
 (SEE COMMAND-IN,ERROR-OUT,USER-IN,USER-OUT IN CB02)

COMMAND PROCESSOR FILES	
(SEE ALSO COMMAND FILES)	
COMMAND PROCESSOR TERMINATION	CB02
COMMAND-IN FILE	CB24
ERROR-OUT FILE	CB24
INPUT/OUTPUT FILE	CB24
OPERATOR-OUT FILE	CB24
USER-OUT FILE	CB24

COMMAND-IN
 COMMAND-IN FILE

COMMAND-IN FILE
 COMMAND PROCESSOR COMMAND-IN FILE

COMMANDS, OPERATOR FUNCTIONS AND NAMES	
ABORT BATCH (ABORT-BATCH)	CB24
ABORT BATCH REQUEST (ABR)	CB24
ABORT GROUP (ABORT-GROUP)	CB24
ABORT GROUP REQUEST (AGR)	CB24

ACTIVATE BATCH (ACTB)	CB24
ACTIVATE GROUP (ACTG)	CB24
CHANGE SYSTEM DIRECTORY (CSD)	CB24
CHANGE WORKING DIRECTORY (CWD)	CB24
CREATE BATCH (CB)	CB24
CREATE GROUP (CG)	CB24
DELETE BATCH (DB)	CB24
DELETE GROUP (DG)	CB24
ENTER BATCH REQUEST (EBR)	CB24
ENTER GROUP REQUEST (EGR)	CB24
EXECUTION COMMAND (EC)	CB24
FILE OUT (FO)	CB24
LIST SEARCH RULES (LSR)	CB24
LIST WORKING DIRECTORY (LWD)	CB24
LOAD SHARABLE BOUND UNIT (LOAD)	CB24
MODIFY EXTERNAL SWITCHES (MSW)	CB24
MODIFY FILE (MF)	CB24
REASSIGN (RAS)	CB24
SET DATE (SD)	CB24
SPAWN GROUP (SG)	CB24
STATUS GROUP (STG)	CB24
STATUS SYSTEM (STS)	CB24
SUSPEND BATCH (SSPB)	CB24
SUSPEND GROUP (SSPG)	CB24
TIME (TIME)	CB24
UNLOAD SHARABLE BOUND UNIT (UNLD)	CB24
WRITABLE CONTROL STORE LOAD (WCSLD)	CB24

COMMANDS, LIST OF

(SEE ALSO COMMAND NAMES)	
ABORT GROUP (ABORT-GROUP)	CB02
ASSEMBLER (ASSEM)	CB02
ASSOCIATE PATH (ASSOC)	CB02
BYE (BYE)	CB02
CHANGE WORKING DIRECTORY (CWD)	CB02
COBOL (COBOL)	CB02
COBOLI (COBOLI)	CB02
COMPARE (CPA)	CB02
COPY (CP)	CB02
CREATE DIRECTORY (CD)	CB02
CREATE FILE (CF)	CB02
CREATE GROUP (CG)	CB02
CREATE TASK (CT)	CB02
CREATE VOLUME (CV)	CB02
DELETE GROUP (DG)	CB02
DELETE TASK (DT)	CB02
DISSOCIATE PATH (DISSOC)	CB02
DUMP EDIT (DPEDIT)	CB02
EDITOR (ED)	CB02
ENTER BATCH REQUEST (EBR)	CB02
ENTER GROUP REQUEST (EGR)	CB02
ENTER TASK REQUEST (ETR)	CB02
EXECUTION COMMAND (EC)	CB02
EXPORT PAM FILE (EX-PAM)	CB02
FILE CHANGE (FC)	CB02
FILE DUMP (FD)	CB02
FILE OUT (FO)	CB02

FORTRAN (FORTRAN)	CB02
GET FILE (GET)	CB02
IMPORT PAM FILE (IM-PAM)	CB02
INVOKE RBT TASK GROUP (RBT)	CB02
ISL CONFIGURATOR (ISLCON)	CB02
LINKER (LINKER)	CB02
LIST CREATION DATE (LCD)	CB02
LIST NAMES (LS)	CB02
LIST SEARCH RULES (LSR)	CB02
LIST WORKING DIRECTORY (LWD)	CB02
LOGIN (L)	CB02
MACRO PREPROCESSOR (MACROP)	CB02
MERGE FILES (MERGE)	CB02
MESSAGE (MSG)	CB02
MODIFY EXTERNAL SWITCHES (MSW)	CB02
MODIFY FILE (MF)	CB02
NEW PROCESS (NEW-PROC)	CB02
PATCH (PATCH)	CB02
PRINT (PR)	CB02
PROGRAM INTERRUPT (PI)	CB02
READY OFF (RDF)	CB02
READY ON (RDN)	CB02
RELEASE (RL)	CB02
REMOVE FILE (REMOVE)	CB02
RENAME FILE (RENAME)	CB02
RESET MAP (RS)	CB02
RPG (RPG)	CB02
SET AUTODIAL TELEPHONE NUMBER (SDL)	CB02
SET TERMINAL CHARACTERISTICS (STTY)	CB02
SORT FILE (SORT)	CB02
SPAWN GROUP (SG)	CB02
SPAWN TASK (ST)	CB02
START (SR)	CB02
STATUS GROUP (STG)	CB02
TIME (TIME)	CB02
TRANSMIT FILE (TRAN)	CB02
TRANSMIT FILE (TRANB)	CB02
TRANSMIT FILE (TRANH)	CB02
UNWIND (UW)	CB02

COMMAS

COMMAS IN MACRO CALLS	CB08
-----------------------------	------

COMMENT

COMMENT DIRECTIVE	CB23
COMMENT PATCH DIRECTIVE	CB21

COMMERCIAL

COMMERCIAL INSTRUCTION PROCESSOR (CIP) SIMULATOR ...	CB08
--	------

COMMERCIAL INSTRUCTION PROCESSOR (CIP)

(SEE COMMERCIAL INSTRUCTIONS IN CB07)

COMMON

COMMON DEFINITIONS	CB21
--------------------------	------

COMMON ACCESS CONTROL LIST	
FOR A DIRECTORY (TBL)	CB05
FOR A FILE (TBL)	CB05
COMMUNICATION, TASK	
COMMUNICATION BETWEEN TASKS	CB08
COMMUNICATIONS	
CLM COMMUNICATIONS ERROR MESSAGES (XX0B)	CB06
COMM FILE TRANSMISSION PROGRAM MESSAGES (XX22)	CB06
COMMUNICATIONS CONNECT FUNCTION	CB08
COMMUNICATIONS DISCONNECT FUNCTION	CB08
COMMUNICATIONS FUNCTION CODES	CB08
COMMUNICATIONS SOFTWARE	CB20
INTER/INTRA TASK GROUP COMMUNICATION	CB20
INTERTASK COMMUNICATION	CB20
MONITOR SERVICES COMMUNICATIONS FUNCTIONS	CB08
MULTILINE COMM PROCESSOR(DUMCP)ERROR MESSAGES(XX34)	CB06
COMMUNICATIONS CLM DIRECTIVES	
ACU DIRECTIVE	CB23
BSC DIRECTIVE	CB23
COMM DIRECTIVE	CB23
DEVICE DIRECTIVE	CB23
LPHDEF DIRECTIVE	CB23
LPHN DIRECTIVE	CB23
MODEM DIRECTIVE	CB23
PVE DIRECTIVE	CB23
STATION DIRECTIVE	CB23
SUMMARY OF COMMUNICATIONS-RELATED CLM DIRECTIVES ...	CB23
TTY DIRECTIVE	CB23
VIP DIRECTIVE	CB23
COMMUNICATIONS TERMINAL	
COMMUNICATIONS TERMINAL WITH LISTENER	CB24
COMPATIBILITY	
BES-MOD 400 COMPATIBILITY	CB20
COMPIRATION	
VALID COMBINATIONS OF COMPIRATION UNITS FOR LINKING	CB01
COMPILER	
COBOL COMPILER MESSAGES (XX26)	CB06
FORTRAN COMPILER MESSAGES (XX14)	CB06
LOADING AND EXECUTING THE ENTRY-LEVEL COBOL COMPILER	CB01
LOADING AND EXECUTING THE FORTRAN COMPILER	CB01
LOADING AND EXECUTING THE RPG COMPILER	CB01
USING THE COBOL COMPILER	CB22
USING THE FORTRAN COMPILER	CB22
COMPONENT	
COMPONENT MESSAGES CODES (TBL)	CB06
COMPOUND	
COMPOUND ADDRESSES	CB01

CONCEPTS		
FILE AND PATHNAME CONCEPTS	CB20	
CONCURRENCY		
DISK FILE CONCURRENCY CONTROL (TBL)	CB20	
FILE CONCURRENCY	CB20	
OF STANDARD I/O, UTILITY, AND PROG PREP FILES	CB02	
OF USER FILES	CB02	
SYSTEM FILE CONCURRENCY	CB20	
CONCURRENCY, FILE		
FILE CONCURRENCY	CB24	
FILE CONCURRENCY CONFLICT	CB08	
FILE CONCURRENCY CONTROL	CB08	
FILE CONCURRENCY INFORMATION	CB24	
CONCURRENT		
CONCURRENT EXECUTION FROM SEVERAL TASK GROUPS	CB22	
CONCURRENT EXECUTION OF APPLICATION TASKS	CB22	
CONDITION, TRAP		
TRAP CONDITION DURING TASK EXECUTION	CB08	
TRAP ENABLED CONDITION	CB08	
TRAP NOT ENABLED CONDITION	CB08	
CONDITIONAL		
CONDITIONAL EXECUTION DIRECTIVE	CB21	
CONFIGURATION		
CONFIGURATION LOAD MANAGEMENT ERROR MESSAGES (XX13)	CB06	
CONFIGURATION LOAD MANAGER	CB20	
DEF CONFIGURATION	CB20	
EXTERNAL REFERENCE LBDU CONFIGURATION DIRECTIVE	CB21	
MEMORY AFTER CONFIGURATION (FIG)	CB20	
RBF CONFIGURATION	CB20	
SYSTEM CONFIGURATION AND ENVIRONMENT DEFINITION	CB20	
CONFIGURATION LOAD MANAGER		
CONFIGURATION LOAD MANAGER ERROR REPORTING	CB23	
CONFIGURATOR		
ISL CONFIGURATOR MESSAGES (XX37)	CB06	
CONFLICT		
FILE CONCURRENCY CONFLICT	CB08	
RECORD LOCK CONFLICT	CB08	
CONNECT		
COMMUNICATIONS CONNECT FUNCTION	CB08	
CONNECT FUNCTION	CB03	
TRAP HANDLER CONNECT (\$TRPHD) MACRO CALL	CB08	
CONNECTION		
BSC 2780 TRANSMISSION MODES AND LINE CONNECTION	CB03	
CONSOLE		
CONSOLE MESSAGE SUPPRESSION (\$CMSUP) MACRO CALL	CB08	

CONSTRUCTION
 DIRECTORY OR FILE NAME CONSTRUCTION CB01

CONTROL

ASCII AND EBCDIC CONTROL CHARACTERS	CB08
ASCII CONTROL CHARACTERS	CB24
BATCH TASK GROUP CONTROL STRUCTURES	CB20
BSC CONTROL BYTE (RECEIVE)	CB03
BSC CONTROL BYTE (TRANSMIT)	CB03
BSC NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
CHANNEL CONTROL PROGRAM (CCP) FUNCTIONS	CB03
COMMANDS FOR DIRECTORY AND FILE CONTROL	CB20
COMMANDS FOR EXECUTION CONTROL	CB20
COMMUNICATION RESOURCE CONTROL TABLE (RCT) (FIG) ...	CB03
COMMUNICATION RESOURCE CONTROL TABLES (RCT)	CB03
CONTROL ARGUMENT	CB02
CONTROL ARGUMENT	CB24
CONTROL BYTE FORMAT FOR BSC LPH (RECEIVING) (FIG) ..	CB03
CONTROL BYTE FORMAT FOR VIP LPH (FIG)	CB03
CONTROL CHARACTER AS DATA CHARACTER	CB24
CONTROL CHARACTERS USED WITH INTERACTIVE FILES	CB03
CONTROL OF PRIORITY LEVELS	CB20
DECLARING A CONTROL CHARACTER A DATA CHARACTER	CB02
DEVICE RESOURCE CONTROL TABLE (RCT)	CB08
DEVICE-SPECIFIC CONTROL CHARACTERS	CB03
DISK FILE CONCURRENCY CONTROL (TBL)	CB20
EXECUTION COMMAND (EC) CONTROL DIRECTIVES	CB24
FILE CONCURRENCY CONTROL	CB08
FILE CONTROL STRUCTURES IN THE SYSTEM POOL AREA	CB20
INPUT MESSAGE CONTROL FUNCTIONS/FORMAT (TBL)	CB24
KEYBOARD INPUT LINE CONTROL	CB02
MACRO CALLS FOR DIRECTORY AND FILE CONTROL	CB20
MACRO CALLS FOR EXECUTION CONTROL	CB20
MONITOR SERVICES TASK CONTROL FUNCTIONS	CB08
MONITOR SERVICES TASK GROUP CONTROL FUNCTIONS	CB08
OPERATING SYSTEM CONTROL OF TASK GROUPS	CB20
OPERATOR CMDS FOR FILE AND DEVICE CONTROL	CB20
OPERATOR COMMAND FOR EXECUTION CONTROL	CB24
OPERATOR COMMAND FOR FILE DIRECTORY DEVICE CONTROL ..	CB24
OPERATOR COMMANDS FOR EXECUTION CONTROL	CB20
POST EDITING CONTROL-RECEIVE ONLY PRINTERS (TBL) ...	CB03
PRINT CONTROL CHARACTERS	CB03
RESOURCE CONTROL TABLE (RCT) DEFINITION	CB08
TASK CONTROL BLOCK (TCB) DEFINITION	CB08
TTY NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
VIP NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
VIP POST-EDITING CONTROL FOR KEYBOARD/SCREEN	CB03
VIP POST-EDITING CONTROL FOR ROP	CB03
WRITABLE CONTROL STORE ASSEMBLER ABORT CODES (XX1D)	CB06
WRITABLE CONTROL STORE ERROR MESSAGES (XX1E)	CB06

CONTROL BYTE

PRINTER CONTROL BYTE CODES (TBL)	CB05
PRINTER CONTROL BYTE FORMAT (FIG)	CB05

CONTROL CHARACTERS

CONTROL CHARACTERS	CB05
--------------------------	------

CONTROL INTERVAL (CI)	
COARSE-LEVEL INDEX CONTROL	CB05
CONTROL INTERVAL HEADERS	CB05
DATA CONTROL INTERVALS	CB05
DEFINITION	CB05
FINE-LEVEL INDEX CONTROL INTERVALS	CB05
GENERAL OVERFLOW CONTROL INTERVALS	CB05
GENERAL OVERFLOW INVENTORY CONTROL INTERVALS	CB05
INTERVALS	CB05
LOCAL OVERFLOW CONTROL INTERVALS	CB05
CONTROL LIST	
ACCESS CONTROL LIST	CB05
ACCESS CONTROL LIST RECORD FILE/DIRECT (TBL)	CB05
CONTROLLING	
CONTROLLING OUTPUT USING A BREAKPOINT	CB21
CONVENTIONS	
ADDRESSING CONVENTIONS	CB08
CONVENTIONS USED IN EDITOR DIRECTIVE FORMATS	CB01
DEVICE DRIVER CONVENTIONS	CB08
EQUAL CONVENTION	CB20
EQUAL NAME CONVENTION	CB02
MODULE AND FILE NAME CONVENTIONS	CB20
NAMING CONVENTIONS	CB20
PATHNAME COLON CONVENTION	CB02
PROGRAMMING CONVENTIONS	CB20
REGISTER CONVENTIONS	CB20
REGISTER CONVENTIONS AND CONTENTS	CB08
SPECIAL PATHNAME CONVENTIONS	CB20
SPECIAL UTILITY PROGRAM PATHNAME CONVENTIONS	CB02
STAR CONVENTION	CB20
STAR NAME CONVENTION	CB02
SUFFIX CONVENTIONS	CB01
SUFFIX CONVENTIONS	CB21
CONVERSION	
CONVERTING BES PROGRAMS TO MOD 400	CB20
USER-CODED CONVERSION	CB20
CONVERT	
EXTERNAL DATE/TIME, CONVERT TO (\$EXTDT) MACRO	CB08
EXTERNAL TIME, CONVERT TO (\$EXTIM) MACRO CALL	CB08
INTERNAL DATE/TIME, CONVERT TO (\$INDTM) MACRO	CB08
COORDINATION	
TASK AND RESOURCE COORDINATION	CB20
COPY	
COBOL COPY FILES	CB01
COPY DIRECTIVE	CB01
COPY-APPEND	
COPY-APPEND DIRECTIVE	CB01

COPYING	
COPYING IDX SEQ ERR MSGLIB (EML) FILE FROM/TO A SEQ	CB06
CORRECTION, MESSAGE	
CORRECTION TO INPUT MESSAGE	CB24
CP	
CP COMMAND	CB02
CPA	
CPA COMMAND	CB02
CPROT	
CPROT DIRECTIVE	CB21
PURGING SYMBOLS - CPROT DIRECTIVE	CB21
CPURGE	
CPURGE DIRECTIVE	CB21
PURGING SYMBOLS - CPURGE DIRECTIVE	CB21
CREATE	
CREATE BATCH (CB) OPERATOR COMMAND	CB24
CREATE DIRECTORY (\$CRDIR) MACRO CALL	CB08
CREATE DIRECTORY (CD) COMMAND	CB02
CREATE DISK FILE	CB08
CREATE FILE (\$CRFIL) MACRO CALL	CB08
CREATE FILE (CF COMMAND)	CB02
CREATE GROUP (\$CRGRP) MACRO CALL	CB08
CREATE GROUP (CG COMMAND)	CB02
CREATE GROUP (CG) OPERATOR COMMAND	CB24
CREATE TASK (\$CRTSK) MACRO CALL	CB08
CREATE TASK (CT COMMAND)	CB02
CREATE VOLUME (CV COMMAND)	CB02
ISL LOADER FILE CREATION	CB02
LIST CREATION DATE (LCD COMMAND)	CB02
CREATING	
CREATING A BOUND UNIT	CB21
CREATING A ROOT AND OPTIONAL OVERLAY(S)	CB21
CREATING A SOURCE UNIT	CB01
CREATING A SYMBOL TABLE	CB21
PROC FOR CREATING A ROOT AND ONE OR MORE OVERLAYS ..	CB21
PROCEDURE FOR CREATING ONLY A ROOT	CB21
CROSS-REFERENCE	
LISTING OF SOURCE UNIT TO BE CROSS-REFERENCE (FIG)	CB01
SAMPLE CROSS-REFERENCE LISTING	CB01
CSD	
CSD OPERATOR COMMANDS IN STARTUP.EC FILE	CB23
CT	
CT COMMAND	CB02
CUSTOMIZING ZSYS00	
FOR SINGLE-DISKETTE EXECUTION ENVIRONMENT	CB23

CV	CV COMMAND	CB02
CWD	CWD COMMAND	CB02
DATA		
	ADVANCED DATA TRANSMISSION (BSC)	CB03
	BASIC DATA TRANSMISSION (BSC)	CB03
	BSC ADVANCED DATA TRANSMISSION MODE	CB03
	BSC BASIC DATA TRANSMISSION MODE	CB03
	DATA ENTRY FACILITY	CB20
	DATA ENTRY FACILITY INITIALIZATION MESSAGES (XX2C) ..	CB06
	DATA ENTRY MULTIPLE TTY AND/OR MULT VIP TERMINALS ..	CB03
	DATA FILE ACCESS	CB20
	DATA FILE ORGANIZATIONS	CB20
	DATA FILE ORGANIZATIONS AND ACCESS	CB20
	DATA MANAGEMENT STRUCTURES (FIBS)	CB01
	DATA PATCH DIRECTIVE	CB21
	DATA STRUCTURE MAP (FIG)	CB21
	DATA STRUCTURES	CB03
	DATA STRUCTURES CONTAINING POINTERS	CB01
	EXECUTION FROM THE DATA ENTRY FACILITY	CB22
	TO READ DATA FROM A BSC COMMUNICATION LINE	CB03
	TO WRITE DATA TO A BSC COMMUNICATION LINE	CB03
	TTY AND VIP DATA ENTRY MODE	CB03
DATA ENTRY FACILITY (DEF)		
	ALLOWED DEF FUNCTIONS	CB23
	BOUND UNIT CREATION	CB23
	BOUND UNIT ENTRY POINTS	CB23
	BUFFER ALLOCATION	CB23
	BUFFER SIZE DEFINITIONS	CB23
	BUFFER SIZE REQUIREMENTS	CB23
	CLM USER FILE	CB23
	CLM USER FILE DIRECTIVES	CB23
	CLM USER-RELATIVE DIRECTIVES	CB23
	COMMUNICATIONS SYSTEM DIRECTIVE	CB23
	COMPLETING THE LINK	CB23
	CONFIGURATION	CB23
	CREATE TASK	CB23
	CREATING THE RESIDENT PART	CB23
	DATA ENTRY OVERLAY AREAS	CB23
	DEF BOUND UNIT ORG AND MEMORY REQUIREMENTS	CB23
	DEF DUMMY MODULES	CB23
	DEF OBJECT MODULE DIRECTORY PATHNAMES	CB23
	DEF OBJECT MODULES	CB23
	DEF RELATIVE LEVEL REQUIREMENTS	CB23
	DEVICE DIRECTIVE	CB23
	ENTER TASK REQUEST	CB23
	EXAMPLE OF A SPAWN GROUP COMMAND	CB23
	FIRST LFN	CB23
	FUNCTIONS AND OPERATION	CB31
	LINKING DEF OBJECT MODULES	CB23
	MEMORY POOL DIRECTIVE	CB23
	MESSAGES	CB31

NUMBER OF BACKGROUND TASKS	CB23
OPERATOR DISPLAY STATION	CB31
OPERATOR'S QUICK REFERENCE	CB32
OVERLAY CREATION	CB23
PASSWORD LENGTH	CB23
PRINTER ASSIGNMENTS	CB23
PRINTER FORMATTING	CB23
RELATIVE LEVEL REQUIREMENTS	CB23
RESIDENT/OVERLAY SPECIFICATION	CB23
SAMPLE CLM-USER FILE (FIG)	CB23
SAMPLE CLM-USER FILE	CB23
SAMPLE START-UP.EC FILE	CB23
SPECIFYING LRN'S	CB23
START-UP EC FILE	CB23
SYSTEM DEFINITION DIRECTIVE	CR23
TASK GROUP CONSIDERATIONS	CB23
TASK GROUP GENERATION	CB23
THREE TYPICAL DEF RESIDENT/OVERLAY ORGANIZATIONS ...	CB23
TTX DIRECTIVE	CB23
VOLUME ASSIGNMENT	CB23
 DATA MANAGEMENT	
DATA MANAGEMENT FUNCTIONS	CB08
 DATA STRUCTURES	
DATA STRUCTURE FORMAT	CB08
DATA STRUCTURE GENERATION	CB08
DATA STRUCTURES	CB08
DATA STRUCTURES ALLOCATION AND INITIALIZATION	CB08
FILE SYSTEM DATA STRUCTURES	CB08
MONITOR SERVICES DATA STRUCTURES	CB08
 DATE, SET	
SET DATE (SD) OPERATOR COMMAND	CB24
 DATE/TIME	
EXTERNAL DATE/TIME, CONVERT TO (\$EXTDT) MACRO	CB08
GET DATE/TIME (\$GDTM) MACRO CALL	CB08
INTERNAL DATE/TIME, CONVERT TO (\$INDTM) MACRO	CB08
MONITOR SERVICES DATE/TIME FUNCTIONS	CB08
 DEACTIVATING	
DEACTIVATING REAL-TIME CLOCK	CB21
 DEBUG	
DEBUG	CB21
DEBUG DIRECTIVES	CB21
DEBUG FILE REQUIREMENTS	CB21
DEBUGGING PROGRAMS WITHOUT USING DEBUG	CB21
EXAMPLE ILLUSTRATING USAGE OF DEBUG DIRECTIVES	CB21
LOADING THE DEBUG TASK GROUP	CB21
REDIRECT DEBUG OUTPUT DIRECTIVE	CB21
SUMMARY OF DEBUG DIRECTIVES BY FUNCTION (TBL)	CB21
SYMBOLS USED IN DEBUG DIRECTIVE LINES (TBL)	CB21
TRAP HANDLING BY DEBUG PROGRAM	CB08

DEBUGGING	
DEBUGGING PROGRAMS	CB21
DEBUGGING PROGRAMS WITHOUT USING DEBUG	CB21
DEDICATED	
DEDICATED APPLICATION ENVIRONMENT	CB22
DEF	
(SEE ALSO DATA ENTRY FACILITY)	
DEF CONFIGURATION	CB20
DEF OPERATIONS	CB20
DEF SUPERVISORY FUNCTIONS	CB20
DEF UTILITIES	CB20
RBF AND DEF USER GUIDE TO MANUALS (FIG)	CB22
RBF AND DEF USER MANUAL GUIDE	CB22
RBF- AND DEF-USER'S GUIDE TO MANUALS (FIG)	CB20
RBF- AND DEF-USER'S MANUAL GUIDE	CB20
DEFAULT	
SAMPLE DEFAULT MESSAGES (FIG)	CB06
DEFINE	
DEFINE DIRECTIVE	CB21
DEFINE TRACE DIRECTIVE	CB21
DEFINE SEMAPHORE	
DEFINE SEMAPHORE (\$DFSM) MACRO CALL	CB08
DEFINING	
DEFINING EXTERNAL SYMBOL(S)	CB21
DEFINITION	
COMMON DEFINITION	CB21
DEFINITION OF A DIRECTORY	CB01
DEFINITION OF A FILE	CB01
DEFINITION OF A FILE	CB24
DEFINITION OF DIRECTORY	CB24
DIRECTORY: SEE ABSOLUTE PATHNAME	CB02
DISPLACEMENT DEFINITION MACRO CALLS (TBL)	CB08
FILE SYSTEM DISPLACEMENT DEFINITION	CB08
FILE: SEE ABSOLUTE PATHNAME	CB02
LINK MAP SYMBOL DEFINITION	CB21
LOGICAL RESOURCE NUMBER (LRN) DEFINITION	CB08
LOGICAL RESOURCE TABLE (LRT) DEFINITION	CB08
OPERATOR COMMAND DEFINITION	CB24
RCT FIELD DEFINITION (TBL)	CB08
REQUEST BLOCK (RB) DEFINITION	CB08
RESOURCE CONTROL TABLE (RCT) DEFINITION	CB08
SYMBOL TABLE SYMBOL DEFINITION	CB21
TASK CONTROL BLOCK (TCB) DEFINITION	CB08
TASK GROUP DEFINITION	CB24
DELAY	
BSC TEMPORARY TEXT DELAY (TTD) FEATURE	CB03
EXAMPLE OF TEMP TEXT DELAY (TTD) SEQUENCE (FIG)	CB03

DELETABLE RECORDS

DELETABLE RECORDS	CB05
FIXED-RELATIVE FILES WITH DELETABLE RECORDS	CB05
FORMAT OF DELETABLE RECORDS IN FIXED-RELATIVE FILES	CB05

DELETE

CHARACTER DELETE IN INPUT MESSAGE	CB24
DELETE BATCH (DB) OPERATOR COMMAND	CB24
DELETE DIRECTIVE	CB01
DELETE GROUP (\$DLGRP) MACRO CALL	CB08
DELETE GROUP (DG COMMAND)	CB02
DELETE RECORD (\$DLREC) MACRO CALL	CB08
DELETE TASK (\$DLTSK) MACRO CALL	CB08
DELETE TASK (DT COMMAND)	CB02
DELETING THE CURRENT LINE	CB02
INPUT MESSAGE DELETE	CB24

DESIGNATING

DESIGNATING A LINE NUMBER AS AN ADDRESS	CB01
DESIGNATING CONTENTS OF LINE AS AN ADDRESS	CB01
DESIGNATING FILE NAMES (TBL)	CB01
DESIGNATING FILE NAMES (TBL)	CB21
DESIGNATING FILES	CB21
DESIGNATING THAT THE LAST LINKER HAS BEEN ENTERED	CB21

DEVICE

ASSIGNING INTERACTIVE DEVICES AT EXECUTION TIME	CB03
COBOL COMM APPLICATION FOR A BSC (BSCTST) (FIG)	CB03
COBOL SUPPORT OF FILES ON COMMUNICATION DEVICES	CB03
DEVICE DIRECTIVE	CB23
DEVICE FILE PATHNAME	CB24
DEVICE FILES (OTHER THAN DISK AND TAPE)	CB01
DEVICE LRNS	CB20
DEVICE OPERATIONAL MODES	CB03
DEVICE PATHNAME	CB24
DEVICE PATHNAMES	CB01
DEVICE PATHNAMES	CB02
DEVICE PATHNAMES	CB20
DEVICE RESOURCE CONTROL TABLE (RCT)	CB08
DEVICE TYPE CODES	CB08
DEVICE-SPECIFIC WORDS FOR COMM DEVICES (TBL)	CB03
DISABLE DEVICE ON ATTENTION (\$DSDV) MACRO CALL	CB08
DISK DEVICE FILES	CB01
ENABLE DEVICE (\$ENDV) MACRO CALL	CB08
FORTRAN INTERACTIVE DEVICES AND FILES	CB03
INTERACTIVE DEVICES AND FILES	CB03
OFFLINE UNIT RECORD DEVICE TIMEOUT	CB24
OPERATOR COMMAND FOR FILE DIRECTORY DEVICE CONTROL	CB24
OPERATOR COMMANDS FOR FILE CONTROL	CB20
PERIPHERAL DEVICE ASSIGNMENTS	CB20
PERIPHERAL DEVICE EXCHANGE	CB24
PERIPHERAL DEVICE STATUS INFORMATION	CB24
PRIORITY LEVEL ASSIGN FOR TASKS AND DEVICES (TBL)	CB20
REMOTE DEVICE SUPPORT	CB03
RESET DEVICE ATTENTION (\$RDVAT) MACRO CALL	CB08
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR STORAGE MODULE (FIG)	CB06

SETTING DEVICE FILE CHARACTERISTICS	CB03
SOFTWARE STATUS WORD RB-ST FOR COMM DEVICES (TBL) ..	CB03
STRUCTURE OF AN APPLICATION FOR A BSC (FIG)	CB03
STRUCTURE OF AN APPLICATION FOR A BSC	CB03
STRUCTURE OF AN APPLICATION FOR A TTY OR VIP	CB03
WRITING DEVICE DRIVER FOR SUPPORTED DEVICE	CB08
WRITING PERIPHERAL DEVICE I/O DRIVER	CB08
DEVICE DRIVER	
DEVICE DRIVER	CB08
DEVICE DRIVER AT SYSTEM BUILDING	CB08
DEVICE DRIVER BREAK NOTIFICATION FUNCTION	CB08
DEVICE DRIVER CONVENTIONS	CB08
DEVICE DRIVER FLOWCHART (FIG)	CB08
DEVICE DRIVER FOR NONSUPPORTED DEVICE	CB08
DEVICE DRIVER FUNCTION INITIALIZE	CB08
DEVICE DRIVER FUNCTION READ/MODIFY STATUS	CB08
DEVICE DRIVER FUNCTION STOP I/O	CB08
DEVICE DRIVER FUNCTION WAIT-FOR-INTERRUPT	CB08
DEVICE DRIVER FUNCTION WAIT-ON-LINE	CB08
DEVICE DRIVER FUNCTIONS AND FUNCTION CODES	CB08
DEVICE DRIVER INPUT/OUTPUT FUNCTION CODE (TBL)	CB08
DEVICE DRIVER INTERFACE	CB08
DEVICE DRIVER POSITION BLOCK FUNCTION	CB08
DEVICE DRIVER POSITION TAPE MASK FUNCTION	CB08
DEVICE DRIVER READ DISABLED DEVICE FUNCTION	CB08
DEVICE DRIVER READ FUNCTION	CB08
DEVICE DRIVER SUBROUTINE FUNCTIONS FOR ZIOSUB	CB08
DEVICE DRIVER SYSTEM BUILDING	CB08
DEVICE DRIVER SYSTEM FUNCTIONS	CB08
DEVICE DRIVER WAIT ONLINE FUNCTION	CB08
DEVICE DRIVER WAIT ONLINE FUNCTIONS	CB08
DEVICE DRIVER WRITE FUNCTION	CB08
DEVICE DRIVER WRITE TAPE MARK FUNCTION	CB08
MODIFICATION OF EXISTING DEVICE DRIVER	CB08
DEVICE-SPECIFIC	
DEVICE-SPECIFIC COMM LINE PORTOCOL HANDLERS	CB03
DEVICE-SPECIFIC CONTROL CHARACTERS	CB03
DEVICE-SPECIFIC WORDS FOR COMMUN DEVICES (TBL)	CB03
DEVICE-TYPE	
RELATING TERMINALS TO DEVICE-TYPE NAMES	CB03
DG	
DG COMMAND	CB02
DIAL	
SET DIAL (\$SDL) MACRO CALL	CB08
DIALOG, OPERATOR/SYSTEM	
OPERATOR AND SYSTEM DIALOG EXAMPLE (FIG)	CB24
SAMPLE OPERATOR AND SYSTEM DIALOG	CB24
DIRECTIVES	
(SEE ALSO COMMUNICATIOS CLM DIRECTIVES)	
(SEE ALSO NON COMMUNICATIONS CLM DIRECTIVES)	

DISABLE	
DISABLE DEVICE ON ATTENTION (\$DSDV) MACRO CALL	CB08
DISABLE USER TRAP (\$DSTRP) MACRO CALL	CB08
DISCONNECT	
DISCONNECT FUNCTION	CB03
DISK	
CARTRIDGE DISK DRIVER	CB08
CARTRIDGE DISK IORB FIELDS	CB08
CARTRIDGE DISK RCT FIELDS	CB08
CARTRIDGE DISK STATUS CODE MAPPING	CB08
CREATE DISK FILE	CB08
DEVICE FILES (OTHER THAN DISK AND TAPE)	CB01
DISK AND MAGNETIC TAPE BUFFERED OPERATIONS	CB20
DISK DEVICE FILES	CB01
DISK DEVICE FILES PATHNAMES	CB02
DISK FILE CONCURRENCY CONTROL (TBL)	CB20
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR STORAGE MODULE (FIG)	CB06
DISK PATHNAME	
DISK DEVICE PATHNAME	CB24
DISK-RESIDENT FILE/VOLUME	
CI HEADER FOR RELATIVE	CB05
DIRECTORY ENTRY DISK-RESIDENT FILES/DIREC\ (TBL) ...	CB05
DISK-RESIDENT SEQ FILES (TBL)	CB05
DISK-RESIDENT SEQUENTIAL FILE FORMAT	CB05
DISK-RESIDENT SEQUENTIAL FILES	CB05
DISK-RESIDENT VOLUME FORMAT	CB05
DISKETTE	
(SEE ALSO SYSTEM DISKETTES)	
DISKETTE DRIVER	CB08
DISKETTE IORB FIELDS	CB08
DISKETTE RCT FIELDS	CB08
DISKETTE STATUS CODE MAPPING	CB08
DISPLACEMENT DEFINITION	
DISPLACEMENT DEFINITION MACRO CALLS (TBL)	CB08
FILE SYSTEM DISPLACEMENT DEFINITIONS	CB08
DISPLAY	
DISPLAY MEMORY DIRECTIVE	CB21
DISSOC	
DISSOC COMMAND	CB02
DISSOCIATE	
DISSOCIATE FILE (\$DSFIL) MACRO CALL	CB08
DISTRIBUTED	
DISTRIBUTED SYSTEM FACILITIES	CB20
DOCUMENT	
SOFTWARE DOCUMENT SET	CB20

DOPE VECTORS	
SORT SUBROUTINE CALLS	CB04
DPEDIT	
DPEDIT COMMAND	CB02
DPEDIT COMMAND	CB21
DPEDIT SPECIFIC FATAL ERROR MESSAGES (TBL)	CB21
DUMP EDIT (DPEDIT) ERROR MESSAGES (XX25)	CB06
INTERPRETING THE CONTENTS OF A DPEDIT DUMP	CB21
DRIVER	
ASR/KSR DRIVER	CB08
CALLER INTERFACE WITH DRIVER	CB08
CARD READER/PUNCH DRIVER	CB08
CARTRIDGE DISK DRIVER	CB08
DISKETTE DRIVER	CB08
DRIVER DIRECTIVE	CB23
MAGNETIC TAPE DRIVER	CB08
MLCP DRIVER FUNCTIONS	CB03
PRINTER DRIVER	CB08
STORAGE MODULE DRIVER	CB08
WRITING DEVICE DRIVER FOR SUPPORTED DEVICE	CB08
WRITING PERIPHERAL DEVICE I/O DRIVER	CB08
DT	
DT COMMAND	CB02
DUMCP	
DUMCP PROGRAMMING CONSIDERATIONS	CB03
FORMAT OF THE DUMPS PRODUCED BY DUMCP	CB03
LINKING DUMCP AS A SELF-CONTAINED BOUND UNIT	CB03
LINKING DUMCP WITH YOUR APPLICATION	CB03
MLCP DUMP ROUTINE (DUMCP)	CB03
MULTILINE COMM PROCESSOR (DUMCP)ERROR MESSAGES(XX34) CB06	
SAMPLE DUMP PRODUCED BY DUMCP (FIG)	CB03
DUMP	
(SEE ALSO DUMCP)	
DUMP EDIT (DPEDIT COMMAND)	CB02
DUMP EDIT (DPEDIT) ERROR MESSAGES (XX25)	CB06
DUMP EDIT LINE FORMAT	CB21
DUMP EDIT UTILITY PROGRAM	CB21
DUMP MEMORY DIRECTIVE	CB21
FILE DUMP (FD COMMAND)	CB02
FORMAT OF LOGICAL DUMP PRODUCED BY DUMP EDIT (FIG) CB21	
FORMAT OF LOGICAL DUMPS PRODUCED BY DUMP EDIT (FIG) CB21	
HEXADECIMAL DUMP DIRECTIVE	CB01
INTERPRETING AND USING MEMORY DUMP	CB21
INTERPRETING DUMP EDIT DUMP	CB21
INTERPRETING DUMP EDIT DUMPS	CB21
INTERPRETING THE CONTENTS OF A DPEDIT DUMP	CB21
INTERPRETING THE MONITOR CALL NUMBER ON MEMORY DUMP CB21	
ISL DUMP DIRECTIVE	CB02
LOC RELATIVE TO SYS CONTROL BLK OR GROUP CTRL BLK .. CB21	
LOC RELATIVE TO THE TCB POINTER FOR THE PRIORITY LEV CB21	
LOGICAL DUMP FORMAT	CB21
MDUMP AND DUMP EDIT UTILITY PROGRAMS	CB21

MEMORY DUMP	CB21
NO LEVEL ACTIVE DURING DUMP EXCEPT LEVEL 63	CB21
OPERATING PROCEDURE FOR DUMP EDIT	CB21
PHYSICAL DUMP FORMAT	CB21
SAMPLE LOGICAL MEMORY DUMP (FIG)	CB21
SAMPLE PHYSICAL MEMORY DUMP (FIG)	CB21
SIGNIFICANT LOCATIONS ON MEMORY DUMP	CB21
SIGNIFICANT LOCATIONS ON MEMORY DUMP (TBL)	CB21
STATE OF EXECUTION OF YOUR CODE AT TIME OF DUMP	CB21
SUPPLEMENTAL LOGICAL DUMP INFO FROM DUMP EDIT	CB21
SUPPLEMENTAL PHYSICAL DUMP INFO FROM DUMP EDIT	CB21
USER LEVEL ACTIVE AT THE TIME OF DUMP	CB21

EBCDIC

ASCII AND EBCDIC CHARACTER SETS (FIG)	CB02
ASCII AND EBCDIC CHARACTER SETS	CB03
ASCII AND EBCDIC CHARACTER SETS	CB05
ASCII AND EBCDIC CHARACTERS	CB08
ASCII AND EBCDIC CONTROL CHARACTERS	CB08
BSC EBCDIC INPUT	CB03
BSC EBCDIC OUTPUT	CB03
BSC TRANSPARENT EBCDIC INPUT	CB03
BSC TRANSPARENT EBCDIC OUTPUT	CB03
CODE SET	CB34
CODE SET	CB35
CODE SET	CB37
EBCDIC COLLATING SEQUENCE	CB09
EBCDIC/ASCII TRANSLATION TABLE	CB34
EBCDIC/ASCII TRANSLATION TABLE	CB35
EBCDIC/HEXADECIMAL/BINARY EQUIVALENTS (TBL)	CB02
EBCDIC/HEXADECIMAL/BINARY EQUIVALENTS (TBL)	CB05
EBCDIC/HEXADECIMAL/BINARY EQUIVALENTS (TBL)	CB08

EBCDIC/HEXADECIMAL/BINARY

EBCDIC/HEXADECIMAL/BINARY EQUIVALENTS (TBL)	CB03
---	------

EBR

EBR COMMAND	CB02
-------------------	------

EC

EC COMMAND	CB02
EC FILE EXECUTION COMMAND	CB24
EC FILES	CB20
EXECUTION COMMAND (EC) OPERATOR COMMAND	CB24
STARTUP EC FILES	CB20

ED

ED COMMAND	CB02
------------------	------

EDEF

EDEF DIRECTIVE	CB21
EXTERNAL SYMBOLS EDEF DIRECTIVE	CB21

EDIT

CHANGING ORIGIN OF TEXT DURING EDIT MODE	CB01
DUMP EDIT (DPEDIT) ERROR MESSAGES (XX25)	CB06
DUMP EDIT LINE FORMAT	CB21

DUMP EDIT UTILITY PROGRAM	CB21
EDIT MODE DESCRIPTION AND DIRECTIVES	CB01
FORMAT OF LOGICAL DUMPS PRODUCED BY DUMP EDIT (FIG)	CB21
INTERPRETING DUMP EDIT DUMPS	CB21
MDUMP AND DUMP EDIT UTILITY PROGRAMS	CB21
OPERATING PROCEDURE FOR DUMP EDIT	CB21
EDITING	
POST EDITING CONTROL-RECEIVE ONLY PRINTERS (TBL) ...	CB03
EDITING, KEYBOARD	
KEYBOARD EDITING	CB08
EDITOR	
ADVANCED USAGE OF THE EDITOR	CB01
CONVENTIONS USED IN EDITOR DIRECTIVE FORMATS	CB01
EDITOR	CB01
EDITOR DIRECTIVE DESCRIPTION	CB22
EDITOR MESSAGES(XX19)	CB06
LOADING THE EDITOR	CB01
SAMPLE EDITOR DIRECTIVES IN FILE SMPCMDFL (FIG)	CB22
EGR	
EGR COMMAND	CB02
EGR COMMAND	CB21
USING THE CG AND EGR COMMANDS	CB21
ELIMINATE	
ELIMINATE PATCH DIRECTIVE	CB21
EMBEDDING, COMMAND	
COMMAND EMBEDDING	CB08
EML	
ADDING A MESSAGE TO THE EML	CB06
EMULATED	
BES SYSTEM SERVICE FUNCTIONS NOT EMULATED	CB20
BES SYSTEM SERVICES EMULATED WITH RESTRICTIONS	CB20
COMPLETELY EMULATED BES SYSTEM SERVICES	CB20
EMULATION	
PRINTER EMULATION MULTIPLE TTY OR MULTIPLE VIP TERM	CB03
TTY AND VIP PRINTER EMULATION MODE	CB03
ENABLE	
ENABLE DEVICE (\$ENDV) MACRO CALL	CB08
ENABLE USER TRAP (\$ENTRP) MACRO CALL	CB08
END	
END TRACE DIRECTIVE	CB21
ENTER	
ENTER BATCH REQUEST (EBR COMMAND)	CB02
ENTER BATCH REQUEST (EBR) OPERATOR COMMAND	CB24
ENTER GROUP REQUEST (EGR COMMAND)	CB02
ENTER GROUP REQUEST (EGR) OPERATOR COMMAND	CB24
ENTER TASK REQUEST (ETR COMMAND)	CB02

ENTRY	
DATA ENTRY FACILITY	CB20
DATA ENTRY FACILITY INITIALIZATION MESSAGES (XX2C)	CB06
DATA ENTRY MULTIPLE TTY AND/OR MULTIPLE VIP TERMINAL	CB03
STRTD1, ENTRY POINT (CUMM)	CB03
TTY AND VIP DATA ENTRY MODE	CB03
ENTRY, PROGRAM VIEW	
PROGRAM VIEW ENTRY IN THE FIB	CB08
ENTRY-LEVEL	
LOADING AND EXECUTING THE ENTRY-LEVEL COBOL COMPILER	CB01
ENTRY-LEVEL COBOL	
INTERMED COBOL FUNCT NOT IN ENTRY-LEVEL COBOL (TBL)	CB20
ENVIRONMENT	
ALL-ONLINE ENVIRONMENT	CB22
COMMAND ENVIRONMENT	CB20
DEDICATED APPLICATION ENVIRONMENT	CB22
EXECUTION ENVIRONMENT	CB20
MIXED ENVIRONMENT	CB22
ONLINE/BATCH ENVIRONMENT	CB22
OPERATOR-ONLY ENVIRONMENT	CB22
SYSTEM CONFIGURATION AND ENVIRONMENT DEFINITION	CB20
EOF	
TAPE-VOLUME TRAILER - EOF1 (TBL)	CB05
TAPE-VOLUME TRAILER - EOF2 (TBL)	CB05
EOT	
BSC END OF TEXT (EOT) FEATURE	CB03
EOV	
TAPE-VOLUME TRAILER - EOV1 (TBL)	CB05
TAPE-VOLUME TRAILER - EOV2 (TBL)	CB05
EQUAL	
EQUAL CONVENTION	CB20
EQUAL NAME CONVENTION	CB02
EQUIPMENT	
EQUIPMENT REQUIREMENTS	CB20
MINIMUM EQUIPMENT FOR ONLINE APPLICATIONS	CB20
MINIMUM EQUIPMENT FOR PROGRAM PREPARATION	CB20
ERROR	
ADDING USER MESSAGES TO THE ERROR MESSAGE LIBRARY ..	CB06
CLM COMMUNICATIONS ERROR MESSAGES (XX0B)	CB06
CONFIGURATION LOAD MANAGEMENT ERROR MESSAGES (XX13) ..	CB06
DPEDIT SPECIFIC FATAL ERROR MESSAGES (TBL)	CB21
DUMP EDIT (DPEDIT) ERROR MESSAGES (XX25)	CB06
ERROR MESSAGE RECORD	CB08
ERROR MESSAGE STRUCTURE (FIG)	CB06
ERROR OUT (\$EROUT) MACRO CALL	CB08
ERROR RETURN STATUS CODES (TBL)	CB08
ERRORS REPORTED BY THE PVE LINE PROTOCOL HANDLER ...	CB03

ERRORS REPORTED BY THE PVE LPH (TBL)	CB03
ERRORS REPORTED BY THE VIP LINE PROTOCOL HANDLER ...	CB03
ERRORS REPORTED BY THE VIP LPH (TBL)	CB03
GENERAL USER RESPONSE TO ERROR MESSAGES	CB06
LOGIN/LISTENER ERROR MESSAGES (XX39)	CB06
MONITOR ERROR MESSAGES (XX0B)	CB06
MONITOR SERVICES ERROR HANDLING FUNCTIONS	CB08
MULTILINE COMM PROCESSOR (DUMCP) ERROR MSG (XX34) ..	CB06
NONPOLL ED VIP ERROR PROCESSING	CB03
REPORT ERROR CONDITION (\$RPTER) MACRO CALL	CB08
RPG OBJECT TIME ERROR MESSAGES (XX29)	CB06
SORT AND MERGE ERROR MESSAGES (XX31)	CB06
WRITABLE CONTROL STORE ERROR MESSAGES (XX1E)	CB06
 ERROR MESSAGES	
OPERATOR INTERFACE MANAGER (OIM) ERROR MESSAGES	CB24
 ERROR REPORTING	
CONFIGURATION LOAD MANAGER ERROR REPORTING	CB23
 ERROR-OUT	
COMMAND PROCESSOR ERROR-OUR FILE	CB24
ERROR-OUT FILE	CB02
 ESCAPE CHARACTER	
(SEE "CHARACTER" -CONTROL CHARACTER AS DATA CHAR) ..	CB24
DECLARING A CONTROL CHARACTER A DATA CHARACTER	CB02
 ETR	
ETR COMMAND	CB02
 EXAMPLE	
COMMUNICATION SUBSYSTEM EXAMPLE	CB03
EXAMPLE ILLUSTRATING USAGE OF DEBUG DIRECTIVES	CB21
EXAMPLE ILLUSTRATING USAGE OF THE LINKER	CB21
EXAMPLE OF BSC 2780 COMMUNICATION (FIG)	CB03
EXAMPLE OF REVERSE INTERRUPT (RVI) SEQUENCE (FIG) ..	CB03
EXAMPLE OF TEMPORARY TEXT DELAY (TTD) SEQ (FIG)	CB03
EXAMPLE OF WAIT BEFORE ACKNOWLEDGE (WACK) SEQ (FIG) CB03	
TREE STRUCTURE AND PATHNAME EXAMPLE (FIG)	CB01
 EXAMPLES	
FILE SYSTEM EXAMPLES, ASSUMPTIONS	CB08
 EXCHANGE, DEVICE	
PERIPHERAL DEVICE EXCHANGE	CB24
 EXCLUDE	
EXCLUDE DIRECTIVE	CB01
 EXCLUSIVE	
EXCLUSIVE AND NONEXCLUSIVE POOL SETS (FIG)	CB20
EXCLUSIVE MEMORY POOLS AND CONTENTS (FIG)	CB20
EXCLUSIVE ONLINE POOLS	CB20

EXECUTE	
EXECUTE DIRECTIVE	CB01
EXECUTE DIRECTIVE	CB21
EXECUTE OVERLAY (\$EXCOV) MACRO CALL	CB08
EXECUTING	
EXECUTING BES PROGRAMS UNDER MOD 400	CB20
EXECUTING BES SYSTEM SERVICES UNDER MOD 400	CB20
LOADING AND EXECUTING THE ASSEMBLER	CB01
LOADING AND EXECUTING THE ENTRY-LEVEL COBOL COMPILER	CB01
LOADING AND EXECUTING THE FORTRAN COMPILER	CB01
LOADING AND EXECUTING THE MACRO PREPROCESSOR	CB01
LOADING AND EXECUTING THE RPG COMPILER	CB01
EXECUTION	
ASSIGNING INTERACTIVE DEVICES AT EXECUTION TIME	CB03
COMMANDS FOR EXECUTION CONTROL	CB20
COMMANDS FOR UTILITY SOFTWARE EXECUTION	CB20
CONCURRENT EXECUTION FROM SEVERAL TASK GROUPS	CB22
CONCURRENT EXECUTION OF APPLICATION TASKS	CB22
CONDITIONAL EXECUTION DIRECTIVE	CB21
EC FILE EXECUTION OPERATOR COMMAND	CB24
EXECUTION COMMAND (EC) OPERATOR COMMAND	CB24
EXECUTION ENVIRONMENT	CB20
EXECUTION FROM THE DATA ENTRY FACILITY	CB22
EXECUTION OF AN APPLICATION FROM BATCH TASK GROUP ..	CB22
EXECUTION OUTPUT FROM CHAINED PROGRAMS (FIG)	CB22
INITIATE LEAD TASK EXECUTION	CB08
LEAD TASK EXECUTION	CB24
MACRO CALLS FOR EXECUTION CONTROL	CB20
OPERATING SYSTEM FEATURES AFFECTING TASK EXECUTION ..	CB20
OPERATOR COMMAND FOR EXECUTION CONTROL	CB24
OPERATOR COMMANDS FOR EXECUTION CONTROL	CB20
OVERVIEW OF PROGRAM EXECUTION AND CHECKOUT	CB21
PROGRAM EXECUTION	CB21
PROGRAM EXECUTION AND CHECKOUT PROCEDURES (FIG)	CB21
PROGRAM PREP AND EXEC IN THE SAME TASK GROUP	CB21
REGISTER CONTENTS AT MACRO CALL EXECUTION	CB08
REQUESTING PROGRAM EXECUTION	CB21
SERIAL EXECUTION OF APPLICATION TASKS	CB22
TASK EXECUTION	CB20
TASK GROUP EXECUTION ORDER	CB21
TRAP CONDITION DURING TASK EXECUTION	CB08
EXECUTIVE	
EXECUTING BES EXECUTIVE SERVICES UNDER MOD 400	CB20
SUMMARY OF EXECUTIVE MONITOR CALLS (TBL)	CB21
EXPAND	
EXPAND PATHNAME (\$XPATH) MACRO CALL	CB08
EXPORT/IMPORT	
EXPORT/IMPORT PAM FILE PROGRAM MESSAGES(XX24)	CB06

EXTERNAL	
CALLING SEQUENCE FOR EXTERNAL PROCEDURES	CB20
CLEAR EXTERNAL SWITCHES (\$CLRSW) MACRO	CB08
DEFINING EXTERNAL SYMBOL(S)	CB21
EXTERNAL DATE/TIME, CONVERT TO (\$SEXTDT) MACRO	CB08
EXTERNAL REFERENCE LBDU CONFIGURATION DIRECTIVE	CB21
EXTERNAL SYMBOLS COMM DIRECTIVE	CB21
EXTERNAL SYMBOLS EDEF DIRECTIVE	CB21
EXTERNAL SYMBOLS LDEF DIRECTIVE	CB21
EXTERNAL SYMBOLS VAL DIRECTIVE	CB21
EXTERNAL SYMBOLS VDEF DIRECTIVE	CB21
EXTERNAL TIME, CONVERT TO (\$SEXTIM) MACRO	CB08
MONITOR SERVICES EXTERNAL SWITCH FUNCTIONS	CB08
READ EXTERNAL SWITCHES (\$RDSW) MACRO	CB08
RESOLVING EXTERNAL REFERENCES	CB21
SET EXTERNAL SWITCHES (\$SETSW) MACRO	CB08
EXTERNAL STORAGE DEVICES	
CHARACTERISTICS OF EXTERNAL STORAGE DEVICES	CB05
CHOOSING AN EXTERNAL STORAGE DEVICE	CB05
EXTERNAL STORAGE DEVICES	CB05
EX-PAM	
EX-PAM COMMAND	CB02
FACILITIES	
DISTRIBUTED SYSTEM FACILITIES	CB20
SOFTWARE FACILITIES	CB20
FACILITY	
DATA ENTRY FACILITY	CB20
DATA ENTRY FACILITY INITIALIZATION MESSAGES (XX2C) ..	CB06
REMOTE BATCH FACILITY (RBF)	CB20
REMOTE BATCH FACILITY MESSAGES (X33)	CB06
FATAL	
DPEDIT SPECIFIC FATAL ERROR MESSAGES (TBL)	CB21
FC	
FC COMMAND	CB02
FD	
FD COMMAND	CB02
FIB	
CONTENTS OF FILE INFORMATION BLOCK (FIB) (TBL)	CB08
CONTENTS OF PROGRAM VIEW ENTRY IN FIB (TBL)	CB08
FILE INFORMATION BLOCK (\$FIB) MACRO	CB08
FILE INFORMATION BLOCK (FIB)	CB08
FILE SYSTEM FILE INFORMATION BLOCK (FIB) (FIG)	CB08
FORMAT OF FILE INFORMATION BLOCK (FIB) (FIG)	CB08
PROGRAM VIEW ENTRY IN THE FIB	CB08
FIBS	
DATA MANAGEMENT STRUCTURES (FIBS)	CB01

FIELD

BSC IORB FIELD VALUES	CB03
BSC-SPECIFIC IORB FIELD VALUES (TBL)	CB03
COMMUNICATION-SPECIFIC RCT FIELDS (TBL)	CB03
FIELDS AND RECORDS	CB05
IORB FIELD VALUES	CB03
PVE-SPECIFIC IORB FIELD VALUES (TBL)	CB03
TTY IORB FIELD VALUES	CB03
TTY-SPECIFIC IORB FIELD VALUES (TBL)	CB03
VIP IORB FIELD VALUES	CB03
VIP-SPECIFIC IORB FIELD VALUES (TBL)	CB03

FILE

(SEE ALSO FILE CHANGE)	CB02
ADDING NEW MESSAGES TO THE EML FILE	CB06
ASSOCIATE FILE (\$ASFIL) MACRO CALL	CB08
CARD FILE ORGANIZATION (FIG)	CB05
CLOSE FILE (\$CLFIL) MACRO CALL	CB08
COBOL COPY FILES	CB01
COBOL SUPPORT OF FILES ON COMMUNICATION DEVICES	CB03
COMMAND PROCESSOR COMMAND-IN FILE	CB24
COMMAND PROCESSOR ERROR-OUT FILE	CB24
COMMAND PROCESSOR INPUT/OUTPUT FILE	CB24
COMMAND PROCESSOR OPERATOR-OUT FILE	CB24
COMMAND PROCESSOR USER-OUT FILE	CB24
COMMAND-IN FILE	CB02
COMMANDS FOR DIRECTORY AND FILE CONTROL	CB20
COMMUNICATIONS FILE TRANSMISSION PROGRAM MSG (XX22)	CB06
CONCURRENCY OF FILES	CB02
CONTENTS OF FILE INFORMATION BLOCK (FIB) (TBL)	CB08
CONTROL CHARACTERS USED WITH INTERACTIVE FILES	CB03
CREATE DISK FILES	CB08
CREATE FILE (\$CRFIL) MACRO CALL	CB08
CREATE FILE (CF COMMAND)	CB02
DATA FILE ACCESS	CB20
DATA FILE CONCEPTS	CB05
DATA FILE ORGANIZATIONS	CB20
DATA FILE ORGANIZATIONS AND ACCESS	CB20
DEBUG FILE REQUIREMENTS	CB21
DEFINITION OF A FILE	CB01
DEFINITION OF A FILE	CB02
DEFINITION OF A FILE	CB24
DESIGNATING FILE NAMES (TBL)	CB01
DESIGNATING FILE NAMES (TBL)	CB21
DEVICE FILE PATHNAME	CB24
DEVICE FILE PATHNAMES	CB02
DEVICE FILES (OTHER THAN DISK AND TAPE)	CB01
DIRECTORY OR FILE NAME CONSTRUCTION	CB01
DIRECTORY OR FILE NAME CONSTRUCTION	CB02
DISK DEVICE FILES	CB01
DISK FILE CONCURRENCY CONTROL (TBL)	CB20
DISK-RESIDENT SEQUENTIAL FILE FORMAT	CB05
DISSOCIATE FILE (\$DSFIL) MACRO CALL	CB08
EC FILE EXECUTION COMMAND	CB24
EC FILES	CB20
ERROR-OUT FILE	CB02
EXPORT PAM FILE (EX-PAM COMMAND)	CB02

EXPORT/IMPORT PAM FILE PROGRAM MESSAGES (XX24)	CB06
FILE ACCESS PROTECTION	CB24
FILE ACCESS RIGHTS	CB08
FILE AND PATHNAME CONCEPTS	CB20
FILE CHANGE COMMAND	CB02
FILE CONCURRENCY	CB02
FILE CONCURRENCY	CB20
FILE CONCURRENCY	CB24
FILE CONCURRENCY CONFLICT	CB08
FILE CONCURRENCY CONTROL	CB08
FILE CONCURRENCY INFORMATION	CB24
FILE CONTROL STRUCTURES IN THE SYSTEM POOL AREA	CB20
FILE DUMP (FD COMMAND)	CB02
FILE FORMAT	CB05
FILE HEADERS	CB05
FILE IDENTIFICATION	CB08
FILE INFORMATION BLOCK (\$FIB) MACRO CALL	CB08
FILE INFORMATION BLOCK FORMAT	CB08
FILE INFORMATION BLOCK OFFSETS (\$TFIB) MACRO CALL	CB08
FILE ORGANIZATIONS	CB05
FILE OUT (FO COMMAND)	CB02
FILE OUT (FO) OPERATOR COMMAND	CB24
FILE RESERVATION	CB02
FILE STATUS INFORMATION	CB24
FILE SYSTEM	CB20
FILE SYSTEM BUFFERED OPERATIONS	CB20
FILE SYSTEM FILE INFORMATION BLOCK (FIB)	CB08
FILE SYSTEM MESSAGES (XX02)	CB06
FILE SYSTEM PATHNAMES	CB01
FILE SYSTEM PATHNAMES	CB02
FILE SYSTEM SOFTWARE	CB20
FILE TRANSMISSION BETWEEN LEVEL6/OTHER COMPUTERS ...	CB20
FILE-VOLUME RELATIONSHIPS (FIG)	CB05
FILES	CB20
FIXED-RELATIVE FILE FORMAT	CB05
FORMAT OF FILE INFORMATION BLOCK (FIB) (FIG)	CB08
FORTRAN FILE STATUS CHECKING	CB03
FORTRAN INTERACTIVE DEVICES AND FILES	CB03
GET FILE (\$GTFIL) MACRO CALL	CB08
GET FILE (GET COMMAND)	CB02
GET FILE INFORMATION (\$GIFIL) MACRO CALL	CB08
GET FILE REQUIREMENTS	CB03
GET FILE/GET FILE INFORMATION	CB03
IDENTIFICATION OF INTERACTIVE FILES	CB03
IMPORT PAM FILE (IM-PAM COMMAND)	CB02
INDEXED FILE FORMAT	CB05
INDEXED FILE SPACE REQUIREMENTS	CB05
INTERACTIVE DEVICES AND FILES	CB03
INTERACTIVE FILE CHARACTERISTICS	CB03
ISL LOADER FILE CREATION	CB02
LIFE CYCLE OF A FILE (FIG)	CB08
LOGICAL FILE NUMBER (LFN)	CB20
MACRO CALLS FOR DIRECTORY AND FILE CONTROL	CB20
MERGE FILES (MERGE COMMAND)	CB02
MODIFY FILE (MF COMMAND)	CB02
MODIFY FILE (MF) OPERATOR COMMAND	CB24
MODULE AND FILE NAME CONVENTIONS	CB20

MONITOR SERVICES STANDARD SYS FILE I/O FUNCTIONS ...	CB08
MULTIVOLUME FILE	CB05
OPEN FILE (\$OPFIL) MACRO CALL	CB08
OPEN FILE PROGRAM VIEW BITS	CB03
OPEN FILE REQUIREMENTS	CB03
OPERATOR COMMAND FOR FILE DIRECTORY DEVICE CONTROL ..	CB24
OPERATOR COMMANDS FOR FILE CONTROL	CB20
READ/WRITE OPERATIONS FOR INTERACTIVE FILES	CB03
RECORD FORMATS SUPPORTED BY FILE ORGS (TBL)	CB05
RECORD LOCKING (SHARED FILE PROTECTION)	CB20
RECORD, FILE, AND VOLUME FORMATS	CB05
RELATIVE FILE FORMAT	CB05
RELATIVE OUTPUT FILE	CB21
RELEASE FILE (\$RLFIL) MACRO CALL	CB08
REMOVE FILE (\$RMFIL) MACRO CALL	CB08
REMOVE FILE (REMOVE COMMAND)	CB02
RENAME FILE (RENAME COMMAND)	CB02
RESET FILE DIRECTIVE	CB21
SAMPLE FILE CHANGE COMMANDS	CB02
SAMPLE FORMAT OF TAPE-RESIDENT MULTIVOL FILE (FIG) ..	CB05
SETTING DEVICE FILE CHARACTERISTICS	CB03
SORT FILE (SORT COMMAND)	CB02
SPECIFY FILE DIRECTIVE	CB21
SPECIFYING INTERACTIVE FILES COBOL APPLICATIONS	CB03
STANDARD I/O FILES	CB02
STARTUP EC FILES	CB20
SYSTEM FILE CONCURRENCY	CB20
SYSTEM PROGRAM FILE NAME SUFFIXES (TBL)	CB20
TAPE FILES	CB01
TAPE FILES PATHNAMES	CB02
TAPE-RESIDENT SEQUENTIAL FILE FORMAT	CB05
TEST FILE (\$TIFIL) MACRO CALL	CB08
TEST FILE (\$TOFIL) MACRO CALL	CB08
TEST FILE (\$TSFIL) MACRO CALL	CB08
TRANSMIT FILE (TRAN COMMAND)	CB02
TRANSMIT FILE (TRANB COMMAND)	CB02
TRANSMIT FILE (TRANH COMMAND)	CB02
TYPICAL DIRECTORY FILE STRUCTURE (FIG)	CB02
UNIT RECORD FILE FORMATS	CB05
USE OF COMMON FILES	CB20
USE OF TEST FILE MACRO CALLS	CB03
USE OF WAIT FILE MACRO CALLS	CB03
USER-IN FILE	CB02
USER-OUT FILE	CB02
WAIT FILE (\$WIFIL) MACRO CALL	CB08
WAIT FILE (\$WOFIL) MACRO CALL	CB08

FILE CHANGE

FILE CHANGE DIRECTIVES	CB02
FILE CHANGE PRINT DIRECTIVE	CB02
FILE CHANGE QUIT DIRECTIVE	CB02
FILE CHANGE READ DIRECTIVE	CB02
FILE CHANGE WRITE DIRECTIVE	CB02

FILE INFORMATION BLOCK

CONTENTS OF FILE INFORMATION BLOCK (FIB) (TBL)	CB08
FILE INFORMATION BLOCK (FIB)	CB08
FILE INFORMATION BLOCK KEYWORDS	CB08

FILE MANAGEMENT	
FILE MANAGEMENT FUNCTIONS	CB08
FILE NAME	
(SEE ALSO PATHNAME)	CB02
FILE NAME CONSTRUCTION	CB24
FILE SYSTEM	
FILE SYSTEM	CB24
FILE SYSTEM DATA STRUCTURES	CB08
FILE SYSTEM DIRECTORY	CB24
FILE SYSTEM DISPLACEMENT DEFINITIONS	CB08
FILE SYSTEM EXAMPLES, ASSUMPTIONS	CB08
FILE SYSTEM FILE INFORMATION BLOCK (FIB)	CB08
FILE SYSTEM FUNCTIONS	CB08
FILE SYSTEM PATHNAME	CB24
POINTER IN FILE SYSTEM STRUCTURES	CB08
FILE TRANSMISSION	
(SEE APPROPRIATE MANUAL FOR THE FOLLOWING TOPICS)	
COMMANDS	
ERROR AND INFORMATION MESSAGES	
FILE TRANSMISSION	CB23
LEVEL 6/BSC 2780 MANUAL	CB38
LEVEL 6/LEVEL 6 MANUAL	CB33
LEVEL 6/LEVEL 62 MANUAL	CB34
LEVEL 6/LEVEL 64 (REL. 220) MANUAL	CB39
LEVEL 6/LEVEL 64 EMULATOR	CB39
LEVEL 6/LEVEL 64 NATIVE	CB35
LEVEL 6/LEVEL 64 (REL. 300) MANUAL	CB35
LEVEL 6/LEVEL 66 MANUAL	CB36
LEVEL 6/SERIES 200/2000 MANUAL	CB37
FILE-VOLUME	
FILE-VOLUME RELATIONSHIPS	CB05
FILES	
DESIGNATING FILES	CB21
FIRMWARE	
FIRMWARE OBJECT FILES	CB24
FIXED-LENGTH RECORDS	
FIXED-LENGTH RECORDS	CB05
FIXED-LENGTH RECORDS IN FIXED-RELATIVE FILES	CB05
FIXED-LENGTH RECORDS IN TAPE-RESIDENT SEQ FILES	CB05
FORMAT OF FIXED-LENGTH RECORDS IN REL FILES	CB05
FIXED-RELATIVE FILES	
ADVANTAGES-DISADVANTAGE OF FIXED-REL FILES (TBL)	CB05
FIXED-LENGTH RECORDS IN FIXED-RELATIVE FILES	CB05
FIXED-REL FILES WITH NONDELETABLE RECORDS	CB05
FIXED-RELATIVE FILE FORMAT	CB05
FIXED-RELATIVE FILES	CB05
FIXED-RELATIVE FILES WITH DELETABLE RECORDS	CB05
FORMAT OF DELETABLE RECORDS IN FIXED-REL FILES (FIG)	CB05
FORMAT OF FIXED-RELATIVE FILE (FIG)	CB05

FLOATABLE	
BOUND UNIT FLOATABLE OVERLAY	CB21
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
NONFLOATABLE AND FLOATABLE OVERLAYS	CB20
FLOATING POINT SIMULATOR	
FLOATING POINT SIMULATOR	CB08
FLOVLY	
FLOVLY DIRECTIVE	CB21
FO	
FO COMMAND	CB02
FORM	
FORM FEED SEQUENCE FOR RECEIVE-ONLY PRINTERS (TBL) ..	CB03
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
TTY AND VIP FORMS MODE	CB03
VIP FORM FEED SEQUENCE FOR ROP	CB03
FORMAT	
BSC MESSAGE FORMAT (INPUT) (FIG)	CB03
BSC MESSAGE FORMAT (OUTPUT) (FIG)	CB03
BSC MESSAGE FORMAT (TRANSMITTING) (FIG)	CB03
COMMAND LINE FORMAT	CB02
COMMAND LINE FORMAT	CB20
CONTROL BYTE FORMAT FOR BSC LPH (RECEIVING) (FIG) ..	CB03
CONTROL BYTE FURMAT FOR VIP LPH (FIG)	CB03
CONVENTIONS USED IN EDITOR DIRECTIVE FORMAT	CB01
DUMP EDIT LINE FORMAT	CB21
FORMAT OF CLM DIRECTIVES	CB23
FORMAT OF COMMUNICATION IORB (FIG)	CB03
FORMAT OF INTERRUPT SAVE AREAS (FIG)	CB20
FORMAT OF LEVEL ACTIVITY INDICATORS (FIG)	CB20
FORMAT OF LOGICAL DUMPS BY DUMP EDIT (FIG)	CB21
FORMAT OF THE DUMPS PRODUCED BY DUMCP	CB03
INPUT COMMAND LINE FORMAT	CB24
INPUT MESSAGE FORMAT	CB24
LINK MAP FORMAT (FIG)	CB21
LOGICAL DUMP FORMAT	CB21
MESSAGE FORMAT	CB06
PHYSICAL DUMP FORMAT	CB21
TTY MESSAGE FORMATS (FIG)	CB03
TTY MESSAGE FORMATS	CB03
FORTRAN	
CALL FORT ROUTINES FROM ENTRY-LEVEL COBOL MAIN PROG	CB22
COMMUNICATIONS-PROCESSING APPLICATIONS IN FORTRAN ..	CB03
COMPILER DIAGNOSTIC MESSAGES	CB25
FORTRAN CHAINING	CB22
FORTRAN COMM APPLICATION FOR A TTY TERM(FORCL4)(FIG)	CB03
FORTRAN COMMAND	CB02
FORTRAN COMMAND	CB25
FORTRAN COMPILER MESSAGES (XX14)	CB06
FORTRAN ERROR MESSAGES	CB25
FORTRAN FILE STATUS CHECKING	CB03
FORTRAN INTERACTIVE DEVICES AND FILES	CB03

FORTRAN LISTING OF FRTRAN (FIG)	CB22
FORTRAN OBJECT TIME MESSAGES (XX15)	CB06
FORTRAN PROGRAMS CALLING THE CHAIN FUNCTION (FIG) ..	CB22
FORTRAN RUN-TIME ROUTINES	CB20
FORTRAN SUBSET VERSUS GCOS 6 FORTRAN	CB25
FUNCTIONS	CB25
LOADING AND EXECUTING THE FORTRAN COMPILER	CB01
SAMPLE FORTRAN COMMUNICATION APPLICATION FORCL4	CB03
SAMPLE FORTRAN TERMINAL SESSION (MATINV)	CB22
SOURCE LANGUAGE	CB25
TASKING	CB25
USING THE FORTRAN COMPILER	CB22

FUNCTION

CHANNEL CONTROL PROGRAM (CCP) FUNCTIONS	CB03
COMMUNICATION FUNCTION CODES	CB03
COMMUNICATION SUPERVISOR FUNCTIONS	CB03
CONNECT FUNCTION	CB03
DISCONNECT FUNCTION	CB03
FUNCTION OF THE LINKER	CB21
FUNCTIONS TO SUPPORT THE BASIC VIP TERMINAL	CB03
FUNCTIONS TO SUPPORT THE VIP OPTIONS	CB03
GENERAL FUNCTIONS	CB03
LINE PROTOCOL HANDLER (LPH) FUNCTIONS	CB03
MLCP DRIVER FUNCTIONS	CB03
PVE FUNCTION CODES	CB03
READ FUNCTION	CB03
REQUESTING COMMUNICATION FUNCTIONS	CB03
SUMMARY OF DEBUG DIRECTIVES BY FUNCTION (TBL)	CB21
VIP FUNCTION CODES	CB03
WAIT ONLINE FUNCTION	CB03
WRITE FUNCTION	CB03

FUNCTIONAL

FUNCTIONAL GROUPS OF LINKER DIRECTIVES	CB21
--	------

FUNCTIONS

BES SYSTEM SERVICE FUNCTIONS NOT EMULATED	CB20
DEF SUPERVISORY FUNCTIONS	CB20
FUNCTIONS PERFORMED AT COMMAND LEVEL	CB20
TASK GROUP/TASK FUNCTIONS FROM ONLINE OR BATCH (TBL)	CB20

G-RECORD IN LOGIN

LOGIN FILE G-RECORD	CB24
---------------------------	------

GCOS

GCOS SOFTWARE (FIG)	CB20
---------------------------	------

GET

GET COMMAND	CB02
GET COMMAND	CB21
GET DATE/TIME (\$GDTM) MACRO	CB08
GET FILE (\$GTFIL) MACRO	CB08
GET FILE INFO FILE ATTR BLOCK OFFSETS (\$GIFAB) MACRO	CB08
GET FILE INFO KEY DESC BLOCK OFFSETS (\$GIKDB) MACRO	CB08
GET FILE INFO PARAM STRUCT 2L03K 066STS (\$GIPS8) ..	CB08
GET FILE INFORMATION (\$GIFIL) MACRO	CB08

GET FILE PARAM STRUCT BLOCK OFFSETS (\$GTPSB) MACRO	CB08
GET FILE REQUIREMENTS	CB03
GET FILE/GET FILE INFORMATION	CB03
GET MEMORY/GET AVAILABLE MEMORY (\$GMEM) MACRO	CB08
GET WORKING DIRECTORY (\$GWDIR) MACRO	CB08
OIM DIRECTIVE GET MESSAGE LIST	CB24
 GLOBAL	
GLOBAL DIRECTIVE	CB01
 GLOSSARY	
GLOSSARY	CB20
 GO	
GO DIRECTIVE	CB21
 GRAPHIC CHARACTERS	
SPECIAL GRAPHIC CHARACTERS	CB05
 GROUP	
ABORT GROUP (\$ABGRP) MACRO CALL	CB08
ABORT GROUP (ABORT GROUP) OPERATOR COMMAND	CB24
ABORT GROUP (ABORT-GROUP COMMAND)	CB02
ABORT GROUP REQUEST (\$ABGRQ) MACRO CALL	CB08
ABORT GROUP REQUEST (AGR) OPERATOR COMMAND	CB24
ACTIVATE GROUP (\$ACTVG) MACRO CALL	CB08
ACTIVATE GROUP (ACTG) OPERATOR COMMAND	CB24
APPLICATION DESIGN BENEFITS OF TASK GROUP USE	CB20
BATCH TASK GROUP	CB20
BATCH TASK GROUP CONTROL STRUCTURES	CB20
CHARACTERISTICS OF TASK GROUPS AND TASKS	CB20
CREATE GROUP (\$CRGRP) MACRO CALL	CB08
CREATE GROUP (CG COMMAND)	CB02
CREATE GROUP (CG) OPERATOR COMMAND	CB24
DELETE GROUP (\$DLGRP) MACRO CALL	CB08
DELETE GROUP (DG COMMAND)	CB02
DELETE GROUP OPERATOR COMMAND	CB24
ENTER GROUP REQUEST (EGR COMMAND)	CB02
ENTER GROUP REQUEST (EGR) OPERATOR COMMAND	CB24
GENERATING TASK GROUPS AND TASKS	CB20
GROUP REQUEST PARAMETER SUBSTITUTION	CB24
INTER/INTRA TASK GROUP COMMUNICATION	CB20
INVOK RBT TASK GROUP (RBT COMMAND)	CB02
MONITOR SERVICES TASK GROUP CONTROL FUNCTIONS	CB08
OIM DIRECTIVE CHANGE DEFAULT TASK GROUP	CB24
OPERATING SYSTEM CONTROL OF TASK GROUPS	CB20
REQUEST GROUP (\$RQGRP) MACRO CALL	CB08
SPAWN GROUP (\$SPGRP) MACRO CALL	CB08
SPAWN GROUP (SG COMMAND)	CB02
SPAWN GROUP (SG) OPERATOR COMMAND	CB24
STATUS GROUP (STG COMMAND)	CB02
STATUS GROUP (STG) OPERATOR COMMAND	CB24
SUSPEND GROUP (\$\$USPG) MACRO CALL	CB08
SUSPEND GROUP (SSPG) OPERATOR COMMAND	CB24
SYSTEM TASK GROUP	CB20
TASK GROUP DEFINITION	CB24
TASK GROUP IDENTIFICATION (GROUP ID)	CB24

TASK GROUP IDENTIFICATION	CB20
TASK GROUP STATUS INFORMATION	CB24
TASK GROUP USER IDENTIFICATION (USER-ID)	CB24
TASK GROUP/TASK FUNCTIONS FROM ONLINE OR BATCH	CB20
TASK GROUPS AND TASKS	CB20

GUIDE

APPLICATIONS PROGRAMMER GUIDE TO MANUALS	CB22
APPLICATIONS PROGRAMMER'S MANUAL GUIDE	CB20
APPLICATIONS PROGRAMMER'S MANUAL GUIDE	CB22
GUIDE TO USING THE MANUAL SET	CB20
GUIDE TO USING THE MANUAL SET	CB22
OPERATOR GUIDE TO MANUALS (FIG)	CB22
OPERATOR'S MANUAL GUIDE	CB20
OPERATOR'S MANUAL GUIDE	CB22
RBF AND DEF USER GUIDE TO MANUALS (FIG)	CB22
RBF AND DEF USER MANUAL GUIDE	CB22
RBF- AND DEF-USER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER GUIDE TO MANUALS (FIG)	CB22
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB22

HALT

BOOTSTRAP HALT	CB24
HALT AT LEVEL 2	CB21
INITIALIZATION HALT	CB24
INITIALIZATION HALT MESSAGES	CB06
MDUMP HALT (TBL)	CB21
MDUMP HALT	CB21
STARTUP HALT	CB24
SYSTEM HALT	CB24

HALTS

STARTUP HALTS	CB23
---------------------	------

HARDWARE

ASSEMBLY LANGUAGE PROGRAM HARDWARE INDEPENDENCE	CB01
HARDWARE RESOURCES	CB20
HARDWARE SIMULATORS	CB20
HARDWARE SUPPORTED (TBL)	CB20
HARDWARE SUPPORTED	CB20
LEVEL 6 HARDWARE (FIG)	CB20
VIP 7200 HARDWARE OPTIONS SUPPORTED	CB03

HARDWARE-DEFINED

HARDWARE-DEFINED STRUCTURES	CB01
-----------------------------------	------

HARDWARE/SOFTWARE

COMM HARDWARE/SOFTWARE STATUS CODES (TBL)	CB03
---	------

HDR

FILE HEADER FOR TAPE-RESIDENT	CB05
FILES (TBL)	CB05

HEADER	
BLOCK HEADERS	CB05
CONTROL INTERVAL HEADERS	CB05
FILE HEADER	CB05
HEADERS	CB05
LOGICAL RECORD HEADERS	CB05
PRINT HEADER LINE DIRECTIVE	CB21
VOLUME HEADERS	CB05
HEXADECIMAL	
(SEE ALSO ASCII/HEXADECIMAL)	CB02
ARITHMETIC	CB07
ASCII AND HEXADECIMAL EQUIVALENT CHARACTERS	CB24
HEXADECIMAL DUMP DIRECTIVE	CB01
HEXADECIMAL PATCH DIRECTIVE	CB21
PRINT HEXADECIMAL VALUE DIRECTIVE	CB21
TO ASCII CONVERSION	CB07
TO DECIMAL CONVERSION	CB07
HISTORY	
MAINTAINING A TRACE HISTORY	CB21
HOLLERITH	
ASCII/HOLLERITH CARD CODES (GBCD,GCOS,GRTS)	CB30
HOLLERITH-ASCII	
HOLLERITH-ASCII CODE TABLE (TBL)	CB05
HOLLERITH-ASCII CODE TABLE (TBL)	CB08
I/O	
COMMUNICATION-SPECIFIC I/O MACRO CALLS	CB03
CONCURRENCY OF STANDARD I/O FILES	CB02
CONTENTS OF THE I/O REQUEST BLOCK (TBL)	CB03
PHYSICAL I/O MESSAGES (XX01)	CB06
REQUEST I/O (\$RQIO)	CB03
RUN-TIME I/O ROUTINES	CB20
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR STORAGE MODULE (FIG)	CB06
STANDARD I/O FILES	CB02
IDENTIFICATION	
ACCOUNT IDENTIFICATION (\$ACTID) MACRO CALL	CB08
FILE IDENTIFICATION	CB08
MONITOR SERVICES IDENTIFICATION AND INFORMATION FUNC	CB08
SYSTEM IDENTIFICATION (\$SYSID) MACRO CALL	CB08
TASK GROUP IDENTIFICATION (GROUP ID)	CB24
TASK GROUP IDENTIFICATION	CB20
TASK GROUP IDENTIFICATION	CB21
TASK GROUP USER IDENTIFICATION (USER-ID)	CB24
USER IDENTIFICATION (\$USRID) MACRO CALL	CB08
ILLUSTRATING	
EXAMPLE ILLUSTRATING USAGE OF DEBUG DIRECTIVES	CB21
EXAMPLE ILLUSTRATING USAGE OF THE LINKER	CB21
IM-PAM	
IM-PAM COMMAND	CB02

INDEX	
COPYING INDEX SEQUENTIAL EML FILE	CB06
INDEX LEVELS	
DETERMINATION OF NUMBER OF INDEX LEVELS (FIG)	CB05
INDEXED FILES	
ADVANTAGES/DISADVANTAGES OF INDEXED FILES (TBL)	CB05
CONTROL-INTERVAL HEADER FOR INDEXED FILES (TBL)	CB05
FORMAT OF FIXED-AND VAR LENGTH RECS-INDX FILES (FIG) CB05	CB05
INDEXED FILE FORMAT	CB05
INDEXED FILE SPACE REQUIREMENTS	CB05
INDEXED FILES	CB05
LOGICAL REC HEADER FOR RECS STORED-IDX FILES (TBL) .	CB05
RECORDS STORED IN INDEXED FILES	CB05
INDICATORS	
FORMAT OF LEVEL ACTIVITY INDICATORS (FIG)	CB20
INFORMATION	
OBTAINING SUMMARY INFORMATION OF A LINKER SESSION ..	CB21
INITIALIZATION	
DATA ENTRY FACILITY INIT MESSAGES (XX2C)	CB06
INITIALIZATION HALT MESSAGES	CB06
INITIALIZATION HALT R1-REGISTER CODES	CB24
INITIALIZATION HALTS	CB24
INITIALIZATION, DATA STRUCTURES	
DATA STRUCTURES ALLOCATION AND INITIALIZATION	CB08
INITIATE TASK EXECUTION	
INITIATE LEAD TASK EXECUTION	CB08
INITIATING I/O	
INITIATING INPUT/OUTPUT (I/O)	CB08
INPUT	
ASR/KSR KEYBOARD INPUT	CB08
BSC ASCII INPUT	CB03
BSC EBCDIC INPUT	CB03
BSC INPUT FEATURES	CB03
BSC MESSAGE FORMAT (INPUT) (FIG)	CB03
BSC TRANSPARENT EBCDIC INPUT	CB03
CHANGING ORIGIN OF TEXT DURING INPUT MODE	CB01
COMMUNICATION INPUT/OUTPUT REQUEST BLOCKS (IORB) ...	CB03
INPUT COMMAND LINE PARAMETER SUBSTITUTION	CB02
INPUT MODE DESCRIPTION AND DIRECTIVES	CB01
KEYBOARD INPUT LINE CONTROL	CB02
NEW USER INPUT (\$NUIN) MACRO CALL	CB08
PVE INPUT FEATURES	CB03
TTY INPUT FEATURES (BUFFERED MODE)	CB03
TTY INPUT FEATURES	CB03
USER INPUT (\$USIN) MACRO CALL	CB08
VIP INPUT FEATURES (KEYBOARD/SCREEN)	CB03

INPUT COMMAND	
INPUT COMMAND ARGUMENT	CB24
INPUT COMMAND LINE	CB24
INPUT COMMAND LINE FORMAT	CB24
INPUT COMMAND SPACES IN COMMAND LINE	CB24
INPUT MESSAGE	
CHARACTER DELETE IN INPUT MESSAGE	CB24
CORRECTION TO INPUT MESSAGE	CB24
INPUT (OPERATOR RESPONSE) MESSAGE	CB24
INPUT MESSAGE CONTROL FUNCTIONS/FORMAT (TBL)	CB24
INPUT MESSAGE DELETE	CB24
INPUT MESSAGE FORMAT	CB24
INPUT MESSAGE LENGTH	CB24
INPUT MESSAGE DIM	CB24
INPUT/OUTPUT	
DEVICE DRIVER INPUT/OUTPUT FUNCTION CODE (TBL)	CB08
INITIATING INPUT/OUTPUT (I/O)	CB08
INPUT/OUTPUT DEVICE DRIVERS	CB08
INPUT/OUTPUT REQUEST BLOCK (\$IORB)	CB03
INPUT/OUTPUT REQUEST BLOCK (\$IORB) MACRO CALL	CB08
INPUT/OUTPUT REQUEST BLOCK (IORB)	CB08
INPUT/OUTPUT REQUEST BLOCK FORMAT	CB08
INPUT/OUTPUT REQUEST BLOCK TEMPLATE (\$IORBD) MACRO	CB08
PHYSICAL INPUT/OUTPUT SOFTWARE	CB20
INPUT/OUTPUT FILE	
COMMAND PROCESSOR INPUT/OUTPUT FILE	CB24
INSERT	
INSERT DIRECTIVE	CB01
INSTRUCTION, COMMERCIAL	
COMMERCIAL INSTRUCTION PROCESSOR (CIP) SIMULATOR ...	CB08
INTERACTIVE	
ASSIGNING INTERACTIVE DEVICES AT EXECUTION TIME	CB03
CONTROL CHARACTERS USED WITH INTERACTIVE FILES	CB03
FORTRAN INTERACTIVE DEVICES AND FILES	CB03
IDENTIFICATION OF INTERACTIVE FILES	CB03
INTERACTIVE COMMANDS	CB20
INTERACTIVE DEVICES AND FILES	CB03
INTERACTIVE FILE CHARACTERISTICS	CB03
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
READ/WRITE OPERATIONS FOR INTERACTIVE FILES	CB03
SPECIFYING INTERACTIVE FILES COBOL APPLICATIONS	CB03
TTY AND VIP INTERACTIVE MODE	CB03
INTERFACE	
APPLICATION INTERFACE WITH THE COMM SUBSYSTEM	CB03
INTERFACE WITH PROGRAMS	CB20
INTERFACES TO OPERATING SYSTEM	CB20
OPERATOR INTERFACE MANAGE (DIM)	CB21
OPERATOR INTERFACE MANAGER MESSAGES	CB06

INTERMEDIATE COBOL	
INTERMED COBOL FUNCT NOT IN ENTRY-LEVEL COBOL (TBL)	CB20
INTERNAL	
INTERNAL DATE/TIME, CONVERT TO (\$INDTM) MACRO CALL .	CB08
SUSPEND FOR INTERVAL (\$SUSPN) MACRO CALL	CB08
INTERRUPT	
BREAK (TASK INTERRUPT) PROCEDURES	CB24
BSC REVERSE INTERRUPT (RVI) FEATURE	CB03
EXAMPLE OF REVERSE INTERRUPT (RVI) SEQUENCE	CB03
INTERRUPT PRIORITY LEVELS	CB20
INTERRUPT SAVE AREA (ISA)	CB20
INTERRUPT SAVE AREAS	CB21
INTERRUPT VECTORS AND INTERRUPT SAVE AREAS (FIG) ...	CB20
OIM DIRECTIVE FOR BREAK (TASK INTERRUPT)	CB24
PROGRAM INTERRUPT (PI) BREAK RESPONSE	CB02
PROGRAM INTERRUPT (PI) RESPONSE COMMAND TO BREAK ...	CB24
TASK INTERRUPTION (BREAK)	CB02
INTERRUPT VECTOR	
INTERRUPT VECTOR	CB08
INTERRUPT-SAVE-AREA	
INTERRUPT-SAVE-AREA (ISA)	CB08
INTERRUPTING	
INTERRUPTING LINKER PROCESSING	CB21
INTERSYSTEM LINK	
(SEE ALSO ISL)	CB02
CREATING AND LOADING ISL LOADER	CB23
CREATING ISL BOOTSTRAP RECORD	CB23
CREATING ISL ROUINTE	CB23
ISL PRESTARTUP REQUIREMENTS	CB23
LOADING ISL ROUTINE	CB23
SYSTEM STARTUP WITH ISL CAPABILITY	CB23
INTERVAL	
(SEE ALSO TIME-OUT)	
IORB (INPUT/OUTPUT REQUEST BLOCK)	
ASR/KSR IORB FIELDS	CB08
BSC IORB FIELD VALUES	CB03
BSC-SPECIFIC IORB FIELD VALUES (TBL)	CB03
CARD PUNCH IORB FIELDS (TBL)	CB08
CARD READER IORB FIELDS	CB08
CARD READER/PUNCH IORB FIELDS	CB08
CARTRIDGE DISK IORB FIELDS	CB08
COMMUNICATION INPUT/OUTPUT REQUEST BLOCKS (IORB) ...	CB03
CONTENTS OF I/O REQUEST BLOCK (IORB) (TBL)	CB08
DISKETTE IORB FIELDS	CB08
FORMAT OF COMMUNICATION IORB (FIG)	CB03
FORMAT OF I/O REQUEST BLOCK (IORB) (FIG)	CB08
INPUT/OUTPUT REQUEST BLOCK (\$IORB)	CB03
INPUT/OUTPUT REQUEST BLOCK (\$IORB) MACRO CALL	CB08

INPUT/OUTPUT REQUEST BLOCK (IORB)	CB08
IORB FIELD VALUES	CB03
IORB FIELDS FOR OPERATOR INTERFACE (TBL)	CB08
IORB SOFTWARE STATUS WORD (I-ST) (TBL)	CB08
MAGNETIC TAPE IORB FIELDS (TBL)	CB08
PRINTER IORB FIELDS	CB08
PVE-SPECIFIC IORB FIELD VALUES (TBL)	CB03
STORAGE MODULE IORB FIELDS	CB08
TTY IORB FIELD VALUES	CB03
TTY-SPECIFIC IORB FIELD VALUES (TBL)	CB03
VIP IORB FIELD VALUES	CB03
VIP-SPECIFIC IORB FIELD VALUES (TBL)	CB03
 IORBD	
INPUT/OUTPUT REQUEST BLOCK TEMPLATE (\$IORBD) MACRO ..	CB08
 ISA	
INTERRUPT SAVE AREA (ISA)	CB20
INTERRUPT-SAVE-AREA (ISA)	CB08
ISA SIZE BASED ON CPU MODEL,SIP/CIP CHARACTERISTICS	CB23
TCB SIZE BASED ON ISA SIZE (TBL)	CB23
 ISL	
(SEE ALSO INTERSYSTEM LINK)	
ISL CONFIGURATOR MESSAGES (XX37)	CB06
 ISL (INTERSYSTEM LINK)	
INTERSYSTEM LINK (ISL) DIRECTIVES	CB02
ISL CONFIGURATION DIRECTIVES	CB02
ISL CONFIGURATOR (ISLCON COMMAND)	CB02
ISL CONFIGURATOR	CB02
ISL DUMP DIRECTIVE	CB02
ISL HARDWARE CONFIGURATION (FIG)	CB02
ISL LCHAN RCHAN DIRECTIVES	CB02
ISL LCP RCP DIRECTIVES	CB02
ISL LMEM RMEM DIRECTIVES	CB02
ISL LOADER FILE CREATION	CB02
ISL QUIT DIRECTIVE	CB02
 ISLCON	
ISLCON COMMAND	CB02
 IST	
IST DIRECTIVE	CB21
 SOFTWARE STATUS WORD	
IORB SOFTWARE STATUS WORD (I-ST) (TBL)	CB08
 J-MODE	
START J-MODE TRACE DIRECTIVE	CB21
 KEY	
KEYS	CB05
PRIMARY KEY	CB05
RELATIVE KEY	CB05
SIMPLE KEY	CB05
TYPES OF KEYS (TBL)	CB05

KEYBOARD	
ASR/KSR KEYBOARD INPUT	CB08
KEYBOARD EDITING	CB08
KEYBOARD INPUT LINE CONTROL	CB02
KEYBOARD/SCREEN	
VIP INPUT FEATURES (KEYBOARD/SCREEN)	CB03
VIP POST-EDITING CONTROL FOR KEYBOARD/SCREEN	CB03
KEYBOARD/SCREEN/ROP	
VIP OUTPUT FEATURES (KEYBOARD/SCREEN/ROP)	CB03
KEYWORD	
KEYWORD ARGUMENT	CB02
KEYWORD ARGUMENT	
KEYWORD ARGUMENT	CB24
KEYWORDS, FIB	
FILE INFORMATION BLOCK KEYWORDS	CB08
L	
L COMMAND	CB02
LAF	
DIFFERENCES BETWEEN SAF AND LAF	CB01
LAF	CB21
WRITING SOURCE PROGRAMS EXECUTABLE IN BOTH SAF/LAF	CB01
LANGUAGE	
ASSEMBLY LANGUAGE PROGRAM INDEPENDENCE	CB20
COMMAND LANGUAGE	CB20
LANGUAGE CONSIDERATIONS	CB20
LATENCY TIME	
LATENCY TIME	CB05
LAYOUT	
MEMORY LAYOUT	CB20
SAMPLE OVERLAY LAYOUT	CB20
LBDU	
EXTERNAL REFERENCE LBDU CONFIGURATION DIRECTIVE	CB21
LCD	
LCD COMMAND	CB02
LDBU	
LDBU DIRECTIVE	CB23
LDEF	
EXTERNAL SYMBOLS LDEF DIRECTIVE	CB21
LDEF DIRECTIVE	CB21
LEAD TASK	
APPLICATION AS LEAD TASK	CB22
COMMAND PROCESSOR AS LEAD TASK	CB22
THE ACTIVATED LEAD TASK	CB20

LENGTH		
LINE LENGTH DIRECTIVE	CB21	
LEVEL		
ACHIEVING COMMAND LEVEL	CB20	
COMMAND LEVEL	CB20	
CONTROL OF PRIORITY LEVELS	CB20	
DETERMINING/SETTING THE ACTIVE LEVEL	CB21	
EXAMPLE OF LRN AND PRIORITY LEVEL ASSIGNMENTS (FIG)	CB20	
FILE TRANSMISSION BETWEEN LEVEL 6/OTHER COMPUTERS ..	CB20	
FORMAT OF LEVEL ACTIVITY INDICATORS (FIG)	CB20	
FUNCTIONS PERFORMED AT COMMAND LEVEL	CB20	
HALT AT LEVEL 2	CB21	
INTERRUPT PRIORITY LEVELS	CB20	
LEVEL 6 HARDWARE (FIG)	CB20	
NO LEVEL ACTIVE DURING DUMP EXCEPT FOR LEVEL	CB21	
PRIORITY LEVEL ASSIGN FOR TASKS/DEVICES (TBL)	CB20	
PROCESSING PRIORITY LEVELS	CB20	
SET LEVEL DIRECTIVE	CB21	
SET TEMPORARY LEVEL DIRECTIVE	CB21	
USER LEVEL ACTIVE AT THE TIME OF DUMP	CB21	
LEVEL, PRIORITY		
TASK PRIORITY LEVEL	CB08	
LFN		
LOGICAL FILE NUMBER (LFN)	CB20	
LOGICAL FILE NUMBER (LFN)	CB24	
LIB		
LIB (2, 3, OR 4) DIRECTIVE	CB21	
LIB DIRECTIVE	CB21	
LOCATING OBJECT UNITS WITH LIB DIRECTIVE	CB21	
LIB2		
LOCATING OBJECT UNITS WITH LIB2 DIRECTIVE	CB21	
LIB3		
LOCATING OBJECT UNITS WITH LIB3 DIRECTIVE	CB21	
LIB4		
LOCATING OBJECT UNITS WITH LIB4 DIRECTIVE	CB21	
LIBRARY		
ADDING USER MESSAGES TO THE ERROR MESSAGE LIBRARY ..	CB06	
MACRO ROUTINES LIBRARY NAME	CB08	
LINE		
ADDITIONAL COMMAND LINE ARGUMENTS (ARG)	CB02	
BSC 2780 TRANSMISSION MODES AND LINE CONNECTION	CB03	
BSC LINE CONTENTION	CB03	
COMMAND LINE FORMAT	CB02	
COMMAND LINE FORMAT	CB20	
CORRECTING THE CURRENT LINE	CB02	
DELETING THE CURRENT LINE	CB02	
DESIGNATING A LINE NUMBER AS AN ADDRESS	CB01	
DESIGNATING CONTENTS OF LINE AS AN ADDRESS	CB01	

DUMP EDIT LINE FORMAT	CB21
INPUT COMMAND LINE PARAMETER SUBSTITUTION	CB02
KEYBOARD INPUT LINE CONTROL	CB02
LINE LENGTH DIRECTIVE	CB21
LINE POSITION REL TO CURRENT LINE AS AN ADDRESS	CB01
NEW CURRENT LINE DIRECTIVE	CB01
PRINT HEADER LINE DIRECTIVE	CB21
PRINT LINE NUMBER DIRECTIVE	CB01
PRINT WITH LINE NUMBER DIRECTIVE	CB01
REFERENCING A SERIES OF LINE	CB01
SPACES IN COMMAND LINES	CB20
SYMBOL USED IN DEBUG DIRECTIVE LINE (TBL)	CB21
TO READ DAT FROM A BSC COMMUNICATION LINE	CB03
TO WRITE DATA TO A BSC COMMUNICATION LINE	CB03
LINE, COMMAND	
COMMAND LINE (ARG) ARGUMENTS	CB24
COMMAND LINE PARAMETER SUBSTITUTION	CB24
INPUT COMMAND LINE	CB24
INPUT COMMAND LINE FORMAT	CB24
INPUT COMMAND SPACES IN COMMAND LINE	CB24
LINE-OFFSET-ARRAY AREA	
LINE-OFFSET-ARRAY AREA	CB05
LINK	
LINK DIRECTIVE	CB21
LINK MAP FORMATS (FIG)	CB21
LINK MAP MAP DIRECTIVE	CB21
LINK MAP SYMBOL DEFINITION	CB21
LINKING OBJECT UNITS WITH LINK	CB21
MAP MAPU DIRECTIVE	CB21
PRODUCING A LINK MAP	CB21
PRODUCING LINK MAP(S)	CB21
SAMPLE LINK MAPS (FIG)	CB21
LINKED	
SPECIFYING LOC OF OBJECT UNIT(S) TO BE LINKED	CB21
SPECIFYING OBJECT UNIT(S) TO BE LINKED	CB21
LINKER	
DESIGNATING THAT THE LAST LINKER HAS BEEN ENTERED ..	CB21
DIRECTIVES ENTERED VIA ASSEMBLY CTRL STATEMENT	CB21
ENTERING LINKER DIRECTIVES	CB21
EXAMPLE ILLUSTRATING USAGE OF THE LINKER	CB21
FUNCTIONAL GROUPS OF LINKER DIRECTIVES	CB21
FUNCTIONS OF THE LINKER	CB21
INTERRUPTING LINKER PROCESSING	CB21
LINKER	CB21
LINKER COMMAND	CB02
LINKER DIRECTIVE DESCRIPTIONS	CB21
LINKER DIRECTIVES FOR CHAINED PROGRAMS (FIG)	CB22
LINKER MESSAGES (11YYZZ)	CB06
LINKER OUTPUT FOR CHAINED PROGRAMS (FIG)	CB22
LINKER OUTPUT LISTING (SMPMAC) (FIG)	CB22
LINKER SEARCH RULES	CB21
LOADING THE LINKER	CB21
OBTAINING SUMMARY INFORMATION OF A LINKER SESSION ..	CB21
SOURCE AND LINKER OUTPUT LISTING (MATINV) (FIG)	CB22

LINKING	
LINKING DUMCP AS A SELF-CONTAINED BOUND UNIT	CB03
LINKING DUMCP WITH YOUR APPLICATION	CB03
LINKING OBJECT UNITS WITH LINK	CB21
LINKING OBJECT UNITS WITH LINKN	CB21
LINKING OBJECT UNITS WITH LINKO	CB21
RELOCATION IN LINKING	CB21
VALID COMBINATIONS OF COMPIL UNITS (LINKING) (FIG) ..	CB01
LINKN	
LINKING OBJECT UNITS WITH LINKN	CB21
LINKN DIRECTIVE	CB21
LINKO	
LINKING OBJECT UNITS WITH LINKO	CB21
LINKO DIRECTIVE	CB21
LIST	
ARGUMENT LIST (FIG)	CB20
LIST ALL BOUND UNIT BREAKPOINTS DIRECTIVE	CB21
LIST ALL BREAKPOINTS DIRECTIVE	CB21
LIST BOUND UNIT BREAKPOINT DIRECTIVE	CB21
LIST BREAKPOINT DIRECTIVE	CB21
LIST CREATION DATE (LCD COMMAND)	CB02
LIST NAMES (LS COMMAND)	CB02
LIST PATCHES DIRECTIVE	CB21
LIST SEARCH RULES (LSR COMMAND)	CB02
LIST SEARCH RULES (LSR) OPERATOR COMMAND	CB24
LIST WORKING DIRECTORY (LWD COMMAND)	CB02
LIST WORKING DIRECTORY (LWD) COMMAND	CB24
DIM DIRECTIVE, GET MESSAGE LIST	CB24
LIST, WAIT	
FORMAT OF WAIT LIST (FIB)	CB08
MONITOR SERVICES PARAMETER BLOCK AND WAIT LIST	CB08
WAIT LIST FORMAT	CB08
WAIT LIST GENERATE (\$WLIST) MACRO CALL	CB08
WAIT ON REQUEST LIST (\$WAITL) MACRO CALL	CB08
LIST-FILE	
LIST-FILE	CB21
LISTENER	
ACTIVATING LISTENER	CB24
CHANGE LISTENER MESSAGE-OF-THE-DAY	CB24
COMMUNICATIONS TERMINAL WITH LISTENER	CB24
LISTENER ACTIVATION	CB24
LISTENER COMPONENT	CB24
LISTENER MESSAGE-OF-THE-DAY	CB24
NONCOMMUNICATIONS TERMINAL WITH LISTENER	CB24
TERMINAL STATE WITH LISTENER	CB24
LISTING	
ASSEMBLER OUTPUT LISTING (SMPMAC) (FIG)	CB22
ASSEMBLY LISTING OF PROGRAM CHAIN (FIG)	CB22
COBOL LISTING OF COBFRT (FIG)	CB22
CROSS REFERENCE LISTING (SMPMAC) (FIG)	CB22

FORTRAN LISTING OF FRTRAN (FIG)	CB22
LINKER OUTPUT LISTING (SMPMAC) (FIG)	CB22
LISTING OF SOURCE UNIT TO BE CROSS-REFERENCED (FIG)	CB01
SAMPLE LISTINGS FOR AC8111 (FIG)	CB22
SOURCE AND LINKER OUTPUT LISTING (MATINV)	CB22
 LISTS	
ARGUMENT LISTS AND POINTER ARRAYS	CB01
 LOAD	
CONFIGURATION LOAD MANAGER	CB20
LOAD SHARABLE BOUND UNIT (LOAD) COMMAND	CB24
WRITABLE CONTROL STORE LOAD (WCSLD) COMMAND	CB24
 LOAD OVERLAY	
LOAD OVERLAY (\$LDOV) MACRO CALL	CB08
 LOADER	
BOUND UNIT ATTRIBUTE TABLE AND THE LOADER	CB21
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
LOADER MESSAGES (XX16)	CB06
WRITABLE CONTROL STORE (WCS) LOADER	CB24
 LOADING	
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
LOADING AND EXECUTING THE ASSEMBLER	CB01
LOADING AND EXECUTING THE ENTRY-LEVEL COBOL COMPILER	CB01
LOADING AND EXECUTING THE FORTRAN COMPILER	CB01
LOADING AND EXECUTING THE MACRO PREPROCESSOR	CB01
LOADING AND EXECUTING THE RPG COMPILER	CB01
LOADING BOUND UNITS (SEARCH RULES)	CB20
LOADING PATCH	CB21
LOADING THE DEBUG TASK GROUP	CB21
LOADING THE EDITOR	CB01
LOADING THE LINKER	CB21
SAF/LAF INDEPENDENCE BY LOADING	CB01
SOURCE LOADING	CB22
 LOCATE RCT	
SUBROUTINE FUNCTION FOR LOCATE RCT	CB08
 LOCATING	
LOCATING OBJECT U WITH LIB (2,3,OR4) DIRECTIVES	CB21
LOCATING OBJECT UNITS WITH LSR DIRECTIVE	CB21
LOCATING OBJECT UNITS WITHIN DIRECTIVE	CB21
 LOCATION	
FINDING THE LOCATION IN MEMORY OF YOUR CODE	CB21
SIGNIFICANT LOCATION ON MEMORY DUMP (TBL)	CB21
SIGNIFICANT LOCATION ON MEMORY DUMPS	CB21
SPECIFYING LOCATION(S) OF OBJECT UNIT TO BE LINKED ..	CB21
 LOCATION, ADDRESS	
LOCATION ADDRESS ARGUMENTS	CB08
 LOCK	
RECORD LOCK	CB02

LOCK, RECORD	
RECORD LOCK	CB08
RECORD LOCK CONFLICT	CB08
LOCKING	
RECORD LOCKING (SHARED FILE PROTECTION)	CB20
LOGGING	
LOGGING IN	CB20
LOGICAL	
FORMAT OF LOGICAL DUMPS PRODUCED BY DUMP EDIT (FIG)	CB21
LOGICAL DUMP FORMAT	CB21
LOGICAL FILE NUMBER (LFN)	CB20
LOGICAL FILE NUMBER (LFN)	CB24
LOGICAL RESOURCE NUMBER (LRN)	CB20
LOGICAL RESOURCE NUMBER (LRN)	CB24
SAMPLE LOGICAL MEMORY DUMP	CB21
LOGICAL RESOURCE NUMBER(LRN)	
LOGICAL RESOURCE NUMBER (LRN) DEFINITION	CB08
LOGICAL RESOURCE TABLE (LRT) DEFINITION	CB08
LOGICAL-RECORD HEADERS	
LOGICAL-RECORD HEADERS	CB05
LOGIN	
ABBREVIATED LOGIN TERMINAL	CB22
ACTIVATING LOGIN CAPABILITY	CB24
DIRECT LOGIN TERMINAL	CB22
FULL LOGIN TERMINAL	CB22
LOGIN (L COMMAND)	CB02
LOGIN COMMAND TO ACCESS SYSTEM	CB24
LOGIN FILE A-RECORD	CB24
LOGIN FILE G-RECORD	CB24
LOGIN FILE RECORD	CB24
LOGIN FILE T-RECORD	CB24
LOGIN TERMINAL FILE ATTRIBUTES	CB24
LOGIN TERMINAL FILE DESIGN	CB24
MEMORY-POOLS FOR LOG&N TASKS	CB24
STARTUP WITH THE LOGIN FACILITY	CB22
TERMINAL CHARACTERISTICS AT LOGIN	CB02
USING THE LOGIN COMMAND	CB21
LOGIN/LISTENER	
LOGIN/LISTENER ERROR MESSAGES (XX39)	CB06
LPH	
ERRORS REPORTED BY THE PVE LPH (TBL)	CB03
ERRORS REPORTED BY THE VIP LPH (TBL)	CB03
LINE PROTOCOL HANDLER (LPH) FUNCTIONS	CB03
LINE PROTOCOL HANDLERS (LPHS)	CB03
TIME-OUT INTERVALS FOR THE PVE LPH (TBL)	CB03
TIME-OUT INTERVALS FOR THE TTY LPH (TBL)	CB03
TIME-OUT INTERVALS FOR THE VIP LPH (TBL)	CB03

LPHDEF		
LPHDEF DIRECTIVE	CB23	
LPHN		
LPHN DIRECTIVE	CB23	
LRN		
APPLICATION TASK LRNS	CB20	
DEVICE LRNS	CB20	
EXAMPLE OF LRN AND PRIORITY LEVEL ASSIGNMENTS (FIG)	CB20	
LOGICAL RESOURCE NUMBER (LRN)	CB20	
LOGICAL RESOURCE NUMBER (LRN)	CB24	
LOGICAL RESOURCE NUMBER (LRN) DEFINITION	CB08	
LS		
LS COMMAND	CB02	
LSR		
LOCATING OBJECT UNITS WITH LSR DIRECTIVE	CB21	
LSR COMMAND	CB02	
LSR DIRECTIVE	CB21	
LWD		
LWD COMMAND	CB02	
MACRO		
COMMUNICATION-SPECIFIC I/O MACRO CALLS	CB03	
LOADING AND EXECUTING THE MACRO PREPROCESSOR	CB01	
MACRO CALL GUIDELINES (COMM)	CB03	
MACRO CALL SYNTAX	CB08	
MACRO PREPROCESSOR MESSAGES (XX23)	CB06	
MACRO PREPROCESSOR OUTPUT (SMPMAC) (FIG)	CB22	
MACRO ROUTINE/CALL DESCRIPTIONS	CB08	
SAMPLE OF UNEXPANDED MACRO ROUTINE (SAMPL1) (FIG) ..	CB22	
SAMPLE OF UNEXPANDED MACRO ROUTINE (SAMPL2) (FIG) ..	CB22	
SAMPLE UNEXPANDED PROG WITH MACRO CALLS (SMPMACP) ..	CB22	
USE OF TEST FILE MACRO CALLS	CB03	
USE OF WAIT FILE MACRO CALLS	CB03	
USING THE ASSEMBLER AND MACRO PREPROCESSOR	CB22	
MACRO CALL LIST AND MACRO NAMES		
ABORT GROUP (\$ABGRP)	CB08	
ABORT GROUP REQUEST (\$ABGRQ)	CB08	
ACCOUNT IDENTIFICATION (\$ACTID)	CB08	
ACTIVATE GROUP (\$ACTVG)	CB08	
ASSOCIATE FILE (\$ASFIL)	CB08	
CANCEL CLOCK REQUEST (\$CNCRQ)	CB08	
CANCEL SEMAPHORE REQUEST (\$CNSRQ)	CB08	
CHANGE WORKING DIRECTORY (\$CWDIR)	CB08	
CLEAR EXTERNAL SWITCHES (\$CLRSW)	CB08	
CLOCK REQUEST BLOCK (\$CRB)	CB08	
CLOCK REQUEST BLOCK TEMPLATE (\$CRBD)	CB08	
CLOSE FILE (\$CLFIL)	CB08	
COMMAND IN (\$CIN)	CB08	
COMMAND LINE, PROCESS (\$CMDLN)	CB08	
CONSOLE MESSAGE SUPPRESSION (\$CMSUP)	CB08	
CREATE DIRECTORY (\$CRDIR)	CB08	

CREATE FILE (\$CRFIL)	CB08
CREATE GROUP (\$CRGRP)	CB08
CREATE TASK (\$CRTSK)	CB08
DEFINE SEMAPHORE (\$DFSM)	CB08
DELETE GROUP (\$DLGRP)	CB08
DELETE RECORD (\$DLREC)	CB08
DELETE TASK (\$DLTSK)	CB08
DISABLE DEVICE ON ATTENTION (\$DSDV)	CB08
DISABLE USER TRAP (\$DSTRP)	CB08
DISSOCIATE FILE (\$DSFIL)	CB08
ENABLE DEVICE (\$ENDV)	CB08
ENABLE USER TRAP (\$ENTRP)	CB08
ERROR OUT (\$EROUT)	CB08
EXECUTE OVERLAY (\$EXCOV)	CB08
EXPAND PATHNAME (\$XPATH)	CB08
EXTERNAL DATE/TIME, CONVERT TO (REXTDT)	CB08
EXTERNAL TIME, CONVERT TO (\$EXTIM)	CB08
FILE INFORMATION BLOCK (\$FIB)	CB08
FILE INFORMATION BLOCK OFFSETS (\$TFIB)	CB08
GET DATE/TIME (\$GDTM)	CB08
GET FILE (\$GTFL)	CB08
GET FILE INFO, FILE ATTR BLOCK OFFSETS (\$GIFAB)	CB08
GET FILE INFO, KEY DESC BLOCK OFFSETS (\$GIKDB)	CB08
GET FILE INFO, PARAM STRUCT BLOCK OFFSETS (\$GIPS8)	CB08
GET FILE INFORMATION (\$GIFIL)	CB08
GET FILE PARAMETER STRUCTURE BLOCK OFFSETS (\$GTPSB)	CB08
GET MEMORY/GET AVAILABLE MEMORY (\$GMEM)	CB08
GET WORKING DIRECTORY (\$GWDIR)	CB08
INPUT/OUTPUT REQUEST BLOCK (\$IORB)	CB08
INPUT/OUTPUT REQUEST BLOCK TEMPLATE (\$IORBD)	CB08
INTERNAL DATE/TIME, CONVERT TO (\$INDTM)	CB08
LOAD OVERLAY (\$LDOV)	CB08
NEW PROCESS (\$NPROC)	CB08
NEW USER INPUT (\$NUIN)	CB08
NEW USER OUTPUT (\$NUOUT)	CB08
OPEN FILE (\$OPFIL)	CB08
OPERATOR INFORMATION MESSAGE (\$OPMSG)	CB08
OPERATOR RESPONSE MESSAGE (\$OPRSP)	CB08
PARAMETER BLOCK GENERATE (\$PRBLK)	CB08
READ BLOCK (\$RDBLK)	CB08
READ EXTERNAL SWITCHES (\$RDSTW)	CB08
READ RECORD (\$RDREC)	CB08
RELEASE DIRECTORY (\$RLDIR)	CB08
RELEASE FILE (\$RLFIL)	CB08
RELEASE SEMAPHORE (\$RLSM)	CB08
REMOVE FILE (\$MFIL)	CB08
RENAME FILE/RENAME DIRECTORY (\$RNFIL)	CB08
REPORT ERROR CONDITION (\$RPTER)	CB08
REQUEST BATCH (\$RQBAT)	CB08
REQUEST CLOCK (\$RQCL)	CB08
REQUEST GROUP (\$RQGRP)	CB08
REQUEST I/O (\$RQIO)	CB08
REQUEST SEMAPHORE (\$RQSM)	CB08
REQUEST TASK (\$RQTSK)	CB08
RESERVE RESOURCE (\$RSVSM)	CB08
RESET DEVICE ATTENTION (\$RDVAT)	CB08
RETURN (\$RETRN)	CB08

RETURN MEMORY/RETURN PART BLOCK OF MEM (\$MEM)	CB08
RETURN REQUEST BLOCK ADDRESS (\$RBADD)	CB08
REWRITE RECORD (\$RWREC)	CB08
SEMAPHORE REQUEST BLOCK (\$SRB)	CB08
SEMAPHORE REQUEST BLOCK TEMPLATE (\$SRBD)	CB08
SET DIAL (\$SDL)	CB08
SET EXTERNAL SWITCHES (\$SETSW)	CB08
SET TERMINAL CHARACTERISTICS (\$STTY)	CB08
SPAWN GROUP (\$SPGRP)	CB08
SPAWN TASK (\$SPTSK)	CB08
STATUS MEMORY POOL (\$STMP)	CB08
STATUS OVERLAY (\$STOV)	CB08
SUSPEND FOR INTERVAL (\$SUSPN)	CB08
SUSPEND GROUP (\$SUSPG)	CB08
SUSPEND UNTIL TIME (\$SUSPN)	CB08
SYSTEM IDENTIFICATION (\$SYSID)	CB08
TASK REQUEST BLOCK (\$TRB)	CB08
TASK REQUEST BLOCK TEMPLATE (\$TRBD)	CB08
TERMINATE REQUEST (\$TRMRQ)	CB08
TEST COMPLETION STATUS (\$TEST)	CB08
TEST FILE (\$TIFIL)	CB08
TEST FILE (\$TOFIL)	CB08
TEST FILE (\$TSFIL)	CB08
TRAP HANDLER CONNECT (\$TRPHD)	CB08
UNLOAD OVERLAY (\$UNOV)	CB08
UNLOCK RECORD (\$ULREC)	CB08
USER IDENTIFICATION (\$USRID)	CB08
USER INPUT (\$USIN)	CB08
USER OUTPUT (\$USOUT)	CB08
WAIT (\$WAIT)	CB08
WAIT BLOCK (\$WTBLK)	CB08
WAIT FILE (\$WIFIL)	CB08
WAIT FILE (\$WOFIL)	CB08
WAIT LIST, GENERATE (\$WLST)	CB08
WAIT ON REQUEST LIST (\$WAITL)	CB08
WRITE BLOCK (\$WRBLK)	CB08
WRITE RECORD (\$WRREC)	CB08

MACRO CALLS

COMMAS IN MACRO CALLS	CB08
MACRO CALLS AND FUNCTION CODES	CB08
MACRO CALLS FOR DIRECTORY AND FILE CONTROL	CB20
MACRO CALLS FOR EXECUTION CONTROL	CB20
MACRO CALLS FUNCT CODES AND REG CONTENTS (TBL)	CB08
SPACES IN MACRO CALLS	CB08
SYSTEM SERVICE MACRO CALLS (TBL)	CB08
SYSTEM SERVICE MACRO CALLS	CB20

MACRO PREPROCESSOR

MACRO CALLS	CB07
MACRO EXPANSIONS	CB07
MACRO FUNCTIONS	CB07
MACRO ROUTINES	CB07

MACRO ROUTINES LIBRARY

MACRO ROUTINES LIBRARY NAME	CB08
-----------------------------------	------

MACROP	
MACROP COMMAND	CB02
MAGNETIC	
DISK AND MAGNETIC TAPE BUFFERED OPERATIONS	CB20
MAGNETIC TAPE	
(SEE ALSO TAPE)	
MAGNETIC TAPE DRIVER	CB08
MAGNETIC TAPE IORB FIELDS	CB08
MAGNETIC TAPE RCT FIELDS	CB08
MAGNETIC TAPE STATUS CODE MAPPING	CB08
MANAGER	
CLOCK MANAGER MESSAGES (XX04)	CB06
CONFIGURATION LOAD MANAGER ERROR MESSAGES (XX13) ...	CB06
MEMORY MANAGER MESSAGES (XX06)	CB06
OPERATOR INTERFACE MANAGER (OIM)	CB21
OPERATOR INTERFACE MANAGER MESSAGES	CB06
MANAGER, OPERATOR INTERFACE	
OPERATOR INTERFACE MANAGER (OIM)	CB24
OPERATOR INTERFACE MANAGER (OIM) ERROR MESSAGES	CB24
MANUAL	
APPLICATIONS PROGRAMMER GUIDE TO MANUAL (FIG)	CB22
APPLICATIONS PROGRAMMER'S MANUAL GUIDE	CB20
APPLICATIONS PROGRAMMER'S MANUAL GUIDE	CB22
GUIDE TO USING THE MANUAL SET	CB20
GUIDE TO USING THE MANUAL SET	CB22
OPERATOR GUIDE TO MANUAL (FIG)	CB22
OPERATOR'S MANUAL GUIDE	CB20
OPERATOR'S MANUAL GUIDE	CB22
RBF AND DEF USER GUIDE TO MANUAL (FIG)	CB22
RBF AND DEF USER MANUAL GUIDE	CB22
RBF- AND DEF-USER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER GUIDE TO MANUAL (FIG)	CB22
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB22
MAP	
DATA STRUCTURE MAP (FIG)	CB21
LINK MAP FORMATS (FIG)	CB21
LINK MAP MAP DIRECTIVE	CB21
LINK MAP MAPU DIRECTIVE	CB21
LINK MAP SYMBOL DEFINITION	CB21
MAP AND MAPU DIRECTIVES	CB21
PRODUCING A LINK MAP	CB21
PRODUCING LINK MAP(S)	CB21
SAMPLE LINK MAP (FIG)	CB21
MAPPING	
ASR/KSR RCT/IORB STATUS CODE MAPPING (TBL)	CB08
CARD READER IORB STATUS CODE MAPPING (TBL)	CB08
CARD READER/PUNCH STATUS CODE MAPPING	CB08
CARTRIDGE DISK RCT/IORB STATUS CODE MAP (TBL)	CB08
DISKETTE RCT/IORB STATUS CODE MAPPING (TBL)	CB08

MAGNETIC TAPE RCT/IORB STATUS CODE MAPPING (TBL) ...	CB08
PRINTER RCT/IORB STATUS MAPPING (TBL)	CB08
STORAGE MODULE STATUS CODE MAPPING (TBL)	CB08

MAPU

LINK MAP MAPU DIRECTIVE	CB21
MAP AND MAPU DIRECTIVES	CB21

MARK, TAPE

DEVICE DRIVER POSITION TAPE MARK FUNCTION	CB08
DEVICE DRIVER WRITE TAPE MARK FUNCTION	CB08

MASS STORAGE UNIT

(SEE ALSO STORAGE MODULE)

(SEE SYSTEM MASS STORAGE UNIT)

MDUMP

MDUMP AND DUMP EDIT UTILITY PROGRAMS	CB21
MDUMP HALTS (TBL)	CB21
MDUMP HALTS	CB21
MDUMP UTILITY PROGRAM	CB21
PREPARING FOR MDUMP	CB21
PROCEDURE FOR USING MDUMP	CB21

MEMORY

CHANGE MEMORY DIRECTIVE	CB21
CONTENTS OF TRAP-RELATED MEMORY AREAS	CB08
DISPLAY MEMORY DIRECTIVE	CB21
DUMP MEMORY DIRECTIVE	CB21
EXCLUSIVE MEMORY POOLS AND CONTENTS (FIG)	CB20
FINDING THE LOCATION IN MEMORY OF YOUR CODE	CB21
GET MEMORY/GET AVAILABLE MEM (\$GMEM) MACRO	CB08
IMMEDIATE MEMORY ADDRESS OPERANDS	CB01
INTERPRETING AND USING MEMORY DUMPS	CB21
MEMORY AFTER CONFIGURATION (FIG)	CB20
MEMORY ALLOCATION AND USAGE	CB23
MEMORY AVAILABILITY	CB08
MEMORY BLOCKS	CB08
MEMORY DUMP	CB21
MEMORY FOR ONLINE AND BATCH MEMORY POOLS (TBL)	CB23
MEMORY FOR SYSTEM MEMORY POOL	CB23
MEMORY LAYOUT	CB20
MEMORY MANAGER MESSAGES (XX06)	CB06
MEMORY USAGE	CB20
MONITOR SERVICES MEMORY ALLOCATION FUNCTIONS	CB08
OVERLAYS IN MEMORY (FIG)	CB20
RETURN MEMORY/RETURN PART BLOCK OF MEM (\$MEM) MACRO	CB08
SAMPLE LOGICAL MEMORY DUMP (FIG)	CB21
SAMPLE PHYSICAL MEMORY DUMP (FIG)	CB21
SHARING MEMORY POOLS	CB20
SIGNIFICANT LOCATIONS ON MEMORY DUMP (TBL)	CB21
SIGNIFICANT LOCATIONS ON MEMORY DUMPS	CB21
STATUS MEMORY POOL (\$\$TMP) MACRO CALL	CB08
THE MONITOR CALL NUMBER ON MEMORY DUMPS	CB21

MEMORY POOL

MEMORY POOL FOR LOGIN TASKS	CB24
-----------------------------------	------

MEMPOOL	
MEMPOOL DIRECTIVE	CB23

MERGE

(SEE ALSO SORT)	
EXECUTION	CB04
LANGUAGE STATEMENTS	CB04
MERGE COMMAND	CB02
MESSAGES	CB04
SORT AND MERGE ERROR MESSAGES (XX31)	CB06

MESSAGE

ADDING A MESSAGE TO THE EML	CB06
ADDING USER MESSAGE TO THE ERROR MESSAGE LIBRARY ..	CB06
ADDING USER MESSAGES TO THE ERROR MESSAGE LIBRARY ..	CB06
ASSEMBLER MESSAGE (XX10)	CB06
BSC MESSAGE FORMAT (INPUT) (FIG)	CB03
BSC MESSAGE FORMAT (OUTPUT) (FIG)	CB03
BSC MESSAGE FORMAT (TRANSMITTING) (FIG)	CB03
CHARACTER DELETE IN INPUT MESSAGE	CB24
CLM COMMUNICATIONS ERROR MESSAGE (XX0B)	CB06
CLOCK MANAGER MESSAGE (XX04)	CB06
COBOL COMPILER MESSAGE (XX26)	CB06
COMM FILE TRANSMISSION PROGRAM MESSAGE (XX22)	CB06
COMPONENT MESSAGE CODES (TBL)	CB06
CONFIGURATION LOAD MANAGER ERROR MESSAGE (XX13) ...	CB06
CONSOLE MESSAGE SUPPRESSION (\$CMSUP) MACRO	CB08
CORRECTION TO INPUT MESSAGE	CB24
DATA ENTRY FACILITY INITIALIZATION MESSAGE (XX2C) ..	CB06
DPEDIT SPECIFIC FATAL ERROR MESSAGE (TBL)	CB21
DUMP EDIT (DPEDIT) ERROR MESSAGE (XX25)	CB06
EDITOR MESSAGE (XX19)	CB06
ERROR MESSAGE RECORD	CB08
ERROR MESSAGE STRUCTURE (FIG)	CB06
EXPORT/IMPORT PAM FILE PROGRAM MESSAGE (XX24)	CB06
FILE SYSTEM MESSAGE (XX02)	CB06
FORTRAN COMPILER MESSAGE (XX14)	CB06
FORTRAN OBJECT TIME MESSAGE (XX15)	CB06
GENERAL DESCRIPTION OF SYSTEM MESSAGE	CB06
GENERAL USER RESPONSE TO ERROR MESSAGE	CB06
INITIALIZATION HALT MESSAGE	CB06
INPUT (OPERATOR RESPONSE) MESSAGE	CB24
INPUT MESSAGE CONTROL FUNCTIONS/FORMAT (TBL)	CB24
INPUT MESSAGE DELETE	CB24
INPUT MESSAGE FORMAT	CB24
INPUT MESSAGE LENGTH	CB24
INPUT MESSAGE OEM	CB24
ISL CONFIGURATOR MESSAGE (XX37)	CB06
LINKER MESSAGE (11YYZZ)	CB06
LOADER MESSAGE (XX16)	CB06
LOGIN/LISTENER ERROR MESSAGE (XX39)	CB06
MACRO PREPROCESSOR MESSAGE (XX23)	CB06
MEMORY MANAGER MESSAGE (XX06)	CB06
MESSAGE ENTRY DURING OUTPUT	CB24
MESSAGE FORMAT	CB06
MESSAGE FUNCTIONS	CB24
MESSAGE STRUCTURE	CB06

MESSAGE TO HALT OUTPUT	CB24
MONITOR ERROR MESSAGE (XX08)	CB06
MSG ISSUED BY COBOL OBJECT TIME ROUTINES (XX27)	CB06
MULTILINE COM PROCESSOR (DUMCP) ERROR MSG (XX34)	CB06
OIM DIRECTIVE GET MESSAGE LIST	CB24
OPERATOR INFORMATION MESSAGE (\$OPMSG) MACRO	CB08
OPERATOR INTERFACE MANAGER (OIM) ERROR MESSAGE	CB24
OPERATOR INTERFACE MANAGER MESSAGE	CB06
OPERATOR RESPONSE MESSAGE (\$OPRSP) MACRO	CB08
OUTPUT MESSAGE NUMBER	CB24
OUTPUT MESSAGE OIM	CB24
OUTPUT MESSAGE PREFIX	CB24
OUTPUT MESSAGE QUEUE	CB24
PATCH MESSAGE (XX21)	CB06
PHYSICAL I/O MESSAGE (XX01)	CB06
REMOTE BATCH FACILITY MESSAGE (XX33)	CB06
RPG OBJECT TIME ERROR MESSAGE (XX29)	CB06
SAMPLE DEFAULT MESSAGE (FIG)	CB06
SAMPLE MESSAGE WITH TEST (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE - STORAGE MODULE (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SEMAPHORE FUNCTION MESSAGE (XX05)	CB06
SORT AND MERGE ERROR MESSAGE (XX31)	CB06
SYSTEM COMMAND MESSAGE (XX17)	CB06
TRAP HANDLER MESSAGE (XX03)	CB06
TTY MESSAGE FORMATS (FIG)	CB03
TTY MESSAGE FORMATS	CB03
UTILITY PROGRAMS MESSAGE (XX12)	CB06
WRITABLE CONTROL STORE ERROR MESSAGE (XX1E)	CB06
MESSAGE-OF-THE-DAY, LISTENER	
CHANGE LISTENER MESSAGE-OF-THE-DAY	CB24
LISTENER MESSAGE-OF-THE-DAY	CB24
MF	
MF COMMAND	CB02
MINIMUM SYSTEM	
INTERMEDIATE REQUEST BLOCKS	CB23
MINIMUM SYSTEM CONFIGURATION	CB23
SUMMARY OF LIMITATIONS	CB23
SYSTEM MEMORY POOL	CB23
TRAP SAVE AREAS	CB23
USAGE OF DEBUG PROGRAM	CB23
USAGE OF EXHAUSTIBLE RESOURCES	CB23
USER (ONLINE) MEMORY POOL	CB23
MLCP	
(SEE ALSO MULTILINE COMMUNICATIONS PROCESSOR)	
MLCP DRIVER FUNCTIONS	CB03
MOD 400	
BES-MOD 400 COMPATABILITY	CB20
CONVERTING BES PROGRAMS TO MOD 400	CB20
EXECUTING BES PROGRAMS UNDER MOD 400	CB20
EXECUTING BES SYSTEM SERVICES UNDER MOD 400	CB20

MODE	
ADDRESSING MODE	CB01
BSC 2780 TRANSMISSION MODE AND LINE CONNECTION	CB03
BSC ADVANCED DATA TRANSMISSION MODE	CB03
BSC BASIC DATA TRANSMISSION MODE	CB03
BSC MODE	CB03
BUFFERED MODE TTY TRANSMISSION (VIP 7200 ONLY)	CB03
CHANGING ORIGIN OF TEXT DURING EDIT MODE	CB01
CHANGING ORIGIN OF TEXT DURING INPUT MODE	CB01
DEVICE OPERATIONAL MODE	CB03
EDIT MODE DESCRIPTION AND DIRECTIVES	CB01
INPUT MODE DESCRIPTION AND DIRECTIVES	CB01
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
TTY AND VIP DATA ENTRY MODE	CB03
TTY AND VIP FORMS MODE	CB03
TTY AND VIP INTERACTIVE MODE	CB03
TTY AND VIP MODE	CB03
TTY AND VIP PRINTER EMULATION MODE	CB03
TTY AND VIP TERMINAL MODE	CB03
TTY INPUT FEATURES (BUFFERED MODE)	CB03
TTY OUTPUT FEATURES (BUFFERED MODE)	CB03
MODE, CARD READER	
CARD READER ASCII MODE	CB08
CARD READER VERBATIM MODE	CB08
VERBATIM MODE FORMATTING (FIG)	CB08
MODEM	
MODEM DIRECTIVE	CB23
MODEM SUPPORT AVAILABLE	CB03
MODIFICATION, DEVICE DRIVER	
MODIFICATION OF EXISTING DEVICE DRIVER	CB08
MODIFY	
MODIFY EXTERNAL SWITCHES (MSW COMMAND)	CB02
MODIFY EXTERNAL SWITCHES (MSW) OPERATOR COMMAND	CB24
MODIFY FILE (MF COMMAND)	CB02
MODIFY FILE (MF) COMMAND	CB24
MODULE	
MODULE AND FILE NAME CONVENTIONS	CB20
SAMPLE PHYSICAL I/O MESSAGE - STORAGE MODULE (FIG)	CB06
SYSTEM MODULE NAME PREFIXES (TBL)	CB20
MONITOR	
EXAMPLE OF MONITOR INTERACTION WITH USER TASKS	CB20
MONITOR ERROR MESSAGES (XX08)	CB06
MONITOR SOFTWARE	CB20
OPERATOR COMMANDS TO MONITOR THE SYSTEM	CB20
SUMMARY OF EXECUTIVE MONITOR CALLS (TBL)	CB21
THE MONITOR CALL NUMBER ON MEMORY DUMPS	CB21
MONITOR SERVICES FUNCTIONS	
BATCH FUNCTIONS	CB08
CLOCK FUNCTIONS	CB08
COMMUNICATIONS FUNCTIONS	CB08

DATE/TIME FUNCTIONS	CB08
ERROR HANDLING FUNCTIONS	CB08
EXTERNAL SWITCH FUNCTIONS	CB08
FUNCTIONS	CB08
IDENTIFICATION AND INFORMATION FUNCTIONS	CB08
MEMORY ALLOCATION FUNCTIONS	CB08
OPERATOR INTERFACE FUNCTIONS	CB08
OVERLAY HANDLING FUNCTIONS	CB08
PHYSICAL I/O FUNCTIONS	CB08
REQUEST AND RETURN FUNCTIONS	CB08
SEMAPHORE FUNCTIONS	CB08
STANDARD SYSTEM FILE I/O FUNCTIONS	CB08
TASK CONTROL FUNCTIONS	CB08
TASK GROUP CONTROL FUNCTIONS	CB08
TRAP HANDLING FUNCTIONS	CB08
 MONOFILE VOLUME	
DEFINITION	CB05
 MOVE	
MOVE DIRECTIVE	CB01
 MOVE-APPEND	
MOVE-APPEND DIRECTIVE	CB01
 MSG	
MSG COMMAND	CB02
 MSW	
MSW COMMAND	CB02
MSW COMMAND	CB21
 MULTIFILE VOLUME	
DEFINITION	CB05
MULTIFILE VOL (FIG)	CB05
SAMPLE FORMAT OF TAPE-RESIDENT	CB05
 MULTILINE COMMUNICATIONS PROCESSOR	
MLCP (DUMCP) ERROR MESSAGES (XX34)	CB06
 MULTIPLE	
DATA ENTRY MULTIPLE TTY AND/OR MULT VIP TERMINALS ..	CB03
LOGIC OF BIDIRECTIONAL FLOW FOR MULT TERMINALS (FIG)	CB03
PRINTER EMULATION MULT TTY AND/OR MULT VIP TERMINALS	CB03
TTY OR VIP MULTIPLE TERMINALS	CB03
 MULTITASK	
SAMPLE ASSEMBLY LANGUAGE MULTITASK PROGRAM (BRDCST)	CB22
 MULTIVOLUME FILE	
DEFINITION	CB05
SAMPLE FORMAT OF TAPE-RESIDENT MULTIVOL FILE (FIG)	CB05

NAME	
DESIGNATING FILE NAMES (TBL)	CB01
DIRECTORY OF FILE NAME CONSTRUCTION	CB01
MODULE AND FILE NAME CONVENTIONS	CB20
SYSTEM MODULE NAME PREFIXES (TBL)	CB20
SYSTEM PROGRAM FILE NAME SUFFIXES (TBL)	CB20
NAME, LIBRARY	
MACRO ROUTINES LIBRARY NAME	CB08
NAMES	
DESIGNATING FILE NAMES (TBL)	CB21
NAMING	
NAMING CONVENTIONS	CB20
NAMING THE PATCH	CB21
NATSAP	
POINTER TO NEXT AVAIL TRAP-SAVE-AREA (NATSAP)	CB08
NESTING, ARGUMENT	
ARGUMENT NESTING	CB24
NEW-PROC	
NEW-PROC COMMAND	CB02
NONALPHANUMERIC	
BSC NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
TTY NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
VIP NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
NONCOMMUNICATIONS CLM DIRECTIVES	
CLMIN DIRECTIVE	CB23
COMMENT DIRECTIVE	CB23
DEVICE DIRECTIVE	CB23
DRIVER DIRECTIVE	CB23
LDBU DIRECTIVE	CB23
MEMPOOL DIRECTIVE	CB23
QUIT DIRECTIVE	CB23
RESOLA DIRECTIVE	CB23
RULES FOR ARRANGING NONCOMM CLM DIRECTIVES	CB23
SUMMARY OF NONCOMM CLM DIRECTIVES (TBL)	CB23
SYS DIRECTIVE	CB23
TOPICS RELATED TO NONCOMMCLM DIRECTIVES	CB23
NONDELETABLE RECORDS	
FIXED-RELATIVE FILES WITH NONDELETABLE RECORDS	CB05
FORMAT OF NONDELETABLE RECORDS (FIG)	CB05
NONDELETABLE RECORDS	CB05
NONEXCLUSIVE	
EXCLUSIVE AND NONEXCLUSIVE POOL SETS (FIG)	CB20
NONEXCLUSIVE ONLINE POOLS	CB20
NONFLOATABLE	
BOUND UNIT NONFLOATABLE OVERLAY	CB21
NONFLOATABLE AND FLOATABLE OVERLAYS	CB20

NONPOLLED

NONPOLLED VIP ERROR PROCESSING CB03

NUMBER

DESIGNATING A LINE NUMBER AS AN ADDRESS	CB01
INTERPRETING THE MONITOR CALL NUMBER ON MEMORY DUMPS	CB21
LOGICAL FILE NUMBER (LFN)	CB20
LOGICAL FILE NUMBER (LFN)	CB24
LOGICAL RESOURCE NUMBER (LRN)	CB20
LOGICAL RESOURCE NUMBER (LRN)	CB24
OUTPUT MESSAGE NUMBER	CB24
PRINT LINE NUMBER DIRECTIVE	CB01
PRINT WITH LINE NUMBER DIRECTIVE	CB01

OBJECT

FORTRAN OBJECT TIME MESSAGES (XX15)	CB06
LINKING OBJECT UNITS WITH LINK	CB21
LINKING OBJECT UNITS WITH LINKN	CB21
LINKING OBJECT UNITS WITH LINKO	CB21
LOCATING OBJECT UNITS WITH IN DIRECTIVE	CB21
LOCATING OBJECT UNITS WITH LIB(L,3,OR 4) DIRECTIVE	CB21
LOCATING OBJECT UNITS WITH LSR DIRECTIVE	CB21
LOCATION(S) OF OBJECT UNIT(S) TO BE LINKED	CB21
MSG ISSUED BY COBOL OBJECT TIME ROUTINES (XX27)	CB06
RPG OBJECT TIME ERROR MESSAGES (XX29)	CB06

OFFSETS MACRO CALLS

FILE INFORMATION BLOCK OFFSETS (\$TFIE) MACRO	CB08
GET FILE INFO KEY DESC BLOCK OFFSETS (\$GIKDB) MACRO	CB08
GET FILE INFO, FILE ATTRIBUTE BLOCK OFFSETS (\$GIFAB)	CB08
GET FILE INFO, PARAM STRUCT BLOCK OFFSETS (\$GIPSB)	CB08
GET FILE PARAM STRUCT BLOCK OFFSETS (\$GTPSB) MACRO	CB08

OIM

OPERATOR INTERFACE MANAGER (OIM)	CB21
INPUT MESSAGE OIM	CB24
OIM DIRECTIVE CHANGE DEFAULT TASK GROUP	CB24
OIM DIRECTIVE CHANGE OUTPUT PACING RATE	CB24
OIM DIRECTIVE FOR BREAK (TASK INTERRUPT)	CB24
OIM DIRECTIVE GET MESSAGE LIST	CB24
OPERATOR INTERFACE MANAGER (OIM)	CB24
OPERATOR INTERFACE MANAGER (OIM) ERROR MESSAGES	CB24
OUTPUT MESSAGE OIM	CB24

ONLINE

EXCLUSIVE ONLINE POOLS	CB20
MINIMUM EQUIPMENT FOR ONLINE APPLICATIONS	CB20
NONEXCLUSIVE ONLINE POOLS	CB20
ONLINE POOLS	CB20
TASK GROUP/TASK FUNCTIONS FROM ONLINE OR BATCH (TBL) CB20	CB20

ONLINE MEMORY POOLS

MEMORY FOR ONLINE AND BATCH MEMORY POOLS (TBL) CB23

ONLINE/BATCH

ONLINE/BATCH ENVIRONMENT

CB22

OPEN	
OPEN FILE PROGRAM VIEW BITS	CB03
OPEN FILE REQUIREMENTS	CB03
OPEN FILE	
OPEN FILE (\$OPFIL) MACRO CALL	CB08
OPERATING	
OPERATING PROCEDURE FOR DUMP EDIT	CB21
OPERATOR INTERFACE MANAGER (OIM)	CB21
OPERATING SYSTEM	
COMPARISON OF OS	CB20
EXTENSIONS AND SHAREABLE BU (TBL)	CB20
HOW THE OPERATING SYSTEM HANDLES TASKS	CB20
INTERFACES TO OPERATING SYSTEM	CB20
OPERATING ENVIRONMENT	CB22
OPERATING FEATURES	CB20
OPERATING SYSTEM AREA	CB20
OPERATING SYSTEM CONTROL OF TASK GROUPS	CB20
OPERATING SYSTEM EXTENSIONS	CB23
OPERATING SYSTEM FEATURES AFFECTING TASK EXECUTION ..	CB20
OPERATING SYSTEM OVERLAYS	CB23
OPERATING SYSTEM SOFTWARE	CB20
OPERATIONS	
BUFFERED READ OPERATIONS	CB20
BUFFERED WRITE OPERATIONS	CB20
DEF OPERATIONS	CB20
DISK AND MAGNETIC TAPE BUFFERED OPERATIONS	CB20
FILE SYSTEM BUFFERED OPERATIONS	CB20
REMOTE BATCH OPERATIONS	CB20
UNIT RECORD AND TERMINAL BUFFERED OPERATIONS	CB20
OPERATOR	
ACCESS THROUGH THE OPERATOR OR ANOTHER USER	CB22
ACCESS THROUGH THE OPERATOR TERMINAL	CB22
INCREASE OPERATOR TERMINAL RESPONSE SPEED	CB24
INPUT (OPERATOR RESPONSE) MESSAGE	CB24
IORB FIELDS FOR OPERATOR INTERFACE (TBL)	CB08
MONITOR SERVICES OPERATOR INTERFACE FUNCTIONS	CB08
OPERATOR AND SYSTEM DIALOG EXAMPLE (FIG)	CB24
OPERATOR ASSIGNED ACCESS	CB20
OPERATOR COMMAND FUNCTIONS AND NAMES (TBL)	CB24
OPERATOR COMMANDS	CB20
OPERATOR COMMANDS	CB24
OPERATOR COMMANDS FOR EXECUTION CONTROL	CB20
OPERATOR COMMANDS FOR FILE CONTROL	CB20
OPERATOR COMMANDS TO MONITOR THE SYSTEM	CB20
OPERATOR GUIDE TO MANUALS (FIG)	CB22
OPERATOR INFO MESSAGE (\$OPMSG) MACRO	CB08
OPERATOR INTERFACE MANAGER (OIM)	CB24
OPERATOR INTERFACE MANAGER (OIM) ERROR MESSAGES	CB24
OPERATOR INTERFACE MANAGER MESSAGES	CB06
OPERATOR OIM DIRECTIVE MESSAGES	CB24
OPERATOR RESPONSE MESSAGE (\$OPRSP) MACRO	CB08
OPERATOR TERMINAL	CB24

OPERATOR TERMINAL SESSION FOR COBFRT	CB22
OPERATOR'S GUIDE TO MANUALS	CB20
OPERATOR'S MANUAL GUIDE	CB20
SAMPLE OPERATOR AND SYSTEM DIALOG	CB24
OPERATOR COMMAND	
OPERATOR COMMAND DEFINITION	CB24
OPERATOR COMMAND FOR EXECUTION CONTROL	CB24
OPERATOR COMMAND FOR FILE DIRECTORY DEVICE CONTROL ..	CB24
OPERATOR COMMAND TO MONITOR SYSTEM	CB24
OPERATOR TERMINAL	
CONFIGURING OPERATOR TERMINAL	CB23
SYSTEM CONFIGURED WITHOUT OPERATOR TERMINAL	CB23
SYSTEM STARTUP TYPEOUT AT OPERATOR TERMINAL (FIG) ..	CB23
OPERATOR-OUT FILE	
COMMAND PROCESSOR OPERATOR-OUT FILE	CB24
OPTIONS	
FUNCTIONS TO SUPPORT THE VIP OPTIONS	CB03
VIP 7200 HARDWARE OPTIONS SUPPORTED	CB03
VIP POLLING OPTIONS	CB03
ORDER	
ORDER OF INTERRUPT VECTORS	CB20
TASK GROUP EXECUTION ORDER	CB21
ORGANIZATIONS	
DATA FILE ORGANIZATIONS	CB20
DATA FILE ORGANIZATIONS AND ACCESS	CB20
OUTPUT	
ASR/KSR PRINTER OUTPUT	CB08
ASSEMBLER OUTPUT LISTING (SMPMAC) (FIG)	CB22
BSC ASCII OUTPUT	CB03
BSC EBCDIC OUTPUT	CB03
BSC MESSAGE FORMAT (OUTPUT) (FIG)	CB03
BSC OUTPUT FEATURES	CB03
BSC TRANSPARENT EBCDIC OUTPUT	CB03
BSC TWO-BUFFER FEATURE (OUTPUT)	CB03
COMMUNICATION INPUT/OUTPUT REQUEST BLOCKS (IORB) ...	CB03
CONTROLLING OUTPUT USING A BREADKPON	CB21
EXECUTION OUTPUT FROM CHAINED PROGRAMS (FIG)	CB22
LINKER OUTPUT FOR CHAINED PROGRAMS (FIG)	CB22
LINKER OUTPUT LISTING (SMPMAC) (FIG)	CB22
MACRO PREPROCESSOR OUTPUT (SMPMAC) (FIG)	CB22
MESSAGE ENTRY DURING OUTPUT	CB24
MESSAGE TO HALT OUTPUT	CB24
NEW USER OUTPUT (\$NUOUT) MACRO CALL	CB08
OIM DIRECTIVE CHANGE OUTPUT PACING RATE	CB24
OUTPUT MESSAGE NUMBER	CB24
OUTPUT MESSAGE OIM	CB24
OUTPUT MESSAGE PREFIX	CB24
OUTPUT MESSAGE QUEUE	CB24
PVE OUTPUT FEATURES	CB03
REDIRECT DEBUG OUTPUT DIRECTIVE	CB21

RELATIVE OUTPUT FILE	CB21
SOURCE AND LINKER OUTPUT LISTING (MATINV) (FIG)	CB22
TTY OUTPUT FEATURES (BUFFERED MODE)	CB03
TTY OUTPUT FEATURES	CB03
USER OUTPUT (\$USOUT) MACRO CALL	CB08
VIP OUTPUT FEATURES (KEYBOARD/SCREEN/ROP)	CB03
C	
OVERFLOW CONTROL INTERVAL	
GENERAL OVERFLOW CONTROL INTERVALS	CB05
GENERAL OVERFLOW INVENTORY CONTROL INTERVALS	CB05
LOCAL OVERFLOW CONTROL INTERVALS	CB05
OVERFLOW TYPES	CB05
C	
OVERLAY	
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
BOUND UNIT FLOTABLE OVERLAY	CB21
BOUND UNIT NONFLOATABLE OVERLAY	CB21
CREATING A ROOT AND OPTIONAL OVERLAY(S)	CB21
EXECUTE OVERLAY (\$EXCOV) MACRO CALL	CB08
LOAD OVERLAY (\$LDOV) MACRO CALL	CB08
MONITOR SERVICES OVERLAY HANDLING FUNCTIONS	CB08
NONFLOATABLE AND FLOATABLE OVERLAYS	CB20
OVERLAYS	CB20
OVERLAYS IN MEMORY (FIG)	CB20
PROC FOR CREATING A ROOT AND ONE OR MORE OVERLAY ..	CB21
SAMPLE OVERLAY LAYOUT	CB20
STATUS OVERLAY (\$STOV) MACRO CALL	CB08
UNLOAD OVERLAY (\$UNOV) MACRO CALL	CB08
C	
OVERLAYS	
OPERATING SYSTEM OVERLAYS	CB23
SYSTEM OVERLAYS	CB23
C	
OVERVIEW	
OVERVIEW OF PROGRAM EXECUTION AND CHECKOUT	CB21
OVERVIEW OF PROGRAM PREPARATION	CB01
C	
OVLY	
OVLY DIRECTIVE	CB21
C	
P-OP FUNCTION	
P-OP FUNCTION	CB08
C	
P-TEST FUNCTION	
P-TEST FUNCTION	CB08
C	
PACING RATE	
DIM DIRECTIVE CHANGE OUTPUT PACING RATE	CB24
C	
PACKED MODE	
7-TRACK TAPE DATA TRANSFER;PACKED MODE	CB05
C	
PAM	
EXPORT PAM FILE (EX-PAM COMMAND)	CB02
EXPORT/IMPORT PAM FILE PROGRAM MESSAGES (XX24)	CB06
IMPORT PAM FILE (IM-PAM COMMAND)	CB02
C	

PARAMETER	
AMPERSAND (&) PARAMETER SUBSTITUTION	CB24
COMMAND LINE PARAMETER SUBSTITUTION	CB24
GROUP REQUEST PARAMETER SUBSTITUTION	CB24
INPUT COMMAND LINE PARAMETER SUBSTITUTION	CB02
PARAMETER	CB20
PARAMETERS	CB02
PARAMETER BLOCK	
FORMAT OF PARAMETER BLOCK (FIG)	CB08
MONITOR SERVICES PARAMETER BLOCK AND WAIT LIST	CB08
PARAMETER BLOCK FORMAT	CB08
PARAMETER BLOCK, GENERATE (\$PRBLK) MACRO	CB08
PARITY	
PARITY	CB03
PATCH	
APPLYING THE PATCH	CB21
COMMENT PATCH DIRECTIVE	CB21
DATA PATCH DIRECTIVE	CB21
ELIMINATE PATCH DIRECTIVE	CB21
HEXADECIMAL PATCH DIRECTIVE	CB21
LIST PATCHES DIRECTIVE	CB21
LOADING PATCH	CB21
NAMING THE PATCH	CB21
PATCH	CB21
PATCH COMMAND	CB02
PATCH DIRECTIVES	CB21
PATCH MESSAGES (XX21)	CB06
QUIT PATCH DIRECTIVE	CB21
SUBMITTING PATCH DIRECTIVES	CB21
PATCHING	
PATCHING TECHNIQUES	CB21
PATHNAME	
ABSOLUTE PATHNAME	CB01
ABSOLUTE PATHNAME	CB02
ABSOLUTE PATHNAME	CB24
ABSOLUTE PATHNAMES	CB20
APPEND ASCII CHARACTERS TO PATHNAME	CB08
ASSOC PATH (ASSOC COMMAND)	CB02
DEVICE FILE PATHNAME	CB24
DEVICE PATHNAME	CB24
DEVICE PATHNAMES	CB01
DEVICE PATHNAMES	CB02
DEVICE PATHNAMES	CB20
DISK DEVICE PATHNAME	CB24
DISSOCIATE PATH (DISSOC COMMAND)	CB02
EXPAND PATHNAME (\$XPATH) MACRO CALL	CB08
FILE AND PATHNAME CONCEPTS	CB20
FILE SYSTEM PATHNAME IN CLM DIRECTIVES	CB23
FILE SYSTEM PATHNAME	CB24
FILE SYSTEM PATHNAMES	CB01
PATHNAME	CB05
PATHNAME COLON CONVENTION	CB02

PATHNAME CONSTRUCTION	CB01
PATHNAME CONSTRUCTION	CB02
PATHNAME CONSTRUCTION	CB20
PATHNAME CONSTRUCTION	CB24
PATHNAME SYMBOLS	CB24
PATHNAMES	CB20
RELATIVE PATHNAME	CB24
RELATIVE PATHNAME AND WORKING DIRECTORY	CB01
RELATIVE PATHNAME AND WORKING DIRECTORY	CB02
RELATIVE PATHNAME AND WORKING DIRECTORY	CB20
SAMPLE PATHNAMES (FIG)	CB20
SPECIAL PATHNAME CONVENTIONS	CB20
SPECIAL UTILITY PROGRAM PATHNAME CONVENTIONS	CB02
TAPE DEVICE PATHNAME	CB24
TREE STRUCTURE AND PATHNAME EXAMPLES (FIG)	CB01
 PAUSE	
LIMIT TO PAUSE	CB21
 PERIPHERAL	
CONFIGURING PERIPHERAL DEVICE	CB23
PERIPHERAL DEVICE ASSIGNMENTS	CB20
 PERIPHERAL DEVICE DRIVER	
PERIPHERAL DEVICE EXCHANGE	CB24
PERIPHERAL DEVICE STATUS INFORMATION	CB24
WRITING PERIPHERAL DEVICE I/O DRIVER	CB08
 PHYSICAL	
PHYSICAL DUMP FORMAT	CB21
PHYSICAL I/O MESSAGES (XX01)	CB06
PHYSICAL INPUT/OUTPUT SOFTWARE	CB20
SAMPLE PHYSICAL I/O MESSAGE - STORAGE MODULE (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SAMPLE PHYSICAL MEMORY DUMP (FIG)	CB21
 PHYSICAL I/O FUNCTIONS	
MONITOR SERVICES PHYSICAL I/O FUNCTIONS	CB08
 PI	
PI COMMAND	CB02
PROGRAM INTERRUPT (PI) RESPONSE COMMAND TO BREAK ...	CB24
 PLANNING	
PLANNING CONSIDERATIONS	CB21
 POINTER	
ARGUMENT LISTS AND POINTER ARRAYS	CB01
DATA STRUCTURES CONTAINING POINTERS	CB01
POINTER IN FILE SYSTEM STRUCTURES	CB08
POINTER TO NEXT AVAILABLE TRAPSAVE AREA (NATSAP) ...	CB08
 POLLING	
VIP POLLING OPTIONS	CB03

POOL	
(SEE ALSO BATCH MEMORY POOL)	
(SEE ALSO ONLINE MEMORY POOLS)	
(SEE ALSO SYSTEM MEMORY POOL)	
BATCH POOL AND ROLL-OUT	CB20
EXCLUSIVE AND NONEXCLUSIVE POOL SETS (FIG)	CB20
EXCLUSIVE MEMORY POOLS AND CONTENTS (FIG)	CB20
EXCLUSIVE ONLINE POOLS	CB20
FILE CONTROL STRUCTURES IN THE SYSTEM POOL AREA	CB20
NONEXCLUSIVE ONLINE POOLS	CB20
ONLINE POOLS	CB20
SHARING MEMORY POOLS	CB20
SYSTEM POOL AREA	CB20
POOL, MEMORY	
STATUS MEMORY POOL (\$\$TMP) MACRO CALL	CB08
POSITION	
DEVICE DRIVER POSITION BLOCK FUNCTION	CB08
DEVICE DRIVER POSITION TAPE MARK FUNCTION	CB08
POSITIONAL	
POSITIONAL ARGUMENT	CB02
POSITIONAL ARGUMENT	
POSITIONAL ARGUMENT	CB24
POST-EDITING	
POST-EDITING CONTROL-RECEIVE ONLY PRINTERS (TBL) ...	CB03
VIP POST-EDITING CONTROL FOR KEYBOARD/SCREEN	CB03
VIP POST-EDITING CONTROL FOR ROP	CB03
PR	
PR COMMAND	CB02
PREFIX, MESSAGE	
OUTPUT MESSAGE PREFIX	CB24
PREFIXES	
SYSTEM MODULE NAME PREFIXES (TBL)	CB20
PREPARATION	
COMMANDS FOR PROGRAM PREPARATION	CB20
MINIMUM EQUIPMENT FOR PROGRAM PREPARATION	CB20
PROGRAM PREPARATION SOFTWARE	CB20
PRIMARY KEY	
PRIMARY KEY	CB05
PRINT	
PRINT ALL DIRECTIVE	CB21
PRINT CONTROL CHARACTERS	CB03
PRINT DIRECTIVE	CB01
PRINT DIRECTIVE	CB21
PRINT HEADER LINE DIRECTIVE	CB21
PRINT HEXADECIMAL VALUE DIRECTIVE	CB21

PRINT LINE NUMBER DIRECTIVE	CB01
PRINT TRACE DIRECTIVE	CB21
PRINT WITH LINE NUMBER DIRECTIVE	CB01
PRINTER	
ASR/KSR PRINTER OUTPUT	CB08
FORM FEED SEQUENCE RECEIVE-ONLY PRINTER (TBL)	CB03
POST EDITING CONTROL RECEIVE-ONLY PRINTER (TBL)	CB03
PRINTER CONTROL BYTE CODES (TBL)	CB05
PRINTER CONTROL BYTE FORMAT (FIG)	CB05
PRINTER DATA FORMAT	CB05
PRINTER DRIVER	CB08
PRINTER EMULATION MULT TTY AND/OR MULT VIP TERMINALS	CB03
PRINTER IORB FIELDS	CB08
PRINTER RCT FIELDS	CB08
PRINTER RCT/IORB STATUS MAPPING (TBL)	CB08
TTY AND VIP PRINTER EMULATION MODE	CB03
PRIORITY	
ASSIGNING PRIORITY TO APPLICATION TASKS	CB20
ASSIGNING PRIORITY TO SYSTEM TASKS	CB20
CONTROL OF PRIORITY LEVELS	CB20
EXAMPLE OF LRN AND PRIORITY LEVEL ASSIGNMENTS (FIG)	CB20
INTERRUPT PRIORITY LEVELS	CB20
PRIORITY ASSIGNMENTS FOR TASKS	CB20
PRIORITY LEVEL ASSIGN FOR TASKS/DEVICES (TBL)	CB20
PROCESSING PRIORITY LEVELS	CB20
PRIORITY LEVEL	
BASE PRIORITY	CB02
RELATIVE PRIORITY	CB02
TASK PRIORITY LEVEL	CB08
PROCEDURE	
OPERATING PROCEDURE FOR DUMP EDIT	CB21
PROCEDURE FOR WRITING PARTS OF A SLIC PROGRAM	CB01
PROCEDURE FOR CREATING A ROOT AND OVERLAYS	CB21
PROCEDURE FOR CREATING ONLY A ROOT	CB21
PROCEDURE FOR USING MDUMP	CB21
PROGRAM PREPARATION PROCEDURE (FIG)	CB01
SELF-MODIFYING PROCEDURE	CB01
PROCEDURES	
PROGRAM EXECUTION AND CHECKOUT PROCEDURES (FIG)	CB21
PROCESS	
COMMAND LINE, PROCESS (\$CMDLN) MACRO CALL	CB08
NEW PROCESS (\$NPROC) MACRO CALL	CB08
PROCESSING	
INTERRUPTING LINKER PROCESSING	CB21
PROCESSING PRIORITY LEVELS	CB20
PROCESSOR, COMMAND	
COMMAND PROCESSOR EXECUTION	CB24

PROCESSOR, COMMERCIAL INSTRUCTION
COMMERCIAL INSTRUCTION PROCESSOR (CIP) SIMULATOR ... CB08

PROGRAM

ACTIVATING A USER PROGRAM	CB02
ASSEMBLY LANGUAGE PROGRAM HARDWARE INDEPENDENCE	CB01
ASSEMBLY LANGUAGE PROGRAM INDEPENDENCE	CB01
ASSEMBLY LANGUAGE PROGRAM INDEPENDENCE	CB20
ASSEMBLY LISTING OF PROGRAM CHAIN (FIG)	CB22
CALL FORTRAN ROUTINES FROM AN ENTRY-LEVEL COBOL MAIN	CB22
CHANNEL CONTROL PROGRAM (CCP) FUNCTIONS	CB03
COMM FILE TRANSMISSION PROGRAM MESSAGES (XX22)	CB06
COMMANDS FOR PROGRAM PREPARATION	CB20
CONCURRENCY OF UTILITY AND PROGRAM PREP FILES	CB02
CONVERTING BES PROGRAMS TO MOD 400	CB20
DUMP EDIT UTILITY PROGRAM	CB21
EXECUTING BES PROGRAMS UNDER MOD 400	CB20
EXECUTION OUTPUT FROM CHAINED PROGRAM (FIG)	CB22
EXPORT/IMPORT PAM FILE PROG MESSAGES (XX24)	CB06
FORTRAN PROGRAM CALLING THE CHAIN FUNCTION (FIG) ..	CB22
GENERAL RULES FOR WRITING SLIC PROGRAMS	CB01
INTERFACE WITH PROGRAMS	CB20
LINKER DIRECTIVES FOR CHAINED PROGRAM (FIG)	CB22
LINKER OUTPUT FOR CHAINED PROGRAM (FIG)	CB22
MDUMP UTILITY PROGRAM	CB21
MINIMUM EQUIPMENT FOR PROGRAM PREPARATION	CB20
OPEN FILE PROGRAM VIEW BITS	CB03
OVERVIEW OF PROGRAM EXECUTION AND CHECKOUT	CB21
PROCEDURES FOR WRITING PARTS OF A SLIC PROGRAM	CB01
PROGRAM EX IN DIFFERENT TASK GROUP FROM PROG PREP ..	CB21
PROGRAM EXECUTION AND CHECKOUT PROCEDURES (FIG)	CB21
PROGRAM INTERRUPT (PI) RESPONSE COMMAND TO BREAK ...	CB24
PROGRAM PREP AND EXEC IN THE SAME TASK GROUP	CB21
PROGRAM PREPARATION PROCEDURE (FIG)	CB01
PROGRAM PREPARATION SOFTWARE	CB20
REQUESTING PROGRAM EXECUTION	CB21
SAMPLE ASSEMBLY LANGUAGE MULTITASK PROGRAM (BRDCST)	CB22
SAMPLE CARD-TO-DISK PROGRAM	CB22
SAMPLE UNEXPANDED PROG WITH MACRO CALLS (SMPMACP) ..	CB22
SOURCE PROGRAMS EXECUTABLE IN BOTH SAF AND LAF	CB01
SPECIAL UTILITY PROGRAM PATHNAME CONVENTIONS	CB02
SYSTEM PROGRAM FILE NAME SUFFIXES (TBL)	CB20
UNWIND/PROGRAM INTERRUPT COMMAND CONSIDERATIONS ...	CB02
UTILITY PROGRAMS MESSAGES (XX12)	CB06

PROGRAM DEVELOPMENT

PROGRAM DEVELOPMENT IN DISKETTE ENVIRONMENT	CB23
---	------

PROGRAM VIEW

CONTENTS OF PROGRAM VIEW ENTRY IN FIB (TBL)	CB08
PROGRAM VIEW BIT STRUCTURE	CB08
PROGRAM VIEW ENTRY IN THE FIB	CB08

PROGRAMMER'S

APPLICATIONS PROGRAMMER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB20

PROGRAMMING	
DUMCP PROGRAMMING CONSIDERATIONS	CB03
EDITOR PROGRAMMING CONSIDERATIONS	CB01
PROGRAMMING CONSIDERATIONS	CB21
PROGRAMMING CONVENTIONS	CB20
PROGRAMMING TRAP HANDLERS	
PROGRAMMING USER WRITTEN TRAP HANDLERS	CB08
PROGRAMS	
DEBUGGING PROGRAMS	CB21
DEBUGGING PROGRAMS WITHOUT USING DEBUG	CB21
MDUMP AND DUMP EDIT UTILITY PROGRAMS	CB21
PROT	
PURGING SYMBOLS - PROT DIRECTIVE	CB21
PROTECT	
PROTECTING DIRECTIVE	CB21
PROTECTED	
PROTECTED STRINGS	CB20
PROTECTING	
PROTECTING OR PURGING SYMBOL(S)	CB21
PROTECTION	
RECORD LOCKING (SHARED FILE PROTECTION)	CB20
PROTECTION, FILE ACCESS	
FILE ACCESS PROTECTION	CB24
PROTOCOL	
BSC LINE PROTOCOL HANDLER	CB03
BSC LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
DEVICE-SPECIFIC COMM LINE PROTOCOL HANDLERS	CB03
ERRORS REPORTED BY THE PVE LINE PROTOCOL HANDLER ...	CB03
ERRORS REPORTED BY THE VIP LINE PROTOCOL HANDLER ...	CB03
LINE PROTOCOL HANDLER (LPH) FUNCTIONS	CB03
LINE PROTOCOL HANDLERS (LPH)	CB03
PVE LINE PROTOCOL HANDLER	CB03
PVE LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
TTY LINE PROTOCOL HANDLER	CB03
TTY LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
VIP LINE PROTOCOL HANDLER	CB03
VIP LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
PURGE	
PURGE DIRECTIVE	CB21
PURGING SYMBOLS - PURGE DIRECTIVE	CB21
PURGING	
PROTECTING OR PURGING SYMBOL(S)	CB21
PURGING SYBMLS - PROT DIRECTIVE	CB21
PURGING SYMBOLS - CPROT DIRECTIVE	CB21
PURGING SYMBOLS - CPURGE DIRECTIVE	CB21
PURGING SYMBOLS - PURGE DIRECTIVE	CB21
PURGING SYMBOLS - VPURGE DIRECTIVE	CB21

PVE(PULLED VIP EMULATOR)	
ERRORS REPORTED BY THE PVE LINE PROTOCOL HANDLER	CB03
ERRORS REPORTED BY THE PVE LPH (TBL)	CB03
PVE DIRECTIVE	CB23
PVE FUNCTION CODES	CB03
PVE INPUT FEATURES	CB03
PVE LINE PROTOCOL HANDLER	CB03
PVE LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
PVE OUTPUT FEATURES	CB03
TIME-OUT INTERVALS FOR THE PVE LPH (TBL)	CB03
PVE-SPECIFIC	
PVE-SPECIFIC IORB FIELD VALUES (TBL)	CB03
QUEUE, MESSAGE	
OUTPUT MESSAGE QUEUE	CB24
QUEUE, TASK	
TASK QUEUE SEQUENCE	CB08
TASK REQUEST QUEUES	CB08
QUIT	
QUIT DIRECTIVE	CB01
QUIT DIRECTIVE	CB21
QUIT DIRECTIVE	CB23
QUIT PATCH DIRECTIVE	CB21
RB	
REQUEST BLOCK (RB) DEFINITION	CB08
RBF	
(SEE ALSO REMOTE BATCH FACILITY)	
RBF AND DEF USER GUIDE TO MANUALS (FIG)	CB22
RBF AND DEF USER MANUAL GUIDE	CB22
RBF CONFIGURATION	CB20
RBF- AND DEF-USER'S GUIDE TO MANUALS (FIG)	CB20
RBF- AND DEF-USER'S MANUAL GUIDE	CB20
RBS	
REQUEST BLOCKS (RBS)	CB01
RBT	
RBT COMMAND	CB02
RB-ST	
SOFTWARE STATUS WORD RB-ST FOR COMM DEVICES (TBL)	CB03
RCT	
ASR/KSR RCT FIELDS	CB08
BIT USAGE OF RCT WORD R-STS (TBL)	CB03
CARD READER RCT FIELDS	CB08
CARD READER/PUNCH RCT FIELDS	CB08
CARTRIDGE DISK RCT FIELDS	CB08
COMMUNICATION RESOURCE CONTROL TABLE (RCT) (FIG)	CB03
COMMUNICATION RESOURCE CONTROL TABLES (RCT)	CB03
COMMUNICATION-SPECIFIC RCT FIELDS (TBL)	CB03
DEVICE RESOURCE CONTROL TABLE (RCT)	CB08

DISKETTE RCT FIELDS	CB08
MAGNETIC TAPE RCT FIELDS	CB08
PRINTER RCT FIELDS	CB08
RCT FIELD DEFINITIONS (TBL)	CB08
RESOURCE CONTROL TABLE (RCT) DEFINITION	CB08
STORAGE MODULE RCT FIELDS	CB08
SUBROUTINE FUNCTION FOR LOCATE RCT	CB08
 RDF	
RDF COMMAND	CB02
 RDN	
RDN COMMAND	CB02
 READ	
BUFFERED OPERATIONS	CB20
DEVICE DRIVER READ DISABLED DEVICE FUNCTION	CB08
DEVICE DRIVER READ FUNCTION	CB08
READ BLOCK (\$RDBLK) MACRO CALL	CB08
READ DIRECTIVE	CB01
READ EXTERNAL SWITCHES (\$RDSSW) MACRO CALL	CB08
READ FUNCTION	CB03
READ RECORD (\$RDREC) MACRO CALL	CB08
TO READ DATA FROM A BSC COMMUNICATION LINE	CB03
 READ/MODIFY STATUS	
DEVICE DRIVER FUNCTION READ/MODIFY STATUS	CB08
 READ/WRITE	
READ/WRITE OPERATIONS FOR INTERACTIVE FILES	CB03
 REAL-TIME	
DEACTIVATING REAL-TIME CLOCK	CB21
 REASSIGN	
REASSIGN (RAS) COMMAND	CB24
 RECEIVE	
BSC CONTROL BYTE (RECEIVE)	CB03
 RECEIVE-ONLY	
FORM FEED SEQUENCE FOR RECEIVE-ONLY PRINTERS (TBL) ..	CB03
POST EDITING CONTROL FOR RECEIVE-ONLY PRINTERS (TBL) ..	CB03
 RECORD	
ACCESSING RECORDS IN FILES	CB05
DELETABLE RECORDS	CB05
DELETE RECORD (\$DLREC) MACRO CALL	CB08
ERROR MESSAGE RECORD	CB08
FIELDS AND RECORDS	CB05
FORMATS OF FIXED-LENGTH RECORDS	CB05
FORMATS OF VARIABLE-LENGTH RECORDS	CB05
FORMATS OF VARIABLE-LENGTH SPANNED RECORDS	CB05
LOGICAL REC HEADER FOR RECS STORED-IDX FILES (TBL) ..	CB05
LOGIN FILE RECORD	CB24
NONDELETABLE RECORDS	CB05
OFFLINE UNIT RECORD DEVICE TIMEOUT	CB24

READ RECORD (\$RDREC) MACRO CALL	CB08
RECORD FORMATS	CB05
RECORD FORMATS SUPPORTED BY FILE ORGS (TBL)	CB05
RECORD LOCK	CB08
RECORD LOCK CONFLICT	CB08
RECORD LOCKING (SHARED FILE PROTECTION)	CB20
RECORD, FILE, AND VOLUME FORMATS	CB05
REWRITE RECORD (\$RWREC) MACRO CALL	CB08
SAMPLE (LOGICAL) RECORDS (FIG)	CB05
UNIT RECORD AND TERMINAL BUFFERED OPERATIONS	CB20
UNIT RECORD FILE FORMATS	CB05
UNLOCK RECORD (\$ULREC) MACRO CALL	CB08
WRITE RECORD (\$WRREC) MACRO CALL	CB08
 RECORD LOCK	
RECORD LOCK	CB02
 REDIRECT	
REDIRECT DEBUG OUTPUT DIRECTIVE	CB21
 REGISTER	
MACRO CALLS FUNCT CODES AND REG CONTENTS (TBL)	CB08
REGISTER CONTENTS AT MACRO CALL EXECUTION	CB08
REGISTER CONTENTS AT TASK ACTIVATION	CB08
REGISTER CONVENTIONS	CB20
REGISTER CONVENTIONS AND CONTENTS	CB08
 REGISTERS	
ALL REGISTERS DIRECTIVE	CB21
 RELATIVE	
RELATIVE OUTPUT FILE	CB21
RELATIVE PATHNAME AND WORKING DIRECTORY	CB01
RELATIVE PATHNAME AND WORKING DIRECTORY	CB02
RELATIVE PATHNAME AND WORKING DIRECTORY	CB20
RELATIVE PRIORITY LEVEL	CB02
 RELATIVE FILES	
RELATIVE FILES	CB05
 RELEASE	
RELEASE DIRECTORY (\$RLDIR) MACRO CALL	CB08
RELEASE FILE (\$RLFIL) MACRO CALL	CB08
RELEASE SEMAPHORE (\$RLSM) MACRO CALL	CB08
 RELOCATION	
RELOCATION IN ASSEMBLY	CB21
RELOCATION IN LINKING	CB21
 REMOTE	
REMOTE BATCH FACILITY MESSAGES (XX33)	CB06
REMOTE BATCH OPERATIONS	CB20
REMOTE BATCH FACILITY (RBF)	CB20
REMOTE DEVICE SUPPORT	CB03

REMOTE BATCH FACILITY (RBF)	
COMMANDS	CB30
CONFIGURATION	CB23
CONFIGURATION DIRECTIVES	CB23
DIRECTIVES APPLICABLE TO BOTH RCI AND HDLC	CB23
EXAMPLE OF RBF CONFIGURATION DIRECTIVES	CB23
GLOSSARY	CB30
HDLC-SPECIFIC DIRECTIVES	CB23
INITIALIZATION	CB23
INITIALIZING WITH A COMMAND FILE	CB23
INITIALIZING WITH A SPAWN GROUP COMMAND	CB23
INVOKING THE RBT TASK GROUP	CB23
MAKING INITIAL DEVICE ASSIGNMENTS	CB23
MODIFYING EXTERNAL SWITCHES	CB23
OPERATOR MESSAGES	CB30
RCI-SPECIFIC DIRECTIVES	CB23
REMOTE BATCH OPERATION	CB30
USING THE \$H TASK GROUP	CB23
REMOTE EXTENTS	
INFORMATION IN RECORD;REMOTE EXTENTS (TBL)	CB05
REMOVE	
REMOVE COMMAND	CB02
RENAME	
RENAME COMMAND	CB02
RENAME FILE/RENAME DIRECTORY (\$RNFILE) MACRO	CB08
REPORT ERROR	
REPORT ERROR CONDITION (\$RPTER) MACRO CALL	CB08
REQUEST	
ABORT BATCH REQUEST (ABR) OPERATOR COMMAND	CB24
ABORT GROUP REQUEST (\$ABGRQ) MACRO CALL	CB08
ABORT GROUP REQUEST (AGR) OPERATOR COMMAND	CB24
CANCEL CLOCK REQUEST (\$CNCRQ) MACRO CALL	CB08
CANCEL SEMAPHORE REQUEST (\$CNSRQ) MACRO CALL	CB08
CLOCK REQUEST BLOCK (\$CRB) MACRO CALL	CB08
CLOCK REQUEST BLOCK	CB08
CLOCK REQUEST BLOCK TEMPLATE (\$CRBD) MACRO CALL	CB08
COMMUNICATION INPUT OUTPUT REQUEST BLOCKS (IORB) ...	CB03
CONTENTS OF THE I/O REQUEST BLOCK (TBL)	CB03
ENTER BATCH REQUEST (EBR COMMAND)	CB02
ENTER BATCH REQUEST (EBR) OPERATOR COMMAND	CB24
ENTER GROUP REQUEST (EGR COMMAND)	CB02
ENTER GROUP REQUEST (EGR) OPERATOR COMMAND	CB24
ENTER TASK REQUEST (ETR COMMAND)	CB02
GROUP REQUEST PARAMETER SUBSTITUTION	CB24
INPUT/OUTPUT REQ BLOCK TEMPLATE (\$IORBD) MACRO	CB08
INPUT/OUTPUT REQUEST BLOCK (\$IORB)	CB03
INPUT/OUTPUT REQUEST BLOCK (\$IORB) MACRO CALL	CB08
INPUT/OUTPUT REQUEST BLOCK (IORB)	CB08
INPUT/OUTPUT REQUEST BLOCK (IORB) FORMAT	CB08
MONITOR SERVICES REQUEST AND RETURN FUNCTIONS	CB08
MONITOR SERVICES REQUEST BLOCK TEMPLATES	CB08
MONITOR SERVICES REQUEST BLOCKS STRUCTURES	CB08

REQUEST BATCH (\$RQBAT) MACRO CALL	CB08
REQUEST BLOCK (RB) DEFINITION	CB08
REQUEST BLOCKS (RBS)	CB01
REQUEST CLOCK (\$RQCL) MACRO CALL	CB08
REQUEST GROUP (\$RQGRP) MACRO CALL	CB08
REQUEST I/O (\$RQIO)	CB03
REQUEST I/O (\$RQIO) MACRO CALL	CB08
REQUEST SEMAPHORE (\$RQSM) MACRO CALL	CB08
REQUEST TASK (\$RQTSK) MACRO CALL	CB08
REQUESTING COMMUNICATION FUNCTIONS	CB03
RETURN REQUEST BLOCK ADDRESS (\$RBADD) MACRO	CB08
SEMAPHORE REQUEST BLOCK (\$SRB) MACRO CALL	CB08
SEMAPHORE REQUEST BLOCK	CB08
SEMAPHORE REQUEST BLOCK TEMPLATE (\$SRBD) MACRO	CB08
TASK REQUEST BLOCK (\$TRB) MACRO CALL	CB08
TASK REQUEST BLOCK	CB08
TASK REQUEST BLOCK TEMPLATE (\$TRBD) MACRO CALL	CB08
TASK REQUEST QUEUES	CB08
TERMINATE REQUEST (\$TRMRQ) MACRO CALL	CB08
WAIT ON REQUEST LIST (\$WAITL) MACRO CALL	CB08
 REQUEST BLOCK (SEE RB)	
 REQUESTS	
TASK REQUESTS	CB20
 RESERVE DIRECTORY, RESERVE RESOURCE	
RESERVE DIRECTORY	CB08
RESERVE RESOURCE (\$RSVSM) MACRO CALL	CB08
 RESET	
RESET FILE DIRECTIVE	CB21
 RESET DEVICE	
RESET DEVICE ATTENTION (\$RDVAT) MACRO CALL	CB08
 RESOLA	
RESOLA DIRECTIVE	CB23
 RESOLVING	
RESOLVING EXTERNAL REFERENCES	CB21
 RESOURCE	
COMMUNICATION RESOURCE CONTROL TABLE (RCT) (FIG) ...	CB03
COMMUNICATION RESOURCE CONTROL TABLES (RCT)	CB03
DEVICE RESOURCE CONTROL TABLE (RCT) (FIG)	CB08
DEVICE RESOURCE CONTROL TABLE (RCT)	CB08
HARDWARE RESOURCES	CB20
LOGICAL RESOURCE NUMBER (LRN)	CB20
LOGICAL RESOURCE NUMBER (LRN) DEFINITION	CB08
LOGICAL RESOURCE TABLE (LRT) DEFINITION	CB08
RESERVE RESOURCE (\$RSVSM) MACRO CALL	CB08
RESOURCE CONTROL TABLE (RCT) DEFINITION	CB08
TASK AND RESOURCE COORDINATION	CB20

RESOURCE, LOGICAL NUMBER	
LOGICAL RESOURCE NUMBER (LRN)	CB24
RESPONSE	
GENERAL USER RESPONSE TO ERROR MESSAGES	CB06
INCREASE OPERATOR TERMINAL RESPONSE SPEED	CB24
INPUT (OPERATOR RESPONSE) MESSAGE	CB24
SYSTEM STARTUP RESPONSE	CB24
RESPONSE COMMANDS TO BREAK	
BYE RESPONSE	CB24
PROGRAM INTERRUPT (PI) RESPONSE	CB24
START (SR) RESPONSE	CB24
UNWIND (UW) RESPONSE	CB24
RESPONSE MESSAGE	
OPERATOR RESPONSE MESSAGE (\$OPRSP) MACRO CALL	CB08
RESTRICTIONS	
BES SYSTEM SERVICES EMULATED WITH RESTRICTIONS	CB20
RETURN	
ERROR RETURN STATUS CODES (TBL)	CB08
MONITOR SERVICES REQUEST AND RETURN FUNCTIONS	CB08
RETURN (\$RETRN) MACRO CALL	CB08
RETURN MEMORY/RETURN PART BLOCK OF MEM (\$RMEM) MACRO	CB08
RETURN REQUEST BLOCK ADDRESS (\$RBADD) MACRO	CB08
RETURN STATUS CODES (TBL)	CB03
REVERSE	
BSC REVERSE INTERRUPT (RVI) FEATURE	CB03
EXAMPLE OF REVERSE INTERRUPT (RVI) SEQUENCE (FIG) ..	CB03
REWRITE	
REWRITE RECORD (\$RWREC) MACRO CALL	CB08
RIGHTS, FILE ACCESS	
FILE ACCESS RIGHTS	CB08
RL	
RL COMMAND	CB02
ROLL-OUT	
BATCH POOL AND ROLL-OUT	CB20
ROOT	
(SEE ALSO PATHNAME CONSTRUCTION)	CB02
BOUND UNIT ROOT	CB21
CREATING A ROOT AND OPTIONAL OVERLAY(S)	CB21
PROC FOR CREATING A ROOT AND ONE OR MORE OVERLAYS ..	CB21
PROCEDURE FOR CREATING ONLY A ROOT	CB21
ROOT DIRECTORY	
ROOT DIRECTORY	CB24

ROP (RECEIVE-ONLY PRINTER)	
VIP FORM FEED SEQUENCE FOR ROP	CB03
VIP POST-EDITING CONTROL FOR ROP	CB03
ROUTINES	
FORTRAN FUN-TIME ROUTINES	CB20
RUN-TIME I/O ROUTINES	CB20
RUN-TIME ROUTINES	CB20
RPG	
COMPILE PROCESS	CB09
ERROR AND PROGRAM MESSAGES	CB09
LOADING AND EXECUTING THE RPG COMPILER	CB01
RPG COMMAND	CB02
RPG OBJECT TIME ERROR MESSAGES (XX29)	CB06
SOURCE LANGUAGE	CB09
RQIO	
REQUEST I/O (\$RQIO)	CB03
RS	
RS COMMAND	CB02
RTC	
RTC	CB21
RULES	
LINKER SEARCH RULES	CB21
RULES, SEARCH	
LIST SEARCH RULES (LSR) OPERATOR COMMAND	CB24
RUN-TIME	
FORTRAN RUN-TIME ROUTINES	CB20
RUN-TIME I/O ROUTINES	CB20
RUN-TIME ROUTINES	CB20
RVI	
BSC REVERSE INTERRUPT (RVI) FEATURE	CB03
EXAMPLE OF REVERSE INTERRUPT (RVI) SEQUENCE (FIG) ..	CB03
RSTS	
BIT USAGE OF RCT WORD RSTS (TBL)	CB03
SAF	
DIFFERENCES BETWEEN SAF AND LAF	CB01
SAF	CB21
SOURCE PROGRAMS EXECUTABLE IN BOTH SAF AND LAF	CB01
SAF/LAF	
METHODS OF ACHIEVING SAF/LAF INDEPENDENCE (FIG)	CB01
SAF/LAF INDEPENDENCE BY ASSEMBLY	CB01
SAF/LAF INDEPENDENCE BY LOADING	CB01

SAMPLE

(SEE ALSO EXAMPLE)

SAMPLE ASSEMBLY LANGUAGE MULTITASK PROGRAM (BRDCST)	CB22
SAMPLE ASSEMBLY LANGUAGE SESSION (SMPMAC)	CB22
SAMPLE CARD-TO-DISK PROGRAM	CB22
SAMPLE COBOL TERMINAL SESSION (AC8111)	CB22
SAMPLE DEFAULT MESSAGE (FIG)	CB06
SAMPLE EDITOR DIRECTIVES IN FILE SMPCMDFL (FIG)	CB22
SAMPLE FORTRAN TERMINAL SESSION (MATINV)	CB22
SAMPLE LINK MAPS (FIG)	CB21
SAMPLE LISTINGS FOR AC8111 (FIG)	CB22
SAMPLE LOGICAL MEMORY DUMP (FIG)	CB21
SAMPLE MESSAGE WITH TEXT (FIG)	CB06
SAMPLE OF UNEXPANDED MACRO ROUTINE (SAMPL1)	CB22
SAMPLE OF UNEXPANDED MACRO ROUTINE (SAMPL2) (FIG) ..	CB22
SAMPLE PHYSICAL I/O MESSAGE - STORAGE MODULE (FIG)	CB06
SAMPLE PHYSICAL I/O MESSAGE FOR A DISK (FIG)	CB06
SAMPLE PHYSICAL MEMORY DUMP (FIG)	CB21
SAMPLE SORT TERMINAL SESSION (FIG)	CB22
SAMPLE TERMINAL SESSION (AC8111) (FIG)	CB22
SAMPLE TERMINAL SESSION (BRDCST) (FIG)	CB22
SAMPLE TERMINAL SESSION (MATINV) (FIG)	CB22
SAMPLE TERMINAL SESSION (SMPMAC) (FIG)	CB22
SAMPLE UNEXPANDED PROG WITH MACRO CALLS (SMPMACP) ..	CB22

SAVE

INTERRUPT SAVE AREA (ISA)	CB20
INTERRUPT SAVE AREAS	CB21
INTERRUPT VECTORS AND INTERRUPT SAVE AREAS (FIG) ...	CB20
TRAP SAVE AREA	CB21

SAVE AREA, TRAP

CONTENTS OF TRAP SAVE AREA WHEN TRAP OCCURS (TBL) ..	CB08
--	------

SCIENTIFIC BRANCH SIMULATOR

SCIENTIFIC BRANCH SIMULATOR	CB08
-----------------------------------	------

SCIENTIFIC INSTRUCTION PROCESSOR (SIP)

(SEE SCIENTIFIC PROCESSOR IN CB07)

SDL

SDL COMMAND	CB02
SET DIAL (\$SDL MACRO CALL	CB08

SEARCH

LINKER SEARCH RULES	CB21
---------------------------	------

SEARCH RULES

LIST SEARCH RULES (LSR COMMAND)	CB02
LOADING BOUND UNITS (SEARCH RULES)	CB20

SEARCH, LIST

LIST SEARCH RULES (LSR) OPERATOR COMMAND	CB24
--	------

SECTOR, DIRECTORY

DIRECTORY SECTOR ALLOCATION	CB08
-----------------------------------	------

SEEK TIME	
SEEK TIME	CB05
SELF-MODIFYING	
SELF-MODIFYING PROCEDURES	CB01
SELF-MODIFYING PROCEDURES	CB20
SEMAPHORE	
CANCEL SEMAPHORE REQUEST (\$CNSRQ) MACRO CALL	CB08
DEFINE SEMAPHORE (\$DFSM) MACRO CALL	CB08
MONITOR SERVICES SEMAPHORE FUNCTIONS	CB08
RELEASE SEMAPHORE (\$RLSM) MACRO CALL	CB08
REQUEST SEMAPHORE (\$RQSM) MACRO CALL	CB08
SEMAPHORE	CB20
SEMAPHORE FUNCTION MESSAGES (XX05)	CB06
SEMAPHORE REQUEST BLOCK (\$SRB) MACRO CALL	CB08
SEMAPHORE REQUEST BLOCK	CB08
SEMAPHORE REQUEST BLOCK TEMPLATE (\$SRBD) MACRO CALL	CB08
SEQUENCE	
CALLING SEQUENCE FOR EXTERNAL PROCEDURES	CB20
SEQUENCE, TASK QUEUE	
TASK QUEUE SEQUENCE	CB08
SEQUENTIAL	
ADVANTAGES/DISADVANTAGES OF SEQUENTIAL FILES (TBL)	CB05
BLOCK HEADER FOR TAPE-RESIDENT SEQ FILES (TBL)	CB05
CI HEADER FOR REL OR DISK-RESIDENT SEQ FILES	CB05
DISK-RESIDENT SEQ FILE FORMAT	CB05
DISK-RESIDENT SEQ FILES	CB05
FIXED-LENGTH RECORDS IN TAPE-RESIDENT SEQ FILES	CB05
FORMAT OF RECORDS IN DISK-RESIDENT SEQ FILES (FIG)	CB05
LOGICAL REC HDR IN REL OR DISK-RESIDENT SEQ FILES ..	CB05
SEQUENTIAL ACCESS DEFINITION	CB05
SEQUENTIAL FILES	CB05
TAPE-RESIDENT SEQUENTIAL FILE FORMAT	CB05
TAPE-RESIDENT SEQUENTIAL FILES	CB05
VARIABLE-LENGTH REC FORMAT TAPE-RES SEQ FILES	CB05
SERIAL	
SERIAL EXECUTION OF APPLICATION TASKS	CB22
SERVICE	
BES SYSTEM SERVICE FUNCTIONS NOT EMULATED	CB20
BES SYSTEM SERVICES EMULATED WITH RESTRICTIONS	CB20
COMPLETELY EMULATED BES SYSTEM SERVICES	CB20
EXECUTING BES SYSTEM SERVICES UNDER MOD 400	CB20
SYSTEM SERVICE MACRO CALLS	CB20
SET	
EXCLUSIVE AND NONEXCLUSIVE POOL SETS (FIG)	CB20
GUIDE TO USING THE MANUAL SET	CB20
SET BOUND UNIT BREAKPOINT DIRECTIVE	CB21
SET BREAKPOINT DIRECTIVE	CB21
SET DIAL (\$SDL) MACRO CALL	CB08
SET EXTERNAL SWITCHES (\$SETSW) MACRO CALL	CB08

SET LEVEL DIRECTIVE	CB21
SET TEMPORARY LEVEL DIRECTIVE	CB21
SET TERMINAL CHARACTERISTICS (\$STTY) MACRO	CB08
SET TTY (\$STTY)	CB03
SOFTWARE DOCUMENT SET	CB20
SET DATE	
SET DATE (SD) OPERATOR COMMAND	CB24
SETTING	
SETTING BREAKPOINTS	CB21
SETTING SWITCHES	CB21
SG	
SG COMMAND	CB02
USING THE SG COMMAND	CB21
SHARABLE	
COMPARISON OF OS	CB20
EXTENSIONS AND SHARABLE BU (TBL)	CB20
SHARABLE BOUND UNITS	CB20
SHARABLE BOUND UNIT COMMANDS	
LOAD SHARABLE BOUND UNIT (LOAD) COMMAND	CB24
UNLOAD SHARABLE BOUND UNIT (UNLD) COMMAND	CB24
SHARE	
SHARE DIRECTIVE	CB21
SHARED	
RECORD LOCKING (SHARED FILE PROTECTION)	CB20
SHARELIB	
SHARELIB VERSION OF ED AND PR COMMANDS	CB23
SHARING	
SHARING MEMORY POOLS	CB20
SHORT	
SHORT ADDRESS FORM	CB21
SIMULATOR	
COMMERCIAL INSTRUCTION PROCESSOR (CIP) SIMULATOR ...	CB08
FLOATING POINT SIMULATOR	CB08
HARDWARE SIMULATOR	CB20
SCIENTIFIC BRANCH SIMULATOR	CB08
SIP(SCIENTIFIC INSTRUCTION PROCESSOR)	
(SEE SCIENTIFIC PROCESSOR IN CB07)	
SLIC	
GENERAL RULES FOR WRITING SLIC PROGRAMS	CB01
PROCEDURES FOR WRITING PARTS OF A SLIC PROGRAM	CB01
SLIC	CB21

SOFTWARE	
COMMANDS FOR UTILITY SOFTWARE EXECUTION	CB20
COMMUNICATIONS SOFTWARE	CB20
FILE SYSTEM SOFTWARE	CB20
GCOS SOFTWARE (FIG)	CB20
GENERAL FEATURES OF SOFTWARE	CB20
MONITOR SOFTWARE	CB20
OPERATING SYSTEM SOFTWARE	CB20
PHYSICAL INPUT/OUTPUT SOFTWARE	CB20
PROGRAM PREPARATION SOFTWARE	CB20
SOFTWARE DOCUMENT SET	CB20
SOFTWARE FACILITIES	CB20
SOFTWARE FEATURES	CB20
UTILITY SOFTWARE	CB20
SOFTWARE STATUS WORD	
10RB SOFTWARE STATUS WORD (I-ST) (TBL)	CB08
SORT	
EXECUTION	CB04
LANGUAGE STATEMENTS	CB04
MESSAGES	CB04
SAMPLE SORT TERMINAL SESSION (FIG)	CB22
SORT AND MERGE ERROR MESSAGES (XX31)	CB06
SORT COMMAND	CB02
SUBROUTINE CALLS	CB04
SORT/MERGE	
SORT/MERGE	CB20
SOURCE	
CHANGING AN EXISTING SOURCE UNIT	CB01
CREATING A SOURCE UNIT	CB01
LISTING OF SOURCE UNIT TO BE CROSS-REFERENCED (FIG)	CB01
SOURCE AND LINKER OUTPUT LISTING (MATINV) (FIG)	CB22
SOURCE LOADING	CB22
WRITING SOURCE PROGRAMS EXECUTABLE IN BOTH SAF/LAF	CB01
SPACES	
SPACES IN COMMAND LINES	CB02
SPACES IN COMMAND LINES	CB20
SPACES IN MACRO CALLS	CB08
SPACES IN COMMAND LINE	
INPUT COMMAND SPACES IN COMMAND LINE	CB24
SPANNED	
VARIABLE-LENGTH SPANNED RECORDS	CB05
SPAWN	
SPAWN GROUP (\$\$SPGRP) MACRO CALL	CB08
SPAWN GROUP (SG COMMAND)	CB02
SPAWN GROUP (SG) OPERATOR COMMAND	CB24
SPAWN TASK (\$\$SPTSK) MACRO CALL	CB08
SPAWN TASK (ST COMMAND)	CB02

SPECIAL CHARACTERS	
SPECIAL GRAPHIC CHARACTERS	CB05
SPECIFIC	
DPEDIT SPECIFIC FATAL ERROR MESSAGES (TBL)	CB21
SPECIFY	
SPECIFY FILE DIRECTIVE	CB21
SPEED, OPERATOR TERMINAL	
INCREASE OPERATOR TERMINAL RESPONSE SPEED	CB24
SPEEDS	
TTY TERMINAL LINE SPEEDS (TBL)	CB23
SPOOLING	
SPOOLING TECHNIQUE	CB20
SR	
SR COMMAND	CB02
SRB	
CONTENTS OF SEMAPHORE REQUEST BLOCK (SRB) (TBL)	CB08
FORMAT OF SEMAPHORE REQUEST BLOCK (SRB) (FIG)	CB08
SEMAPHORE REQUEST BLOCK (\$SRB) MACRO CALL	CB08
ST	
ST COMMAND	CB02
STANDARD	
STANDARD I/O FILES	CB02
STAR	
STAR CONVENTION	CB20
STAR NAME CONVENTION	CB02
START	
J-MODE TRACE DIRECTIVE	CB21
START DIRECTIVE	CB21
STARTUP	
STARTUP EC FILES	CB20
STARTUP HALTS	CB24
STARTUP WITH THE LOGIN FACILITY	CB22
SYSTEM STARTUP	CB24
SYSTEM STARTUP RESPONSE	CB24
TASK GROUP-SPECIFIC TERMINAL STARTUP	CB22
USER TERMINAL STARTUP	CB22
STARTUP.EC FILE	
CSD OPERATOR COMMANDS IN STARTUP.EC FILE	CB23
STATION	
STATION DIRECTIVE	CB23

STATUS	
ASR/KSR RCT/IORB STATUS CODE MAPPING	CB08
BUFFER STATUS DIRECTIVE	CB01
CARD READER IORB STATUS CODE MAPPING	CB08
CARD READER/PUNCH STATUS CODE MAPPING	CB08
CARTRIDGE DISK RCT/IORB STATUS CODE MAPPING	CB08
COMMUNICATION HARDWARE/SOFTWARE STATUS CODES (TBL) ..	CB03
DEVICE DRIVER FUNCTION READ/MODIFY STATUS	CB08
DISKETTE RCT/IORB STATUS CODE MAPPING	CB08
ERROR RETURN STATUS CODES (TBL)	CB08
FILE STATUS INFORMATION	CB24
FORTRAN FILE STATUS CHECKING	CB03
IORB SOFTWARE STATUS WORD (I-ST) (TBL)	CB08
MAGNETIC TAPE RCT/IORB STATUS CODE MAPPING	CB08
PERIPHERAL DEVICE STATUS INFORMATION	CB24
PRINTER RCT/IORB STATUS MAPPING (TBL)	CB08
RETURN STATUS CODES (TBL)	CB03
SOFTWARE STATUS WORD RB-ST FOR COMM DEVICES (TBL) ..	CB03
STATUS GROUP (STG) OPERATOR COMMAND	CB24
STATUS MEMORY POOL (\$\$STMP) MACRO CALL	CB08
STATUS OVERLAY (\$\$STOV) MACRO CALL	CB08
STATUS SYSTEM (STS) OPERATOR COMMAND	CB24
STORAGE MODULE STATUS CODE MAPPING	CB08
TASK GROUP STATUS INFORMATION	CB24
TASK STATUS INFORMATION	CB24
TEST COMPLETION STATUS (\$TEST) MACRO CALL	CB08

STG	
STG COMMAND	CB02
STOP I/O	
DEVICE DRIVER FUNCTION, STOP I/O	CB08
STORAGE	
SAMPLE PHYSICAL I/O MESSAGE - STORAGE MODULE (FIG)	CB06
STORAGE DEVICES	
CHARACTERISTICS OF EXTERNAL STORAGE DEVICES	CB05
STORAGE MANAGEMENT FUNCTIONS	
STORAGE MANAGEMENT FUNCTIONS	CB08
STORAGE MODULE	
(SEE ALSO SYSTEM MASS STORAGE UNIT)	
STORAGE MODULE DRIVER	CB08
STORAGE MODULE IORB FIELDS	CB08
STORAGE MODULE RCT FIELDS	CB08
STORAGE MODULE STATUS CODE MAPPING	CB08
STORE, WRITABLE CONTROL (WCS)	
WRITABLE CONTROL STORE (WCS) LOADER	CB24
WRITABLE CONTROL STORE LOAD (WCSLD) COMMAND	CB24
STRINGS	
PROTECTED STRINGS	CB20

STRTD1		
STRTD1 ENTRY POINT	CB03	
STRTD2		
STRTD2 ENTRY POINT	CB03	
STRUCTURE		
DATA MANAGEMENT STRUCTURES (FIBS)	CB01	
DATA STRUCTURE FORMAT	CB08	
DATA STRUCTURE GENERATION	CB08	
DATA STRUCTURE MAP (FIG)	CB21	
DATA STRUCTURES CONTAINING POINTERS	CB01	
HARDWARE-DEFINED STRUCTURES	CB01	
PROGRAM VIEW BIT STRUCTURE	CB08	
TREE STRUCTURE AND PATHNAME EXAMPLES (FIG)	CB01	
STRUCTURES		
DATA STRUCTURES	CB08	
DATA STRUCTURES ALLOCATION AND INITIALIZATION	CB08	
FILE SYSTEM DATA STRUCTURES	CB08	
MONITOR SERVICES DATA STRUCTURES	CB08	
MONITOR SERVICES REQUEST BLOCKS STRUCTURES	CB08	
POINTER IN FILE SYSTEM STRUCTURES	CB08	
STTY		
SET TTY (\$STTY)	CB03	
STTY COMMAND	CB02	
SUBROUTINE FUNCTION		
DEVICE DRIVER SUBROUTINE FUNCTIONS FOR ZIOSUB	CB08	
SUBROUTINE FUNCTION FOR LOCATE RCT	CB08	
SUBSTITUTE		
SUBSTITUTE DIRECTIVE	CB01	
SUBSTITUTION		
INPUT COMMAND LINE PARAMETER SUBSTITUTION	CB02	
SUBSTITUTION, PARAMETER		
AMPERSAND (&) PARAMETER SUBSTITUTION	CB24	
COMMAND LINE PARAMETER SUBSTITUTION	CB24	
GROUP REQUEST PARAMETER SUBSTITUTION	CB24	
SUFFIX		
FILENAME SUFFIX CONVENTIONS	CB01	
SUFFIX CONVENTIONS	CB21	
SUFFIXES		
SYSTEM PROGRAM FILE NAME SUFFIXES (TBL)	CB20	
SUMMARY		
OBTAINING SUMMARY INFORMATION OF A LINKER SESSION ..	CB21	
SUMMARY OF DEBUG DIRECTIVES BY FUNCTION (TBL)	CB21	
SUMMARY OF EXECUTIVE MONITOR CALLS (TBL)	CB21	
SUMMARY OF SYSTEM FEATURES	CB20	

SUPERVISOR		
COMMUNICATION SUPERVISOR FUNCTIONS	CB03	
SUPERVISORY		
DEF SUPERVISORY FUNCTIONS	CB20	
SUPPORTED DEVICE		
SUPPORTED TAPE DRIVE SPECIFICATIONS (TBL)	CB08	
WRITING DEVICE DRIVER FOR SUPPORTED DEVICE	CB08	
SUPPRESSION, MESSAGE		
CONSOLE MESSAGE SUPPRESSION (\$CMSUP) MACRO CALL	CB08	
SUSPEND		
SUSPEND BATCH (SSPB) OPERATOR COMMAND	CB24	
SUSPEND FOR INTERVAL (\$\$SUSPN) MACRO CALL	CB08	
SUSPEND GROUP (\$\$SUSPG) MACRO CALL	CB08	
SUSPEND GROUP (SSPG) OPERATOR COMMAND	CB24	
SUSPEND UNTIL TIME (\$\$SUSPN) MACRO CALL	CB08	
SWITCHES		
CLEAR EXTERNAL SWITCHES (\$CLRSW) MACRO CALL	CB08	
MONITOR SERVICES EXTERNAL SWITCH FUNCTIONS	CB08	
READ EXTERNAL SWITCHES (\$RDSW) MACRO CALL	CB08	
SET EXTERNAL SWITCHES (\$SETSW) MACRO CALL	CB08	
SETTING SWITCHES	CB21	
SWITCHES, MODIFY		
MODIFY EXTERNAL SWITCHES (MSW) COMMAND	CB24	
SYMBOL		
CREATING A SYMBOL TABLE	CB21	
DEFINING EXTERNAL SYMBOL	CB21	
EXTERNAL SYMBOL COMMDIRECTIVE	CB21	
EXTERNAL SYMBOL EDEF DIRECTIVE	CB21	
EXTERNAL SYMBOL LDEF DIRECTIVE	CB21	
EXTERNAL SYMBOL VAL DIRECTIVE	CB21	
EXTERNAL SYMBOL VDEF DIRECTIVE	CB21	
LINK MAP SYMBOL DEFINITION	CB21	
PROTECTING OR PURGING SYMBOL	CB21	
PURGING SYMBOL - CPROT DIRECTIVE	CB21	
PURGING SYMBOL - CPURGE DIRECTIVE	CB21	
PURGING SYMBOL - PROT DIRECTIVE	CB21	
PURGING SYMBOL - PURGE DIRECTIVE	CB21	
PURGING SYMBOL - VPURGE DIRECTIVE	CB21	
SYMBOL USED IN DEBUG DIRECTIVE LINES (TBL)	CB21	
SYMBOL USED IN THIS MANUAL	CB21	
SYMBOL TABLE PROTECTION	CB21	
SYMBOL TABLE SYMBOL DEFINITION	CB21	
SYMBOLS, PATHNAME		
PATHNAME SYMBOLS	CB24	
SYNTAX, MACRO CALL		
MACRO CALL SYNTAX	CB08	

SYS

SYS DIRECTIVE	CB21
SYS DIRECTIVE	CB23

SYSTEM

ACCESSING THE SYSTEM	CB20
ASSIGNING PRIORITIES TO SYSTEM TASKS	CB20
BES SYSTEM SERVICE FUNCTIONS NOT EMULATED	CB20
BES SYSTEM SERVICES EMULATED WITH RESTRICTIONS	CB20
CHANGE SYSTEM DIRECTORY (CSD) COMMAND	CB24
COMPLETELY EMULATED BES SYSTEM SERVICES	CB20
DEVICE DRIVER AT SYSTEM BUILDING	CB08
DEVICE DRIVER SYSTEM BUILDING	CB08
DEVICE DRIVER SYSTEM FUNCTIONS	CB08
DISTRIBUTED SYSTEM FACILITIES	CB20
EXECUTING BES SYSTEM SERVICES UNDER MOD 400	CB20
FILE CONTROL STRUCTURES IN THE SYSTEM POOL AREA	CB20
FILE SYSTEM	CB20
FILE SYSTEM BUFFERED OPERATIONS	CB20
FILE SYSTEM MESSAGES (XX02)	CB06
FILE SYSTEM PATHNAMES	CB01
FILE SYSTEM SOFTWARE	CB20
GENERAL DESCRIPTION OF SYSTEM MESSAGES	CB06
HOW THE OPERATING SYSTEM HANDLES TASKS	CB20
INTERFACES TO OPERATING SYSTEM	CB20
MONITOR SERVICES STANDARD SYSTEM FILE I/O FUNCTIONS	CB08
OPERATING SYSTEM AREA	CB20
OPERATING SYSTEM CONTROL OF TASK GROUPS	CB20
OPERATING SYSTEM FEATURES AFFECTING TASK EXECUTION	CB20
OPERATING SYSTEM SOFTWARE	CB20
OPERATOR COMMANDS TO MONITOR THE SYSTEM	CB20
STATUS SYSTEM (STS) OPERATOR COMMAND	CB24
SUMMARY OF SYSTEM FEATURES	CB20
SYSTEM ACCESS	CB20
SYSTEM CHARACTERISTICS	CB20
SYSTEM COMMAND MESSAGES (XX17)	CB06
SYSTEM CONFIGURATION AND ENVIRONMENT DEFINITION	CB20
SYSTEM FILE CONCURRENCY	CB20
SYSTEM HALTS	CB24
SYSTEM IDENTIFICATION (\$SYSID) MACRO CALL	CB08
SYSTEM MODULE NAME PREFIXES (TBL)	CB20
SYSTEM POOL AREA	CB20
SYSTEM PROGRAM FILE NAME SUFFIXES (TBL)	CB20
SYSTEM PROGRAMMER GUIDE TO MANUALS (FIG)	CB22
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB20
SYSTEM PROGRAMMER'S MANUAL GUIDE	CB22
SYSTEM SERVICE MACRO CALLS	CB20
SYSTEM STARTUP	CB24
SYSTEM STARTUP RESPONSE	CB24
SYSTEM TASK GROUP	CB20
USER ACCESS TO THE SYSTEM	CB22
WAYS TO ACCESS THE SYSTEM	CB20

SYSTEM CARTRIDGE DISK

CONTENTS OF (^ZSYS51) (FIG)	CB23
TRANSFERRING CONTENTS OF ^ZSYS51 TO FIXED PLATTER ..	CB23

SYSTEM DISKETTES	
CONTENTS OF SYSTEM DISKETTE ^ZSYS04 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ZSYS02	CB23
CONTENTS OF SYSTEM DISKETTE ZSYS03 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ZSYS08 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS00 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS01	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS05 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS06 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS07 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS09	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS0A (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS10 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS11 (FIG)	CB23
CONTENTS OF SYSTEM DISKETTE ^ZSYS12 (FIG)	CB23
DESCRIPTION OF CONTENTS ^ZSYS00 (FIG)	CB23
POSSIBLE TRANSFER OF SYSTEM TO ^ZSYS01>SYSLIB1	CB23
TRANSFER OF SYSTEM SOFTWARE TO ^ZSYS00>SID	CB23
USE OF SYSTEM "EXTENSION" DISKETTES	CB23
USE OF SYSTEM DISKETTE ^ZSYS0A	CB23
SYSTEM MASS STORAGE UNIT	
CONTENTS OF MASS STORAGE UNIT (^ZSYS71)	CB23
SYSTEM MEMORY POOL	
MEMORY REQUIREMENTS FOR SYSTEM MEMORY POOL	CB23
SYSTEM OVERLAYS	
OPERATING SYSTEM OVERLAYS	CB23
SYSTEM OVERLAYS (TBL)	CB23
SYSTEM OVERLAYS	CB23
SYSTEM SERVICE	
SYSTEM SERVICE MACRO CALLS (TBL)	CB08
SYSTEM STARTUP	
FLOWCHART OF SYSTEM STARTUP PROCESS (FIG)	CB23
OPERATOR^S STARTUP ACTIONS	CB23
STAGE 1 SYSTEM STARTUP (INITIAL SYSTEM STARTUP)	CB23
STAGE 2 SYSTEM STARTUP (INTERMEDIATE STARTUP)	CB23
STAGE 3 SYSTEM STARTUP(SPECIALIZED STARTUP)	CB23
STAGES OF SYSTEM STARTUP (FIG)	CB23
STARTUP HALTS	CB23
SUMMARY OF STARTUP PROCEDURE	CB23
SYSTEM STARTUP	CB23
SYSTEM STARTUP ACTIONS	CB23
SYSTEM STARTUP TIMEOUT AT OPERATOR TERMINAL	CB23
SYSTEM STARTUP WITH ISL CAPABILITY	CB23
T-RECORD	
LOGIN FILE T-RECORD	CB24
TAPE	
7-TRACK TAPE DATA TRANSFERS: NORMAL MODE	CB05
7-TRACK TAPE DATA TRANSFERS: PACKED MODE	CB05
9-TRACK TAPE DATA TRANSFER	CB05
BLOCK AND LOGICAL RECORD SIZE (FIG)	CB02

BLOCK HEADER (TBL)	CB05
DEVICE DRIVER POSITION TAPE MARK	CB08
DEVICE DRIVER WRITE TAPE MARK FUNCTION	CB08
DISK AND MAGNETIC TAPE BUFFERED OPERATIONS	CB20
FILE FORMAT	CB05
FILE HEADER HDR1,2 (TBL)	CB05
FIXED-LENGTH RECORDS	CB05
HEADERS AND TRAILERS	CB05
MAGNETIC TAPE IORB FIELDS (TBL)	CB08
MAGNETIC TAPE RCT FIELDS (TBL)	CB08
MAGNETIC TAPE RCT/CRB STATUS CODE MAPPING (TBL)	CB08
PHYSICAL LAYOUT OF DATA	CB05
SAMPLE FORMAT MULTIVOLUME FILE (FIG)	CB05
SAMPLE FORMAT OF MULTIFILE VOLUME (FIG)	CB05
SEQUENTIAL FILES	CB05
TAPE FILES PATHNAMES	CB02
VARIABLE-LENGTH RECORDS	CB05
VOLUME FORMAT	CB05
 TAPE DEVICE PATHNAME	
TAPE DEVICE PATHNAME	CB24
 TAPE-VOLUME	
TAPE-VOLUME HEADER (TBL)	CB05
TAPE-VOLUME TRAILER - EOF1,2 (TBL)	CB05
TAPE-VOLUME TRAILER - EOVS1,2 (TBL)	CB05
 TASK	
APPLICATION AS LEAD TASK	CB22
APPLICATION DESIGN BENEFITS OF TASK GROUP USE	CB20
APPLICATION TASK LRNS	CB20
ARG ARGUMENTS PASSED TO TASK	CB24
ASSIGNING PRIORITIES TO APPLICATION TASKS	CB20
ASSIGNING PRIORITIES TO SYSTEM TASKS	CB20
BATCH TASK GROUP	CB20
BATCH TASK GROUP CONTROL STRUCTURES	CB20
BREAK (TASK INTERRUPT) PROCEDURES	CB24
CHARACTERISTICS OF TASK GROUPS AND TASKS	CB20
COMMAND PROCESSOR AS LEAD TASK	CB22
CONCURRENT EXECUTION FROM SEVERAL TASK GROUPS	CB22
CONCURRENT EXECUTION OF APPLICATION TASK	CB22
CREATE TASK (CT COMMAND)	CB02
CREATE TASK (\$CRTSK) MACRO CALL	CB08
DELETE TASK (\$DLTSK) MACRO CALL	CB08
DELETE TASK (DT COMMAND)	CB02
ENTER TASK REQUEST (ETR COMMAND)	CB02
EXAMPLE OF MONITOR INTERACTION WITH USER TASKS	CB20
EXECUTION OF AN APPLICATION FROM BATCH TASK GROUP ..	CB22
GENERATING TASK GROUPS AND TASKS	CB20
HOW THE OPERATING SYSTEM HANDLES TASKS	CB20
INITIATE LEAD TASK EXECUTION	CB08
INTER/INTRA TASK GROUP COMMUNICATION	CB20
INVOKE RBT TASK GROUP (RBT COMMAND)	CB02
LEAD TASK EXECUTION	CB24
LOADING THE DEBUG TASK GROUP	CB21
MONITOR SERVICES TASK CONTROL FUNCTIONS	CB08
MONITOR SERVICES TASK GROUP CONTROL FUNCTIONS	CB08

OIM DIRECTIVE CHANGE DEFAULT TASK GROUP	CB24
OIM DIRECTIVE FOR BREAK (TASK INTERRUPT)	CB24
OPERATING SYSTEM CONTROL OF TASK GROUPS	CB20
OPERATING SYSTEM FEATURES AFFECTING TASK EXECUTION ..	CB20
PRIORITY ASSIGNMENTS FOR TASKS	CB20
PROGRAM PREP AND EXEC IN THE SAME TASK GROUP	CB21
REGISTER CONTENTS TASK ACTIVATION	CB08
REQUEST TASK (\$RQTSK) MACRO CALL	CB08
SPAWN TASK (\$SPTSK) MACRO CALL	CB08
SPAWN TASK (ST COMMAND)	CB02
SYSTEM TASK GROUP	CB20
TASK ACTIVATION	CB08
TASK AND RESOURCE COORDINATION	CB20
TASK COMMUNICATION	CB08
TASK CONTROL BLOCK (TCB) DEFINITION	CB08
TASK EXECUTION	CB20
TASK GROUP DEFINITION	CB24
TASK GROUP EXECUTION ORDER	CB21
TASK GROUP IDENTIFICATION (GROUP ID)	CB24
TASK GROUP IDENTIFICATION	CB20
TASK GROUP IDENTIFICATION	CB21
TASK GROUP STATUS INFORMATION	CB24
TASK GROUP USER IDENTIFICATION (USER-ID)	CB24
TASK GROUP-SPECIFIC TERMINAL STARTUP	CB22
TASK GROUPS AND TASKS	CB20
TASK INTERRUPT (BREAK)	CB24
TASK INTERRUPTION (BREAK)	CB02
TASK PRIORITY LEVEL	CB08
TASK QUEUE SEQUENCE	CB08
TASK REQUEST BLOCK (\$TRB) MACRO CALL	CB08
TASK REQUEST BLOCK FORMAT	CB08
TASK REQUEST BLOCK TEMPLATE (\$TRBD) MACRO CALL	CB08
TASK REQUEST QUEUES	CB08
TASK REQUESTS	CB20
TASK STATUS INFORMATION	CB24
TASK/GROUP TASK FUNCTIONS FROM ONLINE OR BATCH (TBL)	CB20
THE ACTIVATED LEAD TASK	CB20
TRAP CONDITION DURING TASK EXECUTION	CB08

TCB

TASK CONTROL BLOCK (TCB) DEFINITION	CB08
TCB SIZE BASED ON ISA SIZE (TBL)	CB23

TEMPLATE

CLOCK REQUEST BLOCK TEMPLATE (\$CRBD) MACRO	CB08
INPUT/OUTPUT REQ BLOCK TEMPLATE (\$IORB) MACRO	CB08
MONITOR SERVICES REQUEST BLOCK TEMPLATES	CB08
SEMAPHORE REQUEST BLOCK TEMPLATE (\$SRBD) MACRO	CB08
TASK REQUEST BLOCK TEMPLATE (\$TRBD) MACRO	CB08

TERMINAL

(SEE ALSO OPERATOR TERMINAL)	
ABBREVIATED LOGIN TERMINAL	CB22
ACCESS THROUGH THE OPERATOR TERMINAL	CB22
COMMUNICATIONS TERMINAL WITH LISTENER	CB24
DATA ENTRY MULT TTY AND/OR MULT VIP TERMINALS	CB03

DIRECT LOGIN TERMINAL	CB22
FORTRAN COMM APPLICATION FOR A TTY TERM(FORCL4)(FIG)	CB03
FULL LOGIN TERMINAL	CB22
FUNCTIONS TO SUPPORT THE BASIC VIP TERM END POINT ..	CB03
INCREASE OPERATOR TERMINAL RESPONSE SPEED	CB24
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
LOGIC OF BIDIRECTIONAL FLOW FOR MULT TERMINALS (FIG)	CB03
LOGIC OF BIDIRECTIONAL FLOW FOR ONE TERM (FIG)	CB03
LOGIN TERMINAL FILE ATTRIBUTES	CB24
NONCOMMUNICATIONS TERMINAL WITH LISTENER	CB24
OPERATOR TERMINAL	CB24
OPERATOR TERMINAL SESSION FOR COBFR1	CB22
PRINTER EMULATION MULT TTY AND/OR MULT VIP TERMINALS	CB03
RELATING TERMINALS TO DEVICE-TYPE NAMES	CB03
SAMPLE COBOL TERMINAL SESSION (AC8111)	CB22
SAMPLE FORTRAN TERMINAL SESSION (MATINV)	CB22
SAMPLE SORT TERMINAL SESSION (FIG)	CB22
SAMPLE TERMINAL SESSION (AC8111) (FIG)	CB22
SAMPLE TERMINAL SESSION (BRDCST) (FIG)	CB22
SAMPLE TERMINAL SESSION (MATINV) (FIG)	CB22
SAMPLE TERMINAL SESSION (SMPMAC) (FIG)	CB22
SET TERMINAL CHARACTERISTICS (\$\$TTY) MACRO CALL	CB08
SET TERMINAL CHARACTERISTICS (STTY COMMAND)	CB02
STRUCTURE OF AN APPLICATION FOR A TTY OR VIP (FIG) .	CB03
TASK GROUP-SPECIFIC TERMINAL STARTUP	CB22
TERMINAL CHARACTERISTICS AT LOGIN	CB02
TERMINAL RESPONSES FROM DIRECTIVES OF FIG 5-1	CB22
TERMINAL STATE WITH LISTENER	CB24
TTY AND VIP TERMINAL MODES	CB03
TTY OR VIP MULTIPLE TERMINAL	CB03
TTY OR VIP SINGLE TERMINAL	CB03
UNIT RECORD AND TERMINAL BUFFERED OPERATIONS	CB20
USER TERMINAL STARTUP	CB22
TERMINATE REQUEST	
TERMINATE REQUEST (\$TRMRQ) MACRO CALL	CB08
TERMINATION	
CONDITIONS FOR COMMAND PROCESSOR TERMINATION	CB02
TEST	
TEST COMPLETION STATUS (\$TEST) MACRO CALL	CB08
TEST FILE (\$TIFIL) MACRO CALL	CB08
TEST FILE (\$TOFIL) MACRO CALL	CB08
TEST FILE (\$TSFIL) MACRO CALL	CB08
USE OF TEST FILE MACRO CALLS	CB03
TEXT	
BSC END OF TEXT (EOT) FEATURE	CB03
BSC TEMPORARY TEXT DELAY (TTD) FEATURE	CB03
EXAMPLE OF TEMP TEXT DELAY (TTD) SEQ (FIG)	CB03

TIME	
EXTERNAL TIME CONVERT TO (\$EXTIM) MACRO CALL	CB08
NO LEVEL ACTIVE DURING DUMP EXCEPT LEVEL 63	CB21
SUSPEND UNTIL TIME (\$\$SUSPN) MACRO CALL	CB08
TIME (TIME) OPERATOR COMMAND	CB24
TIME COMMAND	CB02
USER LEVEL ACTIVE AT THE TIME OF DUMP	CB21
TIME-OUT	
BSC LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
PVE LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
TIME-OUT	CB03
TIME-OUT INTERVALS FOR THE PVE LPH (TBL)	CB03
TIME-OUT INTERVALS FOR THE TTY LPH (TBL)	CB03
TIME-OUT INTERVALS FOR THE VIP LPH (TBL)	CB03
TTY LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
VIP LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
TIMEOUT	
OFFLINE UNIT RECORD DEVICE TIMEOUT	CB24
TRACE	
DEFINE TRACE DIRECTIVE	CB21
END TRACE DIRECTIVE	CB21
MAINTAINING A TRACE HISTORY	CB21
PRINT TRACE DIRECTIVE	CB21
START J-MODE TRACE DIRECTIVE	CB21
TRACE TRAP	CB21
TRAILER	
DISK/TAPE HEADERS AND TAPE TRAILER	CB05
TAPE-VOLUME TRAILER - EOF1,2 (TBL)	CB05
TAPE-VOLUME TRAILER - EOVS1,2 (TBL)	CB05
VOLUME TRAILER	CB05
TRAN	
TRAN COMMAND	CB02
TRANB	
TRANB COMMAND	CB02
TRANH	
TRANH COMMAND	CB02
TRANSFER OF SYSTEM SOFTWARE	
POSSIBLE TRANSFER OF SYSTEM TO ^ZSYS01>SYSLIB1	CB23
TRANSFER OF SYSTEM ^ZSYS00>SID	CB23
TRANSMISSION	
COMM FILE TRANSMISSION PROGRAM MESSAGES (XX22)	CB06
FILE TRANSMISSION BETWEEN LEVEL 6 OTHER COMPUTERS ..	CB20
TRANSPARENT	
BSC TRANSPARENT EBCDIC INPUT	CB03
BSC TRANSPARENT EBCDIC OUTPUT	CB03

TRAP

(SEE ALSO USER WRITTEN TRAP HANDLERS)	
CONTENTS OF TRAP SAVE AREA WHEN TRAP OCCURS (TBL)	CB08
DISABLE USER TRAP (\$DSTRP) MACRO CALL	CB08
ENABLE USER TRAP (\$ENTRP) MACRO CALL	CB08
MONITOR SERVICES TRAP HANDLING FUNCTIONS	CB08
SOFTWARE GENERATED TRAPS	CB08
TRACE TRAP	CB21
TRAP A-1	CB21
TRAP CONDITION DURING TASK EXECUTION	CB08
TRAP ENABLED CONDITION	CB08
TRAP HANDLER CONNECT (\$TRPHD) MACRO CALL	CB08
TRAP HANDLER MESSAGES (XX03)	CB06
TRAP HANDLING	CB20
TRAP NOT ENABLED CONDITION	CB08
TRAP SAVE AREA	CB21
TRAP VECTOR	CB08
TRAP VECTORS	CB21
WHERE A SYSTEM DEFAULT HANDLER TRAP OCCURRED IN CODE	CB21

TRAP HANDLERS

HONEYWELL SUPPLIED TRAP HANDLERS	CB08
PROGRAMMING USER WRITTEN TRAP HANDLERS	CB08
TRAP HANDLERS DESIGNED AS MONITOR EXTENSIONS	CB08
TRAP HANDLERS DESIGNED AS PROGRAM EXTENSIONS	CB08
USER WRITTEN TRAP HANDLERS	CB08

TRAP HANDLING

TRAP HANDLING	CB08
TRAP HANDLING BY DEBUG PROGRAM	CB08
TRAP HANDLING MECHANISM	CB08

TRAP SAVE AREA

POINTER TO NEXT AVAILABLE TRAP SAVE AREA (NATSAP) ..	CB08
TRAP SAVE AREA	CB08
TASK REQUEST BLOCK	
TASK REQUEST BLCOCK (TRB)	CB08
TASK REQUEST BLOCK (\$TRB) MACRO CALL	CB08

TRBD

TASK REQUEST BLOCK TEMPLATE (\$TRBD) MACRO CALL	CB08
---	------

TTD

BSC TEMPORARY TEXT DELAY (TTD) FEATURE	CB03
EXAMPLE OF TEMP TEXT DELAY (TTD) SEQ (FIG)	CB03

TTX

TTX DIRECTIVE	CB23
---------------------	------

TTY

BUFFERED MODE TTY TRANSMISSION (VIP 7200 ONLY)	CB03
DATA ENTRY MULT TTY AND/OR MULT VIP TERMINALS	CB03
FORTRAN COMM APPLICATION FOR A TTY TERM(FORCL4)(FIG)	CB03
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
PRINTER EMULATION MULT TTY AND/OR MULT VIP TERM	CB03
SAMPLE TTY OR VIP APPLICATION (CARCOM)	CB03

SAMPLE TTY OR VIP APPLICATION (SENDER)	CB03
SET TTY (\$STTY)	CB03
STRUCTURE OF AN APPLICATION FOR A TTY OR VIP	CB03
STRUCTURE OF AN APPLICATION FOR A TTY/VIP TERM(FIG)	CB03
TIME-OUT INTERVALS FOR THE TTY LPH (TBL)	CB03
TTY AND VIP CONSIDERATIONS	CB03
TTY AND VIP DATA ENTRY MODE	CB03
TTY AND VIP FORMS MODE	CB03
TTY AND VIP INTERACTIVE MODE	CB03
TTY AND VIP MODES	CB03
TTY AND VIP PRINTER EMULATION MODE	CB03
TTY AND VIP TERMINAL MODES	CB03
TTY DIRECTIVE	CB23
TTY INPUT FEATURES (BUFFERED MODE)	CB03
TTY INPUT FEATURES	CB03
TTY IORB FIELD VALUES	CB03
TTY LINE PROTOCOL HANDLER	CB03
TTY LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
TTY MESSAGE FORMATS (FIG)	CB03
TTY MESSAGE FORMATS	CB03
TTY NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
TTY OR VIP MULTIPLE TERMINAL	CB03
TTY OR VIP SINGLE TERMINAL	CB03
TTY OUTPUT FEATURES (BUFFERED MODE)	CB03
TTY OUTPUT FEATURES	CB03
TTY TERMINAL LINE SPEEDS (TBL)	CB23
TTY-SPECIFIC	
TTY-SPECIFIC IORB FIELD VALUES (TBL)	CB03
TWO-BUFFER	
BSC TWO-BUFFER FEATURE (OUTPUT)	CB03
TYPE	
TYPE DIRECTIVE	CB01
UNIT	
BOUND UNIT ATTRIBUTE TABLE AND THE LOADER	CB21
BOUND UNIT FLOATABLE OVERLAY	CB21
BOUND UNIT FLOATABLE OVERLAY LOADING (LOADER)	CB21
BOUND UNIT NONFLOATABLE OVERLAY	CB21
BOUND UNIT ROOT	CB21
BOUND UNITS	CB20
CLEAR ALL BOUND UNIT DIRECTIVE	CB21
CLEAR BOUND UNIT DIRECTIVE	CB21
CREATING A BOUND UNIT	CB21
LINKING OBJECT UNIT WITH LINK	CB21
LINKING OBJECT UNIT WITH LINKN	CB21
LINKING OBJECT UNIT WITH LINKO	CB21
LIST ALL BOUND UNIT BREAKPOINTS DIRECTIVE	CB21
LIST BOUND UNIT BREAKPOINT DIRECTIVE	CB21
LOADING BOUND UNITS (SEARCH RULES)	CB20
LOCATING OBJECT UNIT WITH LIB DIRECTIVE	CB21
LOCATING OBJECT UNIT WITH LSR DIRECTIVE	CB21
LOCATING OBJECT UNIT WITHIN DIRECTIVE	CB21
LOCATION OF OBJECT UNIT TO BE LINKED	CB21
SET BOUND UNIT BREAKPOINT DIRECTIVE	CB21

SHAREABLE BOUND UNITS	CB20
SPECIFYING OBJECT UNIT TO BE LINKED	CB21
UNIT RECORD AND TERMINAL BUFFERED OPERATIONS	CB20
 UNIT RECORD	
UNIT RECORD FILE FORMATS	CB05
 UNLOAD	
UNLOAD OVERLAY (\$UNOV) MACRO CALL	CB08
UNLOAD SHARABLE BOUND UNIT (UNLD) OPERATOR COMMAND ..	CB24
 UNLOCK	
UNLOCK RECORD (\$ULREC) MACRO CALL	CB08
 UNWIND	
UNWIND (UW) RESPONSE COMMAND TO BREAK	CB24
UNWIND/PROGRAM INTERRUPT COMMAND CONSIDERATIONS	CB02
 USAGE	
MEMORY USAGE	CB20
 USER WRITTEN TRAP HANDLERS	
PROGRAMMING USER WRITTEN TRAP HANDLERS	CB08
USER WRITTEN TRAP HANDLERS	CB08
 USER-CODED	
USER-CODED CONVERSION	CB20
 USER-ID	
TASK GROUP USER IDENTIFICATION (USER-ID)	CB24
 USER-IN	
USER-IN FILE	CB02
 USER-OUT	
USER-OUT FILE	CB02
 USER-OUT FILE	
COMMAND PROCESSOR USER-OUT FILE	CB24
 UTILITIES	
COMPARE	CB02
COPY	CB02
CREATE VOLUME	CB02
DUMP EDIT	CB02
EXPORT PAM FILE	CB02
FILE CHANGE	CB02
FILE DUMP	CB02
IMPORT PAM FILE	CB02
ISL CONFIGURATOR	CB02
LIST CREATION DATE	CB02
MERGE	CB02
PATCH	CB02
PRINT	CB02
RESET MAP	CB02
SET AUTODIAL TELEPHONE NUMBER	CB02
SORT	CB02
TRANSMIT FILE	CB02

UTILITY	
COMMANDS FOR UTILITY SOFTWARE EXECUTION	CB20
CONCURRENCY OF UTILITY AND PROGRAM PREP FILES	CB02
DEF UTILITIES	CB20
DUMP EDIT UTILITY PROGRAM	CB21
MDUMP AND DUMP EDIT UTILITY PROGRAMS	CB21
MDUMP UTILITY PROGRAM	CB21
SPECIAL UTILITY PROGRAM PATHNAME CONVENTIONS	CB02
UTILITY PROGRAMS MESSAGES (XX12)	CB06
UTILITY SOFTWARE	CB20
UW	
UW COMMAND	CB02
V-OP	
V-OP FUNCTION	CB08
VAL	
EXTERNAL SYMBOLS VAL DIRECTIVE	CB21
VAL DIRECTIVE	CB21
VALUE	
PRINT HEXADECIMAL VALUE DIRECTIVE DIRECTIVE	CB21
VARIABLE-LENGTH RECORDS	
FORMAT OF FIXED-AND VAR LENGTH RECS IN INDEXED FILES	CB05
FORMAT OF VAR LENGTH RECS IN TAPE-RESIDENT SEQ FILES	CB05
FORMAT OF VARIABLE-LENGTH RECORDS	CB05
FORMAT OF VARIABLE-LENGTH RECS IN REL FILES (FIG) ...	CB05
FORMAT OF VARIABLE-LENGTH SPANNED RECORDS	CB05
VDEF	
EXTERNAL SYMBOLS VDEF DIRECTIVE	CB21
VDEF DIRECTIVE	CB21
VECTOR	
INTERRUPT VECTOR	CB08
TRAP VECTOR	CB08
VECTORS	
INTERRUPT VECTORS AND INTERRUPT SAVE AREAS (FIG) ...	CB20
TRAP VECTORS	CB21
VERBATIM MODE	
VERBATIM MODE FORMAT FOR CARD DATA (FIG)	CB05
CARD READER VERBATIM MODE	CB08
VIEW	
OPEN FILE PROGRAM VIEW BITS	CB03
VIP	
BUFFERED MODE TTY TRANSMISSION (VIP 7200 ONLY)	CB03
CONTROL BYTE FORMAT FOR VIP LPH (FIG)	CB03
DATA ENTRY MULT TTY AND/OR MULT VIP TERMINALS	CB03
ERRORS REPORTED BY THE VIP LINE PROTOCOL HANDLER ...	CB03
ERRORS REPORTED BY THE VIP LPH (TBL)	CB03
FUNCTIONS TO SUPPORT THE BASIC VIP TERMINAL	CB03

FUNCTIONS TO SUPPORT THE VIP OPTIONS	CB03
INTERACTIVE OR FORMS MODE TTY OR VIP TERMINALS	CB03
NONPOLLED VIP ERROR PROCESSING	CB03
PRINTER EMULATION MULT TTY AND/OR MULT VIP TERM	CB03
SAMPLE TTY OR VIP APPLICATION (CARCOM)	CB03
SAMPLE TTY OR VIP APPLICATION (SENDER)	CB03
STRUCTURE OF AN APPLICATION FOR A TTY OR VIP DEVICE	CB03
STRUCTURE OF AN APPLICATION FOR A TTY/VIP TERM (FIG)	CB03
TIME-OUT INTERVALS FOR THE VIP LPH (TBL)	CB03
TTY AND VIP CONSIDERATIONS	CB03
TTY AND VIP DATA ENTRY MODE	CB03
TTY AND VIP FORMS MODE	CB03
TTY AND VIP INTERACTIVE MODE	CB03
TTY AND VIP MODES	CB03
TTY AND VIP PRINTER EMULATION MODE	CB03
TTY AND VIP TERMINAL MODE	CB03
TTY OR VIP MULTIPLE TERMINALS	CB03
TTY OR VIP SINGLE TERMINAL	CB03
VIP 7200 HARDWARE OPTIONS SUPPORTED	CB03
VIP DIRECTIVE	CB23
VIP FORM FEED SEQUENCE FOR ROP	CB03
VIP FUNCTION CODES	CB03
VIP INPUT FEATURES (KEYBOARD/SCREEN)	CB03
VIP IORB FIELD VALUES	CB03
VIP LINE PROTOCOL HANDLER	CB03
VIP LINE PROTOCOL HANDLER TIME-OUT INTERVALS	CB03
VIP NONALPHANUMERIC CONTROL CHARACTERS (TBL)	CB03
VIP OUTPUT FEATURES (KEYBOARD/SCREEN/ROP)	CB03
VIP POLLING OPTIONS	CB03
VIP POST-EDITING CONTROL FOR KEYBOARD/SCREEN	CB03
VIP POST-EDITING CONTROL FOR ROP	CB03
VIP-SPECIFIC IORB FIELD VALUES (TBL)	CB03

VOLUME

DISK-RESIDENT VOLUME FORMAT	CB05
MONofile VOLUME DEFINITION	CB05
MULTIFILE VOLUME DEFINITION	CB05
RECORD FILE AND VOLUME FORMATS	CB05
TAPE-RESIDENT VOLUME FORMAT	CB05
VOLUME AND FILE CREATION	CB22
VOLUME FORMATS	CB05
VOLUME HEADERS	CB05
VOLUME TRAILERS	CB05

VPURGE

PURGING SYMBOLS - VPURGE DIRECTIVE	CB21
VPURGE DIRECTVIE	CB21

WACK

BSC WAIT BEFORE ACKNOWLEDGE (WACK) FEATURE	CB03
EXAMPLE OF WAIT BEFORE ACKNOWLEDGE (WACK) SEQ (FIG)	CB03

WAIT

DEVICE DRIVER WAIT ONLINE FUNCTION	CB08
FORMAT OF WAIT LIST (FIG)	CB08
MONITOR SERVICES PARAMETER BLOCK AND WAIT LIST	CB08
USE OF WAIT FILE MACRO CALLS	CB03

WAIT (\$WAIT) MACRO CALL	CB08
WAIT BLOCK (\$WTBLK) MACRO CALL	CB08
WAIT FILE (\$WIFIL) MACRO CALL	CB08
WAIT FILE (\$WOFIL) MACRO CALL	CB08
WAIT LIST FORMAT	CB08
WAIT LIST GENERATE (\$WLST) MACRO CALL	CB08
WAIT ON REQUEST LIST (\$WAITL) MACRO CALL	CB08
WAIT ONLINE FUNCTION	CB03
 WAIT FOR INTERRUPT FUNCTION	
DEVICE DRIVER FUNCTION WAIT ON LINE	CB08
 WCS	
WRITABLE CONTROL STORE (WCS) LOADER	CB24
 WORD	
BIT USAGE OF RCT WORD R ^T STS (TBL)	CB03
DEVICE-SPECIFIC WORD FOR COMM DEVICES (TBL)	CB03
SOFTWARE STATUS WORD RB ^T ST FOR COMM DEVICES (TBL) ..	CB03
 WORD, SOFTWARE STATUS	
IORB SOFTWARE STATYS WORD (I ^T ST) (TBL)	CB08
 WORKING	
RELATIVE PATHNAME AND WORKING DIRECTORY	CB01
 WORKING DIRECTORY	
(SEE CHANGE WORKING DIRECTORY (CWD) COMMAND)	
(SEE PATHNAME CONSTRUCTION)	
CHANGE WORKING DIRECTORY (\$CWDIR) MACRO CALL	CB08
CHANGE WORKING DIRECTORY (CWD) OPERATOR COMMAND	CB24
GET WORKING DIRECTORY (\$GWDIR) MACRO CALL	CB08
LIST WORKING DIRECTORY (LWD) OPERATOR COMMAND	CB24
RELATIVE PATHNAME AND WORKING DIRECTORY	CB20
WORKING DIRECTORY	CB05
WORKING DIRECTORY	CB20
WORKING DIRECTORY	CB24
 WRITABLE CONTROL STORE (WCS)	
WRITABLE CONTROL STORE ASSEMBLER ABORT CODES (XX1D).....	CB06
WRITABLE CONTROL STORE ERROR MESSAGES (XX1F).....	CB06
WRITABLE CONTROL STORE (WCS) LOADER	CB24
WRITABLE CONTROL STORE LOAD (WCSLD) OPERATOR CMD ...	CB24
 WRITE	
BUFFERED WRITE OPERATIONS	CB20
TO WRITE DATA TO A BSC COMMUNICATION LINE	CB03
WRITE DIRECTIVE	CB01
WRITE FUNCTION	CB03
 ZSYS00	
CONTENTS OF SYSTEM DISKETTE ZSYS00 (FIG).....	CB23
CUSTOMIZING ZSYS00 FOR SINGLE-DISKETTE ENVIRON	CB23
DESCRIPTION OF CONTENTS OF SYSTEM DISKETTS	CB23
 ZSYS00 SID	
TRANSFER OF SYSTEM TO ZSYS00 SID	CB23



HONEYWELL INFORMATION SYSTEMS

Technical Publications Remarks Form

TITLE

LEVEL 6 GCOS MOD 400
MASTER INDEX

ORDER NO.

CB28, REV. 0

DATED

APRIL 1978

ERRORS IN PUBLICATION

[Large empty rectangular box for errors in publication]

SUGGESTIONS FOR IMPROVEMENT TO PUBLICATION

[Large empty rectangular box for suggestions for improvement]



Your comments will be promptly investigated by appropriate technical personnel and action will be taken as required. If you require a written reply, check here and furnish complete mailing address below.

FROM: NAME _____

DATE _____

TITLE _____

COMPANY _____

ADDRESS _____

PLEASE FOLD AND TAPE —
NOTE: U. S. Postal Service will not deliver stapled forms

CUT ALONG LINE

FOLD ALONG LINE

**FIRST CLASS
PERMIT NO. 39531
WALTHAM, MA
02154**

**Business Reply Mail
Postage Stamp Not Necessary if Mailed in the United States**

Postage Will Be Paid By:

**HONEYWELL INFORMATION SYSTEMS
200 SMITH STREET
WALTHAM, MA 02154**

ATTENTION: PUBLICATIONS, MS 486

FOLD ALONG LINE

Honeywell

C

C

C

O

Honeywell

Honeywell Information Systems

In the U.S.A.: 200 Smith Street, MS 486, Waltham, Massachusetts 02154
In Canada: 2025 Sheppard Avenue East, Willowdale, Ontario M2J 1W5
In Mexico: Avenida Nuevo Leon 250, Mexico 11, D.F.

20601, 3.5578, Printed in U.S.A.

CB28, Rev. 0