& Newtechniques

Newtechniques is published by Newtech Computer Systems, Inc. for dealers and purchasers of its products. Programs contained herein are the property of Newtech Computer Systems, Inc., except as otherwise noted. Permission is hereby granted for non-commercial use by dealers and purchasers of Newtech's music boards. All rights for commercial applications are retained by Newtech Computer Systems, Inc.

Newtechniques #1 - Dec.1977 Copyright (C) 1977 Newtech Computer Systems, Inc. 230 Clinton Street Brooklyn, New York 11201

The Model 6 Music Board for S-100 bus computers is sold with a Users Manual that contains MICROSCORE, a BASIC program for producing musical scores, and MICROPLAY, an Assembly Language program for playing the scores. The Users Manual for the Model 68 Music Board has similar programs respectively entitled SCORE68 and PLAY68.

Newtech music board owners and others interested in microcomputer music may want to read the October and November 1977 issues of ROM magazine. They contain a more detailed description of concepts used in our software and examples of improvements the user can make (e.g., how to make the computer "transpose", and how to do "ritards" and "accelerandos" by using notes with odd duration values). The articles also contain data statements for three tunes — Chopin's "Minute Waltz", a movement from a Bach Flute Sonata, and one part of a Bach two-part Invention (with the music for the second part so you can play along). These issues of ROM are available from computer stores at \$2.00 per copy, or \$3.00 ppd. from the publisher. However, readers of Newtechniques can purchase both copies at the special price of \$4.00 ppd. for both copies directly from ROM Publications, Route 97, Hampton, Connecticut 06247.

This issue of Newtechniques contains listings of the Rev.B version of MICROSCORE and MICROPLAY. Changes from Rev.A are indicated by *.

Similar changes can be made fairly easily for SCORE68 and PLAY68. The main change incorporated into the Rev.B programs is the capability of specifying one of eight different amplitude envelopes for each musical note. The user can now output loud, soft, short (staccato), long (legato), and all sorts of differently shaped notes, as well as rests. Note the processing of the optional envelope specification character in lines 183 through 197 of MICROSCORE. The Rev.B version of MICROPLAY, like the Rev.A version, was written to end by looping endlessly in place at location HERE. The user may change this to his own ending.

We also include some favorite Christmas tunes that you can type in. Show your friends and relatives what your computer can do -- play "Auld Lang Syne" for them at midnight on New Years Eve!

Several users of the Model 6 and the Model 68 have taken the time to write or call us with helpful suggestions and comments. We'd like to thank, in particular, Nancy Gleason, Rudy Libenschek, Aileen Harrison, Walt Caldwell, Cornell Frank, and Robert Doolitle. Both Rudy and Walt are running the Model 6 on a Poly 88 and were kind enough to send us information on changes necessary for running the Newtech programs on that system.

Newtech would like to hear from people using microcomputers for sound generation.

The Model 6 is demonstrated and discussed on the nationally broadcast NBC-TV show "Not For Women Only" hosted by Frank Field and Lynn Redgrave. The segment (called "Computers in the Home") is scheduled for Thursday of the week whose topic is "Computers in our Lives". Check local listings for date and time.

```
8666
                       ; MICROPLAY REV.B DECEMBER 1977
                       ; NEWTECH COMPUTER SYSTEMS INC.
 0000
 9696
                       ; 230 Clinton Street
 8668
                       ; BROOKLYN, N.Y. 11201
 9998
                       ; MICROPLAY STARTS AT THE BEGINNING OF THE
 0000
                       ; MEMORY AREA DESIGNATED "SCORE" AND
 0000
                       ; TRANSFERS INTO THE PLAY ROUTINE A 1-BYTE
 0000
 0000
                       ; PITCH PARAMETER AND A 2-BYTE DURATION
 0000
                       ; PARAMETER. (BITS A5, A4 AND A3 OF THE
                       ; DURATION PARAMETER MOST SIGNIFICANT BYTE
                       ; IS USED AS A FIELD TO SPECIFY WHICH
 0000
 0000
                       ; AMPLITUDE ENVELOPE IS TO BE USED.)
                       ; MICROPLAY CONTINUES TRANSFERRING NOTE
 0000
                       ; PARAMETERS AND CALLING THE PLAY ROUTINE
 6000
                       ; UNTIL A PITCH CONSTANT OF ZERO IS
 0000
                       ; ENCOUNTERED WHICH INDICATES THE END OF
 0000
                       ; THE MUSICAL SCORE.
 0000
                            THIS VERSION OF MICROPLAY WAS WRITTEN
 0000
                       ; FOR A 8080 HAVING 0 WAIT STATES BUT CAN
 0000
                        BE MODIFIED FOR 8080'S WITH WAIT STATES
 9999
                       ; OR FOR Z80 PROCESSORS.
 0000
 9999
 0000 31 C1 00
                       BEGIN LXL SP, STACK ; INIT. STACK POINTER.
                       INIT LXI H, SCORE ; INIT. SCORE POINTER.
 0003 21 00 01
                             SHLD PLACE
 0006 22 AF 00
 0009 2A AF 00
                       NEXT
                             LHLD PLACE
                                            ; IF END OF SCORE THEN
 000C 3E 00
                             IVM
                                 A, 0
                                            ; LOOP HERE.
 000E BE
                             CMP
                                  M
                                   HERE
                                            YOUR ENDING?
 000F CA 0F 00
                       HERE JZ
                                            ; ELSE TRANSFER
 0012
                       ;
                                            ; PARAMETERS FOR NEXT
 0012
                       ;
 0012
                                            ; NOTE OF SCORE INTO
                       ;
                                            ; PLAY ROUTINE.
 0012
                             VOM
                                            ; LOAD PITCH.
 0012 7E
                                  A, M
 0013 32 4B 00
                             STA
                                  XFER2+1
 0016 32 6A 00
                                  XFER4+1
                             STA
 0019 23
                             INX
                                            ; LOAD NOTE DURATION
  991A 7E
                             MOV
                                  A,M
 001B 32 44 00
                             STA
                                  XFER1+1
                                            : LSD.
 001E 32 67 00
0021 23
                             STA
                                   XFER3+1
                             INX
                                  H
                                            ; LOAD NOTE DURATION
  9922 7E
                             MOV
                                  A,M
₩ 0023 E6 Ø7
                                            ; MASK 3 LSB'S.
                             ANI
                                  07H
                                            MSD.
  0025 32 45 00
                             STA
                                  XFER1+2
  0028 32 68 00
                             STA
                                   XFER3+2
# 002B 7E
                                             GET MSD AGAIN
                             VOM
                                   A,M
₩ ØØ2C E6 38
                                            ; MASK 3 BITS
                             ANI
                                   38H
                                   6FH
                                            ; ENVELOPE SPEC ADDRESS
# 002E C6 6F
                             ADI
₩ 0030 32 3E 00
                             STA
                                   PLAY+1
 0033 23
                             INX
                                   H
  0034 22 AF 00
                             SHLD PLACE
                                            :SAVE PLACE IN SCORE.
  0037
                             CALL PLAY
                                            ; PLAY ONE NOTE.
  9937 CD 3D 09
                                            GO DO NEXT NOTE.
  003A C3 09 00
                             JMP NEXT
  ØØ3D
  003D
  003D
                                             ; INIT ENVELOPE POINTER
  003D 21 6F 00
                       PLAY
                                   H, TBL1
                             LXI
 0040 1E 08
0042 7E
                                            ; INIT. SEGMENT COUNT.
                             IVM
                                   E,8
                                            GET STARTING
                             MOV
                                   A,M
                                            ; AMPLTUDE.
  0043
                                            ; INIT. DURATION COUNT.
                       XFER1 LXI
  9943 01 90 09
                                   B, LNGTH
                       LOOP2 MOV
                                             ; WASTE TIME (WTZ)
                                   B,B
  0046 40
                                   XFER2
  0047 C3 4A 00
                             JMP
                                             ; (WT)
                                   D, PITCH
                                            ; INIT. PITCH CONSTANT.
  984A 16 00
                       XFER2 MVI
                                            ; OUTPUT HALF WAVE TO
  884C D3 24
                             OUT
                                   MODL6
  994E
                                            ; MUSIC BOARD.
```

```
100 REM MICROSCORE REV.B DECEMBER 1977
  110 REM NEWTECH COMPUTER SYSTEMS INC.
 126 REM 236 Clinton Street
136 REM BROOKLYN, N.Y. 11201
  148 REM
  150 LET U=256 \REM U DEFINES SCORE AREA IN MEMORY.
  169 LET K1=2" (1/12)
  176 LET K6=2.1 \REM TEMPO CONTROL
  175 LET E1=0 \REM ENVELOPE POINTER DEFAULT.
#180 DIM Z$(6)
  181 FOR V=1TO 1000
  182 READ Z$
#183 LET E=100 \ REM PROCESS ENVELOPE POINTER. E WILL
#184 REM BE ADDED TO THE MOST SIGNIFICANT BYTE OF THE
#185 REM DURATION COUNT SO THAT BITS A5, A4 AND A3 ARE
¥186 REM USED AS AN ENVELOPE POINTER FIELD.
#187 REM
      IF Z$(1,1)="5" THEN E=0 \REM ATTACK
IF Z$(1,1)="R" THEN E=8 \REM REST
¥188
¥189
       IF Z$(1,1)="S" THEN E=16 \REM STACCATO
IF Z$(1,1)="L" THEN E=24 \REM LEGATO
×190
来191
       IF Z$(1,1)="1" THEN E=32 REM SOFT STACCATO
#192
       IF Z$(1,1)="2" THEN E=40 REM SOFT LEGATO
¥193
       IF Z$(1,1)="3" THEN E=48 \REM SHAPED
IF Z$(1,1)="4" THEN E=56 \REM CRESCENDO
¥194
*195
          IF E=100 THEN GOTO 200
#196
#197
      LET El=E
¥ 198 LET Z$=Z$(2)
  200
      LET C=1
       LET N=100
  228
          IF Z$(1,1)="A" THEN N=1
IF Z$(1,1)="B" THEN N=3
  230
  240
        IF Z$ (1,1) = "C" THEN N=4
  250
          IF Z$ (1,1) = "D" THEN N=6
  260
        IF Z$(1,1)="E" THEN N=8
IF Z$(1,1)="F" THEN N=9
IF Z$(1,1)="G" THEN N=11
IF Z$(1,1)="X" THEN GOTO 720
  270
  289
  290
  300
           IF N=100 THEN GOTO 760
  310
       LET C=2
  320
  330
      LET M=100
          IF Z$(2,2)="!" THEN M=N-1
  340
         IF Z$(2,2)="#" THEN M=N+1
IF Z$(2,2)=" " THEN M=N
  350
  360
          IF M=100 THEN GOTO 760
  370
       LET C=3
  380
       LET P=100
  390
         IF Z$(3,3)="1" THEN P=M
  400
          IF 2$(3,3)="2" THEN P=M+12
IF 2$(3,3)="3" THEN P=M+24
  410
  420
           IF P=100 THEN GOTO 760
  430
       LET C=4
  440
      LET T=100
  450
          IF Z$(4,4)="S" THEN T=16
  460
          IF Z$ (4,4) ="E" THEN T=8
  470
          IF 2$(4,4)="Q" THEN T=4
   480
          IF Z$(4,4)="H" THEN T=2
  490
          IF Z$(4,4)="W" THEN T=1
  500
          IF Z$(4,4)="W" THEN T=1
IF T=100 THEN GOTO 760
IF LEN(Z$)=4 THEN GOTO 560
  510
  520
   530
          LET C=5
          IF Z$(5,5)="." THEN T=2*T/3
   540
       REM CALCULATE CONSTANTS
  550
        LET F1=229*(K1^(P-1))
  560
          LET T1=10^6/(2*F1)
   570
          LET K3 = (T1 - 56.5) / 7.5
   588
            LET K4=F1/(K6*T)
   590
  600 LET D3=INT(K4) \REM MAKE DURATION EVEN#
   610 LET D4=2*D3-2*INT(D3/2)
  620 LET D5=INT(D4/256) \REM CALC. 2 BYTES
 # 630 LET D6=D5+1+E1 \REM D6=MSB
  649 LET D7=D4-D5*256 \REM D7=LSB
```

```
984E 34
                             INR
                                            WASTE MUCH TIME (WMT)
 884F 35
                             DCR
                                  M
 9958 34
                             INR M
 0051 35
                             DCR
 0052 34
                             INR
                                  M
 0053 35
                            DCR
                                  M
                                           DELAY ACCORDING TO
 0054 15
                      LOOP3 DCR
                                  D
                                            PITCH CONSTANT.
 8855 C2 54 88
                                  LOOP3
                             JNZ
                                            COMPLEMENT A.
 8058 AE
                             XRA
                                  M
                                            COUNT DOWN DURATION #.
 9959 9D
                             DCR
 885A C2 46 88
                                  LOOP 2
                             JNZ
 005D 05
                             DCR
 905E C2 4A 99
                                  XFER2
                             JNZ
 0061 D3 24
                             OUT
                                  MODL6
                                            ISET UP NEXT SEGMENT.
 9963 23
                             INX
                                  H
                                            DCR SEGMENT COUNT.
                             DCR
                                  2
 0064 1D
                             RZ
                                            RETURN IF ALL
 0065 C8
                                            ; SEGMENTS DONE.
 8866
 0066 01 00 00
                      XFER3 LXI
                                  B, LNGTH
                      XFER4 MVI
 0069 16 90
                                  D, PITCH
                                            SET NEW AMPLITUDE.
 666B 7E
                             MOV
                                  A,M
 886C C3 54 88
                             JMP
                                  LOOP3
 996F
                       ; ENVELOPE SPECIFICATION:
 996P
 906F
                      ; TBL1 THRU TBL8 ARE 8 DIFFERENT NOTE
 996F
                       ; ENVELOPE SPECIFICATIONS, EACH ONE
 006F
                       CONSISTING OF 8 AMPLITUDE SEGMENTS.
 996F
 006F
# 896F FF FF E9 C9
                      TBL1 DB OFFH, SFFH, SEGH, SCSH
                                                       ;ATTACK: #5
                             DB ØAØH, 99H, 79H, 59H
₩9073 AØ 98 70 50
30077 88 90 60 60
                      TBL2 DB 0,0,0,6
                                                       REST: #R
#867B 86 99 89 99
                             DB 0.0.0.0
                      TBL3 DB SCSH, SPPN, 98N, 66H
                                                       :STACCATO: #S
####7F CS FF 98 68
##883 35 88 88 86
                             DB 35H, 8, 8, 8
#0087 CO FF FF FF
                       TBL4 DB GCGH, GFFH, GFFH, GFFH
                                                       ; LEGATO: #L
₩008B FF FF A0 90
                             DB OFFH, OFFH, OAGH, 90H
#008F 70 80 60 20
                       TBL5 DB 70H,89H,60H,29H
                                                       ; SOFT STACCATO: #1
                             DB 9,9,9,9
#0493 00 00 60 00
                       TBL6 DB 79H,89H,89H,89H
                                                       ;SOFT LEGATO: #2
¥0097 79 80 88 80
#909B 80 80 68 49
                             DB 80H,88H,60H,46H
                                                       ;"SHAPED":#3
#009F A0 B7 D0 FF
                       TBL7 DB ØAØH, ØB7H, ØDØH, ØFFH
                             DB ØFFH, ØFFH, ØC7H, ØASH
#00A3 FF FF C7 A0
                                                       ; CRESCENDO: #4
#00A7 70 85 A0 B5
                       TBL8 DB 78H,85H,8A6H,8B5H
                             DB SDSH, SFFH, SFFH, SASH
#00AB DO FF FF AS
 GOAF
 GGAF
                       SP
                             EQU
                                  6
                                            FIX FOR OUR ASSEMBLER
                       PLACE DW
                                            SCORE POINTER.
 90AF 69 99
                                            ; YOUR SCORE LOCATION?
                       SCORE EQU
                                  0100H
 GGB1
                                            YOUR OUTPUT PORT?
 ØØB1
                       MODL6 EQU
                                  24H
                                  6
                                            DUMMY EQUATE
# 00Bl
                       PITCH BQU
                       LNGTH EQU
                                  8
                                            DUMMY EQUATE
# 00Bl
                                 $+10H
 gan1
                      STACK EQU
  8
```

```
65# REM TRANSFER CONSTANTS TO SCORE AREA.
 666 FILL U+3*(V-1), INT(K3+.5)
 678 FILL U+3*(V-1)+1,D7
 680 FILL U+3*(V-1)+2,D6
 698 PRINT V,
 766 NEXT V
 716 STOP
 726 FILL U+3*(V-1),0
 736 PRINT
 748 PRINT "SCORE COMPILATION COMPLETE!"
 750 STOP
 760 PRINT "ERROR IN NOTE #",V
 776 PRINT "DATA STRING ", 2$
 780 PRINT "CHARACTER #",C
 790 STOP
 800 END
 810 REM
826 REM "AULD LANG SYNE"
901DATA"LC 1Q","F 1Q.","F 1E","F 1Q","A 2Q"
902DATA"G 1Q.","F 1E","G 1Q","A 2E","G 1E"
903DATA"F 1Q.","F 1E","A 2Q","C 2Q"
904DATA"3D 2H.","LD 2Q"
905DATA"C 2Q.","A 2E","A 2Q","F 1Q"
906DATA"G 1Q.","F 1E","G 1Q","A 2E","G 1E"
907DATA"F 1Q.","D 1E","D 1Q","C 1Q"
908DATA"F 1Q.","D 1E","D 1Q","C 1Q"
908DATA"C 2Q.","A 2E","A 2Q","F 1Q"
910DATA"G 1Q.","F 1E","G 1Q","D 2Q"
911DATA"C 2Q.","A 2E","A 2Q","F 1Q"
912DATA"4D 2H.","LF 2Q"
913DATA"C 2Q.","A 2E","A 2Q","F 1Q"
914DATA"G 1Q.","F 1E","G 1Q","A 2E","G 1E"
915DATA"F 1Q.","D 1E","D 1Q","C 1Q"
916DATA"F 1Q.","D 1E","D 1Q","C 1Q"
 826 REM "AULD LANG SYNE"
 9000 DATA "X"
```

```
820 REM "GOD REST YE MERRY GENTLEMEN"
901DATA"5E 1Q", "E 1Q", "B 2Q", "B 2Q", "A 2Q"
902DATA"G 1Q", "F#1Q", "E 1Q", "D 1Q"
903DATA"E 1Q", "F#1Q", "G 1Q", "A 2Q"
904DATA"3B 2H. ", "5E 1Q"
905DATA"E 1Q", "B 2Q", "B 2Q", "A 2Q"
906DATA"G 1Q", "F#1Q", "E 1Q", "D 1Q"
907DATA"E 1Q", "F#1Q", "E 1Q", "D 1Q"
907DATA"E 1Q", "F#1Q", "G 1Q", "A 2Q"
908DATA"3B 2H. ", "5B 2Q"
909DATA"C 2Q", "A 2Q", "B 2Q", "C 2Q"
910DATA"D 2Q", "E 2Q", "B 2Q", "A 2Q"
911DATA"G 1Q", "E 1Q", "F#1Q", "G 1Q"
912DATA"LA 2H", "5G 1Q", "A 2Q"
913DATA"LB 2H", "5C 2Q", "B 2Q"
914DATA"B 2Q", "A 2Q", "B 1Q", "F#1Q"
915DATA"LB 2H", "5G 1Q", "A 2Q"
915DATA"LB 2H", "5G 1Q", "F#1E", "E 1Q"
916DATA"LA 2H", "5G 1Q", "A 2Q"
917DATA"B 2Q", "C 2Q", "D 2Q", "E 2Q"
918DATA"B 2Q", "C 2Q", "D 2Q", "E 2Q"
918DATA"B 2Q", "A 2Q", "G 1Q", "F#1Q"
919DATA"3E 1W."
```

```
820 REM "THE EYES OF TEXAS"
901DATA"D 1Q","G 1Q.","D 1E","G 1E.","D 1S","G 1E.","A 2S"
902DATA"B 2H","G 1H"
903DATA"C 2Q.","C 2E","G 1Q","A 2Q"
904DATA"B 2H.","D 1Q"
905DATA"G 1Q.","D 1E","G 1E.","D 1S","G 1E.","A 2S"
906DATA"B 2H","G 1Q","B 2Q"
907DATA"B 2E","A 2Q.","A 2Q","B 2Q"
908DATA"A 2W"
909DATA"A 2Q.","A 2E","G||E.","A 2S","B 2E.","A 2S"
910DATA"G 1H","D 1Q","B 2Q"
911DATA"C 2Q.","C 2E","G 1E.","G 1S","A 2E.","A 2S"
912DATA"B 2H.","D 1Q"
913DATA"E 1Q.","F||E","G 1E.","F||IS","G 1E.","E 1S"
914DATA"D 1H","G 1Q","A 2Q"
915DATA"B 2Q.","C 2E","B 2Q","A 2Q"
916DATA"B 1H."
```

```
961DATA"LE 1E","D 1E","C 1Q.","D 1E","E 1E","F 1E"
962DATA"G 1H","A 2E","B 2E"
963DATA"C 2Q","B 2Q","A 2Q"
964DATA"G 1H","A 2E","B 2E"
965DATA"C 2Q","B 2Q","A 2Q"
966DATA"G 1Q","A 2Q","B 2Q"
967DATA"C 2Q","B 2Q","B 2Q"
967DATA"C 2Q","G 1Q","F 1Q"
968DATA"E 1H","2E 1E","D 1E"
969DATA"C 1Q.","D 1E","E 1E","F 1E"
919DATA"C 1Q.","B 2Q","A 2Q"
912DATA"G 1H","A 2E","B 2E"
911DATA"C 2Q","B 2Q","A 2Q"
912DATA"G 1H","A 2E","B 2E"
913DATA"C 2Q","B 2Q","A 2Q"
914DATA"G 1Q","A 2Q","B 2Q"
915DATA"C 1Q.","B 2Q","B 2Q"
915DATA"C 2Q","B 2Q","B 2Q"
915DATA"C 1Q.","B 1E","F 1E"
917DATA"C 1Q.","B 1E","F 1E"
918DATA"A 2H","A 2Q","B 2E"
919DATA"A 2H","A 2Q"
922DATA"A 1H.","A 2Q","B 2Q"
923DATA"C 2Q","B 1Q","A 2Q"
923DATA"C 2Q","B 1Q","B 2Q","A 2Q"
923DATA"C 2Q","B 1Q","F 1Q"
924DATA"S 1H."
9000 DATA "X"
```

```
826 REM "HARK! THE HERALD ANGELS SING"
961 DATA "5D 1Q", "G 1Q", "LG 1Q.", "F‡1E"
962 DATA"5G 1Q", "B 2Q", "LB 2Q", "A 2Q"
963DATA"5D 2Q", "D 2Q", "LD 2Q.", "C 2E"
964DATA"5B 2Q", "A 2Q", "3B 2H"
965DATA"5D 1Q", "G 1Q", "LG 1Q.", "F‡1E"
966DATA"5G 1Q", "B 2Q", "LB 2Q", "A 2Q"
967DATA"LD 2Q", "A 2Q", "LB 2Q", "A 2Q"
967DATA"LD 2Q", "A 2Q", "LB 2Q", "A 2Q"
967DATA"LD 2Q", "B 2Q", "LB 2Q", "A 2Q"
968DATA"F‡1Q", "E 1Q", "D 1H"
969DATA"5D 2Q", "D 2Q", "D 2Q", "G 1Q"
911DATA"5D 2Q", "B 2Q", "LB 2Q", "A 2Q"
911DATA"5D 2Q", "B 2Q", "LB 2Q", "A 2Q"
911DATA"5D 2Q", "B 2Q", "LB 2Q", "A 2Q"
913DATA"5E 2Q", "B 2Q", "LB 2Q", "A 2Q"
913DATA"5E 2Q", "B 2Q", "LB 2Q", "A 2Q"
915DATA"C 2Q", "B 2Q", "C 2H"
```

NEWTECH COMPUTER SYSTEMS, INC. 230 Clinton Street BROOKLYN, NEW YORK 11201