

ML1-5 00020 HDQ 644 OP-01  
DICK BEST ML1/A16  
D.E.C. BUILDING 1-5

MARCH 4, 1975

OPTION LIST	PAGES 1-145
MODULE LIST	PAGES 146-230



STATUS 0 (CANCELLED), STATUS 1 (UNANNOUNCED) AND STATUS 7 (OBSOLETE) ITEMS DELETED

OPTION LIST	000	PPPP	TTTT	I	0	0	N	N	/	M	M	000	DDDD	U	U	L	EEEE	L	I	SSSS	TTTT	1
	0	P	T	I	0	0	NN	N	/	MM	MM	0	D	D	U	U	L	E	L	I	S	T
	0	PPPP	T	I	0	0	NN	N	/	MM	M	0	D	D	U	U	L	EEE	L	I	SSS	T
	0	P	T	I	0	0	NN	N	/	M	M	0	D	D	U	U	L	E	L	I	S	T
	0	P	T	I	0	0	NN	NN	/	M	M	0	D	D	U	U	L	E	L	I	S	T
	000	P	T	I	000	N	N	/	M	M	000	DDDD	UUU	LLLLL	EEEE	LLLLL	I	SSSS	TTTT			

OPTION DESIGNATION LIST MAR 3, 1975

STATUS 0, 1 & 7 DELETED

DICK BEST

THIS IS A LIST OF DESIGNATIONS AND NAMES OF EQUIPMENT WHICH HAS BEEN, IS, OR MAY BE AVAILABLE FOR SALE BY DEC. THE OPTIONS ARE SORTED BY MODEL NUMBER.

THE MODEL NUMBER HAS BEEN PLACED IN THE SPACE AVAILABLE FOR IT IN THE ACCOUNTING FORMAT. THIS SPACE CONSISTS OF A MAIN 3 CHARACTER FIELD FOLLOWED BY A 2-CHARACTER "VARIATION" FIELD. A DASH SEPARATES THE TWO FIELDS, WHILE THE MAIN NUMBER IS RIGHT JUSTIFIED AND THE VARIATION IS LEFT JUSTIFIED. IN GENERAL, OLD MODEL NUMBERS CONTAIN NO LETTERS IN THE MAIN FIELD WHILE NEW MODEL NUMBERS CONTAIN 2 LETTERS FOLLOWED BY 2 NUMBERS FOR OPTIONS AND ONE LETTER FOLLOWED BY 3 OR 4 NUMBERS FOR MODULES. THE INITIAL LETTER IN THE MAIN FIELD GENERALLY IS THE SAME AS THE CATEGORY. EXCEPTIONS TO THIS ARE COMPUTERS, LISTED IN CATEGORY E.

THE MODEL NUMBER FOR A TESTER USES THE SAME CHARACTERS IN THE MAIN FIELD AS DOES THE OPTION FOR WHICH IT IS DESIGNED, WITH THE FIRST CHARACTER IN THE VARIATION FIELD BEING "T". FOR EXAMPLE, 2 TESTERS FOR THE RP01-A MIGHT BE NAMED RP01-TA AND RP01-TB. SUCH TESTER NUMBERS ARE NOT LISTED HERE. THEY ARE CONTROLLED BY DRAFTING.

THE "USED ON" COLUMN REFERS TO THE OPTIONS OR COMPUTERS TO WHICH THE ITEM IN QUESTION MAY BE CONNECTED.

THE "ENG MGR" IS THE ENGINEERING MANAGER WHO HAS THE FINAL RESPONSIBILITY FOR THE DEVICE.

THE "MANUFACTURING AREA" IS THE GROUP THAT MANUFACTURES OR IS RESPONSIBLE FOR THE DEVICE:

COM = PDP11 COMMUNICATIONS F. A. T., WESTMINSTER  
 CON = CONTROL SYSTEMS  
 CSS = SPECIAL SYSTEMS, PARKER ST  
 DAS = DEC SYSTEM 10 ADVANCED SYSTEMS  
 FS = FIELD SERVICE  
 IPG = INDUSTRIAL PRODUCTS, MAYNARD  
 LVP = LOW VOLUME PRODUCTION, PARKER ST  
 MAY = MAYNARD, THOMPSON ST  
 SDC = SOFTWARE DISTRIBUTION CENTER  
 SSAU = SPECIAL SYSTEMS, AUSTRALIA  
 SSCAL = SPECIAL SYSTEMS, CALIFORNIA  
 SSCAN = SPECIAL SYSTEMS, CANADA  
 SSCH = SPECIAL SYSTEMS, CHICAGO  
 SSMU = SPECIAL SYSTEMS, MUNICH  
 SSRU = SPECIAL SYSTEMS, RUNGIS, FRANCE  
 SSUK = SPECIAL SYSTEMS, ENGLAND  
 TPL = TRADITIONAL PRODUCTS  
 TYP = TYPSETTING  
 WF = WESTFIELD  
 WM = WESTMINSTER

THE "DESIGN ENGINEER" HAS DESIGN RESPONSIBILITY FOR THE DEVICE, AND IS AVAILABLE TO HELP SOLVE PROBLEMS THAT CANNOT BE HANDLED BY THE PRODUCTION ENGINEER.

THE "PRODUCTION ENGINEER" DETERMINES THE METHOD OF MANUFACTURE AND BUILDS THE PILOT RUN. HE IS ALSO AVAILABLE TO SOLVE PROBLEMS WITH THE DEVICE THAT THE PRODUCTION LINE CANNOT SOLVE.

## THE "STATUS" CODE IS AS FOLLOWS:

0 = PROJECT CANCELLED	5 = RELEASED TO PRODUCTION
1 = UNANNOUNCED	6 = OBSOLETE, BUT CAN STILL BE CUSTOM BUILT
2 = IN DESIGN AND ANNOUNCED	7 = OBSOLETE AND CANNOT BE BUILT
3 = CUSTOM BUILT	- = NO OPTION, BUT A SERIES NAME
4 = RELEASED TO BUILD	

"MO/YR" RECORDS THE MONTH AND YEAR OF THE LATEST CHANGE IN STATUS OR DESCRIPTION ON THAT LINE

THOSE ITEMS WITH STATUS 1 AND 7 ARE NOT INCLUDED IN THE GENERALLY DISTRIBUTED LIST SINCE STATUS 1 AND 7 ITEMS ARE COMPANY CONFIDENTIAL. MONTHLY UPDATED COMPLETE LISTS ARE SENT TO THE FOLLOWING PEOPLE:

BOB ASPELL MR1/F39 (MF)	JOE MADDEN ML4/E23 (MF)	ROGER POTHIER MR1/E79 (MF)	BEV HALLMAN KA (MF)
GINGER CARROLL (2) ML1/F31 (MF)	BILL SHAW ML5/P54 (MF)	KEN RUSS 1-3 (MF)	JIM MCHUGH PK1/P84 (HC)
AL PFYFFER 4-4 (MF)	CHUCK BRANNIGAN WF (MF)	GEORGE CHAISSON PK3/S28 (HC)	MARTIN VOSHELL ML3/E33 (MF)
FRANK CASSIDY ML1/P53 (MF)	JOHN HOLMAN PK1 (MF)	BILL BURNS ML5/P67 (HC)	RENE THIBAUT PK3/T12 (HC)
DON RUZECKI PK3-2 (MF)	BILL HOGAN MR2/M59 (MF)	BRUCE DILLINGHAM MR1/P73 (MF)	JOHN WANAMAKER 5-5 (MF)
ANN WOOD ML4/P70 (MF)	CHARLES FEELEY, CA (MF)	LORENZO RASILLE ML1/F31 (HC)	PAUL MC GAUNN WF (MF)
PETER BRIGGS ML1/P69 (MF)	MARK OLSEN MR1/E18 (MF)	RON DUPLACY WM/S47 (HC)	D. DINNOCENZO ML11/E52 (2HC)
BILL KLEIN ML12/E39 (MF)	DON CROWTHER ML5/E72 (MF)	DAVE MEUNIER WM/P18 (MF)	MARY CLOUTER PK3-2 (MF)
WAYNE GORSKI ML4/P70 (MF)	LYNNE CANAL PK3/S25 (HC)	LEN BIZZARO ML5/M17 (HC)	DAVE KICILINSKI ML1/P69 (HC)
JACK SHARP ML1/P69 (MF)	PAUL MASSONI WM/P41 (MF)	CHESTER JU ML1/E63 (MF)	ROY MOFFA MR2/M64 (MF)
NORM MOSLEY WM/P43 (MF)	FRANK HOLLAND, NATICK (2HC)	ANNE WOJCIK 5-2(HC)	BERTHA STEGMUIRE KA (HC)
PABLO MARTINEZ AG (MF)	WALTER VARGAS SH (HC)	TOM LARSON SG (HC)	JOHN H. JACKSON WM/P41 (MF)
HANK BULENS WM/P80 (MF)	ED LO TURCO ML4/P70 (MF)	DICK AMAN ML6/E21 (MF)	JOHN FISHER ML (HC)
KEN BANKER ML5/E54 (MF)	DAN BLAST WM/P47 (MF)	WALTER VIGNAULT ML5/E60 (HC)	DEAN HOLLATZ WM/P47 (MF)
JEAN-CLAUDE VERDIN GE (MF)	DOUG ROTHENBERG ML1/E65 (MF)	DON CALL ML1/P60 (MF)	EMANUEL TUCKER ML5/M47 (MF)
WAYNE SAUNDERS PK2/A35 (MF)	MIKE MATTHEWS PK3-1/M29 (MF)		

A MONTHLY LIST THAT INCLUDES ALL SPECIAL SYSTEM MODULES & OPTIONS IS SENT TO THE FOLLOWING PEOPLE:

JOHN HOLMAN PK-1	JAMES CORMIER 4-4
------------------	-------------------

A MONTHLY LIST OF OPTIONS THAT WERE NOT INCLUDED IN THE PREVIOUS PRINTED LIST IS SENT TO RON DUPLACEY, WM.

## THE "CATEGORY" CODE IS AS FOLLOWS:

A = ANALOG-DIGITAL-ANALOG	N = PULSE HEIGHT ANALYSIS EQUIPMENT
B = MISCELLANEOUS	P = PAPER TAPE EQUIPMENT
C = CARD HANDLING EQUIPMENT	Q = SYSTEM SOFTWARE
D = DATA HANDLING EQUIPMENT	R = ROTATING MAGNETIC MEMORIES
E = COMPUTERS	S = SPARE PARTS
J = COURSES	
K = INTERNAL COMPUTER OPTIONS	T = MAGNETIC TAPE EQUIPMENT
L = LINE PRINTERS AND TYPEWRITERS	V = VISUAL READOUT (DISPLAYS)
M = MEMORIES (NON-ROTATING)	X = X-Y PLOTTERS
	Z = DIAGNOSTIC SOFTWARE

THERE SHOULD BE AN ENTRY IN EVERY COLUMN FOR EACH ITEM. PLEASE EXAMINE THOSE ITEMS FOR WHICH YOU ARE LISTED AS DESIGN OR PRODUCTION ENGINEER AND SUPPLY THE MISSING INFORMATION TO DICK BEST OR JUNE PAYNE (X2273).

## GLOSSARY OF INITIALS

3

AA = A. ADELMAN MR  
 AAM=ALEC MUZAR SSCAN  
 AB=AL BARON ML  
 ABW = ANDY WHITE PK  
 AC = A. COHAN MR  
 ACF = ARTHUR FILZ MR  
 ADL = AL DELUCA ML  
 AEH = AL HELENIUS ML  
 AEK=ARNIE KORELITZ ML  
 AEW = ART WILLIAMS ML  
 AF = ALAN FRANTZ MR  
 AH = AL HIRSON WM  
 AHM = AL MARSH ML  
 AMS = AL SHIMER MR  
 AJ = A. JOHNSON MR  
 AJF = A. FARINELLI WM  
 AJM = JOE MARTIN ML  
 AK = A. KARLSBERG ML  
 AKI = AKAVIA KANIEL ML  
 ALA = AL ANDERSON ML  
 ALB = AL BURNES ML  
 AM = ALAN MOMBRAY ML  
 AP = AL PETERS MV  
 AR = A. RICKETTS ML  
 ARR = AL RYDER ML  
 AS = AL SLIZ ML  
 ASB = AL BROWN ML5-5  
 ASC = AL CAREY ML  
 AT = A. TITCOMB MR  
 ATT = G. ATTERBURY MR  
 AW = ALAN WALLACK MR  
 AZ = ART ZACCHIA ML  
 BALL = CHRIS BALL PK  
 BB = BILL BRUCKERT MR  
 BC = BRIAN CROXON ML  
 BD = B. DELAGI ML  
 BDF=BRUCE FILGATE MR  
 BDW = BARRY WEEKS MR  
 BE = BOB EDWARDS SSCAL  
 BES = BOB STEWART ML  
 BF = BETH FORGOSH ML  
 BFB = B. BAILLIE ML  
 BG = BOB GRAY ML  
 BH=BEV HALLMAN SSCAN  
 BJH=BILL HUNSICKER ML  
 BJM=BOB MCFADDEN MR  
 BL = BILL LA PRADE ML  
 BLC=BERNIE LACROUTE ML  
 BLE=BOB EGGERT SSCAL  
 BM = BOB MAC LEOD PK  
 BMA = BRIAN MANSER ML  
 BMM = BOB MULLIN WM  
 BMP=BOB MC PHERSON SSUK  
 BMW = BILL WEISKE PK  
 BN = BERNARD NOLAN ML  
 BP = B. POULIOT MR  
 BPF=B. FITZGERALD ML  
 BQ = BOB QUINN MR  
 BR = DAVE BROWN ML5-2  
 BRH = BRUCE HANSEN ML  
 BRR = BILL ROBINSON PK  
 BS = B. SIPILA ML  
 BSL = BRYAN LOCKE MR  
 BJ = R. BUNTON ML  
 BV = B. VAYHON ML  
 BWH = BERNIE HALL ML  
 CA = R. CAZY PK  
 CAR=CARL RILSTON MR  
 CARY=JANICE CARNES ML  
 CAY=CHUCK A YOUSE ML  
 CB = A. CAMPBELL DV  
 CBF = CHUCK BICKOFF ML  
 CC = CHUCK COBB PK  
 CER=CHARLES RONEY SSCAL  
 CFM = CHARLES MEAD ML  
 CH = D. CHACE ML  
 CHI = CHAO CHI ML  
 CHIN=DERRICK CHIN MR  
 CJS=CRS STEPHENSON SSUK  
 CL = R. CLAYTON ML  
 CH = CHRIS MICHEL SSRU  
 CHB = BUZ BROOKS PK  
 CHD = CHUCK DEWEY SV  
 CI=CLAIRBORNE NEAL ML  
 CP=CLAUDE PROTEAU MR  
 CPM=CHARLES MERRILL ML  
 CPN=CH NAVEDONSKY ML  
 CR = CHARLES ROMEO MD  
 CRB = CHUCK BLASI ML  
 CS=CHARLES SCHNARE ML  
 CJ = J. CUDMORE ML  
 CV = C. VALENTINE PK  
 CYR = JOHN CYR MR  
 CZ = A. CZAJKOWSKI MR  
 DA = DAVE DAMS ML  
 DAC = DAVE CANE ML  
 DAL = DON LEWINE MR  
 DAO = DEREK OLOHAM MR  
 DAS = D. SLACKPOLE ML  
 DB = DICK PRIGGS ML  
 DBN = DENNIS BROWN SSUK  
 DC = DAVE CARLSON PK  
 DCB = DWIGHT BAKER MR  
 DCF = DENNIS FIELD ML  
 DD = DICK HEVLIN MR  
 DEB = DAN POWSER ML  
 DEC = DON CROWTHER ML  
 DEG = DAVE GINZLER ML  
 DEL=DEL LIMPERT PK2  
 DES=DOUG SLELL ML  
 DF = DICK FALT PK  
 DFP = D. PAVLOCK ML  
 DG = D. GROSS MR  
 DH = D. HOPKINS PK  
 DHA=DON HARDY ML  
 DHD = DAN D'URSO MR  
 DHK=D. KUKULINSKY ML  
 DI = D. IVES ML  
 DJA = D. ANDERSON MR  
 DJD=D. DI GIROLAMO MR  
 DJS = DICK SMITH ML  
 DKC = DAVE CRABBE MR  
 DL=DEMETRIOS LIGNOS ML  
 DLM = DAVE MURRAY SSCAN  
 OLN = DAVE NELSON ML  
 DLR=DOUG ROTHENBERG ML  
 DLW=DON WEAVER ML  
 DM = D. MURPHY ML  
 DMD = DAN DAQUIECO ML  
 DML=D. LITWINETZ MR  
 DN = DAVE TONGEL MR  
 DN = DAVE NEVALA ML  
 DO = D. O'CONNOR ML  
 DOANE = R. DOANE MR  
 DOV = DAVE VEINOT ML  
 DP = DICK PETERSON ML  
 DPR = DAVE RODGERS ML  
 DPS=DAVID STRAND SSCAL  
 DR = R. DIETER ML  
 DRD = DAVE DUTTON ML  
 DRES=D. DRESLINSKI PK  
 DREW = JIM DREW ML  
 DRM = DAN MUTNANSKY ML  
 DRS = DON STREET MR  
 DS = DAVE SAARI ML  
 DSD=DANA SAFFORD ML  
 DSL=DAVE LESLIE PK  
 DT = DAVE THOMAS MR  
 DTS=DAN SULLIVAN ML5-5  
 DV = D. VONADA ML  
 DW = DAVE WIENS SSCAN  
 DWB = DAVE BUCKNAM ML  
 DWS = D. SMELSER ML  
 DY = DON YOUNG SA  
 DZ=D. ZERESKI ML  
 EAS = ED SIEGMANN MR  
 EB = ED BRUCKERT ML  
 EC = ED CORELL ML  
 EDS=ED STEINBERGER ML  
 EG = E. GIANETTO ML  
 EIA = ENRICO ANCONA ML  
 ELB = ELINOR BURNS PK  
 ELIA=R ELIA-SHAOUL ML  
 ELK = E. KENNEY ML  
 ELL = KEN ELLSON ML  
 ELS = ED STELTZER ML  
 EM = ED MARTELLO ML  
 EN = ED NEUMYER MR  
 EPC = ED CHAMBERS ML  
 ER = E. REED ML  
 ERK = ED KING MR  
 ERP = ED PERNON ML  
 ERS = ERNIE STRANGE PK  
 ES = ELMER SIMMONS ML  
 ESS=EMERY SPRINGER PK  
 ET = ED TOBAJA SG  
 EW = ED WARGO MR  
 EWB = ERNIE BAUER MR  
 FA = F. AUMANN PK  
 FCH=CARY HOBSON ML  
 FD = FRED DOLL MR  
 FE = FRANK ELIA ML  
 FF = FRANK FORTIN MR  
 FL = FRANK LOYA ML  
 FM = FRANK MOLLER MR  
 FMS = F. SOUYA LA  
 FP=FRANKO PREVID MR  
 FS = FRED STRAIGHT ML  
 FSB = FLOYD BENSON MR  
 FW = FRED WILHELM MR  
 FXS=FELIX SCHMITT SSMU  
 FZ = FRANK ZERESKI ML  
 GBH=G HARRINGTON ML  
 GD=JACK DELBROCCO ML  
 GDG = GERRY GANONG MR  
 GEF = GEO FRIEND ML  
 GEG = GERRY GAGNON ML  
 GES=GUNTER SCHNEIDER ML  
 GF = G. FORD ML  
 GFS = GEO SIROIS MR  
 GG = GORDON GRAHAM ML  
 GH=GEORGE HITZ ML  
 GHL = GEO H LORD ML5-2  
 GHP = GEO PARTRIDGE PK  
 GJH = GERRY HORNIK PK  
 GL=GLEN LEAFLOOR SSCAN  
 GLA=GINGER ABRAMS ML  
 GM = GARY MILLER ML  
 GO = GEOFF OADES SSUK  
 GOH = GREG HELTON MN  
 GP = G. POTTER ML  
 GPAP=GARY PAPAIZIAN ML  
 GPB=G.P. BUDIANSKY MR  
 GS = G. SAVIERS ML  
 GT = GEO THISSELL MR  
 GWD = G. DULANEY MR  
 HA = H. ADLEMAN PK  
 HAY=RANDY HAYNES SSCAL  
 HD = HARRY DRAB ML  
 HF=HEINZ FINDEISEN ML  
 HK = HANK KREJCI ML  
 HL = HERVE LAVOIE MR  
 HLD = H LA DUKE MR  
 HRL = HAROLD LONG ML  
 HS = H. SHEPHERD ML  
 IB=I. BELLETTIERE ML  
 IR = ISAAC RAGWAR ML  
 JA=JEGA ARULPRACASAM ML  
 JB = JOHN BLOEM ML  
 JBD=JIM DAVIS JR ML  
 JBH = JOHN HOLZ ML  
 JBP = JIM PLUNKETT MR  
 JC = JOHN CLARKE ML  
 JD = JOHN DRASHER MR  
 JDA = JOHN ALLEN MR  
 JDL = JOHN LEARSON ML  
 JDM = JOHN DI MACK ML  
 JE = J. ELSBREE MR  
 JEB = JOHN BUZYNSKI ML

## GLOSSARY OF INITIALS CONTINUED

4

JEH = JOHN HOLMAN PK  
 JEN = JUDY NICHOLS PK  
 JER = JOHN ROBERTS ML  
 JES = JOHN SUDDOUTH PK  
 JFB = JIM BEATTY ML  
 JG = J. GRADY ML  
 JGN=JOHN GORMAN SSUK  
 JH = JOHN R HESS ML  
 JHH=JOHN HACKENBERG MR  
 JJJ = JIM GANNON ML  
 JJJL = J. LARKIN PK  
 JK = JOHN KIRK ML  
 JL = JESSE LIPCON MR  
 JLH = JERRY HOLMES ML  
 JJM = JIM MURPHY ML  
 JM = J. MELVIN ML  
 JMB = JIM BARCLAY ML  
 JMW = JIM WALLS ML  
 JO = J. O'LOUGHLIN ML  
 JP = JOHN PRATT PK  
 JRB = JOHN BENTON MC  
 JRC=JOHN CARLSON PK  
 JRP = JIM PROVIDENT MR  
 JRS = JOHN SOFIO ML  
 JS = J. SULLIVAN PK  
 JSL = JUD LEONARD MR  
 JSH=JOE MANGIAFICO ML  
 JTN = JAY NICHOLS PK  
 JV = JACK VALENTINE ML  
 JVL = JOHN LEVY ML  
 JW=JACK WILLIAMS ML5-3  
 JWC = JACK COLE ML  
 JZ = JOE ZEH ML  
 KA = KEN ADAMETZ ML  
 KATO=TAKASHI KATO SSJN  
 KB = KEN BRABITZ SSCAL  
 KC=KEN CLEVELAND ML  
 KDG = KEN GULICK ML  
 KE = ALLAN KENT MR  
 KF = KARL FREY ML  
 KG = KENT GRIGGS ML  
 KH = KEN HEDBERG PK  
 KM=KEN MCNAUGHTON MM  
 KO = ALAN KOTOK MR  
 KQ = KEN QUINN ML  
 KR = ED KRAMER ML  
 KS = KEN SARGENT ML  
 KSB = KEN BANKER ML  
 KU = VICTOR KU MR  
 LAW = ROGER LAWSON ML  
 LAU = CHI LAU MR  
 LBH = LEN HUGHES ML  
 LC = LARRY CONDON ML  
 LCG = L.C. GARDNER MR  
 LD = LENNY DIONNE ML  
 LEC=L. CLEBORN SSCAL  
 LF = LARRY FAHEY ML  
 LUF = LUTHER FORMAN MR  
 LG = LORRIN GALE ML  
 LH = L. HALIO ML  
 LHC = LARRY CONLEY ML  
 LJC=LOUIS KARPENITO MR  
 LK = LOU KLOTZ ML  
 LL = L. NATHI ML  
 LO = LINDA OLSEN PK  
 LT = LEN TURNER ML  
 LW = LARRY WADE ML  
 MA = M. ARSENAULT ML  
 MAX = MAX CANGIANO ML  
 MC = J. MC NAMARA ML  
 MDC = M. CONROY MR.  
 MDL=MIKE D. LEIS ML  
 MDM=M D MORGANSTERN ML  
 MES = MIKE SANDERSON ML  
 MH = MARTIN HALL SSUK  
 MI = J. MILTON ML  
 MJS=MARTY SCHWARTZ MR  
 MK=MIKE KOULOPOULOS ML  
 ML = MIKE LAWRENCE MR  
 MM = JOE M. MULLIN MR  
 MOLIS = R. MOLIS ML  
 MOOR = ROD MOORE ML  
 MORO = STEVE MORO ML  
 MORRIS=IRA MORRIS ML  
 MR=MARK ROBERTS MR  
 MS = M. SAMALE PK  
 MGB=MIKE BUJNOWSKI PK  
 MT = MIKE MITELBAUM ML  
 MW=HEL WOODSEY ML  
 MWS=MARK SIECKLAIR ML  
 NF = N. FIELD ML  
 NJH = NEIL HACKLER ML  
 NR = NELSON ROY ML  
 NSL = NEIL SLAVIN ML  
 NSR=U.S. RAMACHANDRAN PK  
 NT=NATHAN TEICHHOLTZ ML  
 NW = NICK WELLS ML  
 OF = OWEN OISK SSCAN  
 OH=OLIVER MORISSON MR  
 ORR = TOM ORR ML  
 PAG = PHIL GOLDMAN ML  
 PAD = PHIL DESPO PK  
 PAJ = P. JENKINS ML  
 PC = PETER CHRISTY SSUK  
 PCD=PHIL CARRILLO SSCAN  
 PD = P. DUMANT ML  
 PDM = PETER MARTIN MR  
 PDR=PAUL D. RICO PK1  
 PETERS = AL PETERS MV  
 PFC = PETE CONKLIN MR  
 PG = PAUL GARDNER ML  
 PGA = PHIL ARNOLD ML  
 PH = PHIL HOLMES PK  
 PJ = P. JANSON ML  
 PJD=DESGROSEILLIERS MR  
 PK=KOTSCHENREUTHER ML  
 PKR = PETER REINECKE ML  
 PML = PETE MC LEAN ML  
 PMC = P. MC CARTHY ML  
 PMG=PAUL GUGLIELMI MR  
 PMI=PETE MASUCCI ML  
 PN = PAUL NELSON ML  
 PNH = PETER HELLER ML  
 POT = DAVE POTTER ML  
 PR = P. REISSER SO  
 PRO = P. OOWNER ML  
 PRS = PAUL SEGUIN WM  
 PS = P. SCRIVEN WA  
 PSD = PAUL DUBROFF MR  
 PTJ=PETER JANCOURTZ PK  
 PV=P VAN ROEKENS ML  
 PW = PHIL WILSON MR  
 PWD = PETER DUKE PK  
 PWK = PAUL KELLEY MR  
 PWH = PETER MEANS PK  
 RAA = BOB ARMSTRONG ML  
 RAC = BOB CORMIER ML  
 RAG = BOB GIGGI ML  
 RAP=RICH POWERS ML  
 RB = RAY BALDWIN ML  
 RBG = BOB GETTYS ML  
 RBH = R HURLEY SV  
 RBP = BOB PRATT ML  
 RBR = BOB REGAN ML  
 RC = RON COHEN MR  
 RCR = BOB RICHMOND MR  
 RD = ROGER DOW ML  
 ROA = DICK ANGEL ML  
 ROG = RUTH GREEN MR  
 ROH=RAY HARRINGTON ML  
 RE = BOB REID MR  
 REH = R HESSELTINE WM  
 REJ=BOB JOHNSON MR  
 REL = R E LEWIS ML  
 REN=RICH. NEUBAUER MP  
 RF = ROBERT FITCH MR  
 RFR = RAY BOUGHER ML  
 RFC = BOB CAMELIO ML  
 RFG = DICK GONZALES ML  
 RFL = R. LARY ML  
 RG = ROGER GAGNE ML  
 RGM = DICK MORRIS ML  
 RGR = RON GINGER MR  
 RH = BOB HAMEL ML  
 RHA = BOB ALLEN ML  
 RHM = BOB MEESE ML  
 RHZ = RICH HARTZ ML  
 RI = RUSS IKNAIAN MR  
 RJA=RAY ARSENAULT PK  
 RJB=R JOHN BARDOONE ML  
 RJC = RICK CASABONA ML  
 RJM = ROY MOFFA MR  
 RJS = RON SETERA MR  
 RJW = ROBERT WOLF ML  
 RK = BOB KIRK ML  
 RL = R. LISEE ML  
 RLB = DICK BOUDROIT ML  
 RLD = RATAN DHAR MR  
 RLM = RUSS MOORE PK  
 RLOM = ROY LOMICKA ML  
 RLP = RALPH PLATZ ML  
 RLS = RICHARD SIMON ML  
 RM = R MAY ML  
 RMC = BOB MC CLURE ML  
 RMD = R. MAC DONALD ML  
 RMEL = RON MELANSON MR  
 RMM = R. MERRILL ML  
 RMO = MARK OLSEN MR  
 RMS = BOB SMITH ML3-4  
 RMT = RITA TANNER MR  
 RN = M RICHESON ML  
 ROTT=ROB ROTTMAYER ML  
 RP = BOB PEYTON ML  
 RPC = RICK CORBEN MR  
 RPT=BOB POULIOT MR  
 RR = R. REED PK  
 RRB = DICK BENNETT ML  
 RRC = RON CARTER DV  
 RS = R. SAVELL ML  
 RSG = RAY GRUDA ML  
 RVN=ROB VAN NAARDEN MR  
 RW = REG WETHERALL PK  
 RWG=ROY GUSTAFSON ML  
 RWI = RAY IMBLUM SSCAL  
 SA = J. ST AMOUR ML  
 SAS = SHARON SMITH ML  
 SC=STEVE CARTER ML  
 SD = SAS DURVASULA ML  
 SERG = W. SERGEANT ML  
 SG = STEVE GROSS ML  
 SI = SUREN IRUKULLA ML  
 SJ = STEVE JENKINS ML  
 SK = S. KOZIOL PK  
 SKJ = S. JACKSON PK  
 SL=STEVE LAZEROWICH MR  
 SM = S. MIKULSKI ML  
 SNT = S.N. TEICHER ML  
 SM2 = SULTAN ZIA MR  
 SPRY = BILL SPRY PK  
 SR = STEVE ROTHMAN ML  
 SRH = STEVE HOLMES MR  
 SS = SERGE SHAMMAS ML  
 ST=J. STEFANOWICZ PK  
 STP = S. T. POMFRET MR  
 SU = P. SULLIVAN MR  
 SW = J. SWANSON ML  
 SWS=STAN SCHULTZ PK3  
 SZ=S ZNAMIEROWSKI ML  
 TA = TONY ARRIGHI ML  
 TB = TOM BARNETT PK  
 TF = TOM FREISS PK  
 TFF = TOM FAVA ML  
 TJB = TOM BILOTTA ML  
 TM = TOM MIGNEAULT ML  
 TN = TOM NORTHRUP ML  
 TP = TOM PITMAN ML  
 TS=TON STOCKEBRAND ML  
 TNE = TOM EGGERS MR  
 TZ = TED ZAJDEL PK  
 UR = UWE RICHERT SO  
 VB=VINCENT BASTIANI ML  
 VOB = V BOAEN ML  
 VM=VAIDAS HONGIRDAS PK  
 WA = BILL ANGEL ML  
 WBE = BILL ERICSON MR  
 WC = BILL COATES ML  
 WD = WALT DUNHAM ML  
 WOS = DON SCOTT PK  
 WE = N. WELLS ML  
 WEK = WALT KNAPP ML  
 WF = WM FANAZICK ML  
 WFW = BILL WALSH MR  
 WHW = BILL WISE PK  
 WJH = BILL HAZEN ML  
 WH = DON WHITE ML  
 WK = W KERAUSCH SO  
 WLA = BILL AVERY ML  
 WL = BILL LONG PK  
 WLS = BILL SIPILA ML  
 WM = BILL MINOR ML  
 WHK = W MACKENZIE PK  
 WOB = WILL O'BRIEN PK  
 WP = WALT PARKER ML  
 WRD = BILL DEMMER ML  
 WRH=BOB HALL ML  
 WRS = WILLIS SMITH ML  
 WU = DELMORE WU SV  
 WW = BILL WALTON MR  
 WWO = BILL OWENS ML

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
10	EAS				6	K	1	AUTO MULTIPLY & DIVIDE
1040-A	EAS	KE			6	9/72 E	-	1040-SA, RP10-A, RP02-A, TU10C-EE, CR10-FA, LSP10-LA, DK10, DC10-AA, 2 DC10-B, 115V 60HZ
1040-B	EAS	KE			6	9/72 E	-	1040-SB, RP10-B, RP02-B, TU10C-EJ, CR10-FB, LSP10-LB, DK10, DC10-AB, DC10-B, 230V 50HZ
1040-DA	EAS				6	3/73 E	-	1040-A + MD10-GA (64K 1.8 USEC MEM), 115V 60HZ
1040-DB	EAS				6	3/73 E	-	1040-B + MD10-GB (64K 1.8 USEC MEM), 230V 50HZ
1040-FA	EAS				6	3/73 E	-	1040-A + 4 ME10 (64K 1 USEC MEM), 115V 60HZ
1040-FB	EAS				6	3/73 E	-	1040-B + 4 ME10 (64K 1 USEC MEM), 230V 50HZ
1040-GA	EAS				2	8/72 E	-	1040-A + MF10-C (64K 1 USEC MEM), 115V 60HZ
1040-GB	EAS				2	8/72 E	-	1040-B + MF10-C (64K 1 USEC MEM), 230V 50HZ
1040-HA	EAS				3	3/74 E	-	1040-A + 2 32K MEM, 115V 60HZ
1040-HB	EAS				3	3/74 E	-	1040-B + 2 32K MEM, 230V 50HZ
1040-JA	EAS				6	3/73 E	-	1040-A + 4 ME10 (64K 1 USEC MEM), 115V 60HZ
1040-JB	EAS				6	3/73 E	-	1040-B + 4 ME10 (64K 1 USEC MEM), 230V 50HZ
1040-SA	EAS	KE			3	10/72 E	-	KA10-A + QHSYS-10
1040-SB	EAS	KE			3	10/72 E	-	KA10-C + QHSYS-10
1050-A	EAS	KE			6	8/72 E	-	KA10-A, 4ME10 RM10-GA RP02-GA TM10-GA DK10 CR10-DA LP10-CA 32 LINES DC10 OR DC60-A, 115V 60HZ
1050-B	EAS	KE			6	8/72 E	KA10-C	4ME10 RM10-GB RP02-GB TM10-GB DK10 CR10-DB LP10-CB 32 LINES 115V 60HZ
1055-A	EAS	KE					-	2KA10 5ME10 RM10-GA RM10-BA RP03-GA TU40-GA DC10 CR10-DA LP10-CA 32 LINES DC10 OR DC60-A, 115V 60HZ
1055-B	EAS	KE			6	8/72 E	-	2KA10 5ME10 RM10-GB RM10-BB RP03-GB TU40-GB DC10 CR10-DB LP10-CB 32 LINES DC10 OR DC60-A, 230V 50HZ
1060-A	EAS				3	8/72 E	K110	RP03-CA TU40-CA CR10-EA LP10F-EA DK10 QHSYS-10 DC10-AA 2 DC10-B 115V60HZ
1060-B	EAS				3	8/72 E	K110	RP03-CB TU40-CB CR10-EB LP10F-EB DK10 QHSYS-10 DC10-AB 2 DC10-B 230V50HZ
1060-GA	EAS				2	8/72 E	-	1060-A + MF10-C 64K 1 USEC MEM, 115V 60HZ
1060-GB	EAS				2	8/72 E	-	1060-B + MF10-C 64K 1 USEC MEM, 230V 50HZ
1060-HA	EAS				3	3/74 E	-	1060-A + 2 32K MEM, 115V 60HZ
1060-HB	EAS				3	3/74 E	-	1060-B + 2 32K MEM, 230V 50HZ
1060-JA	EAS				6	3/73 E	-	1060-A + 4 ME10 64K 1 USEC MEM, 115V 60HZ
1060-JB	EAS				6	3/73 E	-	1060-B + 4 ME10 64K 1 USEC MEM, 230V 50HZ
1060-S	EAS	KE			6	8/74 E	-	K110 + QHSYS-10
1070-A	EAS	KE			6	8/72 E	-	1060-S 6ME10 RM10-GA RM10-BA RP03-GA TU40-GA TU40-A CR10-EA DK10 LP10-CA 32 LINES DC10 OR DC60-A, 115V 60HZ
1070-B	EAS	KE			6	8/72 E	-	1060-S 6ME10 RM10-GB RM10-BB RP03-GB TU40-GB TU40-B CR10-EB DK10 LP10-CB 32 LINES DC10 OR DC60-A, 230V 50HZ
1077-A	EAS	KE			6	8/72 E	-	2 K110 8ME10 RM10-GA RM10-BA RP03-GA TU40-GA 2TU40-A DK10 CR10-EA LP10-CA 32 LINES DC10 OR DC60-A, 115V 60HZ
1077-B	EAS	KE			6	8/72 E	-	2 K110 8ME10 RM10-GB RM10-BB RP03-GB TU40-GB 2TU40-B DK10 CR10-EB LP10-CB 32 LINES DC10 OR DC60-A, 230V 50HZ
1080	ATT				2	2/75 E	-	KL10-AA OR KL10-AB BASED SYSTEM; GENERIC NAME
11/04	SNT	JRS			2	11/74 E	-	KD11-D, KY11-LA, M9301-YA, M9302
11/04-AA	SNT	JRS			2	11/74 E	-	11/04, MS11-E 4K MOS, DD11-E 4 SLOT, BA11-LE, 115V
11/04-AB	SNT	JRS			2	11/74 E	-	11/04, MS11-E 4K MOS, DD11-E 4 SLOT, BA11-LF, 230V
11/04-AC	SNT	JRS			2	11/74 E	-	11/04, MS11-E 4K MOS, DD11-F 9 SLOT, BA11-LE, 115V
11/04-AD	SNT	JRS			2	11/74 E	-	11/04, MS11-E 4K MOS, DD11-F 9 SLOT, BA11-LF, 230V
11/04-BA	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-E 4 SLOT, BA11-LE, 115V
11/04-BB	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-E 4 SLOT, BA11-LF, 230V
11/04-BC	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-F 9 SLOT, BA11-LE, 115V
11/04-BD	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-F 9 SLOT, BA11-LF, 230V
11/04-BM	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-D 9 SLOT, BA11-KH, 115V
11/04-BN	SNT	JRS			2	11/74 E	-	11/04, MS11-F 8K MOS, DD11-D 9 SLOT, BA11-KJ, 230V
11/04-CA	SNT	JRS			2	11/74 E	-	11/04, MS11-H (16K MOS), DD11-E (4 SLOT), BA11-LE, 115V
11/04-CB	SNT	JRS			2	11/74 E	-	11/04, MS11-H (16K MOS), DD11-E (4 SLOT), BA11-LF, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/04-CC	SNT	JRS			2 11/74	E	-	11/04, MS11-H 16K MOS, DD11-F 9 SLOT, BA11-LE, 115V
11/04-CD	SNT	JRS			2 11/74	E	-	11/04, MS11-H 16K MOS, DD11-F 9 SLOT, BA11-LF, 230V
11/04-CM	SNT	JRS			2 11/74	E	-	11/04, MS11-H 16K MOS, DD11-D 9 SLOT, BA11-KH, 115V
11/04-CN	SNT	JRS			2 11/74	E	-	11/04, MS11-H 16K MOS, DD11-D 9 SLOT, BA11-KJ, 230V
11/04-DC	SNT	JRS			2 11/74	E	-	11/04, DD11-F 9 SLOT, 2 MS11-H 32K MOS, BA11-LE, 115V
11/04-DD	SNT	JRS			2 11/74	E	-	11/04, DD11-F 9 SLOT, 2 MS11-H 32K MOS, BA11-LF, 230V
11/04-DM	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-H 32K MOS, DD11-D 9 SLOT, BA11-KH, 115V
11/04-DN	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-H 32K MOS, DD11-D 9 SLOT, BA11-KJ, 230V
11/04-HC	SNT	JRS			2 11/74	E	-	11/04, MS11-FP 8K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LE, 115V
11/04-HD	SNT	JRS			2 11/74	E	-	11/04, MS11-FP 8K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LF, 230V
11/04-HM	SNT	JRS			2 11/74	E	-	11/04, MS11-FP 8K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KH, 115V
11/04-HN	SNT	JRS			2 11/74	E	-	11/04, MS11-FP 8K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KJ, 230V
11/04-JC	SNT	JRS			2 11/74	E	-	11/04, MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LE, 115V
11/04-JD	SNT	JRS			2 11/74	E	-	11/04, MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LF, 230V
11/04-JM	SNT	JRS			2 11/74	E	-	11/04, MS11-HP 16K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KH, 115V
11/04-JN	SNT	JRS			2 11/74	E	-	11/04, MS11-HP 16K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KJ, 230V
11/04-KC	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LE, 115V
11/04-KD	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LF, 230V
11/04-KM	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-HP 32K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KH, 115V
11/04-KN	SNT	JRS			2 11/74	E	-	11/04, 2 MS11-HP 32K PARITY MOS, M7850, DD11-D 9 SLOT, BA11-KJ, 230V
11/05-FA	BD	BG			2 10/72	E	UC15	11/05-KA W UC15 FRONT PANEL (KY11-JF), 115V
11/05-FB	BD	BG			2 10/72	E	UC15	11/05-KB W UC15 FRONT PANEL (KY11-JF), 230V
11/05-FC	BD	BG			2 10/72	E	UC15	11/05-LA W UC15 FRONT PANEL (KY11-JF), 115V
11/05-FE	BD	BG			2 10/72	E	UC15	11/05-LB W UC15 FRONT PANEL (KY11-JF), 230V
11/05-HA	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-K, CONFIG 1, KY11-JA, 115V, OEM
11/05-HB	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-K, CONFIG 1, KY11-JA, 230V, OEM
11/05-JA	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-L, CONFIG 1, KY11-JA, 115V, OEM
11/05-JB	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-L, CONFIG 1, KY11-JA, 230V, OEM
11/05-KA	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-K, CONFIG 2, KY11-JA, 115V, OEM
11/05-KB	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-K, CONFIG 2, KY11-JA, 230V, OEM
11/05-LA	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-L, CONFIG 2, KY11-JA, 115V, OEM
11/05-LB	DLR	CPN			5 2/75	E	-	KD11-B, PS, MM11-L, CONFIG 2, KY11-JA, 230V, OEM
11/05-MA	CA	HL			2 8/72	E	VT40	KD11-B, MM11-K, PS, VT40 CONFIG 3, KY11-JC, 115V
11/05-MB	CA	HL			2 8/72	E	VT40	KD11-B, MM11-K, PS, VT40 CONFIG 3, KY11-JC, 230V
11/05-NC	DLR	CPN			5 2/75	E	-	KD11-B, BA11-DC 10.5 INCH BOX, MM11-L, KY11-JD, 115V OEM
11/05-ND	DLR	CPN			5 2/75	E	-	KD11-B, BA11-DD 10.5 INCH BOX, MM11-L, KY11-JD, 230V OEM
11/05-NE	DLR	CPN			6 2/75	E	-	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 115V OEM
11/05-NF	DLR	CPN			6 2/75	E	-	KD11-B, BA11-DB 10.5" BOX, 2 MM11-L, KY11-JD, 230V OEM
11/05-PA	CA	HL			2 9/72	E	VT40	KD11-B, MM11-L, PS, VT40 CONFIG 3, KY11-JC, 115V
11/05-PB	CA	HL			2 9/72	E	VT40	KD11-B, MM11-L, PS, VT40 CONFIG 3, KY11-JC, 230V
11/05-SC	DLR	CPN			5 2/75	E	-	KD11-B, BA11-KH 10.5 INCH BOX, MM11-U, KY11-JA, CONFIG 5, 115V OEM
11/05-SD	DLR	CPN			5 2/75	E	-	KD11-B, BA11-KJ 10.5 INCH BOX, MM11-U, KY11-JA, CONFIG 5, 230V OEM
11/05-WU	VB				3 3/73	E	W,U.	2(11/05-LA, LP11; TA11-AA, BA11-ES, DP11-DA), H960-CA, 115V 60HZ
11/05-WV	VB				3 3/73	E	W,U.	2(11/05-LA, LP11; BA11-ES, DP11-DA), H960-CA, 115V 60HZ
11/10-AC	DLR	CPN			5 2/75	E	-	11/05-LA (BK), 115V
11/10-AD	DLR	CPN			5 2/75	E	-	11/05-LB (BK), 230V
11/10-BC	DLR	CPN			5 2/75	E	-	11/05-LA (BK), TABLE TOP, 115V
11/10-BD	DLR	CPN			5 2/75	E	-	11/05-LB (BK), TABLE TOP, 230V
11/10-CA	DLR	CPN			5 2/75	E	-	11/05-LA (BK), L733-DC, H950 TALL CAB, 115V 60HZ
11/10-CB	DLR	CPN			5 2/75	E	-	11/05-LB (BK), L733-DD, H950 TALL CAB, 230V 50HZ
11/10-CE	DLR	CPN			5 2/75	E	-	11/05-LA (BK), LA30-CA, PC11, H950 TALL CAB, 115V 60HZ
11/10-CF	DLR	CPN			5 2/75	E	-	11/05-LB (BK), LA30-CD, PC11-A, H950 TALL CAB, 230V 50HZ
11/10-CJ	DLR	CPN			5 2/75	E	-	11/05-LA (BK), H950 TALL CAB, 115V
11/10-CK	DLR	CPN			5 2/75	E	-	11/05-LB (BK), H950 TALL CAB, 230V
11/10-CP	DLR	CPN			6 2/75	E	-	11/05-LA (BK), LA30-CA, TA11-AA, BM792-YH, QJ100-AN, 115V



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/10-CR	DLR	CPN			6 2/75	E	-	11/05-LB (8K), LA30-CD, TA11-AB, BM792-YH, QJ180-AN, 230V
11/10-OK	CA	MOLIS			6 3/74	E	-	11/10-CA, RC11, RS64-A, TC11, TU56, BM792-YB, 115V 60HZ
11/10-OL	CA	MOLIS			6 3/74	E	-	11/10-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ
11/10-OM	CA	MOLIS			6 3/74	E	-	11/10-DK, LA30-CA, NO LT33, 115V 60HZ
11/10-DN	CA	MOLIS			6 3/74	E	-	11/10-DL, LA30-CD, NO LT33, 230V 50HZ
11/10-EA	CA	MOLIS			6 3/74	E	-	11/10-CA, RF11, RS11, BM792-YB, PC11, 115V 60HZ
11/10-EB	CA	MOLIS			6 3/74	E	-	11/10-CB, RF11, RS11-A, BM792-YB, PC11, 230V 50HZ
11/10-EC	CA	MOLIS			6 3/74	E	-	11/10-CE, RF11, RS11, BM792-YB, 115V 60HZ
11/10-ED	CA	MOLIS			6 3/74	E	-	11/10-CF, RF11, RS11-A, BM792-YB, 230V 50HZ
11/10-EE	CA	MOLIS			6 3/74	E	-	11/10-CE, RK11-CA, RK05-AA, BM792-YB, ME11-LA, 115V 60HZ
11/10-EF	CA	MOLIS			6 3/74	E	-	11/10-CF, RK11-CD, RK05-BB, BM792-YB, ME11-LB, 230V 50HZ
11/10-NC	DLR	CPN			5 2/75	E	-	KD11-B, BA11-DC 10.5 INCH BOX, MM11-L, KY11-JE, CONFIG 4, 115V
11/10-ND	DLR	CPN			5 2/75	E	-	KD11-B, BA11-DD 10.5 INCH BOX, MM11-L, KY11-JE, CONFIG 4, 230V
11/10-NE	DLR	CPN			6 2/75	E	-	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 115V
11/10-NF	DLR	CPN			6 2/75	E	-	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 230V
11/10-SC	DLR	CPN			5 2/75	E	-	KD11-B, BA11-KH 10.5 INCH BOX, MM11-U, KY11-JE, CONFIG 5, 115V
11/10-SO	DLR	CPN			5 2/75	E	-	KD11-B, BA11-KJ 10.5 INCH BOX, MM11-U, KY11-JE, CONFIG 5, 230V
11/15-AA		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-E, RM, 115V, OEM
11/15-AB		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-F, RM, 230V, OEM
11/15-BA		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-E, TT, 115V, OEM
11/15-BB		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-F, TT, 230V, OEM
11/15-CA		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-E, CAB, 115V, OEM
11/15-CB		JMB			3 4/72	E	-	KC11 PROC, BA11-CS, H720-F, CAB, 230V, OEM
11/15-CC	EAS	KE			3 4/73	E	DC44, 75	KC11 BA11-CS KF11-A MM11-F KW11-L 115V 60HZ
11/15-CD	EAS	KE			3 4/73	E	DC44, 75	KC11 BA11-CS KF11-A MM11-F KW11-L 230V 50HZ
11/20-AA		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, RACK MOUNTABLE (RM) 115V 60HZ
11/20-AB		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DD, RACK MOUNTABLE (RM) 230V 50HZ
11/20-BA		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, TABLE TOP (TT) W COVER 115V 60HZ
11/20-BB		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DD, TABLE TOP (TT) W COVER 230V 50HZ
11/20-CA		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, CABINET MOUNTED (CAB) 115V 60HZ
11/20-CB		JMB			3	E	-	PDP11-20, 4K, KL11-A, LT33-DD, CABINET MOUNTED (CAB) 230V 50HZ
11/20-CC		JMB			2 3/72	E	-	11/20-AA IN SHORT CAB H957
11/20-CD		JMB			2 3/72	E	-	11/20-AB IN SHORT CAB H957
11/20-CE		JMB			3 3/72	E	SYS 3: 11/20-PA + MM11-F, PC11, LA30-PA, LC11-A, H950 TALL CAB, 115V 60HZ	
11/20-CF		JMB			3 3/72	E	SYS 3: 11/20-PB + MM11-F, PC11, LA30-PB, LC11-A, H950 TALL CAB, 230V 50HZ	
11/20-CG		JMB			2 3/72	E	-	11/20-PA + MM11-F, PC11, LA30-PA, H957 SHORT CAB, 115V 60HZ
11/20-CH		JMB			2 3/72	E	-	11/20-PB + MM11-F, PC11, LA30-PB, H957 SHORT CAB, 230V 50HZ
11/20-DA		JMB			3	E	-	4K PDP11-20 RM, OEM, 115V 60HZ
11/20-DB		JMB			3	E	-	4K PDP11-20 RM, OEM, 230V 50HZ
11/20-EA		JMB			3	E	-	4K PDP11-20 TT, OEM, 115V 60HZ
11/20-EB		JMB			3	E	-	4K PDP11-20 TT, OEM, 230V 50HZ
11/20-FA		JMB			3	E	-	4K PDP11-20 CAB, OEM, 115V 60HZ
11/20-FB		JMB			3	E	-	4K PDP11-20 CAB, OEM, 230V 50HZ
11/20-HA		JMB			3	E	-	4K PDP11-20 RM, OEM, NO LT33 NO KL11, 115V
11/20-HB		JMB			3	E	-	4K PDP11-20 RM, OEM, NO LT33 NO KL11, 230V
11/20-JA		JMB			3	E	-	4K PDP11-20 TT, OEM, NO LT33 OR KL11 115V,
11/20-JB		JMB			3	E	-	4K PDP11-20 TT, OEM, NO LT33 OR KL11, 230V
11/20-KA		JMB			3	E	-	4K PDP11-20 CAB OEM NO LT33 OR KL11, 115V
11/20-KB		JMB			3	E	-	4K PDP11-20 CAB OEM NO LT33 OR KL11, 230V
11/20-MA	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-AA
11/20-MB	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-AB
11/20-MC	SNT	AW			4 1/72	E	LAB 11	11/20-MA 230V 60HZ
11/20-MD	SNT	AW			4 1/72	E	LAB 11	11/20-MA 100V 50HZ
11/20-NA	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-CA
11/20-NB	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-CB

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	8
11/20-NC	SNT	AW			4 1/72	E	LAB 11	11/20-NA 230V 60HZ	
11/20-ND	SNT	AW			4 1/72	E	LAB 11	11/20-NA 100V 50HZ	
11/20-PA	JMB				3 3/72	E	-	KA11 PROC, PS, BA11-CS, KY11-A, 115V	
11/20-PB	JMB				3 3/72	E	-	KA11 PROC, PS, BA11-CS, KY11-A, 230V	
11/20-RA	SNT	AW			3 4/72	E	LAB11	GREEN 11/20-PA W KY11-AA, 115V 60HZ	
11/20-RB	SNT	AW			3 4/72	E	LAB11	GREEN 11/20-PB W KY11-AA, 230V 50HZ	
11/21-CA	JMB				6 10/72	E	SYS 1:	11/20-PA, ME11-LA; LT33-DC, H960-CA, 115V 60HZ	
11/21-CB	JMB				6 10/72	E	SYS 1:	11/20-PB, ME11-LB; LT33-DD, H960-CB, 230V 50HZ	
11/21-CE	JMB				6 10/72	E	SYS 2:	11/20-PA, ME11-LA; PC11, LA30-PA, LC11-A, H960-CA, 115V 60HZ	
11/21-CF	JMB				6 10/72	E	SYS 2:	11/20-PB, ME11-LB; PC11, LA30-PB, LC11-A, H960-CB, 230V 50HZ	
11/21-DA	CA	MOLIS			6 10/72	E	-	DOS #1: 11/21-CA + RF11, RS11, TC11, TU56, BM792-YB, 115V 60HZ	
11/21-DB	CA	MOLIS			6 10/72	E	-	11/21-CB + RF11, RS11-A, TC11, TU56, BM792-YB, 230V 50HZ	
11/21-DC	CA	MOLIS			6 10/72	E	-	11/21-DA + LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/21-DD	CA	MOLIS			6 10/72	E	-	11/21-DB, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/21-DE	CA	MOLIS			6 10/72	E	-	11/21-CA, RF11, RS11, TM11-A, TU10-EA, MR11-DB, (9 TR) 115V 60HZ	
11/21-DF	CA	MOLIS			6 10/72	E	-	11/21-CB, RF11, RS11-A, TM11-B, TU10-ED, MR11-DB, (9 TR) 230V 50HZ	
11/21-DG	CA	MOLIS			6 10/72	E	-	11/21-CA, RF11, RS11, TM11-A, TU10-FA, MR11-DB (7 TR) 230V 50HZ	
11/21-DH	CA	MOLIS			6 10/72	E	-	11/21-CB, RF11, RS11-A, TM11-B, TU10-FD, MR11-DB (7 TR) 230V 50HZ	
11/21-DI	CA	MOLIS			6 10/72	E	-	11/21-CA, RC11, RS64-A, TC11, TU56, BM 92-YB, 115V 60HZ	
11/21-DJ	CA	MOLIS			6 10/72	E	-	11/21-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ	
11/21-DK	CA	MOLIS			6 10/72	E	-	11/21-DK, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/21-DM	CA	MOLIS			6 10/72	E	-	11/21-DL, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/21-DN	CA	MOLIS			6 10/72	E	-	11/21-CA, MM11-L; RK11-CA, RK05-AA, TC11, TU56, BM792-YB, 115V 60HZ	
11/21-DO	CA	MOLIS			6 10/72	E	-	11/21-CB, MM11-L; RK11-CB, RK05-BB, TC11, TU56, BM792-YB, 230V 50HZ	
11/21-DP	CA	MOLIS			6 10/72	E	-	11/21-DP, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/21-DQ	CA	MOLIS			6 10/72	E	-	11/21-DR, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/21-DR	CA	MOLIS			6 10/72	E	11/21-CA, MM11-L, RK11-CA, RK05-AA, TM11-A, TU10-EA, MR11-DB (9TR) 115V 60HZ		
11/21-DS	CA	MOLIS			6 10/72	E	11/21-CB, MM11-L, RK11-CB, RK05-BB, TM11-B, TU10-ED, MR11-DB (9TR) 230V 50HZ		
11/21-DT	CA	MOLIS			6 10/72	E	11/21-CA, MM11-L, RK11-CA, RK05-AA, TM11-A, TU10-FA, MR11-DB (7TR) 115V 60HZ		
11/21-DU	CA	MOLIS			6 10/72	E	11/21-CB, MM11-L, RK11-CB, RK05-BB, TM11-B, TU10-FD, MR11-DB (7TR) 230V 50HZ		
11/21-DV	CA	MOLIS			6 10/72	E	-	11/21-CA, RF11, RS11, BM792-YB, DD11-A, PC11, 115V 60HZ	
11/21-DW	CA	MOLIS			6 10/72	E	-	11/21-CB, RF11, RS11-A, BM792-YB, DD11-A, PC11, 230V 50HZ	
11/21-DX	CA	MOLIS			6 10/72	E	-	11/21-EA, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/21-EA	CA	MOLIS			6 10/72	E	-	11/21-EB, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/21-EB	CA	MOLIS			6 10/72	E	-	11/21-CE, RK11-CA, RK05-AA, BM792-YB, MM11-L, DD11-A, 115V 60HZ	
11/21-EC	CA	MOLIS			6 10/72	E	-	11/21-CF, RK11-CD, RK05-BB, BM792-YB, MM11-L, DD11-A, 230V 50HZ	
11/21-ED	CA	MOLIS			6 10/72	E	LAB 11	11/20-RA, ME11-LA, H960-CC, 115V	
11/21-EE	CA	MOLIS			6 10/72	E	LAB 11	11/20-RB, ME11-LB, H960-CC, 230V	
11/21-EF	CA	MOLIS			6 10/72	E	-	BATCH: 11/20-PA, ME11-LA, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, DD11-A, BM792-YB; H960-CA, LC11-A, LA30-PA, PC11, QJ250, 115V 60HZ	
11/21-EF	CA	MOLIS			6 10/72	E	-	BATCH: 11/20-PB, ME11-LB, MM11-L, RK11-CB, RK05-BB, CR11-A, KW11-L, DD11-A, BM792-YB; H960-CB, LC11-A, LA30-PD, PC11-A, QJ250, 230V 50HZ	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TC11, TU56	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TC11, TU56	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TM11-A, TU10-EA	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TM11-B, TU10-ED	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TM11-A, TU10-FA	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TM11-B, TU10-FD	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/20-PA + ME11-LA, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, BM792-YB; LA30-PA, LC11-A, TC11, TU56, 115V 60HZ	
11/21-EF	CA	MOLIS			6 10/72	E	-	11/20-PB + ME11-LB, MM11-L, RK11-CB, RK05-BB, CR11-A, KW11-L, BM792-YB; LA30-PD, LC11-A, TC11, TU56, 230V 50HZ	
11/21-EF	CA	MOLIS			6 10/72	E	-	RSTS-11: 11/21-CA, KW11-L, BM792-YB, BA11-ES, H720-E, DD11-A, 2 MM11-L; RK11-CA, 2 RK05-AA, PR11, 115V 60HZ	
11/21-EF	CA	MOLIS			6 10/72	E	-	RSTS-11: 11/21-CB, KW11-L, BM792-YB, BA11-ES, H720-F, DD11-A,	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
						E		2 MM11-L; RK11-CB, 2 RK05-BB, PR11-A, 230V 50HZ
11/21-RC	CA	MOLIS			6 10/72	E	-	11/21-RA, RC11, RS64-A, TC11, TU56, ONLY 1 RK05, NO PR11 115V 60HZ
11/21-RD	CA	MOLIS			6 10/72	E	-	11/21-RB, RC11, RS64-B, TC11, TU56, ONLY 1 RK05, NO PR11, 230V 50HZ
11/21-RE	CA	MOLIS			6 10/72	E	-	11/21-RA RF11 RS11 TC11 TU56 NO RK11, NO RK05, NO PC11, 115V60HZ
11/21-RF	CA	MOLIS			6 10/72	E	-	11/21-RB RF11 RS11-A TC11 TU56, NO RK11, NO RK05 NO PC11, 230V 50HZ
11/35-AA	JA	KSB			3 12/73	E	-	KD11-A, BA11-FC, MF11-U, PS, 115V 60HZ OEM
11/35-AB	JA	KSB			3 12/73	E	-	KD11-A, BA11-FC, MF11-U, PS, 230V 50HZ OEM
11/35-AC	JA	KSB			3 7/73	E	-	KD11-A, BA11-DA, RACK MOUNTABLE, 115V
11/35-AD	JA	KSB			3 7/73	E	-	KD11-A, BA11-DB, RACK MOUNTABLE, 230V
11/35-AE	JA	KSB			3 12/73	E	-	KD11-A, BA11-FC, MF11-UP, PS, 115V 60HZ OEM
11/35-AF	JA	KSB			3 12/73	E	-	KD11-A, BA11-FC, MF11-UP, PS, 230V 50HZ OEM
11/35-AH	JA	KSB			3 4/73	E	-	KD11-A, BA11-DA, DD11-A, RACK MOUNTABLE, 115V60HZ
11/35-AJ	JA	KSB			3 4/73	E	-	KD11-A, BA11-DB, DD11-A, RACK MOUNTABLE, 230V50HZ
11/35-FA	JA	KSB			3 11/73	E	-	KD11-A, BA11-FC, MF11-UP, KT11-D, H960-CA, PS, 115V OEM
11/35-FB	JA	KSB			3 11/73	E	-	KD11-A, BA11-FC, MF11-UP, KT11-D, H960-CB, PS, 230V OEM
11/35-FC	JA	KSB			3 11/73	E	-	11/35-FA, MM11-UP, 115V OEM
11/35-FD	JA	KSB			3 11/73	E	-	11/35-FB, MM11-UP, 230V OEM
11/35-FE	JA	KSB			3 11/73	E	-	11/35-FA, MM11-UP, MF11-UP, 115V OEM
11/35-FF	JA	KSB			3 11/73	E	-	11/35-FB, MM11-UP, MF11-UP, 230V OEM
11/35-FH	JA	KSB			3 11/73	E	-	KD11-A, BA11-FC, MF11-U, KT11-D, H960-CA, PS, 115V OEM
11/35-FK	JA	KSB			3 11/73	E	-	KD11-A, BA11-FC, MF11-U, KT11-D, H960-CB, 230V OEM
11/35-FL	JA	KSB			3 11/73	E	-	11/35-FH, MM11-U; 115V OEM
11/35-FM	JA	KSB			3 11/73	E	-	11/35-FK, MM11-U; 230V OEM
11/35-FN	JA	KSB			3 11/73	E	-	11/35-FH, MM11-U; MF11-U, 115V OEM
11/35-FP	JA	KSB			3 11/73	E	-	11/35-FK, MM11-U; MF11-U, 230V OEM
11/35-FR	JA	KSB			3 11/73	E	-	11/35-FH, 2 MM11-U, MF11-U, 115V OEM
11/35-FS	JA	KSB			3 11/73	E	-	11/35-FK, 2 MM11-U, MF11-U, 230V OEM
11/35-FT	JA	KSB			3 11/73	E	-	11/35-FA, 2 MM11-UP, MF11-UP, 115V OEM
11/35-FU	JA	KSB			3 11/73	E	-	11/35-FB, 2 MM11-UP, MF11-UP, 230V OEM
11/35-JA	JA	KSB			5 6/73	E	-	KD11-A, BA11-DA, MF11-L, 115V, OEM
11/35-JB	JA	KSB			5 6/73	E	-	KD11-A, BA11-DB, MF11-L, 230V, OEM
11/35-JC	JA	KSB			5 6/73	E	-	KD11-A, BA11-DA, MM11-S, 115V, OEM
11/35-JD	JA	KSB			5 6/73	E	-	KD11-A, BA11-DB, MM11-S, 230V, OEM
11/35-JE	JA	KSB			5 11/73	E	-	KD11-A, BA11-DA, ME11-LA, 115V, OEM
11/35-JF	JA	KSB			5 11/73	E	-	KD11-A, BA11-DB, ME11-LB, 230V, OEM
11/35-JH	JA	KSB			6 2/74	E	-	KD11-A, BA11-DA, MF11-U, 115V, OEM
11/35-JK	JA	KSB			6 2/74	E	-	KD11-A, BA11-DB, MF11-U, 230V, OEM
11/35-JL	JA	KSB			6 2/74	E	-	KD11-A, BA11-DA, MF11-U, KT11-D, 115V, OEM
11/35-JM	JA	KSB			6 2/74	E	-	KD11-A, BA11-DB, MF11-U, KT11-D, 230V, OEM
11/35-SC	JA	JRS			3 6/74	E	-	KD11-A, BA11-KH, MF11-U, 115V
11/35-SD	JA	JRS			3 6/74	E	-	KD11-A, BA11-KJ, MF11-U, 230V
11/35-SE	JA	JRS			3 6/74	E	-	KD11-A, BA11-KH, MF11-UP, 115V
11/35-SF	JA	JRS			3 6/74	E	-	KD11-A, BA11-KJ, MF11-UP, 230V
11/40-AC	JA	KSB			5 1/75	E	-	KD11-A, MF11-L, BA11-FC, DL11-A, PS, H960-CA, 115V
11/40-AD	JA	KSB			5 1/75	E	-	KD11-A, MF11-L, BA11-FC, DL11-A, PS, H960-CB, 230V
11/40-AE	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-LP, DL11-A, PS, H960-CA, 115V
11/40-AF	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-LP, DL11-A, PS, H960-CB, 230V
11/40-AH	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-U, DL11-A, PS, H960-CA, 115V
11/40-AJ	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-U, DL11-A, PS, H960-CB, 230V
11/40-AK	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-UP, DL11-A, PS, H960-CA, 115V
11/40-AL	JA	KSB			5 1/75	E	-	KD11-A, BA11-FC, MF11-UP, DL11-A, PS, H960-CB, 230V
11/40-AM	JA	KSB			3 12/74	E	-	11/40-AH, MM11-U; 115V
11/40-AN	JA	KSB			3 12/74	E	-	11/40-AJ, MM11-U; 230V
11/40-AP	JA	KSB			2 10/74	E	KL10	11/40-AK, MM11-UP, 115V
11/40-AR	JA	KSB			2 10/74	E	KL10	11/40-AL, MM11-UP, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	10
11/40-BA	JA	KSB			3 11/73	E	-	11/40-AH, DL11-A; LT33-DC, 115V 60HZ	
11/40-BB	JA	KSB			3 11/73	E	-	11/40-AJ, DL11-A; LT33-DD, 230V 50HZ	
11/40-BC	JA	KSB			3 11/73	E	-	11/40-AH, DL11-A; LA36-CA, 115V 60HZ	
11/40-BD	JA	KSB			3 11/73	E	-	11/40-AJ, DL11-A; LA36-CB, 230V 50HZ	
11/40-BE	JA	KSB			3 11/73	E	-	11/40-AH, DL11-A; VT05B-AA, 115V 60HZ	
11/40-BF	JA	KSB			3 11/73	E	-	11/40-AJ, DL11-A; VT05B-AD, 230V 50HZ	
11/40-BH	JA	KSB			3 11/73	E	-	11/40-AK, DL11-A; LT33-DC, 115V 60HZ	
11/40-BJ	JA	KSB			3 11/73	E	-	11/40-AL, DL11-A; LT33-DD, 230V 50HZ	
11/40-BK	JA	KSB			3 11/73	E	-	11/40-AK, DL11-A; LA36-CA, 115V 60HZ	
11/40-BL	JA	KSB			3 11/73	E	-	11/40-AL, DL11-A; LA36-CB, 230V 50HZ	
11/40-BM	JA	KSB			3 11/73	E	-	11/40-AK, DL11-A; VT05B-AA, 115V 60HZ	
11/40-BN	JA	KSB			3 11/73	E	-	11/40-AL, DL11-A; VT05B-AD, 230V 50HZ	
11/40-BP	JA	KSB			3 12/74	E	-	11/40-AH, MM11-U; LA36-CA, 115V 60HZ	
11/40-BR	JA	KSB			3 12/74	E	-	11/40-AJ, MM11-U; LA36-CB, 230V 50HZ	
11/40-BS	JA	KSB			3 12/74	E	-	11/40-AK, MM11-UP, LA36-CA, 115V 60HZ	
11/40-BT	JA	KSB			3 12/74	E	-	11/40-AL, MM11-UP, LA36-CB, 230V 50HZ	
11/40-CA	JA	KSB			5 6/73	E	-	KD11-A, BA11-FC, MF11-L, LT33-DC, DL11-A, H960-CA TALL CAB, 115V60HZ	
11/40-CB	JA	KSB			5 6/73	E	-	KD11-A, BA11-FC, MF11-L, LT33-DD, DL11-A, H960-CB TALL CAB, 230V50HZ	
11/40-CC	JA	KSB			3 3/73	E	-	KD11-A, BA11-FC, MF11-L, LT33-DC, DL11-A, H957 SHORT CAB, 115V 60HZ	
11/40-CD	JA	KSB			3 3/73	E	-	KD11-A, BA11-FC, MF11-L, LT33-DD, DL11-A, H957 SHORT CAB, 230V 50HZ	
11/40-CE	JA	KSB			4 2/73	E	-	KD11-A, BA11-FC, MF11-L, PC11, LA30-PA LC11-A DD11-A TALL CAB, 115V60HZ	
11/40-CF	JA	KSB			4 2/73	E	-	KD11-A, BA11-FC, MF11-L, PC11-A LA30-PD LC11-A DD11-A TALL CAB 230V50HZ	
11/40-CH	JA	KSB			4 9/74	E	-	KD11-A, BA11-FC, MF11-L, H960-CA TALL CAB (W B61-C), 115V	
11/40-CJ	JA	KSB			4 9/74	E	-	KD11-A, BA11-FC, MF11-L, H960-CB TALL CAB (W B61-B), 230V	
11/40-CP	JA	KSB			6 9/74	E	-	KD11-A BA11-FC MF11-L TA11-AA LA30-PA DD11-A BM792-YH QJ100-AN CAB 115V60HZ	
11/40-CR	JA	KSB			6 9/74	E	-	KD11-A BA11-FC MF11-L TA11-AB LA30-PD DD11-A BM792-YH QJ100-AN CAB 230V50HZ	
11/40-CS	JA	KSB			3 4/73	E	-	OS500 KD11-A, BA11-FC, MF11-L, H967-HA SHORT CAB, 115V	
11/40-CT	JA	KSB			3 4/73	E	-	OS500 KD11-A, BA11-FC, MF11-L, H967-HB SHORT CAB, 230V	
11/40-CU	JA	KSB			3 8/73	E	-	GT44 11/40-AH 2 RK05-AA RK11-D LA30-CA BM792-YB H967-KA H967-KC VT11 115V60	
11/40-CV	JA	KSB			3 8/73	E	-	GT44 11/40-AJ 2 RK05-BB RK11-D LA30-CD BM792-YB H967-KB H967-KD VT11 230V50	
11/40-DA	JA	KSB			6 3/74	E	-	DOS : 11/40-CA + RF11, RS11, TC11, TU56, BM792-YB, 115V 60HZ	
11/40-DB	JA	KSB			6 3/74	E	-	11/40-CB + RF11, RS11-A, TC11, TU56, BM792-YB, 230V 50HZ	
11/40-DC	JA	KSB			6 3/74	E	-	11/40-DA + LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/40-DD	JA	KSB			6 3/74	E	-	11/40-DB, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/40-DE	JA	KSB			6 10/72	E	-	11/40-CA, RF11, RS11, TM11-A, TU10-EA, MR11-DB, (9 TR) 115V 60HZ	
11/40-DF	JA	KSB			6 10/72	E	-	11/40-CB, RF11, RS11-A, TM11-B, TU10-ED, MR11-DB, (9TR) 230V 50HZ	
11/40-DH	JA	KSB			6 10/72	E	-	11/40-CA, RF11, RS11, TM11-A, TU10-FA, MR11-DB (7 TR) 230V 50HZ	
11/40-DJ	JA	KSB			6 10/72	E	-	11/40-CB, RF11, RS11-A, TM11-B, TU10-FD, MR11-DB (7 TR) 230V 50HZ	
11/40-DK	JA	KSB			6 3/74	E	-	11/40-CA, RC11, RS64-A, TC11, TU56, BM792-YB, 115V 60HZ	
11/40-DL	JA	KSB			6 3/74	E	-	11/40-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ	
11/40-DM	JA	KSB			6 3/74	E	-	11/40-DK, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/40-DN	JA	KSB			6 3/74	E	-	11/40-DL, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/40-DP	JA	KSB			6 3/74	E	-	11/40-CA, MM11-L; RK11-CA, RK05-AA, TC11 TU56 BM792-YB 115V60HZ	
11/40-DR	JA	KSB			6 3/74	E	-	11/40-CB, MM11-L; RK11-CB, RK05-BB, TC11 TU56 BM792-YB 230V50HZ	
11/40-DS	JA	KSB			6 3/74	E	-	11/40-DR, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/40-DT	JA	KSB			6 3/74	E	-	11/40-DR, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/40-DU	JA	KSB			6 10/72	E	-	11/40-CA MM11-L RK11-CA RK05-AA TM11-A TU10-EA MR11-DB (9TR) 115V60HZ	
11/40-DV	JA	KSB			6 10/72	E	-	11/40-CB MM11-L RK11-CB RK05-BB TM11-B TU10-ED MR11-DB (9TR) 230V50HZ	
11/40-DW	JA	KSB			6 10/72	E	-	11/40-CA MM11-L RK11-CA RK05-AA TM11-A TU10-FA MR11-DB (7TR) 115V60HZ	
11/40-DY	JA	KSB			6 10/72	E	-	11/40-CB MM11-L RK11-CB RK05-BB TM11-B TU10-FD MR11-DB (7TR) 230V50HZ	
11/40-EA	JA	KSB			6 3/74	E	-	11/40-CA RF11, RS11, BM792-YB, DD11-A, PC11, 115V 60HZ	
11/40-EB	JA	KSB			6 3/74	E	-	11/40-CB, RF11, RS11-A, BM792-YB, DD11-A, PC11, 230V 50HZ	
11/40-EC	JA	KSB			6 3/74	E	-	11/40-EA, LC11-A; LA30-PA, NO LT33, 115V 60HZ	
11/40-ED	JA	KSB			6 3/74	E	-	11/40-EB, LC11-A; LA30-PD, NO LT33, 230V 50HZ	
11/40-EE	JA	KSB			6 3/74	E	-	11/40-CE, RK11-CA, RK05-AA, BM792-YB, MM11-L, DD11-A, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	11
11/40-EF	JA	KSB			6 3/74	E	-	11/40-CF, RK11-CD, RK05-BB, BM792-YB, MM11-L, DD11-A, 230V 50HZ	
11/40-EH	JA	KSB			6 3/74	E	-	11/40-DE W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EJ	JA	KSB			6 3/74	E	-	11/40-DF W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EK	JA	KSB			6 3/74	E	-	11/40-DH W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EL	JA	KSB			6 3/74	E	-	11/40-DJ W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EM	JA	KSB			6 3/74	E	-	11/40-DU W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EN	JA	KSB			6 3/74	E	-	11/40-DV W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EP	JA	KSB			6 3/74	E	-	11/40-DW W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-ER	JA	KSB			6 3/74	E	-	11/40-DY W LA30-PD INSTEAD OF LT33 230V 50HZ	
11/40-FA	JA	KSB			3 3/74	E	-	OEM 11/40-CA, 115V 60HZ	
11/40-FB	JA	KSB			3 3/74	E	-	OEM 11/40-CB, 230V 50HZ	
11/40-FE	JA	KSB			3 3/74	E	-	OEM 11/40-CE, 115V 60HZ	
11/40-FF	JA	KSB			3 3/74	E	-	OEM 11/40-CF, 230V 50HZ	
11/40-HE	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-LP, PS, H960-CA, 115V	
11/40-HF	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-LP, PS, H960-CB, 230V	
11/40-HH	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-U, PS, H960-CA, 115V	
11/40-HJ	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-U, PS, H960-CB, 230V	
11/40-HK	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-UP, PS, H960-CA, 115V	
11/40-HL	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-UP, PS, H960-CB, 230V	
11/40-JC	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-L, PS, H957, 861-C, 115V	
11/40-JD	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-L, PS, H957, 861-B, 230V	
11/40-JE	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-LP, PS, H957, 861-C, 115V	
11/40-JF	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-LP, PS, H957, 861-B, 230V	
11/40-JH	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-U, PS, H957, 861-C, 115V	
11/40-JJ	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-U, PS, H957, 861-B, 230V	
11/40-JK	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-UP, PS, H957, 861-C, 115V	
11/40-JL	JA	KSB			3 9/74	E	-	KD11-A, BA11-FC, MF11-UP, PS, H957, 861-B, 230V	
11/40-LT	JA	KSB			6 9/74	E	11/40	LT33-DC INSTEAD OF LA30-PA & LC11-A, 115V 60HZ	
11/40-LU	JA	KSB			6 9/74	E	11/40	LT33-DD INSTEAD OF LA30-PD & LC11-A, 230V 50HZ	
11/40-MP	JA	KSB			6 9/74	E	11/40	MF11-LP INSTEAD OF MF11-L (CONVERTS 8K 11/40 TO 8K PARITY 11/40)	
11/40-MQ	JA	KSB			6 9/74	E	11/40	MF11-LP & MM11-LP INSTEAD OF MF11-L & MM11-L (PARITY CONVERSION)	
11/40-MR	JA	KSB			6 9/74	E	11/40	MF11-LP + 2 MM11-LP INSTEAD OF MF11-L + 2 MM11-L PARITY CONVERSION	
11/40-PA	JA	KSB			6 3/74	E	-	BATCH: KD11-A, BA11-FC, MF11-L, MM11-L, LC11-A, LA30-PA, PC11, RK11-CA, RK05-AA, KW11-L, CR11, H960-CA, DD11-A, BM792-YB, QJ250, 115V 60HZ	
11/40-PB	JA	KSB			6 3/74	E	-	BATCH: KD11-A, BA11-FC, MF11-L, MM11-L, LC11-A, LA30-PD, PC11-A, RK11-CB, RK05-BB, KW11-L, CR11-A, H960-CB, DD11-A, BM792-YB, QJ250, 230V50HZ	
11/40-PC	JA	KSB			6 10/72	E	-	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TC11, TU56	
11/40-PD	JA	KSB			6 10/72	E	-	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TC11, TU56	
11/40-PE	JA	KSB			6 10/72	E	-	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TM11-A, TU10-EA	
11/40-PF	JA	KSB			6 10/72	E	-	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TM11-B, TU10-ED	
11/40-PH	JA	KSB			6 10/72	E	-	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TM11-A, TU10-FA	
11/40-PJ	JA	KSB			6 10/72	E	-	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TM11-B, TU10-FD	
11/40-PK	JA	KSB			6 3/74	E	-	11/40-CA, MF11-L, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, BM792-YB, LA30-PA, LC11-A, TC11, TU56, NO LT33, NO DL11, 115V 60HZ	
11/40-PL	JA	KSB			6 3/74	E	-	11/40-CB, MF11-L, MM11-L, RK11-CB, RK05-BB, CR11-A, KW11-L, BM792-YB, LA30-PD, LC11-A, TC11, TU56, NO LT33, NO DL11, 230V 50HZ	
11/40-PM	JA	KSB			6 3/74	E	-	11/40-PA W TC11, TU56 INSTEAD OF PC11, 115V 60HZ	
11/40-PN	JA	KSB			6 3/74	E	-	11/40-PB W TC11, TU56 INSTEAD OF PC11, 230V 50HZ	
11/40-PP	JA	KSB			6 3/74	E	-	11/40-PA W TM11-A, TU10-EA INSTEAD OF PC11, 115V 60HZ	
11/40-PR	JA	KSB			6 3/74	E	-	11/40-PB W TM11-B, TU10-ED INSTEAD OF PC11, 230V 50HZ	
11/40-PS	JA	KSB			6 3/74	E	-	11/40-PA W TM11-A, TU10-FA INSTEAD OF PC11, 115V 60HZ	
11/40-PT	JA	KSB			6 3/74	E	-	11/40-PB W TM11-B, TU10-FD INSTEAD OF PC11, 230V 50HZ	
11/40-RA	JA	KSB			6 10/74	E	-	RSTS-11: KD11-A, BA11-FC, MF11-L, 2 MM11-L, LC11-A, LA30-PA, PR11, RK11-CA, 2 RK05-AA, KW11-L, H960-CA, DD11-A, BM792-YB, QJ400, 115V 60HZ	
11/40-RB	JA	KSB			6 10/74	E	-	RSTS-11: KD11-A, BA11-FC, MF11-L, 2 MM11-L, LC11-A, LA30-PD, PR11-A,	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	12
11/40-RC	JA	KSB			6 10/74	E		11/40-RC, 2 RK05-BB, KW11-L, H960-CB, DD11-A, BM792-YB, QJ400, 230V 50HZ	
11/40-RD	JA	KSB			6 10/74	E		11/40-RA, RC11, RS64-A, TC11, TU56, ONLY 1 RK05, NO PR11, 115V 60HZ	
11/40-RE	JA	KSB			6 10/74	E		11/40-RB, RC11, RS64-B, TC11, TU56, ONLY 1 RK05, NO PR11, 230V 50HZ	
11/40-RF	JA	KSB			6 10/74	E		11/40-RA RF11 RS11 TC11 TU56 NO RK11, NO RK05, NO PR11, 115V60HZ	
11/40-RH	JA	KSB			6 10/74	E		11/40-RB RF11 RS11-A TC11 TU56, NO RK11, NO RK05 NO PR11, 230V 50HZ	
11/40-RJ	JA	KSB			6 10/74	E		11/40-RA W TC11, TU56, RC11, RS64-A, ONLY 1 RK05, 115V 60HZ	
11/40-RK	JA	KSB			6 10/74	E		11/40-RB W TC11, TU56, RC11, RS64-B, ONLY 1 RK05, 230V 50HZ	
11/40-RL	JA	KSB			6 10/74	E		11/40-RA W TC11, TU56, RF11, RS11, NO PR11, RK11, RK05, 115V60HZ	
11/40-RM	JA	KSB			6 10/74	E		11/40-RB W TC11, TU56, RF11, RS11-A, NO PR11, RK11, RK05, 230V50HZ	
11/40-RN	JA	KSB			6 10/74	E		11/40-RA W PC11 INSTEAD OF PR11, 115V 60HZ	
11/40-RO	JA	KSB			6 10/74	E		11/40-RB W PC11-A INSTEAD OF PR11, 230V 50HZ	
11/40-RR	JA	KSB			6 10/74	E		11/40-RA W TM11-A, TU10-EA INSTEAD OF PR11, 115V 60HZ	
11/40-RS	JA	KSB			6 10/74	E		11/40-RB W TM11-B, TU10-ED INSTEAD OF PR11, 230V 50HZ	
11/40-RT	JA	KSB			6 10/74	E		11/40-RA W TM11-A, TU10-FA INSTEAD OF PR11, 115V 60HZ	
11/40-RU	JA	KSB			6 10/74	E		11/40-RB W TM11-B, TU10-FD INSTEAD OF PR11, 230V 50HZ	
11/40-RV	JA	KSB			6 10/74	E		11/40-RA W RF11, RS11, TM11-A, TU10-EA, NO PR11, RK11, RK05 115V60HZ	
11/40-RW	JA	KSB			6 10/74	E		11/40-RB W RF11, RS11-A, TM11-B, TU10-ED, NO PR11 RK11 RK05 230V50HZ	
11/40-RX	JA	KSB			6 10/74	E		11/40-RA W RF11, RS11, TM11-A, TU10-FA, NO PR11, RK11, RK05 115V60HZ	
11/40-SA	JA	KSB			6 10/74	E		11/40-RB W RF11, RS11-A, TM11-B, TU10-FD, NO PR11 RK11 RK05 230V50HZ	
11/40-SB	JA	KSB			6 10/74	E		11/40-BC, KW11-L MM11-U RK11-DE, RK05-AA, 3 DD11-B MR11-DB QJ400-AE 115V60HZ	
11/40-SC	JA	KSB			6 10/74	E		11/40-BD, KW11-L MM11-U RK11-DJ, RK05-BB, 3 DD11-B MR11-DB QJ400-AE 230V50HZ	
11/40-SD	JA	KSB			6 10/74	E		11/40-BK, KW11-L, KE11-E, MF11-UP, MM11-UP, KT11-D, RK11-DE, RK05-AA	
11/40-SE	JA	KSB			6 10/74	E		DH11-AA, BA11-ES H720-E, 3 DD11-A, MR11-DB, QR430-AE, 115V 60HZ	
11/40-SF	JA	KSB			6 9/74	E	11/40	11/40-BL, KW11-L, KE11-E, MF11-UP, MM11-UP, KT11-D, RK11-DJ, RK05-BB	
11/40-SG	JA	KSB			6 9/74	E	11/40	DH11-AC, BA11-ES, H720-F, 3 DD11-A, MR11-DB, QR430-AE, 230V 50HZ	
11/40-SH	JA	KSB			6 9/74	E	11/40	VT05-AA INSTEAD OF LA30-PA & LC11-A, 115V 60HZ	
11/40-SI	JA	KSB			6 9/74	E	11/40	VT05-AD INSTEAD OF LA30-PD & LC11-A, 230V 50HZ	
11/45-AC	ARR	RK			3 3/74	E		KB11-A, PS, MF11-L, MM11-L, CAB, 115V	
11/45-AD	ARR	RK			3 3/74	E		KB11-A, PS, MF11-L, MM11-L, CAB, 230V	
11/45-AE	ARR	RK			3 3/74	E		KB11-A, PS, MF11-LP, MM11-LP, CAB, 115V	
11/45-AF	ARR	RK			3 3/74	E		KB11-A, PS, MF11-LP, MM11-LP, CAB, 230V	
11/45-AH	ARR	RK			5 1/75	E		KB11-A, PS, MF11-U, DL11-A, TALL CAB, 115V	
11/45-AJ	ARR	RK			5 1/75	E		KB11-A, PS, MF11-U, DL11-A, TALL CAB, 230V	
11/45-AK	ARR	RK			5 1/75	E		KB11-A, PS, MF11-UP, DL11-A, TALL CAB, 115V	
11/45-AL	ARR	RK			5 1/75	E		KB11-A, PS, MF11-UP, DL11-A, TALL CAB, 230V	
11/45-BA	ARR	RK			3 1/74	E		11/45-CA, MF11-U, DL11-A, LT33-DC, 115V 60HZ	
11/45-BB	ARR	RK			3 1/74	E		11/45-CB, MF11-U, DL11-A, LT33-DD, 230V 50HZ	
11/45-BH	ARR	RK			3 1/74	E		11/45-CA, MF11-UP, DL11-A, LT33-DC, 115V 60HZ	
11/45-BJ	ARR	RK			3 1/74	E		11/45-CB, MF11-UP, DL11-A, LT33-DD, 230V 50HZ	
11/45-BW	ARR	RK			5 1/75	E		11/45-AK, MM11-UP, KT11-C, KW11-L, BM873-YB, LA36-CA, 115V	
11/45-BY	ARR	RK			5 1/75	E		11/45-AL, MM11-UP, KT11-C, KW11-L, BM873-YB, LA36-CB, 230V	
11/45-CA	ARR	RK			6 7/72	E		KB11-A + CAB, 115V	
11/45-CB	ARR	RK			6 7/72	E		KB11-A + CAB, 230V	
11/45-CC	ARR	RK			6 11/73	E		KB11-A, MF11-LP, MM11-LP, LA30-CA, CAB, 115V 60HZ	
11/45-CD	ARR	RK			6 11/73	E		KB11-A, MF11-LP, MM11-LP, LA30-CD, CAB, 230V 50HZ	
11/45-CE	ARR	RK			6 11/73	E		KB11-A, MF11-LP, MM11-LP, VT05B-AA, CAB, 115V 60HZ	
11/45-CF	ARR	RK			6 11/73	E		KB11-A, MF11-LP, MM11-LP, VT05B-AD, CAB, 230V 50HZ	
11/45-CH	ARR	RK			6 11/73	E		KB11-A, MF11-L, MM11-L, LA30-CA, CAB, 115V 60HZ	
11/45-CJ	ARR	RK			6 11/73	E		KB11-A, MF11-L, MM11-L, LA30-CD, CAB, 230V 50HZ	
11/45-CK	ARR	RK			6 11/73	E		KB11-A, MF11-L, MM11-L, VT05B-AA, 115V 60HZ	
11/45-CL	ARR	RK			6 11/73	E		KB11-A, MF11-L, MM11-L, VT05B-AD, 230V 50HZ	
11/45-CM	ARR	RK			6 11/73	E		11/45-CC W AUTO LOADER, CLOCK, PWR FAIL, 115V 60HZ	
11/45-CN	ARR	RK			6 11/73	E		11/45-CD W AUTO LOADER, CLOCK, PWR FAIL, 230V 50HZ	
11/45-CP	ARR	RK			6 11/73	E		11/45-CM, MF11-LP, MM11-LP, KT11-C, 115V 60HZ	
11/45-CR	ARR	RK			6 11/73	E		11/45-CN, MF11-LP, MM11-LP, KT11-C, 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/45-CS	ARR	RK			3 4/73	E	DS500	KB11-A, MF11-LP, MM11-LP, M967-HA, 115V
11/45-CT	ARR	RK			3 4/73	E	DS500	KB11-A, MF11-LP, MM11-BP, M967-HB, 230V
11/45-CU	ARR	RK			6 1/75	E	-	KB11-A, MF11-UP, MR11-DB, KW11-L, LA36-CA, CAB, 115V 60HZ
11/45-CV	ARR	RK			6 1/75	E	-	KB11-A, MF11-UP, MR11-DB, KW11-L, LA36-CB, CAB, 230V 50HZ
11/45-CW	ARR	RK			6 1/75	E	-	KB11-A MF11-UP MM11-UP KT11-C MR11-DB KW11-L LA36-CA CAB 115V60HZ
11/45-CY	ARR	RK			6 1/75	E	-	KB11-A MF11-UP MM11-UP KT11-C MR11-DB KW11-L LA36-CB CAB, 230V 50HZ
11/45-DA	ARR	RK			6 11/73	E	DOS:	11/45-CC, RF11, RS11, TC11, TU56, MR11-DB, QJ220-AC
11/45-DB	ARR	RK			6 11/73	E	DOS:	11/45-CD, RF11, RS11-A, TC11, TU56, MR11-DB, QJ220-AC
11/45-DS	ARR	RK			6 11/73	E	DOS:	11/45-CC, RK11-CA, RK05-AA, TC11, TU56, MR11-DB, QJ220-AC
11/45-DT	ARR	RK			6 11/73	E	DOS:	11/45-CD, RK11-CB, RK05-BB, TC11, TU56, MR11-DB, QJ220-AC
11/45-DU	ARR	RK			6 11/73	E	DOS:	11/45-DS, TM11-A, TU10-EA, QJ220-AD, NO TC11, TU56, QJ220-AC
11/45-DV	ARR	RK			6 11/73	E	DOS:	11/45-DT, TM11-B, TU10-ED, QJ220-AD, NO TC11, TU56, QJ220-AC
11/45-FA	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, 115V, OEM
11/45-FB	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, 230V, OEM
11/45-FC	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, LA30-CA, 115V 60HZ, OEM
11/45-FD	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, LA30-CD, 230V 50HZ, OEM
11/45-FE	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, VT05B-AE, 115V 60HZ, OEM
11/45-FF	ARR	RK			6 4/73	E	-	KB11-A, MM11-S, CAB, VT05B-AJ, 230V 50HZ, OEM
11/45-FH	ARR	RK			3 11/73	E	-	KB11-A, MF11-UP, LA36-CA, CAB, 115V 60HZ OEM
11/45-FJ	ARR	RK			3 11/73	E	-	KB11-A, MF11-UP, LA36-CB, CAB, 230V 50HZ OEM
11/45-FK	ARR	RK			3 11/73	E	-	KB11-A, MF11-U, LA36-CA, CAB, 115V 60HZ, OEM
11/45-FL	ARR	RK			3 11/73	E	-	KB11-A, MF11-U, LA36-CB, CAB, 230V 50HZ OEM
11/45-FM	ARR	RK			3 4/73	E	-	OEM 11/45-CC W 24K MEM & MEM MANAGEMENT, 115V 60HZ
11/45-FN	ARR	RK			3 4/73	E	-	OEM 11/45-CD W 24K MEM & MEM MANAGEMENT, 230V 50HZ
11/45-FP	ARR	RK			3 4/73	E	-	OEM 11/45-FM W NO PARITY, 115V 60HZ
11/45-FR	ARR	RK			3 4/73	E	-	OEM 11/45-FN W NO PARITY, 230V 50HZ
11/45-FS	ARR	RK			3 11/73	E	-	11/45-FH, MM11-UP, KT11-C, 115V 60HZ OEM
11/45-FT	ARR	RK			3 11/73	E	-	11/45-FJ, MM11-UP, KT11-C, 230V 50HZ OEM
11/45-FU	ARR	RK			3 11/73	E	-	11/45-FK, MM11-U; KT11-C, 115V 60HZ OEM
11/45-FV	ARR	RK			3 11/73	E	-	11/45-FL, MM11-U; KT11-C, 230V 50HZ OEM
11/45-GA	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BM, LA30-CA, 115V 60HZ OEM
11/45-GB	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BM, LA30-CD, 230V 50HZ OEM
11/45-GC	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BM, VT05B-AA, 115V 60HZ OEM
11/45-GD	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BM, VT05B-AD, 230V 50HZ OEM
11/45-GE	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BP, LA30-CA, 115V 60HZ OEM
11/45-GF	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BP, LA30-CD, 230V 50HZ OEM
11/45-GH	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BP, VT05B-AA, 115V 60HZ OEM
11/45-GJ	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BP, VT05B-AD, 230V 50HZ OEM
11/45-GK	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BM, LA30-CA, 115V 60HZ OEM
11/45-GL	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BM, LA30-CD, 230V 50HZ OEM
11/45-GM	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BM, VT05B-AA, 115V 60HZ OEM
11/45-GN	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BM, VT05B-AD, 230V 50HZ OEM
11/45-GP	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BM, LA30-CA, 115V 60HZ OEM
11/45-GR	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BP, LA30-CD, 230V 50HZ OEM
11/45-GS	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BP, VT05B-AA, 115V 60HZ OEM
11/45-GT	ARR	RK			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BP, VT05B-AD, 230V 50HZ OEM
11/45-MA	ARR	RK			6 11/73	E	RSX11-D:	11/45-CC MF11-LP KT11-C RK11-CA RK05-AA TC11 TU56 MR11-DB KW11-L QJ580-AC
11/45-MB	ARR	RK			6 11/73	E	RSX11-D:	11/45-CD MF11-LP KT11-C RK11-CB RK05-BB TC11 TU56 MR11-DB KW11-L QJ580-AD
11/45-MC	ARR	RK	RSX11-D:		6 11/73	E	11/45-CC	MF11-LP KT11-C RF11 RS11 TM11-A TU10-EA MR11-DB KW11-L H960-DA QJ580-AD
11/45-MD	ARR	RK	RSX11-D:		6 11/73	E	11/45-CD	MF11-LP KT11-C RF11 RS11-A TM11-B TU10-ED MR11-DB KW11-L H960-DB QJ580-AD
11/45-MH	ARR	RK	RSX11-D:		6 11/73	E	11/45-MC,	MM11-LP, RK11-CA, RK05-AA, CR11, LP11-JA, DD11-A, NO RF11, RS11
11/45-MJ	ARR	RK	RSX11-D:		6 11/73	E	-	RSX11D REAL TIME #1, 115V 60HZ
11/45-MM	ARR	RK			6 11/73	E	-	RSX11D REAL TIME #1, 230V 50HZ
11/45-MN	ARR	RK			6 11/73	E	-	RSX11D REAL TIME #2, 115V 60HZ
11/45-HP	ARR	RK			6 11/73	E	-	

MODEL NO	ENG NGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION
11/45-MR	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #2, 230V 50HZ
11/45-MU	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #3, 115V 60HZ
11/45-MV	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #3, 230V 50HZ
11/45-MW	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #4, 115V 60HZ
11/45-MY	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #4, 230V 50HZ
11/45-NA	ARR	RK			6	1/75	E	-	RSX11D SYS 1: 11/45-CW, RK11-DE, TM11-EA, QJ580-AD, 115V 60HZ
11/45-NB	ARR	RK			6	1/75	E	-	RSX11D SYS 1: 11/45-CY, RK11-DJ, TM11-ED, QJ580-AD, 230V 50HZ
11/45-NC	ARR	RK			6	1/75	E	RSX11D SYS 2: 11/45-CW MF11-UP RK11-DE TM11-EA H960-DA QJ580-AD 115V60HZ	
11/45-ND	ARR	RK			6	1/75	E	RSX11D SYS 2: 11/45-CY MF11-UP RK11-DJ TM11-ED H960-DB QJ580-AD 230V50HZ	
11/45-NE	ARR	RK			6	1/75	E	RSX11D SYS 3: 11/45-CW, MF11-UP, MM11-UP, RP11-CE, TM11-EA, CR11, LP11-JA, DD11-B, H960-DA, QJ580-AD 115V 60HZ	
11/45-NF	ARR	RK			6	1/75	E	RSX11D SYS 3: 11/45-CY, MF11-UP, MM11-UP, RP11-CJ, TM11-ED, CR11-A, LP11-JB, DD11-B, H960-DB, QJ580-AD, 230V 50HZ	
11/45-NH	ARR	RK			6	1/75	E	RSX11D SYS 4: 11/45-CW MF11-UP RK11-DE RK05-AA, QJ580-AE, 115V60HZ	
11/45-NJ	ARR	RK			6	1/75	E	RSX11D SYS 4: 11/45-CY MF11-UP RK11-DJ RK05-BB QJ580-AE 230V 50HZ	
11/45-PA	ARR	RK			6	11/73	E	BATCH: 11/45-CC, MF11-LP; RK11-CA, RK05-AA, TM11-A, TU10-EA, CR11, LP11-JA, KW11-P, MR11-DB, DD11-A, QJ250-AD	
11/45-PB	ARR	RK			6	11/73	E	BATCH: 11/45-CD, RK11-CB; RK05-BB, TM11-B, TU10-ED, CR11-A, LP11-JB, KW11-P, MR11-DB, DD11-A, QJ250-AD	
11/45-PC	ARR	RK			6	11/73	E	BATCH: 11/45-PA, MF11-LP; FP11-B, RP11-CA, RP03-AS, H960-DA, NO RK11, RK05	
11/45-PD	ARR	RK			6	11/73	E	BATCH: 11/45-PB, MF11-LP; FP11-B, RP11-CB, RP03-BS, H960-DB, NO RK11, RK05	
11/45-PH	ARR	RK			6	11/73	E	-	BATCH #1, 115V 60HZ
11/45-PJ	ARR	RK			6	11/73	E	-	BATCH #1, 230V 50HZ
11/45-PK	ARR	RK			6	11/73	E	-	BATCH #2, 115V 60HZ
11/45-PL	ARR	RK			6	11/73	E	-	BATCH #2, 230V 50HZ
11/45-PM	ARR	RK			6	11/73	E	-	BATCH #3, 115V 60HZ
11/45-PN	ARR	RK			6	11/73	E	-	BATCH #3, 230V 50HZ
11/45-PS	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 1: 11/45-CU, RK11-DE, TM11-EA, QJ250-AD, 115V 60HZ
11/45-PY	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 1: 11/45-CV, RK11-DJ, TM11-ED, QJ250-AD, 230V 50HZ
11/45-PU	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 2: 11/45-CU, RF11-AA, TC11-GA, QJ250-AC, 115V 60HZ
11/45-PV	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 2: 11/45-CV, RF11-AB, TC11-GB, QJ250-AC, 230V 50HZ
11/45-RA	ARR	RK			6	11/73	E	RSTS/45: 11/45-CC, MF11-LP; MM11-LP, KT11-C, RF11, RS11, RK11-CA, RK05-AA, TC11, TU56, MR11-DB, KW11-P, H960-DA, DD11-A, QJ430-AC	
11/45-RB	ARR	RK			6	11/73	E	RSTS/45: 11/45-CD, MF11-LP; MM11-LP, KT11-C, RF11, RS11-A, RK11-CB, RK05-BB, TC11, TU56, MR11-DB, KW11-P, H960-DB, DD11-A, QJ430-AC	
11/45-RC	ARR	RK			6	11/73	E	RSTS/45: 11/45-RA, TM11-A, TU10-EA, QJ430-AD, NO TC11, TU56, QJ430-AC	
11/45-RD	ARR	RK			6	11/73	E	RSTS/45: 11/45-RB, TM11-B, TU10-ED, QJ430-AD, NO TC11, TU56, QJ430-AC	
11/45-RE	ARR	RK			6	11/73	E	RSTS/45: 11/45-CC, MF11-LP, MM11-LP, KT11-C, FP11-B, RP11-CA RP03-AS, TM11-A, TU10-EA, MR11-DB, KW11-P, H960-DA, DD11-A, QJ430-AD	
11/45-RF	ARR	RK			6	11/73	E	RSTS/45: 11/45-CD, MF11-LP, MM11-LP, KT11-C, FP11-B, RP11-CB RP03-BS, TM11-B, TU10-ED, MR11-DB, KW11-P, H960-DB, DD11-A, QJ430-AD	
11/45-RH	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #1, 115V 60HZ
11/45-RJ	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #1, 230V 50HZ
11/45-RK	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #2, 115V 60HZ
11/45-RL	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #2, 230V 50HZ
11/45-RM	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #3, 115V 60HZ
11/45-RN	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #3, 230V 50HZ
11/45-RR	ARR	RK			3	11/73	E	RSTS/E #1: 11/45-CW MF11-UP RF11-AA RK11-DE TC11-GA H960-DA QR430-AC 115V60H	
11/45-RP	ARR	RK			3	11/73	E	RSTS/E #1: 11/45-CY MF11-UP RF11-AB RK11-DJ TC11-GB H960-DB QR430-AC 230V50H	
11/45-RS	ARR	RK			3	11/73	E	RSTS/E #2: 11/45-CW MF11-UP RF11-AA RK11-DE TM11-EA H960-DA QR430-AD 115V60H	
11/45-RT	ARR	RK			3	11/73	E	RSTS/E #2: 11/45-CY MF11-UP RF11-AB RK11-DJ TM11-ED H960-DB QR430-AD 230V50H	
11/45-RU	ARR	RK			3	11/73	E	RSTS/E #3: 11/45-CW MF11-UP RP11-CE FP11-B TM11-EA H960-DA QR430-AD 115V60HZ	
11/45-RV	ARR	RK			3	11/73	E	RSTS/E #3: 11/45-CY MF11-UP RP11-CJ FP11-B TM11-ED H960-DB QR430-AD 230V50HZ	
11/45-SC	ARR	RK			6	10/74	E	11/45-CW, DL11-A, RK11-DE, RK05-AA, H960-DA, DH11-AA, QR430-AE, 115V 60HZ	
11/45-SD	ARR	RK			6	10/74	E	11/45-CY, DL11-A, RK11-DJ, RK05-BB, H960-DB, DH11-AC, QR430-AE, 230V 50HZ	



MODEL NO	ENG IGR	DESIGN ENGR	PROJ E IGR	MFR AREA	STATUS	DATE-MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/45-UA	ARR	RK			6	2/75	E	-	KB11-A, MF11-LP, MM11-LP, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/45-UB	ARR	RK			6	2/75	E	-	KB11-A, MF11-LP, MM11-LP, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/45-UC	ARR	RK			6	2/75	E	-	KB11-A, MF11-L, MM11-L, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/45-UD	ARR	RK			6	2/75	E	-	KB11-A, MF11-L, MM11-L, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/50-AH	ARR	RK			5	1/75	E	-	K911-A, MS11-BC, 4 MS11-BR (16K MOS MEM), DL11-A, PS, TALL CAB, 115V
11/50-AJ	ARR	RK			5	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BR (16K MOS MEM), DL11-A, PS, TALL CAB, 230V
11/50-AK	ARR	RK			5	1/75	E	-	K911-A, MS11-BC, 4 MS11-BT (16K PARITY MOS MEM), DL11-A, PS, TALL CAB, 115V
11/50-AL	ARR	RK			5	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BT (16K PARITY MOS MEM), DL11-A, PS, TALL CAB, 230V
11/50-BS	ARR	RK			5	1/75	E	-	KB11-A, MS11-BC, 8 MS11-BT, PS, TALL CAB, BM073-Y0, KW11-L, KT11-C, DL11-A, LA36-CA, 115V 60HZ
11/50-BT	ARR	RK			5	1/75	E	-	11/50-BS EXCEPT LA36-CB, 230V 50HZ
11/50-BA	ARR	RK			5	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BT, MF11-UP, PS, TALL CAB, BM073-Y0, KW11-L, KT11-C, DL11-A, LA36-CA, 115V 60HZ
11/50-BY	ARR	RK			5	1/75	E	-	11/50-BW EXCEPT LA36-CB, 230V 50HZ
11/50-CA	ARR	RK			3	9/74	E	-	KB11-A, DL11-A, PS, CAB, 115V
11/50-CB	ARR	RK			3	9/74	E	-	KB11-A, DL11-A, PS, CAB, 230V
11/50-CC	ARR	RK			6	11/73	E	-	K911-A, MS11-BC, 4 MS11-BT, LA30-CA, CAB, 115V 60HZ
11/50-CD	ARR	RK			6	11/73	E	-	KB11-A, MS11-BC, 4 MS11-BT, LA30-CD, CAB, 230V 50HZ
11/50-CE	ARR	RK			6	11/73	E	-	K911-A, MS11-BC, 4 MS11-BT, VT059-AA, CAB, 115V 60HZ
11/50-CF	ARR	RK			6	11/73	E	-	KB11-A, MS11-BC, 4 MS11-BT, VT059-AD, CAB, 230V 50HZ
11/50-CM	ARR	RK			6	11/73	E	-	11/50-CC W AUTO LOADER, CLOCK, PWR FAIL, 115V 60HZ
11/50-CN	ARR	RK			6	11/73	E	-	11/50-CD W AUTO LOADER, CLOCK, PWR FAIL, 230V 50HZ
11/50-CP	ARR	RK			6	11/73	E	-	11/50-CM + 16K CORE, 115V 60HZ
11/50-CR	ARR	RK			6	11/73	E	-	11/50-CN + 16K CORE, 230V 50HZ
11/50-CS	ARR	RK			3	4/79	F	DS500	K911-A, MS11-BC, 4 MS11-BP, H967-HC, 115V
11/50-CT	ARR	RK			3	4/73	E	DS507	KB11-A, MS11-BC, 4 MS11-BP, H967-HB, 230V
11/50-CL	ARR	RK			6	1/75	E	-	K911-A, MS11-BC, 4 MS11-BT, MR11-DB, KW11-L, LA36-CA, CAB, 115V 60HZ
11/50-CV	ARR	RK			6	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BT, MR11-DB, KW11-L, LA36-CA, CAB, 230V 50HZ
11/50-CW	ARR	RK			6	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BT, MF11-UP, KT11-C, MR11-DB, KW11-L, LA36-CA, CAB, 115V 60HZ
11/50-CX	ARR	RK			6	1/75	E	-	KB11-A, MS11-BC, 4 MS11-BT, MF11-UP, KT11-C, MR11-DB, KW11-L, LA36-CA, CAB, 230V 50HZ
11/50-DA	ARR	RK			6	3/74	E	DDS:	11/45-DC W 11/50-CC INSTEAD OF 11/45-CC
11/50-DB	ARR	RK			6	3/74	E	DDS:	11/45-DD W 11/50-CD INSTEAD OF 11/45-CD
11/50-DS	ARR	RK			6	3/74	E	DDS:	11/45-DS W 11/50-CC INSTEAD OF 11/45-CC
11/50-DT	ARR	RK			6	3/74	E	DDS:	11/45-DT W 11/50-CD INSTEAD OF 11/45-CD
11/50-DU	ARR	RK			6	3/74	E	DDS:	11/45-DU W 11/50-CC INSTEAD OF 11/45-CC
11/50-DV	ARR	RK			6	3/74	E	DDS:	11/45-DV W 11/50-CD INSTEAD OF 11/45-CD
11/50-FH	ARR	RK			3	4/73	E	-	DEM 11/50-CC EXCEPT LA36-CA, 115V 60HZ
11/50-FJ	ARR	RK			3	4/73	E	-	DEM 11/50-CD EXCEPT LA36-CB, 230V 50HZ
11/50-FK	ARR	RK			3	4/73	E	-	DEM 11/50-CC EXCEPT LA36-CA, NO PARITY, 115V 60HZ
11/50-FL	ARR	RK			3	4/73	E	-	DEM 11/50-CD EXCEPT LA36-CB, NO PARITY, 230V 50HZ
11/50-FM	ARR	RK			3	4/73	E	-	DEM 11/50-CC + 8K CORE MEM & MEM MANAGEMENT, 115V 60HZ
11/50-FN	ARR	RK			3	4/73	E	-	DEM 11/50-CD + 8K CORE MEM & MEM MANAGEMENT, 230V 50HZ
11/50-FO	ARR	RK			3	4/73	E	-	DEM 11/50-FM W NO PARITY, 115V 60HZ
11/50-FR	ARR	RK			3	4/73	E	-	DEM 11/50-FN W NO PARITY, 230V 50HZ
11/50-FS	ARR	RK			6	1/75	E	-	11/50-FH, MF11-UP, KT11-C, 115V 60HZ DEM
11/50-FT	ARR	RK			6	1/75	E	-	11/50-FJ, MF11-UP, KT11-C, 230V 50HZ DEM
11/50-FU	ARR	RK			6	1/75	E	-	11/50-FK, MF11-U, KT11-C, 115V 60HZ DEM
11/50-FV	ARR	RK			6	1/75	E	-	11/50-FL, MF11-U, KT11-C, 230V 50HZ DEM
11/50-FW	ARR	RK			6	11/73	E	RSX11-D:	11/50-CC, MF11-LP, KT11-C, RK11-CA, RK05-AA, TM11-A, TU10-EA, MR11-DB, KW11-L, QJ500-AD
11/50-FX	ARR	RK			6	11/73	E	RSX11-D:	11/50-CD, MF11-LP, KT11-C, RK11-CB, RK05-BB, TM11-B, TU10-ED, MR11-DB, KW11-L, QJ500-AD
11/50-FY	ARR	RK			6	11/73	E	RSX11-D:	11/45-FW W 11/50-CC INSTEAD OF 11/45-CC & NO H960-DA
11/50-FZ	ARR	RK			6	11/73	E	RSX11-D:	11/45-FX W 11/50-CD INSTEAD OF 11/45-CD & NO H960-DB
11/50-GA	ARR	RK			6	11/73	E	RSX11-D:	11/50-CC, 2 MF11-LP, MM11-LP, KT11-C, RP11-CA, RP03-AS, TM11-A,

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE MO/YR	CATEGORY	USED ON	DESCRIPTION
-							E		TU10-EA, CD11-EA, LP11-RA, MR11-DB, KW11-L, H960-DA, QJ500-AD
11/50-ML	ARR	RK			6	11/73	E	RSX11-D:	11/50-CD, 2 MF11-LP, MM11-LP, KT11-C, RP11-CB, RP03-BS, TM11-B, TU10-EB, CD11-EB, LP11-RB, MR11-DB, KW11-L, H960-DB, QJ500-AD
-							E		
11/50-MM	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #1, 115V 60HZ
11/50-MN	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #1, 230V 50HZ
11/50-MP	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #2, 115V 60HZ
11/50-MR	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #2, 230V 50HZ
11/50-MU	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #3, 115V 60HZ
11/50-MV	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #3, 230V 50HZ
11/50-MW	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #4, 115V 60HZ
11/50-MY	ARR	RK			6	11/73	E	-	RSX11D REAL TIME #4, 230V 50HZ
11/50-NA	ARR	RK			6	1/75	E	RSX11D SYS 1:	11/50-CW, RK11-DE, TM11-EA, QJ500-AD, 115V 60HZ
11/50-NB	ARR	RK			6	1/75	E	RSX11D SYS 1:	11/50-CYC RK11-DJ, TM11-EB, QJ500-AD, 230V 50HZ
11/50-NC	ARR	RK			6	1/75	E	RSX11D SYS 2:	11/50-CW MF11-UP RK11-DE TM11-EA H960-DA QJ500-AD 115V 60HZ
11/50-ND	ARR	RK			6	1/75	E	RSX11D SYS 2:	11/50-CY MF11-UP RK11-DJ TM11-EA H960-DBQJ500-AD 230V 50HZ
11/50-NE	ARR	RK			6	1/75	E	RSX11D SYS 3:	11/50-CW, MF11-UP, MM11-UP, RP11-CE, TM11-EA, CR11, LP11-JA, DD11-B, H960-DA, QJ500-AD, 115V 60HZ
-							E		
11/50-NF	ARR	RK			6	1/75	E	RSX11D SYS 3:	11/50-CY, MF11-UP, MM11-UP, RP11-CJ, TM11-ED, CR11-A, LP11-JB, DD11-B, H960-DB, QJ500-AD, 230V 50HZ
-							E		
11/50-NH	ARR	RK			6	1/75	E	RSX11D SYS 4:	11/50-CW, MF11-UP, RK11-DE, RK05-AA, QJ500-AE 115V60HZ
11/50-NJ	ARR	RK			6	1/75	E	RSX11D SYS 4:	11/50-CY, MF11-UP, RK11-DJ, RK05-BB, QJ500-AE 230V50HZ
11/50-PA	ARR	RK			6	11/73	E	BATCH:	11/45-PA W 11/50-CC INSTEAD OF 11/45-CC
11/50-PB	ARR	RK			6	11/73	E	BATCH:	11/45-PB W 11/50-CD INSTEAD OF 11/45-CD
11/50-PC	ARR	RK			6	11/73	E	BATCH:	11/45-PC W 11/50-CC INSTEAD OF 11/45-CC & NO H960-DA
11/50-PD	ARR	RK			6	11/73	E	BATCH:	11/45-PD W 11/50-CD INSTEAD OF 11/45-CD & NO H960-DB
11/50-PE	ARR	RK			6	11/73	E	BATCH:	11/50-CC, MS11-8D; 2 MS11-BP, FP11-B, RP11-CA, RP03-AS, TM11-A, TU10-EA, CD11-EA, LP11-RA, MR11-DB, KW11-P, DD11-A, QJ250-AD
-							E		
11/50-PF	ARR	RK			6	11/73	E	BATCH:	11/50-CD, MS11-8D; 2 MS11-BP, FP11-B, RP11-CB, RP03-BS, TM11-B, TU10-ED, CD11-EB, LP11-RB, MR11-DB, KW11-P, DD11-A, QJ250-AD
-							E		
11/50-PH	ARR	RK			6	11/73	E	-	BATCH #1, 115V 60HZ
11/50-PJ	ARR	RK			6	11/73	E	-	BATCH #1, 230V 50HZ
11/50-PK	ARR	RK			6	11/73	E	-	BATCH #2, 115V 60HZ
11/50-PL	ARR	RK			6	11/73	E	-	BATCH #2, 230V 50HZ
11/50-PM	ARR	RK			6	11/73	E	-	BATCH #3, 115V 60HZ
11/50-PN	ARR	RK			6	11/73	E	-	BATCH #3, 230V 50HZ
11/50-PP	ARR	RK			6	11/73	E	-	BATCH #4, 115V 60HZ
11/50-PR	ARR	RK			6	11/73	E	-	BATCH #4, 230V 50HZ
11/50-PS	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 1: 11/50-CU, RK11-DE, TM11-EA, QJ250-AD, 115V 60HZ
11/50-PT	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 1: 11/50-CV, RK11-DJ, TM11-ED, QJ250-AD, 230V 50HZ
11/50-PU	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 2: 11/50-CU, RF11-AA, TC11-GA, QJ250-AC, 115V 60HZ
11/50-PV	ARR	RK			6	1/75	E	-	BATCH/DOS SYS 2: 11/50-CV, RF11-AB, TC11-GB, QJ250-AC, 230V 50HZ
11/50-PW	ARR	RK			6	1/75	E	BATCH/DOS SYS 3:	11/50-CU, MS11-8D, 2 MS11-BT, FP11-B, RP11-CE, TM11-EA, CD11-EA, LP11-RA, DD11-B, QJ250-AD, 115V 60HZ
-							E		
11/50-PY	ARR	RK			6	1/75	E	BATCH/DOS SYS 3:	11/50-CV, MS11-8D, 2 MS11-BT, FP11-B, RP11-CJ, TM11-ED, CD11-EB, LP11-RB, DD11-B, QJ250-AD, 230V 50HZ
-							E		
11/50-RA	ARR	RK			6	11/73	E	RSTS/50:	11/45-RA W 11/50-CC INSTEAD OF 11/45-CC
11/50-RB	ARR	RK			6	11/73	E	RSTS/50:	11/45-RB W 11/50-CD INSTEAD OF 11/45-CD
11/50-RC	ARR	RK			6	11/73	E	RSTS/50:	11/45-RC W 11/50-CC INSTEAD OF 11/45-CC
11/50-RD	ARR	RK			6	11/73	E	RSTS/50:	11/45-RD W 11/50-CD INSTEAD OF 11/45-CD
11/50-RE	ARR	RK			6	11/73	E	RSTS/50:	11/45-RE W 11/50-CC INSTEAD OF 11/45-CC
11/50-RF	ARR	RK			6	11/73	E	RSTS/50:	11/45-RF W 11/50-CD INSTEAD OF 11/45-CD
11/50-RH	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #1, 115V 60HZ
11/50-RJ	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #1, 230V 50HZ
11/50-RK	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #2, 115V 60HZ
11/50-RL	ARR	RK			6	11/73	E	-	RSTS, TIME SHARE #2, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION
11/50-RM	ARR	RK			6 11/73	E	-	RSTS, TIME SHARE #3, 115V 60HZ
11/50-RN	ARR	RK			6 11/73	E	-	RSTS, TIME SHARE #3, 230V 50HZ
11/50-RP	ARR	RK			6 1/75	E	-	RSTS/E #1: 11/50-CW MF11-UP RF11-AA RK11-DE TC11-GA H960-DA QR430-AC 115V60H
11/50-RR	ARR	RK			6 1/75	E	-	RSTS/E #1: 11/50-CY MF11-UP RF11-AB RK11-DJ TC11-G0 H960-DB QR430-AC 230V50H
11/50-RS	ARR	RK			6 1/75	E	-	RSTS/E #2: 11/50-CW MF11-UP RF11-AA RK11-DE TM11-EA H960-DA QR430-AD 115V60H
11/50-RT	ARR	RK			6 1/75	E	-	RSTS/E #2: 11/50-CY MF11-UP RF11-AB RK11-DJ TM11-ED H960-DB QR430-AD 230V50H
11/50-RU	ARR	RK			6 1/75	E	-	RSTS/E #3: 11/50-CW MF11-UP RP11-CE FP11-B TM11-EA H960-DA QR430-AD 115V60HZ
11/50-RV	ARR	RK			6 1/75	E	-	RSTS/E #3: 11/50-CY MF11-UP RP11-CJ FP11-B TM11-ED H960-DB QR430-AD 230V50HZ
11/50-UA	ARR	RK			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BP, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/50-UB	ARR	RK			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BP, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/50-UC	ARR	RK			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BM, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/50-UD	ARR	RK			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BM, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/70-CA	ARR	SR			2 2/75	E	-	KB11-B, M9301-YC, KW11-L, DL11-A, MJ11-AA, 115V, 50/60 (3 PHASE)
11/70-CB	ARR	SR			2 2/75	E	-	KB11-B, M9301-YC, DL11-L, DL11-A, MJ11-AB, 230V, 50/60 (3 PHASE)
11/70-DA	ARR	SR			2 2/75	E	-	11/70-CA + LA36-CA + MJ11-AE, 115V 50/60 HZ (DEM)
11/70-DB	ARR	SR			2 2/75	E	-	11/70-CB + LA36-CB + MJ11-AE, 230V 50/60 HZ (DEM)
11/70-EA	ARR	SR			2 2/75	E	-	11/70-DA, BA11-KE, RK11-DE, RK05-AA, 115V 60HZ
11/70-EB	ARR	SR			2 2/75	E	-	11/70-DB, BA11-KF, RK11-DF, RK05-AB, 230V 60HZ
11/70-EC	ARR	SR			2 2/75	E	-	11/70-DA, BA11-KE, RK11-OH, RK05-BA, 115V 50HZ
11/70-ED	ARR	SR			2 2/75	E	-	11/70-DB, BA11-KF, RK11-OJ, RK05-BB, 230V 50HZ
11/70-FA	ARR	SR			2 2/75	E	-	11/70-DA + RWP04-AA + TWU16-EA, 115V 60HZ
11/70-FB	ARR	SR			2 2/75	E	-	11/70-DB + RWP04-AA + TWU16-EB, 230V 60HZ
11/70-FC	ARR	SR			2 2/75	E	-	11/70-DA + RWP04-AB + TWU16-EC, 115V 50HZ
11/70-FD	ARR	SR			2 2/75	E	-	11/70-DB + RWP04-AB + TWU16-ED, 230V 50HZ
11/70-FE	ARR	SR			2 2/75	E	-	11/70-DA, RWP04-BA, TWU16-EA, 115V 60HZ
11/70-FF	ARR	SR			2 2/75	E	-	11/70-DB, RWP04-BA, TWU16-EB, 230V 60HZ
11/70-FH	ARR	SR			2 2/75	E	-	11/70-DA, RWP04-BB, TWU16-EC, 115V 50HZ
11/70-FJ	ARR	SR			2 2/75	E	-	11/70-DB, RWP04-BB, TWU16-ED, 230V 50HZ
11/70-FK	ARR	SR			2 2/75	E	-	11/70-DA, RWP04-CA, TWU16-EA, 115V 60HZ
11/70-FL	ARR	SR			2 2/75	E	-	11/70-DB, RWP04-CA, TWU16-EB, 230V 60HZ
11/70-FM	ARR	SR			2 2/75	E	-	11/70-DA, RWP04-CB, TWU16-EC, 115V 50HZ
11/70-FN	ARR	SR			2 2/75	E	-	11/70-DB, RWP04-CB, TWU16-ED, 230V 50HZ
11/70-GA	ARR	SR			2 2/75	E	-	11/70-EA + RWS04-BA + TWU16-EA, 115V 60HZ
11/70-GB	ARR	SR			2 2/75	E	-	11/70-EB + RWS04-BB + TWU16-EB, 230V 60HZ
11/70-GC	ARR	SR			2 2/75	E	-	11/70-FC + RWS04-BC + TWU16-EC, 115V 50HZ
11/70-GD	ARR	SR			2 2/75	E	-	11/70-ED + RWS04-BD + TWU16-ED, 230V 50HZ
11/70-HA	ARR	SR			2 2/75	E	-	11/70-FA + RWS04-BA, 115V 60HZ
11/70-HB	ARR	SR			2 2/75	E	-	11/70-FB + RWS04-BB, 230V 60HZ
11/70-HC	ARR	SR			2 2/75	E	-	11/70-FC + RWS04-BC, 115V 50HZ
11/70-HD	ARR	SR			2 2/75	E	-	11/70-FD + RWS04-BD, 230V 50HZ
11/70-HE	ARR	SR			2 2/75	E	-	11/70-FE, RWS04-BA, 115V 60HZ
11/70-HF	ARR	SR			2 2/75	E	-	11/70-FF, RWS04-BB, 230V 60HZ
11/70-HH	ARR	SR			2 2/75	E	-	11/70-FH, RWS04-BC, 115V 50HZ
11/70-HJ	ARR	SR			2 2/75	E	-	11/70-FJ, RWS04-BD, 230V 50HZ
11/70-HK	ARR	SR			2 2/75	E	-	11/70-FK, RWS04-BA, 115V 60HZ
11/70-HL	ARR	SR			2 2/75	E	-	11/70-FL, RWS04-BB, 230V 60HZ
11/70-HM	ARR	SR			2 2/75	E	-	11/70-FM, RWS04-BC, 115V 50HZ
11/70-HN	ARR	SR			2 2/75	E	-	11/70-FN, RWS04-BD, 230V 50HZ
11/70-UA	ARR	SR			2 2/75	E	-	11/70-CA, MJ11-AE, 115V 50/60 HZ (3 PHASE)
11/70-UB	ARR	SR			2 2/75	E	-	11/70-CB, MJ11-AE, 230V 50/60 HZ (3 PHASE)
11/77-FE	ARR	SR			2 2/75	E	-	11/70-DA, 11/70-FE, TWU16-EA, 115V 60HZ
11/77-FF	ARR	SR			2 2/75	E	-	11/70-DB, 11/70-FF, TWU16-EB, 230V 60HZ
11/77-FH	ARR	SR			2 2/75	E	-	11/70-DA, 11/70-FH, TWU16-EC, 115V 50HZ
11/77-FJ	ARR	SR			2 2/75	E	-	11/70-DB, 11/70-FJ, TWU16-ED, 230V 50HZ
11A10	SHT	JRS			2 11/74	E	-	KD11-D, KY11-LA, M9301-YB, M9302, DL11-W

MODEL NO	ENG IGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS	DATE-MO/YR	CATEGORY	USED ON	DESCRIPTION
11A10-BH	SMT	JRS			2	11/74	E	-	11A10, MS11-F 8K MOS, DD11-F 9 SLOT, BA11-LC, 115V
11A10-BJ	SMT	JRS			2	11/74	E	-	11A10, MS11-F 8K MOS, DD11-F 9 SLOT, BA11-LD, 230V
11A10-CH	SMT	JRS			2	11/74	E	-	11A10, MS11-H 16K MOS, DD11-F 9 SLOT, BA11-LC, 115V
11A10-CJ	SMT	JRS			2	11/74	E	-	11A10, MS11-H 16K MOS, DD11-F 9 SLOT, BA11-LD, 230V
11A10-HH	SMT	JRS			2	11/74	E	-	11A10, MS11-FP 8K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LC, 115V
11A10-HJ	SMT	JRS			2	11/74	E	-	11A10, MS11-FP 8K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LD, 230V
11A10-JH	SMT	JRS			2	11/74	E	-	11A10, MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LC, 115V
11A10-JJ	SMT	JRS			2	11/74	E	-	11A10, MS11-HP 16K PARITY MOS, M7850, DD11-F 9 SLOT, BA11-LD, 230V
11001-DA	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11, LP11-JA, DD11-B, 115V 60HZ
11001-DB	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11-A, LP11-JB, DD11-B, 230V 50HZ
11001-DC	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11, LP11-KA, DD11-B, 115V 60HZ
11001-DD	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11-A, LP11-KB, DD11-B, 230V 50HZ
11001-DE	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11, LS11-A, DD11-B, 115V 60HZ
11001-DF	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, CR11-A, LS11-B, DD11-B, 230V 50HZ
11001-DG	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, LS11-A, DD11-B, 115V 60HZ
11001-DH	VR	DPR		COM	2	10/74	B	110XX	DU11-DA, KG11-A, LS11-B, DD11-B, 230V 50HZ
11003-DA	VR	DPR		COM	2	10/74	B	110XX	DX11-BA, BM873-YX, 115V 60HZ
11003-DB	VR	DPR		COM	2	10/74	B	110XX	DX11-BB, BM873-YX, 230V 50HZ
11010-AA	VR	AF		COM	3	2/75	E	-	11/10-NC, TA11-AA, LA36-CA, BM873-YB, 2 DD11-B, KG11-A, DU11-DA, CR11, H957, 861-C, QJD60-AN RCS-CORE 2780, 115V 60HZ
11010-AB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-AA
11010-AC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-AA
11010-AD	VR	AF		COM	3	2/75	E	-	11010-AA EXCEPT 11/10-ND, TA11-AB, LA36-CB, CR11-A, 861-B, 230V 50HZ
11010-BA	VR	AF		COM	3	2/75	E	-	11/10-SC, TA11-AA, RK11-D, RK05-AA, LA36-CA, BM873-YB, DD11-B, KG11-A, DU11-DA, H957-AA; 861-C, QJD64-AN & -AE RCS DOS-2780, 115V 60HZ
11010-BB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-BA
11010-BC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-BA
11010-BD	VR	AF		COM	3	2/75	E	-	11010-BA EXCEPT 11/10-SD, TA11-AB, RK05-BB, LA36-CB, 861-B, 230V 50HZ
11010-CA	VR	AF		COM	3	2/75	E	-	11010-BA W ONE MORE DD11-B, 115V 60HZ
11010-CB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-CA
11010-CC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-CA
11010-CD	VR	AF		COM	3	2/75	E	-	11010-BD W ONE MORE DD11-B, 230V 50HZ
11010-DA	VR	AF		COM	3	2/75	E	-	11010-AA EXCEPT QJD62-AN RCS HASP, 115V 60HZ
11010-DB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-DA
11010-DC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-DA
11010-DD	VR	AF		COM	3	2/75	E	-	11010-AD EXCEPT QJD62-AN RCS HASP, 230V 50HZ
11010-KA	VR	AF		COM	3	2/75	E	-	11/10-NC, TA11-AB, LA36-CA, BM873-YB, DD11-B, H950-AA, 861-C, QJD10-JZ & -DZ CORE COMM SYS BASE, 115V 60HZ
11010-KB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-KA
11010-KC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-KA
11010-KD	VR	AF		COM	3	2/75	E	-	11010-KA EXCEPT 11/10-ND, TA11-AB, LA36-CB, 861-B, 230V 50HZ
11010-LA	VR	AF		COM	3	2/75	E	-	11/10-SC, TA11-AA, RK11-D, RK05-AA, LA36-CA, BM873-YB, DD11-B, H950-AA, 861-C, QJD14-JZ & -DZ DOS, 115V 60HZ
11010-LB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-LA
11010-LC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-LA
11010-LD	VR	AF		COM	3	2/75	E	-	11010-LA EXCEPT 11/10-SD, TA11-AB, RK05-BB, LA36-CB, 861-B, 230V 50HZ
11010-MA	VR	AF		COM	3	2/75	E	-	11010-KA EXCEPT QJD14-AN DECCOM FRONT END SYS BASE, 115V 60HZ
11010-MB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-MA
11010-MC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-MA
11010-MD	VR	AF		COM	3	2/75	E	-	11010-KD EXCEPT QJD14-AN DECCOM FRONT END SYS BASE, 230V 50HZ
11010-NA	VR	AF		COM	3	2/75	E	-	11010-LA EXCEPT QJ003-AN RT-11 F/B OP SYS, 115V 60HZ
11010-NB	VR	AF		COM	3	2/75	E	-	230V 60HZ 11010-NA
11010-NC	VR	AF		COM	3	2/75	E	-	115V 50HZ 11010-NA
11010-ND	VR	AF		COM	3	2/75	E	-	11010-LD EXCEPT QJ003-AN RT-11 F/B OP SYS, 230V 50HZ
11010-PA	VR	AF		COM	3	2/75	E	-	11010-LA EXCEPT QJ250-AE DOS/BATCH W FORTRAN, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11D10-PB	VB	WF		COM	3	2/75 E	-	230V 60HZ 11D10-PA
11D10-PC	VR	WF		COM	3	2/75 E	-	115V 50HZ 11D10-PA
11D10-PO	VR	WF		COM	3	2/75 E	-	11D10-LD EXCEPT QJ250-AE DOS/BATCH W FORTRAN, 230V 50HZ
11D10-UA	VB	WF		COM	3	2/75 E	-	11D10-LA EXCEPT QJ620-AE RSX-11M, 115V 60HZ
11D10-UB	VB	WF		COM	3	2/75 E	-	230V 60HZ 11D10-UA
11D10-UC	VB	WF		COM	3	2/75 E	-	115V 50HZ 11D10-UA
11D10-UD	VB	WF		COM	3	2/75 E	-	11D10-LD EXCEPT QJ620-AE RSX-11M, 230V 50HZ
11D40-AA	VB	WF		COM	2	8/74 E	CORE/2780	16KP KD11-A LA36 KW11 BM873 TA11 CR LP DU11 KG11 TALL CAB 115V60HZ
11D40-AB	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-AA
11D40-BA	VB	WF		COM	2	8/74 E	DOS/2780	16KP KD11-A LA36 KW11 BM873 TA11 RK05 DU11 KG11 2 TALL CAB 115V60HZ
11D40-BB	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-BA
11D40-BC	VB	WF		COM	3	1/75 E	-	11D40-BA W 32KP, 115V 60HZ
11D40-BJ	VB	WF		COM	3	1/75 E	-	11D40-BD W 32KP, 230V 50HZ
11D40-CA	VB	WF		COM	2	8/74 E	DOS/2780	11D40-BA + LP11, 115V 60HZ
11D40-CD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-CA
11D40-CE	VB	WF		COM	3	1/75 E	-	11D40-BE + LP11, 115V 60HZ
11D40-CJ	VB	WF		COM	3	1/75 E	-	11D40-BJ + LP11, 230V 50HZ
11D40-DA	VB	WF		COM	2	8/74 E	CORE/HASP	11D40-AA W QJD62-AN IN PLACE OF QJD60-AN
11D40-DD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-DA
11D40-EA	VB	WF		COM	2	8/74 E	RSX-11D/2780	48KP KD11-A LA36/KW/873 2RK DU/KG11 KT/KE11 2 TALL CAB 115V60HZ
11D40-EB	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-EA
11D40-EE	VB	WF		COM	3	1/75 E	-	11D40-EA W 64KP, 115V 60HZ
11D40-EJ	VB	WF		COM	3	1/75 E	-	11D40-ED W 64KP, 230V 50HZ
11D40-FA	VB	WF		COM	2	8/74 E	RSX-11D/2780	48KP KD11-A LA36/KW/873 2RK LP DU/KG11 KT/KE11 2 TAL CAB 115/60
11D40-FD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-FA
11D40-FE	VB	WF		COM	3	1/75 E	-	11D40-FA W 64KP, 115V 60HZ
11D40-FJ	VB	WF		COM	3	1/75 E	-	11D40-FD W 64KP, 230V 50HZ
11D40-HA	VR	WF		COM	2	8/74 E	RSTS/2780	11D40-FA, NO LP11, QR430 & QPD10-AE IN PLACE OF QJ500 QPD70, 115V6
11D40-HD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-HA
11D40-HE	VB	WF		COM	3	1/75 E	-	11D40-HA W 64KP, 115V 60HZ
11D40-HJ	VB	WF		COM	3	1/75 E	-	11D40-HD W 64KP, 230V 50HZ
11D40-JA	VB	WF		COM	2	8/74 E	RSTS/2780	48KP KD11-A LA36/KW/873 2 RK LP11 DU/KG11 KT/KE11 2 TAL CAB 115V60
11D40-JD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-JA
11D40-JE	VB	WF		COM	3	1/75 E	-	11D40-JA W 64KP, 115V 60HZ
11D40-JJ	VB	WF		COM	3	1/75 E	-	11D40-JD W 64KP, 230V 50HZ
11D40-KA	VB	WF		COM	2	8/74 E	CORE/CSB	16KP LA36/KW/873 TA11 QJD10-JZ -DZ TALL CAB 115V 60HZ
11D40-KD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-KA
11D40-LA	VB	WF		COM	2	8/74 E	DOS/CSB	16KP KD11-A LA36/KW/873 TA11 RK QJD14-JZ -DZ 2 TALL CAB 115V 60HZ
11D40-LD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-LA
11D40-LE	VB	WF		COM	3	1/75 E	-	11D40-LA W 28KP, 115V 60HZ
11D40-LJ	VB	WF		COM	3	1/75 E	-	11D40-LD W 28KP, 230V 50HZ
11D40-MA	VB	WF		COM	2	8/74 E	CORE/FSB	16KP KD11-A LA36/KW/873 TA11 DX11 QJD40-AN 2 TALL CAB 115V 60HZ
11D40-MD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-MA
11D40-ME	VB	WF		COM	3	1/75 E	-	11D40-MA W 28KP, 115V 60HZ
11D40-MJ	VB	WF		COM	3	1/75 E	-	11D40-MD W 28KP, 230V 50HZ
11D40-NA	VB	WF		COM	2	8/74 E	RT11	16KP KD11-A LA36/KW/873 2 RK05 QJ300-AE 2 TALL CAB 115V 60HZ
11D40-ND	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-NA
11D40-NE	VB	WF		COM	3	1/75 E	-	11D40-NA W 28KP, 115V 60HZ
11D40-NJ	VB	WF		COM	3	1/75 E	-	11D40-ND W 28KP, 230V 50HZ
11D40-PA	VB	WF		COM	2	8/74 E	DOS/BATCH	16KP KD11-A LA36/KW/873 2 RK QJ250-AE 2 TAL CAB 115V 60HZ
11D40-PD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-PA
11D40-PE	VB	WF		COM	3	1/75 E	-	11D40-PA W 28KP, 115V 60HZ
11D40-PJ	VB	WF		COM	3	1/75 E	-	11D40-PD W 28KP, 230V 50HZ
11D40-RA	VB	WF		COM	2	8/74 E	RSTS/E	48KP KD11-A LA36/KW/873 2 RK KT11 KE11 QR430-AE 2 TALL CAB 115V 60HZ
11D40-RD	VB	WF		COM	2	8/74 E	-	230V 50HZ 11D40-RA

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFPR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	20
11040-RE	VR	WF		COM	3 1/75	E	-	11040-RA W 64KP, 115V 60HZ	
11040-RJ	VB	WF		COM	3 1/75	E	-	11040-RD W 64KP, 230V 50HZ	
11040-SA	VB	WF		COM	2 8/74	E	RSX-110	48KP KD11-A LA36/KW/873 2 RK KT/KE11 QJ588-AE 2 TALL CAB 115V 60HZ	
11040-SD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11040-SA	
11040-SE	VB	WF		COM	3 1/75	E	-	11040-SA W 64KP, 115V 60HZ	
11040-SJ	VB	WF		COM	3 1/75	E	-	11040-SD W 64KP, 230V 50HZ	
11040-UA	VB	WF		COM	2 8/74	E	RSX-11M	16KP LA36/KW/873 2 RK QJ620-AE 2 TALL CAB 115V 60HZ	
11040-UD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11040-UA	
11040-UE	VB	WF		COM	3 1/75	E	-	11040-UA W 32KP, 115V 60HZ	
11040-UJ	VB	WF		COM	3 1/75	E	-	11040-UB W 32KP, 230V 50HZ	
11050-EA	VB	WF		COM	2 8/74	E	RSX-110/2780	16KM/32KP KB11-A LA36/KW/873 2RK DU/KG/KT11 3 TAL CAB 115V 60HZ	
11050-ED	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-EA	
11050-EE	VB	WF		COM	3 1/75	E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VB	WF		COM	3 1/75	E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-FA	VB	WF		COM	2 8/74	E	RSX-110/2780	11050-EA W LP11, 15V 60HZ	
11050-FD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-FA	
11050-FE	VB	WF		COM	3 1/75	E	-	11050-FA W 16KM/48KP, 115V 60HZ	
11050-FJ	VB	WF		COM	3 1/75	E	-	11050-FD W 16KM/48KP, 230V 50HZ	
11050-HA	VB	WF		COM	2 8/74	E	RSTS/2780	11050-EA W QR430/QPD10-AE IN PLACE OF QJ580/QJD70-AE 115V 60HZ	
11050-HD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-HA	
11050-HE	VB	WF		COM	3 1/75	E	-	11050-HA W 16KM/48KP, 115V 60HZ	
11050-HJ	VB	WF		COM	3 1/75	E	-	11050-HD W 16KM/48KP, 230V 50HZ	
11050-JA	VB	WF		COM	2 8/74	E	RSTS/2780	11050-JA + LP11, 115V 60HZ	
11050-JD	VR	WF		COM	2 8/74	E	-	230V 50HZ 11050-JA	
11050-JE	VB	WF		COM	3 1/75	E	-	11050-JA W 16KM/48KP, 115V 60HZ	
11050-JJ	VR	WF		COM	3 1/75	E	-	11050-JD W 16KM/48KP, 230V 50HZ	
11050-KA	VB	WF		COM	2 8/74	E	CORE/USB	16KM KB11-A LA36/KW/873 TA11 TALL CAB QJD10-DZ -JZ 115V 60HZ	
11050-KD	VR	WF		COM	2 8/74	E	-	230V 50HZ 11050-KA	
11050-KE	VB	WF		COM	3 1/75	E	-	11050-KA W 16KM/16KP, 115V 60HZ	
11050-KJ	VB	WF		COM	3 1/75	E	-	11050-KD W 16KM/16KP, 230V 50HZ	
11050-MA	VB	WF		COM	2 8/74	E	CORE/FSB	16KM KB11-A LA36/KW/873 TA11 DX11 2 TALL CAB QJD40-AN 115V 60HZ	
11050-MD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-MA	
11050-ME	VB	WF		COM	3 1/75	E	-	11050-MA W 16KM/16KP, 115V 60HZ	
11050-MJ	VB	WF		COM	3 1/75	E	-	11050-MD W 16KM/16KP, 230V 50HZ	
11050-RA	VB	WF		COM	2 8/74	E	RSTS/E	16KM/32KP KB11-A LA36/KW/873 2RK KT11 2 TALL CAB QR430-AE 115V 60HZ	
11050-RD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-RA	
11050-RE	VB	WF		COM	3 1/75	E	-	11050-RA W 16KM/48KP, 115V 60HZ	
11050-RJ	VR	WF		COM	3 1/75	E	-	11050-RD W 16KM/48KP, 230V 50HZ	
11050-SA	VB	WF		COM	2 8/74	E	RSX-110	11050-RA W QJ580-AE IN PLACE OF QR430-AE 115V 60HZ	
11050-SD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-SD	
11050-SE	VB	WF		COM	3 1/75	E	-	11050-SA W 16KM/48KP, 115V 60HZ	
11050-SJ	VB	WF		COM	3 1/75	E	-	11050-SD W 16KM/48KP, 230V 50HZ	
11050-UA	VB	WF		COM	2 8/74	E	RSX-11M	16KM KB11-A LA36/KW/873 2RK05 2 TALL CAB QJ620-AE 115V 60HZ	
11050-UD	VB	WF		COM	2 8/74	E	-	230V 50HZ 11050-UA	
11E05-BA	RS	FE		IPY	3 11/73	E	IND11-BA	11E05-NE W INDUSTRIAL CONSOLE, 115V 60HZ OEM	
11E05-BB	RS	FE		IPZ	3 11/73	E	IND11-BB	11E05-NF W INDUSTRIAL CONSOLE, 230V 50HZ OEM	
11E05-NE	DLR	OPN			6 2/75	E	11/05-NC	MM11-L RK05-AA RK11-D TA11-AA LA36-CA BM873-YA DD11-B H960-CA 115V60 OEM	
11E05-NF	DLR	OPN			6 2/75	E	11/05-ND	MM11-L RK05-BB RK11-D TA11-AB LA36-CB BM873-YA DD11-B H960-CB 230V50 OEM	
11E05-NH	DLR	OPN			6 2/75	E	11/05-NE	MM11-L RK05-AB RK11-D TA11-AB LA36-CB BM873-YA DD11-B H960-CB 230V60 OEM	
11E05-NJ	DLR	OPN			6 2/75	E	11/05-NC	MM11-L RK05-BA RK11-D TA11-AA LA36-CA BM873-YA DD11-B H960-CA 115V50 OEM	
11E05-SE	DLR	OPN			5 2/75	E	-	11/05-SC RK05-AA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 60 OEM	
11E05-SF	DLR	OPN			5 2/75	E	-	11/05-SD RK05-BB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 115V 60 OEM	
11E05-SH	DLR	OPN			5 2/75	E	-	11/05-SD RK05-AB RK11-D TA11-AB LA36-CB BM792-YB H960-CA 230V 60 OEM	
11E05-SJ	DLR	OPN			5 2/75	E	-	11/05-SC RK05-BA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 50 OEM	
11E10-NE	DLR	OPN			6 2/75	E	11/10-NC	MM11-L RK05-AA RK11-D TA11-AA LA30-CA BM792-YB DD11-B H960-CA 115V60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	21
11E10-NF	DLR	CPN			6 2/75	E	11/10-ND MM11-L RK05-BB RK11-D TA11-AB LA30-CD BM792-YB DD11-B H960-CB 230V50HZ		
11E10-NH	DLR	CPN			6 2/75	E	11/10-ND MM11-L RK05-AB RK11-D TA11-AB LA30-CB BM792-YB DD11-B H960-CB 230V60HZ		
11E10-NJ	DLR	CPN			6 2/75	E	11/10-NC MM11-L RK05-BA RK11-D TA11-AA LA30-CC BM792-YB DD11-B H960-CA 115V50HZ		
11E10-SE	DLR	CPN			5 2/75	E	- 11/10-SC RK05-AA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 60HZ		
11E10-SF	DLR	CPN			5 2/75	E	- 11/10-SD RK05-BB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 230V 50HZ		
11E10-SH	DLR	CPN			5 2/75	E	- 11/10-SD RK05-AB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 230V 60HZ		
11E10-SJ	DLR	CPN			5 2/75	E	- 11/10-SC RK05-BA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 50HZ		
11L10-AA	AW	ERK			3 12/73	E	- 11E10-NE, NP11, KL11, QJ003-AE, 115V 60HZ		
11L10-AB	AW	ERK			3 12/73	E	- 11E10-NF, NP11, KL11, QJ003-AE, 230V 50HZ		
11L10-BA	AW	ERK			3 12/73	E	- 11/10, 16K, DECWRITER, TA11-AA, RK05-AA, AR11, 115V 60HZ		
11L10-BB	AW	ERK			3 12/73	E	- 11/10, 16K, DECWRITER, TA11-AB, RK05-BB, AR11, 230V 50HZ		
11L10-BC	AW	ERK			3 12/73	E	- 11/10, 16K, LT33-DC, AR11, 115V 60HZ		
11L10-BD	AW	ERK			3 12/73	E	- 11/10, 16K, LT33-DD, AR11, 230V 50HZ		
11L10-BE	AW	ERK			3 12/73	E	- 11/10, 16K, DECWRITER, TA11-AA, AR11, 115V 60HZ		
11L10-BF	AW	ERK			3 12/73	E	- 11/10, 16K, DECWRITER, TA11-AB, AR11, 230V 50HZ		
11L10-BH	AW	ERK			3 12/73	E	- 11/10 16K DECWRTR TA11-AA LPS11-SA LPSKW LPSDR-A LPSAD-12, 115V 60HZ		
11L10-BJ	AW	ERK			3 12/73	E	- 11/10 16K DECWRTR TA11-AB LPS11-SB LPSKW LPSDR-A LPSAD-12, 230V 50HZ		
11L10-BK	AW	ERK			3 12/73	E	- 11E10 16K DECWRTR RK05-AA LPS11-SA LPSKW LPSDR-A LPSAD-12, 115V 60HZ		
11L10-BL	AW	ERK			3 12/73	E	- 11E10 16K DECWRTR RK05-BB LPS11-SB LPSKW LPSDR-A LPSAD-12, 230V 50HZ		
11L40-AA	AW	ERK			3 12/73	E	- 11/40-CU VR14-LC LPS11-SA LPSAD-12 2 LPSAG LPSKW LPSDR-A 115V60HZ		
11L40-AB	AW	ERK			3 12/73	E	- 11/40-CV VR14-LC LPS11-SB LPSAD-12 2 LPSAG LPSKW LPSDR-A 230V50HZ		
-	-	-			-	E	KW11-L, QJ005-AD; 115V 60HZ		
-	-	-			-	E	KW11-L, QJ005-AD; 230V 50HZ		
-	-	-			-	E	DD11-B, KW11-L, 115V 60HZ		
-	-	-			-	E	DD11-B, KW11-L, 230V 50HZ		
-	-	-			-	E	QJ180-AN CAPS-11, QJ942-AN AR-11, 115V		
-	-	-			-	E	RK11-DE, RK05-AA, KW11-L, BM873-YA, VT11-AA, LPS11-SA, QJ500-AE RSX11-D,		
-	-	-			-	E	LPS OPTIONS: H960-DH, H970-FA, LPSAD-12, 2 LPSAG, LPSDR-A, LPSKW, 115V 60HZ		
11L45-EA	AW	ERK			2 2/75	E			
11L45-EB	AW	ERK			2 2/75	E			
11L45-EC	AW	ERK			2 2/75	E			
11L45-ED	AW	ERK			2 2/75	E			
11L45-EE	AW	ERK			2 2/75	E			
11L45-EF	AW	ERK			2 2/75	E			
11L45-EH	AW	ERK			2 2/75	E			
11L45-EJ	AW	ERK			2 2/75	E			
11L45-EK	AW	ERK			2 2/75	E			
11L45-EL	AW	ERK			2 2/75	E			
11L45-EM	AW	ERK			2 2/75	E			
11L45-EN	AW	ERK			2 2/75	E			
11L45-MA	AW	ERK			3 11/74	E			
-	-	-			-	C	DECLAB 11/45-M: 11/45-AH, MM11-U, LA36-CA, KT11-C, RK11-DE, VT11-AA,		
-	-	-			-	C	KW11-L, BM873-YA, LPS11-SA, QJ620-AB RSX-11, 11L45-D LPS OPTIONS, 115V 60HZ		
11L45-MB	AW	ERK			3 11/74	E	11L45-MA EXCEPT 11/45-AJ LA36-CB RK11-DJ RK05-BB VT11-AB LPS11-SB H970-FB 230V50HZ		
11L45-MC	AW	ERK			3 11/74	E	- DECLAB 11/45-MP: 11L45-MA EXCEPT 11/45-AK, MM11-UP (PARITY) 115V60HZ		
11L45-MD	AW	ERK			3 11/74	E	- DECLAB 11/45-MP: 11L45-MB EXCEPT 11/45-AL, MM11-UP (PARITY) 230V50HZ		
11L45-RA	AW	ERK			3 11/74	E	DECLAB 11/45-RT: 11/45-AH, LA36-CA, RK11-DE, RK05-AA, KW11-L, BM873-YA,		
-	-	-			-	E	VT11-AA, LPS11-SA, QJ003-AB RT-11, QJ940-AE LA-11, 11L45-D LPS OPTIONS, 115V 60HZ		
11L45-RB	AW	ERK			3 11/74	E	11L45-RA EXCEPT 11/45-AJ LA36-CB RK11-DJ RK05-BB VT11-AB LPS11-SB, 230V 50HZ		
11L45-RC	AW	ERK			3 11/74	E	- DECLAB 11/45-RTP: 11L45-RA EXCEPT 11/45-AK (PARITY), 115V 60HZ		
11L45-RO	AW	ERK			3 11/74	E	- DECLAB 11/45-RTP: 11L45-RB EXCEPT 11/45-AL (PARITY), 230V 50HZ		
-	-	-			-	E	LP11-FA, CR11, 115V 60HZ		
-	-	-			-	E	LP11-FB, CR11-A, 230V 50HZ		
-	-	-			-	E	LP11-FA, CR11, 115V 60HZ		
-	-	-			-	E	LP11-FB, CR11-A, 230V 50HZ		
-	-	-			-	E	TU10-EE, LP11-JA; CR11, 115V 60HZ		

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
						E		TU10-EJ, LP11-JB; CR11-A, 230V 50HZ
11R20-AA		KH			3 12/71	E	-	RUGGED 11-20 RACK MOUNTABLE 115V
11R20-AB		KH			3 12/71	E	-	RUGGED 11-20 RACK MOUNTABLE 230V
11R20-LA		KH			3 12/71	E	-	11R20-AA WITH NO CONSOLE
11R20-LB		KH			3 12/71	E	-	11R20-AB WITH NO CONSOLE
11W45-AH	VB				3 4/74	E	-	11/45-AH W 861-C POWER CONTROL IN PLACE OF 861-A
120		RR		TPL	6	D	1	SEQUENCE BREAK SYSTEM
121-A		RR			6	M	1	MEMORY CONTROL (1 PROCESSOR)
121-B		RR			6	M	1	MEMORY CONTROL (2 PROCESSORS)
121-C		RR			6	M	1	MEMORY CONTROL (3 PROCESSORS)
121-D		RR			6	M	1	MEMORY CONTROL (4 PROCESSORS)
123		RR		TPL	6	D	1	HIGH SPEED DATA CHANNEL
125		RR			6	K	4	REAL TIME OPTION
126		RR			6	K	4	REAL TIME OPTION FOXBORO
127		RR			6	K	4	DEVICE SELECTOR EXTENSION
128		RR			6	K	4	INF COLLECTOR EX
129		RR		TPL	6	D	5	DATA CHANNEL MULTIPLEXER
131		RR		TPL	6	D	1	DATA CONTROL
132		RR		TPL	6	D	4	CLOCK MULTIPLEXER
133		RR		TPL	6	D	4	DATA INTERRUPT MULTIPLEXER
134		RR			6	M	135	4K MEMORY EXPANDS PDP4-C TO 8K
135		RR			6	M	4, 16	8K MEMORY FOR PDP4-C
137		RG			6	A	5	A/D CONVERTER 11 BIT4
138-A		RG			6	A	1, 4, 7	ADC GENERAL PURPOSE
138-B		RG			6	A	1, 4, 7	FASTER 138
138-C		RG			6	A	1, 4, 7	138 WITH 11 BITS, 45 USEC
138-D		RG			6	A	5, 8	138-B WHICH CONNECTS TO PDP5/8
138-E		RG			6	A	1, 4, 7, AA03	25 USEC F/C 138 (11BITS)
138-F		RG			6	A	1, 4, 7, 8, 9	35 USEC F/C 138 (12 BITS, CAB)
139-A		RG			6	A	1, 4, 7	MULTIPLEXER CONTROL UP TO 64 CHANNELS
139-B		RG			6	A	1, 4, 7	MULTIPLEXER CONTROL 16CH
139-D		RG			6	A	5, 8	139-A WITH PDP5/8 INTERFACE
139-E		RG			6	A	1, 4, 7, AA03	MX CONTROL UP TO 64 CH
139-F		RG			6	A	1, 4, 7, 8, 9	139-A IN 138-F CAB
14/30-A	JM	AR			5 2/75	E	-	14/30-B W 4K X 12 CORE (MM8-E) & DC14-F
14/30-B	JM	AR			3 9/73	E	-	14/30-C W PROCESSOR, I/O CONT & I/O MUX MODULES
14/30-C	JM	AR			3 9/73	B	-	BASIC PDP14/30 MOUNTING PANEL ASSEMBLY W I/O CONNECTORS
14/35-A	JM	AR			5 2/75	E	-	14/30-B W 8K X 12 CORE (MM8-EJ) & DC14-F
140		RR		TPL	6	D	1	RELAY BUFFER
141					6	A	1/142	HIGH SPEED MX CONTROL
142-B		RG			6	A	1, 4, 7	HIGH SPEED 8 BIT DAC
143		RR			6	K	4	16 CHANNEL PRIORITY INTERRUPT
145					6	A	138	INPUT MX (2 CHANNELS)
146		RR			6	M	4	PARITY OPTION
147		RR			6	M	149-A	4K MEMORY
148		RR			6	M	7	MEMORY EXTENSION CONTROL28
148-R		RR			6	M	7-A	MEMORY EXTENSION CONTROL
149-A		RR			6	M	7, 148	4K MEMORY W SPACE FOR 8K
149-B		RR			6	M	7, 148	8K MEMORY (147 + 149-A)
15/73-A	EW	FD			3 2/74	E	-	16K BASIC PT SYS; KP15, ME15-EA, LA30-CA, PC15, KE15, KW15
15/73-B	EW	FD			3 2/74	E	-	16K BASIC PT SYS; KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15
15/75-A	EW	FD			3 2/74	E	-	16K DECTAPE SYS; KP15 ME15-EA LA30-CA PC15 KE15 KW15 TC15 TU56 115V60HZ
15/75-B	EW	FD			3 2/74	E	-	16K DECTAPE SYS; KP15 ME15-EB LA30-CD PC15-A KE15 KW15 TC15 TU56 230V50HZ
15/76-CE	EW	FD			3 8/74	E	-	15/76-DE + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CF	EW	FD			3 8/74	E	-	15/76-DF + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ



MODEL NO	ENG YGR	DESIGN ENGR	PROJ ENGR	MF5R AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
15/76-CK	EW	FD			3	8/74	E	- 15/76-OK + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CL	EW	FD			3	8/74	E	- 15/76-DL + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ
15/76-CP	EW	FD			3	8/74	E	- 15/76-ME + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CR	EW	FD			3	8/74	E	- 15/76-MF + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ
15/76-CS	EW	FD			3	8/74	E	- 15/76-MK + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CT	EW	FD			3	8/74	E	- 15/76-ML + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ
15/76-DA	EW	FD			6	8/74	E	- KP15 ME15-EA LA30-CA PC15 KE15 KW15 TC15 TU56 RK15-FA 115V 60HZ
15/76-DB	EW	FD			6	8/74	E	- KP15 ME15-EB LA30-CD PC15-A KE15 KW15 TC15 TU56 RK15-FD 230V 50HZ
15/76-DC	EW	FD			6	8/74	E	- 15/76-DA W RK15-FE IN PLACE OF RK15-FA, 115V 60HZ
15/76-DD	EW	FD			6	8/74	E	- 15/76-DB W RK15-FJ IN PLACE OF RK15-FD, 230V 50HZ
15/76-DE	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC15, TU56, RK15-HE, 115V 60HZ
15/76-DF	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC15, TU56, RK15-HF, 230V 50HZ
15/76-DK	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC15, TU56, RK15-HK, 115V 60HZ
15/76-DL	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC15, TU56, RK15-HL, 230V 50HZ
15/76-MA	EW	FD			6	8/74	E	- KP15 ME15-EA LA30-CA PC15 KE15 KW15 TC59 TU10-EE RK15-FA, 115V 60HZ
15/76-MB	EW	FD			6	8/74	E	- KP15 ME15-EB LA30-CD PC15-A KE15 KW15 TC59-D TU10-EJ RK15-FD, 230V 50HZ
15/76-MC	EW	FD			6	9/74	E	- 15/76-MA W RK15-FE IN PLACE OF RK15-FA, 115V 60HZ
15/76-MD	EW	FD			6	9/74	E	- 15/76-MB W RK15-FJ IN PLACE OF RK15-FD, 230V 50HZ
15/76-ME	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC59-D, TU10, RK15-HE, 115V 60HZ
15/76-MF	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC59-D, TU10, RK15-HF, 230V 50HZ
15/76-MK	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC59-D, TU10, RK15-HK, 115V 60HZ
15/76-ML	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC59-D, TU10, RK15-HL, 230V 50HZ
15/77-A	EW	FD			3	2/74	E	16K DECDISK SYS: 15/75-A + ME15-B, RF15, RS09, KM15, KT15, KA15, LT15
15/77-B	EW	FD			3	2/74	E	16K DECDISK SYS: 15/75-B + ME15-B, RF15, RS09-A, KM15, KT15, KA15, LT15-A
15/78-AA	EW	FD			3	9/74	E	15/73-A + ME15-B; LA36-CA IN PLACE OF LA30, 115V 60HZ
15/78-AB	EW	FD			3	9/74	E	15/73-B + ME15-B; LA36-CB IN PLACE OF LA30, 230V 50HZ
15/78-BA	EW	FD			3	9/74	E	15/75-A + ME15-B; LA36-CA IN PLACE OF LA30, 115V 60HZ
15/78-BB	EW	FD			3	9/74	E	15/75-B + ME15-B; LA36-CB IN PLACE OF LA30, 230V 50HZ
15/79-A	EW	FD			3	2/74	E	- 16K DISK PACK SYS: 15/73-A + TC59-D, TU10-EE, FP15, RP15-A, RP02-A
15/79-B	EW	FD			3	2/74	E	- 16K DISK PACK SYS: 15/73-B + TC59-E, TU10-EJ, FP15, RP15-B, RP02-B
151	NI				6		K	5 REAL TIME OPTION FOXBORO
152		RR			6		K	1 REAL TIME CLOCK
153		RR			6		K	5 AUTO MULTIPLY & DIVIDE
154		RR			6		M	5 MEMORY EXTENSION CONTROL
155		RR			6		M	5 4K MEMORY
156-A	II				5		K	5 REAL TIME CLOCK
156-B	II				5		K	5 REAL TIME CLOCK FOXBORO
157		RR			6		T	5 57-A INTERFACE
157-B		RV			6		T	8 57-A INTERFACE
158		RR			6		T	1 I/O SELECTION FOR 57-A
16		RR			6		M	4 MEMORY EXTENSION CONTROL
161-A		HW			6		M	6, 10 4 K 5 USEC MEMORY
161-B		HW			6		M	6, 10 8 K 5 USEC MEMORY
161-C		HW			6		M	6, 10 12 K 5 USEC MEMORY
161-D		HW			6		M	6, 10 16 K 5 USEC MEMORY
162		ATT			6		M	6, 10 FLIP FLOP MEMORY
163-C		JS			6		M	6, 10 16 K 2 USEC MEMORY
164		JS			6		M	6 16K 1.5 USEC MEMORY
165-A		SM			5		D	166 COMPUTER INTERCOM W INTERRUPT CONT
165-B		SM			5		D	8 COMPUTER INTERCOM W INTERRUPT CONT
167		KE			6		R	6 DRUM PROCESSOR
168					6		K	6 CP PARITY OPTION
169		SU			6		M	163 PARITY OPTION
17		RR			6		M	16 4K MEMORY FOR PDP4-B
170-A		RR			6		M	171 4 K MEMORY W SPACE FOR 16 K

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
170-B		RR			6	M	171	8 K MEMORY W SPACE FOR 16 K
170-C		RR			6	M	171	12 K MEMORY W SPACE FOR 16 K
170-D		RR			6	M	171	16 K MEMORY
171		RR			6	M	1	MEMORY EXTENSION CONTROL
172		RR			6	K	7	AUTO PRIORITY INTERRUPT
172-B		RR			6	K	7-A	AUTO PRIORITY INTERRUPT
173		RR		TPL	6	D	7	DATA INTERRUPT MULTIPLEXER
173-E		RR		TPL	6	D	7	EXPANDED 173
174		RR		TPL	6	D	7	DATA CONTROL
175		RR		TP-	6	D	7, 7A	INFORMATION COLLECTOR EX (7CH 18 BIT)
176		RR			6	H	7	PARITY OPTION
177		RR			6	K	7	EAE
177-B		RR			6	K	7-A	EAE
18		RR			6	K	4	EAE
180-A		RG			6	A	1,4,7	12 BIT DAC
180-B		RG			6	A	1,4,7	13 BIT DAC
180-D		RG			6	A	4,7	12 BIT DAC
182	NI				5	K	8	EAE
183	41				5	H	8	MEMORY EXTENSION CONTROL
184-A		RR		TP-	5	M	183	4 K 12 BIT MEMORY MODULE
184-B		RR		TP-	5	M	183	4 K 13 BIT MEMORY MODULE
187		JS			6	M	6	EXTRA MEMORY-PROCESSOR ACCESS
188	NI				5	M	8	PARITY OPTION (1ST 4 K ONLY)
189		RR		TPL	5	A	8	12 BIT DAC IN PDP8
19		RR		TP-	6	D	1	HIGH SPEED CHANNEL CONTROL
194					6	D	6	DIGITAL OUTPUT CONTROL
195		RR		TP-	6	D	7/7	INTERPROCESSOR BUFFER
196-A		RR		TP-	3	D	8/8	INTERPROCESSOR BUFFER (12 BIT)
196-B		RR		TP-	3	D	8/7	INTERPROCESSOR BUFFER (12 BIT)
196-C		RR		TP-	3	D	8/5	INTERPROCESSOR BUFFER (12 BIT)
197		RR			6	K	7	MEM INCREMENT LOGIC
236		KE			6	R	167	DRUM CONTROL FOR 4 DRUM
237		KE			6	R	236	DRUM MEMORY
24-E		BV			3	R	4	SERIAL DRUM 32K FLYING HEAD
24-F		BV			3	R	4	SERIAL DRUM 65K FLYING HEAD
24-G		BV			3	R	4	SERIAL DRUM 131K FLYING HEAD
250-A		BV			3	R	5	SERIAL DRUM 8K 12 BITS
250-B		BV			3	R	5	SERIAL DRUM 16K 12 BITS
250-C		BV			3	R	5	SERIAL DRUM 32K 12 BITS
250-D		BV			3	R	5	SERIAL DRUM 65K 12 BITS
250-E		BV			3	R	5	SERIAL DRUM 131K 12 BITS
250-F		BV			3	R	5	SERIAL DRUM 196K 12 BITS
250-G		BV			3	R	5	SERIAL DRUM 262K 12 BITS
251-A		BV			3	R	8, 8/I	SERIAL DRUM 8K 12 BITS
251-B		BV			3	R	8, 8/I	SERIAL DRUM 16K 12 BITS
251-C		BV			3	R	8, 8/I	SERIAL DRUM 32K 12 BITS
251-D		BV			3	R	8, 8/I	SERIAL DRUM 65K 12 BITS
251-E		BV			3	R	8, 8/I	SERIAL DRUM 131K 12 BITS
251-F		BV			3	R	8, 8/I	SERIAL DRUM 196K 12 BITS
251-G		BV			3	R	8, 8/I	SERIAL DRUM 262K 12 BITS
270		DI			6	R	6	CONTROL, DATA PRODUCTS 502 DISK
30		RR			-	V		TABLE TOP 16-INCH DISPLAY
30-D		RR			6	V	4, 7, 9	POINT PLOTTING 16-INCH DISPLAY
30-G		RR			6	V	4, 7, 9	30-D + 33 SYMBOL GENERATOR
30-N	41				6	V	5, 8	POINT PLOTTING 16-INCH DISPLAY

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
338		BR		TPL	6	V	8	16-INCH BUFFERED DISPLAY
338-1		LH			3	V		338 & PDP8/I
339		MI		TPL	6	V	9	338 MODIFIED & VL09
34-A		RR			6	V	4	DISPLAY FOR TEK 503 SCOPE
34-B		RR		TPL	6	V	5	DISPLAY FOR TEK 503 SCOPE
34-C		RR			6	V	1	DISPLAY FOR TEK 503 SCOPE
34-D		RR		TPL	6	V	8, 8/S	DISPLAY FOR TEK 503 SCOPE
34-E		RR			6	V	7-A	DISPLAY FOR TEK 503 SCOPE
34-F		RR			6	V	7-A	DISPLAY FOR TEK 503 SCOPE
34-H		MI			6	V	KD09-A	DISPLAY FOR TEK 503 SCOPE
34-HL		MI			6	V	KD09-C	DISPLAY FOR TEK 503 SCOPE
340		JUL			6	3/74 V	1, 4, 7	DISPLAY MODULES FOR TEK 503
340-B		DG			6	3/74 V	6, 10	INCREMENTAL DISPLAY
340-C		JUL			6	3/74 V	9 WITH DA09-B	INCREMENTAL DISPLAY
341-A		HL			6	D	4	340 WITH PDP9 INTERFACE
341-B		HL			6	D	1	DIRECT DATA CHANNEL
341-C		HL			6	D	7	DIRECT DATA CHANNEL
342		JUL			6	3/74 V	340	DIRECT DATA CHANNEL
342-A		RR		TPL	6	3/74 V	340, 342	CHARACTER GENERATOR, 64 CHAR
342-B		DG			6	3/74 V	340-B	CHARACTER GENERATOR, 2ND 64 CHAR
343		LH			6	3/74 V	ANY DISPLAY	CHARACTER GENERATOR
344		DG			6	3/74 V	6, 10	SLAVE DISPLAY
345		DG			6	3/74 V	6, 10	INTERFACE FOR 340
346		DG			6	3/74 V	6, 10	340-B, 370 LIGHT PEN & 344
347-A		JUL			6	V	340/4	340-B, 342-B, 370 & 344
347-B		JUL			6	V	340/1	SUBROUTINE OPTION
347-C		JUL			6	3/74 V	340/7	SUBROUTINE OPTION
347-D		JUL			6	3/74 V	340-C	SUBROUTINE OPTION
348		DG			6	3/74 V	6, 10	SUBROUTINE OPTION
350	MI				5	1/72 X	1, 4	INTERFACE FOR 30
350-B		MI		TPL	6	4/74 X	5, 8	INCREMENTAL PLOTTER & CONTROL (SEE 560, 563, 564, 565, 566)
350-C		MI			5	1/72 X	9, DW15	PLOTTER & PLOTTER CONT (SEE 563, 564, 565, 566)
354		RR			6	X	4, 7	INCREMENTAL PLOTTER & CONTROL (SEE 560, 563, 564, 565, 566)
370		HL			5	V	340	INCREMENTAL PLOTTER & CONTROL
370-A		HL			5	V	34	PHOTOMULTIPLIER LIGHT PEN
370-C		DC			2	11/71 V	VT07	PHOTOMULTIPLIER LIGHT PEN
374		HL			5	6/71 V	ANY DISPLAY	370 W VT07 BRACKET
374-A		HL			5	6/71 V	ANY DISPLAY	LIGHT PEN W AMPLIFIER
374-B		HL			3	5/71 V	VR14	LIGHT PEN WITHOUT AMPLIFIER
376	JH	CV		OSS	3	5/74 V	ANY DISPLAY (VB15)	374 LIGHT PEN W AMPLIFIER & VR14 MTNG HARDWARE
390		PS			6	K	6	ICC LP303 LIGHT PEN
421-A		RR			6	C	1, 4	MEM CYCLE COUNTER
421-B		RR			6	C	1, 4	CARD READER (200 CPM)
425	MI				6	P	444, 750	CARD READER (800 CPM)
426	MI				6	P	444	PT READER (DIGITRONICS 2500)
427		RR			6	P	75, 761	PT READER (DIGITRONICS 3500)
437		RR			6	P	1	PT PUNCH (TELETYPE BRPE11)
444-A		RR			6	P	4	PT READER & CONTROL
444-B		RR			6	P	7	PT READER & CONTROL
444-C		RR			6	P	1	PT READER & CONTROL
461-A		KE			6	C	6, 10	PT READER & CONTROL
461-B		KE			6	C	6, 10	CARD READER 200 CPM BURROUGHS
50		RR			6	T	51, 52, 54, 57, 57-A	CARD READER 800 CPM BURROUGHS
51		RR			6	T	1	POTTER MAG TAPE TRANSPORT
510		RR			6	T	1	PROGRAMMED MAG TAPE CONTROL
								AUTOMATIC MAG TAPE CONTROL

MODEL NO	ENG MGR	DESIGN ENGR	PROD L IGR	MFR AR: A	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
516		GG			6	T	6	MAG TAPE CONTROL
52		RR			6	T	1	AUTOMATIC MAG TAPE CONTROL
520		NI			6	T	57-A	50 TRANSPORT INTERFACE
521		NI			6	T	57-A	570 TRANSPORT INTERFACE
522-A		NI			6	T	57-A	IBM TRANSPORT INTERFACE
54		RR			6	T	4	PROGRAMMED MAG TAPE CONTROL
545		NI			6	3/74 T	57-A	DATAMEC 2020 DEC MODIFIED
550		RR			6	T	1, 4	CONTROL FOR 4 555 OR TU55
550-A		RR			6	T	1, 7, 7-A	CONTROL FOR 4 TU55
551		GG			6	T	6	DECTAPE CONTROL, 555 OR TU55
552		RR			6	T	5, 8	DECTAPE CONTROL FOR 555 OR TU55 (NOT MIXED)
555-A		RR			6	T	550, 551, 552-A	DECTAPE DUAL TRANSPORT
555-B		RR			6	T	550, 551, 552-A	DESK MOUNT 555-A
560		RR		TPL	6	3/74 X	350	CALCOMP PLOTTER & CONT, 12" 12K STEPS/MIN
563		RR		TPL	6	3/74 X	350-B, 350-C	CALCOMP 563 PLOTTER & CONT, 31" WIDE 12K STEP/MIN .01" STEP
564		RR		TPL	6	3/74 X	350-B, 350-C	CALCOMP 564 PLOTTER & CONT, 31" WIDE 18K STEP/MIN .005" STEP
565		RR		TPL	6	3/74 X	350-B, 350-C	CALCOMP 565 PLOTTER & CONT, 12" WIDE 18K STEP/MIN .01" STEP
566		RR		TPL	6	3/74 X	350-B, 350-C	CALCOMP 565 PLOTTER & CONT, 12" WIDE 18K STEP/MIN .005" STEP
57		RR			6	T	4	AUTOMATIC MAG TAPE CONTROL
57-A		RR			6	T	1, 4, 5	AUTOMATIC MAG TAPE CONTROL
570		RR			6	T	516, 521	MAG TAPE TRANSPORT, MIDWESTERN
580		NI			6	3/74 T	5, 8	545 TRANSPORT & CONTROL
610		RR			6	L	1	TYPEWRITER & CONTROL
611		RR			6	L	1	SPARE TYPEWRITER
612		RR			6	L	1	SPARE KSR28
613		CL			6	L	LINE	ASR33 & CONTROL
626		KE			6	L	166	CONSOLE TYPEWRITER & CONTROL
630		RR		TPL	6	D		DATA COMMUNICATION SYSTEM
630-A		KE			6	D	6	HALF DUPLEX 630
630-B		KE			6	D	6	FULL DUPLEX 630
631		RR		TPL	6	D	630	DATA LINE INTERFACE
631-A		RR		TPL	6	D	630	DATA LINE INTERFACE 60MA 120V
632		RR		TPL	6	D	630	SEND-RECEIVE GROUP
633		RR		TPL	6	D	630	FLAG SCANNER
634		RR		TPL	6	D	630	BASIC CONTROL
635		RR		TPL	6	D	630	DCS OPTIONS
636		RR		TPL	6	D		CHAR SYNC MODEM INTERFACE
637		RR		TPL	6	3/74 D	7	BIT SYNC MODEM INTERFACE
637-B		RR		TPL	6	D	8	MODEM INTERFACE (NOW DP01-A)
644		RR			6	L	1, 4	LINE PRINTER 300 LPM
646-C		KE			6	L	6, 10	LINE PRINTER 1000LPM
646-V		KE			6	L	6	ANELEX, VENDOR SUPPLIED
647-A		RR			6	L	7	LINE PRINTER 300 LPM
647-B		RR			6	L	7	LINE PRINTER 600 LPM
647-C		RR			6	L	7	LINE PRINTER 1000LPM
647-D		NI			6	3/74 L	9	LINE PRINTER 300 LPM
647-E		NI			6	3/74 L	9	LINE PRINTER 600 LPM
648	MI				6	3/74 L	5	ASR33 & CONTROL
649		RR			6	L	7	KSR33 & CONTROL
649-B		RR			6	L	7-A	KSR33 & CONTROL
65		RR			6	L	4	PRINTER-KEYBOARD & CONTROL
680		RR		TPL	6	D	8	DATA COMMUNICATION SYSTEM
681		RR		TPL	6	D	8	DATA LINE INTERFACE
682		RR		TPL	6	D	685	LOCAL TELETYPE CONNECTOR PANEL
683		RR		TPL	6	D	685	LONG LINE TELETYPE MTNG PANEL UP TO 32 LINES

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
684		RR		TPL	6	D	683	MATRICON PATCH PANEL 32 DUPLEX LINES
685		RR		TPL	6	D	681	LINE MODULE MTNG PANEL UP TO 64 LINES
686		RR		TPL	6	D	685	ADDITIONAL LINE SAMPLING CLOCK
687		RR		TPL	6	D	683	MONITOR PANEL 32 DUPLEX LINES
688		RR		TPL	6	D	687	LINE TERMINATOR PANEL
689-AC		MI			3	D	689-AF, 689-AG	AUTOMATIC CALLING UNIT (ALSO CALLED 689-ACU)
689-AF		MI			6	D	685	DATA-SET DATA & CONT MTG PANEL (ALSO CALLED 689-ADF)
689-AG		MI			6	D	DC08-A	689-AF MODIFIED FOR + BUS
689-LM		MI			6	D	689-AG	MODEM INTERFACE TO BELL 103
689-MA		MI			6	D	689-MP	EIA MODEM INTERFACE (ALSO CALLED 689-MIA)
689-MC		MI			6	D	689-AF	DATA-SET DATA & CONT MODULES (ALSO CALLED 689-MIC)
689-MP		MI			6	D	685	DATA-SET DATA ONLY MOUNTING PANEL
75-A		RR			6	P	5	PAPER TAPE PUNCH & CONTROL
75-B		RR			6	P	4	PAPER TAPE PUNCH & CONTROL
75-C		RR			6	P	1	PAPER TAPE PUNCH & CONTROL
75-D		RR			6	P	7	PAPER TAPE PUNCH & CONTROL
75-E		RR			5	P	8	PAPER TAPE PUNCH & CONTROL
75-F		RR			5	P	8	PAPER TAPE PUNCH & CONTROL
75-H		RR			5	P	8	PAPER TAPE PUNCH & CONTROL
75-J		RR			6	P	7-A	PAPER TAPE PUNCH & CONTROL
750-A		RR			6	P	5	PT READER (300 CHAR/SEC)
750-B		RR			6	P	5	PORTABLE HIGH SPEED PTR & CONTROL
750-C		RR			6	P	8	PT READER (3000 CHAR/SEC) & CONTROL
76		RR			6	P	4	FLEXOWRITER & CONTROL
760		DI			6	P	6	PAPER TAPE READER
761		DI			6	P	6	PAPER TAPE PUNCH
8		RR		TPL	6	E	-	LOGIC FOR PDP8
8A100-AC	JC	PG			2	11/74	E	H9300-AA, MS8-AA 1K RAM, 115V 60HZ, OEM
8A100-AD	JC	PG			2	11/74	E	H9300-AB, MS8-AA 1K RAM, 230V 50HZ, OEM
8A100-AE	JC	PG			2	11/74	E	H9300-AA, MS8-AB 2K RAM, 115V 60HZ, OEM
8A100-AF	JC	PG			2	11/74	E	H9300-AB, MS8-AB 2K RAM, 230V 50HZ, OEM
8A100-AH	JC	PG			2	11/74	E	H9300-AA, MS8-AC 3K RAM, 115V 60HZ, OEM
8A100-AJ	JC	PG			2	11/74	E	H9300-AB, MS8-AC 3K RAM, 230V 50HZ, OEM
8A100-AK	JC	PG			2	11/74	E	H9300-AA, MS8-AD 4K RAM, 115V 60HZ, OEM
8A100-AL	JC	PG			2	11/74	E	H9300-AB, MS8-AD 4K RAM, 230V 50HZ, OEM
8A100-FA	JG	PG			2	2/75	E	H9300-AA, MR8-FB 1K PROM, 115V 60HZ
8A100-FB	JG	PG			2	1/75	E	H9300-AB, MR8-FB 1K PROM, 230V 50HZ
8A200-AK	JC	PG			2	11/74	E	H9300-AA, MS8-BA (4K), 115V, OEM
8A200-AL	JC	PG			2	11/74	E	H9300-AB, MS8-BA, (4K), 230V, OEM
8A300-AK	JC	PG			2	11/74	E	H9300-AA, MS8-BA 4K RAM, 115V 60HZ
8A300-AL	JC	PG			2	11/74	E	H9300-AB, MS8-BA 4K RAM, 230V 50HZ
8A300-BM	JC	PG			2	11/74	E	H9300-AA, MS8-BB 8K RAM, KM8-AA, 115V 60HZ
8A300-BN	JC	PG			2	11/74	E	H9300-AB, MS8-BB 8K RAM, KM8-AA, 230V 50HZ
8A300-EM	JC	PG			2	11/74	E	H9300-AA, MS8-BB 8K RAM, KM8-E, 115V 60HZ
8A300-EN	JC	PG			2	11/74	E	H9300-AB, MS8-BB 8K RAM, KM8-E, 230V 50HZ
8A300-JK	JC	PG			2	11/74	E	8A300-AK + DKC8-AA, 115V 60HZ
8A300-JL	JC	PG			2	11/74	E	8A300-AL + DKC8-AA, 230V 50HZ
8A400-BM	JC	PG			2	11/74	E	H9300-BA, MM8-AA (8K), KM8-AA, 115V, OEM
8A400-BN	JC	PG			2	11/74	E	H9300-BB, MM8-AA (8K), KM8-AA, 230V, OEM
8A400-BP	JC	PG			2	11/74	E	H9300-BA, MM8-AB (16K), KM8-AA, 115V, OEM
8A400-BR	JC	PG			2	11/74	E	H9300-BB, MM8-AB (16K), KM8-AA, 230V, OEM
8A400-EM	JC	PG			2	11/74	E	H9300-BA, MM8-AA (8K), KM8-E, 115V, OEM
8A400-EN	JC	PG			2	11/74	E	H9300-BB, MM8-AA (8K), KM8-E, 230V, OEM
8A400-EP	JC	PG			2	11/74	E	H9300-BA, MM8-AB (16K), KM8-E, 115V, OEM
8A400-ER	JC	PG			2	11/74	E	H9300-BB, MM8-AB (16K), KM8-E, 230V, OEM

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
8A500-BM	JC	PG			2 11/74	E	-	H9300-BA, MMB-AA 8K CORE, KM8-AA, 115V 60HZ
8A500-BN	JC	PG			2 11/74	E	-	H9300-BB, MMB-AA 8K CORE, KM8-AA, 230V 50HZ
8A500-BP	JC	PG			2 11/74	E	-	H9300-BA, MMB-AB 16K CORE, KM8-AA, 115V 60HZ
8A500-BR	JC	PG			2 11/74	E	-	H9300-BB, MMB-AB 16K CORE, KM8-AA, 230V 50HZ
8A500-CM	JC	PG			2 11/74	E	-	H9300-BA, MMB-AA 8K CORE, KM8-AA, DKC8-AA, 115V 60HZ
8A500-CN	JC	PG			2 11/74	E	-	H9300-BB, MMB-AA 8K CORE, KM8-AA, DKC8-AA, 230V 50HZ
8A500-CP	JC	PG			2 11/74	E	-	H9300-BA, MMB-AB 16K CORE, KM8-AA, DKC8-AA, 115V 60HZ
8A500-CR	JC	PG			2 11/74	E	-	H9300-BB, MMB-AB 16K CORE, KM8-AA, DKC8-AA, 230V 50HZ
8A500-EM	JC	PG			2 11/74	E	-	H9300-BA, MMB-AA 8K CORE, KM8-E, 115V 60HZ
8A500-EN	JC	PG			2 11/74	E	-	H9300-BB, MMB-AA 8K CORE, KM8-E, 230V 50HZ
8A500-EP	JC	PG			2 11/74	E	-	H9300-BA, MMB-AB 16K CORE, KM8-E, 115V 60HZ
8A500-ER	JC	PG			2 11/74	E	-	H9300-BB, MMB-AB 16K CORE, KM8-E, 230V 50HZ
8A500-HM	JC	PG			2 11/74	E	-	H9300-BA, MMB-AA 8K CORE, KM8-E, DKC8-AA, KC8-AA, 115V 60HZ
8A500-HN	JC	PG			2 11/74	E	-	H9300-BB, MMB-AA 8K CORE, KM8-E, DKC8-AA, KC8-AA, 230V 50HZ
8A500-HP	JC	PG			2 11/74	E	-	H9300-BA, MMB-AB 16K CORE, KM8-E, DKC8-AA, KC8-AA, 115V 60HZ
8A500-HR	JC	PG			2 11/74	E	-	H9300-BB, MMB-AB 16K CORE, KM8-E, DKC8-AA, KC8-AA, 230V 50HZ
8A500-LM	JC	PG			2 2/75	E	-	H9300-BA, MMB-AA 8K CORE, KM8-AB, DKC8-AA, 115V 60HZ
8A500-LN	JC	PG			2 2/75	E	-	H9300-BB, MMB-AA 8K CORE, KM8-AB, DKC8-AA, 230V 50HZ
8A500-LP	JC	PG			2 2/75	E	-	H9300-BA, MMB-AB 16K CORE, KM8-AB, DKC8-AA, 115V 60HZ
8A500-LR	JC	PG			2 2/75	E	-	H9300-BB, MMB-AB 16K CORE, KM8-AB, DKC8-AA, 230V 50HZ
8-I	RR			TPL	5	E	-	LOGIC FOR PDP8-I
8-L	RR			TPL	5	E	-	LOGIC FOR PDP8-L
8-M	RR			TPL	6	E	-	MEMORY WING FOR PDP8
8-P	RR			TPL	6	E	-	PROCESSOR WING FOR PDP8
8-S	RR			TPL	6	E	-	LOGIC FOR PDP8-S
A0-DC10-AA	KE				3 1/75	D	10	REFURBISHED DC10-AA
A0-DC10-B	KE				3 1/75	D	DC10-A	REFURBISHED DC10-B
A0-DC10-E	KE				3 1/75	D	DC10-A	REFURBISHED DC10-E
A0-DC10-FA	KE				3 1/75	D	DC10-A	REFURBISHED DC10-FA
A0-DF10-A	KE				3 1/75	D	10	REFURBISHED DF10-A
A0-DS10-A	KU				3 1/75	D	10	REFURBISHED DS10-A
A0-KA10-A	KE				3 1/75	K	10	REFURBISHED KA10-A
A0-ME10	SU				3 1/75	M	10	REFURBISHED ME10
A0-MA10	SU				3 1/75	M	10	REFURBISHED MA10
A0-RP10-A	NFM				3 1/75	R	DF10	REFURBISHED RP10-A
A0-RP10-CA	NFM				3 1/75	R	DF10	REFURBISHED RP10-CA
A0-TM10-A	JS				3 1/75	T	10	REFURBISHED TM10-A
A0-TM10-B	JS				3 1/75	T	DF10	REFURBISHED TM10-B
A1-DC10-AA	KE				3 1/75	D	10	UNREFURBISHED DC10-AA
A1-DC10-B	KE				3 1/75	D	DC10-A	UNREFURBISHED DC10-B
A1-DC10-E	KE				3 1/75	D	DC10-A	UNREFURBISHED DC10-E
A1-DC10-FA	KE				3 1/75	D	DC10-A	UNREFURBISHED DC10-FA
A1-DF10-A	KE				3 1/75	D	10	UNREFURBISHED DF10-A
A1-DS10-A	KU				3 1/75	D	10	UNREFURBISHED DS10-A
A1-KA10-A	KE				3 1/75	K	10	UNREFURBISHED KA10-A
A1-ME10	SU				3 1/75	M	10	UNREFURBISHED ME10
A1-MA10	SU				3 1/75	M	10	UNREFURBISHED MA10
A1-RP10-A	NFM				3 1/75	R	DF10	UNREFURBISHED RP10-A
A1-RP10-CA	NFM				3 1/75	R	DF10	UNREFURBISHED RP10-CA
A1-TM10-A	JS				3 1/75	T	10	UNREFURBISHED TM10-A
A1-TM10-B	JS				3 1/75	T	DF10	UNREFURBISHED TM10-B
AA01-A	RG				3	A	7, 9, AA04	SINGLE 12-BIT DAC
AA01-B	RG				3	A	7, 9, AA04	2 12-BIT DACS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
AA01-C		RG			3	A	7, 9, AA04	3 12-BIT DACS
AA02		RG			6	A	AA01	OP AMP
AA03-A		RG			6	A	8,8/S,8/I	130-E OR 139-E TO PDP8, NO MX EXT
AA03-B		RG			6	A	8,8/S,8/I	130-E OR 139-E TO PDP8, MX EXT
AA04		RG			3	A	8,8/S,8/I	AA01-A TO PDP8
AA05-AA	MI			TPL	5	A	8,8/S,8/I	64 CH DAC CONT (24 DACS) 60 HZ
AA05-AB	MI			TPL	5	A	8,8/S,8/I	64 CH DAC CONT (24 DACS) 50 HZ
AA05-BA	MI			TPL	5	A	9, DW15	64 CH DAC CONT (24 DACS) 60 HZ
AA05-BB	MI			TPL	5	A	9, DW15	64 CH DAC CONT (24 DACS) 50 HZ
AA05-CA	MI			TPL	3	A	8 NEG	AA05-AA IN H950 CAB
AA05-CB	MI			TPL	3	A	8 NEG	50 HZ AA05-CA
AA05-DA	MI			TPL	3	A	9	AA05-BA IN H950 CAB
AA05-DB	MI			TPL	3	A	9	50 HZ AA05-DA
AA06		BV		CSS	6	A	8,9	64 CH 8 BIT DAC CONTROL
AA07	MI			TPL	4	A	AA05	AA05 EXPANSION (CH 25-64)
AA07-C	MI			TPL	3	A	AA05-C, AA05-D	AA07 FOR AA05-C & AA05-D W CAB
AA09		REL			3	3/74	A	9
AA09-B		RF			3	3/72	A	9
AA11-A		RG			5	5/71	A	AA11-D
AA11-B		RG			5	5/71	A	AA11-D
AA11-C		RG			5	5/71	A	AA11-D
AA11-DA		RG			5	5/71	A	11
AA11-DB		RG			5	5/71	A	11
AA11-E	SHT	AW			4	1/72	A	AA11-D
AA11-FA	SHT	AW			4	1/72	A	AA11-E
AA15-A		PDM			5		A	15
AA15-B		RF			5	2/72	A	15
AA50-AN		AS		IPG	5	3/71	A	8 NEG
AA50-AP		AS		IPG	5	3/71	A	8 POS
AA50-BN		AS		IPG	5	3/71	A	8 NEG
AA50-BP		AS		IPG	5	3/71	A	8 POS
AAC2		PDM			6	5/73	A	AA09, AA15-A
AAC3		RF			5	2/72	A	AA09-B, AA15-B
AAS11-HA		ABW		CSS	6	2/75	A	11
AAS11-HB		ABW		CSS	6	2/75	A	11
AC01-A		RG		IPG	4		A	8,8/S,8/I
AC01-B		RG		IPG	4		A	9, DW15
AC02-AN		PRO			3	4/72	A	8 NEG
AC02-AP		PRO			3	4/72	A	8 POS
AC11-A		JFH		CSS	6	2/75	A	11
AC11-B	ESS	NSR		CSS	6	2/75	A	11
ACT11		RM			3	10/72	E	11
ACT11-M		RM			3	10/72	E	ACT11
ACT11-X		RM			3	10/72	E	ACT11
ACT15		FA			2		R	9, 9/L, 15
AD01-AN	SHT				5	2/72	A	8 NEG
AD01-AP	SHT				5	2/72	A	8 POS
AD01-DA	SHT				5	2/72	A	11
AD01-DB	SHT				5	2/72	A	11
AD01-FA	SHT	AW			4	1/72	A	AD01-D
AD01-FB	SHT	AW			4	1/72	A	AD01-A, AD01-D
AD01-FC	SHT	AW			2	5/72	A	AD01-A
AD02-AN		RG		IPG	3	1/72	A	8 NEG UNIPOLAR 12-BIT ADC W CONT FOR 512 CH, SP FOR 32 CH & S&H, SW GAIN
AD02-AP		RG		IPG	3	1/72	A	8 POS UNIPOLAR 12-BIT ADC W CONT FOR 512 CH, SP FOR 32 CH & S&H, SW GAIN
AD02-AR		RG		IPG	3	1/72	A	8 NEG BIPOLAR 12-BIT ADC, 512 CH CONT, SP 32CH & S&H, SW GAIN

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
AD02-AS		RG		IPG	3 1/72	A	8 NEG	BIPOLAR 12-BIT ADC, 512 CH CONT, SP 32CH & S&H, SW GAIN
AD02-DA		RG		IPG	3 1/72	A	11	UNIPOLAR 12-BIT ADC, 128 CH CONT, SP 32 CH & S&H, SW GAIN, 115V
AD02-DB		RG		IPG	3 1/72	A	11	UNIPOLAR 12-BIT ADC, 128 CH CONT, SP 32 CH & S&H, SW GAIN, 230V
AD02-DC		RG		IPG	3 1/72	A	11	BIPOLAR 12-BIT ADC, 128 CH CONT, SP 32CH & S&H, SW GAIN, 115V
AD02-DO		RG		IPG	3 1/72	A	11	BIPOLAR 12-BIT ADC, 128 CH CONT, SP 32CH & S&H, SW GAIN, 230V
AD08-A		RG			5	A	8,8/S,8/I	10 BIT ADC 1 USEC/BIT
AD08-B		RG			5	A	8,8/S,8/I	AD08-A PLUS 16 CH MUX
AD08-C		RG			3 3/74	A	8,8/S,8/I	AD08-A WITH 22-IN SLIDE
AD09-B		RG		IPG	6 10/72	A	9	10 BIT ADC + 16 CH MUX
AD10-A		RBH		CSG	6 10/72	A	10	WIDE RANGE MUX ADC (SEL)
AD10-B		RBH		CSG	6 10/72	A	AD10-A	64 CH MUX EXPANSION
AD10-C		RBH		CSG	3	A	AD10-A	DUAL CH MODS
AD11-AA		RG		IPG	3 1/72	A	11	12-BIT + SIGN ADC W 128 CH CONT, SP 32CH & S&H, SW GAIN, 115V
AD11-AB		RG		IPG	3 1/72	A	11	12-BIT + SIGN ADC W 128 CH CONT, SP 32CH & S&H, SW GAIN, 230V
AD12	SNT	RI			5	A	12	10 BIT A/D WITH SAMPLE & HOLD, 16 CH, 20 USEC
AD12-M	SNT	RI			6 5/72	A	AD12	CONT FOR 128 CH, INCLUDES 32 CH W PREAMPS
AD12-S	SNT	RI			6 5/72	A	AD12-M	AD12-M EXPANDER, INCLUDES 32 CH W PREAMPS
AD15		HORO		IPG	5	A	15, AM01-A	13 BIT A/D, S&H, 128 MUX CONT, SP FOR 32 CH, 115V
AD8-A	AW	GFS			2 2/75	A	8/E	10-BIT A/D CONVERTER W S&H, 16 CH MUX, SINGLE ENDED (AD08)
AD8-B	AW	GFS			2 2/75	A	8/E	AD8-A + M322 DISTRIBUTION PANEL
AD8-EA	SNT	GPB			5 2/72	A	8/E	10 BIT A/D CONVERTER W SAMPLE & HOLD, 1 CH
AD8-ES	SNT	GPB			5 2/72	A	8/E (LAB 8/E)	AD8-EA + AM8-ED
ADC1-8		RG			-	A	8 NEG	ADC1-A & ADC8
ADC1-9		RG			6 3/74	A	9	ADC1-A & ADC9
ADC1-A		RG			6 3/74	A		6-12 BIT ADC, RACK MTD
ADC1-B		RG			6 3/74	A		TABLE TOP ADC1
ADC8		RG			5	A		MODULE SET FOR PDP8 INTERFACE
ADC81-A		RG		IPG	6 10/72	A	8 NEG	ADC1-A, ADC8 & AH03-A
ADC81-B		RG		IPG	6 10/72	A	8 NEG	ADC1-A, ADC8 & AH03-D
ADC9		RG			5	A	AD01, AMX1, CMX1	MODULE SET FOR PDP9 INTERFACE
ADF11		RG		IPG	3 4/72	A	11	12 BIT + SIGN A/D, HIGH SPEED, CONT FOR 512 CH, SP FOR 64 (A124)
ADF11-S	JEH	JTN		CSG	3 9/74	A	11	MODIFIED ADF11 W PROGRAMMABLE CLOCK
ADF15-CA		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 32 CH 115V
ADF15-CB		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 32 CH 230V
ADF15-DA		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 64 CH 115V
ADF15-DB		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 64 CH 230V
ADH11-CA	JEH	JTN		CSG	3 10/74	A	11	INTERFACE & CONT FOR A/D SUBSYSTEMS, UP TO 256 CHANNEL 120V
ADH11-CB	JEH	JTN		CSG	3 10/74	A	11	INTERFACE & CONT FOR A/D SUBSYSTEMS, UP TO 256 CHANNEL, 240V
ADH11-DA	JEH	JTN		CSG	3 10/74	A	ADH11-C	32 CHANNEL DIFF INPUT SUBSYSTEM, 120V
ADH11-DB	JEH	JTN		CSG	3 10/74	A	ADH11-C	32 CHANNEL DIFF INPUT SUBSYSTEM, 240V
ADS11-BA	JEH	ABW		CSG	6 2/75	A	11	INTERFACE TO ANALOGIC AN5000 ADC MUX SYS, 115V
ADS11-BB	JEH	ABW		CSG	6 2/75	A	11	INTERFACE TO ANALOGIC AN5000 ADC MUX SYS, 230V
ADS15-A	GT	CP	BFB		6 11/73	Q	15	RENAMED DM005
ADU01	JM	AKI		IPG	3 11/73	A	UDC	8 CH SOLID STATE FLYING CAP 12-BIT ADC, PROG GAIN 1.5 HZ BW BIPOLAR
ADU01-YA	JM	RG		IPG	3 5/73	A	UDC	ADU01 W 60HZ BANDWIDTH, SINGLE ENDED
AF01-AA		RG			5	A	8,8/S,8/I	6-12 BIT ADC TO 64 CH RACK MTD
AF01-AB		RG			5	A	8,8/S,8/I	TABLE TOP AF01-A
AF01-AC		RG			5	A	8,8/S,8/I	AF01-AA WITH 22-IN SLIDE
AF01-BA		RG			5	A	9, DW15	6-12 BIT ADC TO 64 CH RACK MTD
AF01-BB		RG			5	A	9, DW15	TABLE TOP AF01-B
AF01-C		BV		CSG	3	A	10	AF01-AA ON PDP-10
AF02-A		RG		IPG	-	A	8 NEG	ADC1/8, AM08 & AM02-A, -B
AF02-B		RG		IPG	-	A	9, DW15	ADC1/9, AM09 & AM02-A, -B
AF03-A		RG		IPG	6 3/71	A	8 NEG	ADC1/8, AM08 & AM03-A, -B
AF03-B		RG		IPG	6 3/71	A	9, DW15	ADC1/9, AM09 & AM03-A, -B



MODEL NO	EF MGR	DESIGN ENGR	PROD IGR	NFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
AF04-A		DB		IP9	3 10/72	A	8 NEG	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-AN		DB		IP9	3	A	8 NEG	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-AP		DB		IP9	3	A	8 POS	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-B		DB		IP9	3 10/72	A	9	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-BN		DB		IP9	3	A	9	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-BP		DB		IP9	3	A	15	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-C		DB		IP9	3	A	10	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-S		DB		IP9	3 10/72	A	AF04-A, -B, -C -X	VIDAR 10 CH LOW LEVEL SN MOD
AF04-X		DB		IP9	3 10/72	A	AF04-A, -B, -C	200 CH EXPANSION CABINET
AF05-C		BV		CS2	3	A	10	AUTO-RANGING ADC
AF06-A	SNT	JL			4	A	8	SYS INTERFACE CDP 60 HZ
AF06-AB	SNT	JL			4	A	8	SYS INTERFACE CDP 50 HZ
AF07	SNT	JL			4	A	AF06	AF17, H303, R107, W640
AF08-A	SNT	JL			4	A	AF07	A/D MODULE SET WITH A211
AF08-B	SNT	JL			4	A	AF07	A/D MODULE SET WITH A210
AF08-K	SNT	JL			4 2/72	A	AF08-A, -B	CONNECTOR KIT
AF09-A		DMT		IP9	3	A	9	HI-SPEED 6 MODE LAB ACQ SYS
AF16	SNT	JL			4	A	AF06	CONT FOR 8 AF17
AF17	SNT	JL			4	A	AF16	CONT FOR 8 H300 OR H301
AFC	RS	NORO		IP9	-	A		FLYING CAPACITOR SCANNER SERIES NAME
AFC11	RS	NORO		IP9	5 9/71	A	11	MASTER FILE: AM07-A, BF01, H704-C, SPACE FOR AM11
AFC15-A		PDM			3 1/72	A	BD15	FLYING CAP SCAN: CAB, H704-C, AM05-P, SP FOR 4 AM07-B, 115V
AFC15-B		PDM			3 1/72	A	BD15	FLYING CAP SCAN: CAB, H704-H, AM05-P, SP FOR 4 AM07-B, 230V
AFC8-NA	RS	NORO		IP9	5 5/71	A	8 NEG	FLYING CAP SCAN IS AM04-N, AM05-N, AM07-A, BF01, H704-C 115V
AFC8-NB	RS	NORO		IP9	5 5/71	A	8 NEG	FLYING CAP SCAN IS AM04-N, AM05-N, AM07-A, BF01, H704-H 230V
AFC8-PA	RS	NORO		IP9	5 5/71	A	8 POS	FLYING CAP SCAN IS AM04-P, AM05-P, AM07-A, BF01, H704-C 115V
AFC8-PB	RS	NORO		IP9	5 5/71	A	8 POS	FLYING CAP SCAN IS AM04-P, AM05-P, AM07-A, BF01, H704-H 230V
AFC8-XA	RS	NORO		IP9	6 9/72	A	AFC8, AFC11	AFC8 EXP FILE, BF01, AM07-A, SP FOR 5 AM07-B, SHORT CABLE
AFC8-XB	RS	NORO		IP9	6 9/72	A	AFC8, AFC11	AFC8 EXP FILE, BF01, AM07-A, SP FOR 5 AM07-B, LONG CABLE
AG01		RD		IP9	3	A	ADC1, ADC81, AM03	DIFF AMP WITH SWITCHED GAIN
AG02		RD		IP9	3	A	8 POS, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG02-BN		RB		IP9	3	A	9, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG02-BP		RB		IP9	3	A	15, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG03		BV		IP9	3	A	AF01 OR AF02	DIFF AMP MANIFOLD
AG04		JL			4	A	AF06	AMP WITH PROGRAMMED GAIN
AG05		RG		IP9	3 12/71	A	8 POS, ADC1, ADC81, AM03	EXTRA WIDE BANDWIDTH AG01
AG06	SNT	GFS			3 3/73	A	AIP12-A, -B	REMOTE DIFF AMP, GAIN 100 OR 1000, +/- 10V OUTPUT
AG12	SNT	RI			5	A	AM12	16 PREAMPS
AG12-A	SNT	RI			3	A	AD12, 1ST 8 CHANNELS	PREAMP/KNOB INPUTS FOR A/D CHANNELS 0-7
AGL2		AW			5	A	LINC/B, CLINICAL LAB 12	24 PREAMPS FOR CLIN CHEM
AH01		RG		IP9	6	A	138-E, 139-E	S&H BETWEEN 138-E AND 139-E
AH02		RG		IP9	5	A	AD08, ADC1, ADC81, AC01, AF01	S&H FOR AMX1, CMX1
AH03-A		RG		IP9	3	A	ADC1, AF01	+/- 10V INPUT AMP, A200-YA
AH03-B		RG		IP9	3	A	ADC1, AA01, AF01	0/-10V AMP, A200-YB
AH03-C		RG		IP9	3	A	ADC1, AF01	0/+10V INPUT AMP, A200-YC
AH03-D		RG		IP9	3	A	ADC1, AF01	+/-5V INPUT AMP, A200-YD
AH03-E		RG		IP9	3	A	ADC1, AF01	0/-5V INPUT AMP, A200-YE
AH03-F		RG		IP9	3	A	ADC1, AF01	0/+5V INPUT AMP, A200-YF
AH03-H		RG		IP9	3	A	AA01	0/+10V OUTPUT AMP, A207-YH
AH03-J		RG		IP9	3	A	AA01	+/-10V OUTPUT AMP, A207-YJ
AH03-K		RG		IP9	3	A	AA01	+/-5V OUTPUT AMP, A207-YK
AH03-L		RG		IP9	3	A	AD08	+/-10V INPUT AMP, A207-YL
AH03-M		RG		IP9	3	A	AD08	0/+10V INPUT AMP, A207-YM
AH03-N		RG		IP9	3	A	AD08	0/-10V INPUT AMP, A207-YN
AH03-P		RG		IP9	3	A	AD08	0/+5V INPUT AMP, A207-YP

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MEMR AREA	STATUS MO/YR	CATE-GDRY	USED ON	DESCRIPTION	32
AH03-R		RG		IPG	3	A	AD08	0/-5V INPUT AMP, A207-YR	
AH03-S		RG		IPG	3	A	AD08	+/-5V INPUT AMP, A207-YS	
AH04	SNT				3	1/72 A	AD01	SAMPLE & HOLD	
AH05	SNT				3	1/72 A	AD01	ADDED SIGN OPTION (+/-10V IN)	
AH05-A		AW			3	3/74 A	AD01 IN RAD-8	ADDED SIGN OPTION (0 TO +10V IN)	
AIP12-A	SNT	JL			5	2/72 A	8 POS	ANALYTICAL INSTRUMENTATION PACKAGE 115V	
AIP12-B	SNT	JL			5	2/72 A	8 POS	ANALYTICAL INSTRUMENTATION PACKAGE 230V	
AIP12-C	SNT	JL			3	1/72 A	AIP12	15 BIT A/D (IN PLACE OF STD 12) (MODULE)	
AIP12-D	SNT	JL			3	1/72 A	AIP12	8 DIGIT BCD INPUT (MODULE SET)	
AIP12-E	SNT	JL			3	1/72 A	AIP12	4 EXTRA ANALOG INPUTS (MODULE SET)	
AIP12-H	SNT	JL			3	11/71 A	AIP12	HALL PROBE INTERFACE	
AM01-A		HORO		IPG	5	A	AD15	EXPANDER FOR 32 CH (SP FOR 8 BA124)	
AM02-A		RG			3	A	AM08, AM09	HI LEVEL MUX, SPACE FOR 128 CH (32 A122)	
AM02-B		RG			3	A	AM08, AM09	HI LEVEL MUX, SPACE FOR 256 CH (64 A122)	
AM03-A		RG		TPL	6	3/71 A	AM08, AM09, AG01	LOW LEVEL DIFF MX SPACE 64 CH (32 A111)	
AM03-B		RG		TP-	6	3/71 A	AM08, AM09, AG01	LOW LEVEL DIFF MX SPACE 128 CH (64 A111)	
AM04-N	RS	HORO		IPG	4	A	8 NEG, BF01	2048 CH FLYING CAP CONT,	
AM04-P	RS	HORO		IPG	4	A	8 POS, BF01	2048 CH FLYING CAP CONT	
AM04-B	RS	HORO		IPG	4	A	15, BF01	2048 CH FLYING CAP CONT	
AM05-N	RS	HORO		IPG	4	A	8 NEG, BF01, AM04-N	FLYING CAP ADC	
AM05-P	RS	HORO		IPG	4	A	8 POS, BF01, AM04-P, BD15	FLYING CAP ADC	
AM07-A	RS	HORO		IPG	4	A	AM04, AM05, BF01	RELAY SYS UNIT, SP FOR 32 CH W A219	
AM07-B	RS	HORO		IPG	4	A	AM04, AM05, BF01	RELAY SYS UNIT, SP FOR 32 CH W G738	
AM08		RG			5	A	8, DW08-A	CONT FOR AM02 & AM03, 1024 CH	
AM09		RG			6	3/74 A	9, DW15	CONT FOR AM02 & AM03, 1024 CH	
AM11-CE	RS	HORO		IPG	3	A	11, AFC11	CONT & 12 BIT + SIGN ADC 10MV TO 10V FOR AFC11	
AM12	SNT	GPB			5	A	AD12	INTERNAL A/D MPX EXPANSION	
AM8-EA	SNT	GPB			5	2/72 A	8/E, AD8-EA	8 CH MUX & PREAMPS	
AM8-EC	SNT	GPB			5	2/72 A	AM8-EA	4 POTS & INPUTS IN H945-AA	
AM8-ED	SNT	GPB			5	2/72 A	AM8-EA	2 X 8 CH CONNECTOR IN H945-AA	
AML2		LG			5	A	LINC/8	INTERNAL A/D MUX EXP	
AMT		CU				B	4, 7, 9, 15	AUTOMATIC MODULE TESTER	
AMX1-A		RG			3	A		64 CH MX RACK MTD	
AMX1-B		RG			3	A		TABLE TOP AMX1-A	
AMX2		RG		IPG	3	2/72 A	AD02, AD11	SP FOR 128 CH MUX	
AR11	AW	JL			2	8/74 A	DD11	16 CH 10 BIT A/D, S&H, SCOPE CONT, REAL TIME CLOCK (M7809)	
AR11-KT	AW	RI			3	1/75 A	DD11	AR11, BC08R-8, H322, KIT	
ATR80-RS		SEG		IPG	6	9/72 A	AF03-A, AF04-A, AFC8, AFC11	UNIF TEMP REF W SPACE FOR 32 THERMOCOUPLES	
ATR80-WS		SEG		IPG	6	9/72 A	AF03-A, AF04-A, AFC8, AFC11	ATR80-RS WIRED TO MUX & WITH RTD BRIDGE	
AX08		SG		TP-	6	6/73 A	8, 8/I	4 CH S&H ADC, 3P, 3L, SCOPE LOGIC	
AX08-B		SG		TP-	6	6/73 A	8, 8/I	AX08 WITH 22-IN SLIDE	
AX08-XC		SG		TP-	6	6/73 A	AX08, AX08-B	2ND-5TH A-INPUTS, SETS OF 4	
AX08-XM		SG		TP-	6	6/73 A	AX08, AX08-B	1ST ADDED A-INPUTS, SET OF 4	
AX08-XR		SG		TP-	6	6/73 A	AX08, AX08-B	EXPANSION REGISTERS OF AX08	
AX09		CB		CS5	6	A	9, 9/L	4 CH S&H ADC, P&L, SCOPE LOGIC	
BA08		RR		TPL	5	B	8/L	PERIPHERAL EXPANDER	
BA09		FA			6	3/74 B	9	PERIPHERAL EXPANDER	
BA10		KE			5	B	10	WIRED CAB FOR CR10, LP10, XY10	
BA11-BA	CA	JO			2	9/72 B	11/35	HEX BOARD EXPANSION BOX W PS & SLIDES, 115V	
BA11-BB	CA	JO			2	9/72 B	11/35	HEX BOARD EXPANSION BOX W PS & SLIDES, 230V	
BA11-CC		DN			2	B	11/20	PDP11 BASIC BOX W PWR SUPPLY, COVER	
BA11-CS		DN			4	B	11/20	PDP11 BASIC BOX W PWR SUPPLY, SLIDES	
BA11-DA		JO			4	1/74 B	11/35, 11/05-N, 11/10-N	11/35 BASIC BOX W PS & SLIDES, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	33
BA11-DB		JO			4 1/74	B	11/35, 11/05-N, 11/10-N	11/35 BASIC BOX W PS & SLIDES, 230V	
BA11-EC		DN			3	B	11/20	PDP11 EXPANDER BOX, COVER	
BA11-ES		DN			3	B	11/20	PDP11 EXPANDER BOX, SLIDES	
BA11-FA	BD	WM			4 3/72	B	11/45	11/45 BASIC FILE	
BA11-FB	BD	WM			4 3/72	B	11	11/40 EXPANSION FILE	
BA11-FC	BD	WM			4 10/72	B	11/40	11/40 BASIC FILE	
BA11-FD	BD	WM			3 2/73	B	11	FIELD INSTALLED EXP FILE W PS, H742-A, 3 H744, 2 H745, 115V	
BA11-FE	BD	WM			3 3/73	B	11	FIELD INSTALLED EXP FILE W PS, H742-B, 3 H744, 2 H745, 230V	
BA11-FF	RK	CARN			3 11/74	B	11	BA11-FH + 861-A (115V 2 PHASE)	
BA11-FH		WM			3 4/74	B	11	FIELD INSTALLED EXP FILE W H742-A, 3 H744, H745, H754, 115V	
BA11-FJ		WM			3 4/74	B	11	FIELD INSTALLED EXP FILE W H742-B, 3 H744, H745, H754, 230V	
BA11-JA		HL			4 4/73	A	11/05	STRONG COVER FOR TABLE TOP 11/05	
BA11-KE	RFG	WRH			3 2/75	B	11	10.5" EXPANDER BOX W H765-A, 115V	
BA11-KF	RFG	WRH			3 2/75	B	11	10.5" EXPANDER BOX W H765-B, 230V	
BA11-KH	RFG	WRH			3 2/75	B	11/05-S, 11/10-S, 11/35-S	BA11-KE W NO FRONT PANEL OR BC11A, 115V	
BA11-KJ	RFG	WRH			3 2/75	B	11/05-S, 11/10-S, 11/35-S	BA11-KF W NO FRONT PANEL OR BC11A, 230V	
BA11-MA	MT				1+	2/75	B	11V05	
BA12	SNT	RI			5	B	12	PERIPHERAL EXPANDER	
BA124	RS	MORO			3	B	AD15-C, -D, AD01-A, AD01-A, -D	A124 4 CH FET MUX SINGLE ENDED + H050	
BA125	RS	FE			3 12/73	A	AD01-A, AD01-D	A125 4 CH FET MUX, OPEN W NO PWR, + H050	
BA14		AR			5	B	14	ACCESSORY BOX	
BA15		FA			4	B	15	PANEL FOR VP15, LT15, PC15, MR15	
BA150	RS	MORO		IPG	4 3/71	A	AM07-A, -B	A150, FOR AFC'S, 8 CH FLYING CAP MUX	
BA151	RS	MORO		IPG	4 5/72	A	AM07-A, -B	A151, BLOCK SELECT	
BA224	SNT	JL			4 6/71	A	AIP12	A224 DIFF AMP, +/-2V IN, +/-10V OUT	
BA224-YA	SNT	JL			5 2/72	A	AIP12	A224-YA, +/-5V IN, +/-10V OUT	
BA224-YB	SNT	JL			5 2/72	A	AIP12	A224-YB, +/-10V IN, +/-10V OUT	
BA224-YC	SNT	JL			5 2/72	A	AIP12	A224-YC, +/-1V IN, +/-10V OUT	
BA226	SNT	JL			5 2/72	A	AIP12	A226 UNIPOLAR AMP, 2V IN, +/-10V OUT	
BA226-YA	SNT	JL			5 2/72	A	AIP12	A226-YA, 5V IN, +/-10V OUT	
BA226-YB	SNT	JL			5 2/72	A	AIP12	A226-YB, 10V IN, +/-10V OUT	
BA226-YC	SNT	JL			5 2/72	A	AIP12	A226-YC, 1V IN, +/-10V OUT	
BA233		RG			5 1/72	A	BA633	A233 FOR UDC, PADDLE BOARD, 0 TO +10V	
BA234		RG			5 1/72	A	BA633	A234 FOR UDC, PADDLE BOARD, +1 TO +5V	
BA235		RG			5 1/72	A	BA633	A235 FOR UDC, PADDLE BOARD, +4 TO +20MA	
BA236		RG			5 2/72	A	BA633	A236 FOR UDC, PADDLE BOARD, +10 TO +50MA	
BA408	AW	JL			2 11/73	A	LPS11-S	8 CH SWITCHED GAIN MUX, CHANGES LPSAM TO LPSAM-SG	
BA614		RG		IPG	2	B	AA50, AA11	A614 12 BIT D/A BIPOLAR	
BA633		RG			3 5/71	A	DD01, DD02	A633, 4 10-BIT DACS FOR UDC W MARKING STRIP	
BA8-AA		PG			4	B	8/E	POP8-E BOX, 1 BUS, H724 POWER, SLIDES, 115V, BC08H-3F	
BA8-AB		PG			4	B	8/E	POP8-E BOX, 1 BUS, H724 POWER, SLIDES, 230V, BC08H-3F	
BA8-BA		PG			4	B	8/E	POP8-E BOX, 1 BUS, H724 POWER, COVER, 115V, BC08H-3F	
BA8-BB		PG			4	B	8/E	POP8-E BOX, 1 BUS, H724 POWER, COVER, 230V, BC08H-3F	
BA903	RS	MORO		IPG	4 3/71	A	BA150	A903 FOR AFC'S, PADDLE BOARD, 0 TO 10V	
BA904	RS	MORO		IPG	4 3/71	A	BA150	A904 FOR AFC'S, PADDLE BOARD, 0 TO 100V	
BA905	RS	MORO		IPG	4 3/71	A	BA150	A905 FOR AFC'S, PADDLE BOARD, 0 TO 50MA	
BAJ11-ES	CA				3 6/72	B	11/20	SYSTEM TESTED BA11-ES	
BAR11-CS		KH			3 1/72	B	11R20	RUGGED PDP11 BASIC BOX, SLIDES	
BAR11-EC		KH			3 1/72	B	11R20	RUGGED PDP11 EXPANDER BOX, SLIDES	
BB08-N		LN			5	B	8 NEG	BUS INTERFACE WITH 24 UNWIRED SLOTS	
BB08-P		LN			5	B	8 POS	BUS INTERFACE WITH 24 UNWIRED SLOTS	
BB11		PJ			3	B	11	SYS UNIT FOR BUS INTERFACE WITH 18 UNWIRED SLOTS, SLOTTED BLOCKS	
BB11-A	RJM	SZ			3 1/73	B	BB11-F, -H, -K, SU FOR BUS INTERFACE W 18 UNWIRED SLOTS, NON-SLOTTED BLOCKS		
BB11-B	RJM	RF			3 9/74	B	11	DOUBLE SYS UNIT FOR BUS INTERFACE, 48 UNWIRED SLOTS, SLOTTED BLOCKS	
BB11-D	RJM	RF			3 8/74	B	11	DMA INTERFACE W 1 UNWIRED QUAD SLOT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BB11-F	RJM	RF			5 11/72	B	11	BUS INTERFACE, SP FOR 3 WORDS IN, 1 WORD OUT, 4 INTERRUPTS
BB11-H	RJM	RF			5 11/72	B	11	BUS INTERFACE, SP FOR 4 WORDS IN, 4 WORDS OUT, 4 INPUT INTERRUPTS
BB11-K	RJM	RF			5 11/72	B	11	BUS INTERFACE, SPACE FOR 8 WORDS IN, 8 WORDS OUT
BB11-M	RJM	RF			5 5/73	9	11	SPC INTRFC, SP FOR M1621, 23, M1801, 1/0 INT, 3 SPC EXCEPT DR11-B, DL11
BB15		FA			5 3/71	B	15	CHASSIS FOR KA15, MP15, PROTECT & RELOCATE
BB714		AR			6 4/73	B	14	714 POWER SUPPLY
BBR11		KH			3 3/74	B	11R20	RUGGED BB11
BC01A-25		RR		TP-	5	B	8/1, 8/L, DC02	M090 TO EIA RS232-B, 25 FT MALE
BC01B-25		MI			5	B	DC08-F	M053 TO EIA RS232-B, 25 FT MALE
BC01C-XX		MI			5	B	DC08-B, PDP8, PT08	G097 TO EIA RS 232-B, XX FT MALE
BC01D-XX		DI			2	B	RP01, RP02	2 M054 TO AMPHENOL 201311-1 XX FT
BC01E-XX		KE			4	B	DC08-B	G097 TO EIA RS 232-B FEMALE, XX FT
BC01F-XX		MI			5	B	PA63 TO PP67-C -D (PUNCH)	M979 TO AMPHENOL PLUG 5730240
BC01H-XX		MI			5	B	PA63 TO PR68-D (READER)	M978 TO AMPHENOL 5730240, 24 PINS
BC01J-XX		STP			2	B	8/1, 8/L, 12, DC02	M090 TO EIA RS232-B FEMALE, XX FT
BC01K-XX SNT		AW			5 9/71	B	VC8-E TO VR12	CABLE FROM M069 (H856) TO VR12, XX FT
BC01L-XX SNT		AW			3 1/73	B	VC8-E TO VR03	CABLE FROM M069 TO TEK 602, 604 XX FT
BC01M-XX		JW			3 1/72	B	DC04-CN, -CP	BC01A-XX FOR RECEIVE ONLY
BC01N-04		PDM			3 1/72	B	AD15, AA15	M908 TO M929-C, TWISTED PAIR, 4 FT
BC01P-04		PDM			3 1/72	B	AD15, AA15	M908 TO M929-D, TWISTED PAIR, 4 FT
BC01R-XX VB		NRS			5 8/71	B	DC11-D	M970 + BC09C-XX OR M9700, 25 COND TO RS232-C, XX FT
BC01S-XX		VB			5 8/74	B	MANY	MATE-N-LOK EXTENSION CORD (9 WIRES) XX FT
BC01V-25		NBR			5 9/71	B	8/E	M096 TO RS232-C MALE, 15 CONDUCTOR, 25 FT
BC01W-25 VB		RMS			5 7/74	B	DP8-EB, Q011	BELL 303 SERIES MODEM CABLE (H856 TO BURNDY MD12MXP17TC)
BC01X-25		AK			3 8/74	B	DC10-B, -E	15 BARE WIRES TO RS232 MALE, DATA SET, 25FT
BC01Y-25		AK			3 8/74	B	DC10-B, -E	15 BARE WIRES TO RS232 MALE, ACU, 25 FT
BC02A-XX		BP			3	B		W011-W011 RIBBON, XX FT
BC02B-XX		BP			3	B		W011-W021 RIBBON, XX FT
BC02E-XX		BP			3	B		W011-W028 RIBBON, XX FT
BC02F-XX		BP			3	B		W018-W023 RIBBON, XX FT
BC02H-XX		BP			3	B		W018-W027 RIBBON, XX FT
BC02J-XX		BP			3	B		W020-W020 RIBBON, XX FT
BC02K-XX		BP			3	B		W020-W023 RIBBON, XX FT
BC02L-XX		BP			3	B		W021-W021 RIBBON, XX FT
BC02M-XX		BP			3	B		W021-W022 RIBBON, XX FT
BC02N-XX		BP			5	B		W021-W028 RIBBON, XX FT
BC02P-XX		BP			3	B		W022-W022 RIBBON, XX FT
BC02S-XX		BP			3	B		W023-W023 RIBBON, XX FT
BC02T-XX		BP			3	B		W023-W027 RIBBON, XX FT
BC02U-XX		BP			3	B		W024-W024 RIBBON, XX FT
BC02V-XX		BP			3	B		W028-W028 RIBBON, XX FT
BC02X-XX		BP			3	B		M908-M908 DUAL RIBBON, XX FT
BC03A-XX		BP			3	B		W011-W011 FLAT COAX, XX FT
BC03B-XX		BP			3	B		W011-W021 FLAT COAX, XX FT, 7805020
BC03C-XX		BP			3	B		W021-W021 FLAT COAX, XX FT
BC03D-XX		BP			3	B		W021-W022 FLAT COAX, XX FT
BC03E-XX		BP			3	B		W031-W031 MYLAR, XX FT, 7405552
BC03F-XX		BP			3	B		W033-W033 MYLAR, XX FT, 7405553
BC03H-XX		BP			3	B		M901-M901 DUAL MYLAR, XX FT
BC03J-XX		BP			3	B		W021-W028 FLAT COAX, XX FT
BC04A-XX		BP			3	B		W011 RIBBON, ONE BOARD ONLY, XX FT
BC04B-XX		BP			3	B		W018 RIBBON, ONE BOARD ONLY, XX FT
BC04C-XX		BP			3	B		W020 RIBBON, ONE BOARD ONLY, XX FT
BC04D-XX		BP			3	B		W021 RIBBON, ONE BOARD ONLY, XX FT
BC04E-XX		BP			3	B		W022 RIBBON, ONE BOARD ONLY, XX FT

MODEL NO	ENG MGR	DESIGN ENGR	PROJ E IGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BC04F-XX		BP			5	4/71	B	W023 RIBBON, ONE BOARD ONLY, XX FT
BC04H-XX		BP			3		B	W024 RIBBON, ONE BOARD ONLY, XX FT
BC04J-XX		BP			3		B	W027 RIBBON, ONE BOARD ONLY, XX FT
BC04K-XX		BP			3		B	W028 RIBBON, ONE BOARD ONLY, XX FT
BC04L-XX		BP			3		B	W011 COAX, ONE BOARD ONLY, XX FT
BC04M-XX		BP			3		B	W021 COAX, ONE BOARD ONLY, XX FT
BC04N-XX		BP			3		B	W022 COAX, ONE BOARD ONLY, XX FT
BC04P-XX		BP			3		B	M904 DUAL COAX, ONE BOARD ONLY, XX FT
BC04R-XX		BP			3	1/72	B	KSR33 OR 35 FOR B/E, 11, 15
BC04S-XX		BP			3	1/72	B	ASR33 OR 35 FOR B/E, 11, 15
BC04T-XX		BP			3		B	MATE-N-LOK TO 4 RINGS, XXFT (7006593)
BC04U-XX		BP			3		B	MATE-N-LOK TO 6 RINGS, XX FT (7006594)
BC04V-XX		BP			3		B	M901 DUAL MYLAR SHIELDED 1 BOARD ONLY XX FT
BC04X-XX		BP			3		B	M903 DUAL MYLAR, ONE BOARD ONLY, XX FT
BC04Y-XX		BP			3		B	M908 DUAL RIBBON, ONE BOARD ONLY, XX FT
BC04Z-XX		BP			3		B	W032 TO MICRODOT COAX, ONE BOARD ONLY, XX FT
BC05A-XX		BP			3		B	M923 TO MICRODOT COAX, ONE BOARD ONLY, XX FT
BC05B-04		BP			3		B	H056 TO 3M CABLE ONE END ONLY XX FT, 7007036
BC05C-XX		BP			3		B	7405152-1, W032 TO W032, XX FT, 7005142
BC05D-XX		BP			3		B	7006412, M923 TO M923 RIBBON, 4 FT
BC05E-XX		BP			3		B	H056 TO RS232-C MALE, 25 COND, XX FT
BC05F-XX		BP			3		B	RS232 MALE TO RS232 FEMALE, 25 COND, XXFT
BC05G-XX		BP			3		B	- SWITCH BOX & CABLE FOR GERMAN MODEM, G857-YA TO CINCH DB91226-1
BC05H-XX		BP			3		B	DF11-A, DF11-K, LA30-S
BC05I-XX		BP			3		B	8/M, 11/05
BC05J-XX		BP			3		B	8/M, 11/05
BC05L-XX	RP	MDL			3	12/72	B	TU60, RX01 H855 TO H855 3M NOT SHIELDED MIRROR CONNECTIONS, 3 IN
BC05M-XX	JC	RBR			3	9/73	B	KL8-JA, KL8-E H856 TO MATE-N-LOK, 6 WIRES, XX FT (7000360-XX)
BC05N-10	CA	AW			3	3/74	D	LPSVC
BC05P-10	CA	AW			3	3/74	B	LPSVC
BC05R-10	CA	AW			5	1/74	B	LPSVC
BC05S-10	CA	AW			3	3/74	B	LPSVC
BC05T-XX	CA	CRB			3	8/74	B	LPSVC TO VR14, VR20, 10 FT
BC05U-XX	CA	CRH			3	8/74	B	LPSVC TO TEX 601, 603, 604, 611, 613, 10 FT
BC05V-XX	MI	JDL			3	5/73	B	LPSVC TO TEX 503, 10 FT
BC05W-XX	RJ-1	CYR			3	3/74	B	LPSVC TO SCOPES W 3 BNC CONNECTIONS, 10 FT
BC05X-XX	RJ-1	LJF			3	5/74	B	11/35
BC05Y-08	RJM	CYR			3	4/74	B	11/35
BC06A-XX		JW			6	8/74	B	VT20
BC06B-XX		JW			3	11/72	B	M7341, KC341
BC06C-XX		JW			3	11/72	B	BC05F-XX
BC06D-XX		JW			3	11/72	B	KC341
BC06E-XX		JW			3	11/72	B	LPC8-A, LPC11-A
BC06F-XX		JW			6	8/74	B	LPC8-B, LPC11-B
BC06J-XX		JW			3	4/74	B	LPC8-C, LPC11-C
BC06R-XX	GS	AD			3	3/74	B	LPC8-D, LPC11-D
BC06S-XX	GS	AD			3	4/74	B	LPC8-E, LPC11-E
BC07A-XX	RJM	SZ			3	10/73	B	LPC8-F, LPC11-F
BC07B-XX	RJM	SZ			3	10/73	B	LPC01, LPO11, LPO8
BC07C-XX	RJM	SZ			3	10/73	B	MASS BUS DEVICES
BC07D-XX	RJM	SZ			3	10/73	B	MASS BUS DEVICES
BC07K-XX	AW	RI			2	10/74	B	CAT H856 ONE END ONLY, 20 TWISTED PAIR, XXFT, M1501 CONNECTIONS
BC07L-XX	AW	RI			2	10/74	B	CAT H856 ONE END ONLY, 11 TWISTED PAIR, XXFT, M1801 J1 CONNECTIONS
BC08A-XX		RR			3		B	CAT H856 ONE END ONLY, 11 TWISTED PAIR, XXFT, M1801 J2 CONNECTIONS
BC08B-XX		RR			3		B	CAT H856 ONE END ONLY, 2 20-CONDUCTOR RIBBONS, XXFT
BC08C-XX		RR			3		B	VR14
BC08D-XX		RR			3		B	TEK 613

MODEL NO	ENG MGR	DESIGN ENGR	PROD CHGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	36
BC08E-XX		RR		TP-	3	B	8, 8/I	W031 TO W031 FLAT SHIELDED MYLAR, XX FT	
BC08F-XX		PJ			3	B	FIRST ON PC11 (TO PC05)	M903 TO M925 FLAT SHIELDED MYLAR, XX FT	
BC08H-XX		PG			5	4/71 B	8/E	INTERNAL BUS EXP, M936 TO M937, XX FT	
BC08J-XX		PG			5	4/71 B	8/E	H856 TO M953, 40 COND 3M, XX FT	
BC08K-XX		PG			5	4/71 B	8/E	M955 TO H856, 18 SIG, 2 10 OHM, 40 COND 3M, XX FT	
BC08L-XX		PG			5	4/71 B	8/E	M954 TO 2 H856, 36 SIG, 4 10 OHM, XX FT	
BC08M-0M		PG			5	9/71 B	8/E	H807 & M901 TO 2 MYLAR CABLES TO M901 & H807, 11 IN	
BC08N-XX		MDM			5	9/71 B	TU10, 8 POS BUS, ETC	M904 TO M904 DUAL ROUND COAX, XX FT	
BC08P-XX		MDM			5	9/71 B	TU10, 8 POS BUS, ETC	M904 TO 2 W021 DUAL ROUND COAX, XX FT	
BC08R-XX		PG			5	5/72 B	8/E	H856 TO H856 3M SHIELDED, MIRROR CONNECTIONS, XXFT	
BC08S-XX	SMT	AW			5	1/73 B	DR8-E	H856 TO H856 3M SHIELDED STRAIGHT CONNECTIONS XXFT	
BC08T-01		RMS			2	3/72 B	KL8-M	H856 TO H856, 12 WIRES, MIRROR CONNECTION, 1 FT	
BC08U-XX		DA			6	8/73 B	RC8-E	M994 TO H856, 36 SIG, 3M NOT SHIELDED, XXFT	
BC08V-1K	JC	DA			3	12/72 B	H8513, H8514	H807 TO M922, 2 MYLAR, 1FT 9 IN	
BC09A-XX		HI			5	B	9	I/O BUS H350 TO H350, XX FT, 7005313	
BC09B-XX		FA			5	B	9/I, DW09-A, DW09-B	I/O BUS 2 M912 TO 2 M912, XX FT	
BC09C-XX		FA			5	B	15, 9	I/O BUS 4 H850 TO 2 M912, XX FT	
BC10A-XX		NE			5	B	10	COAX OR W855+W856 EA END ROUND	
BC10B-XX		KE			5	B	10	MARGINAL CHECK CABLE, XX FT	
BC10C-XX		W			4	B	10	DISK CABLE H352 TO BURROUGHS, XX FT	
BC10D-XX		KE			5	B	10	MEM BUS H351 TO 4 W028, XX FT	
BC10E-XX		KE			3	B	10	1036 TO 2 W028 COAX, I/O BUS, XX FT	
BC10H-XX		KE			5	1/73 B	10 MEM BUS	W857 + W858 EA END, 4 9-COND COAX, XX FT	
BC10J-XX		ATT			5	5/72 B	10 MEM BUS	AMP QUICK-LATCH TO 2 H857 & 2 H858, 8 9-COND COAX, XXFT	
BC10K-XX		ATT			5	3/72 B	10 MEM BUS	AMP QUICK-LATCH EACH END, 72 COAX, XXFT	
BC10L-XX		JS			5	3/72 B	10	AMP QUICK-LATCH TO 5 W021, XXFT	
BC10P-XX	EAS	AJ			3	3/73 B	RH10 TO DF10	QUICKLATCH COAX TO 6 W021, XXFT	
BC10V-XX		KE			3	4/72 B	VT05 TO DC10	7006260 CABLE & 1205857-02 PLUG	
BC11A-XX		POT			3	B	11	M919 TO M929 FLAT MYLAR EXTERNAL UNIBUS, XX FT	
BC11B-XX		POT			2	9/71 B	RUGGED 11	BURNDY FEMALE 128 PIN ROUND (12-10525) TO 01TTO XXFT	
BC11C-XX		POT			2	9/71 B	RUGGED 11 TO NON-RUGGED 11	M976 FLAT TO 12-10525 XXFT	
BC11D-XX		POT			2	9/71 B	RUGGED 11 INTERNAL	M976 TO BURNDY MALE 128 PIN (12-10525) XXFT	
BC11E-XX	VO	NRS			5	1/74 B	DF11-BA, DF11-BB	20 PIN 1210918-27 TO 8 RING LUGS, XXFT	
BC11F-XX	BO	KA			3	8/73 B	DT11-M	BC11A-XX W 2 H807 ON M9191 AT THE M919 END, XX FT	
BC11J-XX		FS			3	3/72 B	DR11-F TO DR11-A	H856 TO M977 3M CABLE M903 CONN XXFT	
BC11K-25		PJ			2	3/72 B	DR11-C	H856 ONE END, 20 PAIR, 25 FT, 7008083	
BC11L-20	AW	JL			3	6/74 B	AR11	H856 24 SHIELDED TWISTED PAIR, ONE END ONLY, 20FT	
BC11M-XX	AW	RI			3	9/74 B	DR11-K	H856 TO COULTER-S, 17 WIRES, XXFT	
BC12A-XX	SMT	RI			5	B	12	EXTENSION CABLE FOR VR12 DISPLAY, XX FT, 7006254	
BC14A-XX		AR			5	2/75 B	14	I/O BOX CABLE G782 TO G777, XX FT	
BC14B-XX		AR			2	B	14, 8/L, 8/I, + BUS	DIFFERENTIAL COAX, XX FT	
BC14C-10		AR			5	4/71 B	14	CABLE, I BOX TO O BOX, FOR TEST	
BC14D-XX	JM	AR			3	3/73 B	DC14	MATE-N-LOK BOTH ENDS, DUAL SHIELDED TWISTED PAIR, XX FT	
BC14E-XX	JM	AR			3	3/73 B	DMC8-E, SMC01	2 H856 TO 42 PIN WINCHESTER, 36 TWISTED PAIR, XX FT	
BC14F-XX	JM	AR			5	2/75 B	14/30, H912	RT ANGLE RS232 W HOLD DOWNS BOTH ENDS, 25 COND, XX FT	
BC14H-XX	JM	AR			5	2/75 B	DA14-E, KA8-E	3 H856 TO AMP 63 PIN, 3/4" DIA, PDP14/30	
BC14J-XX	JM	AR			5	2/75 B	14, KL8	H856 TO AMP 11-B, 4 WIRES	
BC14K-XX	JM	AR			5	2/75 B	DA14-EL, 8/L, 8/I	3 M908 TO AMP 63 PIN, 3/4" DIA, XXFT	
BC14L-XX	RS	GEG			3	2/75 B	OC14-E	6-PIN MATE-N-LOK TO 37 PIN AMP, DUAL SHIELDED TW PR, XXFT	
BC14M-XX	JM	GEG			3	7/74 D	14/30 TO MODEM	1211432 TO 1205886 (250) 4 WIRES, XXFT	
BC20A-XX	JC	PG			5	1/74 B	8/M, 8/F	115V 3 WIRE GROUNDED 7 AMP LINE CORD TO H402-A	
BC20B-XX	JC	PG			5	1/74 B	8/M, 8/F	230V 3 WIRE GROUNDED 4 AMP LINE CORD TO H402-B	
BC20C-XX	ATT	SV			3	2/75 B	MA20, KL10	M9006 BOTH ENDS, 2 3M CABLES, 40 SIGS, XX FT	
BC20D-XX	SC	CHIN			3	2/75 B	MG10	M9011 BOTH ENDS, 2 3M CABLES, 40 SIGS, XXFT	
BC40C-XX		MORO			5	4/71 B	DD01, DD02	H807 TO 34 KULKA 670A TERMINALS, XX FT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	37
BC400-06		RRC			3	3/72 B	UCC	CABLE CONNECTOR ASSEMBLY KIT, H807, PARTS, 6FT CABLE	
BC40H-1J	RS	RG			3	2/75 B	ICS11, ICS8, ICS-X	H8038 TO 34 TERMINAL STRIP, TWISTED PAIR, 20"	
BC40K-1J	RS	KDG			3	2/75 B	ICS11, ICS8, ICS-X	ANALOG CABLE IN BC40H, 1' 8"	
BC41A-XX		MORO			5	B	DD01, DD02	M945 TO M946 DOUBLE MYLAR, XX FT	
BC70A-XX	RJM	EN			3	11/73 B	PDM70	1211374 TO 1205886 RS232, 25 COND, XXFT	
BC70B-XX	RJM	EN			3	11/73 B	PDM70	1211374 ONE END ONLY, 44 COND, XXFT	
BC70C-25	RJM	LJF			3	7/74 B	PDM70	1211374 TO RIGHT ANGLE MALE RS232, 25 COND, 25'	
BC90C-04	RS	MORO		IPG	5	B	BA903, BA904, BA905	2 H807 TO 34 KULKA 670A TERMINALS, 4 FT	
BC99A-25		JEH		SSUK	3	B	PT08DA, DP01A, DC08LD, DC11, ETC	D-TYPE GPO MODEM CONNECTOR, 25 FT, 12 CKT BARRIER ASSEMBLY MOLDED IN 15 FT FROM CONN TO FLY LEADS	
BC99B-25		JEH		SSUK	3	B	PT08DA, DP01AA MODIFIED, DP01A (SELECT SD-BY), DC08LD	BC99A W W023	
BC99C-25		JEH		SSUK	3	B	PT08F	BC99A WITH W023	
BC99D-25		JEH		SSUK	3	B	PDP11	BC99A W SIDE (TOP CLAMP) FOR PDP11	
BC99E-25		JEH		SSUK	3	B	PDP15	BC99A W W023 FOR PDP15	
BC99F-25		JEH		SSUK	3	B	PDP8/E	BC99A W END FOR PDP8/E	
BCL2A-XX		AW			6	3/74 B	H305, AGL2	8 CH TRUNK CABLE XX FT	
BCL2B-XX		AW			6	3/74 B	H304 H305	SINGLE CH DATA CABLE, XX FT	
BD01		DEG		IPG	6	10/72 B	8/S	16 CH MUX, DU PONT	
BD02		DEG		IPG	6	10/72 B	8/S	FLOW METER INTERFACE, DU PONT	
BD03		JTN		CS2	6	2/75 B	11	BELL SPECIAL: BIN-ASKII-BIN CONV	
BD04		JTN		CS2	6	2/75 B	11	BELL SPECIAL: DISK INTERRUPT & ALARM + MOD TO RF11	
BD04-D		JTN		CS2	6	2/75 B	11	BELL SPECIAL: BD04 WITH SPC SLOT	
BD05-A		JTN		CS2	6	2/75 B	11	BELL SPECIAL: UNIMPLEMENTED 20 CHANNEL BOX	
BD05-B		JTN		CS2	6	2/75 B	11	BELL SPEC: IMPLEMENTD 20 CH BOX; NEEDS 20 BD05-CB -DB -EB -FB &/OR -HB	
BD05-CA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL TESTED SPARE Y019	
BD05-CB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y019 ORDERED WITH BD05-B	
BD05-DA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y049	
BD05-DB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y049 ORDERED WITH BD05-B	
BD05-EA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y067	
BD05-EB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y067 ORDERED WITH BD05-B	
BD05-FA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y149	
BD05-FB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y149 ORDERED WITH BD05-B	
BD05-HA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y163-YH	
BD05-HB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y163-YH ORDERED WITH BD05-B	
BD05-JA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y163-YJ	
BD05-JB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y163-YJ ORDERED WITH BD05-B	
BD05-KA		JTN		CS2	6	2/75 B	BD05-A	BELL SPECIAL: TESTED SPARE Y163-YK	
BD05-KB		JTN		CS2	6	2/75 B	BD05-B	BELL SPECIAL: Y163-YK ORDERED WITH BD05-B	
BD15-A		PDM			4	4/71 B	15	CONT & CAB FOR AFC15 11 BITS + SIGN & UDC15, 115V	
BD15-B		PDM			4	4/71 B	15	CONT & CAB FOR AFC15 11 BITS + SIGN & UDC15, 230V	
BD15-C		PDM			4	4/71 B	15	BD15-A WITH NO ADC	
BD15-D		PDM			4	4/71 B	15	BD15-B WITH NO ADC	
BD50-AA		JDL		TP-	4	2/72 B	8 POS BUS	VT05 OR LA30 INTERFACE, 115V	
BD50-AB		JDL		TP-	4	2/72 B	8 POS BUS	VT05 OR LA30 INTERFACE, 230V	
BD50-BA		JDL		TP-	4	2/72 B	8 NEG BUS	VT05 OR LA30 INTERFACE, 115V	
BD50-BB		JDL		TP-	4	2/72 B	8 NEG BUS	VT05 OR LA30 INTERFACE, 230V	
BD50-CA		JDL		TP-	4	2/72 B	9	VT05 OR LA30 INTERFACE, 115V	
BD50-CB		JDL		TP-	4	2/72 B	9	VT05 OR LA30 INTERFACE, 230V	
BD50-HA		JDL		TP-	4	2/72 B	BD50-AA, -AB	2ND CHANNEL	
BD50-HB		JDL		TP-	4	2/72 B	BD50-BA, -BB, -CA, -CB	2ND CHANNEL	
BE14		AR			5	12/71 B	14/L	MEMORY & I/O ACCESSORY PANEL	
BE8-A		PG			5	6/71 B	8/E	H919 BUS WITH 2 M935 JUMPERS	
BF01	RS	AS		IPG	5	B	AM04, AM05, AM07	MTNG HARDWARE FOR AFC'S	
BF02	RS	AS		IPG	5	B	DD01, DD02	MTNG HARDWARE FOR UDC'S	
BF14-F		CH			6	8/71 B	14	STORAGE BOX FOR 32 FLIP FLOPS	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BF14-H		CH			6 8/71	B	14	STORAGE BOX FOR 16 FLIP FLOPS
BF14-M		AR			5 5/72	B	14	16 BIT STORAGE
BJ11-A		KH			3 8/72	B	-	SYSTEM TESTED 11/05 CHASSIS, CONFIG 2
BJ11-B		KH			3 8/72	B	-	SYSTEM TESTED M7260 + M7261
BK022		AR			5 5/72	B	14	K022 2 INPUT AND/OR EXPANDER DUAL STORAGE MOD TO PDP14
BK272		AR			6 1/72	B	BA14	K272 1 BIT RETENTIVE MEMORY
BK274		AR			5 5/72	B	14	K274 DUAL RETENTIVE MEM, REPLACES BK272
BK302		AR			5 8/71	B	BA14	K302 DUAL TIMER
BL01-A	DZ	HRL			4 7/73	B	ALL SYSTEMS	AC LINE MONITOR, 115V
BL01-B	DZ	HRL			4 7/73	B	ALL SYSTEMS	AC LINE MONITOR, 230V
BM00-C		RR		TPL	5	R	8/L	MTNG BOX W COVER FOR MCB-LA, -LB & MM8-LA, -LB
BM00-S		RR			5	B	8/L	MTNG BOX W SLIDES FOR MCB-LA, -LB & MM8-LA, -LB
BM681	RS	NORO			3 11/73	B	DD01, DD02	M681 16 ISOLATED SOLID STATE RELAY DRIVERS
BM684	RS	FE			5	B	DD01, DD02	M684 12 BIT FF RELAY DRIVER
BM685	RS	FE			4	B	DD01, DD02	M685 16 BIT FF RELAY DRIVER
BM686	RS	FE			5	B	DD01, DD02	M686 12 BIT SS RELAY DRIVER
BM687	RS	FE			4	B	DD01, DD02	M687 16 BIT SS RELAY DRIVER
BM792-YA	SNT	JMB			3	M	DD11	PAPER TAPE LOADER ROM
BM792-YB	SNT	JMB			3 8/71	M	DD11	DISK LOADER ROM
BM792-YC	SNT	JMB			3 10/71	M	DD11	CARD READER BOOTSTRAP ROM
BM792-YH	SNT	JMB			3 1/73	M	DD11	TA11 BOOTSTRAP LOADER
BM792-YJ	JEH	JTN			3 4/73	M	DD11	BELL SPECIAL TM11 LOADER
BM792-YD	MI	TM			3 1/74	B	VT20	M792-YK HARDWARE RIM
BM802	RS	FE			5	B	DD01, DD02	M802 12 BIT LATCHING RELAY OUTPUT
BM803	RS	FE			4	B	DD01, DD02	M803 16 BIT LATCHING RELAY OUTPUT
BM804	RS	FE			5	B	DD01, DD02	M804 12 BIT FF RELAY OUTPUT
BM805	RS	FE			4	B	DD01, DD02	M805 16 BIT FF RELAY OUTPUT
BM806	RS	FE			5	B	DD01, DD02	M806 12 BIT SS RELAY OUTPUT
BM807	RS	FE			4	B	DD01, DD02	M807 16 BIT SS RELAY OUTPUT
BM812-IA	MI	JDL			4 10/74	B	8/I, 12	MTNG BOX FOR MM8-E, MM8-EJ, SLIDES, 115V
BM812-IB	MI	JDL			4 10/74	B	8/I, 12	MTNG BOX FOR MM8-E, MM8-EJ, SLIDES, 230V
BM873-YA	VB	DR			4 5/74	M	DD11	RESTART/LOADER, REPLACES BM792-YA, -YB, -YH & MR11-DB, 128 WORDS
BM873-YB	RS	SI			3 9/74	M	11	RESTART/RELOADER, 256 WORDS (MASSBUS DEVICES)
BM873-YC	VB	RMS			2 11/74	M	DD11	BM873-YA + DU11 HANDLER, 256 WORDS
BM873-YD	ATT	RNO			2 2/75	M	DD11	KL10 ROM BOOTSTRAP LOADER (M873-YD)
BM8-LA		SG			3 7/71	B	8/L	MTNG BOX FOR MM8-E, MM8-EJ, SLIDES, 115V
BM8-LB		SG			3 7/71	B	8/L	MTNG BOX FOR MM8-E, MM8-EJ, SLIDES, 230V
BM8-LC		SG			3 7/71	B	8/L	MTNG BOX FOR MM8-E, MM8-EJ, COVER, 115V
BM8-LD		SG			3 7/71	B	8/L	MTNG BOX FOR MM8-E, MM8-EJ, COVER, 230V
BMK-LK		JLE			4	B	X602	BASIC MODULE KIT FOR LAB-K
BMK-LL		JLE			4	B	H510	BASIC MODULE KIT FOR K-SERIES LOGIC LAB
BN50A-7F	TS	NOM			2 9/74	B	VT50	EIA MODULE TO RS232, 7.6M
BN50B-04	TS	NOM			2 9/74	B	VT50	20MA CURRENT LOOP CABLE TO MATE-N-LOK, 4M
BN50C-LL		KE			2 9/74	B	VT50	20MA CURRENT LOOP TO 2030 PLUG, LL METERS
BOS15-A		CP	BFB		6 3/74	Q	15	BOS-15, RENAMED QM050
BS01A-25		LH			2	B	VT15, VT04	CABLE SET, VT15 TO VT04, 25 FT
BS10A-XX		KE			5	B	10	CABLE SET, 2 BC10-AA + BC10B-SS, XX FT
BS10H-XX		KE			3 8/73	B	10	CABLE SET, 2 BC10H-XX + BC10B-XX, XX FT
BT11-A	BE	RWI		SSCAL	3 1/74	B	11	TONE ALERT, SETS ALARM AT SET ADDRESS, MANUAL CLEAR
BT11-A		ABW		CS2	6 2/75	E	CDC 6000/7000	PDP11 REMOTE BATCH TERM TO SIMULATE CDC200
BT14-A		LF			5 2/75	B	14	INTERROGATOR BOX, TESTS INPUTS & OUTPUTS
BV04		LH			5 3/72	B	VT04	374, VJ01, LK35 MOUNTING
BW400	RS	FE		IP6	5	B	BW730-3, BW740-3, BM002-7	W400 PADDLE BOARD WITH ISOLATED POWER
BW402	RS	FE		IP6	5	B	BW730-3, BW740-3, BM002-7	W402 PADDLE BOARD WITH COMMON POWER
BW403	RS	FE		IP7	5	B	BW684-7	W403 PADDLE BOARD FOR RELAY DRIVERS



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BW406	RS	FE		IP6	3 11/73	B	BM730-3 BW742-3 BM684-7 BM802-7	W406 (W400, W402 & W403 COMBINED)
BW410	RS	MORO		IP6	3 2/73	B	BW742-743	W410 PADDLE BOARD W A/C INPUT CONDITIONING
BW730	RS	FE		IP2	6 8/72	B	DD01, DD02	W730 12 BIT CONTACT SENSE, SEE BW740
BW731	RS	FE		IP2	6 2/73	B	DD01, DD02	W731 16 BIT CONTACT SENSE
BW732	RS	FE		IP2	6 8/72	B	DD01, DD02	W732 12 BIT CONTACT INTERRUPT, SEE BW742
BW733	RS	FE		IP2	6 2/73	B	DD01, DD02	W733 16 BIT CONTACT INTERRUPT
BW734	RS	FE		IP2	4 9/71	B	DD01, DD02	W734 GENERAL PURPOSE COUNTER
BW740		MORO			4 8/72	B	DD01, DD02	W740 12 BIT SOLID STATE CONTACT SENSE
BW741		MORO			4 2/73	B	DD01, DD02	W741 16 BIT SOLID STATE CONTACT SENSE
BW742		MORO			4 8/72	B	DD01, DD02	W742 12 BIT SOLID STATE CONTACT INTERRUPT
BW743		MORO			4 2/73	B	DD01, DD02	W743 16 BIT SOLID STATE CONTACT INTERRUPT
BX14-DA		AR			5	B		INPUT BOX UP TO 32 AC INPUTS
BX14-DD		AR			5	B		INPUT BOX UP TO 32 DC INPUTS
BX14-SA		AR			4	B		SCHMITT INPUT BOX, UP TO 32 AC INPUTS
BY14-DA		AR			5	B		OUTPUT BOX UP TO 16 AC OUTPUTS
BY14-DD		AR			5	B		OUTPUT BOX UP TO 16 DC OUTPUTS
BY14-SA		AR			3	B		IMPROVED OUTPUT BOX, UP TO 16 AC OUTPUTS
CA01-B		BV		CSS	3	C	9	IBM 526 INTERFACE
CA11-A		JEH		SSUK	3	D	11	CAMAC BRANCH HIGHWAY INTERFACE
CA11-B	BV	GO		SSYK	2	D	CA11-A	NPR CONTROL FOR CA11-A
CA11-C	BV	PR		SSCU	3	D	11	NPR BRANCH HIGHWAY INTERFACE
CA11-E		EK		SSMU	3	C	11	CAMAC SINGLE CRATE CONTROLLER
CA15-A		EW		CSP	3	D	15	PROGRAMMED & DMA CAMAC BRANCH HIGHWAY INTERFACE
CA15-B		GO		SSYK	3	D	15	PROGRAMMED ONLY CAMAC BRANCH HIGHWAY INTERFACE
CB11-AA	VB	DES			5	D	11	CAB, PS, 1 CB11-PA, SPACE FOR 18 CB11-DA &/OR CB11-S, 115V
CB11-AB	VB	DES			5	D	11	CAB, PS, 1 CB11-PA, SPACE FOR 18 CB11-DA &/OR CB11-S, 230V
CB11-AC	VB	DES			5	D	11	CB11-AA + DB11, 115V
CB11-AD	VB	DES			5	D	11	CB11-AB + DB11, 230V
CB11-AE	VB	DES			5	D	11	CB11-AA + 2ND CB11-PA, 2 DB11, 115V
CB11-AF	VB	DES			5	D	11	CB11-AB + 2ND CB11-PA, 2 DB11, 230V
CB11-BA	VB	DES			4	D	11	CAB, PS, CB11-PC, SPACE FOR 18 CB11-DA &/OR CB11-S, 115V
CB11-BB	VB	DES			4	D	11	CAB, PS, CB11-PC, SPACE FOR 18 CB11-DA &/OR CB11-S, 230V
CB11-BC	VB	DES			4	D	11	CB11-BA + DB11, 115V
CB11-BD	VB	DES			4	D	11	CB11-BB + DB11, 230V
CB11-BE	VB	DES			4	D	11	CB11-BA + 2ND CB11-PC, 2 DB11, 115V
CB11-BF	VB	DES			4	D	11	CB11-BB + 2ND CB11-PC, 2 DB11, 230V
CB11-CA	VB	DES			3	E	-	11/10-CA, CB11-PC, PS, 115V 60HZ
CB11-CB	VB	DES			3	E	-	11/10-CB, CB11-PC, PS, 230V 50HZ
CB11-CE	VB	DES			3	E	-	11/40-CA, CB11-PC, PS, 115V 60HZ
CB11-CF	VB	DES			3	E	-	11/40-CB, CB11-PC, PS, 230V 50HZ
CB11-CG	VB	DES			3	E	-	11/45-CH, MF11-L; MM11-L, CB11-PC, PS, 115V 60HZ
CB11-CH	VB	DES			3	E	-	11/45-CJ, MF11-L; MM11-L, CB11-PC, PS, 230V 50HZ
CB11-DA	VB	DES			5	D	CB11-A, -B	32 POINT RELAY DISTRIBUTOR MODULE
CB11-EX	VB	DES			5	D	CB11-P	HEX EXTENDER CARD
CB11-HA	VB	DES			5	D	CB11-A, -B	16 POINT INPUT INTERRUPT MODULE
CB11-PA	VB	DES			5	D	CB11-A, -B	5 BLOCK TELPLANT TERMINATION PANEL, PS, 115V
CB11-PB	VB	DES			3	D	CB11-A, -B	5 BLOCK TELPLANT TERMINATION PANEL, PS, 230V
CB11-PC	VB	DES			4	D	CB11-A, -B	6 BLOCK TELPLANT TERMINATION PANEL, PS, 115V
CB11-PD	VB	DES			3	D	CB11-A, -B	6 BLOCK TELPLANT TERMINATION PANEL, PS, 230V
CB11-SA	VB	DES			5	D	CB11-A, -B	64 POINT INPUT SCAN MODULE
CB11-SB	VB	DES			5	D	CB11-A, -B	64 POINT INPUT SCAN MODULE W DIODE PROTECTION
CB11-W	VB	DES			3	B	-	WEPCU CABLE (5V FROM H744 TO RING LUGS)
CC01		AW			5	C	4/71	CLINICAL LAB-12 CLINICAL LAB OPTION PANEL

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	40
CC02-A		AW			4 4/71	C	12	4 CHANNELS & CONT FOR ROBOT CHEMIST	
CC02-B		AW			4 4/71	C	CC02-A	4 CHANNEL EXPANSION FOR ROBOT CHEMIST	
CC02-C		AW			4 4/71	C	CC01	ONE CH & CONT FOR ROBOT CHEMIST	
CC02-D		AW			4 4/71	C	CC01	ONE CH EXPANSION FOR ROBOT CHEMIST	
CC03-A		AW			5 4/71	C	CC01	MODULE SET FOR 1 CH COULTER S	
CC03-B		AW			5 4/71	C	CC03-A	2ND CH COULTER S	
CC04		AW			5 6/71	C	CC01	COAGULATION TIMER	
CC50		AW			5	C	CLINICAL LAB-12	SMA12/30 INTERFACE KIT	
CC51		AW			5	C	AGL2	8 CH EXPANSION KIT	
CC52		AW			5	C	CLINICAL LAB-12	SMA4, 4A, 7, 7A INTERFACE KIT	
CC53		AW			5	C	CLINICAL LAB-12	SMA SINGLE CHANNEL KIT	
CC54		AW			5	C	CLINICAL LAB-12	SMA12/60 INTERFACE KIT	
CC55-A		AW			3 3/72	C	CLINICAL LAB 12	SMA SINGLE CHANNEL KIT (1ST CH) FOR TECHNICON 2	
CC55-B		AW			3 3/72	C	CLINICAL LAB 12	SMA SINGLE CHANNEL KIT (2ND CH) FOR TECHNICON 2	
CC55-C	AW	RI			2 2/75	C	PDL11	SMA SINGLE CHANNEL KIT (1ST CH) FOR TECHNICON 2	
CC55-D	AW	VI			2 2/75	C	PDL11	SMA SINGLE CHANNEL KIT (2ND CH) FOR TECHNICON 2	
CD11	RLP	LC			5 3/74	C	11	DATA BREAK CARD READER CONTROL	
CD11-A	RLP	LC			5 7/73	C	11	DATA BREAK CONTROL & DOCUMENTATION M1000, 60HZ	
CD11-B	RLP	LC			5 7/73	C	11	DATA BREAK CONT & DOCUMENTATION M1000 50HZ	
CD11-EA	RLP	LC			5 7/73	C	11	1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200 60HZ	
CD11-EB	RLP	LC			5 7/73	C	11	1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200 50HZ	
CD12		AW			4 2/72	C	8 POS	DATA BREAK CONTROL FOR ANY CARD READER OR PUNCH	
CD12-DE	DEC	AW			5 1/73	C	8 POS	80 COL OPTICAL MARK CR & CD12 CONT, 300 CPM DOCUMENTATION OM200, 60HZ	
CD12-DF	DEC	AW			5 1/73	C	8 POS	80 COL OPTICAL MARK CR & CD12 CONT, 300 CPM DOCUMENTATION OM200, 50HZ	
CD12-HE		AW			4 2/72	C	8 POS	CD12 W HP 80 COL OPTICAL READER, 60 HZ	
CD12-HF		AW			4 2/72	C	8 POS	CD12 W HP 80 COL OPTICAL READER, 50 HZ	
CDP		JL			6 10/74	E	-	CHROMATAGRAPHIC DATA PROCESSOR (8)	
CL12		AW			- 8/71	E	-	CLINICAL LAB 12 SYSTEM NAME	
CL8-AA	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AA, 8A500-LM, RX8-BA, H982-T CLASSIC, 115V 60HZ	
CL8-AC	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AC, 8A500-LM, RX8-BC, H982-T CLASSIC, 115V 50HZ	
CL8-AD	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AB, 8A500-LN, RX8-BD, H982-T CLASSIC, 230V 50HZ	
CL8-CE	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HA, 8A500-LM, RX8-BA, H982-W CLASSIC, 115V 60HZ	
CL8-CH	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HC, 8A500-LM, RX8-BC, H982-W CLASSIC, 115V 50HZ	
CL8-CJ	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HB, 8A500-LN, RX8-BD, H982-W CLASSIC, 230V 50HZ	
CL8-CA	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AA, 8A500-LP, RX8-BA, H982-T CLASSIC, 115V 60HZ	
CL8-EC	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AC, 8A500-LP, RX8-BC, H982-T CLASSIC, 115V 50HZ	
CL8-ED	JC	GHL			2 2/75	E	-	2 ROMS, VT50-AB, 8A500-LR, RX8-BD, H982-T CLASSIC, 230V 50HZ	
CL8-FA	JC	GHL			2 2/75	E	-	2 ROMS, VT50-BA, 8A500-LP, RX8-BA, H982-T CLASSIC, 115V 60HZ	
CL8-FC	JC	GHL			2 2/75	E	-	2 ROMS, VT50-BC, 8A500-LP, RX8-BC, H982-T CLASSIC, 115V 50HZ	
CL8-FD	JC	GHL			2 2/75	E	-	2 ROMS, VT50-BB, 8A500-LR, RX8-BD, H982-T CLASSIC, 230V 50HZ	
CL8-HE	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HA, 8A500-LP, RX8-BA, H982-W CLASSIC, 115V 60HZ	
CL8-HH	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HC, 8A500-LP, RX8-BC, H982-W CLASSIC, 115V 50HZ	
CL8-HJ	JC	GHL			2 2/75	E	-	2 ROMS, VT50-HB, 8A500-LR, RX8-BD, H982-W CLASSIC, 230V 50HZ	
CM03-C		MI	RR	TP-	3	C	804 (8)	OPTICAL MARK CR & CONT 200 CPM GEN DES 60 HZ	
CM03-CA		MI	RR	TP-	3	C	804 (8)	OPTICAL MARK CR & CONT 200 CPM GEN DES 50 HZ	
CM11	BD	RLP			3 5/71	C	DD11	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES 60 HZ	
CM11-A	BD	RLP			3 5/71	C	DD11	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES 50 HZ	
CM11-FA	BD	RLP			3 5/73	C	DD11	80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION OM200 60HZ	
CM11-FB	BD	RLP			3 5/73	C	DD11	80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION OM200 50HZ	
CM12		AW			6 10/74	C	BA12	40 COL MARK SENSE CR & CONT 200 CPM GEN DESIGN 60 HZ	
CM12-A		AW			6 10/74	C	BA12	40 COL MARK SENSE CR & CONT 200 CPM GEN DESIGN 50 HZ	
CM12-B		AW			6 10/74	C	BA12 WITH ECO#BA12-00010	80 COL OPTICAL MARK CR & CONT HP 60 HZ	
CM12-C		AW			4 2/71	C	BA12 WITH ECO#BA12-00010	80 COL OPTICAL MARK CR & CONT HP 50 HZ	
CM12-FA		AW			3 3/73	C	8 POS	80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION OM200 60HZ	
CM12-FB		AW			3 3/73	C	8 POS	80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION OM200 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
CM8-E		LT			6	4/73	C	8/E 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES (M643) 60 HZ
CM8-EA		LT			6	4/73	C	8/E 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES (M643) 50 HZ
CM8-FA		LT			2	3/72	C	8/E 80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION 0M200 60HZ
CM8-FB		LT			2	3/72	C	8/E 80 COL OPTICAL MARK CR & CONT 300 CPM DOCUMENTATION 0M200 50HZ
CM8-I		MI			5		C	8/I 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 60 HZ
CM8-IA		MI			5		C	8/I 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 50 HZ
CM8-L		MI			5		C	BA08 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 60 HZ
CM8-LA		MI			5		C	BA08 40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 50 HZ
DMS1					2	2/75	E	- SEE DMS1-B
DMS11	ESS	BRR			3	12/74	C	11 INTERFACE TO HP7261A OPTICAL MARK SENSE CR, OUTPUT HOPPER SELECT
CMT		CU			3		B	7, 9, 15 COMPLEX MODULE TESTER
CMX1-A		RG			5		A	ADC1 PLUS 64 CH MX RACK MTD
CMX1-B		RG			5		A	TABLE TOP CMX1-A
CP08-N		BM		CSS	3	3/72	C	8 NEG DATA PRODUCTS SPEEDPUNCH-120 100 CPM PUNCH & CONT
CP08-P		BM		CSS	3	3/72	C	8 POS DATA PRODUCTS SPEEDPUNCH-120 100 CPM PUNCH & CONT
CP10-A					5		C	BA10 MD 6011 300 CPM CARD PUNCH & CONT 60 HZ
CP10-B					5		C	BA10 MD 6011 300 CPM CARD PUNCH & CONT 50 HZ
CP10-DA	JEH	PWD		CSS	2	6/74	C	BA10 DOCUMENTATION P100 100CPM PUNCH & CONT, 115V 60HZ
CP10-DB	JEH	PWD		CSS	2	6/74	C	BA10 DOCUMENTATION P100 100CPM PUNCH & CONT, 230V 50HZ
CP11-UP	BE			SSCAL	3	5/73	C	11 PUNCH INTERFACE FOR UNIVAC 1710 CARD RDR/PUNCH
CP15-A		OY		CSS	2	3/71	C	15 MD6011 CARD PUNCH & CONT 60 HZ
CP15-B		OY		CSS	2	3/71	C	15 MD6011 CARD PUNCH & CONT 50 HZ
CP20-E		BE		SSCAL	3	11/71	C	15 CONT FOR DATA PROD 120 PUNCH
CR01-A		MI			6		C	5 CARD READER & CONT 100 CPM NCR
CR01-B		MI			6		C	7 CARD READER & CONT 100 CPM NCR
CR01-C		MI			6		C	6 CARD READER & CONT 100 CPM NCR
CR01-E		MI			6		C	9 CARD READER & CONT 100 CPM NCR
CR02-A		RR			6		C	7 CARD READER & CONT 200 CPM BURROUGHS
CR02-B		RR			5		C	9 CARD READER & CONT 200 CPM BURROUGHS
CR03-B		FA			5		C	9 CARD READER & CONT 200 CPM GEN DESIGN
CR03-C					5		C	BA04 (8) CARD READER & CONT 200 CPM GEN DESIGN
CR03-D		ST		CSS	3		C	10 CARD READER & CONT 200 CPM GEN DESIGN
CR04-A	EAS	BB			5	6/72	C	8 8/E 8/I 11 300 CPM TABLE TOP READER DOCUMENTATION M200, GDI INTFC, 115V 60HZ
CR04-B	EAS	BB			5	6/72	C	8 8/E 8/I 11 300 CPM TABLE TOP READER DOCUMENTATION M200, GDI INTFC, 230V 50HZ
CR04-C	EAS	BB			5	6/72	C	10 300 CPM TABLE TOP READER DOCUMENTATION M200, 10 INTFC, 115V 60HZ
CR04-D	EAS	BB			5	6/72	C	10 300 CPM TABLE TOP READER DOCUMENTATION M200, 10 INTFC, 230V 50HZ
CR04-E	EAS	BB			5	6/72	C	10 11 12 15 1000 CPM TABLE TOP READER, DOCUMENTATION M1000, 115V 60HZ
CR04-F	EAS	BB			5	6/72	C	10 11 12 15 1000 CPM TABLE TOP READER, DOCUMENTATION M1000, 230V 50HZ
CR04-H	EAS	BB			5	6/72	C	10, 11, 15 1200 CPM CONSOLE READER, DOCUMENTATION M1200, 115V 60HZ
CR04-J	EAS	BB			5	6/72	C	10, 11, 15 1200 CPM CONSOLE READER, DOCUMENTATION M1200, 230V 50HZ
CR10-A	EAS	KE			6	2/72	C	BA10 1000 CPM READER & CONT SOROBAN 60 HZ
CR10-B	EAS	KE			6	2/72	C	BA10 800 CPM READER & CONT SOROBAN 50 HZ
CR10-DA	EAS	BB			5	2/72	C	BA10 CR04-E 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 115V 60HZ
CR10-DB	EAS	BB			5	2/72	C	BA10 CR04-F 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 230V 50HZ
CR10-EA	EAS	BB			5	2/72	C	BA10 CR04-H 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 115V, 60HZ
CR10-EB	EAS	BB			5	2/72	C	BA10 CR04-J 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 230V 50HZ
CR10-FA	EAS	BB			5	2/72	C	BA10 CR04-C 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 115V 60HZ
CR10-FB	EAS	BB			5	2/72	C	BA10 CR04-D 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 230V 50HZ
CR10-UA	EAS	BB			-	8/71	C	CR10-A
CR10-UB	EAS	BB			-	8/71	C	CR10-B
CR11	RLP	LC			4	2/72	C	DD11 CR04-A 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 115V 60HZ
CR11-A	RLP	LC			4	2/72	C	DU11 CR04-B 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 230V 50HZ
CR12	SNT	AW			5		C	BA12 CARD READER & CONT 200 CPM GEN DESIGN 60 HZ
CR12-A	SNT	AW			5		C	BA12 CARD READER & CONT 200 CPM GEN DESIGN 50 HZ
CR12-FA	SNT	AW			3	12/71	C	12 CR04-A 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	42
CR12-FB	SNT	AK			3 12/71	C	12	CR04-B 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 230V 50 HZ	
CR15-A		BV		CS5	3 3/71	C	15	1000 CPM READER & CONT, SOROBAN, 60HZ	
CR15-B		BV		CS5	3 3/71	C	15	800 CPM READER & CONT, SOROBAN, 50HZ	
CR15-DA		AA			3 1/72	C	15	CR04-E 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 115V 60HZ	
CR15-DB		AA			3 1/72	C	15	CR04-F 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 230V 50HZ	
CR15-EA		AA			3 1/72	C	15	CR04-H 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 115V 60HZ	
CR15-EB		AA			3 1/72	C	15	CR04-J 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 230V 50HZ	
CR15-FA		AA			3 1/72	C	15	CR04-C 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 115V 60HZ	
CR15-FB		AA			3 1/72	C	15	CR04-D 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 230V 50HZ	
CR8-FA		JK			4 1/72	C	8/E	CR04-A 300 CPM TABLE TOP READER & CONT(MB43)DOCUMENTATION M200 115V60HZ	
CR8-FB		JK			4 1/72	C	8/E	CR04-B 300 CPM TABLE TOP READER & CONT(MB43)DOCUMENTATION M200 230V50HZ	
CR8-I		RR		TPL	5	C	8/I	CR + CONT 200 CPM GEN DESIGN 60 HZ	
CR8-IA		RR		TPL	5	C	8/I	CR & CONT 200 CPM GEN DESIGN 50 HZ	
CR8/I-FA		BB			4 1/72	C	8/I	CR04-A 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 115V, 60HZ	
CR8/I-FB		BB			4 1/72	C	8/I	CR04-B 300 CPM TABLE TOP READER & CONT DOCUMENTATION M200, 230V, 50HZ	
CR8-L		RR		TPL	5	C	BA08	CR & CONT 200 CPM GEN DESIGN 60 HZ	
CR8-LA		RR		TPL	5	C	BA08	CR & CONT 200 CPM GEN DESIGN 50 HZ	
CS11	FA			CS2	-	D	11	COMMUNICATION LINE SWITCHING SYSTEM SERIES NAME	
CSC11-AA	OF	AAH		SSCAN	3 12/74	D	11	COMPACT SYSTEM CONTROLLER; H911 W 32 SLOTS X-BUS, 2 BLANK H911, M7829 11 TO X-BUS INTRFC, 2 W7401 TERM, BC11A-08, H740-D, BC05H 115V	
CSC11-AB	OF	AAH		SSCAN	3 12/74	D	11	CSC11-AB EXCEPT BC08J, 230V	
CSC8-AA	OF	AAH		SSCAN	3 12/74	D	8/E	CSC8-XA + M5945 & M8361 X-BUS TO OMNIBUS, BC08R-05, 2 W7401, 115V	
CSC8-AB	OF	AAH		SSCAN	3 12/74	D	8/E	CSC8-AA EXCEPT CSC8-XB	
CSC8-BA	OF	AAH		SSCAN	3 12/74	E	-	2 H911 W 20 SLOTS OMNIBUS, 12 SLOTS X-BUS, M8300, 2 M8320, M8330, M8349, KLB-J, M5945, M8361, BC08R-02, 2 W7401, H740-D, BC05H, 115V	
CSC8-BB	OF	AAH		SSCAN	3 12/74	E	-	CSC8-BA EXCEPT BC05J, 230V	
CSC8-XA	OF	AAH		SSCAN	3 12/74	D	CSC11-AA, CSC8-AA	CSC EXPANSION: H911 32-SLOT X-BUS, 2 BLANK H911 H740-D, BC05H, BC08H-F3, 115V	
CSC8-XB	OF	AAH		SSCAN	3 12/74	D	CSC11-AB, CSC8-AB	CSC8-XA EXCEPT BC05J, 230V	
CTS11-JA	JEH	PWD		CS2	6 2/75	C	11	CARD TERMINAL CONT FOR DECISION DATA 9610 RDR/PUNCH	
CTS11-JB	JEH	PWD		CS2	6 2/75	C	11	CARD TERM CONT, DECISION DATA 8010 RDR/PUNCH, ASCII, 8-BIT HOLLERITH	
CTS11-JC	JEH	WDS		CS2	3 1/75	C	11	CARD TERM CONT FOR DECISION DATA 8010 RDR/PUNCH ASCII & BINARY	
CTS11-KA	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9610 KYBD PRINTING RDR/PU & CTS11-JA CONT, 115V60HZ	
CTS11-KB	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9610 KYBD PRINTING RDR/PU & CTS11-JA CONT, 230V 50HZ	
CTS11-KC	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9645 PRINTING RDR/PU & CTS11-JA CONT, 115V 60HZ	
CTS11-KD	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9645 PRINTING RDR/PU & CTS11-JA CONT, 230V 50HZ	
CTS11-KE	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9635 RDR/PU & CTS11-JA CONT, 115V 60HZ	
CTS11-KF	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 9635 RDR/PU & CTS11-JA CONT, 230V 50HZ	
CTS11-KH	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11-JB CONT, 115V 60HZ	
CTS11-KJ	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11-JB CONT, 230V 50HZ	
CTS11-KK	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11-JB CONT, 115V 60HZ	
CTS11-KL	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11-JB CONT, 230V 50HZ	
CTS11-KM	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11-JB CONT, 115V 60HZ	
CTS11-KN	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11-JB CONT, 230V 50HZ	
CTS11-KP	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11-JC CONT, 115V 60HZ	
CTS11-KR	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11-JC CONT, 230V 50HZ	
CTS11-KS	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11-JC CONT, 115V 60HZ	
CTS11-KT	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11-JC CONT, 230V 50HZ	
CTS11-KU	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11-JC CONT, 115V 60HZ	
CTS11-KV	JEH	PWD		CS2	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11-JC CONT, 230V 50HZ	
CTS8-KA	JEH	PWD		CS2	3 5/73	C	8/E	DECISION DATA 9610 KYBD PRINTING RDR/PU CONT, 115V60HZ	
CTS8-KB	JEH	PWD		CS2	3 5/73	C	8/E	DECISION DATA 9610 KYBD PRINTING RDR/PU CONT, 230V 50HZ	
CTS8-KC	JEH	PWD		CS2	3 5/73	C	8/E	DECISION DATA 9645 PRINTING RDR/PU CONT, 115V 60HZ	
CTS8-KD	JEH	PWD		CS2	3 5/73	C	8/E	DECISION DATA 9645 PRINTING RDR/PU & CTS11-JA CONT, 230V 50HZ	
CTS8-KE	JEH	PWD		CS2	3 5/73	C	8/E	DECISION DATA 9635 RDR/PU CONT, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
CTS8-KF	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 9635 RDR/PU CONT, 230V 50HZ
CTS8-KH	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8010 KYBD, PRINTING RDR/PU CONT, 115V 60HZ
CTS8-KJ	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8010 KYBD, PRINTING RDR/PU CONT, 230V 50HZ
CTS8-KK	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8045 PRINTING RDR/PU CONT, 115V 60HZ
CTS8-KL	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8045 PRINTING RDR/PU CONT, 230V 50HZ
CTS8-KM	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8035 RDR/PU CONT, 115V 60HZ
CTS8-KN	JEH	PWD		CS9	3	5/73 C	8/E	DECISION DATA 8035 RDR/PU CONT, 230V 50HZ
CU-4					4	9/72 B	GM11 (GAMMA 11)	POLAROID CU-4 CAMERA
DA07		HI		TPL	2	D	7	ADAPTER FOR PDP9 I/O BUS
DA09-A		HI			5	D	9	ADAPTER FOR PDP7 I/O
DA10		DI			5	D	10	PDP8, 9, 15 INTERFACE
DA10-F	RDH	DMT		DA9	2	6/73 D	10 I/O & 11 UNIBUS	PDP10 TO PDP11 I/O INTERFACE
DA11-A		FA		CS9	6	2/75 D	11	DMA INTERPROCESSOR BUFFER (2 DR11-B + LOGIC)
DA11-AL	FA	ERS		CS9	3	10/74 D	11	DMA INTERPROCESSOR BUFFER W DIFFERENTIAL DRIVE FOR LONG LINES
DA11-BA	JEH	FA		CS9	3	9/72 D	11	DMA INTERPROCESSOR BUFFER W 25FT CABLES (2 M7229 + 2 BC00R-25)
DA11-BB	JEH	FA		CS9	3	9/72 D	11	DMA INTERPROCESSOR BUFFER W 50FT CABLES (2 M7229 + 2 BC00R-50)
DA11-BC	JEH	FA		CS9	3	9/72 D	11	DMA INTERPROCESSOR BUFFER W 100FT CABLES (2 M7229 + 2 BC00R-100)
DA11-BD	JEH	FA		CS9	3	1/73 D	11	DMA INTERPROCESSOR LINK; DA11-BA + 2 DR11-B
DA11-BE	JEH	FA		CS9	3	1/73 D	11	DMA INTERPROCESSOR LINK; DA11-BB + 2 DR11-B
DA11-BF	JEH	FA		CS9	3	1/73 D	11	DMA INTERPROCESSOR LINK; DA11-BC + 2 DR11-B
DA11-C	FA	CC		CS9	6	2/75 D	11	PROG TRANSFER INTERPROCESSOR BUFFER (2 DR11-C)
DA11-D		GMW		CS9	6	2/75 D	11	PROG TRANSFER INTERPROCESSOR BUFFER W COMMON CORE WINDOW
DA11-E		JFH		CS9	6	2/75 D	11	PROG TRANSFER INTERPROCESSOR BUFFER (2 DR11-A + LOGIC)
DA11-F	JEH	FA		CS9	6	2/75 D	11	PROG TRANSFER INTERPROC BUFFER W COMMON CORE WINDOW IN SYS UNIT
DA14-A		AR			5	3/71 D	KA14	PDP14-L INTERFACE TO 8/I
DA14-B		AR			5	3/71 D	KA14	PDP14-L INTERFACE TO 8/E, 8/L, 12
DA14-C		AR			3	3/72 D	KA14	PDP14-L INTERFACE TO 11
DA14-E	JM	AR			5	2/75 D	14/30, 14/35	14/30 INTERFACE TO + I/O BUS, PDP8/E
DA14-EL	JM	AR			5	2/75 D	14/30, 14/35	14/30 INTERFACE TO + I/O BUS, PDP8/L, 8/I
DA14-I		AR			5	D	14	8/I + BUS INTERFACE
DA14-L		AR			5	D	14	8/E, 8/L & 12 BUS INTERFACE
DA15-C	AP	FA		CS9	3	7/71 D	15 & 10 I/O & MEM BUSES	ALLOWS 15 TO ACCESS 10 CORE
DA15-E	AP	FA		CS9	6	2/75 D	MX15, I/O BUSES	ALLOWS 2 15'S TO USE 1 MX15 WITH NO CONFLICT
DA16-F		CBR			3	6/72 D	16M	I/O CONT FOR PDP11 PERIPHERALS (M623)
DA25-A		IV		CS9	3	D	8/I,	PDP8/I MEM TO PDP10 MEM INTF, 8/I SECTION
DA25-B		IV		CS9	2	D	9	PDP9 MEM TO PDP10 MEM INTF, 9 SECTION
DA25-C		IV		CS9	3	D	10	8/I, 9, 15 MEM TO PDP10 MEM INTF, 10 SECTION
DA25-D		IV		CS9	2	D	15	PDP15 MEM TO PDP10 MEM INTF, 15 SECTION
DA26-CA		PH		CS9	6	2/75 D	10 I/O BUS	CONTROL UNIT & LINE MX, 4 CH OUT OF 16 POS
DA26-CB		PH		CS9	6	2/75 D	DA26-CA	SERIAL ASYNC TRANS & RECEIVE UNIT
DA27-C	JEH	FA		CS9	3	7/72 D	10 I/O & MEM BUS, DA NEG BUS	INTERPROC BUF, 10 TO DA NEG BUS
DA27-CF	JEH	FA		CS9	3	7/72 D	11, DA NEG BUS	INTERPROC BUF, 11 TO DA NEG BUS
DA28-A	FP	DJA		DA9	3	7/72 D	8 POS & DA POS BUS	INTERPROC BUF, 8 POS TO DA POS BUS
DA28-AY	FP	DJA		DA9	3	1/75 D	8 POS & DA POS BUS	DA28-A MODIFIED FOR USE WITH DA28-Y
DA28-C	FP	DJA		DA9	3	7/72 D	10 I/O, MEM/MUX BUS, DA POS BUS	INTERPROC BUF, 10 TO DA POS BUS
DA28-CY	FP	DJA		DA9	3	1/75 D	10 I/O, MEM/MUX BUS, DA POS BUS	DA28-C MODIFIED FOR USE WITH DA28-Y
DA28-E	FP	DJA		DA9	3	10/72 D	15, DA POS BUS	INTERPROC BUF, 15 TO DA POS BUS
DA28-F	FP	DJA		DA9	3	7/72 D	11, DA POS BUS	INTERPROC BUF, 11 TO DA POS BUS
DA28-FY	FP	DJA		DA9	3	1/75 D	11 & DA POS BUS	DA28-F MODIFIED FOR USE WITH DA28-Y
DA28-X	FP	DJA		DA9	3	2/73 D	DA28-C	4 PORT DA BUS EXPANDER
DA28-XY	FP	DJA		DA9	3	1/75 D	DA28-CY	DA28-X MODIFIED FOR USE WITH DA28-Y
DA28-Y	FP	DJA		DA9	2	6/73 D	DA28-CY	BUS EXTENDER (DA28-YM + DA28-YS)
DA28-YM	FP	DJA		DA9	3	1/75 D	DA28-CY	36 PARALLEL TO 12 SERIAL MASTER BUS EXTENDER

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
DA28-YS	FP	DJA		DA2	3	1/75 D	DA28-YM	12 SERIAL TO 36 PARALLEL SLAVE BUS EXTENDER
DA28-Z	FP	DJA		DA2	3	2/73 D	DA POS BUS	INTERPROC BUF, TEMPO I
DA30-F		DW		SS1:AN	2	4/74 D	11	8 BIT PARALLEL FULL DUPLEX 10-30KHZ INTERPROCES BUFFER, M7842
DAS	FP			DA2	-	D	10	OECSYSTEM 10 ADVANCED SYSTEMS OPTIONS
DAS20-BC	FP	DJA		DA2	3	2/75 V	ASYN ASC11	VT20-BC W MODIFIED KEY CAPS, 115V
DAS20-BD	FP	DJA		DA2	3	2/75 V	ASYN ASC11	VT20-BD W MODIFIED KEY CAPS, 230V
DAS33-A	FP	DMT		DA2	2	1/75 D	10 MEM BUS	BUFFERED DATA CHANNEL, 115V
DAS33-B	FP	DMT		DA2	2	1/75 D	10 MEM BUS	BUFFERED DATA CHANNEL, 230V
DAS33-LP	FP	DMT		DA2	2	1/75 D	DAS33-A, -B	LOCAL CONTROL PANEL
DAS34	FP	DMT		DA2	2	7/74 D	10 MEM BUS	DATA LINK MANUAL REMOTE SWITCH
DAS72-AA	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, LS8-FA, CR8-FA, DDCMP, 115V 60HZ
DAS72-AB	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, LS8-FB, CR8-FB, DDCMP, 230V 50HZ
DAS72-BC	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, LE8-VA, CR8-FA, DDCMP, 115V 60HZ
DAS72-BD	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, LE8-VB, CR8-FB, DDCMP, 230V 50HZ
DAS72-CC	FP	PSD		DA2	3	10/74 E	10	8K PKP8E-CA, DP8-EA, LE8-WA, CR8-FA, DDCMP, 115V 60HZ
DAS72-CD	FP	PSD		DA2	3	10/74 E	10	8K PKP8E-CB, DP8-EA, LE8-WB, CR8-FB, DDCMP, 230V 50HZ
DAS72-L	FP	PSD		DA2	3	10/74 D	DAS72-A, -B, -C	8 LINE EXPANDER GROUP
DAS72-MA	FP	PSD		DA2	3	10/74 E	10	8K PKP8E-CA, DP8-EA, LS8-EA, DDCMP, 115V 60HZ
DAS72-MB	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, LS8-EB, DDCMP, 230V 50HZ
DAS72-NC	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, LE8-VA, DDCMP, 115V 60HZ
DAS72-ND	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, LS8-VB, DDCMP, 230V 50HZ
DAS72-OC	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, LS8-WA, DDCMP, 115V 60HZ
DAS72-OD	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, LS8-WB, DDCMP, 230V 50HZ
DAS72-PA	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, CR8-FA, DDCMP, 115V 60HZ
DAS72-PB	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, CR8-FB, DDCMP, 230V 50HZ
DAS72-QA	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CA, DP8-EA, DDCMP, 115V 60HZ
DAS72-QB	FP	PSD		DA2	3	10/74 E	10	8K PDP8E-CB, DP8-EA, DDCMP, 230V 50HZ
DAS75-AA	FP	PSD		DA2	3	10/74 E	10	BASIC SYNC COMM SYS: DL10-AA KD11-A MF11-LP KY11-D DL11-A KW11-L, KG11-A DD11-B DS11-A BA11-FC H742-A H744 H745 H956, 8 M7110 W CABLES, 115V
DAS75-AB	FP	PSD		DA2	3	10/74 E	10	DAS75-AA EXCEPT DL10-AB, 861-B, 230V
DAS75-DA	FP	PSD		DA2	3	10/74 E	10	GROUP SYNC COMM SYS: DAS75-AA EXCEPT DL10-C, NO DL10-AA, 115V
DAS75-DB	FP	PSD		DA2	3	10/74 E	10	GROUP SYNC COMM SYS: DAS75-AB EXCEPT DL10-C, NO DL10-AB, 230V
DAS75-EA	FP	PSD		DA2	3	10/74 D	10	8 M7110 MODEM CONT W BC01R-25 CABLES
DAS75-EB	FP	PSD		DA2	3	10/74 D	10	ONE M7110 W BC01W-25 CABLE
DAS75-NP	FP	PSD		DA2	3	2/75 D	10	MM11-F + QHD01
DAS78-AA	FP	PSD		DA2	3	10/74 E	10	BISYNC COMM SYS: DL10-AA KD11-A MF11-UP KY11-D DL11-A KW11-L KG11-A, DD11-B DD11-AA -BA BA11-FC H742-A 3 H744 H745 H754 H956, 115V
DAS78-AB	FP	PSD		DA2	3	10/74 E	10	DAS78-AA EXCEPT DL10-AB, 861-B, 230V
DAS78-DA	FP	PSD		DA2	3	10/74 E	10	GRP BISYNC SYS: DAS78-AA DL10-C DD11-AA -BA NO DL10-AA, 115V
DAS78-DB	FP	PSD		DA2	3	10/74 E	10	GROUP BISYNC SYS: DAS78-AB W DL10-C, NO DL10-AB, 230V
DAS78-EA	FP	PSD		DA2	3	11/74 D	10	BISYNC LINE EXP GROUP: QD11-AA, -BA, 861-C, H742-A, 2 H744, H745, BA11-FB, H956, 115V
DAS78-EB	FP	PSD		DA2	3	11/74 D	10	DAS78-EA EXCEPT 861-B, H742-B, 230V
DAS78-F	FP	PSD		DA2	3	10/74 D	10	QD11-DA (NPR SYNC LINE CONT UP TO 10K BAUD, EIA)
DAS78-G	FP	PSD		DA2	3	10/74 D	10	QD11-EA (NPR SYNC LINE CONT UP TO 50K BAUD, CURRENT MODE)
DAS79-AA	FP	PSD		DA2	3	10/74 E	10	DAS78-AA HARDWARE W CDC6000 SOFTWARE COMPATIBILITY, 115V
DAS79-AB	FP	PSD		DA2	3	10/74 E	10	DAS78-AB HARDWARE W CDC6000 SOFTWARE COMPATIBILITY, 230V
DAS79-DA	FP	PSD		DA2	3	10/74 E	10	DAS78-DA W CDC6000 SOFTWARE COMPATIBILITY, 115V
DAS79-DB	FP	PSD		DA2	3	10/74 E	10	DAS78-DB W CDC6000 SOFTWARE COMPATIBILITY, 230V
DAS80-AA	FP	PSD		DA2	3	10/74 E	10	REMOTE BATCH: KD11-A, MF11-UP, KY11-D, DL11-A, KW11-L, KG11-A, LA36-CA, DD11-B, DD11-AA, -BA, BA11-FC, H742-A, 2 H744, H745, H754, H956, 861-C, 115V 60HZ
DAS80-AB	FP	PSD		DA2	3	10/74 E	10	DAS80-AA EXCEPT H742-B, 861-B, LT33-AB, 230V
DAS80-CA	FP	PSD		DA2	3	10/74 D	10	DAS80-AA
DAS80-CB	FP	PSD		DA2	3	11/74 C	10	CR11, 115V 60HZ
DAS80-F	FP	PSD		DA2	3	2/75 D	10	CR11-A, 230V 50HZ
								QD11-DA

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DAS80-G	FP	PSD		DAS	3 2/75	D	DAS80-A	DQ11-EA
DAS80-LA	FP	PSD		DAS	3 10/74	L	DAS80-AA	LP11-VA, 115V 60HZ
DAS80-LB	FP	PSD		DAS	3 11/74	L	DAS80-AB	LP11-VD, 230V 50HZ
DAS80-LC	FP	PSD		DAS	3 11/74	L	DAS80-AA	LP11-WA, 115V 60HZ
DAS80-LD	FP	PSD		DAS	3 10/74	L	DAS80-AB	LP11-WD, 230V 50HZ
DAS81-AA	FP	PSD		DAS	3 10/74	E	10	REMOTE CONCENTRATOR: DAS80-AA + H744, KG11-A, LA36-CC, DH11-AA, H956, H742-A, H745, BA11-FB, 115V
DAS81-AB	FP	PSD		DAS	3 10/74	E	10	DAS81-AA EXCEPT 861-B, H742-B, DH11-AC, LT33-AB, 230V 50HZ
DAS81-EA	FP	PSD		DAS	3 10/74	D	DAS81-AA	ASYNCH 16-LINE GROUP: DH11-AA, BA11-FB, H742-A, 3 H744, H745, 861-C, H956, 115V
DAS81-EB	FP	PSD		DAS	3 11/74	D	DAS81-AB	DA81-EA EXCEPT H742-B, 861-B, 230V
DAS81-EC	FP	PSD		DAS	3 10/74	D	DAS81-EA	ASYNCH 16 LINE EXPANSION: DH11-AA, 115V
DAS81-ED	FP	PSD		DAS	3 2/75	D	DAS81-EB	DH11-AC, 230V
DAS81-FA	FP	PSD		DAS	3 10/74	D	DAS81-A, -E	ASYNCH 20MA LINE GROUP: 2 DH11-DA
DAS81-FB	FP	PSD		DAS	3 10/74	D	DAS81-A, -E	LOCAL ASYNCH EIA GROUP: 8(DF11-A H312 BC01R)
DAS81-FC	FP	PSD		DAS	3 10/74	D	DAS81-A, -E	MODEM CONT GROUP: 8(DF11-A, BC01R)
DAS81-FD	FP	PSD		DAS	3 10/74	D	DAS81-A, -E	INTEGRAL MODEM GROUP: 8 DF11-BB, FULL DUPLEX
DAS81-FE	FP	PSD		DAS	3 2/75	D	DAS81-A	2 INTEGRAL MODEMS, DF11-BA
DAS81-H	FP	PSD		DAS	3 2/75	D	DAS81-A	DQ11-DA
DAS81-J	FP	PSD		DAS	3 2/75	D	DAS81-A	DQ11-EA
DAS82-AA	FP	PSD		DAS	3 10/74	E	10	DAS81-AA REMOTE CONCENTRATOR W BATCH, 115V 60HZ
DAS82-AB	FP	PSD		DAS	3 10/74	E	10	DAS81-AB REMOTE CONCENTRATOR W BATCH, 230V 50HZ
DAS82-CA	FP	PSD		DAS	3 2/75	D	DAS82-A	CR11, 115V 60HZ
DAS82-CB	FP	PSD		DAS	3 2/75	D	DAS82-A	CR11-A, 230V 50HZ
DAS82-EA	FP	PSD		DAS	3 2/75	D	DAS82-AA	DAS81-EA, 115 60HZ
DAS82-EB	FP	PSD		DAS	3 2/75	D	DAS82-AB	DAS81-EB, 230V 50HZ
DAS82-EC	FP	PSD		DAS	3 2/75	D	DAS82-EA	DAS81-EC, 115V 60HZ
DAS82-ED	FP	PSD		DAS	3 2/75	D	DAS82-EB	DAS81-ED, 230V 50HZ
DAS82-FA	FP	PSD		DAS	3 11/74	D	DAS82-A, -E	ASYNCH 20MA LINE GROUP: 8 DF11-F
DAS82-FB	FP	PSD		DAS	3 11/74	D	DAS82-A, -E	LOCAL ASYNCH EXP GROUP: 8(DF11-A, H312, BC01R-25)
DAS82-FC	FP	PSD		DAS	3 11/74	D	DAS82-A, -E	MODEM INTERFACE/CONTROL GROUP: 8(DF11-A, BC01R-25)
DAS82-FD	FP	PSD		DAS	3 11/74	D	DAS82-A, -E	INTEGRAL MODEM GROUP: 8(DF11-BB, BC11E-25)
DAS82-FE	FP	PSD		DAS	3 2/75	D	DAS82-A, -E	2 INTEGRAL MODEMS, DF11-BA
DAS82-FF	FP	PSD		DAS	3 2/75	D	DAS82-A, -E	DN11-AA, DN11-DA
DAS82-H	FP	PSD		DAS	3 2/75	D	DAS82-A	DQ11-DA
DAS82-J	FP	PSD		DAS	3 2/75	D	DAS82-A	DQ11-EA
DAS82-LA	FP	PSD		DAS	3 2/75	D	DAS82-A	LP11-VA, 115V 60HZ
DAS82-LB	FP	PSD		DAS	3 2/75	D	DAS82-A	LP11-VD, 230V 50HZ
DAS82-LC	FP	PSD		DAS	3 2/75	D	DAS82-A	LP11-WA, 115V 60HZ
DAS82-LD	FP	PSD		DAS	3 2/75	D	DAS82-A	LP11-WD, 230V 50HZ
DAS85-AA	FP	PSD		DAS	3 10/74	E	10	DDCMP COMM SYS: DAS78-AA EXCEPT DDCMP COMM SYS SOFTWARE, 115V
DAS85-AB	FP	PSD		DAS	3 10/74	E	10	DDCMP COMM SYS: DAS78-AB EXCEPT DDCMP COMM SYS SOFTWARE, 230V
DAS85-DA	FP	PSD		DAS	3 10/74	E	10	DDCMP COMM SYS GROUP: DAS78-DA EXCEPT DDCMP COMM SYS SOFTWARE, 115V
DAS85-DB	FP	PSD		DAS	3 10/74	E	10	DDCMP COMM SYS GROUP: DAS78-DB EXCEPT DDCMP COMM SYS SOFTWARE, 230V
DAS85-EA	FP	PSD		DAS	3 10/74	E	DAS85-DA	DAS78-EA, 115V
DAS85-EB	FP	PSD		DAS	3 11/74	E	DAS85-DB	DAS78-EB, 230V
DAS85-F	FP	PSD		DAS	3 10/74	D	DAS85-D, -E	NPR SYNC LINE CONT UNIT: DQ11-DA, BC01R-25
DAS85-G	FP	PSD		DAS	3 10/74	D	DAS85-D, -E	NPR SYNC LINE CONT UNIT: DQ11-EA, BC01W-25
DB01	II				6	D	7	BUFFER ADDRESS CONTROL
DB08-A	FA				5	D	DB88-A, DB98-A	INPUT/OUTPUT DATA BUFFER
DB08-S	AB				5	D	B/S	DATA BREAK OPTION
DB09	FA				5	D	DB98-A, DB99-A	INPUT/OUTPUT DATA BUFFER
DB10-B	CV		CSS		3	1/72	D	10 I/O & MEM BUSES
DB11-A	VB				5	2/72	D	11
DB11-B	VB				4	4/71	D	11
								DB11-A WITH DISABLE SWITCH

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DB11-E		JT		CSR	2 10/73	D	11	GENERAL PURPOSE TTL INPUT/OUTPUT
DB11-M	MI	AJH			3 9/73	D	11	PATCH PANEL FOR SWAPPING PERIPHERALS
DB11-R	MI	TM		TYC	2 4/74	D	11	DUAL UNIBUS & PERIPHERAL CONT W RELAY SELECTED OUTPUTS
DB12-N	SHT	RI			5 1/73	D	BA12	DATA BUFFER MODULE SET NEG OUT
DB12-P	SHT	RI			5 1/73	D	BA12	DATA BUFFER MODULE SET POS OUT
DB14-A		AR			6 8/71	D	8/L, 8/I + BUS	INTERPROCESSOR BUFFER CONT SPACE FOR 6 CH
DB14-B		AR			6 8/71	D	DB14-A	MODULE SET PER CHANNEL
DB14-C		AR			6 1/72	D	DB14-A	FLAG STATUS REGISTER
DB14-D		AR			6 1/72	D	DB14-A	PROGRAMMED SELECTOR REGISTER
DB16-A		RBR			5 8/71	D	16	GENERAL PURPOSE INTERFACE M7311
DB16-B		RBR			5 8/71	D	16	OUTPUT INTERFACE M7314
DB16-C		RBR			5 8/71	D	16	INPUT INTERFACE M7317
DB88		FA		CSS	3	D	8, 8/I	8/8 INTERFACE 3-CYCLE
DB8-FA		LN			3 1/72	D	8/E	INTERPROCESSOR BUFFER, 8/E TO 8/E, BC88R-XX
DB8-EB		LN			3 1/72	D	8/E	INTERPROCESSOR BUFFER, 8/E TO BC88J-25
DB8-S		RR			6 3/74	D	8/S	DATA BREAK
DB97-A		FA			5	D	9, 7	9/7 INTERPROCESSOR BUFFER
DB98-A		FA			5	D	9, 8	9/8 INTERPROCESSOR BUFFER
DB99-A		FA			5	D	9	9/9 INTERPROCESSOR BUFFER
DC01-AA		DH		CSS	6 8/74	D	8 POS	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)
DC01-AB		RV		CSS	6 8/74	D	8 POS	8 TTY SCANNER HALF DUPLEX
DC01-AC		JUL		CSS	6 7/71	D	8 POS	8 ASYN SCAN FULL DUPLEX EIA 3 CYCLE
DC01-AL	RI	JUL		LV	6 8/74	D	DC01-AA	FULL DUPLEX LINE UNIT
DC01-BB		W		CSS	3	D	9	8 TTY LINE SCANNER 1/2 DUPLEX ECHO
DC01-CA		GT		CSS	3	D	15	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)
DC01-EB		RW		CSS	3	D	15	8 TTY LINE SCANNER HALF DUPLEX ECHO + LOGIC
DC01-EC		ST		CSS	3	D	15	8 LINE ASYNC SCAN FULL DUPLEX EIA 3 CYCLE
DC01-ED		RW		LV	3 7/71	D	15	8 LINE ASYNC SCAN, HALF DUPLEX ECHO TTY OR EIA SEP SPEEDS
DC01-FA	DH	RMP		CSS	6 7/74	D	11	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)
DC01-FD	DH	RMP			3 7/74	D	11	IMPROVED DC01-FA
DC01-FJ	FA	RLM			3 7/74	D	11	32 LINE SCANNER, FULL DUPLEX, CAN USE ANY DF11 INTERFACE
DC02-A		MI			5	D	BA08	BUFFERED ASYNC LINE INTERFACE 4 CHANNELS
DC02-D	SHT	MI			5	D	DC02-A, DC02-E	MODULE SET FOR 1 LINE
DC02-DA	SHT	MI			5	D	DC02-A	VARIABLE SPEED OPTION
DC02-E	SHT	MI			5	D	BA12	BUFFERED ASYNC LINE INTERFACE 4 CHANNELS
DC02-FA		MI			5	D	8 POS	BUF ASYNC LINE INTERFACE, UP TO 8 CH, 32 MAX, 2 RC CLOCKS
DC02-FB		MI			5	D	8 POS	BUF ASYNC LINE INTERFACE, UP TO 8 CH, 32 MAX, 2 XTAL CLOCKS
DC02-FC		MI			5	D	8 POS	BUF ASYNC LINE INTERFACE UP TO 8 CH 32 MAX, 1RC, 2 XTAL CLKS
DC02-G		MI			5	D	DC02-F	MODULE SET FOR 1 LINE
DC03-A		JUL		CSS	6	D	DC08-A	64 CH TELEGRAPH LINE ADAPTER
DC04-A		RI			6 4/73	D	12, 8 POS BUS	DUAL 6-BIT BUFFERED RECEIVER
DC04-AA		RI			6 4/73	D	12, 8 POS BUS	DC04-A & AMPEX 750 TAPE RECORDER W PS
DC04-AB		RI			6 4/73	D	12, 8 POS BUS	DC04-A & SONY 355 TAPE RECORDER W PS
DC04-CN		JDL			5 4/73	D	8 NEG	ASYNC 6 BIT RECEIVER CONT, W 2 CH, SP FOR 6 MORE
DC04-CP		JDL			5 4/73	D	8 POS	ASYNC 6 BIT RECEIVER CONT W 2 CH, SP FOR 6 MORE
DC04-DN		JDL			5 4/73	D	DC04-CN	MODULE SET FOR 2 LINES
DC04-DP		JDL			5 4/73	D	DC04-CP	MODULE SET FOR 2 LINES
DC08-A		MI			6 4/73	D	DL8-I	SERIAL LINE MUX 128 LINES
DC08-B		MI			6 4/73	D	DC08-A	LOCAL TTY OR MODEM CONT PANEL
DC08-BA		MI		SSUK	6 4/73	D	DC08-A	DC08-A ADAPTER, SPACE FOR 16 GPO MODEM LINES
DC08-BB		MI		SSUK	6 4/73	D	DC08-BA	MODULE SET FOR 1 LINE
DC08-C		MI			6 4/73	D	DC08-A	TELEGRAPH CONVERTER PANEL, SP FOR 32 LINES
DC08-CM		MI			5 8/71	D	DC08-CS	MODULE SET FOR 2 LINES
DC08-CS		MI			5 8/71	D	DC08-A	SOLID STATE TELEG CONV, SP FOR 32 LINES
DC08-CT		SNS			3 2/75	D	DC08-CS	SPECIAL BLOCK FOR LOCAL TTY PROVIDING KEYBOARD POWER SUPPLY



MODEL NO	ENG MGR	DESIGN ENGR	PROJ E IGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DC08-D		NI			5	D	DC08-C	LINE TERMINATOR PANEL
DC08-EB		NI			5	D	DC08-CB	LINE CURRENT ADJUST & METER PANEL
DC08-ED				SSUK	6	4/73 D	DC08-CB, DC08-D	INTF FOR 8 FULL DUPLEX GPO TELEGRAPH LINES
DC08-F		NI			6	4/73 D	DC08-B	MODEM INTERFACE CONT MUX, 64 CHANNELS
DC08-FE		NI			6	4/73 D	DC08-F, DC08-A	32 CH EXTENSION FOR DC08-F
DC08-FF		NI			6	4/73 D	DC08-FE, DC08-A	32 CH EXTENSION FOR DC08-FE
DC08-FX		NI			6	4/73 D	DC08-A	MODIFIED DC08-F
DC08-G		NI			6	4/73 D	DC08-F	MODULE SET FOR DC08-F
DC08-H		NI			6	4/73 D	B	DIAL OUT MUX FOR 10 LINES
DC08-J		NI			5	D	DC08-H	MODULE SET FOR DC08-H
DC08-LA				SSUK	6	8/74 D	DC02-B, -D, DC08-F, -H, 689-LM, -AC, DC10-B	SPACE FOR UP TO 32 6787 GPO BARRIER MODULES
DC08-LB				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-F
DC08-LC				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-H
DC08-LD				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH 689-LM
DC08-LE				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH 689-AC
DC08-LF				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC10-B
DC08-LG				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-B
DC08-LH				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC02-D
DC08-PM	JEH			CS2	6	8/74 D	DC08-PN, -PP, -PX	MODULE SET PER LINE
DC08-PN	JEH			CS2	6	8/74 D	B NEG	16 CH SYNC EIA LINE CONT, SP FOR 4 CH
DC08-PP	JEH			CS2	6	8/74 D	B POS	16 CH SYNC EIA LINE CONT, SP FOR 4 CH
DC08-PX	JEH			CS2	6	8/74 D	DC08-PN, -PP	EXPANSION W SPACE FOR 6 CH
DC08-R		JJL		CS2	6	8/74 D	8/1, 8/I MEMORY PORT	CYCLIC CHECK
DC08-S		JJL		CS2	6	8/74 D	B POS	SYNC LINE MUX UP TO 10 DC08-T
DC08-T		JJL		CS2	6	8/74 D	DC08-S	SYNC LINE UNIT BELL 201
DC08-U		JJL		CS2	6	8/74 D	DC08-T	SYNC LINE UNIT BELL 301
DC08-Y		NI			6	4/73 D	DC08-A	LINE SAMPLING CLOCK (MODULE SET)
DC10		KE			-	D	10	DATA LINE SCANNER- SERIES NAME
DC10-AA		KE			5	D	10	CONTROL UNIT 60 HZ
DC10-AB		KE			5	D	10	CONTROL UNIT 50 HZ
DC10-B		KE			5	D	DC10-A	8-LINE GROUP
DC10-C		KE			5	D	DC10-A	8-LINE TELEGRAPH RELAY ASSY
DC10-DA		KE			5	D	DC10-A	TELEGRAPH POWER SUPPLY, 60 HZ
DC10-DB		KE			5	D	DC10-A	TELEGRAPH POWER SUPPLY, 50 HZ
DC10-E		KE			4	D	DC10-A	EXPANDED DATA SET CONTROL
DC10-FA		KE			5	D	DC10-A	EXPANDER CABINET 60 HZ
DC10-FB		KE			5	D	DC10-A	EXPANDER CABINET 50 HZ
DC10-H	RBH	RBH			3	1/73 D	DC10-A	8-LINE GROUP FOR IBM 2741
DC10-PP		RJS			3	1/73 D	DC10-A	PATCH PANEL
DC10-S	JEH	PC		SSUK	3	1/73 D	DC10-A	EXPANDED DATA SET CONT, UK, CCITT V24, HALF OR FULL DUPLEX
DC11-AA		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 300, 150, 134.5, 110 BAUD
DC11-AB		VB			5	2/72 D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 1800, 1200, 300, 110 BAUD
DC11-AC		VB			5	2/72 D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 1200, 600, 150, 110 BAUD
DC11-AD		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 50, 110, 134.5, 150 BAUD
DC11-AE		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 75, 110, 134.5, 150 BAUD
DC11-AF		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 600, 1200, 1800, 2400 BAUD
DC11-AG		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 134.5, 150, 300, 1200 BAUD
DC11-AH		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 110, 134.5, 1200 1800 BAUD
DC11-AX		VB			3	3/71 D	11	BUF ASYNC LINE CONT, SP 2 CH, 110, 134.5, 150 + 1 CUSTOMER SPEC BAUD
DC11-BA		VB			5	3/71 D	DC11-A	LOGIC MODULE SET FOR 1 CHANNEL
DC11-DA		VB			4	6/71 D	DC11-A	DC11-BA + DF11-A + BC01R-25
DC14-A	JM	AR			5	2/75 D	14	ASYNC LINE CONT, ERROR CORRECTING 14-BIT WORDS
DC14-B	JM	AR			6	2/75 D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-A
DC14-BA	JM				3	2/75 D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-A

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFRS AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	48
DC14-BE	JM				3 2/75	D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-E	
DC14-C	JM	AR			6 2/75	D	DC14-A, DC14-E	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-A	
DA14-CA	JM	AR			3 2/75	D	DC14-A, DC14-E	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-A	
DC14-CE	JM				3 2/75	D	DC14-BE, -DE	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-E	
DC14-D	JM	AR			6 2/75	D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-A	
DC14-DA	JM	AR			3 2/75	D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-A	
DC14-DE	JM				3 2/75	D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-E	
DC14-E	JM	AR			5 2/75	D	14/30, 14/35	ASYNC LINE CONT, ERROR CORR 14 BIT WORDS (M7481) 211.2 KBAUD	
DC14-F	JM	AR			5 2/75	D	14/30, 14/35	ASYNC LINE CONT, 2 8- TO 12-BIT WORDS EIA, (M7483) 9.6 KBAUD	
DC14-FM	JM	GEG			2 1/75	D	14/30, 14/35	DC14-F FOR ACOUSTIC COUPLER	
DC14-LA		AR			3 1/72	D	14/L	DC14-A FOR PDP14-L	
DC15-A		FA			2	D	15	CONT FOR 32 KL11'S	
DC15-R	RBH	RJS			2 1/73	D	DA15-S	CONVERTS TTL TO RS232 SPEC	
DC15-S	RBH	RJS			3	D	15	CONT FOR 4 SYNCHRONOUS MODEMS	
DC16-A		RBR			4 8/71	D	16	SERIAL INTERFACE M7313	
DC16-B		RBR			3 3/72	D	DC16-A	DUAL SERIAL INTERFACE ADAPTER (M7333)	
DC44-AA	FW	JG			3 6/72	E	10	TYPESET SUBSYSTEM: DL10-AA + 11/15-CC + KW11-L, 115V 60HZ	
DC44-AB	FW	JG			3 6/72	E	10	TYPESET SUBSYSTEM: DL10-AB + 11/15-CC + KW11-L, 230V 50HZ	
DC44-BA	FW	G			3 6/72	E	10	TYPESET SUBSYSTEM: DL10-C + 11/15-CC + KW11-L, 115V 60HZ	
DC44-BB	FW	JG			3 6/72	E	10	TYPESET SUBSYSTEM: DL10-C + 11/15-CC + KW11-L, 230V 50HZ	
DC68-A		KE			6 10/72	D	DC68	680-I PACKAGE FOR PDP10	
DC70		KU			-	E		SERIES NAME FOR REMOTE TERMINALS	
DC71-AA		KU			6 10/72	E	10	PDP8-ID MP8-I CR8/I-FA KW8-IA DP01-AA LP00-JC MC8-IB 115V 60HZ	
DC71-AB		KU			6 10/72	E	10	PDP8-ID MP8-I CR8/I-FB KW8-IA DP01-AA LP00-JD MC8-IB 230V 50HZ	
DC71-BA		KU			6 10/72	E	10	PDP8-ID MP8-I CR8/I-FA KW8-IA DP01-AA LP00-KC MC8-IB 115V 60HZ	
DC71-BB		KU			6 10/72	E	10	PDP8-ID MP8-I CR8/I-FB KW8-IA DP01-AA LP00-KD MC8-IB 230V 50HZ	
DC71-D		KU			3 3/72	D	(10) DC71-A, -B	8 LINES, DW08-B + DC02-FC + 8 DC02-G	
DC71-E		KU			3 3/72	D	(10) DC71-D	8 LINE EXPANSION = DC02-FC + 8 DC02-G	
DC72-AA	EAS	KE			5 4/73	E	10	8K PKP8E-CA, DP8-E, LS8-EA, CR8-FA +, 115V 60HZ	
DC72-AB	EAS	KE			5 4/73	E	10	8K POP8E-CB, DP8-E, LS8-EB, CR8-FB, +, 230V 50HZ	
DC72-BC	RLD	KE			5 8/74	E	10	8K PDP8E-CA, DP8-E, LEB-VA, CR8-FA +, 115V 60HZ	
DC72-BD	RLD	KE			5 8/74	E	10	8K POP8E-CB, DP8-E, LEB-VD, CR8-FB +, 230V 50HZ	
DC72-CC	RLD	KE			5 8/74	E	10	8K PDP8E-CA, DP8-E, LEB-WA, CR8-FA +, 115V 60HZ	
DC72-CD	RLD	KE			5 8/74	E	10	8K POP8E-CB, DP8-E, LEB-WD, CR8-FB +, 230V 50HZ	
DC72-LA	EAS	KE			5 4/73	D	DC72-A, -B, -C	8-LINE TTY PKG (8 KLB, BAA-AA, SOFTWARE), 115V	
DC72-LB	EAS	KE			5 4/73	D	DC72-A, -B, -C	8-LINE TTY PKG (8 KLB, BAA-AB, SOFTWARE), 230V	
DC72-LC	EAS	KE			5 4/73	D	DC72-A, -B, -C, -LA, -LB	8-LINE TTY PKG (8 KLB, SOFTWARE)	
DC75-AA	EAS	KE			5 4/73	E	10	SYNC COMM SYS = DL10-AA + 11/15-CC + DS11-A + 8 DS11-BA	
DC75-AB	EAS	KE			5 4/73	E	10	SYNC COMM SYS = DL10-AB + 11/15-CC + DS11-A + 8 DS11-BA	
DC75-AC	EAS	KE			2 11/74	E	10	11/40 BASED DC75-AA, 115V	
DC75-AD	EAS	KE			2 11/74	E	10	11/40 BASED DC75-AB, 230V	
DC75-DA	EAS	KE			5 4/73	E	DC75-A	DC75 EXP: DL10-C + 11/15-CA + DS11-A + 8 DS11-BA	
DC75-DB	EAS	KE			5 4/73	E	DC75-B	DC75 EXP: DL10-C + 11/15-CB + DS11-A + 8 DS11-BA	
DC75-DC	EAS	KE			2 11/74	E	DC75-AA, -AC	11/40 BASED DC75-DA	
DC75-DD	EAS	KE			2 11/74	E	DC75-AB, -AD	11/40 BASED DC75-DB	
DC75-E	EAS	KE			5 4/73	D	(10) DC75-A, -B, -DA, -DB	8 LINE EXP: 8 DS11-BA	
DC75-NP	RLD	KE			3 11/74	D	DC75-A	MM11-F + QHD01	
DC75-NR	RLD	KE			3 11/74	D	DC75-A	MM11-F + QHD02	
DC75-UA	EAS	KE			3 3/72	D	DS10	DC75-AA (W TRADE-IN OF DS10)	
DC75-UB	EAS	KE			3 3/72	D	DS10	DC75-AB (W TRADE-IN OF DS10)	
DC75-VA	EAS	KE			3 3/72	D	2 DS10	DC75-AA (W TRADE-IN OF 2 DS10)	
DC75-VB	EAS	KE			3 3/72	D	2 DS10	DC75-AB (W TRADE-IN OF 2 DS10)	
DC76-AA	EAS	KE			3 2/74	E	10	ASYNC COMM SYS: DL10-AA, PDP11/40, DM11, DM11-BB, ETC, 115V 60HZ	
DC76-AB	EAS	KE			3 2/74	E	10	ASYNC COMM SYS: DL10-AB, PDP11/40, DM11, DM11-BB, ETC, 230V 50HZ	
DC76-DA	EAS	KE			3 2/74	E	DC76-A, DC75-A	DC76 EXP: DC76-AA EXCEPT DL10-C IN PLACE OF DL10-AA, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	49
DC76-DB	EAS	KE			3	2/74 E	DC76-A, DC75-A	DC76 EXP: DC76-AB EXCEPT DL10-C IN PLACE OF DL10-AB, 230V	
DC76-EA	EAS	KE			3	2/74 D	DC76-A, -D	ADDITIONAL 16 LINES W/O INTERFACE, W/O CAB, 115V	
DC76-EB	EAS	KE			3	2/74 D	DC76-A, -D	ADDITIONAL 16 LINES W/O INTERFACE, W/O CAB, 230V	
DC76-EC	EAS	KE			3	2/74 D	DC76-A, -D	CAB, 16 MORE LINES W/O INTERFACE, SP FOR 3 MORE DC76-EA 115V	
DC76-ED	EAS	KE			3	2/74 D	DC76-A, -D	CAB, 16 MORE LINES W/O INTERFACE, SP FOR 3 MORE DC76-EA 230V	
DC76-FA	EAS	KE			3	2/74 D	DC76-A, -D, -E	20MA ACTIVE INTERFACES FOR 8 LINES	
DC76-FB	EAS	KE			3	2/74 D	DC76-A, -D, -E	EIA/CCITT LOCAL INTERFACES FOR 8 LINES (DATA ONLY)	
DC76-FC	EAS	KE			3	2/74 D	DC76-A, -D, -E	EIA/CCITT MODEM INTERFACES FOR 8 LINES	
DC76-FD	EAS	KE			3	2/74 D	DC76-A, -D, -E	ANSWER ONLY, AUTO ANSWER INTEGRAL MODEMS FOR 8 LINES	
DC76-H	EAS	KE			3	2/74 D	DC76-A, -D, -E	FUTURE SERIES ACU CONTROL	
DD01-AN		AKI			5	D	B NEG, BF02	CONTROL FOR UNIV DIG CONT, SP FOR 4 12 BIT WORDS	
DD01-AP		AKI			5	D	B POS, BF02	CONTROL FOR UNIV DIG CONT, SP FOR 4 12 BIT WORDS	
DD01-D		AKI			4	10/71 D	11	CONTROL FOR UNIV DIG CONT, SP FOR 1 16-BIT WORD	
DD02		AKI			5	D	DD01-A, -D, BF02	SYSTEM UNIT, SPACE FOR 4 12 OR 16 BIT I/O WORDS	
DD11-A	BD	RFG			5	D	11	MOUNT FOR 4 QUAD CARD CONTROLS	
DD11-B	BD	RFG			4	3/73 D	11	DD11-A W ETCH BACK PANEL, DIFF PWR CONNECTION	
DD14-A		AR			5	2/75 D	11	PREWIRED SYSTEM UNIT FOR 4 DC11-C OR DC11-D	
DDR11-A		KH			3	3/74 D	11	RUGGED DD11-A	
DE11-A	VB				6	8/72 D	KL11	EIA CONVERTER, RS232C FEMALE	
DE11-B	VB	SS			6	8/72 D	KL11	EIA CONVERTER, RS232C MALE	
DF01-A		DR			3	8/72 D	EIA	DATA COUPLER, MODEM ACOUSTIC, MAGNETIC & DIRECT, 115V	
DF10-A		KE			5	8/74 D	10	DATA CHANNEL, 256 K ADDRESS RANGE, 60HZ	
DF10-B		KE			5	8/74 D	10	DATA CHANNEL, 256 K ADDRESS RANGE, 50HZ	
DF10-CA	RBH	RJS		DAS	3	10/73 D	10	DATA CHANNEL, 4,419K ADDRESS RANGE, 60HZ	
DF10-CB	RBH	RJS		DAS	3	10/73 D	10	DATA CHANNEL, 4,419K ADDRESS RANGE, 50HZ	
DF11-A	VB	DR			5	3/72 D	DC11-A DP11-AA DN11-A LA30-S	EIA/CCITT TERMINAL MODULE SET (M594)	
DF11-BA	VB	MC			3	8/72 D	DC11-A	INTEGRAL MODEM (113A EQUIVALENT) MODULE (M586)	
DF11-BB	VB	MC			3	8/72 D	DC11-A	INTEGRAL MODEM (113B EQUIVALENT) MODULE (M587)	
DF11-F	VB	DR			3	6/71 D	DC11-A	ACTIVE 20 MA CURRENT LOOP TERMINAL MODULE SET	
DF11-G	VB	DR			5	3/72 D	DC11-A	CURRENT SWITCH TERM MOD SET FOR 301 OR 303	
DF11-K	VB	MC			3	3/72 D	LA30-S DC11-A	PASSIVE OPTICAL COUPLED 20-MA TERMINAL MODULE SET (M590)	
DF32		GS			6	2/71 R	B NEG	32K 12 BIT + PARITY DEC DISK & CONT 60 HZ	
DF32-A		GS			6	2/71 R	B NEG	32K 12 BIT + PARITY DEC DISK & CONT 50HZ	
DF32-B		GS			6	2/71 R	B NEG	19-INCH DF32 FOR H950	
DF32-C		GS			6	2/71 R	B NEG	19-INCH DF32-A FOR H950	
DF32-DN		JK			5	R	B NEG	32K 12 BIT + PARITY DEC DISK & CONT, 60HZ	
DF32-DP		JK			5	R	B POS	32K 12 BIT + PARITY DEC DISK & CONT 60HZ	
DF32-EN		JK			5	R	B NEG	32K 12 BIT + PARITY DEC DISK & CONT 50HZ	
DF32-EP		JK			5	R	B POS	32K 12 BIT + PARITY DEC DISK & CONT 50HZ	
DFC11-A	VB	SS			3	10/74 D	DP11-AA, DU11, DQ11-AA	EIA/CCITT MODULE W CLOCK RECOVERY (M5942)	
DFMA		GS			5	R	ALL DF32 & DS32	DISK MECHANICAL ASSEMBLY	
DFMA-D		GS			5	6/71 D	DF32-D & DS32-D	DISK MECHANICAL ASSEMBLY	
DFR11-A		KH			2	4/71 D	DCR11-A	RUGGED DF11-A	
DFS11-H	JEN	SPRY		CSS	2	8/72 D	DC11-A, DP11-AA	MIL STD 188C TERMINAL MODULE SET (M5941)	
DH11-AA	VB	MC			5	7/73 D	11	16 LINE MUX DIST PANEL & 115V PS PROG LINE SPEEDS	
DH11-AB	VB	MC			5	7/73 D	11	DH11-AA W NO DIST PANEL & NO PS	
DH11-AC	VB	MC			5	7/73 D	11	230V DH11-AA	
DH11-AD	VB	RAC			3	9/74 D	11	16 LINE MUX, EIA, MODEM CONT, H317-B DIST PANEL	
DH11-AE	VB	RAC			3	9/74 D	11	16 LINE MUX, EIA, H317-B DIST PANEL	
DHW11-AB	MI	JG		TPL	2	8/74 D	11	DH11-AB W 1.5 STOP BITS (FOR WIRE SERVICE)	
DJ11-AA	VB	VB			5	7/73 D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, EIA	
DJ11-AB	VB	VB			5	7/73 D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, TTL	
DJ11-AC	VB	VB			5	7/73 D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, TTY	
DJ11-BB	FA	SPRY		CSS	3	1/75 D	DJ11-AA	16-LINE MODEM MUX MODULE SET	
DJ11-NA		JTI		CSP	6	7/73 D	11	HALF DUPLEX SYNC COMM, REPLACED BY DQS11-A	

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	50
DJS11-A	JEH	ABW		CSS	2 6/72	D	11	32 LINE CHAR BUF MUX, SINGLE BAUD RATE	
DJS11-B	JEH	ABW		CSS	2 11/72	D	11	32 LINE CHAR BUF MUX, DUAL BAUD RATE	
DK01-A		RG		IP	4	D	AF08	4X LINE FREQ INTERRUPT	
DK10		JS			5	D	10	PROGRAMMABLE REAL TIME CLOCK	
DK8-EA	JC	ADL			5 10/71	D	8/E	REAL TIME CLOCK, LINE FREQUENCY	
DK8-EC	JC	ADL			5 2/72	D	8/E	REAL TIME CLOCK, CRYSTAL	
DK8-EF	SNT	AW			5 2/72	D	DK8-EP, DK8-ES	SCHMITT CONT & INPUT JACKS FOR H945-AA	
DK8-EP	SNT	AW			5 2/72	D	8/E	PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITTS	
DK8-ES	SNT	AW			5 2/72	D	8/E (LAB 8/E)	DK8-EP + DK8-EF	
DKC8-AA	JC	LN			3 1/75	D	8/A	OPTION BOARD #1: SLU, XTAL CLOCK, GP PAR I/O, KCB-AA CONT (M0316)	
DKS8-EJ	JH	HS		CSS	6 2/75	D	8/E	INTERFACE TO CLIMET CLOCK (HRS, MIN, SEC, JULIEN CAL, BCD)	
DKS8-EK	JH	HS		CSS	3 4/74	D	8/E	CLOCK (HRS, MIN, SEC, JULIEN CAL, BCD)	
DL10		TWE			-	D	10	DATA LINK (PDP11 TO PDP10 MEM) SERIES NAME	
DL10-AA		TWE			4 9/71	D	10 I/O & MEM BUS, 4 11 UNIBUSES	CONTROL UNIT 115V 50HZ	
DL10-AB		TWE			4 9/71	D	10 I/O & MEM BUS, 4 11 UNIBUSES	CONTROL UNIT 230V 50HZ	
DL10-B		TWE			4 9/71	D	OL10-AA, -AB	2ND PDP10 I/O BUS PORT	
DL10-C		TWE			4 9/71	D	OL10-AA, -AB	ADDITIONAL PDP11 UNIBUS PORT	
DL11-A	BD	RPL			3 6/72	D	DD11 KA11 KB11 KC11 KD11-B MM11-M -S	-SP 8 BIT NO PAR ASYNC DATA CONT 20 MA	
DL11-B	BD	RPL			3 6/72	D	DITTO	EIA ASYNC CONT, B LEVEL, NO PARITY	
DL11-C	BD	RPL			3 6/72	D	DITTO	DL11-A, 5-8 BIT, PARITY CHOICE	
DL11-D	BD	RPL			3 6/72	D	DITTO	DL11-B, 5-8 BIT, PARITY CHOICE	
DL11-E	BD	RPL			3 1/73	D	DITTO	EIA ASYNC DATASET CONT	
DL14-A		VDB			5 2/75	D	KA14, PDP14-P	TRANSMISSION MONITORING INTERFACE (MAP OPTION)	
DL8-1		HI			5	D	8/I	DATA LINE INTERFACE	
DLV11	KT	CYR			2 2/75	D	11V05	SERIAL LINE UNIT, M7940	
DM01		RR		TP	5	D	8, 8/I	DATA CHANNEL MULTIPLEXER	
DM02		DM		CSS	6	D	7	PROGRAMMED DATA INTERFACE 36 BITS	
DM03		JM		CSS	6	D	8	AUTO DATA INTERFACE 36 BITS	
DM04		RR		TP	5 6/71	D	8 POS	DATA BREAK MULTIPLEXER	
DM09-A		MI			5	D	9	DIR MEM ACCESS MUX ADAPTER	
DM09-L		JE			3 1/72	D	9/L	DIR MEM ACCESS MUX ADAPTER	
DM10		JJL		CSS	3 7/71	D	10	8 CHANNEL DIRECT MEMORY ACCESS	
DM10-B		JJL		CSS	3 6/73	D	DF10, DM10	ONE WORD BUFFER	
DM11-AA		VB			5 3/72	D	11	16 LINE MUX, DIST PANEL & 115V PS, CUSTOMER BAUD RATE	
DM11-AB		VB			5 3/72	D	11	DM11-AA W NO DISTRIBUTION PANEL & NO PS	
DM11-AC		VB			5 3/72	D	11	230V DM11-AA	
DM11-BB		RL			5 3/72	D	DM11-AA, -AC, DH11-AA, -AC	16 LINE MODEM CONT MUX MODULE SET	
DM11-CA		DH		CSS	3 9/71	D	DM11-AA, -AC, DH11-AA, -AC	TELEX CONT MODULE SET	
DM11-DA		VB			5 3/72	D	DM11-AA, -AC, DH11-AA, -AC	4 TTY LINE MODULE SET	
DM11-DB		VB			5 3/72	D	DM11-AA, -AC, DH11-AA, -AC	4 LINE EIA MODULE SET	
DM11-DC		VB			5 3/72	D	DM11-AA, -AC, DH11-AA, -AC	4 LINE EIA CONTROL SIGNAL MODULE SET	
DM11-DD		VB			5 2/72	D	DM11-AA DIST PANEL	4 MIL 1808 LINE MODULE SET	
DM11-DR	JEH	ORS		CSS	3 6/74	D	DH11	4 LINE TRI-STATE EIA MODULE SET (M5943)	
DM11-DS	JEH	ORS		CSS	3 6/74	D	DH11	4 LINE TRI-STATE EIA DATA & CONT LINE MODULE SET (M5943-YA)	
DM12	SNT	RI			5 1/73	D	KF12	3 CH DATA BREAK MUX	
DMA10-C	RBH	DMT			3 8/72	D	10 I/O & MEM BUS	DMA I/O MUX (10 BUSES TO "INTERNAL BUS") USED W DA10-F	
DMA10-F	RBH	DMT			3 8/72	D	11 "INTERNAL BUS"	ALLOWS 11 TO USE PDP10 MEMORY	
DMS1-AA	JH				2 1/75	E	-	CLASSIC 1: CL8-FA, OS/8, QFE09-AY, LOGO, 115V 60HZ	
DMS1-AC	JH				2 1/75	E	-	CLASSIC 1: CL8-FC, OS/8, QFE09-AY, LOGO, 115V 50HZ	
DMS1-AD	JH				2 1/75	E	-	CLASSIC 1: CL8-FD, OS/8, QFE09-AY, LOGO, 230V 50HZ	
DMS1-BA	JH				2 2/75	E	-	CMS1: CL8-EA, QF015-AY, QF008-AY, LOGO, 115V 60HZ	
DMS1-BC	JH				2 2/75	E	-	CMS1: CL8-EC, QF015-AY, QF008-AY, LOGO, 115V 50HZ	
DMS1-BD	JH				2 2/75	E	-	CMS1: CL8-ED, QF015-AY, QF008-AY, LOGO, 230V 50HZ	
DMS1-CA	RS	JFB			2 2/75	E	-	CL8-EA, QFE09-AY OS/8, 115V 60HZ	
DMS1-CC	RS	JFB			2 2/75	E	-	CL8-EC, QFE09-AY OS/8, 115V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
DMS1-CD	RS	JFR			2	2/75 E	-	CLB-ED, QFE09-AY 09/8, 230V 50HZ
DN11-AA	VB	SS			5	3/72 D	11	AUTO DIAL CONT, SP FOR 4 CH TO 801 ACU
DN11-AB	VB	SS			3	1/72 D	11	AUTO DIAL CONT FOR DC PULSING BELL 118DAA, SP FOR X CH
DN11-BA	VB	SS			2	3/71 D	DN11-A	MODULE SET FOR 1 CHANNEL
DN11-DA	VB	SS			5	3/72 D	DN11-A	DN11-BA + BC01R-25
DNC02-FA					6	1/73 D	-	SINGLE 2 AXIS CONT FOR FUJITSU EHPM, 115V 60 HZ
DNC02-SA					6	1/73 D	-	SINGLE 2 AXIS CONT FOR SLO SYN, 115V 60 HZ
DNC03-FA					6	1/73 D	-	SINGLE 3 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ
DNC03-SA					6	1/73 D	-	SINGLE 3 AXIS CONT FOR SLO SYN, 115V 60 HZ
DNC22-FA					6	1/73 D	-	TWO 2 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ
DNC22-SA					6	1/73 D	-	TWO 2 AXIS CONT FOR SLO SYN, 115V 60HZ
DNC33-FA					6	1/73 D	-	TWO 3 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ
DNC33-SA					6	1/73 D	-	TWO 3 AXIS CONT FOR SLO SYN, 115V 60HZ
DDC-16		RBR			3	9/72 B	16	MAINTENANCE MANUAL & DRAWING SET
DDC16-A		RBR			3	3/74 B	16/M	MAINTENANCE MANUAL & DRAWING SET
DP01-AA		HI			5		88/S, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 201
DP01-AB		JJL		CSS	3		8, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 301
DP01-AC		JJL		CSS	3		8, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 303
DP01-BB		JJL		CSS	3		9	BIT SYNC MODEM INTERFACE BELL 301
DP01-BC		JJL		CSS	3		9	BIT SYNC MODEM INTERFACE BELL 303
DP01-BD				SSUK	2		9, 9/L	BIT SYNC MODEM INTERFACE IBM 3977
DP01-BH		JJL		CSS	3	3/72 D	9, 9/L	BIT SYNC MEDEM INTERFACE BELL 201 ON DCH
DP01-BJ		JJL		CSS	3	7/71 D	9, 9/L	BIT SYNC MODEM INTERFACE BELL 301 ON DCH
DP01-BK		JJL		CSS	3	3/72 D	9, 9/L	BIT SYNC MODEM INTERFACE BELL 303 ON DCH
DP01-CA		JJL		CSS	6		10	SEE DS10-A
DP01-CB		JJL		CSS	6		7	BIT SYNC MODEM INTERFACE BELL 301
DP01-CC		JJL		CSS	6		7	BIT SYNC MODEM INTERFACE BELL 303
DP01-E		HI			5		DP01-AA THRU CC	MODULE SET FOR XOR BUF
DP02-A		JJL		CSS	3		8	AUTO DIAL MUX SPACE FOR 4 CHANNELS
DP03		JJL		CSS	3		DP02-A	MODULE SET FOR 1 CHANNEL IN DP02
DP04-CA				SSUK	3		680/I	8 GPO LINE FILTER PANEL
DP05-AA		JJL		CSS	6	2/75 D	8 POS	BIT SYNC MODEM INTERFACE BELL 201
DP09-A		DB			3		9	BIT SYNC MODEM INTERFACE BELL 201
DP11-AA	VB	RL			5	3/72 D	11	DOUBLE BUF SYNC LINE CONT, WITH 1 CH, NO CLOCK
DP11-CA	VB	RL			5	2/72 D	DP11-AA	EXPANDER TO 12 BITS MODULE
DP11-DA	VB	RL			5	2/72 D	11	DP11-AA + DF11-A + BC01R-25 FOR 201 MODEM
DP11-DC	VB	RL			5	2/72 D	DP11-AA	DP11-AA + DF11-A + BC01U-25 FOR 303 MODEM
DP11-KA	VB	RL			5	2/72 D	DP11-AA	CLOCK, FREQUENCY CUSTOMER SPECIFIED
DP12-A	SNT	RI			5	3/71 D	12	TTY INTERFACE MODULE SET
DP12-B	SNT	RI			5	3/71 D	12	BIT SYNC MODEM INTERFACE EIA XTAL
DP15-A		PR		SSMU	3	9/72 D	15	SYNCHRONOUS MODEM INTERFACE
DP8-EA	JC	RBR			5	7/74 D	8/E	BIT SYNC MODEM INTERFACE BELL 201 (M839, M866, BC09C-25)
DP8-EB	JC	RBR			5	7/74 D	8/E	BIT SYNC MODEM INTERFACE BELL 301/303 (M839, M866, BC01W-25)
DQ11-AA	VB	RL			5	7/74 D	11	DBL BUF SYNC LINE CONT, DMA, UP TO 16 BITS/CHAR
DQ11-AB	VB	RL			5	7/74 D	DQ11-AA	BCC (BLOCK CHECK CHAR, LRC OR CRC) UP TO 16 BITS
DQ11-BA	VB	RL			5	7/74 D	DQ11-AA	MODEM CONTROL (M7015)
DQ11-BB	VB	RL			3	9/74 D	DQ11-AB	CHAR RECOGNITION & SEQUENCE CONTROL
DQ11-DA	VB	RL			5	7/74 D	11	DQ11-AA + DQ11-BA + DF11-A (EIA UP TO 10 KB)
DQ11-DD	VB	RL			2	11/74 D	11	DQ11-AA + DQ11-BA + DQ11-AB + DF11-A (EIA TO 10 KB)
DQ11-DE	VB	RL			2	11/74 D	11	DQ11-AA + DQ11-BA + DQ11-AB + DQ11-BB + DF11-A (EIA)
DQ11-EA	VB	RL			5	7/74 D	11	DQ11-AA + DQ11-BA + DF11-G (BELL 301/303 TO 250 KB)
DQ11-ED	VB	RL			2	11/74 D	11	DQ11-AA + DQ11-BA + DQ11-AB + DF11-G (301/303)
DQ11-EE	VB	RL			2	11/74 D	11	DQ11-AA + DQ11-BA + DQ11-AB + DQ11-BB + DF11-G (301/303)
DQ11-KA	VB	RL			5	7/74 D	DQ11-AA	CRYSTAL CLOCK (M405)
DQS11-A	JEH	JTH		CSS	6	8/74 D	11	DBL BUF B1SYNC ASCII CONT, HALF DUPLEX, SYNC LINE CONT, DMA

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DQS11-AA	FA	SPRY		CS2	3 9/74	D	11	DQS11-A W EIA INTERFACE
DQS11-AB	FA	SPRY		CS2	3 9/74	D	11	DQS11-A W 301/303 INTERFACE
DQS11-B	JEH	JTN		CS2	6 8/74	D	11	DBL BUF BISYNC EBCIDIC CONT, HALF DUPLEX SYNC LINE CONT, DMA
DQS11-BA	FA	SPRY		CS2	3 9/74	D	11	DQS11-B W EIA INTERFACE
DQS11-BB	FA	SPRY		CS2	3 9/74	D	11	DQS11-B W 301/303 INTERFACE
DQS11-C	JEH	SPRY		CS2	3 8/72	D	11	DBL BUF FULL DUPLEX SYNC LINE CONT, DMA
DQS11-D	MH	PC		SSYK	3 1/73	D	11	DUAL SERIAL SYNCHRONOUS DMA LINE INTERFACE
DQS11-E	MH	PC		SSYK	3 4/74	D	11	DUAL SYNCHRONOUS LINE INTERFACE W ANSI HDLC PROTOCOL
DQS11-F	GB	KB		SSAL	3 6/74	D	11	DQS11-D W MODIFICATIONS FOR NAVY
DR07-NA	JEH	MS		CS2	3 11/72	D	8 NEG	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 115V
DR07-NB	JEH	MS		CS2	3 11/72	D	8 NEG	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 230V
DR07-PA	JEH	MS		CS2	3 11/72	D	8 POS	CONT W 6 SPDP 100VA RELAYS, SP FOR 30 MORE, 115V
DR07-PB	JEH	MS		CS2	3 11/72	D	8 POS	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 230V
DR07-R	JEH	MS		CS2	3 11/72	D	DR07-NA -NB -PA -PB	6 SPDT 100VA RELAYS FOR DR07-N, -P EXPANSION (M802)
DR09-A		HI			5	D	9	18 BIT RELAY BUFFER
DR11-A	BD	RPL			5 2/72	D	DD11, KA11	PROGRAMMED DEVICE INTERFACE
DR11-B	BD	RPL			5 2/72	D	DD11	DIR MEM ACCESS DEVICE INTERFACE
DR11-C	BD	RPL			4 3/72	D	DD11	PROGRAMMED DEVICE INTERFACE (M7860)
DR11-F	BD	RPL			4 1/72	D	DR11-A	INPUT/OUTPUT PANEL FOR H945 IN LAB-11
DR11-K	AW	RI			3 1/75	D	DD11	GENERAL PURPOSE DIGITAL I/O INTERFACE
DR11-KT	AW	RI			3 1/75	D	DD11	DR11-K, 2 BC08R-8, H322, KIT
DR11-L	RJM	TF			2 2/75	D	DD11	2-WORD INPUT (M7864, H8613)
DR11-M	RJM	RF			2 2/75	D	DD11	2-WORD OUTPUT (M7865, H8613)
DR12	SNT	RI			5	D	12	6 BIT RELAY BUFFER
DR12-X	SNT	RI			5 3/71	D	12, 8 POS	6 BIT RELAY BUFFER W SPACE FOR 6 MORE BITS
DR12-XM	SNT	RI			5 3/71	D	DR12-X	6 ADDITIONAL BITS FOR DR12-X
DR15-C	BD	GG			5 5/73	D	15 I/O BUS, DR11-C, UNIBUS	PDP15 CONT FOR PDP11 PROC & PERIPHERALS
DR15-D		QPS		SSCAL	3 12/73	D	15 I/O BUS, DR11-C, UNIBUS	DR15-C W AUTO RESTART
DR8-EA	SNT	AW			5 2/72	D	8/E	12 BIT BUFFERED-DIGITAL I/O (M863)
DR8-EB	SNT	AW			5 2/72	D	DR8-EA	PATCH PANEL FOR USE IN H945
DR8-EC	SNT	AW			5 2/72	D	8/E (LAB 8/E)	DR8-EA + DR8-EB
DR80	DEG				-	D	8 FAMILY	DIGITAL OUTPUT SUBSYSTEM
DR80-CN	DEG			IP6	6 13/72	D	8 NEG	CONT: LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 72 OUTPUTS
DR80-CP	DEG			IP6	6 13/72	D	8 POS	CONT: LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 72 OUTPUTS
DR80-CX	DEG			IP6	6 13/72	D	DR80-CN, DR80-CP	CONTROL EXPANDER, SPACE FOR 84 OUTPUTS
DR80-FF	DEG			IP6	6 13/72	D	DR80-CN, -CP, -CX	12 LEVEL OUTPUTS, 55V & 250 MA MAX
DR80-NR	DEG			IP6	6 13/72	D	DR80-CN, DR80-CP, DR80-CX	12 MOMENTARY CONTACT OUTPUTS, 100VA MAX
DR80-SR	DEG			IP6	3	D	DR80-CN, DR80-CP, DR80-CX	12 SUSTAINED CONTACT OUTPUTS, 100VA MAX
DR80-SS	DEG			IP6	3	D	DR80-CN, DR80-CP, DR80-CX	12 SINGLE SHOT OUTPUTS, 55V & 250MA MAX
DR90	DEG			IP6	6 13/72	D	9, 15	DIGITAL OUTPUT SUBSYSTEM
DR90-CN	DEG			IP6	6 13/72	D	9	CONT: LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 54 CH
DR90-CP	DEG			IP6	6 13/72	D	15	CONT: LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 54 CH
DR90-CX	DEG			IP6	6 13/72	D	DR90-CN, -CP	CONTROL EXPANDER, SPACE FOR 90 CH
DR90-FF	DEG			IP6	6 13/72	D	DR90-CN, -CP, -CX	18 LEVEL OUTPUTS, 55V & 250 MA MAX
DR90-NR	DEG			IP6	6 13/72	D	DR90-CN, -CP, -CX	18 MOMENTARY CONTACT OUTPUTS, 100VA MAX
DR90-SR	DEG			IP6	6 13/72	D	DR90-CN, -CP, -CX	18 SUSTAINED CONTACT OUTPUTS, 100VA MAX
DR90-SS	DEG			IP6	6 13/72	D	DR90-CN, -CP, -CX	18 SINGLE SHOT OUTPUTS, 55V & 250 MA MAX
DRV11	MT	CYR			2 2/75	D	11V25	16 BIT PARALLEL LINE UNIT, M7941
DRHCO-AA	BE	BLE		SSCAL	2 4/74	D	MASSBUS	DUAL PORT INTERFACE TO CDC 6000, CYBER 72, 73, 74, 115V
DRHCO-AB	BE	BLE		SSCAL	2 4/74	D	MASSBUS	DUAL PORT INTERFACE TO CDC 6000, CYBER 72, 73, 74, 230V
DRHCS-AA	BE	BLE		SSCAL	2 7/74	D	MASSBUS	DUAL PORT CDC6000 CHANNEL SIMULATOR, 115V
DRHCS-AB	BE	BLE		SSCAL	2 7/74	D	MASSBUS	DUAL PORT CDC6000 CHANNEL SIMULATOR, 230V
DRR11-A		KH			3 1/72	D	DDR11-A, KAR11	RUGGED DR11-A
DRR11-B		KH			2 4/71	D	11R20	RUGGED DR11-B
DRS11	CM			SSRU	3 8/74	D	11	48 CHANNEL OUTPUT MODULE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
DRS8-EA	JEH	GO		SSVK	3	5/73	D	8/E	48 CHANNEL OUTPUT MODULE
DS03-C		RW		CSS	3		D	10	CONTACT SCANNER (CIU-10)
DS04-A		RW		CSF	6		D	8, 8/S, 8/I	PULSE INPUT DETECTOR (PID-B)
DS04-B		RW		CSB	6		D	9	PULSE INPUT DETECTOR (PID-B)
DS10-A		KU			4		D	10	SYNC MODEM INTERFACE BELL 201 OR 205 (WAS DP01-CA) CAB, 60HZ
DS10-B		KU			4		D	10	50 HZ DS10-A
DS10-C		KU			4		D	10	60 HZ DS10-A WITH NO CAB
DS10-D		KU			4		D	10	50 HZ DS10-A WITH NO CAB
DS11		KU			-		D	11	16 LINE MULTIPLEXED SYNCHRONOUS LINE UNIT SERIES NAME
DS11-A		KU			2	8/71	D	DS11	POP10 STYLE CAB & PS W DS11 16CH CONTROL
DS11-BA		KU			2	8/71	D	DS11-A	ONE LINE MODULE SET FOR 201 MODEM (M7110+BC01R-25)
DS11-BB		KU			2	8/71	D	DS11-A	ONE LINE MODULE SET FOR 303 MODEM (M7110+BC01U-25)
DS310-AA		BPF			2	1/75	E	-	CL8-CE, QF310-AY COS310, 115V 60HZ
DS310-AB		BPF			2	1/75	E	-	CL8-CJ, QF310-AY COS310, 230V 50HZ
DS310-AC		BPF			2	1/75	E	-	OEM DS310-AA, 115V 60HZ
DS310-AD		BPF			2	1/75	E	-	OEM DS310-AB, 230V 50HZ
DS310-BA		BPF			2	1/75	E	-	CL8-CE, QF310-DZ COS310 LICENSE ONLY, 115V 60HZ
DS310-BB		BPF			2	1/75	E	-	CL8-CJ, QF310-DZ COS310 LICENSE ONLY, 230V 50HZ
DS310-BC		BPD			2	1/75	E	-	OEM DS310-BA, 115V 60HZ
DS310-BD		BPF			2	1/75	E	-	OEM DS310-BB, 230V 50HZ
DS310-CA		BPF			2	1/75	E	-	CL8-HE, QF310-AY COS310, 115V 60HZ
DS310-CB		BPF			2	1/75	E	-	CL8-HJ, QF310-AY COS310, 230V 50HZ
DS310-CC		BPF			2	1/75	E	-	OEM DS310-CA, 115V 60HZ
DS310-CD		BPF			2	1/75	E	-	OEM DS310-CB, 230V 50HZ
DS310-DA		BPF			2	2/75	E	-	CL8-HE, QF310-DZ COS310 LICENSE ONLY, 115V 60HZ
DS310-DB		BPF			2	2/75	E	-	CL8-HJ, QF310-DZ COS310 LICENSE ONLY, 230V 50HZ
DS310-DC		BPF			2	2/75	E	-	OEM DS310-DA, 115V 60HZ
DS310-DD		BPF			2	2/75	E	-	OEM DS310-DB, 230V 50HZ
DS32		SS			6	2/71	R	DF32	SLAVE DISK, 32K 12 BITS + PARITY, 60 HZ
DS320-AA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT058-AA, LS8-EA, QF300-B, 115V 60HZ
DS320-AB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT058-AD, LS8-EB, QF300-B, 230V 50HZ
DS320-BA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PA, LS8-EA, QF300-B, 115V 60HZ
DS320-BB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PD, LS8-EA, QF300-B, 230V 50HZ
DS320-CA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT058-AA, LE8-JA, QF300-B, 115V 60HZ
DS320-CB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT058-AD, LE8-JB, QF300-B, 230V 50HZ
DS320-DA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PA, LE8-JA, QF300-B, 115V 60HZ
DS320-DB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PD, LE8-JB, QF300-B, 230V 50HZ
DS320-UA		BALL			6	1/75	E	-	UPGRADES DS320-AA TO DS330-AA
DS320-UB		BALL			6	1/75	E	-	UPGRADES DS320-AB TO DS330-AB
DS320-VA		BALL			6	1/75	E	-	UPGRADES DS320-AA TO DS340-AA
DS320-VB		BALL			6	1/75	E	-	UPGRADES DS320-AB TO DS340-AB
DS32-A		SS			6	2/71	R	DF32-A	50 HZ DS32
DS32-B		SS			6	2/71	R	DF32, DF32-B	19-INCH DS32
DS32-C		SS			6	2/71	R	DF32-A, DF32-C	19-INCH DS32-A
DS32-D		JK			5	6/71	R	DF32-UN, DF32-DP	32K 12 BIT + PARITY DEC DISK, 60HZ
DS32-E		JK			5	6/71	R	DF32-EN, DF32-EP	32K 12 BIT + PARITY DEC DISK, 50HZ
DS32-F		NI	RR		6	2/71	R	NONE	OEM DF32-D
DS32-H		NI	RR		6	2/71	R	NONE	OEM DF32-E
DS330-AA		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT058-AA, LS8-EA, QF300-B, 115V 60HZ
DS330-AB		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT058-AD, LS8-EB, QF300-B, 230V 50HZ
DS330-BA		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, LA30-PA, LS8-EA, QF300-B, 115V 60HZ
DS330-BB		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-ED, LA30-PD, LS8-EB, QF300-B, 230V 50HZ
DS330-CA		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT058-AA, LE8-JA, QF300-B, 115V 60HZ
DS330-CB		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-ED, VT058-AD, LE8-JB, QF300-B, 230V 50HZ
DS330-DA		TB			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, LA30-PA, LE8-JA, QF300-B, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AR-A	STATUS MO/YR	CATE-GDRY	USED ON	DESCRIPTION
DS330-DB		TB			6 1/75 E	-	8K 8/E, TDB-EM, RK8-ED,	LA30-PD, LEB-JB, QF300-B, 230V 50HZ
DS330-UA		TB			6 1/75 E	-		UPGRADES DS330-AA TO DS340-AA
DS330-UB		TB			6 1/75 E	-		UPGRADES DS330-AB TO DS340-AB
DS340-AA		TB			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LS8-EA, QF300-B, 115V 60HZ	
DS340-AB		TB			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LS8-EB, QF300-B, 230V 50HZ	
DS340-BA		TB			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, LA30-PA, LS8-EA, QF300-B, 115V 60HZ	
DS340-BB		TB			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LS8-EB, QF300-B, 230V 50HZ	
DS340-CA		TB			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LEB-JA, QF300-B, 115V 60HZ	
DS340-CB		TB			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LEB-JB, QF300-B, 230V 50HZ	
DS340-DA		TB			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, LA30-PA, LEB-JA, QF300-B, 115V 60HZ	
DS340-DB		TB			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LEB-JB, QF300-B, 230V 50HZ	
DS340-EA		BPF			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LEB-VA, QF300-B, 115V 60HZ	
DS340-EB		BPF			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LEB-VD, QF300-B, 230V 50HZ	
DS340-FA		BPF			6 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, LA30-PA, LEB-VA, QF300-B, 115V 60HZ	
DS340-FB		BPF			6 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LEB-VD, QF300-B, 230V 50HZ	
DS340-HA		BPF			3 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, QF300-B, 115V 60HZ	
DS340-HB		BPF			3 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, QF300-B, 230V 50HZ	
DS340-HC		BPF			3 1/75 E	-	OEM DS340-HA, 115V 60HZ	
DS340-HD		BPF			3 1/75 E	-	OEM DS340-HB, 230V 50HZ	
DS340-JA		BPF			3 1/75 E	-	8K 8/E, RK8-EA, RK05-AA, LA36-CA, QF300-B, 115V 60HZ	
DS340-JB		BPF			3 1/75 E	-	8K 8/E, RK8-ED, RK05-BB, LA36-CB, QF300-B, 230V 50HZ	
DS340-JC		BPF			3 1/75 E	-	OEM DS340-JA, 115V 60HZ	
DS340-JD		BPF			3 1/75 E	-	OEM DS340-JB, 230V 50HZ	
DS340-KA		BPF			3 1/75 E	-	16K 8/E, RK8-EA, RK05-AA, VT05B-AA, QF300-B, 115V 60HZ	
DS340-KB		BPF			3 1/75 E	-	16K 8/E, RK8-ED, RK05-BB, VT05B-AD, QF300-B, 230V 50HZ	
DS340-KC		BPF			3 1/75 E	-	OEM DS340-KA, 115V 60HZ	
DS340-KD		BPF			3 1/75 E	-	OEM DS340-KB, 230V 50HZ	
DS340-LA		BPF			3 1/75 E	-	16K 8/E, RK8-EA, RK05-AA, LA36-CA, QF300-B, 115V 60HZ	
DS340-LB		BPF			3 1/75 E	-	16K 8/E, RK8-ED, RK05-BB, LA36-CB, QF300-B, 230V 50HZ	
DS340-LC		BPF			3 1/75 E	-	OEM DS340-LA, 115V 60HZ	
DS340-LD		BPF			3 1/75 E	-	OEM DS340-LB, 230V 50HZ	
DS30A-AA		BPF			3 6/74 D	-	DS340	DP8-EA, DK8-EA, KG8-EA
DS30B-AA		BPF			3 1/75 D	-	DS310	DP8-EA, KG8-EA
DS301-AA		TB			3 10/73 V	-	DS340	VT05B-AA, KL8-JA, BC05M-1F, QF300-DE, 115V 60HZ
DS301-AB		TB			3 10/73 V	-	DS340	VT05B-AD, KL8-JA, BC05M-1F, QF300-DE, 230V 50HZ
DS302-AA		TB			3 10/73 V	-	DS340	VT05B-AA, KL8-JA, BC05M-1F, 115V 60HZ
DS302-AB		TB			3 10/73 V	-	DS340	VT05B-AD, KL8-JA, BC05M-1F, 230V 50HZ
DS303-AA		BPF			6 1/75 D	-	DS340	LA30-CA, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 115V, 60HZ
DS303-AB		BPF			6 1/75 D	-	DS340	LA30-CD, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 230V, 50HZ
DS303-BA		BPF			3 1/75 D	-	DS340	LA36-CA, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 115V 60HZ
DS303-BB		BPF			3 1/75 D	-	DS340	LA36-CB, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 230V 50HZ
DS304-AA		BPF			6 1/75 D	-	DS340	LA30-CD, KL8-JA, 115V, 60HZ
DS304-AB		BPF			6 1/75 D	-	DS340	LA30-CD, KL8-JA, 230V, 50HZ
DS304-BA		BPF			3 1/75 D	-	DS340	LA36-CA, KL8-JA, 115V 60HZ
DS304-BB		BPF			3 1/75 D	-	DS340	LA36-CB, KL8-JA, 230V 50HZ
DS305-AA		BPF			3 1/75 D	-	DS3XX, DS5XX	LA35-CA, KL8-JA, BC05M-1F, 115V
DS305-AB		BPF			3 1/75 D	-	DS3XX, DS5XX	LA35-CB, KL8-JA, BC05M-1F, 230V
DS3TM-EA		BPF			3 3/74 D	-	DS340	TMB-EA 9TR MAGTAPE W SOFTWARE, 115V 60HZ
DS3TM-ED		BPF			3 3/74 T	-	DS340	TMB-ED 9TR MAGTAPE W SOFTWARE, 230V 50HZ
DS500-VT		BPF			6 1/75 V	-		EXCHANGE VT05B-A FOR LA30-C
DS520-AA		TB			6 1/75 E	-		11/15-AA, KY11-C, KP11-A, MF11-A, KW11-L, DD11-A, ME11-LA,
					E			MM11-L, M792-YF, DL11-C, CR11-A, LS11-A, VT05B-AA, RK11, RK05-AA, H968, H967, QJ520-AE
DS520-AB		TB			6 1/75 E	-		11/15-AB, KY11-C, KP11-A, MF11-A, KW11-L, DD11-A, ME11-LA,
					E			MM11-L, M792-YF, DL11-C, CR11-A, LS11-B, VT05B-AD, RK11, RK05-BB, H968 H967 QJ520-AE
DS530-AA		BPF			6 1/75 E	-		11/40 SYSTEM WITH MF11-UP, BM073, LA30, 115V 60HZ.



MODEL NO	ENG MGR	DESIGN ENGR	PROJ E JGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DS530-AB		BPF			6 1/75	E	-	11/40 SYSTEM WITH MF11-UP, BM873, LA30, 230V 50HZ
DS530-BA		BPF			3 9/74	E	-	SAME AS DS530-AA BUT WITH LA36, 115V 60HZ
DS530-BB		BPF			3 9/74	E	-	SAME AS DS530-AB BUT WITH LA36, 230V 50HZ
DS530-CA		BPF			3 1/75	E	-	11/40 SYSTEM W 56K BYTE MEM, LA36-CA, 115V 60HZ
DS530-CB		BPF			3 1/75	E	-	11/40 SYSTEM W 56K BYTE MEM, LA36-CB, 230V 50HZ
DS530-CC		BPF			3 1/75	E	-	OEM DS530-CA, 115V 60HZ
DS530-CD		BPF			3 1/75	E	-	OEM DS530-CB, 230V 50HZ
DS535-AA		BPF			6 10/74	E	-	11/40 W DS5MF-UP; KW11-L, KT11-D, KE11-E, RK11-D, 2 RK05-AA, 2 DD11, 4 DL11-A, LA30-CA, QR430-AE, 115V 60HZ
DS535-AB		BPF			6 10/74	E	-	DS535-AA EXCEPT RK05-BB, LA30-CD, 230V 50HZ
DS535-BA		BPF			6 10/74	E	-	DS535-AA EXCEPT QR430-CE (115V 60HZ)
DS535-BB		BPF			6 10/74	E	-	DS535-AA EXCEPT RK05-BB, LA30-CD, QR430-CE, 230V 50HZ
DS535-CA		BPF			6 1/75	E	-	SAME AS DS535-AA BUT WITH LA36, 115V 60HZ
DS535-CB		BPF			6 1/75	E	-	SAME AS DS535-AB BUT WITH LA36, 230V 50HZ
DS535-CC		BPF			3 1/75	E	-	OEM DS535-CA, 115V 60HZ
DS535-CD		BPF			3 1/75	E	-	OEM DS535-CB, 230V 50HZ
DS535-DA		BPF			6 1/75	E	-	SAME AS DS535-BA BUT WITH LA36, 115V 60HZ
DS535-DB		BPF			6 1/75	E	-	SAME AS DS535-BB BUT WITH LA36, 230V 50HZ
DS535-DC		BPF			3 1/75	E	-	OEM DS535-DA, 115V 60HZ
DS535-DD		BPF			3 1/75	E	-	OEM DS535-DB, 230V 50HZ
DS53X-XA		TB			6 9/74	E	-	11/40-CS PLUS OPTIONS FOR DS500, 115V 60HZ
DS53X-XB		TB			6 9/74	E	-	11/40-CT PLUS OPTIONS FOR DS500, 230V 50HZ
DS540-AA		BPF			6 10/74	E	-	11/40 SYSTEM WITH MEM MANAGE, MF11-UP, BM873, LA30, 115V 60HZ
DS540-AB		BPF			6 10/74	E	-	11/40 SYSTEM WITH MEM MANAGE, MF11-UP, BM873, LA30, 230V 50HZ
DS540-BA		BPF			6 1/75	E	-	SAME AS DS540-AA BUT WITH LA36, 115V 60HZ
DS540-BB		BPF			6 1/75	E	-	SAME AS DS540-AB BUT WITH LA36, 230V 50HZ
DS540-CA		BPF			3 1/75	E	-	11/40 SYSTEM W 64K BYTE MEM, LA36-CA, 115V 60HZ
DS540-CB		BPF			3 1/75	E	-	11/40 SYSTEM W 64K BYTE MEM, LA36-CB, 230V 50HZ
DS540-CC		BPF			3 1/75	E	-	OEM DS540-CA, 115V 60HZ
DS540-CD		BPF			3 1/75	E	-	OEM DS540-CB, 230V 50HZ
DS54X-XA		TB			6 9/74	E	-	11/40-CS PLUS OPTIONS FOR DS500, 115V 60HZ
DS54X-XB		TB			6 9/74	E	-	11/40-CT PLUS OPTIONS FOR DS500, 230V 50HZ
DS550-AA		BPF			6 10/74	E	-	11/45 SYSTEM WITH MF11-UP, BM873, LA30, 115V 60HZ
DS550-AB		BPF			6 10/74	E	-	11/45 SYSTEM WITH MF11-UP, BM873, LA30, 230V 50HZ
DS550-BA		BPF			6 1/75	E	-	SAME AS DS550-AA BUT WITH LA36, 115V 60HZ
DS550-BB		BPF			6 1/75	E	-	SAME AS DS550-AB BUT WITH LA36, 230V 50HZ
DS550-CA		BPF			3 1/75	E	-	11/45 SYSTEM W 64K BYTE MEM, LA36-CA, 115V 60HZ
DS550-CB		BPF			3 1/75	E	-	11/45 SYSTEM W 64K BYTE MEM, LA36-CB, 230V 50HZ
DS550-CC		BPF			3 1/75	E	-	OEM DS550-CA, 115V 60HZ
DS550-CD		BPF			3 1/75	E	-	OEM DS550-CB, 230V 50HZ
DS55X-XA		TB			6 9/74	E	-	11/45-CS FOR DS500, 115V 60HZ
DS55X-XB		TB			6 9/74	E	-	11/45-CT FOR DS500, 230V 50HZ
DS560-AA		BPF			6 10/74	E	-	11/50 SYSTEM WITH BM873, LA30, 115V 60HZ
DS560-AB		BPF			6 10/74	E	-	11/50 SYSTEM WITH BM873, LA30, 230V 50HZ
DS560-BA		BPF			6 1/75	E	-	SAME AS DS560-AA BUT WITH LA36, 115V 60HZ
DS560-BB		BPF			6 1/75	E	-	SAME AS DS560-AB BUT WITH LA36, 230V 50HZ
DS560-CA		BPF			3 1/75	E	-	11/50 SYSTEM W 32K BYTE MOS & 32K BYTE CORE MEM, LA36-CA, 115V 60HZ
DS560-CB		BPF			3 1/75	E	-	11/50 SYSTEM W 32K BYTE MOS & 32K BYTE CORE MEM, LA36-CB, 230V 50HZ
DS560-CC		BPF			3 1/75	E	-	OEM DS560-CA, 115V 60HZ
DS560-CD		BPF			3 1/75	E	-	OEM DS560-CB, 230V 50HZ
DS56X-XA		TB			6 9/74	E	-	11/50-CS FOR DS500, 115V 60HZ
DS56X-XB		TB			6 9/74	E	-	11/50-CT FOR DS500, 230V 50HZ
DS570-AA		BPF			3 2/75	E	-	11/70-DA (128K BYTE MEM, LA36-CA), 115V
DS570-AB		BPF			3 2/75	E	-	11/70-DB (128K BYTE MEM, LA36-CB), 230V
DS570-AC		BPF			3 2/75	E	-	OEM DS570-AA, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD E IGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	56
DS570-AD		BPF			3 2/75	E	-	OEM DS570-AB, 230V	
DS58A-AA		BPF			3 9/74	B	DS500	H967-DH + DB11-A; 115V	
DS58A-AB		BPF			3 9/74	B	DS500	H967-DJ + DB11-A; 230V	
DS5C1		TB			3 11/73	D	DS5XX	COMM SUBSYSTEM TYPE 1	
DS5C2-A		TB			6 11/73	D	DS5XX	COMM SUBSYSTEM TYPE 2	
DS5C3-AA		TB			3 11/73	D	DS5XX	LINE UNIT FOR LOCAL LT33-C	
DS5C3-AE		TB			3 11/73	D	DS5XX	LINE UNIT FOR LOCAL LT33-C OR VT05B	
DS5C3-AV		TB			3 11/73	D	DS5XX	LINE UNIT FOR LOCAL 240 CHAR/SEC (2400 BAUD) VT05B	
DS5C4-AA		TB			3 11/73	D	DS5XX	LINE UNIT FOR MODEM, 110 BAUD 10 UNIT CODE	
DS5C4-AD		TB			3 11/73	D	DS5XX	LINE UNIT FOR MODEM, 150 BAUD 10 UNIT CODE	
DS5C4-AE		TB			3 11/73	D	DS5XX	LINE UNIT FOR LA30-E, VT05B VIA MODEM	
DS5C4-AZ		TB			3 11/73	D	DS5XX	LINE UNIT FOR VARIABLE FORMAT VIA MODEM	
DS5C5-AA		TB			3 11/73	D	DS5XX	MODEM CONT W 4 LINES	
DS5C5-AB		TB			3 11/73	D	DS5XX	MODEM CONT W 8 LINES	
DS5C5-AC		TB			3 11/73	D	DS5XX	MODEM CONT W 12 LINES	
DS5C5-AD		TB			3 11/73	D	DS5XX	MODEM CONT W 61 LINES	
DS5C5-AE		TB			3 11/73	D	DS5XX	LINE ADAPTER, 4 LINES EIA, NO DATA SET CONT	
DS5C5-AF		TB			3 11/73	D	DS5XX	LINE ADAPTER, 4 LINES 20MA (FOR TTY, LA30, VT05)	
DS5C5-AG		TB			3 11/73	D	DS5XX	LINE ADAPTER, EIA CCITT W CONT, 4 LINES	
DS5C5-AZ		TB			3 3/74	D	DS5XX	DC11 LINE UNIT FOR VARIABLE FORMAT VIA MODEM	
DS5C6-A		TB			3 11/73	D	DS5XX	COMMUNICATIONS TYPE 2, 60HZ	
DS5C6-B		TB			3 11/73	D	DS5XX	COMMUNICATIONS TYPE 2, 50HZ	
DS5C7-AA		TB			3 11/73	D	DS5XX	16 LINE MUX EXPANDER, 60HZ	
DS5C7-AB		TB			3 11/73	D	DS5XX	16 LINE MUX EXPANDER, 50HZ	
DS5CA-AD		BPF			2 7/74	D	DS5XX	CTS500/E 2700 COMM SYS; DU11-DA, KG11-A, DD11-A, QPD10-AD	
DS5CA-AE		BPF			2 7/74	D	DS5XX	CTS500/E 2700 COMM SYS; DU11-DA, KG11-A, DD11-A, QPD10-AE	
DS5CA-AF		BPF			2 7/74	D	DS5XX	CTS500/E 2700 COMM SYS; DU11-DA, KG11-A, DD11-A, QPD10-AF	
DS5CA-DZ		BPF			2 7/74	D	DS5XX	CTS500/E 2700 COMM SYS; DU11-DA, KG11-A, DD11-A, QPD10-DZ	
DS5HC-UP		BPF			3 8/74	M	DS500	56K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HD-UP		BPF			3 8/74	M	DS500	64K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HE-UP		BPF			3 8/74	M	DS500	96K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HH-UP		BPF			6 1/75	M	DS500	128K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HN-UR		BPF			3 1/75	M	DS500	128K BYTE MM11-UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)	
DS5HJ-AA		BPF			3 2/75	M	DS570	256K BYTE MEM (MJ11-AA, 3 MJ11-AE IN SHORT CAB), 115V	
DS5HJ-AD		BPF			3 2/75	M	DS570	256K BYTE MEM (MJ11-AB, 3 MJ11-AE IN SHORT CAB), 230V	
DS5HK-UP		BPF			3 8/74	M	DS500	160K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HM-UP		BPF			3 8/74	M	DS500	192K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HM-UR		BPF			3 1/75	M	DS500	192K BYTE MM11-UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)	
DS5HP-UP		BPF			3 8/74	M	DS500	224K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HS-UP		BPF			3 1/75	M	DS500	248K BYTE MM11-UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)	
DS5HS-UR		BPF			3 1/75	M	DS500	248K BYTE MM11-UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)	
DS5RA-AA		BPF			3 9/74	R	DS5XX	RH11-AB, RS03-AA, H967-HA (CTRL + .5MBYTE RS03 DISK SYS), 115V 60HZ	
DS5RA-AD		BPF			3 9/74	R	DS5XX	RH11-AB, RS03-AD, H967-HB (CTRL + .5MBYTE RS03 DISK SYS), 230V 50HZ	
DS5RA-BA		BPF			3 9/74	R	DS5RA-AA	RS03-AA, H967-HA (ADD-ON RS03), 115V 60HZ	
DS5RA-BD		BPF			3 9/74	R	DS5RA-AD	RS03-AD, H967-HB (ADD-ON RS03), 230V 50HZ	
DS5RB-AA		BPF			3 9/74	R	DS5XX	RH11-AB, RS04-AA, H967-HA (CTRL + 1MBYTE RS04 DISK SYS), 115V 60HZ	
DS5RB-AD		BPF			3 9/74	R	DS5XX	RH11-AB, RS04-AD, H967-HB (CTRL + 1MBYTE RS04 DISK SYS), 230V 50HZ	
DS5RB-BA		BPF			3 9/74	R	DS5RB-AA	RS04-AA, H967-HA (ADD-ON RS04), 115V 60HZ	
DS5RB-BD		BPF			3 9/74	R	DS5RB-AD	RS04-AD, H967-HB (ADD-ON RS04), 230V 50HZ	
DS5RC-AA		BPF			3 9/74	R	DS5XX	RJP04-AA (CTRL + 80MBYTE RP04 DISK SYS), 60HZ	
DS5RC-AD		BPF			3 9/74	R	DS5XX	RJP04-AB (CTRL + 80MBYTE RP04 DISK SYS), 50HZ	
DS5RC-BA		BPF			3 9/74	R	DS5RC-AA	RP04-AA (ADD-ON RP04), 60HZ	
DS5RC-BD		BPF			3 9/74	R	DS5RC-AB	RP04-AB (ADD-ON RP04), 50HZ	
DS5RD-AA		BPF			3 2/75	R	DS5XX	RP03-AS, RP11-DA, 115V 60HZ	
DS5RD-AD		BPF			3 2/75	R	DS5XX	RP03-BS, RP11-DB, 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DS5RE-AA		BPF			3 2/75	R	DS5XX	2 RK05-AA, RK11-D, H967-HA, 115V 60HZ
DS5RE-AD		BPF			3 2/75	R	DS5XX	2 RK05-BB, RK11-D, H967-HB, 230V 50HZ
DS5RF-AA		BPF			3 2/75	R	DS570	1024K BYTE DISK (RH70-A, R904-AA IN H967-HA), 115V 60HZ
DS5RF-AD		BPF			3 2/75	R	DS570	1024K BYTE DISK (RH70-A, R904-AD IN H967-HB), 230V 50HZ
DS5RH-AA		BPF			3 2/75	R	DS570	88M BYTE DISK (RWP04-AA), 60HZ
DS5RH-AD		BPF			3 2/75	R	DS570	88M BYTE DISK (RWP04-AB), 50HZ
DS5TA-EA		BPF			3 9/74	T	DS5XX	TM11-A + TU10D-EA (CTRL + 9 TRK TU10), 115V 60HZ
DS5TA-ED		BPF			3 9/74	T	DS5XX	TM11-B + TU10D-ED (CTRL + 9 TRK TU10), 230V 50HZ
DS5TA-FA		BPF			3 9/74	T	DS5XX	TM11-A + TU10D-FA (CTRL + 7 TRK TU10), 115V 60HZ
DS5TA-FD		BPF			3 9/74	T	DS5XX	TM11-B + TU10D-FD (CTRL + 7 TRK TU10), 230V 50HZ
DS5TB-EA		BPF			3 9/74	T	DS5XX	TJU16-EA IN H967-HA CAB (CTRL + PE TU16), 115V 60HZ
DS5TB-ED		BPF			3 9/74	T	DS5XX	TJU16-ED IN H967-HB CAB (CTRL + PE TU16), 230V 50HZ
DS5TB-EE		BPF			3 9/74	T	DS5TB-EA	TU16-EE IN H967-HA CAB (ADD-ON PE TU16), 115V 60HZ
DS5TB-EJ		BPF			3 9/74	T	DS5TB-ED	TU16-EJ IN H967-HB CAB (ADD-ON PE TU16), 230V 50HZ
DS5TC-EA		BPF			3 2/75	T	DS570	TWU16-EA DUAL DENSITY MAG TAPE IN SHORT CAB, 115V
DS5TC-ED		BPF			3 2/75	T	DS570	TWU16-ED DUAL DENSITY MAG TAPE IN SHORT CAB, 230V
DS5X1-XX		TB			3 11/73	R	DS5XX	RK11-D FOR DDS500 SYSTEMS
DS5X2-XA		TB			3 11/73	R	DS5XX	RK11-D, TM11-A, H967-HA, 115V
DS5X2-XB		TB			3 11/73	R	DS5XX	RK11-D, TM11-B, H967-HB, 230V
DS5X3-XA		TB			3 11/73	R	DS5XX	RF11, H967-HA, RK11-D FOR DDS500 SYSTEMS, 115V 60HZ
DS5X3-XB		TB			3 11/73	R	DS5XX	RF11, H967-HB, RK11-D FOR DDS500 SYSTEMS, 230V 50HZ
DS5X4-XA		TB			3 11/73	R	DS5XX	RP11-DA, TM11-A, 115V 60HZ
DS5X4-XB		TB			3 11/73	R	DS5XX	RP11-DB, TM11-B, 230V 50HZ
DS5X5-XA		TB			3 11/73	R	DS5XX	RF11, H967-HA, RP11-DA, TM11-A, 115V 60HZ
DS5X5-XB		TB			3 11/73	R	DS5XX	RF11, H967-HB, RP11-DA, TM11-B, 230V 50HZ
DS5X6-XA		TB			3 11/73	R	DS5XX	RF11, H967-HA, RK11-D, TM11-A, 115V 60HZ
DS5X6-XB		TB			3 11/73	R	DS5XX	RF11, H967-HB, RK11-D, TM11-B, 230V 50HZ
DS5XX-AX		TB			6 10/74	M	DS5XX	STANDARD 32 K BYTE 1 USEC PARITY MEMORY
DS5XX-BX		TB			6 10/74	M	DS5XX	48 K BYTE 1 USEC PARITY MEMORY
DS5XX-CX		TB			6 10/74	M	DS5XX	56 K BYTE 1 USEC PARITY MEMORY
DS5XX-DX		TB			6 10/74	M	DS5XX	64 K BYTE 1 USEC PARITY MEMORY
DS5XX-EX		TB			6 10/74	M	DS5XX	80 K BYTE 1 USEC PARITY MEMORY
DS5XX-FX		TB			6 10/74	M	DS5XX	96 K BYTE 1 USEC PARITY MEMORY
DS5XX-GX		TB			6 10/74	M	DS5XX	112 K BYTE 1 USEC PARITY MEMORY
DS5XX-HX		TB			6 10/74	M	DS5XX	128 K BYTE 1 USEC PARITY MEMORY
DS5XX-JX		TB			6 10/74	M	DS5XX	144 K BYTE 1 USEC PARITY MEMORY
DS5XX-KX		TB			6 10/74	M	DS5XX	160 K BYTE 1 USEC PARITY MEMORY
DS5XX-LX		TB			6 10/74	M	DS5XX	176 K BYTE 1 USEC PARITY MEMORY
DS5XX-MX		TB			6 10/74	M	DS5XX	192 K BYTE 1 USEC PARITY MEMORY
DS5XX-NX		TB			6 10/74	M	DS5XX	208 K BYTE 1 USEC PARITY MEMORY
DS5XX-PX		TB			6 10/74	M	DS5XX	224 K BYTE 1 USEC PARITY MEMORY
DS5XX-QX		TB			6 10/74	M	DS5XX	240 K BYTE 1 USEC PARITY MEMORY
DS5XX-RX		TB			6 10/74	M	DS5XX	248 K BYTE 1 USEC PARITY MEMORY
DS5XX-XE		BALL			6 10/74	D	DS5XX	COS SOFTWARE
DS5XX-XG		BALL			6 10/74	D	DS5XX	CTS SOFTWARE
DS5XX-XJ		BALL			6 10/74	D	DS5XX	CTS/E SOFTWARE
DS5XX-XL		BALL			6 10/74	D	DS5XX	COMS SOFTWARE
DS5XX-XT		BALL			6 10/74	D	DS5XX	COS + COMS SOFTWARE
DS5XX-XV		BALL			6 10/74	D	DS5XX	COS + CTS SOFTWARE
DS5XX-XY		BALL			6 10/74	D	DS5XX	COS + CTS/E SOFTWARE
DS80		DEC			6 10/72	D	8 FAMILY	DIGITAL INPUT SUBSYSTEM
DS80-CI		DEC		IP6	6 10/72	D	DS80-CN, DS80-CP	CONT EXP, LEVEL OR CONTACT INT, SPACE FOR 96 INPUTS
DS80-CN		DEC		IP6	6 10/72	D	8 NEG	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 96 INPUTS
DS80-CP		DEC		IP6	6 10/72	D	8 POS	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 96 INPUTS
DS80-CS		DEC		IP6	6 10/72	D	DS80-CN, DS80-CP	CONT EXP, LEVEL OR CONTACT SENSE, SP FOR 120 INPUTS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	58
DS80-1A		DEG		IP6	6 10/72	D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 6VDC	
DS80-1B		DEG		IP2	6 10/72	D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 24VDC	
DS80-1C		DEG		IP2	6 10/72	D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 48VDC	
DS80-SA		DEG		IP2	6 10/72	D	DS80-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE UNIT, 12 INPUTS, 6VDC	
DS80-SB		DEG		IP2	6 10/72	D	DS80-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE, 12 INPUTS, 24VDC	
DS80-SC		DEG		IP3	6 10/72	D	DS80-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE, 12 INPUTS, 48VDC	
DS90		DEG		IP5	6 10/72	D	9, 15	DIGITAL INPUT SUBSYSTEM	
DS90-CI		DEG		IP5	6 10/72	D	DS90-CN, -CP	CONT EXP, LEVEL OR CONTACT INT, SPACE FOR 80 INPUTS	
DS90-CN		DEG		IP5	6 10/72	D	9	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 80 INPUTS	
DS90-CP		DEG		IP6	6 10/72	D	15	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 80 INPUTS	
DS90-CS		DEG		IP6	6 10/72	D	DS90-CN, -CP	CONT EXP, LEVEL OR CONTACT SENSE, SP FOR 112 INPUTS	
DS90-1A		DEG		IP5	6 10/72	D	DS90-CI, -CP, -CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 6VDC	
DS90-1B		DEG		IP5	6 10/72	D	DS90-CN, -CP, -CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 24VDC	
DS90-1C		DEG		IP5	6 10/72	D	DS90-CN, -CP, -CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 48VDC	
DS90-SA		DEG		IP5	6 10/72	D	DS90-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE UNIT, 12 INPUTS, 6VDC	
DS90-SB		DEG		IP5	6 10/72	D	DS90-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE, 16 INPUTS, 24VDC	
DS90-SC		DEG		IP2	6 10/72	D	DS90-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE, 16 INPUTS, 48VDC	
OSS11	CM			SS4U	3 8/74	D	11	48 CHANNEL INPUT MODULE	
OSS8-EA	JEH	GO		SS4K	3 5/73	D	8/E	48 CHANNEL INPUT MODULE	
DT01-AN		RV		CS2	3	D	8 NEG	PROGRAMMED I/O BUS SWITCH	
DT01-AP		BV		CS2	3	D	8 POS	PROGRAMMED I/O BUS SWITCH	
DT01-AS		RBH		CS2	3	D	8/S	PROGRAMMED I/O BUS SWITCH	
DT01-BA	JEH	RN		CS2	3	D	9	FASTER DT01-B	
DT01-C	RBH	RBH		DAS	3	D	10	PROGRAMMED I/O BUS SWITCH, HEAVY LOAD	
DT01-CC	RBH	RBH		DAS	3	D	10	PROGRAMMED I/O BUS SWITCH, STANDARD LOAD	
DT02-C	RBH	RJS		DAS	3 3/72	D	10	MANUAL BUS SWITCH, RELAY (FORM C)	
DT02-FA		BMW		CS2	3 3/72	D	11	2 WAY MANUAL RELAY UNIBUS SWITCH (FORM C)	
DT02-FB		BMW		CS2	3 3/72	D	11	3 WAY MANUAL RELAY UNIBUS SWITCH	
DT03-CC	RBH	RJS		DAS	3 6/73	D	10 I/O BUS	PROGRAMMABLE CONT, UP TO 8 DT03-CS OR DT05-CS	
DT03-CS	RBH	JFH		DAS	3 6/72	D	10 I/O BUS, DT03-CC	MANUAL BUS SWITCH UNIT FOR DUAL 10'S	
DT03-DS	FP	DMT		DAS	3 2/75	D	10 I/O BUS	DT03-CS + K110 P, I, VECTORING	
DT03-EC		FA		CS2	6 2/75	D	15	PROGRAMMABLE CONT, UP TO 8 DT03-ES	
DT03-ES		FA		CS2	6 2/75	D	15, DT03-EC	BUS SWITCH UNIT FOR DUAL 15'S	
DT03-FA	JEH	FA		CS2	3 6/72	D	11	PROGRAMMABLE DT03-FB) ELECTRONIC UNIBUS SWITCH SECTION (FORM A)	
DT03-FB	JEH	FA		CS2	3 6/72	D	11	ELECTRONIC UNIBUS SWITCH SECTION (FORM A)	
DT03-FH	JEH	RLM		CS2	3 1/73	D	11	2 DT03-FB	
DT03-FP	JEH	RLM		CS2	3 1/73	D	11	2 DT03-FA	
DT03-FR	AP	DRS		CS2	3 8/73	D	11	REMOTE CONTROLLED PAIR OF DT03-FB	
DT03-FS	JEH	FA		CS2	6 2/75	D	11	ELECTRONIC 2-WAY MANUAL UNIBUS SWITCH	
DT04-CS	RBH	JFH		DAS	6 2/75	D	10 MEM BUS	MANUAL ELECTRONIC MEM BUS SWITCH	
DT05-CS	RBH	RJS		DAS	3 8/72	D	10 MEM BUS	MANUAL OR PROG ELECTRONIC MEM BUS SWITCH, 18-BIT ADDRESS	
DT05-DS	MR	DMT		DAS	3 9/74	D	10 MEM BUS	MANUAL OR PROG ELECTRONIC MEM BUS SWITCH, 22-BIT ADDRESS	
DT11-AA		SR			6 8/73	D	11	PROGRAMMED SINGLE PROC BUS SWITCH 115V	
DT11-AB		SR			6 8/73	D	11	PROGRAMMED SINGLE PROC BUS SWITCH 230V	
DT11-AD		SR			6 8/73	D	DT11-A	DUAL PROCESSOR EXPANSION	
DT11-BA		SR			6 8/73	D	11	DT11-AA + DT11-AD, 115V	
DT11-BB		SR			6 8/73	D	11	DT11-AB + DT11-AD, 230V	
DT11-BC		SR			6 8/73	D	11	DT11-BA + EXTRA PS	
DT11-BD		SR			6 8/73	D	11	DT11-BB + EXTRA PS	
DT11-C		RBH		CS2	3 4/71	D	11	DUAL PROCESSOR PROGRAMMED BUS SWITCH	
DT11-MA	BD	KA			2 1/73	D	11	UNIBUS MATRIX SWITCH, MANUAL, 19" PANEL FOR 2 PROCESSOR SWITCHING	
DT11-MB	BD	KA			2 2/74	D	11	UNIBUS MATRIX SWITCH, MANUAL, 19" PANEL FOR UNIBUS BREAK-IN POINT	
DT11-MC	BD	KA			2 2/74	D	11	FULL 30" CAB BUS SWITCH FOR MULTIPLE SYSTEMS COMPLEX, MANUAL	
DT12	SNT	RI			3 3/71	D	8 POS	MANUAL I/O BUS SWITCH	
DT00-A	MI	AJM			2 12/73	D	9-PIN MAT'N'LOCK CABLES	2 4PDT SW, EA W 3 MAT'N'LOCKS, PINS 2 3 5 7	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION
DU01-AA		PETERS		CSS	3		D	DU01-AN, -AP, -AX	12 BIT LINE UNIT POS OUTPUT
DU01-AB		PETERS		CSS	3		D	DU01-AN, -AP, -AX	12 BIT LINE UNIT NEG OUTPUT
DU01-AC		PETERS		CSS	3		D	DU01-AN, -AP, -AX	12 BIT LINE UNIT POS INPUT
DU01-AD		PETERS		CSS	3		D	DU01-AN, -AP, -AX	12 BIT LINE UNIT NEG INPUT
DU01-AN		PETERS		CSS	3		D	8 NEG	CONT W SPACE FOR 10 LINE UNITS
DU01-AP		PETERS		CSS	3		D	8 POS	CONT W SPACE FOR 10 LINE UNITS
DU01-AX		PETERS		CSS	3		D	DU01-AN, -AP	EXPANDER PANEL FOR 14 ADDITIONAL LINE UNITS
DV11-DA	VB	FZ			5	7/74	D	11	SINGLE LINE PROGRAMMABLE SYNCHRONOUS INTERFACE, EIA
DV11-EA	VB	FZ			5	7/74	D	11	SINGLE LINE PROGRAMMABLE SYNCHRONOUS INTERFACE, 301/303
DV08-N					5	6/71	D	8 NEG	DATA VERIFIER (COMPARES INCOMING DATA W MEM)
DV11-AA	VB	MC			2	2/75	D	11	SYNCH MUX CONT UNIT, 9-SLOT SU, SPACE FOR 2 DV11-BA
DV11-BA	VB	MC			2	2/75	D	DV11-AA	MODULE SET & DIST PANEL FOR 8 LINES IN DV11-AA
DVS11-AA	JEH	ABW		CSS	6	2/75	D	11	16 LINE SYNCHRONOUS MULTIPLEXOR, 115V
DVS11-AB	DLN	ABW		CSS	6	2/75	D	11	16-LINE SYNCHRONOUS MULTIPLEXOR, 230V
DVS11-BA	DLN	ABW		CSS	6	2/75	D	11	DVS11-AA W ERROR CHECKING, 115V
DVS11-BB	DLN	ABW		CSS	6	2/75	D	11	DVS11-AB W ERROR CHECKING, 230V
DW08-A		RR		TP	5		D	8/L, 8/I	POS TO NEG I/O BUS CONVERTER
DW04-B		RR		TP	5		D	8, 8/I, 8/S	NEG TO POS I/O BUS CONVERTER
DW10-A		JUL		CSS	3	1/72	D	10 (GP10-M, -MA)	I/O BUS NEG TO POS CONVERTER
DW15-A		FA			5		D	15	POS TO NEG I/O BUS CONVERTER
DW8E-PA	MI	JDL		TPL	3	3/74	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 115V
DW8E-PB	MI	JDL		TPL	3	3/74	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 230V
DW8E-PX	MI	JDL		TPL	3	3/74	D	DW8E-PA, -PB	5 SLOT EXPANDER MODULE SET
DW8E-NA	MI	JOL		TPL	2	10/72	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 115V
DW8E-NB	MI	JOL		TPL	2	10/72	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 230V
DW8E-NX	MI	JOL		TP	2	10/72	D	DW8E-NA, -NB	5 SLOT EXPANDER MODULE SET
DX11-BA	VB	FZ			3	2/74	D	11	IBM 360 MPX/SEL CNNEL TO UNIBUS IN H950, 115V 60HZ
DX11-BB	VB	FZ			3	2/74	D	11	IBM 360 MPX/SEL CNNEL TO UNIBUS IN H950, 230V 50HZ
DX11-BC	VB	FZ			3	2/74	D	11	IBM 360 MPX/SEL CHANNEL TO UNIBUS IN H957, 115V 60HZ
DX11-BD	VB	FZ			3	2/74	D	11	IBM 360 MPX/SEL CHANNEL TO UNIBUS IN H957, 230V 50HZ
DX11-BE	VB	FZ			3	2/74	D	11	OEM DX11-BA
DX11-BF	VB	FZ			3	2/74	D	11	OEM DX11-BB
DX11-BH	VB	FZ			3	2/74	D	11	OEM DX11-BC
DX11-BJ	VB	FZ			3	2/74	D	11	OEM DX11-BD
DX11-CA	VB	FZ			3	2/74	D	11	DX11-BA + QJC22-AS, QJC22-AB
DX11-CB	VB	FZ			3	2/74	D	11	DX11-BB + QJC22-AS, QJC22-AB
DX11-CC	VB	FZ			3	2/74	D	11	DX11-BC + QJC22-AS, QJC22-AB
DX11-CD	VB	FZ			3	2/74	D	11	DX11-BD + QJC22-AS, QJC22-AB
DX28-A		BV		CSS	3		D	8 NEG	INTERFACE TO ELX-8 COMPUTER
DX30-AA		BV		CSS	3		D	8 NEG	CDC 3200 INTERFACE 24 BITS
DX30-AB		BV		CSS	3		D	8 NEG	CDC 3600 INTERFACE 48 BITS
DX30-BA		BV		CSS	2		D	9, 9/L	CDC 3200 INTERFACE 24 BITS
DX30-BB		BV		CSS	2		D	9, 9/L	CDC 3600 INTERFACE 48 BITS
DX37-A		CV		CSS	3		D	9, 9/L	MULTI-AD LINK TO IBM 360/50 SELECTOR CHANNEL
DX38-AN		CV		CSS	3		D	8 NEG	CONTROL FOR LINK TO IBM 360 SELECTOR CHANNEL
DX38-AP		CV		CSS	3		D	8 POS	CONTROL FOR LINK TO IBM 360 SELECTOR CHANNEL
DX38-K		CV		CSS	3		D	DX38-AN, -AP	INTERFACE TO IBM 360 SELECTOR CHANNEL
DX38-AL		CV		CSS	3		D	DX38-AN, -AP, -K	LONG LINE MODULE SET
DX001-F	JEH	WF		CSS	6	2/75	D	11	INTERFACE TO BUNKER-RAMO 2200 SERIES DATA DISPLAY SYSTEM
ECO-A		LN		-	3		B	8 FAMILY	ECO PACKAGE TO CAUSE KRS TO CLEAR FLAG
ECP01-A	SNT	AW			6	1/75	B	8 POS, 12	REDEFINED & RENAMED EDULP-C1
ECP01-B	SNT	AW			6	1/75	B	8 POS, 12	SEE EDULP-C1
ECP01-C	AHL	AM			3	8/72	B	8 POS	DIGITAL LOGIC & COMP INTRFC CURRICULUM PKG (ECP01-A W H309-C)

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFBR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	68
ED101-AA		CFM			3	2/74	E	EDUSYS 100: 11/10-NC, 9M792-YA, LT33-DC, DD11-B, H960-CA, QJ901-AB 115V60HZ	
ED101-AB		CFM			3	2/74	E	EDUSYS 100: 11/10-ND, 9M792-YA, LT33-DD, DD11-B, H960-CB, QJ901-AB 230V 50HZ	
ED104-AA		CFM			3	2/74	E	EDUSYS 100: 11/40-BA, DD11-B, 9M792-YA, QJ901-AB, 115V 60HZ	
ED104-AB		CFM			3	2/74	E	EDUSYS 100: 11/40-BB, DD11-B, 9M792-YA, QJ901-AB, 230V 50HZ	
ED201-AA		CFM			3	2/74	E	EDUSYS 200: 11E10-NE, QJ921-AN, QJ003-AN, 115V 60HZ	
ED201-AB		CFM			3	2/74	E	EDUSYS 200: 11E10-NF, QJ921-AN, QJ003-AN, 230V 50HZ	
ED204-AA		CFM			3	2/74	E	EDUSYS 200: 11/40-0C MR11-0B RK11-0E TA11-AA DD11-B QJ921-AN QJ003-AN 115V	
ED204-AB		CFM			3	2/74	E	EDUSYS 200: 11/40-0D MR11-0B RK11-0J TA11-AB DD11-B QJ921-AN QJ003-AN 230V	
ED251-AA		CFM			3	2/74	E	EDUSYS 250: ED201-AA, H960-DA, MF11-U, QJ925-AN, 115V 60HZ	
ED251-AB		CFM			3	2/74	E	EDUSYS 250: ED201-AB, H960-DB, MF11-U, QJ925-AN, 230V 50HZ	
ED254-AA		CFM			3	2/74	E	EDUSYS 250: ED204-AA, MM11-U, QJ925-AN, 115V 60HZ	
ED254-AB		CFM			3	2/74	E	EDUSYS 250: ED204-AB, MM11-U, QJ925-AN, 230V 50HZ	
EDTEC-AA	GPB	RI			3	2/74	E	- PDP8E-AA, KC8-HA; LT33-DC, H960-0C, 115V 60HZ	
EDTEC-AB	GPB	RI			3	2/74	E	- PDP8E-AB, KC8-HA; LT33-DD, H960-0D, H722, 230V 50HZ	
EDTEC-BA	GPB	RI			3	2/74	E	- PDP8E-AH, MR8-EC; KM8-E, TD8-EH, LT33-DC, H960-0C, KC8-HA, 115V 60HZ	
EDTEC-BB	GPB	RI			3	2/74	E	- PDP8E-AJ MR8-EC KM8-E TD8-EH LT33-DD H960-0D H722 KC8-HA 230V 50HZ	
EDTEC-CA	GPB	RI			3	2/74	E	- PDP8E-AC, KC8-HA; LT33-DC, H960-0C, 115V 60HZ	
EDTEC-CB	GPB	RI			3	2/74	E	- PDP8E-AF, KC8-HA, LT33-DD, H960-0D, H722, 230V 50HZ	
EDTEC-DA	GPB	RI			3	2/74	E	- PDP8E-AE, KC8-HA; MM8-E, KP8-E, KA8-E, KD8-E, BE8-A, TC00, TU56, LT33-DC, H960-0C, 115V 60HZ	
EDTEC-DB	GPB	RI			3	2/74	E	- PDP8E-AF, KC8-HA; MM8-E, KP8-E, KA8-E, KD8-E, BE8-A, TC00, TU56, LT33-DC, H960-0D, H722, 230V 50HZ	
EDTEC-EA	GPB	RI			3	2/74	E	- PDP8E-FA, KC8-HA; MM8-E, KP8-E, KA8-E, KD8-E, BE8-A, MI8-EG, DK8-EA, RF00, RS00, PL8-AA, DW00-A, H960-0C, 115V 60HZ	
EDTEC-EB	GPB	RI			3	2/74	E	- PDP8E-FB, KC8-HA; MM8-E, KP8-E, KA8-E, KD8-E, BE8-A, MI8-EG, DK8-EA, RF00-A, RS00-A, PL8-AD, DW00-A, H960-0D, H722, 230V 50HZ	
EDTEC-FA	GPB	RI			3	2/74	E	PDP8E-AE KC8-HA MR8-EC LC8-E LA30-PA TD8-EM H952-HA LS8-EA H960-0C 115V 60HZ	
EDTEC-FB	GPB	RI			3	2/74	E	PDP8E-AF KC8-HA MR8-EC LC8-E LA30-PD TD8-EM H952-HA LS8-EB H960-0D 230V 50HZ	
EDTEC-HA	GPB	RI			3	2/74	E	PDP8E-AE KC8-HA MM8-E LC8-E LA30-PA TD8-EM H952HA MI8EH H970BA H9600C 115V60	
EDTEC-HB	GPB	RI			3	2/74	E	PDP8E-AF KC8-HA MM8-E LC8-E LA30-PD TD8-EM H952HA MI8EH H970BA H9600D 230V50	
EDTEC-JA	GPB	RI			3	2/74	E	- PDP8E-AC, KC8-HA; MR8-EC, KA8-E, KD8-E, LC8-E, LA30-PA, TD8-EM, H952-HA, DF32-D, DS32-D, 2 H960-0C	
EDTEC-JB	GPB	RI			3	2/74	E	- PDP8E-AF, KC8-HA; MR8-EC, KA8-E, KD8-E, LC8-E, LA30-PD, TD8-EM, H952-HA, DF32-D, DS32-D, H960-0D	
EDTEC-KA	GPB	RI			3	2/74	E	- PDP8E-AE, KC8-HA; MM8-E, KA8-E, KD8-E, RF00, RS00, LC8-E, LA30-PA H952-HA, LS8-EA, H970-BA, DW00-A, PC8-E, H960-0C, 115V 60HZ	
EDTEC-KB	GPB	RI			3	2/74	E	- PDP8E-AF, KC8-HA; MM8-E, KA8-E, KD8-E, RF00, RS00-A, LC8-E, LA30-PD, H952-HA, LS8-EA, H970-BA, DW00-A, PC8-EB, H960-0D, 230V 50HZ	
EDU10		RHM			6	3/74	E	8/E 4K PDP8-E, MIK-EA, KP8-E, EDUB-A SOFTWARE	
EDU10-AA		RHM			3	9/72	E	EDUSYS 10 BASIC: PDP8E-BA, MI8-EF, LT33-DC, QFE10-SB, QFELP-01, 115V60HZ	
EDU10-AB		RHM			3	9/72	E	EDUSYS 10 BASIC: PDP8E-BB, MI8-EF, LT33-DC, QFE10-SB, QFELP-01, 230V50HZ	
EDU15-AA		RHM			3	9/72	E	EDUSYS 15 BASIC: PDP8F-AA, KM8-E, MR8-EC, TD8-EJ, LT33-DC, QFE15-SB 115V60HZ	
EDU15-AB		RHM			3	9/72	E	EDUSYS 15 BASIC: PDP8F-AB, KM8-E, MR8-EC, TD8-EJ, LT33-DD, QFE15-SB 230V50HZ	
EDU15-BA		RHM			3	9/72	E	BATCH BASIC: PDP8F-AA KM8-E MR8-EC CM8-FA TD8-EJ LT33-DC QFE15-SB 115V/60HZ	
EDU15-BB		RHM			3	9/72	E	BATCH BASIC: PDP8F-AB KM8-E MR8-EC CM8-FB TD8-EJ LT33-DD QFE15-SB 230V50HZ	
EDU20		RHM			6	3/74	E	8/E 8K PDP8-E, 4 KL8-E, 4 LT33-DC	
EDU20-CA		RHM			6	1/75	E	4 USER EDUSYS 20: PDP8E-0E KP8-E MI8-EF LT33-DC QFE20-SB QFELP-01 115V60HZ	
EDU20-CB		RHM			6	1/75	E	4 USER EDUSYS 20: PDP8E-0F KP8-E MI8-EF LT33-DD QFE20-SB QFELP-01 230V50HZ	
EDU20-DA		RHM			6	1/75	E	8 USER EDUSYS 20: PDP8E-0E MM8-E KP8-E MI8-EF BE8-A LT33-DC QFE20-SB QFELP-01 115V60HZ	
EDU20-DB		RHM			6	1/75	E	EDU20-DA EXCEPT PDP8E-0F, LT33-DD, 230V 50HZ	
EDU21-CA		RHM			3	9/72	E	4 USER EDUSYS 21: EDU20-QA EXCEPT QFE21-SB INSTEAD OF QFE20-SB, 115V60HZ	
EDU21-CB		RHM			3	9/72	E	4 USER EDUSYS 21: EDU20-QB EXCEPT QFE21-SB INSTEAD OF QFE20-SB, 230V50HZ	
EDU21-DA		RHM			6	1/75	E	8 USER EDUSYS 21: EDU21-CA EXCEPT MM8-EJ INSTEAD OF MM8-E, 115V60HZ	
EDU21-DB		RHM			6	1/75	E	8 USER EDUSYS 21: EDU21-CB EXCEPT MM8-EJ INSTEAD OF MM8-E, 230V50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE-MO/YR	CATEGORY	USED ON	DESCRIPTION
EDU25-CA		RHM			6	1/75	E	4 USER EDUSYS 25; PDP8E-AE MM8-E KP8-E M18-EF H960-BC KAB-E KDB-E BE8-A TC08-HA, TU56 LT33-DC QFE25-SC QFELP-01 115V60HZ	
EDU25-CB		RHM			6	1/75	E	EDU25-CA EXCEPT PDP8E-AF, H960-BD, TC08-HB, LT33-DD, 230V 50HZ	
EDU25-DA		RHM			6	1/75	E	8 USER EDUSYS 25; EDU25-CA W MM8-EJ, BUT NO MM8-E, 115V 60HZ	
EDU25-DB		RHM			6	1/75	E	8 USER EDUSYS 25; EDU25-CB W MM8-EJ, BUT NO MM8-E, 230V 50HZ	
EDU25-SA		RHM			6	1/75	E	EDUSYS 25 SUPER; PDP8E-AE, MM8-E, KP8-E, MR8-EC, H960-BC, BE8-A, RK8-EA, TD8-EH, LT33-DC, QFE25-SC, QFELP-01, 115V 60HZ	
EDU25-SB		RHM			6	1/75	E	EDU25-SA EXCEPT PDP8E-AF, H960-BD, RK8-ED, LT33-DD, 230V 50HZ	
EDU30		RHM			6	3/74	E	8/E EDU10 + DF32-D, CM8-E, KDB-E, KAB-E	
EDU30-AA		RHM			3	9/72	E	INTERACTIVE EDUSYS 30; PDP8E-AA M10-EF H960-BC KAB-E KDB-E DF32-DP LT33-DC QFE30-SB QFELP-01 115V60HZ	
EDU30-AB		RHM			3	9/72	E	EDU30-AA EXCEPT PDP8E-AB, H960-BD, DF32-EP, LT33-DD, 230V50HZ	
EDU30-BA		RHM			3	9/72	E	FAST BATCH BASIC EDUSYS 30; EDU30-AA W CM8-FA, 115V60HZ	
EDU30-BB		RHM			3	9/72	E	FAST BATCH BASIC EDUSYS 30; EDU30-AB W CM8-FB, 230V50HZ	
EDU30-I		RHM			6	3/74	E	REPLACED BY EDU30-AA	
EDU30-T		RHM			6	3/74	E	REPLACED BY EDU30-BA	
EDU31-BA		RHM			3	9/72	E	DECTAPE EDUSYS 31; EDU30-BA W TC08-HA, TU56, QFE31-SC, NO DF32, 115V60HZ	
EDU31-DB		RHM			3	9/72	E	DECTAPE EDUSYS 31; EDU30-BB W TC08-HB, TU56, QFE31-SC, NO DF32, 230V50HZ	
EDU40		RHM			6	3/74	E	8/E EDU30 + 4K + 4 KL8-E + 4 LT33-DC	
EDU40-CA		RHM			3	9/72	E	4 USER & BATCH EDUSYS 40; PDP8E-AE KP8-E M8-EF H960-BC KAB-E KDB-E CM8-FA DF32-DP LT33-DC QFE40-SB QFELP-01 115V 60HZ	
EDU40-CB		RHM			3	9/72	E	EDU40-CA EXCEPT PDP8E-AF, H960-BD, CM8-FB, DF32-EP, LT33-DD, 230V 50HZ	
EDU40-DA		RHM			3	9/72	E	8 USER & BATCH EDUSYS 40; EDU40-CA W MM8-E, BE8-A, 115V 60HZ	
EDU40-DB		RHM			3	9/72	E	8 USER & BATCH EDUSYS 40; EDU40-CB W MM8-E, BE8-A, 230V 50HZ	
EDU40-DP		RHM			6	3/74	E	REPLACED BY EDU40-CA	
EDU40-PA		RHM			3	9/72	E	ADMIN EDUSYS; PDP8E-AE MM8-E KP8-E M18-EF H960-BC KAB-E KDB-E CM8-FA LS8-EA, TC08 2 TU56 LT33-DC QFEDP-SC QFELP-01 115V 60HZ	
EDU40-PB		RHM			3	9/72	E	EDU40-PA EXCEPT PDP8E-AF, H960-BD, CM8-FB, LS8-EB, LT33-DD, 230V 50HZ	
EDU40-T		RHM			6	3/74	E	REPLACED BY EDU41-DA	
EDU41-CA		RHM			3	9/72	E	4 USER EDUSYS 41; EDU40-CA W TC08-HA, TU56, NO DF32, 115V 60HZ	
EDU41-CB		RHM			3	9/72	E	4 USER EDUSYS 41; EDU40-CB W TC08-HB, TU56, NO DF32, 230V 50HZ	
EDU41-DA		RHM			3	9/72	E	8 USER EDUSYS 41; EDU41-CA W MM8-E, BE8-A, 115V 60HZ	
EDU41-DB		RHM			3	9/72	E	8 USER EDUSYS 41; EDU41-CB W MM8-E, BE8-A, 230V 50HZ	
EDU45-CA		RHM			3	9/72	E	4 USER EDUSYS 45; EDU41-DA W QFE40-SC IN PLACE OF QFE40-SB, 115V 60HZ	
EDU45-CB		RHM			3	9/72	E	4 USER EDUSYS 45; EDU41-DB W QFE40-SC IN PLACE OF QFE40-SB, 230V 50HZ	
EDU45-DA		RHM			3	9/72	E	8 USER EDUSYS 45; EDU45-CA W MM8-EJ IN PLACE OF MM8-E, 115V 60HZ	
EDU45-DB		RHM			3	9/72	E	8 USER EDUSYS 45; EDU45-CB W MM8-EJ IN PLACE OF MM8-E, 230V 50HZ	
EDU45-PA		RHM			3	9/72	E	EDP EDUSYS; PDP8E-AE MM8-E KP8-E M18-EH H960-BC BE8-A CM8-FA LS8-EA RK8-EA TD8-EM LT33-DC QFEDP-SC QFELP-01 115V 60HZ	
EDU45-PB		RHM			3	9/72	E	EDU45-PA EXCEPT PDP8E-AF, H960-BD, CM8-FB, LS8-EB, RK8-EB, LT33-DD 230V 50HZ	
EDU50-16		RHM			6	3/74	E	REPLACED BY EDU50-FA	
EDU50-8		RHM			6	3/74	E	REPLACED BY EDU50-DA	
EDU50-CA		RHM			6	1/75	E	4 USER EDUSYS 50; PDP8E-AE MM8-E KP8-E M10-EG DK8-EA H960-BC KAB-E KDB-E BE8-A, RF08 RS08 PL8-E QFE50-SB QFELP-01 115V 60HZ	
EDU50-CB		RHM			6	1/75	E	EDU50-CA EXCEPT PDP8E-AF, H960-BD, RS08-A, PL8-EA, 230V 50HZ	
EDU50-DA		RHM			6	1/75	E	8 USER EDUSYS 50; EDU50-CA + MM8-EJ, NO MM8-E, 115V 60HZ	
EDU50-DB		RHM			6	1/75	E	8 USER EDUSYS 50; EDU50-CB + MM8-EJ, NO MM8-E, 230V 50HZ	
EDU50-EA		RHM			6	1/75	E	12 USER EDUSYS 50; EDU50-CA + MM8-EJ, KDB-E, TC08, TU56, 115V 60HZ	
EDU50-EB		RHM			6	1/75	E	12 USER EDUSYS 50; EDU50-CB + MM8-EJ, KDB-E, TC08, TU56, 230V 50HZ	
EDU50-FA		RHM			6	1/75	E	E16 USER EDUSYS 50; EDU50-EA + MM8-EJ, NO MM8-E, 115V 60HZ	
EDU50-FB		RHM			6	1/75	E	16 USER EDUSYS 50; EDU50-EB + MM8-EJ, NO MM8-E, 230V 50HZ	
EDU50-PA		RHM			6	1/75	E	EDP & TS/8 EDUSYS; PDP8E-AE MM8-E KP8-E M18-EG DK8-EA H960-BC KAB-E KDB-E BE8-A CM8-FA LS8-EA RF08 RS08 TC08 TU56 PL8-E QFE50-PB QFEDP-SC QFELP-01 115V 60HZ	
EDU50-PB		RHM			6	1/75	E	EDU50-PA EXCEPT PDP8E-AF H960-BD CM8-FB LS8-EB RS08-A PL8-EA 230V 50HZ	
EDU50-SA		RHM			6	1/75	E	SUPER EDUSYS 50; EDU50-EA + MM8-EJ, LS8-EA, RS08, TU56, 115V 60HZ	

MODEL NO	ENG YGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
EDU50-SB		RHM			6 1/75	E		SUPER EDUSYS 50: EDU50-EB + MM8-EJ, LS8-EB, RS08-A, TU56, 230V 50HZ
EDU5-AA		RHM			3 9/72	E		EDUSYS 5 SUPERCALCULATOR: PDP8-AA, LT33-DC, QFE05-SB, 115V60HZ
EDU5-AB		RHM			3 9/72	E		EDUSYS 5 SUPERCALCULATOR: PDP8-AB, LT33-DD, QFE05-SB, 230V50HZ
EDU70-AA		RHM			3 9/72	E		INTERACTIVE BASIC: 11/40-CE BM792-YA QFELP-01 QJE70-S 115V60HZ
EDU70-AB		RHM			3 9/72	E		INTERACTIVE BASIC: 11/40-CF BM792-YA QFELP-01 QJE70-S 230V 50HZ
EDU70-DA		RHM			3 9/72	E		8 USER EDUSYS 70: EDU70-AA + MM11-L, 2 DD11-A, 115V 60HZ
EDU70-DB		RHM			6 1/75	E		8 USER EDUSYS 70: EDU70-AB + MM11-L, 2 DD11-A, 230V 50HZ
EDU80-16		RHM			6 3/74	E		REPLACED BY EDU80-FA
EDU80-8		RHM			6 3/74	E		REPLACED BY EDU80-DA
EDU80-DA		RHM			3 9/72	E		8 USER RSTS: 11/40-RE, DD11-A, 115V 60HZ
EDU80-DB		RHM			3 9/72	E		8 USER RSTS: 11/40-RF, DD11-A, 230V 50HZ
EDU80-DC		RHM			3 3/73	E		EDU80-DA W 28K CORE & 9 TRACK MAGTAPE, 115V 60HZ
EDU80-DD		RHM			3 3/73	E		EDU80-DB W 28K CORE & 9 TRACK MAGTAPE, 230V 50HZ
EDU80-FA		RHM			3 9/72	E		16 USER RSTS: 11/40-RE, ME11-LA, 3 DD11-A, DB11-A, 115V 60HZ
EDU80-FB		RHM			3 9/72	E		16 USER RSTS: 11/40-RF, ME11-LA, 3 DD11-A, DB11-A, 230V 50HZ
EDU80-FC		RHM			3 3/73	E		EDU80-DC W 16 USERS, 115V 60HZ
EDU80-FD		RHM			3 3/73	E		EDU80-DD W 16 USERS, 230V 50HZ
EDU81-DA		RHM			6 1/75	E		8 USER RSTS: 11/40-RC, DD11-A, 115V 60HZ
EDU81-DB		RHM			6 1/75	E		8 USER RSTS: 11/40-RD, DD11-A, 230V 50HZ
EDU81-DC		RHM			3 3/73	E		EDU81-DA W PC11 IN PLACE OF PR11, 115V 60HZ
EDU81-DD		RHM			3 3/73	E		EDU81-DB W PC11-A IN PLACE OF PR11-A, 230V 50HZ
EDU81-DE		RHM			3 3/73	E		EDU81-DA W DECTAPE IN PLACE OF PAPER TAPE, 115V 60HZ
EDU81-DF		RHM			3 3/73	E		EDU81-DB W DECTAPE IN PLACE OF PAPER TAPE, 230V 50HZ
EDU82-DA		RHM			3 9/72	E		8 USER MINI RSTS: 11/40-RA, 2 DD11-A, 115V 60HZ
EDU82-DB		RHM			3 9/72	E		8 USER MINI RSTS: 11/40-RB, 2 DD11-A, 230V 50HZ
EDU8-A		RHM			6 3/74	B		R/E, QFELP-01 SOFTWARE & TEXTBOOKS FOR HIGH SCHOOL ED, SYS
EDU8-B1		RHM			6 3/74	B		EDU10, QFE10-SB EDUSYSTEM 10 (4K) BASIC TAPE & MANUAL
EDU8-B2		RHM			6 3/74	B		EDU20, QFE20-SB EDUSYSTEM 20 (8K, 1-5 USER) TAPE & MANUAL
EDU8-B3		RHM			6 3/74	B		EDU30, QFE30-SB EDUSYSTEM 30 (4K BATCH) BASIC DECK & MANUAL
EDU8-B4		RHM			6 3/74	B		EDU40, QFE40-SB EDUSYSTEM 40 (SYS 20 + 40) TAPE, DECK, & MANUAL
EDU90-DA		RHM			3 3/73	E		8 USER 11/45 RSTS, 32K, RS11, TU56, RK05, 115V 60HZ
EDU90-DB		RHM			3 3/73	E		8 USER 11/45 RSTS, 32K, RS11, TU56, RK05, 230V 50HZ
EDU90-FA		RHM			3 3/73	E		EDU90-DA FOR 16 USERS, 115V 60HZ
EDU90-FB		RHM			3 3/73	E		EDU90-DB FOR 16 USERS, 230V 50HZ
EDU90-JA		RHM			3 9/72	E		32 USER RSTS: 11/45-RA, 2 MF11-LP, MM11-LP, RS11, RK05-AA, 6 DD11-A, DB11-A, H960-DA, 115V 60HZ
EDU90-JB		RHM			3 9/72	E		EDU90-JA EXCEPT 11/45-RB; RS11-A, RK05-BB, H960-DB, 230V 50HZ
EDUBT-DA		RHM			6 3/74	E		8/E BATCH TERM: PDP8-DE DK8-EA DP8-EA KG8-EA CR8-FA LT33-DC QFEBT-SB 115/60
EDUBT-DB		RHM			6 3/74	E		8/E BATCH TERM: PDP8-BF DK8-EA DP8-EA KG8-EA CR8-FB LT33-DD QFEBT-SB 230/50
EDUBT-CA		RHM			3 9/72	E		11/40 BATCH TERM: 11/40-CA, KW11-L, KG11-A, DP11-DA, CR11, QD11-A, QJC26-AB, 115V 60HZ
EDUBT-EB		RHM			3 9/72	E		EDUBT-CA EXCEPT 11/40-CB; CR11-A, 230V 50HZ
EDUCP-AA		RHM			3 9/72	E		COMMUNICATION PACKAGE; KG11-A, DP11-DA, QJC26-AB
EDUF8-AA		RHM			3 3/73	E		EDUSYS FORTE: EDU25-SA W FPP12-AP, RTPS FORTRAN 4, 115V 60HZ
EDUF8-AB		RHM			3 3/73	E		EDUSYS FORTE: EDU25-SB W FPP12-AP, RTPS FORTRAN 4, 230V 50HZ
EDULP-C1		RHM			3 9/72	E		LOGIC AND INTERFACING LEARNING KIT
EDUR1-AA		RHM			3 3/73	E		8K OS/8 SYSTEM W DECTAPE, 115V 60HZ
EDUR1-AB		RHM			3 3/73	E		8K OS/8 SYSTEM W DECTAPE, 230V 50HZ
EDUR2-AA		RHM			3 3/73	E		EDUR1-AA W 12K MEM, LOADER, LS8, 115V 60HZ
EDUR2-AB		RHM			3 3/73	E		EDUR1-AB W 12K MEM, LOADER, LS8, 230V 50HZ
EDUR7-AA		RHM			3 3/73	E		EDUR1-AA W DECTAPE & DF32-OP, 115V 60HZ
EDUR7-AB		RHM			3 3/73	E		EDUR1-AB W DECTAPE & DF32-EP, 230V 50HZ
EDUR8-AA		RHM			3 3/73	E		EDUR1-AA W 12K, LS8, RF08, RS08, 115V 60HZ
EDUR8-AB		RHM			3 3/73	E		EDUR1-AB W 12K, LS8, RF08, RS08-A, 230V 50HZ
EG11-AA		JBH			3 10/74	B		11 VT11-AA W ENGINEERING GRAPHICS SOFTWARE, 115V



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	63
EG11-AB		JBH			3 10/74	B	11	VT11-AB W ENGINEERING GRAPHICS SOFTWARE, 230V	
EM12	SNT	RI			5 3/71	E	12	MEMORY PANEL & MODULES	
EP12	SNT	AWRI			5 3/71	E	12	PROCESSOR PANEL & MODULES	
FK11-A		BR			4 6/73	D	11	32 KEYS & LIGHTS	
FM11-UB	BD	VDD			3 10/73	B	11/40	H754 & HARNESSSES FOR 2 MF11-U FIELD ADD-ON FOR OLD 11/40	
FP11-B	BD	LBH			3 1/72	E	KB11-A	FLOATING POINT (23 + 9 OR 55 + 9) PROCESSOR	
FP15		ERK			4 5/71	E	15 MEM BUS	FLOATING POINT (27+9 OR 36+18) OR DOUBLE PRECISION PROCESSOR	
FPP12-AB	SNT	RI			5 1/73	E	8 POS	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12	
FPP12-AE	SNT	RI			5 1/73	E	FPP12-AB, -AN, -AP	MODULE SET TO EXPAND TO 60 + 12	
FPP12-AN	SNT	RI			5 1/73	E	8 NEG	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12	
FPP12-AP	SNT	RI			5 1/73	E	12	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12	
FPP12-B	SNT	RI			6 10/72	E	8 POS	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR	
FPP12-N	SNT	RI			6 10/72	E	8 NEG	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR	
FPP12-P	SNT	RI			6 10/72	E	12	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR	
GCG10-A	JEH	SPRY		CSS	3 10/72	L	10 I/O + DF10 OR DM10	INTRFC FOR COULD ELECTROSTATIC PRNTR 4000 W CHAR GEN	
GM11-A		GPB			6 10/72	E	GAMMA 11: PDP11 8K RK05-AA AA11-A -DA VT01B-AA NC11-A CU-4 GM11-C 115V 60HZ		
GM11-B		GPB			6 10/72	E	GAMMA 11: PDP11 8K RK05-BB AA11-A -DB VT01B-AD NC11-A CU-4 GM11-C 230V 50HZ		
GM11-C		GPB			6 3/73	B	GM11-A, GM11-B	FAB PARTS & COSMETICS FOR GM11-A, -B	
GM11-D		GPB			6 3/73	B	GM11-A, GM11-B	GM11-C W NO END PANELS OR SCOPE SHROUD	
GM11-E		GPB			3 4/73	B	11/40 PROC CAB	GAMMA 11 COLOR KIT	
GM11-F		GPB			3 4/73	B	11 OPTION CAB	GAMMA 11 COLOR KIT	
GM11-HA		GPB			3 12/73	E	GAMMA BIO-MED: 11/40-8C, KW11-P, AA11-DA, AA11-A, BA614, VT01-A, NC11-A,		
-					E		2 RK05K-11, PC11, RK11-DE, DD11-B, GM11-E, BM11-F, CU4, BM792-YB, QJ720-AB, 115V60HZ		
GM11-HB		GPB			3 12/73	E	GAMMA BIO-MED: 11/40-8D, KW11-P, AA11-DB, AA11-A, BA614, VT01-A, NC11-A,		
-					E		2 RK05K-11, PC11-A, H722, RK11-DJ, DD11-B, GM11-E, BM11-F, CU4, BM792-YB, QJ720-AB, 230V50HZ		
GM11-KA		GPB		E	3 12/73	B	GM11-H	GAMMA 11 COLOR KIT FOR GM11-H	
GM11-KB		GPB			3 12/73	B	VT01-A	SCOPE SHROUD KIT FOR VT01-A	
GM11-JA		GPB			3 12/73	B	11	GAMMA 11 OPTION KIT: AA11-DA AA11-A BA614 VT01-A NC11-A GM11-KB 115V60	
GM11-JB		GPB			3 12/73	B	11	GAMMA 11 OPTION KIT: AA11-DB AA11-A BA614 VT01-A NC11-A GM11-KB 230V50	
GM11-LA		REJ			2 2/75	E	-	11/40-8C, MM11-U, RK11-DE, PC11, BM792-YB, KW11-P, AA11-DA, AA11-A,	
-					E		2 BA614, VT01-A, 2 RK05-11, NC11-A, DD11-B, GM11-KB, GM11-KA, CU4, KW11-L,		
-					E		DL11-A, VT05B-AA, AR11, QJ721-AB, QJ003-AB RT11, QJ920-AB BASIC, 115V 60HZ		
GM11-LB		REJ			2 2/75	E	-	GM11-LA EXCEPT 11/40-8D, RK11-DJ, PC11-A, AA11-DB, VT05B-AD, 230V50HZ	
GP10		KE			5	B	10	GP10-M + GP10-L	
GP10-A		KE			5	B	10	GP10-MA + GP10-L	
GP10-L		KE			5	B	10	I/O INTERFACE LOGIC	
GP10-M		KE			5	B	10	I/O CAB W POWER & POWER CONTROL, 115V 60HZ	
GP10-MA		KE			5	B	10	50 HZ GP10-M	
GPA01	RJM	OCB		MOD	5 3/72	D	RTM	GENERAL PURPOSE ARITH UNIT MODULE SET, 16 BITS	
GPA01-A	RJM	OCB		MOD	5 3/72	D	RTM	12 BIT GPA01	
GPA01-B	RJM	OCB		MOD	5 3/72	D	RTM	8 BIT GPA01	
GT15-LA	LG	LH			3 5/72	V	15	INTERACTIVE GRAPHICS STATION VT15-A VV15 VT07-8A VL04 115V 60HZ	
GT15-LB	LG	LH			3 5/72	V	15	INTERACTIVE GRAPHICS STATION VT15-A VV15 VT07-8B VL04 230V 50HZ	
GT15-SA	LG	LH			3 5/72	V	15	INTERACTIVE GRAPHICS STATION VT15-A VV15 VT04-A VL04 115V 60HZ	
GT15-SB	LG	LH			3 5/72	V	15	INTERACTIVE GRAPHICS STATION VT15-A VV15 VT04-B VL04 230V 50HZ	
GT40	LH	HL			4 8/73	V	ASYNC ASCII UP TO 9600 BAUD	INTERACTIVE GRAPHICS TERMINAL SERIES	
GT40-AA	LH	HL			4 8/73	V	DITTO	VT40-AA, 375, VR14-LC, LK40, DL11-E, 115V	
GT40-AB	LH	HL			4 8/73	V	DITTO	VT40-AB, 375, VR14-LD, LK40, DL11-E, 230V	
GT40-AC	LH	HL			4 8/73	V	DITTO	VT40-AA, 375, VR14-LC, LT33-DC, DL11-E, 115V 60HZ	
GT40-AD	LH	HL			4 8/73	V	DITTO	VT40-AB, 375, VR14-LD, LT33-DD, DL11-E, 230V 50HZ	
GT40-AE	LH	HL			4 8/73	V	DITTO	VT40-AA, 375, VR14-LC, LA30-CA, DL11-E, 115V 60HZ	

MODEL NO	ENG YGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	64
GT40-AF	LH	HL			4 8/73	V	DITTO	VT40-AB, 375, VR14-LD, LA30-CD, DL11-E, 230V 50HZ	
GT40-AH	LH	HL			3 2/75	V	DITTO	VT40-AA, 375, VR14-LC, LA36-CA, DL11-E, 115V 60HZ	
GT40-AJ	LH	HL			3 2/75	V	DITTO	VT40-AB, 375, VR14-LD, LA36-CB, DL11-E, 230V 50HZ	
GT40-BA	LH	HL			6 2/75	V	DITTO	VT40-BA, 375, VR14-LC, LK40, DL11-E, 115V	
GT40-BB	LH	HL			6 2/75	V	DITTO	VT40-BB, 375, VR14-LD, LK40, DL11-E, 230V	
GT40-BC	LH	HL			6 2/75	V	DITTO	VT40-BA, 375, VR14-LC, LT33-DC, DL11-E, 115V 60HZ	
GT40-BD	LH	HL			6 2/75	V	DITTO	VT40-BB, 375, VR14-LD, LT33-DD, DL11-E, 230V 50HZ	
GT40-BE	LH	HL			6 2/75	V	DITTO	VT40-BA, 375, VR14-LC, LA30-CA, DL11-E, 115V 60HZ	
GT40-BF	LH	HL			6 2/75	V	DITTO	VT40-BB, 375, VR14-LD, LA30-CD, DL11-E, 230V 50HZ	
GT42-AA	LH	LH			3 1/74	E	GRAPHICS DISP	TERM: 11/10-NC VT11 LK40 DD11 H967-KK DL11-E VR17-LC FOCAL-GT 115V60	
GT42-AB	LH	LH			3 1/74	E	GRAPHICS DISP	TERM: 11/10-ND VT11 LK40 DD11 H967-KL DL11-E VR17-LD FOCAL-GT 230V50	
GT42-AC		LH			3 2/74	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AA, LT33-DC, NO LK40, 115V 60HZ	
GT42-AD		LH			3 2/74	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AB, LT33-DD, NO LK40, 230V 50HZ	
GT42-AE		LH			3 2/74	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AA, LA30-CA, NO LK40, 115V 60HZ	
GT42-AF		LH			3 2/74	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AB, LA30-CD, NO LK40, 230V 50HZ	
GT42-AH	LH	JE			3 2/75	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AA, LA36-CA, NO LK40, 115V 60HZ	
GT44-AJ	LH	JE			3 2/75	E	-	GRAPHICS DISPLAY TERMINAL: GT42-AB, LA36-CB, NO LK40, 230V 50HZ	
GT44-AA	LH	JE			3 12/73	E	-	GRAPHICS SYSTEM: 11/40-CU, VR17-LC, QJ003-AE, QJ920-AE, 115V 60HZ	
GT44-AB	LH	JE			3 1/74	E	-	GRAPHICS SYSTEM: 11/40-CV, VR17-LC, QJ003-AE, QJ920-AE, 230V 50HZ	
GT44-BA	LH	JE			3 12/73	E	-	GT44-AA, TU10B-EA, 115V 60HZ	
GT44-BB	LH	JE			3 12/73	E	-	GT44-AB, TU10B-ED, 230V 50HZ	
HT32		GS			3	R	DF32	HEAD TESTER	
IAA11-AA	RS	FE		IPG	3 9/73	A	UDC11	MULTI-RANGE A/D CONVERTER W SCREW TERMS, (A001, A002, BC40C-6)	
IAA11-BA	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 0 TO +10V, SCREW TERMS (A633, A233, BC40C-6)	
IAA11-BB	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR +1 TO +5V, SCREW TERMS (A633, A234, BC40C-6)	
IAA11-BC	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 4 TO 20 MA, SCREW TERMS (A633, A235, BC40C-6)	
IAA11-BD	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 10 TO 50 MA, SCREW TERMINALS (A633, A236, BC40C-6)	
IAA9-AA	RS	FE		IPG	3 9/73	A	UDC8	MULTI-RANGE A/D CONVERTER W SCREW TERMS (A001, A002, BC40C-6)	
IAA8-BA	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 0 TO +10V, SCREW TERMINALS (A633, A233, BC40C-6)	
IAA8-BB	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR +1 TO +5V, SCREW TERMS (A633, A234, BC40C-6)	
IAA8-BC	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 4 TO 20 MA, SCREW TERMS (A633, A235, BC40C-6)	
IAA8-BD	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 10 TO 50 MA, SCREW TERMINALS (A633, A236, BC40C-6)	
IAC-1A	RS	RG		IPG	2 2/75	B	ICS8, ICS11, ICS8-X	SPACE FOR 16 INPUTS AC INPUTS	
IAC-1B	RS	RG		IPG	2 2/75	B	ICS8, ICS11, ICS8-X	SPACE FOR 16 INPUTS AC INTERRUPTING INPUTS	
IAC-0A	RS	RG		IPG	2 2/75	B	ICS8, ICS11, ICS8-X	16 FLIP FLOPS FOR AC OUTPUTS	
IAC-0B	RS	RG		IPG	2 2/75	B	ICS8, ICS11, ICS8-X	16 AC SINGLE SHOTS FOR AC OUTPUTS	
IA0-1A	RS	RG		IPG	2 2/75	A	ICS8, ICS11, ICS8-X	8 CHANNEL A/D CONVERTER	
ICR11-AA	RS	WORO		IPG	2 2/75	B	11	11 INTERFACE, MULTIDROP LINE & REMOTE CONT FOR 16 I/O MODULES 115V60	
ICR11-AB	RS	WORO		IPG	2 2/75	B	11	11 INTERFACE, MULTIDROP LINE & REMOTE CONT FOR 16 I/O MODULES 230V50	
ICR11-BA	RS	WORO		IPG	2 2/75	B	BMD11 (MULTIDROP)	REMOTE CONT FOR 16 I/O MODULES, 115V	
ICR11-BB	RS	WORO		IPG	2 2/75	B	BMD11 (MULTIDROP)	REMOTE CONT FOR 16 I/O MODULES, 230V	
ICR11-CA	RS	WORO		IPG	2 2/75	B	11	ICR11-AA W REMOTE CONT MTD IN PDP14 STYLE BOX, 115V 60HZ	
ICR11-CB	RS	WORO		IPG	2 2/75	B	11	ICR11-AB W REMOTE CONT MTD IN PDP14 STYLE BOX, 230V 50HZ	
ICS11-MA	RS	RG		IPG	2 2/75	B	11	FILE CONTROL FOR 16 I/O MODULES, 115V 60HZ	
ICS11-MB	RS	RG		IPG	2 2/75	B	11	FILE CONTROL FOR 16 I/O MODULES, 230V 50HZ	
ICS8-MA	RS	RG		IPG	4 2/75	B	9	MASTER FILE CONTROL FOR 16 I/O MODULES, 115V 60HZ	
ICS8-MB	RS	RG		IPG	4 2/75	B	9	MASTER FILE CONTROL FOR 16 I/O MODULES, 230V 50HZ	
ICS8-XA	RS	RG		IPG	4 2/75	B	ICS8-MA, -MB	EXPANDER FILE FOR 16 I/O MODULES, 115V 60HZ	
ICS8-XB	RS	RG		IPG	4 2/75	B	ICS8-MA, -MB	EXPANDER FILE FOR 16 I/O MODULES, 230V 50HZ	
IDA11-AA	RS	FE		IPG	4 2/75	B	UDC11	CONTACT SENSE W ISOLATED PWR & SCREW TERMS (W741, W400, BC40C-6)	
IDA11-AB	RS	FE		IPG	4 2/75	B	UDC11	CONTACT SENSE W HI-LEVEL AC/DC PWR & SCREW TERMS (W741 W410 BC40C-6)	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	65
IDA11-BA	RS	FE		IP2	4	2/75 B	UDC11	CONTACT INTERRUPT W ISOLATED PWR + SCREW TERMS (W743, W400, BC40C-6)	
IDA11-BB	RS	FE		IP2	4	2/75 B	UDC11	CONTACT INTRPT W HI-LEVEL AC/DC PWR, SCREW TERMS (W743 W410 BC40C-6)	
IDA11-CA	RS	FE		IP2	4	2/75 B	UDC11	I/O COUNTER W SCREW TERMINALS (W734, W400, BC40C-6)	
IDA11-DA	RS	FE		IP2	4	2/75 B	UDC11	SOLID STATE AC/DC DRIVER, ISOLATED, SCREW TERMS (M801 W400 BC40C-6)	
IDA11-EA	RS	FE		IP2	4	2/75 B	UDC11	FF DC DRIVER W SOLID STATE COMM + SCREW TERMS (M685, W400, BC40C-6)	
IDA11-FA	RS	FE		IP2	4	2/75 B	UDC11	SS DRIVER W SOLID STATE COMM + SCREW TERMS (M687, W400, BC40C-6)	
IDA11-GA	RS	FE		IP2	4	2/75 B	UDC11	LATCHING RELAY OUTPUT W ISOLATED PWR SCREW TERMS (M803 W400 BC40C-6)	
IDA11-HA	RS	FE		IP2	4	2/75 B	UDC11	FF RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M805, W400, BC40C-6)	
IDA11-JA	RS	FE		IP2	4	2/75 B	UDC11	SS RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M807, W400, BC40C-6)	
IDA8-AA	RS	FE		IP2	4	2/75 B	UDC8	CONTACT SINSE W ISOLATED PWR, SCREW TERMS (W740, W400, BC40C-6)	
IDA8-AB	RS	FE		IP2	4	2/75 B	UDC8	CONTACT SENSE W HI-LEVEL AC/DC PWR, SCREW TERMS (W740, W410 BC40C-6)	
IDA8-BA	RS	FE		IP2	4	2/75 B	UDC8	CONTACT INTERRUPT W ISOLATED PWR, SCREW TERMS (W742, W400, BC40C-6)	
IDA8-BB	RS	FE		IP2	4	2/75 B	UDC8	CONTACT INTRPT W HI-LEVEL AC/DC PWR, SCREW TERMS (W742 W410 BC40C-6)	
IDA8-CA	RS	FE		IP2	4	2/75 B	UDC8	I/O COUNTER W SCREW TERMINALS (W734, W400, BC40C-6)	
IDA8-DA	RS	FE		IP2	4	2/75 B	UDC8	SOLID STATE AC/DC DRIVER, ISOLATED, SCREW TERMS (M681 W400, BC40C-6)	
IDA8-EA	RS	FE		IP2	4	2/75 B	UDC8	FF DC DRIVER W SOLID STATE COMM, SCREW TERMS (M684, W400, BC40C-6)	
IDA8-FA	RS	FE		IP2	4	2/75 B	UDC8	SS DRIVER W SOLID STATE COMM, SCREW TERMS (M686, W400, BC40C-6)	
IDA8-GA	RS	FE		IP2	4	2/75 B	UDC8	LATCH RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M802, W400, BC40C-6)	
IDA8-HA	RS	FE		IP2	4	2/75 B	UDC8	FLIP FLOP RELAY OUTPUT W ISOLATED PWR, SCR TMS (M804, W400, BC40C-6)	
IDA8-JA	RS	FE		IP2	4	2/75 B	UDC8	SS RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M806, W400, BC40C-6)	
IDA-0A	RS	RG		IP2	4	2/75 A	ICS8, ICS11, ICS8-X	4 CHANNEL D/A CONVERTER, 0 TO +10V, 4 TO 20MA	
IDC11-AA	RS	FE		IP2	6	2/75 E	-	IND DATA AQUISITION BASE SYS: 11/10-AC, UDC11, H964-EA, 115V	
IDC11-AB	RS	FE		IP2	6	2/75 E	-	IND DATA AQUISITION BASE SYS: 11/10-AD, UDC11, H964-EB, 230V	
IDC8-AA	RS	FE		IP2	6	10/74 E	-	IND DATA AQUISITION BASE SYS: PDP8F-AE, UDC8-P, H964-EA, 115V	
IDC8-AB	RS	FE		IP2	6	10/74 E	-	IND DATA AQUISITION BASE SYS: PDP8F-AF, UDC8-P, H964-EB, 230V	
IDC8-CA	RS	FE		IP2	6	10/74 E	-	IDC8-AA + T08-EM; LT33-DC, QF090-AC, 115V 60HZ	
IDC8-CB	RS	FE		IP2	6	10/74 E	-	IDC8-AB + T08-EM; LT33-DD, QF090-AC, 230V 50HZ	
IDC8-DA	RS	FE		IP2	6	10/74 E	PDP8E-AE MMB-EJ RKB-EA YAB-AA UDC8-P DK8-EA KA8-E H960-BA H964-EA 115V60HZ		
IDC8-DB	RS	FE		IP2	6	10/74 E	PDP8E-AF MMB-EJ RKB-ED YAB-AB UDC8-P DK8-EA KA8-E H960-BB H964-EB 230V50HZ		
IDC-IA	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 INPUTS DC CONTACT SENSE	
IDC-IB	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 INPUTS DC CONTACT INTERRUPT (W7430)	
IDC-IC	RS	NLS		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	I/O COUNTER	
IDC-ID	RS	NLS		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16-BIT VOLTAGE SENSE INPUT (W7411)	
IDC-IE	RS	NLS		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16-BIT VOLTAGE INTERRUPT (W7431)	
IDC-0A	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 OUTPUTS DC FLIP FLOP	
IDC-0B	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 OUTPUTS DC SINGLE SHOT	
IMP11-A	FA	CC		CS2	3	1/75 D	11	FULL DUPLEX IMP DMA INTERFACE, 115V	
IMX-IA	RS	RG		IP2	4	2/75 A	ICS8, ICS11, ICS8-X	16-CHANNEL MUX (NEEDS ICMAD-IA)	
IND11-BA	RS	FE		IP2	6	10/74 E	-	11E05-BA, 115V 60HZ	
IND11-BB	RS	FE		IP2	6	10/74 E	-	11E05-BB, 230V 50HZ	
INDAC-82		IS			6	3/74 D	B	-SEE QFR82-AB-	
IRL-0A	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 OUTPUT RELAY LATCH	
IRL-0B	RS	RG		IP2	4	2/75 B	ICS8, ICS11, ICS8-X	16 OUTPUT RELAY FLIP FLOP	
ISH-IA	RS	RG		IP2	3	2/75 B	IA0-IA, IMX-IA	MAGNETIC SHIELD (A907)	
JAH01-A		DEL			3	11/73 J	-	INTRODUCTION TO LOGIC COURSE	
JAH03-A		DEL			6	1/75 J	-	PDP16/M PROGRAMMING & MAINTENANCE COURSE	
JAH04-A		DEL			6	1/75 J	-	VT05 & CENTRONICS 101, 101A	
JAH05-A		DEL			6	1/75 J	-	LA30 & PC05 COUSE	
JAH06-A		DEL			6	1/75 J	-	ASR33 & PC05 COURSE	
JAH07-A		DEL			6	1/75 J	-	LINE PRINTER (8 & 11) COURSE	
JAH07-B		DEL			3	1/75 J	-	LS11/LS8 LINE PRINTER CONTROL HARDWARE MAINTENANCE COURSE	
JAH08-A		DEL			3	1/75 J	-	ASR33 TTY HARWDARE MAINTENANCE COURSE	
JAH09-A		DEL			3	1/75 J	-	LA30 DECWRIER HARDWARE MAINTENANCE COURSE	

MODEL NO	ENGR MGR	DESIGN ENGR	PROD ENGR	MFBR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
JAH10-A		DEL			3 1/75	J	-	LA36 DECWRITER HARDWARE MAINTENANCE COURSE
JAH11-A		DEL			3 1/75	J	-	PC04/PC05 HIGH SPEED READER/PUNCH HARDWARE MAINTENANCE COURSE
JAH12-A		DEL			3 1/75	J	-	LP01/LP02 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH13-A		DEL			3 1/75	J	-	LP04 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH14-A		DEL			3 1/75	J	-	LP05 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH15-A		DEL			3 1/75	J	-	VT05 ALPHANUMERIC DISPLAY HARDWARE MAINTENANCE COURSE
JAH16-A		DEL			3 1/75	J	-	VT50/VT51 DISPLAY HARDWARE MAINTENANCE COURSE
JAS01-A		DEL			3 5/73	J	-	FORTRAN 4 COURSE
JAS02-A		DEL			6 11/73	J	-	INTRODUCTORY PROGRAMMING COURSE
JAS02-B		DEL			6 1/75	J	-	INTRO PROGRAM ON THE PDP8 COURSE
JAS03-A		DEL			3 11/73	J	-	MINICOMPUTERS FOR MANAGERS, COURSE
JAS04-A		DEL			3 11/73	J	-	INTRODUCTION TO MINICOMPUTERS, COURSE
JAS05-A		DEL			3 1/75	J	-	PROGRAMMING IN BASIC, COURSE
JAS06-A		DEL			3 1/75	J	-	ANSI 1974 COBOL COURSE
JAS07-A		DEL			3 1/75	J	-	COBOL PROGRAMMING TECHNIQUES COURSE
JAV01-A		DEL			3 1/75	J	-	A/V INTRO TO PDP11 COURSE
JAV02-A		DEL			3 1/75	J	-	ANSI 1974 COBOL VIDEO CASSETTE
JAV03-A		DEL			3 1/75	J	-	ANSI 1974 COBOL AUDIO FILMSTRIP
JBS01-A		DEL			3 5/73	J	-	COMMERCIAL PROGRAMMING CONCEPTS COURSE
JBS02-A		DEL			6 1/75	J	-	COS-300 OPERATOR COURSE
JBS03-A		DEL			6 1/75	J	-	COS-300 MANAGEMENT COURSE
JBS04-A		DEL			3 5/73	J	-	COMMERCIAL OPERATING SYS-300 COURSE
JBS05-A		DEL			3 5/73	J	-	MUMPS-11 FOR DATA MANAGEMENT COURSE
JBS06-A		DEL			6 1/75	J	-	COMMERCIAL OPERATING SYS-500 COURSE
JBS06-B		DEL			3 5/73	J	-	COMMERCIAL OPERATING SYS-500 COURSE
JCD01-A		DEL			3 2/75	J	-	CUSTOM COURSE DEVELOPMENT
JCS01-A		DEL			3 2/75	J	-	ONE WEEK ON-SITE STANDARD COURSE
JFH01-A		DEL			6 1/75	J	-	TYPESET-8 DIAGNOSTIC COURSE
JFH02-A		DEL			6 1/75	J	-	PDP8/E, 8/F, 8/M FAMILY AND INTERFACE COURSE
JFH03-A		DEL			6 11/73	J	-	PDP8/E, 8/F, 8/M HARDWARE FAMILIARIZATION AND MAINTENANCE COURSE
JFH03-B		DEL			3 11/73	J	-	PDP8/E, F, M HARDWARE & MAINTENANCE COURSE
JFH04-A		DEL			6 1/75	J	-	PDP8/E, 8/F, 8/M OPTIONS MAINTENANCE COURSE
JFH05-A		DEL			6 11/73	J	-	PDP8/E, 8/F, 8/M DECTAPE MAINTENANCE + EAE COURSE
JFH05-B		DEL			6 1/75	J	-	PDP8/E, 8/F, 8/M DECTAPE MAINTENANCE COURSE
JFH06-A		DEL			6 1/75	J	-	PDP8/I HARDWARE COURSE
JFH07-A		DEL			6 1/75	J	-	PDP8/L HARDWARE COURSE
JFH08-A		DEL			6 11/73	J	-	POP8/I, 8/L SYSTEMS MAINTENANCE COURSE
JFH09-A		DEL			6 1/75	J	-	INTERFACING THE PDP8/E, 8/F, 8/M COURSE
JFH10-A		DEL			6 1/75	J	-	RKB-E PACK MAINTENANCE COURSE
JFH11-A		DEL			3 3/74	J	-	PDP8/L, 8/I HARDWARE COURSE
JFH12-A		DEL			3 11/73	J	-	POP8/I, 8/L SYSTEM MAINTENANCE COURSE
JFH14-A		DEL			6 1/75	J	-	DF32 DISK MAINTENANCE COURSE
JFH15-A		DEL			3 1/75	J	-	PDP8 SYSTEM MAINTENANCE COURSE
JFH16-A		DEL			3 1/75	J	-	PDP8-E, -F, -M OPTION MAINTENANCE COURSE
JFS01-A		DEL			6 1/75	J	-	PDP8 PAPER TAPE SOFTWARE (A) COURSE
JFS01-B		DEL			6 1/75	J	-	PDP8 PAPER TAPE SOFTWARE (S) COURSE
JFS01-C		DEL			3 1/75	J	-	POP8 PAPER TAPE USER COURSE
JFS02-A		DEL			3 1/75	J	-	OS/8 SOFTWARE (A) COURSE
JFS02-B		DEL			3 5/73	J	-	OS/8 SOFTWARE (S) COURSE
JFS03-A		DEL			3 11/73	J	-	PROGRAMMING THE PDP8, COURSE
JFS04-A		DEL			6 1/75	J	-	OS/8 SOFTWARE EXTENSION, COURSE
JFS05-A		DEL			3 5/73	J	-	PDP8 CASSETTE OPERATING COURSE
JFS06-A		DEL			3 11/73	J	-	INDUSTRIAL BASIC, COURSE
JFS07-A		DEL			3 1/75	J	-	RSTS-8 REAL TIME SYSTEM COURSE
JFS08-A		DEL			3 1/75	J	-	POP8 FUNDAMENTAL & INSTRUCTION COURSE

MODEL NO	ENG NGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
JHS01-A		DEL			6 1/75	J	-	DEC SYSTEM-10 MONITOR COURSE
JHS02-A		DEL			6 1/75	J	-	DEC SYSTEM-10 TIMESHARING USERS COURSE
JHS02-B		DEL			6 1/75	J	-	DECSYSTEM-10 TIMESHARING USERS COURSE
JHS03-A		DEL			3 5/73	J	-	DEC SYSTEM-10 ASSEMBLY LANGUAGE PROGRAM COURSE
JHS04-A		DEL			3 5/73	J	-	DEC SYSTEM-10 PERFORMANCE ANALYSIS COURSE
JHS05-A		DEL			3 11/73	J	-	DECSYSTEM-10 ADMINISTRATION COURSE
JHS06-A		DEL			3 1/75	J	-	DECSYSTEM 10 COBOL COURSE
JHS07-A		DEL			3 1/75	J	-	DECSYSTEM 10 SYSTEM PROGRAMMING COURSE
JHS08-A		DEL			3 1/75	J	-	DECSYSTEM 10 MONITOR STRUCTURE COURSE
JHS09-A		DEL			3 1/75	J	-	DECSYSTEM 10 MONITOR INTERNAL COURSE
JHS10-A		DEL			3 1/75	J	-	DECSYSTEM 10 MONITOR UPDATE COURSE
JHS11-A		DEL			3 1/75	J	-	DECSYSTEM 10 COBOL FAMILIARIZATION COURSE
JHS12-A		DEL			3 1/75	J	-	DECSYSTEM 10 ADVANCED COBOL COURSE
JHS13-A		DEL			3 1/75	J	-	DECSYSTEM 10 DBMS-10 COURSE
JHS14-A		DEL			3 1/75	J	-	DECSYSTEM 10 OPERATOR COURSE
JJH01-A		DEL			3 5/73	J	-	PDP11/20 HARDWARE COURSE
JJH02-A		DEL			6 1/75	J	-	KE11 EAE WITH PC11 COURSE
JJH03-A		DEL			3 5/73	J	-	TC11/TU56 DECTAPE MAINTENANCE COURSE
JJH04-A		DEL			3 11/73	J	-	RF11/RS11 DISK MAINTENANCE COURSE
JJH05-A		DEL			3 5/73	J	-	TM11/TU10 MAGTAPE MAINTENANCE COURSE
JJH06-A		DEL			6 1/75	J	-	RK11-C/RK05 DISK PACK COURSE
JJH06-B		DEL			3 5/73	J	-	RK11-D, -E/RK05 DISK PACK MAINTENANCE COURSE
JJH07-A		DEL			6 1/75	J	-	PDP11/20 PROCESSOR DIAGNOSTICS & ADJUSTMENTS COURSE
JJH07-B		DEL			3 1/75	J	-	RK11-D, -E, RK05 MAINTENANCE COURSE
JJH08-A		DEL			6 11/74	J	-	INTERFACING THE PDP11 COURSE
JJH08-B		DEL			3 5/73	J	-	INTERFACING THE PDP11 COURSE
JJH09-A		DEL			3 5/73	J	-	RC11/RS64 DISK MAINTENANCE COURSE
JJH10-A		DEL			6 1/75	J	-	PDP11/20 HARDWARE SPECIAL COURSE
JJH11-A		DEL			6 1/75	J	-	OPTIONAL RK11-C EXTENTION, COURSE
JJH12-A		DEL			6 11/74	J	-	RP11-C, RP03 DISK COURSE
JJH12-B		DEL			3 11/73	J	-	RP11-C, RP03 DISK COURSE
JJH14-A		DEL			6 1/75	J	-	OPTIONAL RK09 EXTENSION, COURSE
JJS01-A		DEL			6 1/75	J	-	INTRODUCTION TO THE PDP11, COURSE
JJS02-A		DEL			6 1/75	J	-	PDP11 PAPER TAPE SOFTWARE (A) COURSE
JJS02-B		DEL			6 1/75	J	-	PDP11 PAPER TAPE SOFTWARE (S) COURSE
JJS03-A		DEL			6 1/75	J	-	PROGRAMMING THE PDP11, COURSE
JJS04-A		DEL			6 11/73	J	-	PDP11 DISK OPERATING SYSTEM (DOS) COURSE
JJS04-B		DEL			3 5/73	J	-	PDP11 DISK SYSTEM SOFTWARE (DSS) COURSE
JJS04-C		DEL			3 1/75	J	-	PDP11 005-11 ACCELERATED COURSE
JJS05-A		DEL			6 11/73	J	-	COMTEX-11 2700 ETAP COMM ORIENTED MULTI TERMINAL EXEC COURSE
JJS05-B		DEL			6 11/73	J	-	COMTEX-11 2848 ETAP COMM ORIENTED MULTI TERMINAL EXEC COURSE
JJS05-C		DEL			3 11/73	J	-	PDP11 DOS, COMTEX, COURSE
JJS06-A		DEL			6 1/75	J	-	PDP11 RESOURCE TIMESHARING SYSTEM SOFTWARE COURSE
JJS06-B		DEL			3 1/75	J	-	RSTS/E USER COURSE
JJS07-A		DEL			6 1/75	J	-	PDP11 REAL TIME EXECUTIVE SOFTWARE (RSX-11C/2) COURSE
JJS08-A		DEL			3 5/73	J	-	PDP11 CASSETTE OPERATING SYSTEM COURSE
JJS09-A		DEL			3 5/73	J	-	PDP11 REAL TIME OPERATING SYSTEM COURSE
JJS09-B		DEL			3 1/75	J	-	RT-11 STANDARD OPERATING SYSTEM COURSE
JJS10-A		DEL			6 11/73	J	-	PDP11 REAL TIME EXECUTIVE (RSX-11A) COURSE
JJS11-A		DEL			3 5/73	J	-	DOS GRADUATE SCHOOL
JJS12-A		DEL			6 1/75	J	-	RSTS USER'S COURSE
JJS14-A		DEL			6 1/75	J	-	RSTS SYSTEM MANAGERS COURSE
JJS15-A		DEL			3 11/73	J	-	PDP11 RSTS/E SYSTEM MANAGER, ADVANCED COURSE
JJS16-A		DEL			6 1/75	J	-	PDP11 RSTS/E UPDATE, COURSE
JJS17-A		DEL			6 1/75	J	-	PDP11 DISK DP USERS SYS (DOS) COURSE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
JJS18-A		DEL			3 11/73	J	-	PDP11 PAPER TAPE USERS COURSE
JJS19-A		DEL			3 11/73	J	-	PDP11 FUNDAMENTALS & INSTRUCTION, COURSE
JJS20-A		DEL			3 1/75	J	-	PDP11 FUNDAMENTALS & INSTRUCTIONS COURSE
JJS21-A		DEL			3 1/75	J	-	RSX-11M ADVANCED USER COURSE
JJS22-A		DEL			3 1/75	J	-	RSX-D/M CONVERSION COURSE
JJS23-A		DEL			3 1/75	J	-	RSX-11 OPERATOR COURSE
JJS24-A		DEL			3 1/75	J	-	COBOL PROGRAMMING COURSE
JKH01-A		DEL			6 1/75	J	-	PDP12 HARDWARE COURSE
JKS01-A		DEL			3 5/73	J	-	PDP12 SOFTWARE COURSE
JLH01-A		DEL			3 5/73	J	-	PDP14/14L BASIC PROGRAMMING COURSE
JLH02-A		DEL			3 5/73	J	-	PDP14/14L BASIC PROGRAMMING, ADVANCED COURSE
JLH03-A		DEL			3 11/73	J	-	PDP14/30, -35 SYSTEM & MAINTENANCE COURSE
JLH04-A		DEL			3 11/73	J	-	PDP14-30, -35 COMP BASED PROG COURSE
JMH01-A		DEL			6 1/75	J	-	PDP15 HARDWARE FAMILIARIZATION COURSE
JMH01-B		DEL			3 1/75	J	-	PDP15/76 HARDWARE MAINTENANCE COURSE
JMS01-A		DEL			6 1/75	J	-	PDP15 SYSTEMS SOFTWARE COURSE
JMS02-A		DEL			6 1/75	J	-	RSX15 COURSE
JMS02-B		DEL			3 1/75	J	-	RSX-15 + 3, COURSE
JMS03-A		DEL			6 1/75	J	-	INTRODUCTION TO THE PDP15, COURSE
JNH01-A		DEL			3 5/73	J	-	PDP11/05, 11/10 HARDWARE FAMILIARIZATION COURSE
JNH02-A		DEL			6 1/75	J	-	PDP11-05, -10 HARDWARE SPECIAL COURSE
JPH01-A		DEL			3 5/73	J	-	PDP11/40 HARDWARE FAMILIARIZATION COURSE
JPH02-A		DEL			6 1/75	J	-	PDP11/40 OPTION MAINTENANCE COURSE
JPH03-A		DEL			6 1/75	J	-	PDP11/40 PROCESSOR DIAGNOSTICS & ADJUSTMENT COURSE
JPH03-B		DEL			3 1/75	J	-	PDP11/40 CPU TROUBLE SHOOTING COURSE
JPH04-A		DEL			3 1/75	J	-	PDP11/40 MEMORY HARDWARE FAMILIARIZATION COURSE
JPH05-A		DEL			3 1/75	J	-	PDP11/40 ARITHMETIC OPTION HARDWARE FAMILIARIZATION COURSE
JPH06-A		DEL			3 1/75	J	-	PDP11 SYSTEMS DIAGNOSIS COURSE
JRH01-A		DEL			6 1/75	J	-	PDP11/45 HARDWARE I COURSE
JRH02-A		DEL			6 1/75	J	-	PDP11/45 HARDWARE II COURSE
JRH03-A		DEL			6 1/75	J	-	PDP11/45 HARDWARE III COURSE
JRH04-A		DEL			6 1/75	J	-	PDP11-45 HARDWARE SPECIAL COURSE
JRH05-A		DEL			3 1/75	J	-	PDP11/45 PROCESSOR MAINTENANCE COURSE
JRH06-A		DEL			3 1/75	J	-	PDP11/45 FLOATING POINT PROCESSOR MAINTENANCE COURSE
JRH07-A		DEL			3 1/75	J	-	PDP11/45 MEMORY MAINTENANCE COURSE
JRS01-A		DEL			3 5/73	J	-	PDP11/40, 11/45 RSX-11D USERS COURSE
JRS02-A		DEL			3 5/73	J	-	PDP11/40, 11/45 RSX-11D ADVANCED USERS COURSE
KA10-A		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 60 HZ 115V
KA10-B		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 50 HZ 115V
KA10-C		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 50 HZ 230V
KA10-P	RRH	RJS		DAS	3 4/72	K	KA10-A, -B, -C	POWER FAIL RESTART OPTION
KA10-S	RBI	RJS		DAS	3 6/73	K	KA10, K110	STALL ALARM
KA10-UA		KE			- 8/71	K	6	KA10-A (W TRADE-IN OF 166)
KA10-UB		KE			- 8/71	K	6	KA10-B (W TRADE-IN OF 166)
KA10-UC		KE			- 8/71	K	6	KA10-C (W TRADE-IN OF 166)
KA11		JMB		FS	5 3/71	K	11/20	16 BIT WORD PROCESSOR
KA11-YA		JMB		FS	4 3/72	K	11/20	KA11 W KH11-A OPTION
KA14		AR			5 12/L1	K	PDP14-L	PDP14-L PROCESSOR UNIT
KA15		FA			5 3/71	K	15	AUTO PRIORITY INTERRUPT
KA70-A		RR			6	K	7	BOUNDARY REGISTER & CONTROL
KA71-A		RR			6	K	7-A	I/O PACKAGE
KA72-B		RR			6	K	7-A	DEVICE SELECTOR EXTENSION
KA77-A		RR			6	K	7-A	CENTRAL PROC (INCLUDES 140-B)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
KA8-E		LT			5 8/71	K	8/E, 8/M	POSITIVE I/O BUS INTERFACE FOR PDP8-E
KA8-EA		LT			5 8/71	K	8/E, 8/M	DEM2 KA8-E
KA8-I		MA			5	K	8/I	POSITIVE BUS KIT
KAC16		JLE			5 8/71	K	16	GENERAL PURPOSE ARITHMETIC UNIT CONTROL M7300
KAC16-A		JLE			2 3/72	K	16	ARU DECODER (M7331)
KAR11		JMB		FS	3 12/73	K	11R20	RUGGED KA11
KAR16		JLE			4 8/71	K	16	GENERAL PURPOSE ARITHMETIC UNIT REGISTERS M7301
KB01-A		RR			5	K	8	SERIAL TO PARALLEL BUFFER
KB01-B		RR			6	K	7	SERIAL TO PARALLEL BUFFER
KB02-A		RR			5	K	8	SIGNAL CONVERTER BUFFER
KB02-B		RR			6	K	7	SIGNAL CONVERTER BUFFER
KB03		RR			6	K	7	DEVICE SELECTOR EXTENSION
KB11-A	BD	LBH			4 5/73	K	11/45	16 BIT PROCESSOR
KB16-A		JLE			5 8/71	K	16	TWO WAY BRANCH M7304
KB16-B		FLE			5 8/71	K	16	EIGHT WAY BRANCH M7314
KB8-1A		JDL		TPL	6 8/73	K	8/I	M107, M730 BUS TRANSMITTER, BC08A-15
KB8-1B		JDL		TPL	6 8/73	K	8/I	M737 BUS RECEIVER, BC08A-15
KB8-1A		JDL		TPL	6 8/73	K	8A08	M107, M730 BUS TRANSMITTER, BC08A-15
KB8-1B		JDL		TPL	6 8/73	K	8A08	M737 BUS RECEIVER, BC08A-15
KBM16		JLE			3 8/71	K	16	BUS MONITOR M7322
KBS11-A	DH	BMH		CSS	3 10/74	K	KB11-A	VIRTUAL MACHINE EXTENSION (M8117, M8118, M8103-YA)
KBS16		JLE			5 12/71	K	16	BUS SENSE (M7304)
KBS16-A		JLE			5 12/71	K	16	BUS CONTROL (M7332)
KC01		RR			6	K	5, 8	ADAPTER CONNECTOR
KC09-A		MI			5	K	9	PDP9 CENTRAL PROCESSOR
KC09-C		MI			4	K	9/L	PDP9-L CENTRAL PROCESSOR
KC11		JMB		FS	3 12/73	K	11/15	16 BIT PROC (KA11 W NO PWR FAIL, 1 BR PRIORITY)
KC11-YA		JMB			4 3/72	K	11/15	KC11 W KH11-A OPTION
KC15-A		FA			4	K	15	KEY BOARD CONSOLE
KC15-B		FA			4	K	15	FLAT CONSOLE
KC341-B	RJM	CYR	WLS	MAY	2 5/74	K	M7341	BENCH-TOP CONSOLE FOR M7341 MICRO-PROCESSOR
KC8-AA	JC	GHL			3 2/75	K	8/A	PROGRAMMER'S CONSOLE
KC8-AB	JC	GHL			3 2/75	K	8/A	REMOTE PROGRAMMER'S CONSOLE
KC8-EA		PG			5 10/71	K	8/E	CONSOLE WITH SWITCHES & LIGHTS
KC8-EB		PG			5 10/71	K	8/E	BLANK FRONT PANEL
KC8-EC		PG			5 10/71	K	8/E	TURN-KEY FRONT PANEL
KC8-ED	SNT	AW			3 1/73	K	8/E	GREEN KC8-EA FOR LAB8-E
KC8-EJ	RS	FE			2 10/73	K	8/E	RED, WHITE & BLUE KC8-EA FOR IPG
KC8-EL		PG			2 3/72	K	8/E	KC8-EA W LEDS (LIGHT EMITTING DIODES)
KC8-FJ	RS	FE			2 10/73	K	8/F	RED, WHITE & BLUE KC8-FL FOR IPG
KC8-FL		PG			4 2/72	K	8/F	KC8-EL W 8/F LOGO
KC8-HA	GPB	RI			3 2/74	K	8/E	MARS PANEL (PC, MA, MD, AQ, MQ, STATUS BITS LIGHTS)
KC8-HB	GPB	RI			3 2/74	K	8/E	KEY OPTION- HALTS WHEN MA = SWITCHES
KC8-H		PG			4 2/72	K	8/M	MINIMUM FUNCTION CONSOLE (2 LIGHTS, 2 SWITCHES)
KC8-NL		PG			4 2/72	K	8/M	KC8-EL WITH 8/M LOGO
KD09-A		MI			5	K	9	PDP9 I/O SECTION
KD09-C		MI			4	K	9/L	PDP9-L I/O SECTION
KD11-A	JA	KSH			5 7/73	K	11/35, 11/40	16 BIT PROCESSOR
KD11-B	DLR	OPH			5 2/75	K	11/35, 11/10	16 BIT PROCESSOR, M7260 + M7261
KD11-D	SNT	RAA			2 11/74	K	11/04, 11A10	ONE BOARD 11/05 (M7263)
KD11-F	MT				2 2/75	E	11V05	M7264 W 4K MOS RAM
KD11-H	MT				2 2/75	E	11V05	M7264-YA (NO RAM)
KD11-J	MT				2 2/75	E	11V05	KD11-H + MHV11-A (4K CORE MEM)
KD15		FD			5 2/75	K	15	I/O PROCESSOR
KD8-E		LT			5 13/72	K	8/E	DATA BREAK

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AR:A	STATUS MO/YR	DATE-GORY	USED ON	DESCRIPTION	70
K08-L		WH			5	K	8/L	DATA BREAK	
K0L2		LG			3	K	LINC/8	LINC TAPE I8Z INTERRUPT	
KE09-A		MI			5	K	9	EAE	
KE09-C		MI			4	K	9/L	PDP9-L EAE	
KE10		KE			5	K	10	EXTENDED ORDER CODE	
KE11-A	SNT	SR			4	K	11/20, 11/05	EAE, BUS MOUNTED	
KE11-B	DLR	REL		CSS	4	2/75 K	11/05	HEX EAE, UNIBUS MOUNTED KE11-A COMPATIBLE	
KE11-E	JA	KSB			4	5/73 K	11/35, 11/40	EXPANDED INSTRUCTION SET (MUL, DIV, ASH, ASHC)	
KE11-F	JA	KSB			4	5/73 K	11/35, 11/40	FLOATING POINT INSTRUCTION SET	
KE12	SNT	RI			5	K	12	EAE	
KE15		FA			5	K	15	EXTENDED ARITHMETIC ELEMENT	
KE8-E	JC	GHL			5	10/72 K	8/E	EXTENDED ARITHMETIC ELEMENT	
KE8-I		RR			5	K	8/I	EAE	
KER11-A		KH			3	1/72 K	11R20	RUGGED KE11-A	
KEV11	HT				2	2/75 K	KD11-F, -H, -J	EIS/FIS (EAE + FLOATING POINT)(23-003A5-01)	
KEV16					5	3/71 K	16	EVOKE UNITS M7310	
KF01		RR			6	K	7	I/O INTERFACE FOXBORO	
KF03		RN		CSS	3	K	15	I/O INTERFACE, FOXBORO	
KF09-A		MI			5	K	9	AUTO PRIORITY INTERRUPT	
KF09-C		MI			4	K	9/L	AUTO PRIORITY INTERRUPT	
KF11-A		CMD			4	8/71 K	KC11	AUTO PRIORITY (4 LEVELS) INTERRUPT (M7218)	
KF12-B	SNT	RI			4	6/71 K	12	15 LEVEL AUTO PRIORITY INTERRUPT W PUSH, POP & PUSH JUMP	
KF12-C	SNT	RI			3	9/71 K	12	KF12-B PLUS NEW EP12 PANEL	
KF15		FA			5	3/71 K	15	POWER FAIL OPTION	
KFL16		JLE			5	8/71 K	16	3 FLAG FLIP FLOPS M7306	
KG09-A		MI			6	K	ME09-A	PDP9 MEMORY EXTENSION CONTROL	
KG09-B		MI			5	K	ME09-B	PDP9 MEMORY EXTENSION CONTROL	
KG09-C		MI			4	K	ME09-C	MEMORY EXTENSION CONTROL	
KG09-D		RR		TPL	6	9/71 K	9	MEM EXT CONT TO 64K (NO MP09, KX09)	
KG11-A		RL			5	3/72 K	11	XOR & CRC (IBM 16, IBM 12, CCITT)	
KG8-EA		RBR			4	5/71 D	8/E	REDUNDANCY CHECK (VRC + LRC DR CRC) (M884)	
KH11-A		JMB			5	1/72 K	KA11, KC11	SYSTEM EXPANSION (LATENCY REDUCTION)	
KI10		KE			3	1/72 K	10	I/C ARITHMETIC PROCESSOR	
KI10-A		KE			-	11/73 K	10	DUMMY NUMBER FOR OLD KI10 FLOWS	
KI10-M	FW	KE			4	5/72 K	KI10	MEMORY BUS ADAPTER (MA10, MB10, MD10 TO KI10)	
KI10-U		KE			-	8/71 K	10	KI10 (W TRADE-IN OF KA10)	
KIT01-AA	RJM	RF			3	5/73 B	ASYNC ASCII UP TO 4800 BAUD	8 CH +/-10V A/D CONV, 5MV RESOLUTION, 115V	
KIT01-AB	RJM	RF			3	5/73 B	ASYNC ASCII UP TO 4800 BAUD	8 CH +/-10V A/D CONV, 5MV RESOLUTION, 230V	
KIT11-D	RJM	RF			3	9/74 B	11	DMA INTERFACE W 1 UNWIRED QUAD SLOT	
KIT11-DT	RJM	RF			3	9/74 B	KIT11-D	CHECKOUT OPTION, BC08R-01 + DIAGNOSTICS	
KIT11-F	RJM	RF			3	11/72 B	11	BB11-F BUS INTRFC W 3 WORDS IN, 1 WORD OUT, 7 INTERRUPTS	
KIT11-H	RJM	RF			3	11/72 B	11	BB11-H BUS INTRFC W 4 WORDS IN, 4 WORDS OUT, 4 INTERRUPTS	
KIT11-HT	RJM	RF			3	7/73 K	KIT11-H	CHECKOUT OPTION, BC08R-01 + DIAGNOSTICS	
KIT11-K	RJM	RF			3	11/72 B	11	BB11-K BUS INTRFC W 8 WORDS IN, 0 WORDS OUT	
KIT11-M	RJM	RF			3	11/72 B	11	BB11-M BUS INTRFC FOR M1621, M1623, M1801, SPC EXCEPT DR11-B, DL11	
KIT8A-AA	RJM	AC			2	5/74 E	-	KB8-A	
KIT8A-AC	RJM	AC			2	5/74 E	-	KB8-A, MS8-AA 1K RAM	
KIT8A-AE	RJM	AC			2	5/74 E	-	KB8-A, MS8-AB 2K RAM	
KIT8A-AH	RJM	AC			2	5/74 E	-	KB8-A, MS8-AC 3K RAM	
KIT8A-AK	RJM	AC			2	5/74 E	-	KB8-A, MS8-AD 4K RAM	
KIT8A-BA	RJM	AC			2	5/74 E	-	KB8-A, MR8-AA 1K ROM	
KIT8A-BC	RJM	AC			2	5/74 E	-	KB8-A, MR8-AA 1K ROM, MS8-AA 1K RAM	
KIT8A-BE	RJM	AC			2	5/74 E	-	KB8-A, MR8-AA 1K ROM, MS8-AB 2K RAM	
KIT8A-BH	RJM	AC			2	5/74 E	-	KB8-A, MR8-AA 1K ROM, MS8-AC 3K RAM	
KIT8A-CA	RJM	AC			2	5/74 E	-	KB8-A, MR8-AB 2K ROM	



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
KIT8A-CC	RJM	AC			2	5/74 E	-	KK8-A, MR8-AB 2K ROM, MS8-AA 1K RAM
KIT8A-CE	RJM	AC			2	5/74 E	-	KK8-A, MR8-AB 2K ROM, MS8-AB 2K RAM
KIT8A-DA	RJM	AC			2	5/74 E	-	KK8-A, MR8-AC 3K RAM
KIT8A-DC	RJM	AC			2	5/74 E	-	KK8-S, MR8-AC 3K ROM, MS8-AA 1K RAM
KIT8A-EA	RJM	AC			2	5/74 E	-	KK8-A, MR8-AD 4K ROM
KIT8A-FA	RJM	AC			2	5/74 E	-	KK8-A, MR8-FB 1K PROM
KITMP-BE	RJM	EN			3	11/74 E	-	M7341 MICROPROC, 3 INPUT, 4 OUTPUT WORDS, 1K ROM, 2K RAM, KMP02-A
KJ11-A	JA	KSB			3	10/74 K	11/35, 11/40	PROGRAMMABLE STACK LIMIT REGISTER (M7237)
KK8-A	JC	LK			2	11/74 K	PDP8-A	PROCESSOR (M0315)
KK8-F		SHL			5	1/72 K	8/E	PROCESSOR FOR PDP8-E
KL08	MI	JDL		TPL	3	1/75 K	8	ASYNC DATA CONT 110, 150, 300 BAUD MODIFICATION KIT
KL10-AA	ATT				2	10/74 K	-	FRONT END, ECL PROCESSOR W CACHE, DMA20, DIA20, 60HZ
KL10-AB	ATT				2	10/74 E	-	FRONT END, ECL PROCESSOR W CACHE, DMA20, DIA20, 50HZ
KL11-A		JMB		FS	6	8/72 K	KA11 OR DD11	TELETYPE CONTROL, 110 BAUD (M780)
KL11-B		JMB		FS	6	8/72 K	KA11 OR DD11	150 BAUD KL11-A (M780-YB)
KL11-C		JMB		FS	6	8/72 K	KA11 OR DD11	300 BAUD KL11-A (M780-YC)
KL11-D		JMB		FS	6	8/72 K	KA11 OR DD11	600 BAUD KL11-A (M780-YD)
KL11-E		JMB		FS	6	8/72 K	KA11 OR DD11	1200 BAUD SEND & 110 BAUD RECEIVE KL11-A (M780-YE)
KL11-F		JMB		FS	6	8/72 K	KA11 OR DD11	2400 BAUD KL11-A (M780-YF)
KL11-S		JTH		CSS	3	3/74 D	11	307 K BAUD TEKTRONIX 4010 SERIES INTERFACE
KL8-EA	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 110 BAUD, M8650, EIA
KL8-EB	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 150 BAUD, M8650-YA, EIA
KL8-EC	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 300 BAUD, M8650-YA, EIA
KL8-ED	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 600 BAUD, M8650-YA, EIA
KL8-EE	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 1200 BAUD, M8650-YA, EIA
KL8-EF	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 150 BAUD REC/1200 BAUD SEND, M8650-YA, EIA
KL8-EG	JC	RBR			4	6/71 K	8/E	ASYNCH DATA CONT, 150 BAUD REC/2400 BAUD SEND, M8650-YA, EIA
KL8-F	JC	RBR			4	8/73 K	8/E	DOUBLE BUFFERED KL8-E
KL8-FA	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EA (M8652)
KL8-FB	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EB (M8652-YA)
KL8-FC	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EC (M8652-YA)
KL8-FD	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-ED (M8652-YA)
KL8-FE	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EE (M8652-YA)
KL8-FF	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EF (M8652-YA)
KL8-FG	JC	RBR			4	10/71 K	8/E	DOUBLE BUFFERED KL8-EG (M8652-YA)
KL8-FH	JC	RBR			4	10/71 K	8/E	DOUBLE BUF ASYNC CONT 134.5 BAUD 7 BIT (10M) (M8652-YB)
KL8-FJ	JC	RBR			4	10/71 K	8/E	DOUBLE BUF ASYNC CONT 1800 BAUD (M8652-YC)
KL8-FK	JC	RBR			4	10/71 K	8/E	DOUBLE BUF ASYNC CONT 2400 BAUD (M8652-YA)
KL8-I	MI	JDL		TPL	3	1/75 K	8/I, 8/L, 12	ASYNC DATA CONT, 110, 150, 300 BAUD MODIFICATION KIT
KL8-JA	JC	RBR			4	10/73 D	8/E	DBL BUF ASYNC SER CONT 110 TO 9600 BAUD, 20MA OR EIA RDR RUN (M8655)
KL8-K	MI	JG		TPL	3	1/74 D	8/E	KL8-JA (M8655)
KL8-KA	MI	JG		TPL	3	1/74 D	8/E	KL8-K (M8655) + 9C01V-25 CABLE
KL8-KB	MI	JG		TPL	3	1/74 D	8/E	KL8-K W 4.435 MHZ XTAL (M8655-YA) FOR 1050 BAUD + 9C01V-25
KL8-KC	MI	JG		TPL	3	1/74 D	8/E, H320	KL8-K W 3.0735 MHZ XTAL (M8655-YB) FOR 66.6 BAUD
KL8-KD	MI	JG		TPL	3	1/74 D	8/E, H320	KL8-K W 2.621 MHZ XTAL (M8655-YC) FOR 56.86 BAUD
KL8-M	JC	RBR			2	9/71 K	ANY KL8-E OR KL8-F	MODEM CONTROL FOR KL8'S
KLJ11-A	CA				3	6/72 K	KA11 OR DD11	SYSTEM TESTED KL11-A
KLR11-A		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-A
KLR11-AA		AS			3	2/72 K	11/87	RUGGED KL11-A (8 FT CABLE)
KLR11-B		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-B
KLR11-C		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-C
KLR11-D		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-D
KLR11-E		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-E
KLR11-F		KH			3	1/72 K	KAR11, DDR11	RUGGED KL11-F
KLS16		JLE			3	9/72 K	16/M	LIGHT SWITCH MODULE (M7334)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR ARFA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
KM09-A		MI			5	K	9	HOLD DOWN EQPT CP PANEL
KM09-B		MI			5	K	9	HOLD DOWN EQPT MEM PANEL
KM09-C		MI			5	K	9	HOLD DOWN EQPT I/O PANEL
KM10		BW			5	K	10	FAST ACCUMULATOR
KM11-A		JMB			5	K	KA11	MAINTENANCE MODULE, LIGHTS & SWITCHES
KM14-A		SZ			3	1/72 K	14	SEVERE ENVIRONMENT KIT/STABILIZER
KM15		JE			5	K	15	MEMORY PROTECT OPTION
KM8-AA	JC	LN			3	11/74 K	8/A	OPTION BOARD #2: MEM EXT & TIME SHARE CONT, BOOTSTRAP, PWR FAIL, RESTART (M8317)
KM8-AB	JC	LN			3	11/74 K	8/A	KM8-AA W NO BOOTSTRAP ROMS
KM8-E		LN			6	6/72 K	8/E, 8/M	MEMORY EXTENSION & TIME SHARE CONTROL
KM8-F		DA			3	1/74 K	8/E	TIMING GENERATOR (M8330 REV E OR LATER)
KM80-A		CA			5	K	8	HOLD DOWN BARS, LONG
KM80-B		CA			5	K	8	HOLD DOWN BARS, SHORT
KM80-C		CA			5	K	1, 4, 8	HOLD DOWN BARS, SHORT
KMP01-A	RJM	AC			2	6/74 K		PREWIRED SYS UNIT(24 SLOTS) FOR M7341 SERIES MODULES
KMP02-A	RJM	AC			2	6/74 K		PREWIRED DBL SYS UNIT(54 SLTS)FOR M7341 SERIES MODS
KMP03-A	RJM	AC			2	6/74 K		PREWIRED 19 X 105 MTNG PANEL (48 SLOTS) FOR M7341 SERIES MODULES
KMT		JLE			3	B	8/L	K SERIES MODULE TESTER
KNP16		JLE			4	8/71 K	16	NO OP MODULE M7321
KOR16-A		JLE			5	8/71 K	16	10 2-INPUT OR GATES M1103
KOR16-B		JLE			5	8/71 K	16	6 4-INPUT OR GATES M1307
KP01		RS			5	K	6	POWER FAIL DETECT OPTION
KP09-A		MI			5	K	9	POWER FAIL OPTION W AUTO RESTART
KP09-C		MI			4	K	9/L	POWER FAIL OPTION W AUTO START
KP10	MR			DAS	3	3/74 K	KA10	POWER FAIL & RESTART
KP11-A		GMD			4	8/71 K	KC11	POWER FAIL & AUTO RESTART
KP12	SNT	RI			5	K	12	POWER FAIL OPTION W AUTO START
KP15		FA			5	K	15	PROCESSOR AND I/O
KP15-A		FA			3	K	15	PROC & I/O W SEP MEM BUS FOR EACH
KP15-C	FD	FD			2	10/74 K	15-C	PROCESSOR & I/O REPACKAGED
KP70		RR			6	K	7-A	POWER FAIL OPTION W AUTO RESTART
KP8-E		LN			5	10/71 K	8/E	POWER FAIL & AUTO RESTART
KP8-I		RR			5	K	8/I	POWER FAIL OP
KP8-L		RR			5	K	8/L	POWER FAIL DET OP
KR01		RR			5	K	8	AUTO RESTART OPTION
KR08		BV		CSS	6	K	8	AUTO PROGRAM RECOVERY (ARO=8)
KR09		BV		CSS	6	K	9	AUTO PROGRAM RECOVERY (ARO=9)
KR19		BG		CSS	6	K	9, 9/L	KR09 WITH API
KS11		BMM		CS	6	2/75 K	11/20	MEM PROTECT & RELOCATE
KS15	EW	FD			3	9/74 K	15	MEM MANAGEMENT & API (KM15 + KT15 + KA15 + BB15)
KSM16		JLE			3	9/72 K	16/M	SERVICE MODULE (M7335)
KSR16		JLE			5	8/71 K	16	SUBROUTINE RETURN M7315
KT08		RL			6	K	8	TIME SHARE OPTION
KT09		BV		CSS	6	K	9	TIME SHARE OPTION
KT10		KE			5	K	10	TIME SHARING OPTION
KT10-A		KE			5	K	10	PROTECT-RELOCATE OPTION
KT11-AE		BMM		CSS	3	3/72 K	KT11-B	ASSOCIATIVE MEMORY EXPANSION
KT11-B		BMM		CSS	3	K	KA11	PAGING OPTION (PROTECT & RELOCATE)
KT11-C	BD	LBN			4	5/73 K	11/45	MEMORY MANAGEMENT (PROTECT & RELOCATE)
KT11-D	JA	XSB			3	10/74 K	11/35, 11/40	SEGMENTATION (PROTECT & RELOCATE)
KT12	SNT	RI			5	1/73 K	12	TIME SHARE OPTION
KT15		JE			5	K	15	MEMORY PROTECT-RELOCATE OPTION
KT8-I					5	10/72 K	8/I	TIME SHARE OP

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
KYM16		JLE			5	8/71	K	16	BUS TERMINATOR M962
KV15		BM		CSS	3	3/71	K	15	ARBITRARY VECTOR DISPLAY CONTROL, HARDWARE ARC GEN
KV8		BM		CSS	5		K	VS08	ARBITRARY VECTOR DISPLAY CONTROL
KV8-EN		BM		CSS	3	3/71	K	8 NEG	ARBITRARY VECTOR DISPLAY CONTROL, HARDWARE ARC GEN
KV8-EP		BM		CSS	3	3/71	K	8 POS	ARBITRARY VECTOR DISPLAY CONT, HARDWARE ARC GEN
KV8-1		BM		CSS	5		K	8/I	ARBITRARY VECTOR DISPLAY CONTROL
KV8-1A		BM			6	3/74	V	8/I	KV8-1 + VT01
KV8-L		BM		CSS	5		K	BA08	ARBITRARY VECTOR DISPLAY CONTROL
KW08		AB			5		K	8, 8/S	REAL TIME CLOCK
KW09-L		MI			2		K	KD09-C	LINE FREQUENCY INTERVAL CLOCK
KW11-F	AW				4	1/72	K	KW11-P	FRONT PANEL FOR M945 IN LAB-11
KW11-L		JMB		FS	4		K	KA11, KB11-A, KC11, KD11-A	LINE FREQUENCY INTERVAL CLOCK
KW11-P	DLR	REL			5	2/75	K	DD11	PROGRAMMABLE INTERVAL CRYSTAL CLOCK
KW11-W	JM	DEH			2	4/73	K	DD11	WATCHDOG TIMER
KW12-A	SNT	RI			5		K	12	SUPER CLOCK
KW12-B	SNT	RI			5	1/73	K	12	SIMPLE CLOCK (R-C OSC)
KW12-C	SNT	RI			5	1/73	K	12	SIMPLE CLOCK (CRYSTAL OSC)
KW15		FA			5	3/71	K	15	LINE FREQ INTERVAL CLOCK
KW8-1A		RR		TPL	5		K	8/I	LINE FREQUENCY INTERVAL CLOCK
KW8-1B		RR		TPL	5		K	8/I	VARIABLE FREQUENCY CLOCK
KW8-1C		RR		TPL	5		K	8/I	CRYSTAL CLOCK
KW8-1D		RR		TPL	5		K	8/I	KW8-1A WITH PRESET AND READOUT
KW8-1E		RR		TPL	5		K	8/I	KW8-1B WITH PRESET AND READOUT
KW8-1F		RR		TPL	5		K	8/I	KW8-1C WITH PRESET AND READOUT
KW8-1A		RR		TPL	5		K	BA08	LINE FREQUENCY INTERVAL CLOCK
KW8-LB		RR		TPL	5		K	BA08	VARIABLE FREQUENCY CLOCK
KW8-LC		RR		TPL	5		K	BA08	CRYSTAL CLOCK
KW8-LD		RR		TPL	5		K	BA08	KW8-LA WITH PRESET AND READOUT
KW8-LE		RR		TPL	5		K	BA08	KW8-LB WITH PRESET AND READOUT
KW8-LF		RR		TPL	5		K	BA08	KW8-LC WITH PRESET AND READOUT
KWL2		LG			3		K	LINC/B	ONE SECOND INTERRUPT CLOCK
KWR11-L		KH			2	4/71	K	KAR11	RUGGED KW11-L
KX09-A		MI			5		K	ME09-B	MEMORY PROTECT OPTION
KX09-C		MI			4		K	ME09-C	MEMORY PROTECT OPTION
KX8-E	JC	LK			3	7/72	K	8-E	INDEX REGISTER OPTION (M8301)
KY11-A		JMB			4		K	KA11, BA11-CC, BA11-CS	STANDARD 11/20 CONSOLE
KY11-AA	SNT	AW			3	1/73	K	KA11, BA11-CC, -CS	GREEN KY11-A FOR LAB-11
KY11-B		JMB			3	1/72	K	KC11-A	TURN KEY CONSOLE FOR 11/15 (M828)
KY11-C		JMB			3	1/72	K	KC11-A	STANDARD 11/15 CONSOLE
KY11-D	JA	KSB			4	10/73	K	KD11-A	11/40 PROGRAMMER & MAINTENANCE CONSOLE
KY11-DJ	RS	FE			2	10/73	K	KU11-A	RED, WHITE & BLUE KY11-D FOR IPG
KY11-E		KH			2		K	KAR11, BAR11	STANDARD 11R20 CONSOLE
KY11-F		KH			3	1/72	K	KA11, KAR11	REMOTE 11R20 CONSOLE
KY11-JA	DLR	CPN			5	7/73	K	KD11-B	11/05 PROGRAMMER CONSOLE
KY11-JB	DLR	CPN			5	7/73	K	KD11-B	11/10 PROGRAMMER CONSOLE
KY11-JC		HL			5	7/73	K	VT40	VT40 CONSOLE
KY11-JD	DLR	CPN			5	7/73	K	KD11-B (11/05)	KY11-JA + HARDWARE FOR 10.5-IN BOX
KY11-JE	DLR	CPN			5	7/73	K	KD11-B (11/10)	KY11-JB + HARDWARE FOR 10.5-IN BOX
KY11-JF	BO	BG			2	10/72	K	KD11-B	KY11-JA FOR UNICHANNEL 15
KY11-JH	BO	UG			2	10/72	K	KD11-B	KY11-JF + HARDWARE FOR 10.5-IN BOX
KY11-JJ	RS	FE			2	10/73	K	KD11-B	INDUSTRIAL PRODUCTS RED, WHITE & BLUE COLORED KY11-JA
KY11-K	JA	KSB			5	1/74	K	KD11-A (11/35)	11/35 PROGRAMMER & MAINTENANCE CONSOLE
KY11-LA	SNT	RBP			2	11/74	K	11/04, 11A10	OPERATORS (TURN KEY) CONSOLE
KY11-LB	SNT	RBP			2	11/74	K	11/04, 11A10	PROGRAMMERS CONSOLE
KYJ11-A		JMB			3	6/72	K	KA11, BA11-CC, BA11-CS (11/20)	SYSTEM TESTED KY11-A

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
KYJ11-JA	SNT	RAA			3 8/72	K	KD11-B (11/85)	SYSTEM TESTED KY11-JA
LA30A-PA	EC	AEW			3 2/72	L	MANY	LA30-PA, NO KEYBOARD
LA30A-PB	EC	AEW			3 2/72	L	MANY	LA30-PB, NO KEYBOARD
LA30A-PC	EC	AEW			3 2/72	L	MANY	LA30-PC, NO KEYBOARD
LA30A-PD	EC	AEW			3 2/72	L	MANY	LA30-PD, NO KEYBOARD
LA30A-PE	EC	AEW			3 2/72	L	MANY	LA30-PE, NO KEYBOARD
LA30A-PF	EC	AEW			3 2/72	L	MANY	LA30-PF, NO KEYBOARD
LA30A-PH	EC	AEW			3 2/72	L	MANY	LA30-PH, NO KEYBOARD
LA30A-PJ	EC	AEW			3 2/72	L	MANY	LA30-PJ, NO KEYBOARD
LA30A-SA	EC	AEW			3 2/72	L	MANY	LA30-SA, NO KEYBOARD
LA30A-SB	EC	AEW			3 2/72	L	MANY	LA30-SB, NO KEYBOARD
LA30A-SC	EC	AEW			3 2/72	L	MANY	LA30-SC, NO KEYBOARD
LA30A-SD	EC	AEW			3 2/72	L	MANY	LA30-SD, NO KEYBOARD
LA30A-SE	EC	AEW			3 2/72	L	MANY	LA30-SE, NO KEYBOARD
LA30A-SF	EC	AEW			3 2/72	L	MANY	LA30-SF, NO KEYBOARD
LA30A-SH	EC	AEW			3 2/72	L	MANY	LA30-SH, NO KEYBOARD
LA30A-SJ	EC	AEW			3 2/72	L	MANY	LA30-SJ, NO KEYBOARD
LA30-CA	EC	AEW			3 2/72	L	MANY	LA30-SA + DF11-K (115V 60HZ 20 MA CURRENT LOOP)
LA30-CB	EC	AEW			3 8/72	L	MANY	LA30-SB + DF11-K (230V 60HZ 20 MA CURRENT LOOP)
LA30-CC	EC	AEW			3 8/72	L	MANY	LA30-SC + DF11-K (115V 50HZ 20 MA CURRENT LOOP)
LA30-CD	EC	AEW			3 2/72	L	MANY	LA30-SD + DF11-K (230V 50HZ 20 MA CURRENT LOOP)
LA30-EA	EC	AEW			3 2/72	L	MANY	LA30-SA + DF11-A (115V 60HZ EIA)
LA30-EB	EC	AEW			3 8/72	L	MANY	LA30-SB + DF11-A (230V 60HZ EIA)
LA30-EC	EC	AEW			3 8/72	L	MANY	LA30-SC + DF11-A (115V 50HZ EIA)
LA30-ED	EC	AEW			3 2/72	L	MANY	LA30-SD + DF11-A (230V 50HZ EIA)
LA30-PA	EC	AEW			4 8/71	L	MANY	DEC 30 CHAR/SEC PRINTER & KEYBOARD PARALLEL INFC 115V 60HZ
LA30-PB	EC	AEW			4 8/71	L	MANY	230V 60HZ LA30-PA
LA30-PC	EC	AEW			4 8/71	L	MANY	115V 50HZ LA30-PA
LA30-PD	EC	AEW			4 8/71	L	MANY	230V 50HZ LA30-PA
LA30-PE	EC	AEW			- 8/71	L	MANY	LA30-PA, NO INSTALLATION
LA30-PF	EC	AEW			- 8/71	L	MANY	LA30-PB, NO INSTALLATION
LA30-PH	EC	AEW			- 8/71	L	MANY	LA30-PC, NO INSTALLATION
LA30-PJ	EC	AEW			- 8/71	L	MANY	LA30-PD, NO INSTALLATION
LA30-RA	LG	LH			3 5/72	L	15, 8/L	LC8-L + LA30-PA, 115V 60HZ
LA30-RB	LG	LH			3 5/72	L	15, 8/L	LC8-L + LA30-PD, 230V 50HZ
LA30-SA	EC	AEW			3 2/72	L	MANY	DEC 30 CHAR/SEC PRINTER & KEYBOARD SERIAL INFC 115V 60HZ NEEDS DF11
LA30-SB	EC	AEW			3 2/72	L	MANY	230V 60HZ LA30-SA
LA30-SC	EC	AEW			3 2/72	L	MANY	115V 50HZ LA30-SA
LA30-SD	EC	AEW			3 2/72	L	MANY	230V 50HZ LA30-SA
LA30-SE	EC	AEW			3 2/72	L	MANY	LA30-SA, NO INSTALLATION
LA30-SF	EC	AEW			3 2/72	L	MANY	LA30-SB, NO INSTALLATION
LA30-SH	EC	AEW			3 2/72	L	MANY	LA30-SC, NO INSTALLATION
LA30-SJ	EC	AEW			3 2/72	L	MANY	LA30-SD, NO INSTALLATION
LA30-UA		BALL			3 9/72	E	DS500 SERIES	LA30-PA & LC11-A IN PLACE OF VT05B-AA & DL11-C
LA30-UB		BALL			3 9/72	E	DS500 SERIES	LA30-PD & LC11-A IN PLACE OF VT05B-AD & DL11-C
LA30-CA	EC	CBF			3 1/75	L	MANY	RECEIVE ONLY LA36-CA, 115V
LA30-CB	EC	CBF			3 1/75	L	MANY	RECEIVE ONLY LA36-CB, 230V
LA30-CC	EC	CBF			3 1/75	L	10	RECEIVE ONLY LA36-CC, 115V
LA30-CD	EC	CBF			3 1/75	L	10	RECEIVE ONLY LA36-CD, 230V
LA36	EC	CBF			4 10/74	L	MANY	DEC 30CHAR/SEC 132COL 96CHAR PRINTR & KEYBD,SPACE FOR NUMERIC PAD
LA36-CA	EC	CBF			4 10/74	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W MATE-N-LOCK, 115V
LA36-CB	EC	CBF			4 10/74	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W MATE-N-LOCK, 230V
LA36-CC	EC	CBF			4 10/74	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W 263B PLUG, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
LA36-CD	EC	CBF			4	10/74 L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W 203B PLUG, 230V
LA36-DA	EC	CBF			2	2/75 L	MANY	LA36-CA W NO NUMERIC PAD, 115V
LA36-DB	EC	CBF			2	2/75 L	MANY	LA36-CB W NO NUMERIC PAD, 230V
LA36-DC	EC	CBF			2	2/75 L	MANY	LA36-CC W NO NUMERIC PAD, 115V
LA36-DD	EC	CBF			2	2/75 L	MANY	LA36-CD W NO NUMERIC PAD, 230V
LA36-EE		BPF			3	1/75 L	DS3XX, DS5XX	LA36-CA + LAXX-KG, 115V
LA36-EF		BPF			3	1/75 L	DS3XX, DS5XX	LA36-CB + LAXX-KG, 230V
LAB11-AA	SNT	AW			3	1/73 E	-	ADVANCED PDP11 LAB SYSEM, 115V 60HZ
LAB11-AB	SNT	AW			3	1/73 E	-	DITTO 230V 60HZ
LAB11-AC	SNT	AW			3	1/73 E	-	DITTO 115V 50HZ
LAB11-AD	SNT	AW			3	1/73 E	-	DITTO 230V 50HZ
LAB11-BA	SNT	AW			3	4/72 E	-	PDP11/21 LAB SYSTEM W LA30-PA, 115V 60HZ
LAB11-BB	SNT	AW			3	4/72 E	-	PDP11/21 LAB SYSTEM W LA30-PB, 230V 60HZ
LAB11-BC	SNT	AW			3	4/72 E	-	PDP11/21 LAB SYSTEM W LA30-PC, 115V 50HZ
LAB11-BD	SNT	AW			3	4/72 E	-	PDP11/21 LAB SYSTEM W LA30-PB, 230V 50HZ
LAB8E-05	SNT	AW			3	6/71 E	-	BASIC PDP8/E LAB SYSTEM
LAB8E-15	SNT	AW			3	6/71 E	-	ADVANCED PDP8/E LAB SYSTEM
LAB8E-BA	AW	ERK			3	12/73 E	PDP8E-AE, LT33-DC, ADB-EA, AM8-EA, OK8-ES, VC8-E, H945-AB, H960-BB, 115V60HZ	
LAB8E-BB	AW	ERK			3	12/73 E	PDP8E-AF, LT33-DD, ADB-EA, AM8-EC, DKB-ES, VC8-E, H945-AB, H960-BB, 230V50HZ	
LAR30-PA		EC			3	10/71 L	11R20	LA30-PA W MIL CONNECTOR
LAR30-PB		EC			3	10/71 L	11R20	LA30-PB W MIL CONNECTOR
LAR30-PC		EC			3	10/71 L	11R20	LA30-PC W MIL CONNECTOR
LAR30-PD		EC			3	10/71 L	11R20	LA30-PD W MIL CONNECTOR
LAS30-EA	BH	GL		SSCAN	3	1/73 L	-	LA30-EA W OPTIONAL LEFT MARGIN AT COLUMN 54
LAXX-KA	EC	CBF			4	2/75 B	LA36	ACCESSORIES KIT: LAXX-KB, -KC & -KD
LAXX-KB	EC	CBF			4	2/75 B	LA36	CASTER SET
LAXX-KC	EC	CBF			4	2/75 B	LA36	WORK SHELF
LAXX-KD	EC	CBF			4	2/75 B	LA36	PAPER BASKET
LAXX-KE		RJM			4	2/75 L	LA36-DA, -DB	NUMERIC PAD
LAXX-KF		RJM			4	2/75 L	LA36-DA, -DB	BOX OF 5 NUMERIC PADS
LAXX-KG	EC	CBF			4	2/75 D	LA35, LA36	EIA INTERFACE OPTION W 9' CABLE
LAXX-KH	EC	CBF			4	2/75 B	LA35, LA36	DF11 MOUNTING KIT
LAXX-KP	RJM				3	1/75 L	LA35, LA36	KIT OF 5 LAXX-KG EIA INTERFACES
LAXX-KR	RJM				3	1/75 L	LA35, LA36	KIT OF 5 LAXX-KH DF11 MTNG KITS
LAXX-PB		CJS		SSWK	2	1/75 L	LA35, LA36	U, K, / ITALIAN ROM & KEY CAPS
LAXX-PD		CJS		SSWK	2	1/75 L	LA35, LA36	SWEDISH/FINNISH ROM & KEY CAPS
LAXX-PE		CJS		SSWK	2	1/75 L	LA35, LA36	DANISH/NORWEGIAN ROM & KEY CAPS
LAXX-PF		CJS		SSWK	2	1/75 L	LA35, LA36	YUGOSLAVIAN ROM & KEY CAPS
LAXX-PG		CJS		SSWK	2	1/75 L	LA35, LA36	AZERTY (FRENCH) ROM & KEY CAPS
LAXX-PH		CJS		SSWK	2	1/75 L	LA35, LA36	HEBREW ROM & KEY CAPS
LAXX-PJ	KATO			SSJN	2	1/75 L	LA35, LA36	KATA KANA ROM & KEY CAPS
LAXX-PL	KATO			SSJN	2	1/75 L	LA35, LA36	KOREAN ROM & KEY CAPS
LAXX-PM	KATO			SSJN	2	1/75 L	LA35, LA36	RUSSIAN ROM & KEY CAPS
LC11-A		JMB		FS	3	1/72 K	KA11 OR DD11	PARALLEL CONT FOR LA30-P
LC8-E		JK			3	1/72 L	8/E	PARALLEL CONT FOR LA30-P
LC8-L		JDL		TPL	3	1/72 L	8/L	EL CONT FOR LA30-P
LCR11-A		JFB			2	10/71 L	KAR11, DDR11	PARALLEL CONT FOR LAR30-P
LCS8-A	JH	ABW		CSS	2	7/74 L	8/E	INTERFACE FOR DIABLO HYTYPE 1 MODEL 1200 PRINTER (M8359)
LE8-C	JC	LN			3	9/74 L	8/E	LINE PRINTER CONTROL (M841)
LE8-FA		LN			4	L	8/E	LP81-FA & CONT M841
LE8-FB		LN			4	L	8/E	LP81-FB & CONT M841
LE8-HA		LN			4	L	8/E	LP81-HA & CONT M841
LE8-HB		LN			4	L	8/E	LP81-HB & CONT M841
LE8-JA		LN			4	L	8/E	LP82-JA & CONT M841
LE8-JB		LN			4	L	8/E	LP82-JB & CONT M841

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	GATE-GORY	USED ON	DESCRIPTION	76
LE8-KA		LN			4	L	8/E	LP02-KA & CONT M841	
LE8-KB		LN			4	L	8/E	LP02-KB & CONT M841	
LE8-MA	AP	SPRY		CSS	3	2/72	L	8/E	LP03-MA & CONT M841
LE8-MB	AP	SPRY		CSS	3	2/72	L	8/E	LP03-MB & M841 CONT
LE8-QA	AP	SPRY		CSS	3	2/72	L	8/E	LP03-QA & M841 CONT
LE8-QB	AP	SPRY		CSS	3	2/72	L	8/E	LP03-QB & M841 CONT
LE8-RA	AP	SPRY		CSS	3	2/72	L	8/E	LP04-RA & M841 CONT
LE8-RB	AP	SPRY		CSS	3	2/72	L	8/E	LP04-RB & M841 CONT
LE8-SA	AP	SPRY		CSS	3	2/72	L	8/E	LP04-SA & M841 CONT
LE8-SB	AP	SPRY		CSS	3	2/72	L	8/E	LP04-SB & M841 CONT
LE8-VA	JC	LN			3	8/74	L	8/E	LP05-VA & M841 CONT
LE8-VB	JC	LN			3	8/74	L	8/E	LP05-VB & M841 CONT
LE8-VC	JC	LN			3	8/74	L	8/E	LP05-VC & M841 CONT
LE8-VD	JC	LN			3	8/74	L	8/E	LP05-VD & M841 CONT
LE8-VE	JC	LN		CSS	3	8/74	L	8/E	LP05-VE & M841 CONT
LE8-VF	JC	LN		CSS	3	8/74	L	8/E	LP05-VF & M841 CONT
LE8-VH	JC	LN		CSS	3	8/74	L	8/E	LP05-VH & M841 CONT
LE8-VJ	JC	LN		CSS	3	8/74	L	8/E	LP05-VJ & M841 CONT
LE8-WA	JC	LN			3	8/74	L	8/E	LP05-WA & M841 CONT
LE8-WB	JC	LN			3	8/74	L	8/E	LP05-WB & M841 CONT
LE8-WC	JC	LN			3	8/74	L	8/E	LP05-WC & M841 CONT
LE8-WD	JC	LN			3	8/74	L	8/E	LP05-WD & M841 CONT
LE8-WE	JC	LN		CSS	3	8/74	L	8/E	LP05-WE & M841 CONT
LE8-WF	JC	LN		CSS	3	8/74	L	8/E	LP05-WF & M841 CONT
LE8-WH	JC	LN		CSS	3	8/74	L	8/E	LP05-WH & M841 CONT
LE8-WJ	JC	LN		CSS	3	8/74	L	8/E	LP05-WJ & M841 CONT
LINC		HI			6		E	CLASSICAL LINC	
LINC3		HI			6	3/71	E	LINC + PDP8 FUNCTIONS	
LK01	EC	PN			6	4/74	L	LA30, VT05, LK35	KEYBOARD (54-89945)
LK01-R	EC	PN			4	4/74	L	LA30, VT05, LK35	LK01 REPLACEMENT
LK02	EC	PN		WF	4	8/74	L	LA36	DEC STANDARD ENCODED KEYBOARD
LK03	EC	PN		WF	4	8/74	L	LA36	11 KEY NUMERIC PAD FOR LK02 KEYBOARD
LK04	LH	AA			2	1/75	L	LK11-A	16 LIGHTED PUSH BUTTONS IN BOX
LK11-A	LH	AA			2	1/75	L	DD11	LK04 + CONTROL
LK35		LH			5	3/71	L	VT04	LK01 KEYBOARD + VT04 MTNG HARDWARE
LK37		LH			2	12/71	L	VT07	REMOTE KEYBOARD (LK35 IN A BOX)
LK40		L			3	2/75	L	VT16	LK35 + 8 MORE KEYS (3010166-1)
LP01-FA	EC	AEW			4		L	LE8-FA, LP08-FA, -FC, LP11-FA, LP12-FA, LP15-FA	356LPM 80 COL 64CH DA PR 2310 60HZ
LP01-FB	EC	AEW			4		L	LE8-FB, LP08-FB, -FD, LP11-FB, LP12-FB, LP15-FB	356LPM 80 COL 64CH DA PR 2310 50HZ
LP01-HA	EC	AEW			4		L	LE8-HA, LP08-HA, -HC, LP11-HA, LP12-HA	253LPM 80 COL 96 CH DA PR 2310 60HZ
LP01-HB	EC	AEW			4		L	LE8-HB, LP08-HB, -HD, LP11-HB, LP12-HB	253LPM 80 COL 96 CH DA PR 2310 50HZ
LP02-JA	EC	AEW			4		L	LE8-JA, LP08-JA, -JC, LP11-JA, LP12-JA	245LPM 132COL 64 CH DA PR 2410 60HZ
LP02-JB	EC	AEW			4		L	LE8-JB, LP08-JB, -JD, LP11-JB, LP12-JB	245LPM 132COL 64 CH DA PR 2410 50HZ
LP02-KA	EC	AEW			4		L	LE8-KA, LP08-KA, -KC, LP11-KA, LP12-KA	173LPM 132COL 96CH DA PR 2410 60HZ
LP02-KB	EC	AEW			4		L	LE8-KB, LP08-KB, -KD, LP11-KB, LP12-KB	173LPM 132COL 96CH DA PR 2410 50HZ
LP03-MA		FA		CSS	3	2/72	L	LE8-MA, LP08-MA, -MC, LP11-MA	132 COL 64 CHAR DA PR 2440 700 LPM 60HZ
LP03-MB		FA		CSS	3	2/72	L	LE8-MB, LP08-MB, -MD, LP11-MB	132 COL 64 CHAR DA PR 2440 700 LPM 50HZ
LP03-QA		FA		CSS	3	2/72	L	LE8-QA, LP08-QA, -QC, LP11-QA	132 COL 96 CHAR DA PR 2440 460 LPM 60HZ
LP03-QB		FA		CSS	3	2/72	L	LE8-QB, LP08-QB, -QD, LP11-QB	132 COL 96 CHAR DA PR 2440 460 LPM 50HZ
LP04-RA	EC	AEW			3	2/72	L	LE8-RA, LP08-RA, -RC, LP11-RA	SCI 132 COL 64 CHAR DA PR 2470 1250 LPM 60HZ
LP04-RB	EC	AEW			3	2/72	L	LE8-RB, LP08-RB, -RD, LP11-RB	SCI 132 COL 64 CHAR DA PR 2470 1250 LPM 50HZ
LP04-RE	EC	AEW			3	8/73	L	LP11-RE	EDP 132 COL 64 CHAR DA PR 2470 1250 LPM 60HZ
LP04-RF	EC	AEW			3	8/73	L	LP11-RF	EDP 132 COL 64 CHAR DA PR 2470 1250 LPM 50HZ
LP04-SA	EC	AEW			3	2/72	L	LE8-SA, LP08-SA, -SC, LP11-SA	SCI 132 COL 96 CHAR DA PR 2470 925 LPM 60HZ
LP04-SB	EC	AEW			3	2/72	L	LE8-SB, LP08-SB, -SD, LP11-SB	SCI 132 COL 96 CHAR DA PR 2470 925 LPM 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	77
LP04-SE	EC	AEM			3	8/73	L	LE8, LP11-SE	EDP 132 COL 96 CHAR DA PR 2470 925 LPM 60HZ
LP04-SF	EC	AEM			3	8/73	L	LE8, LP11-SF	EDP 132 COL 96 CHAR DA PR 2470 925 LPM 50HZ
LP05-VA	EC	AEM			3	5/74	L	LE8, LP08-N, -P, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 115V 60HZ
LP05-VB	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 230V 60HZ
LP05-VC	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 115V 50HZ
LP05-VD	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 230V 50HZ
LP05-VE	EC	AEM			3	5/74	L	LE8, LP08-N, -P, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 115V 60HZ
LP05-VF	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 230V 60HZ
LP05-VH	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 115V 50HZ
LP05-VJ	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 230V 50HZ
LP05-VK	EC	AEM			3	5/7	L	LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 60HZ
LP05-VL	EC	AEM			3	5/74	L	LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 60HZ
LP05-VM	EC	AEM			3	5/74	L	LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 50HZ
LP05-VN	EC	AEM			3	5/74	L	LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 50HZ
LP05-VP	EC	AEM			3	5/74	L	LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 60HZ
LP05-VR	EC	AEM			3	5/74	L	LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 60HZ
LP05-VS	EC	AEM			3	5/74	L	LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 50HZ
LP05-VT	EC	AEM			3	5/74	L	LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 50HZ
LP05-VY	EC	AEM			3	5/74	L	LP05-VA, -VE, -VK, -VM	64 CHAR EDP DRUM
LP05-VZ	EC	AEM			3	5/74	L	LP05-VA, -VE, -VK, -VM	64 CHAR SCI DRUM
LP05-WA	EC	AEM			3	5/74	L	LE8, LP08-N, -P, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 115V 60HZ
LP05-WB	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 230V 60HZ
LP05-WC	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 115V 50HZ
LP05-WD	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 230V 50HZ
LP05-WE	EC	AEM			3	5/74	L	LE8, LP08-N, -P, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM, 115V 60HZ
LP05-WF	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM, 230V 60HZ
LP05-WH	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM, 115V 50HZ
LP05-WJ	EC	AEM			3	5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM, 230V 50HZ
LP05-WK	EC	AEM			3	5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM VFU, 115V 60HZ
LP05-WL	EC	AEM			3	5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM VFU, 230V 60HZ
LP05-WM	EC	AEM			3	5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM VFU, 115V 50HZ
LP05-WN	EC	AEM			3	5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM VFU, 230V 50HZ
LP05-WP	EC	AEM			3	5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM VFU, 115V 60HZ
LP05-WR	EC	AEM			3	5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM VFU, 230V 60HZ
LP05-WS	EC	AEM			3	5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM VFU, 115V 50HZ
LP05-WT	EC	AEM			3	5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM VFU, 230V 50HZ
LP05-WY	EC	AEM			3	5/74	L	LP05-WA, -WE, -WK, -WM	96 CHAR EDP DRUM
LP05-WZ	EC	AEM			3	5/74	L	LP05-WA, -WE, -WK, -WM	96 CHAR SCI DRUM
LP08-FA	MI	ER		TP-	4		L	8 POS	LP01-FA & LP08-P CONT
LP08-FB	MI	ER		TP-	4		L	8 POS	LP01-FB & LP08-P CONT
LP08-FC	MI	ER		TP-	4		L	8 NEG	LP01-FA & LP08-N CONT
LP08-FD	MI	ER		TP-	4		L	8 NEG	LP01-FB & LP08-N CONT
LP08-HA	MI	ER		TP-	4		L	8 POS	LP01-HA & LP08-P CONT
LP08-HB	MI	ER		TP-	4		L	8 POS	LP01-HB & LP08-P CONT
LP08-HC	MI	ER		TP-	4		L	8 NEG	LP01-HA & LP08-N CONT
LP08-HD	MI	ER		TP-	4		L	8 NEG	LP01-HB & LP08-N CONT
LP08-JA	MI	ER		TP-	4		L	8 POS	LP02-JA & LP08-P CONT
LP08-JB	MI	ER		TP-	4		L	8 POS	LP02-JB & LP08-P CONT
LP08-JC	MI	ER		TP-	4		L	8 NEG	LP02-JA & LP08-N CONT
LP08-JD	MI	ER		TP-	4		L	8 NEG	LP02-JB & LP08-N CONT
LP08-KA	MI	ER		TP-	4		L	8 POS	LP02-KA & LP08-P CONT
LP08-KB	MI	ER		TP-	4		L	8 POS	LP02-KB & LP08-P CONT
LP08-KC	MI	ER		TP-	4		L	8 NEG	LP02-KA & LP08-N CONT
LP08-KD	MI	ER		TP-	4		L	8 NEG	LP02-KB & LP08-N CONT
LP08-LA	AW				6	6/73	L	8 POS	WHITE LP02-JA W VFU & LP08-PF CONT 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP08-LB		AW			6 6/73	L	8 POS	WHITE LP02-JB W VFU & LP08-PF CONT 50HZ
LP08-LC		AW			6 6/73	L	8 NEG	WHITE LP02-JA W VFU & LP08-NF CONT 60HZ
LP08-LD		AW			6 6/73	L	8 NEG	WHITE LP02-JB W VFU & LP08-NF CONT 50HZ
LP08-MA	JEH	FA		CSS	3 2/72	L	8 POS	LP03-MA & LP08-P CONT
LP08-MB	JEH	FA		CSS	3 2/72	L	8 POS	LP03-MB & LP08-P CONT
LP08-MC	JEH	FA		CSS	3 2/72	L	8 NEG	LP03-MA & LP08-N CONT
LP08-MD	JEH	FA		CSS	3 2/72	L	8 NEG	LP03-MB & LP08-N CONT
LP08-N		MI		TPH	4 6/71	L	8 NEG	CONTROL FOR LP01 & LP02
LP08-NF		AW			6 6/73	L	8 NEG	LP08-N W FORM FEED
LP08N-VA	MI	JDL		TP-	3 5/74	L	8 NEG	LP05-VA & LP08-N CONT
LP08N-VE	MI	JDL		TPL	3 5/74	L	8 NEG	LP05-VE & LP08-N CONT
LP08N-WA	MI	JDL		TPL	3 5/74	L	8 NEG	LP05-WA & LP08-N CONT
LP08N-WE	MI	JDL		TPL	3 5/74	L	8 NEG	LP05-WE & LP08-N CONT
LP08-P		MI		TPH	4 6/71	L	8 POS	CONTROL FOR LP01 & LP02
LP08-PF		AW			6 6/73	L	8 POS	LP08-P WITH FORM FEED
LP08P-VA	MI	JDL		TPH	3 5/74	L	8 POS	LP05-VA & LP08-P CONT
LP08P-VE	MI	JDL		TPL	3 5/74	L	8 POS	LP05-VE & LP08-P CONT
LP08P-WA	MI	JDL		TPL	3 5/74	L	8 POS	LP05-WA & LP08-P CONT
LP08P-WE	MI	JDL		TPH	3 5/74	L	8 POS	LP05-WE & LP08-P CONT
LP08-QA	JEH	FA		CSS	3 2/72	L	8 POS	LP03-QA & LP08-P CONT
LP08-QB	JEH	FA		CSS	3 2/72	L	8 POS	LP03-QB & LP08-P CONT
LP08-QC	JEH	FA		CSS	3 2/72	L	8 NEG	LP03-QA & LP08-N CONT
LP08-QD	JEH	FA		CSS	3 2/72	L	8 NEG	LP03-QB & LP08-N CONT
LP08-RA	JEH	LO		CSS	3 2/72	L	8 POS	LP04-RA & LP08-P CONT
LP08-RB	JEH	LO		CSS	3 2/72	L	8 POS	LP04-RB & LP08-P CONT
LP08-RC	JEH	LO		CSS	3 2/72	L	8 NEG	LP04-RA & LP08-N CONT
LP08-RD	JEH	LO		CSS	3 2/72	L	8 NEG	LP04-RB & LP08-N CONT
LP08-SA	JEH	LO		CSS	3 2/72	L	8 POS	LP04-SA & LP08-P CONT
LP08-SB	JEH	LO		CSS	3 2/72	L	8 POS	LP04-SB & LP08-P CONT
LP08-SC	JEH	LO		CSS	3 2/72	L	8 NEG	LP04-SA & LP08-N CONT
LP08-SD	JEH	LO		CSS	3 2/72	L	8 NEG	LP04-SB & LP08-N CONT
LP09-FC		MI		TPH	3	L	9	LP01-FA & CONT
LP09-FD		MI		TPH	3	L	9	LP01-FB & CONT
LP09-HC		MI		TPH	3	L	9	LP01-HA & CONT
LP09-HD		MI		TPH	3	L	9	LP01-HB & CONT
LP09-JC		MI		TPH	3	L	9	LP02-JA & CONT
LP09-JD		MI		TPH	3	L	9	LP02-JB & CONT
LP09-KC		MI		TPH	3	L	9	LP02-KA & CONT
LP09-KD		MI		TPH	3	L	9	LP02-KB & CONT
LP10-AA		KE			6 5/72	L	BA10	300 LPM 64 CHAR MDS4000 & CONT 60 HZ
LP10-AB		KE			6 5/72	L	BA10	300 LPM 64 CHAR MDS4000 & CONT 50 HZ
LP10-CA		KE			6 10/72	L	BA10	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ
LP10-CB		KE			6 10/72	L	BA10	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ
LP10-DA		KE			5	L	BA10	600 LPM 96 CHAR MDS5000 & CONT 60 HZ
LP10-DB		KE			5	L	BA10	600 LPM 96 CHAR MDS5000 & CONT 50 HZ
LP10-EA		KE			5	L	BA10	500 LPM 132 CHAR MDS5000 & CONT 60 HZ
LP10-EB		KE			5	L	BA10	500 LPM 132 CHAR MDS5000 & CONT 50 HZ
LP10-FA	FW	DAO			4 4/74	L	BA10	132COL 64CH EDP DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 60HZ
LP10-FB	FW	DAO			4 4/74	L	BA10	132COL 64CH EDP DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 50HZ
LP10-FC	FW	DAO			4 4/74	L	BA10	132COL 64CH SCI DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 60HZ
LP10-FD	FW	DAO			4 4/74	L	BA10	132COL 64CH SCI DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 50HZ
LP10-FE	FW	DAO			4 4/74	L	LP10-FA, -FB, -FC, -FD	64 CHAR EDP QUICK CHANGE DRUM
LP10-FF	FW	DAO			4 4/74	L	LP10-FA, -FB, -FC, -FD	64 CHAR SCI QUICK CHANGE DRUM
LP10-HA	FW	DAO			4 4/74	L	BA10	132COL 96CH EDP DA PR 2470 925 LPM VFU STATIC QUICKLATCH, 60HZ
LP10-HB	FW	DAO			4 4/74	L	BA10	132COL 96CH EDP DA PR 2470 925 LPM VFU STATIC QUICKLATCH, 50HZ



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP10-HC	FW	DAO			4	4/74	L	BA10 132COL 96CH SCI DA PR 2470 925 LPM VFU STATIC QUICKLATCH, 60HZ
LP10-HD	FW	DAO			4	4/74	L	BA10 132COL 96CH SCI DA PR 2470 925 LPM VFU STATIC QUICKLATCH, 50HZ
LP10-HE	FW	DAO			4	4/74	L	LP10-HA, -HB, -HC, -HD
LP10-HF	FW	DAO			4	4/74	L	LP10-HA, -HB, -HC, -HD
LP11	BD	LC			5	7/71	L	DD11
LP11-FA	BD	LC			5	7/71	L	DD11
LP11-FB	BD	LC			5	7/71	L	DD11
LP11-HA	BD	LC			5	7/71	L	DD11
LP11-HB	BD	LC			5	7/71	L	DD11
LP11-JA	BD	LC			5	7/71	L	DD11
LP11-JB	BD	LC			5	7/71	L	DD11
LP11-KA	BD	LC			5	7/71	L	DD11
LP11-KB	BD	LC			5	7/71	L	DD11
LP11-MA		FA		CSS	3	2/72	L	DD11
LP11-MB		FA		CSS	3	2/72	L	DD11
LP11-QA		FA		CSS	3	2/72	L	DD11
LP11-QB		FA		CSS	3	2/72	L	DD11
LP11-RA	BD	LC			5	7/73	L	DD11
LP11-RB	BD	LC			5	7/73	L	DD11
LP11-RE	BD	LC			3	8/73	L	DD11
LP11-RF	BD	LC			3	8/73	L	DD11
LP11-SA	BD	LC			5	7/73	L	DD11
LP11-SB	BD	LC			5	7/73	L	DD11
LP11-SE	BD	LC			3	8/73	L	DD11
LP11-SF	BD	LC			3	8/73	L	DD11
LP11-UA		BALL			3	9/72	L	DS500 SERIES
LP11-UB		BALL			3	9/72	L	DS500 SERIES
LP11-VA	BD	LC			3	5/74	L	11
LP11-VB	BD	LC			3	5/74	L	11
LP11-VC	BD	LC			3	5/74	L	11
LP11-VD	BD	LC			3	5/74	L	11
LP11-VE	BD	LC		CSS	3	5/74	L	11
LP11-VF	BD	LC		CSS	3	5/74	L	11
LP11-VH	BD	LC		CSS	3	5/74	L	11
LP11-VJ	BD	LC		CSS	3	5/74	L	11
LP11-VK	JEH	ABW		CSS	3	9/74	L	11
LP11-VL	JEH	ABW		CSS	3	9/74	L	11
LP11-VM	JEH	ABW		CSS	3	9/74	L	11
LP11-VN	JEH	ABW		CSS	3	9/74	L	11
LP11-VP	JEH	ABW		CSS	3	9/74	L	11
LP11-VR	JEH	ABW		CSS	3	9/74	L	11
LP11-VS	JEH	ABW		CSS	3	9/74	L	11
LP11-VT	JEH	ABW		CSS	3	9/74	L	11
LP11-WA	BD	LC			3	5/74	L	11
LP11-WB	BD	LC			3	5/74	L	11
LP11-WC	BD	LC			3	5/74	L	11
LP11-WD	BD	LC			3	5/74	L	11
LP11-WE	BD	LC		CSS	3	5/74	L	11
LP11-WF	BD	LC		CSS	3	5/74	L	11
LP11-WH	BD	LC		CSS	3	5/74	L	11
LP11-WJ	BD	LC		CSS	3	5/74	L	11
LP11-WK	JEH	ABW		CSS	3	9/74	L	11
LP11-WL	JEH	ABW		CSS	3	9/74	L	11
LP11-WM	JEH	ABW		CSS	3	9/74	L	11
LP11-WN	JEH	ABW		CSS	3	9/74	L	11

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	80
LP11-WP	JEH	ABW		CS5	3 9/74	L	11	LP05-WP & M7931 CONT	
LP11-WR	JEH	ABW		CS2	3 9/74	L	11	LP05-WR & M7931 CONT	
LP11-WS	JEH	ABW		CS2	3 9/74	L	11	LP05-WS & M7931 CONT	
LP11-WT	JEH	ABW		CS5	3 9/74	L	11	LP05-WT & M7931 CONT	
LP12-AA	SNT	RI			5	L	12	300 LPM 64 CHAR MDS4000 & CONT 60 HZ	
LP12-AB	SNT	RI			3 1/72	L	12	300 LPM 64 CHAR MDS4000 & CONT 50 HZ	
LP12-CA	SNT	RI			2	L	12	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ	
LP12-CB	SNT	RI			2	L	12	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ	
LP15-CA	BD	SW			5 4/71	L	BA15	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ	
LP15-CB	BD	SW			5 4/71	L	BA15	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ	
LP15-FA	BD	SW			5 3/71	L	15	LP01-FA & CONT 60HZ	
LP15-FB	BD	SW			5 3/71	L	15	LP01-FB & CONT 50HZ	
LP15-HA	BD	SW			5 7/71	L	15	LP01-HA & CONT 60HZ	
LP15-HB	BD	SW			5 7/71	L	15	LP01-HB & CONT 50HZ	
LP15-JA	BD	SW			5 7/71	L	15	LP02-JA & CONT 60HZ	
LP15-JB	BD	SW			5 7/71	L	15	LP02-JB & CONT 50HZ	
LP15-KA	BD	SW			5 7/71	L	15	LP02-KA & CONT 60HZ	
LP15-KB	BD	SW			5 7/71	L	15	LP02-KB & CONT 50HZ	
LP15-RA	BD	SW			3 3/73	L	15	LP04-RA & CONT 60HZ	
LP15-RB	BD	SW			3 3/73	L	15	LP04-RB & CONT 50HZ	
LP15-SA	BD	SW			3 3/73	L	15	LP04-SA & CONT 60HZ	
LP15-SB	BD	SW			3 3/73	L	15	LP04-SB & CONT 50HZ	
LP15-VA	BD	SW			3 5/74	L	15	LP05-VA & CONT	
LP15-VB	BD	SW			3 5/74	L	15	LP05-VB & CONT	
LP15-VC	BD	SW			3 5/74	L	15	LP05-VC & CONT	
LP15-VD	BD	SW			3 5/74	L	15	LP05-VD & CONT	
LP15-VE	BD	SW		CS5	3 5/74	L	15	LP05-VE & CONT	
LP15-VF	BD	SW		CS2	3 5/74	L	15	LP05-VF & CONT	
LP15-VH	BD	SW		CS2	3 5/74	L	15	LP05-VH & CONT	
LP15-VJ	BD	SW		CS2	3 5/74	L	15	LP05-VJ & CONT	
LP15-WA	BD	SW			3 5/74	L	15	LP05-WA & CONT	
LP15-WB	BD	SW			3 5/74	L	15	LP05-WB & CONT	
LP15-WC	BD	SW			3 5/74	L	15	LP05-WC & CONT	
LP15-WD	BD	SW			3 5/74	L	15	LP05-WD & CONT	
LP15-WE	BD	SW		CS5	3 5/74	L	15	LP05-WE & CONT	
LP15-WF	BD	SW		CS2	3 5/74	L	15	LP05-WF & CONT	
LP15-WH	BD	SW		CS2	3 5/74	L	15	LP05-WH & CONT	
LP15-WJ	BD	SW		CS5	3 5/74	L	15	LP05-WJ & CONT	
LP43-AP		RW		CS5	3 2/72	L	8 POS	INTERFACE TO MDS 4330 CHAIN PRINTER 300 LPM	
LPC01-AA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-10 TO -100, 115V	
LPC01-AB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-10 TO -100, 230V	
LPC01-BA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-200, 115V	
LPC01-BB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-200, 230V	
LPC01-CA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 7000, 115V	
LPC01-CB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 7000, 230V	
LPC01-DA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON PACESETTER, 115V	
LPC01-DB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON PACESETTER, 230V	
LPC01-EA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO HARRIS INTERTYPE TXT, 115V	
LPC01-EB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO HARRIS INTERTYPE TXT, 230V	
LPC01-FA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO COMPSTAR 191, 115V	
LPC01-FB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO COMPSTAR 191, 230V	
LPC01-HA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO MERGENTHALER, 115V	
LPC01-HB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO MERGENTHALER, 230V	
LPC01-JA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO VIDEO SETTER, 115V	
LPC01-JB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO VIDEO SETTER, 230V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LPC01-KA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO METRO-SETTER, 115V
LPC01-KB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO METRO-SETTER, 230V
LPC01-LA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO MERGENTHALLER V.I.P., 115V
LPC01-LB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO MERGENTHALLER V.I.P., 230V
LPC01-MA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO LINDTRON 303, 115V
LPC01-MB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO LINDTRON 303, 230V
LPC02-E	MI	SG			3 10/74	L	LPC11-E, LPC8-E	ON LINE OFF LINE SWITCH FOR HARRIS INTERTYPE TXT
LPC11-AA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-10 TO -100, 115V
LPC11-AB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-10 TO -100, 230V
LPC11-BA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-200, 115V
LPC11-BB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-200, 230V
LPC11-CA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 7000, 115V
LPC11-CB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 7000, 230V
LPC11-DA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON PACESETTER, 115V
LPC11-DB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON PACESETTER, 230V
LPC11-EA	MI	JW			6 9/74	L	11	INTERFACE TO HARRIS INTERTYPE TXT, 115V
LPC11-EB	MI	JW			6 9/74	L	11	INTERFACE TO HARRIS INTERTYPE TXT, 230V
LPC11-FA	MI	JW			6 9/74	L	11	INTERFACE TO COMPSTAR 191, 115V
LPC11-FB	MI	JW			6 9/74	L	11	INTERFACE TO COMPSTAR 191, 230V
LPC8-AA	MI	JW			6 9/74	L	8 POS	INTERFACE PHOTON 713-10 TO -100, 115V 60HZ
LPC8-AB	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON 713-10 TO -100, 230V 50HZ
LPC8-AC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 713-10 TO -100, 115V 60HZ
LPC8-AD	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 713-10 TO -100, 230V 50HZ
LPC8-BA	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON 713-200, 115V 60HZ
LPC8-BB	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON 713-200, 230V 50HZ
LPC8-BC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 713-200, 115V 60HZ
LPC8-BD	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 713-200, 230V 50HZ
LPC8-CA	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON 7000, 115V 60HZ
LPC8-CB	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON 7000, 230V 50HZ
LPC8-CC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 7000, 115V 60HZ
LPC8-CD	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON 7000, 230V 50HZ
LPC8-DA	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON PACESETTER, 115V 60HZ
LPC8-DB	MI	JW			6 9/74	L	8 POS	INTERFACE TO PHOTON PACESETTER, 230V 50HZ
LPC8-DC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON PACESETTER, 115V 60HZ
LPC8-DD	MI	JW			6 9/74	L	8 NEG	INTERFACE TO PHOTON PACESETTER, 230V 50HZ
LPC8-EA	MI	JW			6 9/74	L	8 POS	INTERFACE TO HARRIS INTERTYPE TXT, 115V 60HZ
LPC8-EB	MI	JW			6 9/74	L	8 POS	INTERFACE TO HARRIS INTERTYPE TXT, 230V 50HZ
LPC8-EC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO HARRIS INTERTYPE TXT, 115V 60HZ
LPC8-ED	MI	JW			6 9/74	L	8 NEG	INTERFACE TO HARRIS INTERTYPE TXT, 230V 50HZ
LPC8-FA	MI	JW			6 9/74	L	8 POS	INTERFACE TO COMPSTAR A1, 115V 60HZ
LPC8-FB	MI	JW			6 9/74	L	8 POS	INTERFACE TO COMPSTAR A1, 230V 50HZ
LPC8-FC	MI	JW			6 9/74	L	8 NEG	INTERFACE TO COMPSTAR A1, 115V 60HZ
LPC8-FO	MI	JW			6 9/74	L	8 NEG	INTERFACE TO COMPSTAR A1, 230V 50HZ
LPC8-HA	MI	JW			6 9/74	L	8 POS	INTERFACE TO MERGENTHALLER, 115V 60HZ
LPD11-AA	MI	JW			3 4/74	L	11	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPD11-AB	MI	JW			3 4/74	L	11	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPD8-NA	MI	JW			3 4/74	L	8 NEG	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPD8-NB	MI	JW			3 4/74	L	8 NEG	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPD8-PA	MI	JW			3 4/74	L	8 POS	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPD8-PB	MI	JW			3 4/74	L	8 POS	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPS11-E	AW	AHS			2 11/73	B	LPS11-S	EXP BOX, 48 MORE A/D CH, 8 MORE D/A CONV
LPS11-SA	AW	ERK			3 9/72	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 115V
LPS11-SB	AW	ERK			3 9/72	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 230V
LPS11-SC	AW	ERK			3 9/72	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 100V
LPS11-SD	AW	ERK			3 9/72	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LPS11-SE	AW	ERK			3 9/72	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 230V
LPS11-SF	AW	ERK			6 9/73	B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 100V
LPSAD-12	AW	ERK			3 9/72	A	LPS11-S	12 BIT ADC, S&H, 8 CH MUX, 6 DIGIT LED DISPLAY
LPSAD-15	AW	ERK			3 9/72	A	LPS11-S	15 BIT LPSAD-12
LPSAD-NP	AW	ERK			3 9/72	D	LPS11-S	DMA OPTION TO LPSAD
LPSAG	AW	ERK			3 9/72	A	LPS11-S	4 PREAMPS (A242)
LPSAG-VC	AW	ERK			3 9/72	A	LPS11-S	4 PREAMPS W VARIABLE GAIN (A241)
LPSAM	AW	ERK			3 9/72	A	LPS11-S	8 CH ANALOG MUX (A407)
LPSAM-E	AW	AHS			2 11/73	L	LPS11-E	8 C ANALOG MUX (A407)
LPSDA	AW	AHS			2 11/73	B	LPS11-E	DUAL 12 BIT DAC (A625)
LPSDR	AW	ERK			6 2/75	D	LPS11-S	DIGITAL I/O M7017
LPSDR-A	AW	ERK			2 12/73	D	LPS11-S	DIGITAL I/O W INTERRUPT, M7023
LPSKW	AW	ERK			3 9/72	D	LPS11-S	PROGRAMMABLE REAL TIME CLOCK, 2 SCHMITTS, M7016
LPSSH	AW	ERK			3 9/72	A	LPS11	S&H A406
LPSVC	AW	ERK			3 9/72	V	LPS11-S	DISPLAY CONT & 2 DACS
LS01-EA	EC	AEW			6 2/74	L	LC8-E, LP08-N, -P	CENTRONICS 101 132 COL 165 CH/SEC 5X7 DOT, 115V60HZ
LS01-EB	EC	AEW			6 2/74	L	LC8-E, LP08-N, -P	CENTRONICS 101 132 COL 165 CH/SEC 5X7 DOT, 230V50HZ
LS01-EC	EC	AEW			6 2/74	L	VT8-EA, VT8-EC	LS01-EA W CABLE 7008859
LS01-ED	EC	AEW			6 1/73	L	VT8-EB, VT8-ED	LS01-EB W CABLE 7008859
LS01-FA	EC	AEW			4 11/74	L	LC8-E, LP08-N, -P	CENTRONICS 101A 132 COL 165 CH/SEC 9X7 DOT, 115V60HZ
LS01-FB	EC	AEW			4 11/74	L	LC8-E, LP08-N, -P	CENTRONICS 101A 132 COL 165 CH/SEC 9X7 DOT, 230V50HZ
LS01-JA	EC	AEW			2 4/73	L	LC8-E, LP08-N, -P	CENTRONICS 101A W JAPANESE CHARACTERS, 100V 60HZ
LS01-JB	EC	AEW			2 4/73	L	LC8-E, LP08-N, -P	CENTRONICS 101A W JAPANESE CHARACTERS, 100V 50HZ
LS04-A		PH		CS5	6	L		MONROE 4600 PRINTER CONTROL
LS07-AA		BM		CS5	3	L		FRANKLIN 2016 NUMERIC CONT 16-20 COLUMNS
LS08-NA	MI	JDL		TPL	3 6/72	L	8 NEG	LS01-FA & LP08-N CONT 60HZ
LS08-NB	MI	JDL		TP-	3 6/72	L	8 NEG	LS01-FB & LP08-N CONT 50HZ
LS08-PA	MI	JDL		TP-	3 6/72	L	8 POS	LS01-FA & LP08-P CONT 60HZ
LS08-PB	MI	JDL		TP-	3 6/72	L	8 POS	LS01-FB & LP08-P CONT 50HZ
LS11-A	CA	LC			3 10/72	L	11	LS01-FA & M7250 CONT, 115V 60HZ
LS11-B	CA	LC			3 10/72	L	11	LS01-FB & M7250 CONT, 230V 50HZ
LS11-C		BALL			3 6/73	L	11	LS11-A W CENTRONICS STAND, 115V 60HZ
LS11-D		BALL			3 6/73	L	11	LS11-B W CENTRONICS STAND, 230V 50HZ
LS11-JA	KATO			SSJN	3 1/75	L	11	LS11-A W KATA KANA CHARACTERS, 115V 60HZ
LS11-JB	KATO			SSJN	3 1/75	L	11	LS11-B W KATA KANA CHARACTERS, 230V 50HZ
LS11-LA	KATO			SSJN	3 1/75	L	11	LS11-A W KOREAN CHARACTERS, 115V 60HZ
LS11-LB	KATO			SSJN	3 1/75	L	11	LS11-B W KOREAN CHARACTERS, 230V 50HZ
LS8-EA		JK			6 4/73	L	8/E	LS01-EA W LC8-E CONT, 115V 60HZ
LS8-EB		JK			6 4/73	L	8/E	LS01-EB W LC8-E CONT, 230V 50HZ
LS8-FA	JC	JK			5 4/73	L	8/E	LS01-FA W LC8-E CONT, 115V 60HZ
LS8-FB	JC	JK			5 4/73	L	8/E	LS01-FB W LC8-E CONT, 230V 50HZ
LS0J-FA	KATO			SSJN	3 1/75	L	8/E	LS8-FA W KATA KANA CHARACTERS, 115V 60HZ
LS0J-FB	KATO			SSJN	3 1/75	L	8/E	LS8-FB W KATA KANA CHARACTERS, 230V 50HZ
LS8L-FA	KATO			SSJN	3 1/75	L	8/E	LS8-FA W KOREAN CHARACTERS, 115V 60HZ
LS8L-FB	KATO			SSJN	3 1/75	L	8/E	LS8-FB W KOREAN CHARACTERS, 230V 50HZ
LSP10-JA	JEH	CV		CS5	3 4/73	L	BA10 CAB	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300510) 60HZ
LSP10-JB	JEH	CV		CS5	3 4/73	L	BA10 CAB	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300510) 50HZ
LSP10-JC	JEH	PHD		CS5	3 6/74	L	BA10	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300517)
LSP10-LA	RW	BM		LV <sup>P</sup>	3 7/72	L	BA10 CAB	LP02-LA W CONT, 60HZ
LSP10-LB	RW	BM		LV <sup>P</sup>	3 7/72	L	BA10 CAB	LP02-LB W CONT, 50 HZ
LSP10-VK	DH	MSB		CS5	3 10/74	L	BA10 CAB	LP05-VK & CONT, 115V 60HZ
LSP10-VL	DH	MSB		CS5	3 10/74	L	BA10 CAB	LP05-VL & CONT, 230V 60HZ
LSP10-VH	DH	MSB		CS5	3 10/74	L	BA10 CAB	LP05-VH & CONT, 115V 50HZ
LSP10-VN	DH	MSB		CS5	3 10/74	L	BA10 CAB	LP05-VN & CONT, 230V 50HZ
LSP10-VP	DH	MSB		CS5	3 10/74	L	BA10 CAB	LP05-VP & CONT, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	DATE MO/YR	CATEGORY	USED ON	DESCRIPTION
LSP10-VR	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-VR & CONT, 230V 60HZ
LSP10-VS	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-VS & CONT, 115V 50HZ
LSP10-VT	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-VT & CONT, 230V 50HZ
LSP10-WK	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WK & CONT, 115V 60HZ
LSP10-WL	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WL & CONT, 230V 60HZ
LSP10-WM	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WM & CONT, 115V 50HZ
LSP10-WN	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WN & CONT, 230V 50HZ
LSP10-WP	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WP & CONT, 115V 60HZ
LSP10-WR	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WR & CONT, 230V 60HZ
LSP10-WS	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WS & CONT, 115V 50HZ
LSP10-WT	DH	MSB		CSS	3	10/74	L	BA10 CAB	LP05-WT & CONT, 230V 50HZ
LSP11-AA	JEH	DV		CSS	3	4/73	L	11	CDC 9362 TRAIN PRINTER & CONT (UP TO 128 CHAR), 60HZ
LSP11-AB	JEH	DV		CSS	3	4/73	L	11	CDC 9362 TRAIN PRINTER & CONT (UP TO 128 CHAR), 50HZ
LSP11-BC	JH	ABW		CSS	3	2/75	L	11	LP11 CONT + LP05-WA W ENGLISH & CYRILLIC CAP CHARACTERS, 115V 60HZ
LSP11-BE	JH	ABW		CSS	3	2/75	L	11	LP11 CONT + LP05-WA W MLLIPORE CHARACTER SET, 115V 60HZ
LSP11-JA	JEH	FA	RW	CSS	6	1/75	L	11	LP11-JA W 8 CH VFU, 136 COL, ZONE SELECT, 60HZ
LSP11-JB	JEH	FA	RW	CSS	6	1/75	L	11	LP11-JB W 8 CH VFU, 136 COL, ZONE SELECT, 50HZ
LSP11-KA	JEH	FA	RJ	CSS	6	1/75	L	11	LP11-KA W 8 CH VFU, 136 COL, ZONE SELECT, 60HZ
LSP11-KB	JEH	FA	RJ	CSS	6	1/75	L	11	LP11-KB W 8 CH VFU, 136 COL, ZONE SELECT, 50HZ
LSP11-RA	JEH	FA	RJ	CSS	3	3/73	L	11	LP11-RA W 8 CH VFU, 136 COL, ZONE SELECT, 60HZ
LSP11-RB	JEH	FA	RJ	CSS	3	3/73	L	11	LP11-RB W 8 CH VFU, 136 COL, ZONE SELECT, 50HZ
LSP11-SA	JEH	FA	RJ	CSS	3	3/73	L	11	LP11-SA W 8 CH VFU, 136 COL, ZONE SELECT, 60HZ
LSP11-SB	JEH	FA	RJ	CSS	3	3/73	L	11	LP11-SB W 8 CH VFU, 136 COL, ZONE SELECT, 50HZ
LSS11-FA	JEH	SPRY		CSS	3	3/73	L	11	CENTRONICS 121A W CONT & DIFF SEND/RECEIVE, 115V 60HZ
LSS11-FB	JEH	SPRY		CSS	3	3/73	L	11	CENTRONICS 121A W CONT & DIFF SEND/RECEIVE, 230V 50HZ
LT08-A		VB			5		L	8	CONTROL W SPACE FOR 5 LT08-B
LT08-B		VB			5		L	LT08-A	CONTROL FOR ASR33 OR ASR35
LT08-C		VB			3		L	LT08-A	EIA MODEM INTERFACE
LT09-A		HI			5		L	9	CONTROL FOR UP TO 5 LT09-B
LT09-B		HI			5		L	LT09-A	TELETYPE CONTROL
LT09-C		HI			5		L	LT09-A	EIA MODEM INTERFACE
LT10-A		RW		CSS	6	7/71	L	10	TELETYPE INTERFACE (SPECIAL)
LT15-A		FA			4		L	BA15	ONE TTY INTERFACE
LT19-A		FA			6		D	9	API CONTROL FOR UP TO 5 LT19-B OR -C
LT19-B		FA			6		D	LT19-A	TELETYPE CONTROL MODULE SET
LT19-C		FA			6		D	LT19-A	LT19-B PLUS EIA CONVERTERS
LT19-D		FA			5	6/71	D	9, 9/L, DW15-A	LT19-A W SEPARATE CLOCK PER TRANSMITTER
LT19-E		FA			5	6/71	D	LT19-D	TELETYPE CONTROL MODULE SET
LT19-F		FA			5	6/71	D	LT19-D	LT19-E PLUS EIA CONVERTERS
LT19-HA		FA			5	6/71	D	LT19-F, PT08-F	CABLE SET FOR INTERPROCESSOR BUFFER, 50 FT
LT19-HB		FA			5	6/71	D	LT19-F, PT08-F	CABLE SET FOR INTERPROCESSOR BUFFER, 100 FT
LT19-HC		FA			5	6/71	D	LT19-F, PT08-F	CABLE SET FOR INTERPROCESSOR BUFFER, 150 FT
LT19-HD		FA			5	6/71	D	LT19-F, PT08-F	CABLE SET FOR INTERPROCESSOR BUFFER, 200 FT
LT19-HE		FA			5	6/71	D	LT19-F, PT08-F	CABLE SET FOR INTERPROCESSOR BUFFER, 250 FT
LT33-AA		KE			5		L	10	KSR33 FRICTION FEED 115V 60 HZ
LT33-AB		KE			5		L	10	KSR33 FRICTION FEED 230V 50 HZ
LT33-BA		KE			6	10/72	L	10	ASR33(TY) SPROCKET FEED W XON & XOFF 115V 60 HZ
LT33-BB		KE			6	10/72	L	10	ASR33(TY) SPROCKET FEED W XON & XOFF 230V 50 HZ
LT33-BC		KE			5	7/74	L	10	ASR33 FRICTION FEED W XON & XOFF, 115V 60HZ
LT33-BD		KE			5	7/74	L	10	ASR33 FRICTION FEED W XON & XOFF, 230V 50HZ
LT33-CA		KE			6	6/72	L	8/1, 9	KSR33 TS DEC MODIFIED 115V 60 HZ, W078
LT33-CB		KE			6	6/72	L	8/1, 9	KSR33 TS DEC MODIFIED 230V 50 HZ, W078
LT33-CC		KE			5	7/74	L	8/E, 11, 13	KSR33 DEC MODIFIED 115V 60 HZ NO W078
LT33-CD		KE			5	7/74	L	8/E, 11, 13	KSR33 TS DEC MODIFIED 230V 50 HZ, NO W078
LT33-CE		KE			5	7/74	L	8/E, 11, 13	KSR33 TS DEC MODIFIED 100V 50 HZ, NO W078

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MD/YR	CATE-GORY	USED ON	DESCRIPTION	84
LT33-DA		KE			6 6/72	L	8/1, 9	ASR33 TU SYNC READ & PUNCH 115V 60 HZ, W078	
LT33-DB		KE			6 6/72	L	8/1, 9	ASR33 TBP SYNC RD, PU, 230V 50 HZ, W078	
LT33-DC		KE			5 7/74	L	8/E, 11, 15	ASR33 TU SYNC RD, PU, 115V 60 HZ, NO W078	
LT33-DD		KE			5 7/74	L	8/E, 11, 15	ASR33 TBP SYNC RD, PU, 230V 50 HZ, NO W078	
LT33-DE		KE			5 7/74	L	8/E, 11, 15	ASR33 TBP SYNC RD, PU, 100V 50 HZ, NO W078	
LT33-EA		KE			5 7/74	L	8/1, 9	ASR33 TU NON-SYNC RD, PU, 115V 60 HZ, W078	
LT33-EB		KE			5 7/74	L	8/1, 9	ASR33 TBP NON-SYNC RD, PU, 230V 50 HZ, W078	
LT33-HA		KE			6 10/72	L	8/1, 9	LT33-BA W W078	
LT33-HB		KE			6 10/72	L	8/1, 9	LT33-BB W W078	
LT33-HC		KE			5 7/74	L	8/1, 9	LT33-BC W W078	
LT33-HD		KE			5 7/74	L	8/1, 9	LT33-BD W W078	
LT33-MA		WMK			3	L	ASR33	MODIFICATION KIT FOR 8, 8/1, 8/L, 8/S	
LT33-MB		WMK			3	L	ASR33	MODIFICATION KIT FOR 8/E, 11, 15	
LT33-MC		WMK			3	L	KSR33	MODIFICATION KIT FOR 8, 8/1, 8/L, 8/S, 9	
LT33-MD		WMK			3	L	KSR33	MODIFICATION KIT FOR 8/E, 11, 15	
LT33-RA		CRB			2 7/71	L	11R20	ASR33(TU) DEC MODIFIED SHIELDED CABLE MIL CONN 60HZ	
LT33-RB		CRB			3 12/71	L	11R20	ASR33(TBP) DEC MODIFIED SHIELDED CABLE MIL CONN 50HZ	
LT33-SB	JC				3	L	LT33-B, -D, -E, -F, -H	SPARE PARTS FOR ASR33	
LT33-ST	JC				3	L	LT33	TOOL KIT FOR MOD 33 TTY	
LT35-AA		KE			5	L	10	KSR35 DEC MODIFIED 115V 60 HZ	
LT35-AB		KE			5	L	10	KSR35 DEC MODIFIED 230V 50 HZ	
LT35-CA		KE			6 6/72	L	8/1, 9	KSR35 DEC MODIFIED 115V 60 HZ W078	
LT35-CB		KE			6 6/72	L	8/1, 9	KSR35 DEC MOD 230V 50 HZ W078	
LT35-CC		KE			5 7/74	L	8/E, 11, 15	KSR35 DEC MODIFIED 115V 60 HZ NO W078	
LT35-CD		KE			5 7/74	L	8/E, 11, 15	KSR35 DEC MODIFIED 230V 50 HZ NO W078	
LT35-CE		KE			5 7/74	L	8/E, 11, 15	KSR35 DEC MODIFIED 100V 50 HZ, NO W078	
LT35-DA		KE			6 6/72	L	8/1, 9	ASR35 SYNC RD, PU, 115V 60 HZ, W078	
LT35-DB		KE			6 6/72	L	8/1, 9	ASR35 SYNC RD, PU, 230V 50 HZ, W078	
LT35-DC		KE			5 7/74	L	8/E, 11, 15	ASR35 SYNC RD, PU, 115V 60 HZ, NO W078	
LT35-DD		KE			5 7/74	L	8/E, 11, 15	ASR35 SYNC RD, PU, 230V 50 HZ, NO W078	
LT35-DE		KE			5 7/74	L	8/E, 11, 15	ASR35 SYNC RD, PU, 100V 50HZ, NO W078	
LT35-MC		WMK			3	L	KSR35	MODIFICATION KIT FOR 8, 8/1, 8/L, 8/S, 9	
LT35-MD		WMK			3	L	KSR35	MODIFICATION KIT FOR 8/E, 11, 15	
LT35-ME	JEH	LO		CSS	3 10/73	L	LT35-C	72 COL TO 80 COL CONVERSION	
LT35-RA		CRB			3 12/71	L	11R20	ASR35 DEC MODIFIED SHIELDED CABLE MIL CONN 60HZ	
LT35-RB		CRB			3 12/71	L	11R20	ASR35 DEC MODIFIED SHIELDED CABLE MIL CONN 50HZ	
LT37-AC		KE			6 6/72	L	10	KSR37 YESUB07	
LT37-AD		KE			6 6/72	L	8, 10, 12	KSR37 DEC MODIFIED W 33/37 MODE, 115V 60HZ	
LT37-AE		KE			6 6/72	L	8, 10, 12	KSR37 DEC MODIFIED W 33/37 MODE, 230V 50 HZ	
LT73-AD		ABW		CSS	6 11/72	L	8 POS	INTERFACE FOR IBM 735 SELECTRIC	
LT73-AE		ABW		CSS	6 11/72	L	8 NEG	INTERFACE FOR IBM 735 SELECTRIC	
LT73-AF		ABW		CSS	3 11/72	L	8 POS	IMPROVED INTERFACE FOR IBM 735 SELECTRIC	
LT73-AH		ABW		CSS	3 11/72	L	8 NEG	IMPROVED INTERFACE FOR IBM 735 SELECTRIC	
LV01-AA	EC	AEW			3 10/73	L	LV11, LV12	8.5" VERSATEC PRINT/PLOT 5X7 DOT, 96 CH, 115V	
LV01-AB	EC	AEW			3 10/73	L	LV11, LV12	8.5" VERSATEC PRINT/PLOT 5X7 DOT, 96 CH, 230V	
LV01-BA	EC	AEW			3 10/73	L	LV11, LV12	11" VERSATEC PRINT/PLOT 7X9 DOT, 96 CH, 115V	
LV01-BB	EC	AEW			3 10/73	L	LV11, LV12	11" VERSATEC PRINT/PLOT 7X9 DOT, 96 CH, 230V	
LV11	EC	AEW			4 10/73	L	11	CONTROL FOR LV01 ELECTROSTATIC PRINTER/PLOTTER	
LV11-AA	EC	AEW			4 10/73	L	LV11	8.5" LV01-AA PRINT/PLOT W LV11 CONT, 115V	
LV11-AB	EC	AEW			4 10/73	L	LV11	8.5" LV01-AB PRINT/PLOT W LV11 CONT, 230V	
LV11-BA	EC	AEW			4 10/73	L	LV11	11" LV01-BA PRINT/PLOT W LV11 CONT, 115V	
LV11-BB	EC	AEW			4 10/73	L	LV11	11" LV01-BB PRINT/PLOT W LV11 CONT, 230V	
LV12	SNT	AEW			2 12/72	L	8 POS	CONTROL FOR LV01 ELECTROSTATIC PRINTER/PLOTTER	
LV12-AA	SNT	AEW			2 12/72	L	8 POS	8.5" LV01-AA PRINT/PLOT W CONT, 115V	
LV12-AB	SNT	AEW			2 12/72	L	8 POS	8.5" LV01-AB PRINT/PLOT W CONT, 230V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LV12-BA	SNT	AEW			2 10/72	L	8 POS	11" LV01-BA PRINT/PLOT W CONT, 115V
LV12-BB	SNT	AEW			2 10/72	L	8 POS	11" LV01-BB PRINT/PLOT W CONT, 230V
MA10		SU			6 7/72	M	6, 10	16 K 37 BITS 1 USEC MEMORY
MA10-A		SU			6 7/72	M	6, 10	8 K 37 BITS 1 USEC MEMORY
MA20-M	ATT	SU			2 11/74	M	MA20-A	16K 19-BIT MODULE SET
MB10		SU			5	M	6, 10	16 K 37 BITS 1.65 USEC MEMORY
MC08		MI			2	M	8	PDP8 TO MM01 INTERFACE
MC09		MI			5	M	9	CONTROL MEMORY
MC10		SU			5	M	MA10	EXTRA MEMORY PORT
MC10-E		SU			3 1/72	M	ME10	EXTRA MEMORY PORT
MC10-F	ATT	SU			5 2/73	M	MF10	EXTRA MEMORY PORT
MC10-G	ATT	CHIN			2 10/74	M	MG10	PAIR EXTRA MEMORY PORTS
MC11		SKJ		CSS	6 1/75	M	11	2 PORT MEMORY CONTROL, INCLUDES M7801, M7802, M7803
MC11-B	JH	RLM			6 1/75	M	11	MC11 WITH PARITY
MC12	SNT	RI			5	M	12	4 K 12 BIT MEMORY W EXTENSION CONTROL
MC70-B		MI			5	M	9	8 K 18 BIT 1 USEC MEMORY
MC71-A		MI			4	M	9-L	4 K 18 BIT MEMORY, SPACE FOR 8 K
MC71-B		MI			4	M	MC71-A, MC71-C, MC71-D	4 K EXPANSION, STACK + MODULES
MC71-C		MI			4	M	MC71-A, MC71-D	4 K 18 BIT MEMORY, SPACE FOR 8 K
MC71-D		MI			4	M	MC71-A	4 K 18 BIT MEMORY, SPACE FOR 8 K
MC8-E		RL			8/71	M	8/E, 8/M	KM8-E + MM8-E (MEM EXT CONT + 4K MEM)
MC8-EH		RL			2 4/73	M	8/E, 8/M	KM8-E + MM8-EH (MEM EXT CONT + 4K MEM)
MC8-EJ		RL			2 7/72	M	8/E, 8/M	KM8-E + MM8-EJ (MEM EXT CONT + 8K MEM)
MC8-IA		RR		TPL	5	M	8/I	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8-IB		RR		TPL	5	M	8/I	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8-LA		RR		TPL	5	M	BA08, BM08	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8-LB		RR		TPL	5	M	BA08, BM08	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8-LC		RR		TP-	5	M	BM08	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8-LD		RR		TP-	5	M	BM08	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8-S		AB			5	M	8/S	MEMORY EXTENSION CONTROL & 4K MEMORY
MD10-A		SU			5	M	10	32 K 37 BIT 1.8 USEC MEMORY 60 HZ
MD10-B		SU			5	M	10	32 K 37 BIT 1.8 USEC MEMORY 50 HZ
MD10-E		SU			5	M	MD10-A, MD10-B	32 K 37 BIT EXPANSION UNIT
MD10-GA		SU			6 3/73	M	10	MD10-A + MD10-E (65K)
MD10-GB		SU			6 3/73	M	10	MD10-B + MD10-E (65K)
MD10-RA		SU			3 10/72	M	1040-A	MD10-GA IN PLACE OF 2 ME10
MD10-RB		SU			3 10/72	M	1040-B	MD10-GB IN PLACE OF 2 ME10
ME09-A		MI			6	M	9	MEMORY EXTENSION & PARITY CHASSIS
ME09-B		MI			5	M	9	MEMORY EXTENSION, PARITY, & PROTECT CHASSIS
ME09-C		MI			2	M	9/L	MEMORY EXTENSION PROTECT CHASSIS
ME10	FW	SU			5 5/71	M	10	16 K 37 BIT 1 USEC MEMORY
ME10-X	FW	SU			5 4/72	M	10	ME10 MINUS COSMETICS
ME11-LA		SR			3 1/74	M	11	11/05 BOX + MM11-L, SPACE FOR 2 MORE 115V
ME11-LB		SR			3 1/74	M	11	11/05 BOX + MM11-L, SPACE FOR 2 MORE 230V
ME15-AA		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 1ST UNIT, 115V
ME15-AB		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 1ST UNIT, 230V
ME15-B		JE			4 12/72	M	ME15-AA, -AB, -C, -D	8K 18 BIT MEM ADD-ON
ME15-C		JE			4 12/72	M	ME15-AA, -AB, -D	8K 18 BIT MEM SP FOR 24K 2ND OR 4TH UNIT
ME15-D		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 3RD UNIT
ME15-EA	LG	JE			4 12/72	M	15	ME15-AA + ME15-B, 16K MEM 115V 60HZ
ME15-EB	LG	JE			4 12/72	M	15	ME15-AB + ME15-B, 16K MEM 230V 50HZ
ME15-F	LG	JE			4 12/72	M	15	ME15-C + ME15-B, 16K MEM
ME15-H	LG	JE			4 12/72	M	15	ME15-D + ME15-B, 16K MEM

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
ME15-J	LG	JE			4 12/72	M	ME15-AA, -AB, -C, -D	2 ME15-B, 16K MEM TOTAL
ME8-S		AB			5	M	8/S	MEMORY EXPANSION MOUNTING HARDWARE
MF10-A	FW	SU			5 2/73	M	10 MEM BUS	32K 37 BIT MEM, 1 USEC
MF10-E	FW	SU			5 2/73	M	MF10-A	32K 37 BIT EXPANSION 1 USEC MEM
MF10-G	FW	SU			5 2/73	M	10 MEM BUS	MF10-A + MF10-E; 65K 37 BIT 1 USEC MEM
MF10-L		SU			3 9/74	M	10 MEM BUS	2 MF10-G (128K 37 BIT)
MF10-M		SU			5 2/73	M	MF10-A, -E, -G	8K 19 BIT MODULE SET
MF11-L		JO			5 12/74	M	11/35, BA11-DA, -DB	BACK PLANE, MM11-L, SPACE FOR 2 MORE
MF11-LP	CA	DOOR			5 12/74	M	11	BACK PLANE, PARITY CONT, MM11-LP, SPACE FOR 2 MORE, 1 USEC
MF11-M	CA	DOOR			3 4/73	M	11/40	8K EXPANDABLE MEM; MF11-L + KT11-D SEGMENTATION
MF11-MP	CA	DOOR			3 4/73	M	11/40	8K EXPANDABLE PARITY MEM; MF11-LP + KT11-D SEGMENTATION
MF11-R	CA	DOOR			3 4/73	M	11/40	16K EXPANDABLE MEM; MF11-L + MM11-L + KT11-D SEGMENTATION
MF11-RP	CA	DOOR			3 4/73	M	11/40	16K EXPANDABLE PARITY MEM; MF11-LP + MM11-LP + KT11-D
MF11-S	CA	DOOR			3 4/73	M	11/40	24K EXPANDABLE MEM; MF11-L + 2 MM11-L + KT11-D SEGMENTATION
MF11-SP	CA	DOOR			3 4/73	M	11/40	24K EXPANDABLE PARITY MEM; MF11-LP + 2 MM11-LP + KT11-D
MF11-U	RGM	DWS			5 12/74	M	11	BACK PLANE & 16K MM11-U MEM, SPACE FOR 1 MORE, 1 USEC
MF11-UB	RGM	DWS			5 12/74	M	11	MF11-U + MM11-U, 32K 1 USEC MEMORY
MF11-UC	RGM	DWS			3 12/74	M	11	2 MF11-U + 2 MM11-U, 64K 1 USEC MEMORY
MF11-UP	RGM	DWS			5 12/74	M	11	BACK PLANE, PARITY CONT, 16K MM11-UP MEM, SPACE FOR 1 MORE, 1 USEC
MF11-UR	RGM	DWS			5 12/74	M	11	MF11-UP + MM11-UP, 32K 1 USEC PARITY MEMORY
MF11-US	RGM	DWS			3 12/74	M	11	2 MF11-UP + 2 MM11-UP, 64K 1 USEC PARITY MEMORY
MF11-W	RGM	DWS			2 1/74	M	11	MF11-U BACK PLANE & 32K MM11-W MEM, SPACE FOR 1 MORE MM11-U OR -W
MF11-WP	RGM	DWS			2 1/74	M	11	MF11-UP BACK PLANE & 32K MM11-WP MEM SPACE FOR 1 MORE MM11-UP OR -WP
MG10-A	ATT	CHIN			2 10/74	M	10 MEM BUS	32K 37BIT MEM, CONTROL & CAB, SPACE FOR 96K MORE
MG10-E	ATT	CHIN			2 10/74	M	MG10-A, -G	32K 37BIT EXPANSION (4 MA20-M)
MG10-G	ATT	CHIN			2 10/74	M	10 MEM BUS	64K 37BIT MEM, CONTROL & CAB, SPACE FOR 64K MORE
MG10-H	ATT	CHIN			2 10/74	M	10 MEM BUS	128K 37BIT MEM, CONTROL & CAB
MG10-L	ATT	CHIN			2 10/74	M	10 MEM BUS	2 MG10-H (256K 37 BIT)
M18-E		LT			4 5/71	M	8/E	32 WORD 12 BIT ROM, ALL ZEROS
M18-CA		LT			3 1/72	M	8/E	HIGH/LOW SPEED PAPER TAPE RIM (M847-YA)
M18-EC		LT			3 1/72	M	8/E	TC08 BOOTSTRAP (M847-YC)
M18-ED		LT			3 1/72	M	8/E	RK8 BOOTSTRAP (M847-YD)
M18-EE		LT			2 6/71	M	8/E	TYPSET RIM LOADER (M847-YE)
M18-EF		LT			2 9/71	M	8/E (EDU10, 20, 30, 40)	EDU SYSTEM BOOTSTRAP, LOW SPEED (M847-YF)
M18-EG		LT			2 9/71	M	8/E (EDU50)	EDU SYSTEM BOOTSTRAP, HIGH SPEED (M847-YG)
M18-EH		LT			2 11/71	M	8/E	TD8/E BOOTSTRAP (M847-YH)
M18-EJ	BALL	OR			3 3/73	M	8/E	RK8/E BOOTSTRAP (M847-YJ)
M18-EK	EAS	KE			3 3/73	M	DC72	CR8 BOOTSTRAP FOR DC72 (M847-YK)
M18-EL	JC	JK			3 4/73	M	8/E	TU60 BOOTSTRAP (M847-YL)
M18-EM	MI	JDL			3 8/73	M	8/E	TYPSET DECTAPE BOOTSTRAP LOADER (M847-YM)
M18-EN	MI	JDL			3 2/74	M	8/E	TYPSET RK8/E BOOTSTRAP (M847-YN)
MJ11-AA	ARR	TN			2 1/75	M	11 MEM BUS	32K 18BIT MEM, CONT & PS, SPACE FOR 3 MJ11-AA OR -BE, 115V
MJ11-AB	ARR	TN			2 1/75	M	11 MEM BUS	32K 18BIT MEM, CONT & PS, SPACE FOR 3 MJ11-AA OR -BE, 230V
MJ11-AC	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AA W CAB + 3 MJ11-AA, 115V
MJ11-AD	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AB W CAB + 3 MJ11-AA, 230V
MJ11-AE	ARR	TN			2 1/75	M	MJ11-AA THRU -AD, -BA THRU -BD	32K 18BIT EXPANSION (2 MJ11-AA)
MJ11-AG	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AA + 3 MJ11-AA, 115V
MJ11-AH	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AB + 3 MJ11-AA, 230V
MJ11-AM	ARR	TN			2 1/75	M	MJ11-AA THRU -AE	16K 18BIT MEM MODULE SET, NO CONT
MJ11-AY	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AA W NO CABLES
MJ11-AZ	ARR	TN			2 1/75	M	11 MEM BUS	MJ11-AB W NO CABLES
MK15-A		FA			4	M	MM15-AA, -AB, -AC, -AD	4K 18 BIT EXPANSION KIT
MK15-B		FA			4	M	MM15-BA, -BB, -BC, -BD	4K 19 BIT EXPANSION KIT
ML11-R	BD	DV			2 8/73	M	MF11-L	MM11-L + KT11-D (8K W MEM MANAGEMENT)
ML11-RP	BD	DV			2 8/73	M	MF11-LP	MM11-LP + KT11-D (8K PARITY W MEM MANAGEMENT)



MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
ML11-S	BD	SV			2 8/73	M	MF11-L	2 MM11-L + KT11-D (16K W MEM MANAGEMENT)
ML11-SP	BD	SV			2 8/73	M	MF11-LP	2 MM11-LP + KT11-D (16K PARITY W MEM MANAGEMENT)
MM09-A		VI			5	M	9	8 K 18 BIT 1 USEC MEMORY 1ST EXTENSION
MM09-B		VI			5	M	9	8 K 18 BIT 1 USEC MEMORY, 2ND EXTENSION
MM09-C		VI			5	M	9	8 K 18 BIT 1 USEC MEMORY, 3RD EXTENSION
MM11-E	RGM	PD			5	M	11	4 K 16 BIT 22 MIL MEMORY, 1.2 USEC
MM11-EX	RGM	PD			3	M	11	8 K X 16 BIT INTERLEAVED 1.2 USEC MEM
MM11-F	RGM	PD			4 7/71	M	11	4K 16 BIT 22 MIL MEMORY, 980 NSEC
MM11-FJ		BPF			3 3/72	M	11/20	MM11-F MODIFIED TO BE 2K BETWEEN 20 & 30K
MM11-FP	RGM	PD			2 7/71	M	11	4K 18 BIT 22 MIL MEMORY, 980 NSEC
MM11-FX	RGM	PD			2 5/72	M	11	8K 16 BIT INTERLEAVED 22 MIL MEM, 980 NSEC
MM11-H	RGM	PD			3 1/72	M	11	1K 16 BIT 22 MIL 1.2 USEC MEM
MM11-J	RGM	PD			3 1/72	M	11	2K 16 BIT 22 MIL 1.2 USEC MEM
MM11-K	RGM	PD			4 2/74	M	11/05, ME11-L	4K 16 BIT 18 MIL MEMORY MODULE SET, 890NSEC
MM11-L	RGM	PD			5 12/74	M	11/05, ME11-L	2K 16 BIT 18 MIL MEM MODULE SET, 980 NSEC
MM11-LK	CA				3 1/74	M	ME11-L, MF11-L	12K 16 BIT MEM MM11-L + MM11-K
MM11-LP	CA	HOOR			5 12/74	M	MF11-LP	8K 16 BIT PARITY (18 BIT) MEM MODULE SET
MM11-M	RGM	PD			3 12/74	M	11/35, 11/45	4K 16 BIT 18 MIL MEM, 900NS (MM11-K IN SYS UNIT)
MM11-S	RGM	PD			4 7/72	M	11/35, 11/45	8K 16 BIT 18 MIL MEM, 900NS (MM11-L IN SYS UNIT)
MM11-SP	RGM	PD			3 12/74	M	11/35, 11/45	8K 18 BIT PARITY & CONT 18 MIL MEM, 980 NSEC
MM11-U	RGM	DWS			5 12/74	M	MF11-U	16K 16 BIT 1 USEC MEM
MM11-UP	RGM	DWS			5 12/74	H	MF11-UP	16K 18 BIT PARITY 18 MIL MEM, 1 USEC
MM11-W	RGM	DWS			2 9/74	M	MF11-U	32K 16 BIT MEMORY
MM11-WP	RGM	DWS			2 9/74	M	MF11-UP	32K 18 BIT MEMORY
MM14-A		LD			5 4/73	M	14	MM11-E W PS, 14 INTERFACE
MM15-AA		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, FRONT
MM15-AB		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, 1ST BACK
MM15-AC		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, 2, 3 BACK
MM15-AD		HL			5	M	MX15	4K 18 BIT MEM, SP 8K, 1.2 USEC
MM15-BA		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, FRONT
MM15-BB		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, 1ST BACK
MM15-BC		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, 2, 3 BACK
MM15-BD		HL			5	M	MX15	4K 19 BIT MEM, SP 8K, 1.2 USEC
MM15-CA		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, FRONT
MM15-CB		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, 1ST BACK
MM15-CC		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, 2, 3 BACK
MM15-CD		HL			5	M	MX15	8K 18 BIT MEM, 1.2 USEC
MM15-DA		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, FRONT
MM15-DB		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, 1ST BACK
MM15-DC		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, 2, 3 BACK
MM15-DD		HL			5	M	MX15	8K 19 BIT MEM, 1.2 USEC
MM15-EB	LG	HL			3 5/72	M	15	MM15-CB + MM15-CC, 16K TOTAL
MM15-EC	LG	HL			3 5/72	M	15	2 MM15-CC, 16K TOTAL
MM8-AA	RGM	WC			3 11/74	M	8/A	8K X 12 MEMORY, G649 + H219-A, 1.5 USEC
MM8-AB	RGM	WC			2 10/74	M	8/A	16K X 12 MEMORY, G649 + H219-B, 1.5 USEC
MM8-E		WC			5 9/71	M	8/E	4K 12 BIT MEMORY
MM8-EH	RGM	WC			2 4/73	M	8/E, 8/M	4K X 12 BIT 18 MIL MEMORY, 1.2 USEC
MM8-EJ	RGM	WC			5 4/73	M	8/E, 8/M	8K X 12 BIT 18 MIL MEMORY, 1.2 USEC
MM8-IA		RR		TPL	5	M	8/I, 12	4K 12 BIT MEMORY
MM8-IB		RR		TPL	5	M	8/I, 12	8K 12 BIT MEMORY
MM8-IC		RR		TPL	5	M	8/I, 12	4K 13 BIT MEMORY
MM8-ID		RR		TPL	5	M	8/I, 12	8K 13 BIT MEMORY
MM8-IE		RR		TPL	5	M	MM8-IA	4K 12 BIT MEMORY EXPANSION
MM8-IF		RR		TPL	5	M	MM8-IC	4K 13 BIT MEMORY EXPANSION
MM8-LA		RR		TPL	5	M	BM08	4K 12 BIT MEMORY

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
MM8-LB		RR		TPL	5	M	8408	4K 13 BIT MEMORY
MM8-S		AB			5	M	ME8-S, OMD8-S	4K 13 BIT MEMORY
MMJ11-F	CA				3	6/72 M	11	SYSTEM TESTED MM11-F
MMJ11-L		PD			3	8/72 M	11/05, 11/10	SYSTEM TESTED MM11-L
MMR11-E		KH			3	1/72 M	11R20	1.9 USEC RUGGED MM11-E
MMR11-EX		KH			3	1/72 M	11R20	RUGGED MM11-EX (8K 16 BIT INTERLEAVED)
MMV11-A	RGH	PD			2	1/75 M	11V05	4K 16 BIT CORE MEM (G653 + H223)
MP09-A		HI			6	M	ME09-A	PDP9 PARITY OPTION, 1ST 8 K
MP09-B		HI			6	M	9	PARITY OPTION, EACH ADDED 8 K
MP09-C		HI			5	M	ME09-B	PDP9 PARITY OPTION, 1ST 8 K
MP11-A		EM		CSS	6	1/75 M	11	MEMORY PARITY CONTROL
MP15		FA			5	3/71 M	15	PARITY CONTROL
MP8-E		BT			4	M	8/E	PARITY OPTION FOR 32K, PDP8-E
MP8-I		RR		TP-	5	M	8/I	PARITY OPTION, 1ST 4K
MP8-L		RR		TP5	5	M	8/L	PARITY OPTION, 1ST 4K
MP-DK08-AA JC		LN			3	11/74 R	DK08-AA	MAINTENANCE PRINT SET
MP-K08-A JC		GHL			3	11/74 K	K08-AA, K08-AB	MAINTENANCE PRINT SET
MP-KK8-A JC		LK			3	11/74 K	PDP8-A	MAINTENANCE PRINT SET
MP-KM8-A JC		LN			3	11/74 K	KM8-AA, -AB	MAINTENANCE PRINT SET
MP-MR8-A JC		RBR			3	2/75 M	MR8-AA THRU -AD	MAINTENANCE PRINT SET
MP-MR8-F JC		DA			3	2/75 M	MR8-FA THRU -FE	MAINTENANCE PRINT SET
MP-MS8-A JC		RBR			3	2/75 M	MS8-AA THRU -AJ	MAINTENANCE PRINT SET
MP-PDP8A JC		JK			3	2/75 E	PDP8A-AA THRU -AL	MAINTENANCE PRINT SET
MPS-1	RJM	CYR			-	E	-	MICROPROCESSOR MODULE SERIES - SEE M7341 (INTEL 8080)
MPS-2	RJM	CYR			-	E	-	MICROPROCESSOR MODULE SERIES (INTEL 8080)
MR02	SNT	RI			2	M	8/I, 8/L, 12 MEM BUS	128 WORDS 12 BIT DIODE MEMORY, ALL ZEROS
MR02-D	SNT	RI			3	M	8/I, 8/L, 12 MEM BUS	RK08 LOADER
MR11-DB	BD	SNT			2	3/72 M	11/45	BOOTSTRAP LOADER, 64 WORD 16 BIT DIODE ROM (M792-YD+YE)
MR14		AR		CON	6	1/73 M	14	1K 12 BIT READ ONLY MEMORY
MR14-B		AR			6	1/73 M	14	1K BRAID WITH KEEPER
MR14-D	JM	LF			3	1/73 M	14	1K 12 BIT ROM, DATA-PAC
MR14-E	JM	LF			3	1/73 M	MR14-F	1K 12 BIT BRAID WITH KEEPER
MR14-F	JM	LF			3	1/73 M	14	MR14-D W NO BRAID
MR14-H	JM	LF			3	1/73 M	14	1K 12 BIT ROM, MTI
MR14-J	JM	LF			3	1/73 M	MR14-H	1K 12 BIT BRAID W KEEPER
MR14-K	JM	LF			3	1/73 M	14	MR14-H W NO BRAID
MR15-A	LH	AA			2	6/72 M	BA15	BOOTSTRAP LOADER (M7012-YA)
MR16-A		JLE			4	8/71 M	16	CONSTANTS GENERATOR M7307
MR16-B		JLE			3	8/71 M	16	1K 16 BIT ROM
MR16-C		JLE			5	9/71 M	16	32X16 DIODE ROM (M792)
MR16-D		JLE			3	9/72 M	16	24X16 BRAID ROM (M7325)
MR16-E		JLE			3	9/72 M	16/M	8X256 PROM (PCS16-B + DB16-A)
MR16-F		JLE			3	9/72 M	16/M	16X256 PROM (2 PCS16-B + 1 DM16-A)
MR16-SL		JLE			3	9/72 M	16/M	INTERFACE, ROM SIMULATING & LOADING
MR873-A	RJM	BJM			3	3/74 M	8/E, M7345	UV PROM LOADER
MR8-AA	JC	RBR			2	11/74 M	8/E	1K BIPOLAR BLASTABLE ROM (M8312-YA)
MR8-AB	JC	RBR			2	11/74 M	8/E	2K BLASTABLE ROM (M8312-YB)
MR8-AC	JC	RBR			2	11/74 M	8/E	3K BLASTABLE ROM (M8312-YC)
MR8-AD	JC	RBR			2	11/74 M	8/E	4K BLASTABLE ROM (M8312-YD)
MR8-AS	JC	RBR			3	10/74 M	MR8-A	BLASTING SERVICE SET-UP CHARGE
MR8-AT	JC	RBR			3	12/74 M	MR8-AS	BLASTING SERVICE
MR8-EA		NC			3	9/71 M	8/E	256 X 12 BIT READ-ONLY MEMORY (M241)
MR8-EC		NC			3	12/71 M	8/E, T08-E	256 X 12 BIT BRAID ROM, T08-E HANDLER
MR8-FB	JC	DA			2	1/74 M	8/E	1KX12 CONTENT ALTERABLE ROM + 256X12 RAM (M8349)
MR8-FE	JM	AR			2	1/74 M	VT14, 8/E	4K CONTENT ALTERABLE ROM, 512 WORD RAM

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	89
MR8-SL	JC	DA			3 11/73	M	8/E, MR16X MR8-F	INTERFACE, ROM SIMULATING & LOADING	
MRV11-AA	MT	WBE			2 2/75	M	11V05	SPACE FOR 4K 16 BIT PROM, (32 MRV11-AC CHIPS) M7942	
MRV11-AC	MT	WBE			2 1/75	M	MRV11-AA	512 X 4 MMI6306 CHIP	
MS11-BC	WRD	VDB			5 1/75	M	11/45	FIRST MOS MEM CONT (1103-1) (M8110, H744, H746)	
MS11-BD	WRD	VDB			5 1/75	M	11/45	SECOND MOS MEM CONT (1103-1) (M8110, H746)	
MS11-BM	WRD	VDB			6 11/73	M	MS11-BC, -8D	450NS 4K 16 BIT MOS MEM MATRIX (1103-1)	
MS11-BP	WRD	VDB			6 11/73	M	MS11-BC, -8D	450NS 4K 16 BIT MOS MEM MATRIX (1103-1)	
MS11-BR	WRD	VDB			5 1/75	M	MS11-BC, -8D	490NS 4K 16 BIT MOS MEM MATRIX (1103-1)	
MS11-BT	WRD	VDB			5 1/75	M	MS11-BC, -8D	490NS 4K 16 BIT MOS MEM MATRIX (1103-1)	
MS11-CC	WRD	VDB			5 1/75	M	11/45	BIPOLAR MEM CONT (M8120 OR M8110, 2 H744) (INTEL 3206 OR 3207)	
MS11-CD	WRD	VDB			5 1/75	M	MS11-CC	1K 16 BIT BIPOLAR MEM MATRIX (INTEL 3206 OR 3207)	
MS11-CP	WRD	VDB			5 1/75	M	MS11-CC	1K 16 BIT BIPOLAR MEM MATRIX (INTEL 3206 OR 3207)	
MS16-A		JLE			5 8/71	M	16	TRANSFER REGISTER M7305	
MS16-B		JLE			4 8/71	M	16	BYTE REGISTER M7320	
MS16-C		JLE			4 8/71	M	16	16X16 SCRATCH PAD MEM M7310	
MS16-CA		JLE			3 6/72	M	16/M	16 REGISTER OPTION (M7310 + M7320)	
MS16-D		JLE			4 8/71	M	16	16X256 SCRATCH PAD MEM M7319	
MS16-E		JLE			3 1/72	M	16	1KX16 MOS RAM 2 USEC (MONOLYTHIC)	
MS8-AA	JC	RBR			2 11/74	M	8/E	1K MOS RAM (M8311-YA)	
MS8-AB	JC	RBR			2 11/74	M	8/E	2K MOS RAM (M8311-YB)	
MS8-AC	JC	RBR			2 11/74	M	8/E	3K MOS RAM (M8311-YC)	
MS8-AD	JC	RBR			2 11/74	M	8/E	4K MOS RAM (M8311-YD)	
MS8-BA	JC	GH			2 11/74	M	8/E	4K RAM (M8313-YA)	
MSV11-A	MT	WBE			2 1/75	M	11V05	1K 16 BIT MOS RAM, M7943	
MSV11-B	MT	WBE			2 1/75	M	11V05	4K 16 BIT MOS RAM, M7944 OR M7945	
MX10		AJ			5	M	10	18 BIT MULTIPLEXER	
MX10-C	RLD	SRM			3 10/73	M	10	18 OR 22 BIT MULTIPLEXER	
MX11-A		SR			6 1/75	M	11 UNIBUS	MEMORY EXTENSION CONTROL	
MX15		RG			5	M	15	MEM BUS MULTIPLEXER, W CAB, 3 PORTS	
MX15-A		RG			5 4/71	M	MX15	2ND MULTIPLEXER LOGIC	
MX15-B	BD	RG			5 5/73	M	11, 15	MEM BUS MUX, 1 PDP15 PORT, 1 UNIBUS PORT, 15 MEM BUS OUTPUT	
MX15-C		DPS		SSCAL	3 12/73	M	11, 15	MX15-B W PARITY	
MWB-E		PH			2 5/73	M	8/E	256 X 12 BIT READ/WRITE CORE MEMORY	
MY10-A		CV		CS5	6 1/75	M	10 MEM BUS	CONTROL FOR 32 BIT AMPEX 16364-R2-64	
N1110-AA	RS	JFB		WM	5 1/75	E	-	11/10-SC H960-CA RK11-D RK05-AA TA11-AA LA36-CA BM873-YA	
-						E		QJ003-AN RT11, 115V 60HZ	
N1110-AB	RS	JFB		WM	5 1/75	E	-	N1110-AA EXCEPT 11/10-SD H960-CB RK05-BB TA11-AB LA36-CB, 230V 50HZ	
N1110-AC	RS	JFB		WM	5 1/75	E	-	N1110-AA EXCEPT 11/10-SD H960-CB RK05-AB TA11-AB LA36-CB 230V 60HZ	
N1110-AD	RS	JFB		WM	5 1/75	E	-	N1110-AA EXCEPT 11/10-SC H960-CA RK05-BA TA11-AA LA36-CA 115V 50HZ	
N1110-CA	RS	JFB		WM	6 1/75	E	-	11/10-NC H960-CA MM11-L RK11-D RK05-AA TA11-AA LA36-CA BM792-YB	
-						E		DD11-B QJ250-AE DOS/BATCH, 115V 60HZ	
N1110-CB	RS	JFB		WM	6 1/75	E	-	N1110-CA EXCEPT 11/10-ND H960-CB RK05-BB, TA11-AB LA36-CB 230V 50HZ	
N1110-CC	RS	JFB		WM	6 1/75	E	-	N1110-CA EXCEPT 11/10-ND H960-CB RK05-AB TA11-AB LA36-CB 230V 60HZ	
N1110-CD	RS	JFB		WM	6 1/75	E	-	N1110-CA EXCEPT 11/10-NC H960-CA RK05-BA TA11-AA LA36-CA 115V 50HZ	
N1110-CA	RS	JFB		WM	6 6/74	E	-	11E10, 24K, DOS & RSX-11B, 115V 60HZ	
N1110-GB	RS	JFB		WM	6 6/74	E	-	11E10, 24K, DOS & RSX-11B, 230V 50HZ	
N1110-GC	RS	JFB		WM	6 6/74	E	-	N1110-G, 230V 60HZ	
N1110-GD	RS	JFB		WM	6 6/74	E	-	N1110-G, 115V 50HZ	
N1110-MA	RS	JFB		WM	5 1/75	E	-	11/10-SC H960-CA RK11-D RK05-AA TA11-AA LA36-CA BM873-YA	
-						E		QJ620-CN RSX-11M, 115V 60HZ	
N1110-MB	RS	JFB		WM	5 1/75	E	-	N1110-MA EXCEPT 11/10-SD H960-CB RK05-BB TA11-AB LA36-CB 230V 50HZ	
N1110-MC	RS	JFB		WM	5 1/75	E	-	N1110-MA EXCEPT 11/10-SD H960-CB RK05-AB TA11-AB LA36-CB 230V 60HZ	
N1110-MD	RS	JFB		WM	5 1/75	E	-	N1110-MA EXCEPT 11/10-SC H960-CA RK05-BA TA11-AA LA36-CA 115V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION	90
N1111-GA	RS	JFB		WM	6	6/74 E	-	11E10, 24K, UDC, DOS & RSX-11B, 115V 60HZ	
N1111-GB	RS	JFB		WM	6	6/74 E	-	11E10, 24K, UDC, DOS & RSX-11B, 230V 50HZ	
N1111-GC	RS	JFB		WM	6	6/74 E	-	N1111-G, 230V 60HZ	
N1111-GD	RS	JFB		WM	6	6/74 E	-	N1111-G, 115V 50HZ	
N1111-MA	RS	JFB		WM	5	1/75 E	-	11/10-SC H960-CA RK11-D RK05-AA TA11-AA LA36-CA BM873-YA NU110-AA QJ620-CN RSX11-M UDC, 115V 60HZ	
N1111-MB	RS	JFB		WM	5	1/75 E	-	N1111-MA EXCEPT 11/10-SD H960-CB RK05-BB TA11-AB LA36-CB NU110-AC, 230V 50HZ	
N1111-MC	RS	JFB		WM	5	1/75 E	-	N1111-MA EXCEPT 11/10-SD H960-CB RK05-AB TA11-AB LA36-CB NU110-AC, 230V 60HZ	
N1111-MD	RS	JFB		WM	5	1/75 E	-	N1111-MA EXCEPT 11/10-SC H960-CA RK05-BA RA11-AA LA36-CA NU110-AA, 115V 50HZ	
N1117-MA	RS	JFB		WM	3	2/75 E	-	11/10-SC, H960-CA, RK11-D, 2 RK05-AA, LA36-CA, BM873-YA, NU110-AA, MM11-U, QJ620-AE RSX11-M, 115V 60HZ	
N1117-MB	RS	JFB		WM	3	2/75 E	-	N1117-MA EXCEPT 11/10-SD, RK05-BB, LA36-CB, NU110-AC, 230V 50HZ	
N1117-MC	RS	JFB		WM	3	2/75 E	-	N1117-MA EXCEPT 11/10-SD, RK05-AB, LA36-CB, NU110-AC, 230V 60HZ	
N1117-MD	RS	JFB		WM	3	2/75 E	-	N1117-MA EXCEPT 11/10-SC, RK05-BA, LA36-CA, NU110-AA, 115V 50HZ	
N1140-AA	RS	JFB		WM	6	6/74 E	-	11/40 16K SYS, RT11/FORTRAN, 115V 60HZ	
N1140-AB	RS	JFB		WM	6	6/74 E	-	11/40 16K SYS, RT11/FORTRAN, 230V 50HZ	
N1140-AC	RS	JFB		WM	6	6/74 E	-	N1140-A, 230V 60HZ	
N1140-AD	RS	JFB		WM	6	6/74 E	-	N1140-A, 115V 50HZ	
N1140-CA	RS	JFB		WM	6	1/75 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 QJ250-AE, DOS/BATCH, 115V 60HZ	
N1140-CB	RS	JFB		WM	6	1/75 E	-	N1140-CA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB, 230V 50HZ	
N1140-CC	RS	JFB		WM	6	1/75 E	-	N1140-CA EXCEPT 11/40-AL H960-CB LA36-CB RK05-AB H961-AB 230V 60HZ	
N1140-CD	RS	JFB		WM	6	1/75 E	-	N1140-CA EXCEPT 11/40-AK H960-CA LA36-CA RK05-BA H961-AA, 115V 50HZ	
N1140-MA	RS	JFB		WM	6	1/75 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 QJ620-CE, RSX-11M, 115V 60HZ	
N1140-MB	RS	JFB		WM	6	1/75 E	-	N1140-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB, 230V 50HZ	
N1140-MC	RS	JFB		WM	6	1/75 E	-	N1140-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-AB H961-AB, 230V 60HZ	
N1140-MD	RS	JFB		WM	6	1/75 E	-	N1140-MA EXCEPT 11/40-AK H960-CA LA36-CA RK05-BA H961-AA, 115V 50HZ	
N1141-MA	RS	JFB		WM	6	1/75 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 NU110-AA QJ620-CE, RSX-11M, UDC, 115V 60HZ	
N1141-MB	RS	JFB		WM	6	1/75 E	-	N1141-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB NU110-AC, 230V 50HZ	
N1141-MC	RS	JFB		WM	6	1/75 E	-	N1141-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-AB H961-AB NU110-AC, 230V 60HZ	
N1141-MD	RS	JFB		WM	6	1/75 E	-	N1141-MA EXCEPT 11/40-AK H960-CB LA36-CA RK05-BA H961-AA NU110-AA, 115V 50HZ	
N1142-CA	RS	JFB		WM	3	2/75 E	-	11/40-BS, KW11-L, RK11-D, RK05-AA, H961-AA, DD11-B, BM873-YA, H324, QJ250-AE DOS/BATCH, 115V 60HZ	
N1142-CB	RS	JFB		WM	3	2/75 E	-	N1142-CA EXCEPT 11/40-BT, RK05-BB, LA36-CB, 230V 50HZ	
N1142-CC	RS	JFB		WM	3	2/75 E	-	N1142-CA EXCEPT 11/40-BT, RK05-AB, LA36-CB, 230V 60HZ	
N1142-CD	RS	JFB		WM	3	2/75 E	-	N1142-CA EXCEPT 11/40-BS, RK05-BA, LA36-CA, 115V 50HZ	
N1142-DA	RS	JFB		WM	3	6/74 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L MM11-UP MF11-UP KT11-D RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 KE11-E QJ500-AE RSX-11D 115V60	
N1142-DB	RS	JFB		WM	3	6/74 E	-	N1142-DA EXCEPT H960-CB LA36-CB RK05-BB H961-AB, 230V 50HZ	
N1142-DC	RS	JFB		WM	3	6/74 E	-	N1142-DA EXCEPT H960-CB LA36-CB RK05-AB H961-AB, 230V 60HZ	
N1142-DD	RS	JFB		WM	3	6/74 E	-	N1142-DA EXCEPT H960-CA LA36-CA RK05-BA H961-AA, 115V 50HZ	
N1142-DX	RS	JFB		WM	3	10/74 E	-	N1142-DA WITHOUT PARITY	
N1142-DY	RS	JFB		WM	3	10/74 E	-	N1142-DB WITHOUT PARITY	
N1142-EA	RS	JFB		WM	6	11/74 E	-	11/40 48K PARITY SYS, RSTS-E, 115V 60HZ	
N1142-EB	RS	JFB		WM	6	11/74 E	-	11/40 48K PARITY SYS, RSTS-E, 230V 50HZ	
N1142-EC	RS	JFB		WM	6	11/74 E	-	N1142-D, 230V 60HZ	
N1142-ED	RS	JFB		WM	6	11/74 E	-	N1142-D, 115V 50HZ	
N1142-MA	RS	JFB		WM	5	1/75 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L MM11-UP KT11-D RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 QJ620-CE, RSX11M, 115V 60HZ	
N1142-MB	RS	JFB		WM	5	1/75 E	-	N1142-MA EXCEPT H960-CB LA36-CB RK05-BB H961-AB, 230V 50HZ	
N1142-MC	RS	JFB		WM	5	1/75 E	-	N1142-MA EXCEPT H960-CB LA36-CB RK05-AB H961-AB, 230V 60HZ	
N1142-MD	RS	JFB		WM	5	1/75 E	-	N1142-MA EXCEPT H960-CA LA36-CA RK05-BA H961-AA, 115V 50HZ	
N1142-TA	RS	JFB		WM	6	10/74 E	-	11/40-AK H960-CA DL11-A LA36-CA KW11-L MM11-UP MF11-UP KT11-D RK11-D RK05-AA	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
						E		H961-AA BM973-YA H324 H960-DA DB11-A KE11-E QR430-AE RSTS/E, 115V 60HZ
N1142-TB	RS	JFB		WM	6 10/74	E		N1142-TA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB H960-DB, 230V 50HZ
N1143-DA	RS	JFB		WM	5 1/75	E		11/40-AK H960-CA DL11-A LA36-CA KW11-L MM11-UP MF11-UP KT11-D RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 NU110-BA KE11-E QJ580-AE RSX-110, UDC, 115V 60
N1143-DB	RS	JFB		WM	5 1/75	E		N1143-DA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB NU110-BC, 230V 50HZ
N1143-DC	RS	JFB		WM	5 1/75	E		N1143-DA EXCEPT 11/40-AL H960-CB LA36-CB RK05-AB H961-AB NU110-BC, 230V 60HZ
N1143-DD	RS	JFB		WM	5 1/75	E		N1143-DA EXCEPT 11/40-AK H960-CA LA36-CA RK05-BA H961-AA NU110-BA, 115V 50HZ
N1143-MA	RS	JFB		WM	5 1/75	E		11/40-AK H960-CA DL11-A LA36-CA KW11-L MM11-UP KT11-D RK11-D RK05-AA H961-AA DD11-B BM873-YA H324 NU110-BA QJ620-CE, RSX-114, 115V 60HZ
N1143-MB	RS	JFB		WM	5 1/75	E		N1143-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-BB H961-AB NU110-BC, 230V 50HZ
N1143-MC	RS	JFB		WM	5 1/75	E		N1143-MA EXCEPT 11/40-AL H960-CB LA36-CB RK05-AB H961-AB NU110-BC, 230V 60HZ
N1143-MD	RS	JFB		WM	5 1/75	E		N1143-MA EXCEPT 11/40-AK H960-CA LA36-CA RK05-BA H961-AA NU110-BA, 115V 50HZ
N1146-DA	RS	JFB		WM	3 2/75	E		- N1142-DA, MM11-UP, 115V 60HZ
N1146-DB	RS	JFB		WM	3 2/75	E		- N1142-DB, MM11-UP, 230V 50HZ
N1146-DC	RS	JFB		WM	3 2/75	E		- N1142-DC, MM11-UP, 230V 60HZ
N1146-DD	RS	JFB		WM	3 2/75	E		- N1142-DD, MM11-UP, 115V 50HZ
N1146-TA	RS	JFB		WM	3 2/75	E		- N1146-DA W QR430-AE RSTS INSTEAD OF QJ580-AC RSX-110, 115V 60HZ
N1146-TB	RS	JFB		WM	3 2/75	E		- N1146-DB W QR430-AE RSTS INSTEAD OF QJ580-AC RSX-110, 230V 50HZ
N1146-TC	RS	JFB		WM	3 2/75	E		- N1146-DC W QR430-AE RSTS INSTEAD OF QJ580-AC RSX-110, 230V 60HZ
N1146-TD	RS	JFB		WM	3 2/75	E		- N1146-DD W QR430-AE RSTS INSTEAD OF QJ580-AC RSX-110, 115V 50HZ
N1147-DA	RS	JFB		WM	3 2/75	E		- N1143-DA, MM11-UP, 115V 60HZ
N1147-DB	RS	JFB		WM	3 2/75	E		- N1143-DB, MM11-UP, 230V 50HZ
N1147-DC	RS	JFB		WM	3 2/75	E		- N1143-DC, MM11-UP, 230V 60HZ
N1147-DD	RS	JFB		WM	3 2/75	E		- N1143-DD, MM11-UP, 115V 50HZ
N1152-CA	RS	JFB		WM	6 1/75	E		- 11/50-CA LA36-CA MS11-BC 4 MS11-BT KW11-L BM873-YA H324 FP11-B H960-DH DD11-B DB11-A RK11-D RK05-AA H961-AA QJ250-AE, DOS/BATCH, 115V 60HZ
N1152-CB	RS	JFB		WM	6 1/75	E		- N1152-CA EXCEPT 11/50-CB LA36-CB H960-DK RK05-BB H961-AB, 230V 50HZ
N1152-CC	RS	JFB		WM	6 1/75	E		- N1152-CA EXCEPT 11/50-CB LA36-CB H960-DK RK05-AB H961-AB, 230V 60HZ
N1152-CD	RS	JFB		WM	6 1/75	E		- N1152-CA EXCEPT 11/50-CA LA36-CA H960-DH RK05-BA H961-AA, 115V 50HZ
N1152-DA	RS	JFB		WM	6 1/75	E		11/50-CA LA36-CA MS11-BC 2 MS11-BT KW11-L BM873-YA H324 MF11-UP MM11-UP
N1152-DB	RS	JFB		WM	6 1/75	E		KT11-C FP11-B H960-DH DD11-B DB11-A RK11-D RK05-AA H961-AA QJ580-AE RSX-110, 115V 60
N1152-DC	RS	JFB		WM	6 1/75	E		- N1152-DA EXCEPT 11/50-CB LA36-CB H960-DK RK05-BB H961-AB, 230V 50HZ
N1152-DD	RS	JFB		WM	6 1/75	E		- N1152-DA EXCEPT 11/50-CA LA36-CA H960-DH RK05-BA H961-AA, 115V 50HZ
N1152-MA	RS	JFB		WM	3 2/75	E		- 11/50-BW, H324, RK11-DE, RK05-AA, QJ620-AE RSX-11M, 115V 60HZ
N1152-MB	RS	JFB		WM	3 2/75	E		- 11/50-BY, H324, RK11-DJ, RK05-AB, QJ620-AE RSX-11M, 230V 50HZ
N1152-MC	RS	JFB		WM	3 2/75	E		- 11/50-BY, H324, RK11-DF, RK05-AB, QJ620-AE RSX-11M, 230V 60HZ
N1152-MD	RS	JFB		WM	3 2/75	E		- 11/50-BW, H324, RK11-DH, RK05-BA, QJ620-AE RSX-11M, 115V 50HZ
N1152-TA	RS	JFB		WM	6 10/74	E		11/50-CA MS11-BC MS11-BT LA36-CA KW11-L BM873-YA H324 MF11-UP MM11-UP KT11-C
N1152-TB	RS	JFB		WM	6 10/74	E		FP11-B H960-DA DD11-B DB11-A RK11-D RK05-AA H961-AA QR430-AE RSTS/E 115V 60
N1153-DA	RS	JFB		WM	6 1/75	E		- N1152-TA EXCEPT 11/50-CB LA36-CB H960-DB RK05-BB H961-AB, 230V 50HZ
N1153-DB	RS	JFB		WM	6 1/75	E		11/45-CA LA36-CA KW11-L BM873-YA H324 MF11-UP MM11-UP KT11-C FP11-B H960-DA
N1153-DC	RS	JFB		WM	6 1/75	E		DD11-B DB11-A RK11-D RK05-AA H961-AA NU110-BA QJ580-AE, RSX-110, UDC, 115V 60
N1153-DD	RS	JFB		WM	6 1/75	E		N1153-DA EXCEPT 11/45-CB LA36-CB H960-DB RK05-BB H961-AB NU110-BC, 230V 50HZ
N1153-MA	RS	JFB		WM	3 2/75	E		N1153-DA EXCEPT 11/45-CB LA36-CB H960-DB RK05-AB H961-AB NU110-BC, 230V 60HZ
N1153-MB	RS	JFB		WM	3 2/75	E		N1153-DA EXCEPT 11/45-CA LA36-CA H960-DA RK05-BA H961-AA NU110-BA, 115V 50HZ
N1153-MC	RS	JFB		WM	3 2/75	E		- N1152-MA, NU110-BA, 115V 60HZ
N1153-MD	RS	JFB		WM	3 2/75	E		- N1152-MB, NU110-BC, 230V 50HZ
N1154-DA	RS	JFB		WM	3 2/75	E		- N1152-MC, NU110-BC, 230V 60HZ
N1154-DB	RS	JFB		WM	3 2/75	E		- N1152-MD, NU110-BA, 115V 50HZ
N1154-DC	RS	JFB		WM	3 2/75	E		- 11/50-BW, MF11-UP, H324, DD11-B, H960-DC, RK11-DE, RK05-AA, QJ580-AE RSX-110, 115V 60HZ
N1154-DD	RS	JFB		WM	3 2/75	E		- N1154-DA EXCEPT 11/50-BY, H960-DD, RK11-DJ, RK05-BB, 230V 50HZ
N1154-MA	RS	JFB		WM	3 2/75	E		- N1154-DA EXCEPT 11/50-BY, H960-DD, RK11-DF, RK05-AB, 230V 60HZ
N1154-MB	RS	JFB		WM	3 2/75	E		- N1154-DA EXCEPT 11/50-BW, H960-DC, RK11-DH, RK05-BA, 115V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
N1154-TA	RS	JFB		WM	3	2/75 E	-	N1154-DA W QR430-AE RSTS INSTEAD OF QJ580-AE RSX-11D, 115V 60HZ
N1154-TB	RS	JFB		WM	3	2/75 E	-	N1154-DB W QR430-AE RSTS INSTEAD OF QJ580-AE RSX-11D, 230V 50HZ
N1154-TC	RS	JFB		WM	3	2/75 E	-	N1154-DC W QR430-AE RSTS INSTEAD OF QJ580-AE RSX-11D, 230V 60HZ
N1154-TD	RS	JFB		WM	3	2/75 E	-	N1154-DD W QR430-AE RSTS INSTEAD OF QJ580-AE RSX-11D, 115V 50HZ
N1155-DA	RS	JFB		WM	3	2/75 E	-	N1154-DA, NU110-BA, 115V 60HZ
N1155-DB	RS	JFB		WM	3	2/75 E	-	N1154-DB, NU110-BC, 230V 50HZ
N1155-DC	RS	JFB		WM	3	2/75 E	-	N1154-DC, NU110-BC, 230V 60HZ
N1155-DD	RS	JFB		WM	3	2/75 E	-	N1154-DD, NU110-BA, 115V 50HZ
N1156-DA	RS	JFB		WM	3	2/75 E	-	1150-BS, MF11-UR, H324, RK11-DE, RK05-AA, FP11-B, H960-DC, QJ580-AE RSX-11D, QP100-AE FORTRAN 4, 115V 60HZ
N1156-DB	RS	JFB		WM	3	2/75 E	-	N1156-DA EXCEPT 11/50-BT, RK11-DJ, RK05-BB, H960-DD, 230V 50HZ
N1156-DC	RS	JFB		WM	3	2/75 E	-	N1156-DA EXCEPT 11/50-BT, RK11-DF, RK05-AB, H960-DD, 230V 60HZ
N1156-DD	RS	JFB		WM	3	2/75 E	-	N1156-DA EXCEPT 11/50-BS, RK11-DH, RK05-BA, H960-DC, 115V 50HZ
N801-BA	RS	JFB		WM	5	1/75 E	-	8F, 8K, UDC + IND-BASIC, 115V 60HZ
N801-BB	RS	JFB		WM	5	1/75 E	-	8F, 8K, UDC + IND-BASIC, 230V 50HZ
N801-BC	RS	JFB		WM	5	1/75 E	-	N801-B, 230V 60HZ
N801-BD	RS	JFB		WM	5	1/75 E	-	N801-B, 115V 50HZ
N801-SA	RS	JFB		WM	5	1/75 E	-	N801-XA + RTS, 115V 60HZ
N801-SB	RS	JFB		WM	5	1/75 E	-	N801-XB + RTS, 230V 50HZ
N801-SC	RS	JFB		WM	5	1/75 E	-	N801-XC + RTS, 230V 60HZ
N801-SD	RS	JFB		WM	5	1/75 E	-	N801-XD + RTS, 115V 50HZ
N801-XA	RS	JFB		WM	5	1/75 E	-	8E, 8K, OS8, 115V 60HZ
N801-XB	RS	JFB		WM	5	1/75 E	-	N801-X, 230V 50HZ
N801-XC	RS	JFB		WM	5	1/75 E	-	N801-X, 230V 60HZ
N801-XD	RS	JFB		WM	5	1/75 E	-	N801-X, 115V 50HZ
N810-CA	RS	JFB		WM	5	1/75 E	-	8E, 16K + OS8, 115V 60HZ
N810-CB	RS	JFB		WM	5	1/75 E	-	8E, 16K + OS8, 230V 50HZ
N810-CC	RS	JFB		WM	5	1/75 E	-	8E, 16K + OS8, 230V 60HZ
N810-CD	RS	JFB		WM	5	1/75 E	-	8E, 16K + OS8, 115V 50HZ
N810-CE	RS	JFB		WM	5	1/75 E	-	8E, 8K + OS8, 115V 60HZ
N810-CF	RS	JFB		WM	5	1/75 E	-	8E, 8K + OS8, 230V 50HZ
N810-CH	RS	JFB		WM	5	1/75 E	-	8E, 8K + OS8, 230V 60HZ
N810-CJ	RS	JFB		WM	5	1/75 E	-	8E, 8K + OS8, 115V 50HZ
N810-SA	RS	JFB		WM	5	1/75 E	-	N810-CA + RTS, 115V 60HZ
N810-SB	RS	JFB		WM	5	1/75 E	-	N810-CB + RTS, 230V 50HZ
N810-SC	RS	JFB		WM	5	1/75 E	-	N810-CC + RTS, 230V 60HZ
N810-SD	RS	JFB		WM	5	1/75 E	-	N810-CD + RTS, 115V 50HZ
N811-BA	RS	JFB		WM	6	1/75 E	-	8E, 16K, UDC + IND-BASIC, 115V 60HZ
N811-BB	RS	JFB		WM	6	1/75 E	-	8E, 16K, UDC + IND-BASIC, 230V 50HZ
N811-BC	RS	JFB		WM	6	1/75 E	-	N811-B, 230V 60HZ
N811-BD	RS	JFB		WM	6	1/75 E	-	N811-B, 115V 50HZ
NAC-1A	RS	JFB		WM	2	2/75 B	ICS8, ICS8-X, ICS11	IAC-1A + 2 H1501-A
NAC-1B	RS	JFB		WM	2	2/75 B	ICS8, ICS8-X, ICS11	IAC-1B + 2 H1501-A
NAC-0A	RS	JFB		WM	2	2/75 B	ICS8, ICS8-X, ICS11	IAC-0A + 2 H1601-A
NAC-0B	RS	JFB		WM	2	2/75 B	ICS8, ICS8-X, ICS11	IAC-0B + 2 H1601-A
NAD-1A	RS	JFB		WM	4	2/75 B	ICS8, ICS8-X, ICS11	IAD-1A + BC40K-1J
NC11-A		JF		CSS	4	9/72 N	11	INTERFACE TO GAMMA CAMERA
NC111-AA	RS	JFB			3	9/74 D	NC111-HA	LOCAL LINE UNIT FOR 10 CHAR/SEC LT33
NC111-AE	RS	JFB			3	9/74 D	NC111-HA	LOCAL LINE UNIT FOR 30 CHAR/SEC LA30, VT05
NC111-AG	RS	JFB			3	9/74 D	NC111-HA	LOCAL LINE UNIT FOR RT02
NC111-AN	RS	JFB			3	9/74 D	NC111-HA	LOCAL LINE UNIT FOR 240 CHAR/SEC VT05
NC111-BE	RS	JFB			3	9/74 D	NC111-HA	REMOTE LINE UNIT FOR RT02, VT05, LA30
NC111-HA	RS	JFB			3	9/74 D	11	COMMUNICATIONS SUBSYSTEM TYPE 1 (DL11 SERIES)
NC112-AX	RS	JFB			3	9/74 D	NC112-HB	LOCAL LINE UNIT
NC112-BX	RS	JFB			3	9/74 D	NC112-HB	REMOTE LINE UNIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD E IGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	93
NC112-HB	RS	JFB			3 9/74	D	11	COMMUNICATIONS SUBSYSTEM TYPE 2 (DH11 SERIES)	
NCS11-AA	RS	JFB		WM	4 2/75	B	11	ICS11-MA, H964-FA, H964-P, 115V 60HZ	
NCS11-AB	RS	JFB		WM	4 2/75	B	11	ICS11-MB, H964-FB, H964-P, 230V 50HZ	
NCS11-BA	RS	JFB		WM	4 2/75	B	11	ICS11-MA, H964-FA, H964-P, H009, 115V 60HZ	
NCS11-BB	RS	JFB		WM	4 2/75	B	11	ICS11-MB, H964-FB, H964-P, H009, 230V 50HZ	
NCS8-AA	RS	JFB		WM	4 2/75	B	8	ICS8-MA, H964-FA, H964-P, 115V 60HZ	
NCS8-AB	RS	JFB		WM	4 2/75	B	8	ICS8-MB, H964-FB, H964-P, 230V 50HZ	
NCS8-BA	RS	JFB		WM	4 2/75	B	8	ICS8-MA, H964-FA, H964-P, H009, 115V 60HZ	
NCS8-BB	RS	JFB		WM	4 2/75	B	8	ICS8-MB, H964-FB, H964-P, H009, 230V 50HZ	
NDA-0A	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDA-0A + BC40K-1J	
NDC-1A	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-1A + BC40H-1J	
NDC-1B	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-1B + BC40H-1J	
NDC-1C	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-1C + BC40H-1J	
NDC-1D	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-1D + BC40H-1J	
NDC-1E	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-1E + BC40H-1J	
NDC-0A	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-0A + BC40H-1J	
NDC-0B	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IDC-0B + BC40H-1J	
NF01					6	N	8, 9	2 MHZ TOF DIGITIZER & BUFFER	
NF02					6	N	8, 9	10 MHZ TOF DIGITIZER & BUFFER	
NF11					6	N	NF01, NF02	BUFFER OVERFLOW DETECTOR	
NF12					6	N	NF01, NF02	DEAD TIME CONTROL	
NF13					6	N	NF01, NF02	SYNCHRONOUS TRIGGER OUTPUT	
NF14					6	N	NF02	SOURCE ID INPUT	
NF21					6	N	NF01, NF02	SYNC START MASTER CLOCK	
NF22					6	N	NF01	8 MHZ OSC, CONTROL & PRESCALER	
NF31					6	N	NF01, NF02	2 MORE LEVELS OF BUFFERING	
NF32					6	N	NF01, NF02	4 MORE LEVELS OF BUFFERING	
NH14-A		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04-A WITH API	
NH14-B		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04-A WITH API	
NH14-C		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04-C WITH API	
NK01-A		CV		CSS	6 7/71	N	8	ADC TRANSFERS 1 12-BIT WORD TO ACC	
NK01-B		CV		CSS	6 7/71	N	8	NK01-A + INCREMENT MODE	
NK01-C		CV		CSS	6 7/71	N	8	NK01-B + LIST MODE	
NK04-A		CV		CSS	6 7/71	N	8	2 ADC TRANSFERS 1 12-BIT WORD FROM EACH	
NK04-B		CV		CSS	6 7/71	N	8	NK04-A + INCREMENT MODE	
NK04-C		CV		CSS	6 7/71	N	8	NK04-B + LIST MODE	
NMX-1A	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IMX-1A + BC40K-1J	
NY01-A		EW		CSS	3	N	8 POS	ADC TRANSFERS 1 12-BIT WORD TO ACC W VR01-A CONT	
NN01-B		EW		CSS	3 7/71	N	8 POS	NN01-A WITH NO VR01-A CONT	
NP02-DP		CV		CSS	3	N	NP02-LA, -LB, -LM, -LN	DISPLAY PANEL	
NP02-LA		CV		CSS	3	N	15	2 ADC DEPENDENT/INDEPENDENT LIST MODE ONLY	
NP02-LB		CV		CSS	3	N	15	2ND NP02-LA	
NP02-LM		CV		CSS	3	N	9	NEG BUS NP02-LA	
NP02-LN		CV		CSS	3	N	9	NEG BUS NP02-LB	
NP11-A		JT		CSS	2 10/73	N	11	PHA INTERFACE, MEM INCR & LIST MODE	
NP11-M		RW		CSS	3	N	11	PHA INTERFACE, MEM INCR MODE	
NP11-LM		PR		SS"U	3 3/72	N	11	PHA INTERFACE, MEM INCR, LIST, MULTISCALER MODES	
NP15		RW			3 3/74	N	15	NP02-LA IN PDP15 CAB	
NP8-EA		DF		SSCAC	3 11/71	N	8/E	PHA INTFC, MEM INCR, 2 WORD PAIR, ACC MODE	
NPC11-A	ESS	BRR		CSS	2 1/75	N	DD11	INTERFACE TO PACKARD SCINTILLATION CTR 3380	
NPC11-B	ESS	BRR		CSS	2 1/75	N	DD11	INTERFACE TO PACKARD SCINTILLATION CTR 3214 & 3320	
NPC11-C	ESS	BRR		CSS	2 1/75	N	NPC11-A, -B	TESTER	
NRL-0A	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IRL-0A + BC40H-1J	
NRL-0B	RS	JFB		WM	4 2/75	B	ICS8, ICS8-X, ICS11	IRL-0B + BC40H-1J	
NU112-AA		JFB			3 3/74	B	11	UDC TYPE 1 BOTTOM ENTRY: H964-AA, UDC11, H964-MA, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	94
NU110-AB		JFB			6 5/74	B	11	UDC TYPE 1 TOP ENTRY: H964-AA, UDC11, H964-MA, H964-P, 115V	
NU110-AC		JFB			3 3/74	B	11	UDC TYPE 1 BOTTOM ENTRY: H964-AB, UDC11, H964-MA, 230V	
NU110-AD		JFB			6 5/74	B	11	UDC TYPE 1 TOP ENTRY: H964-AB, UDC11, H964-MA, H964-P, 230V	
NU110-BA		JFB			6 5/74	B	11	UDC TYPE 2 BOTTOM ENTRY: H964-CA, UDC11, 115V	
NU110-BB		JFB			3 3/74	B	11	UDC TYPE 2 TOP ENTRY: H964-CB, UDC11, 115V	
NU110-BC		JFB			6 5/74	B	11	UDC TYPE 2 BOTTOM ENTRY: H964-CC, UDC11, 230V	
NU110-BD		JFB			3 3/74	B	11	UDC TYPE 2 TOP ENTRY: H964-CD, UDC11, 230V	
NU800-AA		JFB			3 3/74	B	8 POS	UDC TYPE 1 BOTTOM ENTRY: H964-AA, UDC8-PA, H964-MA, 115V	
NU800-AB		JFB			6 5/74	B	8 POS	UDC TYPE 1 TOP ENTRY: H964-AA, UDC8-PA, H964-MA, H964-P 115V	
NU800-AC		JFB			3 3/74	B	8 POS	UDC TYPE 1 BOTTOM ENTRY: H964-AB, UDC8-PA, H964-MA, 230V	
NU800-AD		JFB			6 5/74	B	8 POS	UDC TYPE 1 TOP ENTRY: H964-AA, UDC8-PA, H964-MA, H964-P 230V	
OMD8-S		RR		TPL	5	B	8/S	OPTION MOUNTING HARDWARE	
OMNIB-US	JC	RW			2 11/74	R	8/A, 8/E, 8/M	OMNIBUS SPEC	
OS/8-10					3 3/72	E	-	8K 8/E, T08-EM, LA30, OS/8 (QFS8-B)	
OS/8-20					3 3/72	E	-	12K 8/E, T08-EM, LS8-EA, VT05, OS/8 (QFS8-B)	
OS/8-30					3 3/72	E	-	16K 8/E, T08-EM, TU50, LE8-F, VT05, OS/8 (QFS8-B)	
OS/8-70					3 3/72	E	-	8K 8/E, T08-EM, RF08, RS08, LS8-EA, VT05, OS/8 (QFS8-B)	
OS/8-80					3 3/72	E	-	12K 8/E, T08-EM, DF32-EP, DS32-D, LA30, OS/8 (QFS8-B)	
OS/8-90					3 3/72	E	-	16K 8/E, T08-EM, RK8-A, LE8-F, VT05, OS/8 (QFS8-B)	
PA60-A	MI	RFC			5	P	8 NEG	PT CONTROL FOR 2 PA61-A DRIVERS	
PA60-B	MI	RFC			4	P	8 NEG	PA60-A CONTROL EXTENSION FOR 2 PA61-A	
PA60-C	MI	RFC			4	P	PR68-A	NON-TORE TAPE ALLOTMENT	
PA61-A	MI	RFC			5	P	PA60-A, PA60-B	DRIVER FOR 4 READERS & 4 PUNCHES	
PA611-AA	MI	RFC			3 1/72	P	11	PA611-R + PS & MTNG HDW 115V 60HZ	
PA611-AB	MI	RFC			3 1/72	P	11	PA611-R + PS & MTNG HDW 230V 50HZ	
PA611-BA	MI	RFC			3 1/72	P	11	PA611-P + PS & MTNG HDW 115V 60HZ	
PA611-BB	MI	RFC			3 1/72	P	11	PA611-P + PS & MTNG HDW 230V 50HZ	
PA611-CA	MI	RFC			3 1/72	P	11	PA611-R + PA611-P + PS & MTNG HDW 115V 60HZ	
PA611-CB	MI	RFC			3 1/72	P	11	PA611-R + PA611-P + PS & MTNG HDW 230V 50HZ	
PA611-CC	RBH	DMT		DAS	3 6/73	P	11	PA611-CA W PA611-RC INSTEAD OF PA611-R	
PA611-DA	MI	RFC			3 1/72	P	11	2 PA611-R + 2 PA611-P + CAB + PS & MTNG HDW 115V 60HZ	
PA611-DB	MI	RFC			3 1/72	P	11	2 PA611-R + 2 PA611-P + CAB + PS & MTNG HDW 230V 50HZ	
PA611-DC	RBH	DMT		DAS	3 5/73	P	11	PA611-DA W 2 PA611-RC INSTEAD OF 2 PA611-R	
PA611-EA	MI	RFC			3 1/72	P	11	4 PA611-R + 4 PA611-P + CAB + PS & MTNG HDW 115V 60HZ	
PA611-EB	MI	RFC			3 1/72	P	11	4 PA611-R + 4 PA611-P + CAB + PS & MTNG HDW 230V 50HZ	
PA611-P	MI	RFC			6 4/74	P	11	2 CH PUNCH CONT FOR 6 OR 8-LEVEL PUNCH	
PA611-R	MI	RFC			6 4/74	P	11	2 CH PR68 READER CONT	
PA611-RC	RBH	DMT			3 5/73	P	11	PA611-R MODIFIED FOR TTY-CX READERS	
PA62	MI	RFC			3	P	8 NEG	DUAL COMPUTER I/O SWITCH	
PA63	MI	RFC			5	P	8 POS	16 CHANNEL MUX FOR TYPESETTING	
PA68-A	MI	RFC			5	P	8, 8/I, 8/S NEG	READER & PUNCH CONTROL	
PA68-F	MI	RFC			5	P	8 POS	READER & PUNCH CONTROL	
PC01	EC	AEW			5	P	804, 10	SPARE PT READER & PUNCH ASSEMBLY, 60 HZ	
PC01-A	EC	AEW			5	P		SPARE PT READER & PUNCH ASSEMBLY, 50 HZ	
PC02	EC	AEW			5	P		SPARE PT READER (DEC MFG)	
PC03	EC	AEW			5	P		SPARE PT PUNCH (ROYAL MCBEE), 60 HZ	
PC03-A	EC	AEW			5	P		SPARE PT PUNCH (ROYAL MCBEE), 50 HZ	
PC04-B	EC	AEW			4	P		PT PU, RDR & POWER SUPPLY (NEW PC01), 60 HZ	
PC04-BA	EC	AEW			4	P		PT PU, RDR & POWER SUPPLY (NEW PC01-A) 50 HZ	
PC04-BB	EC	AEW			4	P		PC04-B FOR PDP8/I, 60 HZ	
PC04-BC	EC	AEW			4	P		PC04-BA FOR PDP8/I, 50 HZ	



MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
PC04-BL	EC	AEN			4	P	PC8-L, PC8-E, PC8-EB	PC04-B FOR PDP8/L, 60 HZ	
PC04-BM	EC	AEN			4	P	PC8-LA, PC8-EA, -EC	PC04-BA FOR PDP8/L, 50 HZ	
PC04-C	EC	AEN			4	P	NEG LOGIC	PT PU, RDR, PS, SCR (NEW PC09), 60 HZ	
PC04-CA	EC	AEN			4	P	NEG LOGIC	PT PU, RDR, PS, SCR (NEW PC09-A), 50 HZ	
PC04-CL		KE			2	P	10	PT PU, RDR, PS, SCR POS LOGIC, 60HZ	
PC04-CM		KE			2	P	10	PT PU, RDR, PS, SCR POS LOGIC, 50HZ	
PC04-P	EC	AEN			4	P	NEG LOGIC	PT PUNCH, POWER SUPPLY (NEW PC03), 60 HZ	
PC04-PA	EC	AEN			4	P	NEG LOGIC	PT PUNCH, POWER SUPPLY (NEW PC03-A), 50 HZ	
PC04-PL	EC	AEN			4	P	PP8-L, PP8-E	PC04-P FOR PDP8/L, 60 HZ	
PC04-PM	EC	AEN			4	P	PP8-LA, PP8-EA	PC04-PA FOR PDP8/L, 50 HZ	
PC04-R	EC	AEN			2	P	NEG LOGIC	PT READER, POWER SUPPLY (NEW PC02)	
PC04-RB	EC	AEN			4	P	PR8-I, PR8-L, PR8-E	PC04-R FOR PDP8/I & PDP8/L	
PC05-C	EC	AEN			2	P	POS LOGIC	PT PU, RDR, PS, SCR (FREE STANDING PC04-C), 60 HZ	
PC05-CA	EC	AEN			2	P	POS LOGIC	PT PU, RDR, PS, SCR (FREE STANDING PC04-CA), 50 HZ	
PC05-CB	EC	AEN	RR		3	P	POS LOGIC	OEM PC05-C	
PC05-CC	EC	AEN	RR		3	P	POS LOGIC	OEM PC05-CA	
PC05-P	EC	AEN			2	P	POS LOGIC	PT PUNCH; POWER SUPPLY (FREE STANDING PC04-P), 60 HZ	
PC05-PA	EC	AEN			2	P	POS LOGIC	PT PUNCH; POWER SUPPLY (FREE STANDING PC04-PA), 50 HZ	
PC05-PB	EC	AEN	RR		3	P	POS LOGIC	OEM PC05-P	
PC05-PC	EC	AEN	RR		3	P	POS LOGIC	OEM PC05-PA	
PC05-R	EC	AEN			2	P	POS LOGIC	PT READER, POWER SUPPLY (FREE STANDING PC04-R)	
PC05-RD	EC	AEN	RR		3	P	POS LOGIC	OEM PC05-R	
PC09	EC				5	P	9	PC01 MODIFIED FOR PDP9	
PC09-A	EC				5	P	9	50 HZ PC09	
PC09-B	MI				4	P	K009-C	PC09 & MODULES FOR PDP9/L	
PC09-C	MI				4	P	K009-C	PC09-A & MODULES FOR PDP9/L	
PC10	OG				6	8/72	P	10	PC01 W MOD BUCKETS & SCR CONTROL, 60 HZ
PC10-A	OG				6	8/72	P	10	PC01-A W MOD BUCKETS & SCR CONTROL, 50 HZ
PC11	JMB			FS	5	3/72	P	11	PT RDR-PUNCH (PC05-C & CONTROL), 60HZ (M781)
PC11-A	JMB			FS	5	3/72	P	11	PT RDR-PUNCH (PC05-CA & CONTROL) 50HZ (M781)
PC12	AW				5	3/71	P	8A12	PT RDR-PUNCH (PC05-C & CONTROL), 60 HZ
PC12-A	AW				3	1/72	P	8A12	PT RDR-PUNCH (PC05-CA & CONTROL), 50 HZ
PC15		FA			4		P	9A15-A	PC05-C & CONTROL, 60 HZ
PC15-A		FA			3	1/72	P	9A15-A	PC05-CA & CONTROL, 50 HZ
PC8-E		LN			4		P	8/E	PT READER & PUNCH (PC04-BL & CONT) 60HZ
PC8-EA		LN			4		P	8/E	PT READER & PUNCH (PC04-BM & CONT) 50HZ
PC8-EB		LN			3	1/72	P	8/E	TABLE TOP PC8-E
PC8-EC		LN			2	5/71	P	8/E	TABLE TOP PC8-EA
PC8-I		RR		TPL	5		P	8/I	PAPER TAPE READER & PUNCH (PC04-BB & CONT)
PC8-IA		RR		TPL	5		P	8/I	PT READER & PUNCH (PC04-BC & CONT) 50HZ
PC8-L		RR		TPL	5		P	8/L	PT READER & PUNCH (PC04-BL & CONTROL), 60 HZ
PC8-LA		RR		TPL	5		P	8/L	PT READER & PUNCH (PC04-BM & CONTROL), 50 HZ
PCR11		CRD			3	8/71	P	11R20	PC11 ADAPTED FOR RUGGED 11 (60HZ)
PCR11-A		CRD			3	8/71	P	11R20	PC11-A ADAPTED FOR RUGGED 11 (50HZ)
PCR11-C		AS			3	1/72	P	11/07-AA, -BA	PCR11 IN H957 CAB (60HZ)
PCR11-CA		AS			3	1/72	P	11/07-AB, -8B	PCR11-A IN H957 CAB (50HZ)
PCS16-A		JLE			3	1/72	K	16	PROGRAM CONTROL SEQUENCER (PCS) CONTROL (M7326)
PCS16-B		JLE			3	1/72	K	16	PCS SEQUENCE CONTROL (M7327) 8X256 PROM
PCS16-BA		JLE			3	9/72	K	16/M	PDP16-M DIAGNOSTIC ROM 0
PCS16-BB		JLE			3	9/72	K	16/M	PDP16-M DIAGNOSTIC ROM 1
PCS16-BC		JLE			3	9/72	K	16/M	PDP16-M DIAGNOSTIC ROM 2
PCS16-BD		JLE			3	9/72	K	16/M	PDP16-M DIAGNOSTIC ROM 3
PCS16-BE		JLE			3	9/72	K	16/M	PDP16-M DIAGNOSTIC ROM 4
PCS16-BE		JLE			3	9/72	K	16/M	PDP16-M ROM SIMULATOR PROGRAM
PCS16-BF		JLE			3	9/72	K	16/M	PDP16-M ROM LOADER PROGRAM

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PCS16-BG		JLE			3	9/72 K	16/M	PSP16-M ROM LISTER PROGRAM
PCS16-BR		JLE			3	9/72 K	16/M	PROM ERASE & RELOAD SERVICE
PCS16-C		JLE			3	1/72 K	16	PCS DECODER (M7328)
PCS16-D		JLE			3	1/72 K	16	PCS BOOLEAN MUX (M7329)
PDL11-AA	AW	RI			2	12/74 E	-	PROGRAMMED DATA LOGGER: 11/10-SC, TA11-AA, AR11, DR11-K, 2 M322, LA36-CA, H967-KM, H716-C, QJ190-AH, QJ180-AH, QJ942-AH, 115V 60HZ
PDL11-AB	AW	RI			2	12/74 E	-	PDL11-AA EXCEPT 11/10-SD TA11-AB LA36-CB H967-KN H716-D, 230V 50HZ
PDM70-AA	RJM	PDM	WLS	MAY	3	9/73 E	-	SERIAL PROGRAMMED DATA MOVER BASIC BOX W PS, MOTHER BOARD, KEYBOARD, CLOCK BOARD, 5" HIGH RACK MOUNTABLE, 115V
PDM70-AB	RJM	PDM	WLS	MAY	3	9/73 E	-	PDM70-AA, 230V
PDM70-BA	RJM	PDM	WLS	MAY	3	9/73 E	-	PDM70-AA WITH 32 CHAR BURROUGHS DISPLAY, 115V
PDM70-BB	RJM	PDM	WLS	MAY	3	9/73 E	-	PDM70-AB WITH 32 CHAR BURROUGHS DISPLAY, 230V
PDM70-CA	RJM	PDM	WLS	MAY	3	9/73 E	-	PDM70-AA W NO KEYBOARD & PLAIN FRONT BEZEL, 115V
PDM70-CB	RJM	PDM	WLS	MAY	3	9/73 E	-	PDM70-AB W NO KEYBOARD & PLAIN FRONT BEZEL, 230V
PDM70-D	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	32 BIT INPUT (M7381)
PDM70-E	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	32 BIT OUTPUT (M7382)
PDM70-F	RJM	PDM	WLS	MAY	3	9/73 A	PDM70-A, -B, -C	4 CH ANALOG INPUT (M7383)
PDM70-H	RJM	PDM	WLS	MAY	3	9/73 A	PDM70-A, -B, -C	2 CH ANALOG OUTPUT (M7384)
PDM70-IN	RJM	PDM	WLS	MAY	3	9/73 B	PDM70	SYSTEM INSTALLATION FEE
PDM70-J	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	81T SERIAL I/O, EIA OR 20 MA (M7385)
PDM70-JR	RJM	EN	WLS	MAY	3	10/74 D	PDM70-A, -B, -C	REMOTE SERIAL I/O INTERFACE (M7377)
PDM70-K	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	16 KEY KEYBOARD (M7386)
PDM70-L	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-K	32 CHARACTER BURROUGHS DISPLAY
PDM70-M	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	GEN PURPOSE CHAR SERIAL I/O (M7388)
PDM70-N	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	64 CHAR PROM READ IN OPTION, M7387
PDM70-P	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	PROGRAMMABLE BUS CONTROL
PDM70-R	RJM	PDM	WLS	MAY	3	9/73 D	PDM70-A, -B, -C	BIT SERIAL BUS INTERFACE, 20MA
PDM70-SD	RJM	EN	WLS	MAY	3	10/74 D	PDM70-A, -B, -C	PDM70 FOUNDATION HW MODULE (M7378)
PDP1		RR			6		E	18 BIT SYSTEM MODULES
PDP1-D		RR			6		E	PDP1 WITH MEMORY BUS
PDP10		KE			5		E	36 BIT COMPUTER PDP6 PROGRAMS (USES KA10)
PDP11-05	ST	RAA			4	8/72 E	-	KD11-B PROCESSOR, OEM
PDP11-10	ST	RAA			4	8/72 E	-	KD11-B PROCESSOR, END USER
PDP11-15		CMD			4	3/71 E	-	SEE 11/15-XX
PDP11-20		JO			5	6/71 E	-	KA11 PROC, PS, MM11-E, BA11-CS, KY11-A, LT33-D
PDP11-35		JO			2	7/72 E	-	KD11-A PROCESSOR, OEM
PDP11-40		JO			2	7/72 E	-	KD11-A PROC, IN 11/45 BOX
PDP11-45		CL			3	4/73 E	-	HIGH SPEED PDP11 FAMILY MACHINE
PDP12-10	SNT	RI			5	1/73 E	-	PDP12-C W AD12, DR12
PDP12-20	SNT	RI			5	1/73 E	-	12/10 W VC12, VR14, TC12, TU56, KF12
PDP12-30	SNT	RI			5	1/73 E	-	12/20 W MC12, KW12-A
PDP12-40	SNT	RI			5	1/73 E	-	12/30 W FPP12
PDP12-A	SNT	RI			6		E	PDP12-B W A/D, RELAYS
PDP12-B	SNT	RI			6		E	PDP12-C W TAPE, DISPLAY
PDP12-C	SNT	RI			6		E	BASIC LINC8/1
PDP14-LP	JM	AR			5		E	KA14, BE14 & POWER SUPPLY
PDP14-LK	JM	AR			6	1/72 E	-	PDP14-LP, BX14, BY14
PDP14-K	JM	AR			3		E	PDP14-P, BX14-DA, BY14-DA
PDP14-P	JM	AR			6	3/74 E	-	12 BIT MACHINE CONTROLLER (PROCESSOR ONLY)
PDP14-PX	JM	AR			5	6/71 E	-	PDP14-P W EXTRA POWER SUPPLY
PDP15-10		FA			5		E	BASIC PDP15 SYSTEM
PDP15-20		FA			4		E	ADVANCED MONITOR SYSTEM
PDP15-30		FA			4		E	BACKGROUND/FOREGROUND SYSTEM
PDP15-35		FA			3		E	SPECIAL CONFIGURATION FOR REAL TIME EXECUTIVE SYSTEM (RSX)
PDP15-40		FA			4		E	BACKGROUND/FOREGROUND DISK SYSTEM

MODEL NO	ENG MGR	DESIGN ENGR	PROD C IGR	MFR AREA	STATUS MD/YR	CATE-GORY	USED ON	DESCRIPTION
PDP15-50		FA			3 6/71	E		PDP15-40 + BATCH
PDP15-CA	FD	FD			2 10/74	E		BASIC PDP15 REPACKAGED W/ H742-A POWER SUPPLY, 115V
PDP15-CB	FD	FD			2 11/74	E	-	BASIC PDP15 REPACKAGED W/ H742-B POWER SUPPLY, 230V
PDP16	RJM	DCB			3	E	-	COMPUTER MADE FROM REGISTER TRANSFER MODULES
PDP16-MA	MI	RR		TP-	3 3/72	E	-	PDP16 IN 8/M 12 INCH BOX W PREDEFINED INSTRUCTION SET 115V
PDP16-MB	MI	RR		TP-	3 3/72	E	-	PDP16 IN 8/M 12 INCH BOX W PREDEFINED INSTRUCTION SET 230V
PDP16-MC	MI	RR		TP-	3 6/73	E	-	PDP16-MA W NO 8/M BOX, 115V
PDP16-MD	MI	RR		TP-	3 6/73	E	-	PDP16-MB W NO 8/M BOX, 230V
PDP16-ME	MI	RR		TP-	3 6/73	E	-	PDP16-M W NO 8/M BOX, NO PWR SUPPLY
PDP16-MF	MI	RR		TP-	2 6/73	E	-	PDP16-MA IN 15-INCH 8/M BOX, 115V
PDP16-MH	MI	RR		TP-	2 6/73	E	-	PDP16-MB IN 15-INCH 8/M BOX, 230V
PDP4		RR			6	E		10 BIT SYSTEM MODULES
PDP5		AB			6	E		12 BIT SYSTEM MODULES
PDP7		RR			6	E		18 BIT FLIP CHIP MODULES PDP04 CODE
PDP7-A		RR			6	E		IMPROVED PDP7
PDP8		RR			5	E		12 BIT FLIP CHIP MODULES PDP5 CODE
PDP8A-AA	JC	JK			2 5/74	E	-	PDP8 CPU, 10 SLOT BACKPLANE, CHASSIS ASSY, H763-A PS, 115V
PDP8A-AB	JC	JK			2 5/74	E	-	PDP8 CPU, 10 SLOT BACKPLANE, CHASSIS ASSY, H763-A PS, 230V
PDP8A-AC	JC	JK			2 5/74	E	-	PDP8A-AA + 1K RAM, 115V
PDP8A-AD	JC	JK			2 5/74	E	-	PDP8A-AB + 1K RAM, 230V
PDP8A-AE	JC	JK			2 5/74	E	-	PDP8A-AA + 2K RAM, 115V
PDP8A-AF	JC	JK			2 5/74	E	-	PDP8A-AB + 2K RAM, 230V
PDP8A-AH	JC	JK			2 5/74	E	-	PDP8A-AA + 3K RAM, 115V
PDP8A-AJ	JC	JK			2 5/74	E	-	PDP8A-AB + 3K RAM, 230V
PDP8A-AK	JC	JK			2 5/74	E	-	PDP8A-AA + 4K RAM, 115V
PDP8A-AL	JC	JK			2 5/74	E	-	PDP8A-AB + 4K RAM, 230V
PDP8A-FA	JC	JK			2 5/74	E	-	PDP8A-AA + MR8-FB 1K PROM, 115V
PDP8A-FB	JC	JK			2 5/74	E	-	PDP8A-AB + MR8-FB 1K PROM, 230V
PDP8-B		LG			2 5/74	E		MIN PDP8, MOS
PDP8-E		JK			4	E		PDP8-I ON BIG CARDS, EXPANDED ORDER CODE
PDP8E-AA		JK			4	E		4K 8/E RACK MOUNTABLE (RM) 115V
PDP8E-AB		JK			4	E		4K 8/E RACK MOUNTABLE (RM) 230V
PDP8E-AC		JK			3 9/71	E	-	8K PDP8E-AA
PDP8E-AF		JK			3 9/71	E	-	8K PDP8E-AB
PDP8E-AS	JC	JK			3 10/73	E	-	16K PDP8E, RACK MOUNTABLE, KL8-E, KC8-E CONSOLE, 115V
PDP8E-AT	JC	JK			3 10/73	E	-	16K PDP8E, RACK MOUNTABLE, KL8-E, KC8-E CONSOLE, 230V
PDP8E-BA		JK			4	E		4K 8/E TABLE TOP (TT) 115V
PDP8E-BB		JK			4	E		4K 8/E TABLE TOP (TT) 230V
PDP8E-BE		JK			3 9/71	E	-	8K 8/E TT 115V
PDP8E-BF		JK			3 9/71	E	-	8K 8/E TT 230V
PDP8E-BS	JC	JK			3 10/73	E	-	16K PDP8E, TABLE TOP, KL8-E, KC8-E CONSOLE, 115V
PDP8E-BT	JC	JK			3 10/73	E	-	16K PDP8E, TABLE TOP, KL8-E, KC8-E CONSOLE, 230V
PDP8E-CA		JK			6 6/72	E		4K 8/E CABINET MOUNTED (CAB) 115V
PDP8E-CB		JK			6 6/72	E		4K 8/E CABINET MOUNTED (CAB) 230V
PDP8E-CE		JK			6 5/73	E	-	8K 8/E CAB 115V
PDP8E-CF		JK			6 5/73	E	-	8K 8/E CAB 230V
PDP8E-DA		JK			6 8/71	E		4K 8/E RM, OEM, 115V
PDP8E-DB		JK			6 8/71	E		4K 8/E RM, OEM, 230V
PDP8E-DC		JK			4 8/71	E		4K 8/E RM, OEM2, 115V
PDP8E-DD		JK			4 8/71	E		4K 8/E RM, OEM2, 230V
PDP8E-DE		JK			3 9/71	E	-	8K 8/E RM, OEM2, 115V
PDP8E-DF		JK			3 9/71	E	-	8K 8/E RM, OEM2, 230V
PDP8E-DS	JC	JK			3 10/73	E	-	16K PDP8E, RACK MOUNTABLE, KL8-E, KC8-E CONSOLE, 115V OEM
PDP8E-DT	JC	JK			3 10/73	E	-	16K PDP8E, RACK MOUNTABLE, KL8-E, KC8-E CONSOLE, 230V OEM
PDP8E-EA		JK			6 8/71	E		4K 8/E TT, DEM, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRS AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PDP8E-EB		JK			6 8/71	E		4K 8/E TT, OEM, 230V
PDP8E-EC		JK			4 8/71	E		4K 8/E TT, OEM2, 115V
PDP8E-ED		JK			4 8/71	E		4K 8/E TT, OEM2, 230V
PDP8E-EE		JK			3 9/71	E	-	8K 8/E TT, OEM2, 115V
PDP8E-EF		JK			3 9/71	E	-	8K 8/E TT, OEM2, 230V
PDP8E-ES	JC	JK			3 11/73	E	-	16K PDP8E, TABLE TOP, KL8-E, KC8-E CONSOLE, 115V OEM
PDP8E-ET	JC	JK			3 11/73	E	-	16K PDP8E, TABLE TOP, KL8-E, KC8-E CONSOLE, 230V OEM
PDP8E-FA		JK			6 8/71	E		4K 8/E CAB, OEM, 115V
PDP8E-FB		JK			6 8/71	E		4K 8/E CAB, OEM, 230V
PDP8E-FC		JK			6 5/73	E		4K 8/E CAB, OEM2, 115V
PDP8E-FD		JK			6 5/73	E		4K 8/E CAB, OEM2, 230V
PDP8E-FE		JK			6 5/73	E	-	8K 8/E, CAB, OEM2, 115V
PDP8E-FF		JK			6 5/73	E	-	8K 8/E, CAB, OEM2, 230V
PDP8E-FH	JC	PG			3 12/73	E	-	4K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 115V
PDP8E-FJ	JC	PG			3 12/73	E	-	4K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 230V
PDP8E-FK	JC	PG			3 12/73	E	-	8K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 115V
PDP8E-FL	JC	PG			3 12/73	E	-	8K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 230V
PDP8E-FS	JC	PG			3 12/73	E	-	16K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 115V
PDP8E-FT	JC	PG			3 12/73	E	-	16K PDP8E, RACK MOUNTABLE, KC8-EA CONSOLE, 230V
PDP8E-JA		JK			6 5/73	E		4K 8/E, RM, KC8-EC, KP8-E, 115V
PDP8E-JB		JK			6 5/73	E		4K 8/E, RM, KC8-EC, KP8-E, 230V
PDP8E-MA		JK			6 5/73	E		OEM 4K 8/E, RM, KC8-EC, KP8-E, 115V
PDP8E-MB		JK			6 5/73	E		OEM 4K 8/E, RM, KC8-EC, KP8-E, 230V
PDP8E-MC		JK			6 5/73	E		OEM2 4K 8/E, RM, KC8-EC, KP8-E, 115V
PDP8E-MD		JK			6 5/73	E		OEM2 4K 8/E, RM, KC8-EC, KP8-E, 230V
PDP8E-NA	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KC8-ED, RM, 115V
PDP8E-NB	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KC8-ED, RM, 230V
PDP8E-NE		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KC8-ED, RM, 115V
PDP8E-NF		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KC8-ED, RM, 230V
PDP8E-PA	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KC8-ED, TT, 115V
PDP8E-PB	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KC8-ED, TT, 230V
PDP8E-PE		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KC8-ED, TT, 115V
PDP8E-PF		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KC8-ED, TT, 230V
PDP8F		PG			4 2/72	E	-	BASIC PDP8-E IN SHORT BOX W KL8-E, KC8-FL CONSOLE
PDP8F-AA		PG			6 4/73	E	-	4K PDP8F RACK MOUNTABLE 115V IN 12" BOX
PDP8F-AB		PG			6 4/73	E	-	4K PDP8F RACK MOUNTABLE 230V IN 12" BOX
PDP8F-AE		PG			6 4/73	E	-	8K PDP8F RACK MOUNTABLE 115V IN 12" BOX
PDP8F-AF		PG			6 4/73	E	-	8K PDP8F RACK MOUNTABLE 230V IN 12" BOX
PDP8F-AH	JC	PG			3 4/73	E	-	4K PDP8F, RACK MOUNTABLE, IN 15" BOX, 115V
PDP8F-AJ	JC	PG			3 4/73	E	-	4K PDP8F, RACK MOUNTABLE, IN 15" BOX, 230V
PDP8F-AK	JC	PG			3 4/73	E	-	8K PDP8F, RACK MOUNTABLE, IN 15" BOX, 115V
PDP8F-AL	JC	PG			3 4/73	E	-	8K PDP8F, RACK MOUNTABLE, IN 15" BOX, 230V
PDP8F-AS	JC	PG			3 3/74	E	-	16K PDP8F, RACK MOUNTABLE IN 15" BOX, 115V
PDP8F-AT	JC	PG			3 3/74	E	-	16K PDP8F, RACK MOUNTABLE IN 15" BOX, 230V
PDP8F-CA		PG			6 5/73	E	-	4K PDP8F, CABINET MOUNTED, IN 12" BOX, 115V
PDP8F-CB		PG			6 5/73	E	-	4K PDP8F, CABINET MOUNTED, IN 12" BOX, 230V
PDP8F-CE		PG			6 5/73	E	-	8K PDP8F, CABINET MOUNTED, IN 12" BOX, 115V
PDP8F-CF		PG			6 5/73	E	-	8K PDP8F, CABINET MOUNTED, IN 12" BOX, 230V
PDP8-I		RR		TPL	5	E		BASIC PDP8-I, 12 BIT M-SERIES MODULES
PDP8-IC		RR		TPL	5	E		PDP8-I IN CABINET
PDP8-ID		RR		TPL	5	E		PDP8-I IN H950 CABINET
PDP8-IP		RR		TPL	6	E		PDP8-I ON PEDESTAL
PDP8-L		RR		TPL	5	E		BASIC PDP8-L, MINIMUM AND COMPACT PDP8-I
PDP8-LA		RR		TPL	5	E		8/L W SLIDES, SERVICE, TTY
PDP8-LB		RR		TPL	5	E		8/L W SLIDES, SERVICE, NO TTY

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATJS MO/YR	CATE-GORY	USED ON	DESCRIPTION	99
PDP8-LC		RR		TP-	5	E		8/L W SLIDES, TTY, NO SERVICE	
PDP8-LD		RR		TP-	5	E		8/L W SLIDES, NO TTY, NO SERVICE	
PDP8-LE		RR		TP-	5	E		8/L W H950, SERVICE, TTY	
PDP8-LF		RR		TP-	5	E		8/L W H950, SERVICE, NO TTY	
PDP8-LG		RR		TP-	5	E		8/L W H950, TTY, NO SERVICE	
PDP8-LH		RR		TP-	5	E		8/L W H950, NO TTY, NO SERVICE	
PDP8-LJ		RR		TP-	5	E		8/L W COVER, TTY, SERVICE	
PDP8-LK		RR		TP-	5	E		8/L W COVER, SERVICE, NO TTY	
PDP8-LL		RR		TP-	5	E		8/L W COVER, TTY, NO SERVICE	
PDP8-LM		RR		TP-	5	E		8/L W COVER, NO TTY, NO SERVICE	
PDP8M		PG			4	2/72 E	-	BASIC PDP8-M, 8/E IN SHORT BOX	
PDP8M-DC		PG			6	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 12" BOX, OEM, 115V	
PDP8M-DD		PG			6	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 12" BOX, OEM, 230V	
PDP8M-DE		PG			6	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 12" BOX, OEM, 115V	
PDP8M-DF		PG			6	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 12" BOX, OEM, 230V	
PDP8M-DH	JC	PG			3	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 15" BOX, OEM, 115V	
PDP8M-DJ	JC	PG			3	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 15" BOX, OEM, 230V	
PDP8M-DK	JC	PG			3	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 15" BOX, OEM, 115V	
PDP8M-DL	JC	PG			3	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 15" BOX, OEM, 230V	
PDP8M-DS	JC	PG			3	10/73 E	-	16K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 115V OEM	
PDP8M-DT	JC	PG			3	10/73 E	-	16K PDP8M, RACK MOUNTABLE, KL8-E, KC8-ML CONSOLE, 230V OEM	
PDP8M-EH	JC	PG			3	12/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 115V OEM	
PDP8M-EJ	JC	PG			3	12/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 230V OEM	
PDP8M-EK	JC	PG			3	12/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 115V OEM	
PDP8M-EL	JC	PG			3	12/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 230V OEM	
PDP8M-ES	JC	PG			3	12/73 E	-	16K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 115V OEM	
PDP8M-ET	JC	PG			3	12/73 E	-	16K PDP8M, RACK MOUNTABLE, KC8-ML CONSOLE, 230V OEM	
PDP8M-MC		PG			6	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-M, 12" BOX, OEM, 115V	
PDP8M-MD		PG			6	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-M, 12" BOX, OEM, 230V	
PDP8M-ME		PG			6	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-M, 12" BOX, OEM, 115V	
PDP8M-MF		PG			6	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-M, 12" BOX, OEM, 230V	
PDP8M-MH	JC	PG			3	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, OEM, 115V	
PDP8M-MJ	JC	PG			3	4/73 E	-	4K PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, OEM, 230V	
PDP8M-MK	JC	PG			3	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, OEM, 115V	
PDP8M-ML	JC	PG			3	4/73 E	-	8K PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, OEM, 230V	
PDP8M-MN	JC	PG			3	11/73 E	-	1K PROM PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, 115V OEM	
PDP8M-MO	JC	PG			3	11/73 E	-	1K PROM PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, 230V OEM	
PDP8M-MP	JC	PG			3	11/73 E	-	2K PROM PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, 115V OEM	
PDP8M-MR	JC	PG			3	11/73 E	-	2K PROM PDP8M, RACK MOUNTABLE, KC8-M, 15" BOX, 230V OEM	
PDP8M-MS	JC	PG			3	10/73 E	-	16K PDP8M, RACK MOUNTABLE, KC8-M CONSOLE, 115V OEM	
PDP8M-MT	JC	PG			3	10/73 E	-	16K PDP8M, RACK MOUNTABLE, KC8-M CONSOLE, 230V OEM	
PDP8-S		RR			6	E		12 BIT SERIAL, FLIP CHIP MODULES	
PDP9		HI			5	E		18 BIT FLIP CHIP MODULES PDP7 CODE	
PDP9-F		HI			5	E		PDP9 W CAB9-A FOR FOXBORO	
PDP9-L		HI			5	E		4K PDP9, 1.5 USEC MEMORY	
PDP9-T		HI			3	E		TIME SHARING PDP9	
PHA15		DD			-	E	15	PDP15-BASED PULSE HEIGHT ANALYSER	
PHA8		DD			-	E	8	PDP8, 8/I, 8/L BASED PULSE HEIGHT ANALYSER	
PHASE-10		EW			3	6/71 E	-	15 PDP8E-CA + LTS3-DC + VCB-E + VR03-A + NN01-A + KA8-E + QFP01-A	
PHASE-20		EW			3	6/71 E	-	PHASE-10 + MMB-E	
PL8-AA	JC	PG			3	10/73 L	8/E	LA30-PA + PCB-E, RACK MOUNT, 115V 60HZ	
PL8-AB	JC	PG			3	10/73 L	8/E	LA30-PB + PCB-EA, RACK MOUNT, 230V 60HZ	
PL8-AC	JC	PG			3	10/73 L	8/E	LA30-PC + PCB-E, RACK MOUNT, 115V 50HZ	
PL8-AD	JC	PG			3	10/73 L	8/E	LA30-PD + PCB-EA, RACK MOUNT, 230V 50HZ	
PL8-BA	JC	PG			2	10/72 L	8/E	LA30-PA + PCB-EB, TABLE TOP, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PL8-BB	JC	PG			2 10/72	L	B/E	LA30-PB + PCB-EC, TABLE TOP, 230V 60HZ
PL8-BC	JC	PG			2 10/72	L	B/E	LA30-PC + PCB-EB, TABLE TOP, 115V 50HZ
PL8-BD	JC	PG			2 10/72	L	B/E	LA30-PD + PCB-EC, TABLE TOP, 230V 50HZ
PMK01-AA		DZ			6 5/73	B	B/E	PROCESSOR MAINTENANCE KIT W PTR FOR B/E, 115V
PMK01-AB		DZ			6 5/73	B	B/E	PROCESSOR MAINTENANCE KIT W PTR FOR B/E, 230V
PMK01-BA		DZ			6 5/73	B	11	PROC MAINTENANCE KIT W PTR FOR 11, 115V
PMK01-BB		DZ			6 5/73	B	11	PROC MAINTENANCE KIT W PTR FOR 11, 230V
PMK01-CA		DZ			6 5/73	B	B/E, 11	PROC MAINTENANCE KIT W PTR FOR B/E & 11, 115V
PMK01-CB		DZ			6 5/73	B	B/E, 11	PROC MAINTENANCE KIT W PTR FOR B/E & 11, 230V
PMK02-A		FMS			6 5/73	B	8, 8/I, 8/L, 12	PROC MAINTENANCE KIT W CASSETTE
PMK02-B		FMS			3 10/71	B	B/E	PROC MAINTENANCE KIT W CASSETTE
PMK02-C		FMS			3 10/71	B	11/05, 11/15, 11/20, 11/35	PROC MAINTENANCE KIT W CASSETTE
PMK03	EB	DSD			2 /74	B	11/05	SIGNAL DISPLAY FOR TROUBLE SHOOTING
PP11-S	RRH	RJS			3 1/73	P	11	INTERFACE TO 6 LEVEL 300 LINES/SEC SOROBAN PUNCH
PP12	SNT	RI			5 3/71	P	BA12	PT PUNCH (PC05-P & CONTROL), 60 HZ
PP12-A	SNT	RI			5 3/71	P	BA12	PT PUNCH (PC05-PA & CONTROL), 50 HZ
PP67-A		HI			5	P	PA61-A, PA68-A	PT PUNCH 6-LEVEL, 60 HZ
PP67-AA		HI			5	P	PA61-A, PA68-A	PT PUNCH 6-LEVEL, 50 HZ
PP67-B		HI			5	P	PA61-A, PA68-A	PT PUNCH 8-LEVEL, 60 HZ
PP67-BA		HI			5	P	PA61-A, PA68-A	PT PUNCH 8-LEVEL, 50 HZ
PP67-C		HI			5	P	PA68-F, PA63	PT PUNCH 6-LEVEL, 60 HZ
PP67-CA		HI			5	P	PA68-F, PA63	PT PUNCH 6-LEVEL, 50 HZ
PP67-D		HI			5	P	PA68-F	PT PUNCH 8-LEVEL, 60 HZ
PP67-DA		HI			5	P	PA68-F	PT PUNCH 8-LEVEL, 50 HZ
PP8-E		LN			4	P	B/E	PT PUNCH (PC04-PL & CONTROL) 60HZ
PP8-EA		LN			4	P	B/E	PT PUNCH (PC04-PM & CONTROL) 50HZ
PP8-EB		LN			3 1/72	P	B/E	TABLE TOP PP8-E
PP8-EC		LN			3 10/72	P	B/E	TABLE BOP PP8-EA
PP8-EF	JV	PKM		SSMU	3 7/72	P	8 POS	FACIT 4060 PTP & CONT
PP8-I		RR		TP	5	P	8/I	PT PUNCH (PC03 & CONTROL)
PP8-L		RR		TP	5	P	8/L	PT PUNCH (PC04-PL & CONTROL) 60 HZ
PP8-LA		RR		TP	4	P	8/L	PT PUNCH (PC04-PM & CONTROL) 50 HZ
PPH01		HI			3 9/72	P	-	HAND PAPER TAPE PUNCH, 8 LEVEL
PPH01-K		HI			3 9/72	P	PPH01	REFILL KIT FOR PPH01
PR11		JMD		FS	5 3/72	P	11	PT READER (PC05-R & CONTROL)
PR12	SNT	RI			5 3/71	P	BA12	PT READER (PC05-R & CONTROL)
PR68-A	HI	RFC			5	P	PA60-A, PA68-A	PT READER (6-LEVEL & 8-LEVEL)
PR68-B	HI	RFC			3 12/71	P	PA68-F, PA63	PT READER (6-LEVEL & 8-LEVEL)
PR68-C	HI	RFC			3 12/71	P	PA60-A, PA68-A	PT READER (6- & 8-LEVEL, PHOTOTRANSISTOR)
PR68-D	HI	RFC			5	P	PA63	PT READER (6- & 8-LEVEL, PHOTOTRANSISTOR), NTTA
PR68-DA	HI	RFC			5	P	PA63, PA68-F	PT READER (6- & 8-LEVEL, PHOTOTRANSISTOR)
PR68-E	HI	RFC			3 9/72	P	PA611-R, PA68-F	PT READER (6 & 8-LEVEL, PHOTOTRANSISTOR, NTTA)
PR68-F		HI	RR		3	P	NONE	OEM PR68-D
PR68-FA		HI	RR		3	P	NONE	OEM PR68-DA
PR8-E		LN			4	P	B/E	PT READER (PC04-RB & CONTROL)
PR8-EB		LN			3 1/72	P	B/E	TABLE TOP PR8-E
PR8-EF	BV	PKM		SSMU	3 7/72	P	8 POS	FACIT 4001 PTR & CONT
PR8-I		RR			5	P	8/I	PT READER (PC04-RB & CONTROL)
PR8-L		RR			5	P	8/L	PT READER (PC04-RB & CONTROL)
PT08					5	D	8, 8/S	TTY INTERFACE FOR ASR33
PT08-A					5	D	8/S	PT08 IN ASR33 BASE, 12 FT CABLES
PT08-B					5	D	8/S, 8/I	PT08 IN 19-IN RACK, 6 FT CABLES
PT08-C					5	D	8/S, 8/I	2 PT08-B ON SINGLE 1943
PT08-DA				SSUK	3	D	8 NEG	CPO ASYNC MODEM INTERFACE W 1 CLOCK
PT08-DB				SSUK	3	D	PT08-DA	2 CLOCK OPTION FOR PT08-DA

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	101
PT08-F		MI			4	D	PT08-B, PT08-C	EIA ADAPTER W 25 FT CABLE	
PT08-X		MI			4	D	PT08-B, PT08-C	CRYSTAL CLOCK	
PT11-AA		JEH		SSYK	3 12/71	P	11	TREND RDR & BURPE 11 PUNCH W CONT 115V 60HZ	
PT11-AB		JEH		SSYK	3 12/71	P	11	TREND RDR & BURPE 11 PUNCH W CONT 230V 50HZ	
PT11-BA		JEH		SSYK	3 4/72	P	11	TREND READER & CONT, 115V 60HZ	
PT11-BB		JEH		SSYK	3 4/72	P	11	TREND READER & CONT, 230V 50HZ	
PT11-CA		JEH		SSYK	3 4/72	P	11	BRPE 11 PUNCH & CONT, 115V 60HZ	
PT11-CB		JEH		SSYK	3 4/72	P	11	BRPE 11 PUNCH & CONT, 230V 50HZ	
PT11-DA		JEH		SSYK	3 8/73	P	11	TREND RDR & FACIT PUNCH W CONT, 115V 60HZ	
PT11-DB		JEH		SSYK	3 8/73	P	11	TREND RDR & FACIT PUNCH W CONT, 230V 50HZ	
PT11-EA		JEH		SSYK	3 8/73	P	11	FACIT PUNCH & CONT, 115V 60HZ	
PT11-EB		JEH		SSYK	3 8/73	P	11	FACIT PUNCH & CONT, 230V 50HZ	
PT11-F	BV	PKM		SSYU	3 7/72	P	11	FACIT 4001 PTR, 4070 PTP & CONT	
PTB4-AA		JEH		SSYK	3 8/73	P	8/E	TREND RDR & BRPE 11 PUNCH W CONT, 115V 60HZ	
PTB4-AB		JEH		SSYK	3 8/73	P	8/E	TREND RDR & BRPE 11 PUNCH W CONT, 230V 50HZ	
PTB4-BA		JEH		SSYK	3 8/73	P	8/E	TREND READER & CONT, 115V 60HZ	
PTB4-BB		JEH		SSYK	3 8/73	P	8/E	TREND READER & CONT, 230V 50HZ	
PTB4-CA		JEH		SSYK	3 8/73	P	8/E	IBRPE 11 PUNCH & CONT, 115V 60HZ	
PTB4-CB		JEH		SSYK	3 8/73	P	8/E	BRPE 11 PUNCH & CONT, 230V 50HZ	
PTB4-DA		JEH		SSYK	3 8/73	P	8/E	TREND RDR & FACIT PUNCH W CONT, 115V 60HZ	
PTB4-DB		JEH		SSYK	3 8/73	P	8/E	TREND RDR & FACIT PUNCH W CONT, 230V 50HZ	
PTB4-EA		JEH		SSYK	3 8/73	P	8/E	FACIT PUNCH & CONT, 115V 60HZ	
PTB4-EB		JEH		SSYK	3 8/73	P	8/E	FACIT PUNCH & CONT, 230V 50HZ	
PTB8-EE	MI	RFC			3 2/75	E	-	TABS-8: 16K 8/E, B48-AA, RK8-EA, RK05-AA, TC08-HA, LA36-CA, TU56, KL8-JA, KA8-E, M18-EC, K08-E, 3 SHORT CABS, 115V 60HZ	
PTB8-EF	MI	RFC			3 2/75	E	-	PTB8-EE EXCEPT B48-AB, RK8-EB, RK05-AB, TC08-HB, LA36-CB, 230V 60HZ	
PTB8-EH	MI	RFC			3 2/75	E	-	PTB8-EE EXCEPT B48-AA, RK8-EC, RK05-BA, TC08-HA, LA36-CA, 115V 50HZ	
PTB8-EJ	MI	RFC			3 2/75	E	-	PTB8-EE EXCEPT B48-AB, RK8-ED, RK05-BB, TC08-HB, LA36-CB, 230V 50HZ	
PTS8-EE	MI	RFC			3 2/75	E	-	DECSET 8000: 24K 8/E, B48-AA, RK8-EA, RK05-AA, LA36-CA, KL8-JA, KA8-E, KE8-E, M18-E, DK8-EP, BE8-A, 3 SHORT CABS, 115V 60HZ	
PTS8-EF	MI	RFC			3 2/75	E	-	PTS8-EE EXCEPT B48-AB, RK8-EB, RK05-AB, LA36-CB, 230V 60HZ	
PTS8-EH	MI	RFC			3 2/75	E	-	PTS8-EE EXCEPT B48-AA, RK8-EC, RK05-BA, LA36-CA, 115V 50HZ	
PTS8-EJ	MI	RFC			3 2/75	E	-	PTS8-EE EXCEPT B48-AB, RK8-ED, RK05-BB, LA36-CB, 230V 50HZ	
PTS8-ML					7	E		PDP8-LE & PA68-KA (50 HZ)	
PTW8-EE	MI	RFC			3 2/75	E	DECWIRE 8000: 16K 8/E, B48-AA, RK8-EA, H320-A, LA36-CA, KL8-JA, M18-EN, DB8-EA, 2 SHORT CABS, 115V 60HZ		
PTW8-EF	MI	RFC			3 2/75	E	PTW8-EE EXCEPT B48-AB, RK8-EB, H320-B, LA36-CB, 230V 60HZ		
PTW8-EH	MI	RFC			3 2/75	E	PTW8-EE EXCEPT B48-AA, RK8-EC, H320-A, LA36-CA, 115V 50HZ		
PTW8-EJ	MI	RFC			3 2/75	E	PTW8-EE EXCEPT B48-AB, RK8-EB, H320-B, LA36-CB, 230V 50HZ		

MODEL ENG DESIGN PROD MFR STATUS CATE- USED ON  
 NO MGR ENGR E1GR ARFA MO/YR GDRY

DESCRIPTION

102

Q=SYSTEM SOFTWARE, Z=DIAGNOSTIC SOFTWARE; GENERAL FORM IS QCP99-KD

----2ND LETTER (C):---- 3RD (P): ----1ST VARIATION LETTER (K):---- ----2ND VARIATION LETTER (D):----  
 A=PDP1 J=PDP11 (ALL) A=APPLICATION 2=MAINT.SERV PLAN A D=LICENSE ONLY A=LINC TAPE J=RP03 DISK PACK  
 B=PDP4 K=PDP12 G=COMMERCIAL 3=MAINT.SERV PLAN B E=SOURCE KIT B=PAPERTAPE K=RP04 DISK PACK  
 C=PDP5 L=PDP14 D=COMMUN. BINARY UPDATES F=LISTINGS KIT C=DECTAPE N=TU60 CASSETTE  
 D=PDP6 M=PDP15 C=EDUCATION 4=MAINT.SERV PLAN B G=PRE-DELIVERY KIT D=9 TRK MTA (TU10) P=9 TRK MTA (TU16)  
 E=PDP7 N=PDP16 L=LAB SOURCE UPDATES H=UPDATE KIT E=RK03/5 CARTRIDGE 60HZ R=MICRO-FICHE  
 F=PDP8 P=PDP11/40 K=SFTWR SUBS 5=MAINT.SERV PLAN B J=START-UP SERVICES (J+C=A)/(J+D=A) F=7 TRACK MAGTAPE S=ROM CHIP  
 G=PDP9 (OR HIGHER) R=INDUSTRIAL BINARY & SOURCE UPDATES (J+C=A)/(J+D=A) G=CARDS Y=FLOPPY DISK  
 H=PDP10 R=PDP11/45 S=OSS 6=MAINT.SERV PLAN C K=SUBSCRIPTION/MAIN- H=RK03/5 CARTRIDGE 50HZ Z=NO HARDWARE  
 (KA10) (OR HIGHER) T=TYPSETTING BINARY & SOURCE UPDATES TENANCE PACKAGE DEPENDENCY  
 (K110) S=CROSS P/L V=LSI-1 L=LICENSE+INSTALLA-  
 (MULTI-HDWR, TION, NO SUPPORT  
 DEPUY) M=SOURCE + LISTINGS  
 T=PDP10 N=SOURCE UPDATE KIT  
 (K110) P=SOFTWARE ONLY  
 Y=MPS-1 R=BINARY SOFTWARE KIT  
 NO LICENSE, NO SERVICE  
 R=BINARY SOFTWARE KIT  
 U=SPECIAL LICENSE AGREEMENT  
 X=SOFTWARE KIT, SOURCE LIC., SERVICE  
 Y=SOFTWARE KIT, SOURCE LIC., NO SERVICE

QF001-AB	GT		BFB	5	2/73	Q	8	DEC/XB, PDP8 SYSTEM EXERCISER, PAPERTAPE
QF001-AC	GT		BFB	5	2/73	Q	8	DEC/XB, PDP8 SYSTEM EXERCISER, DECTAPE
QF004			BFB	2	12/72	Q	8	EDU50, T50
QF006-AB	GT	JJG	BFB	5	2/73	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,PTP
QF006-AC	GT	JJG	BFB	5	2/73	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,DTA
QF006-AN	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,CASET
QF006-EC	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),SOURCE,DECTAPE
QF006-EE	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),SOURCE,DECTAPE
QF006-FR	GT	JMD	BFB	2	12/74	Q	8	OS/8 EXTENSION KIT,(BATCH,BASIC,TECO),SRCE LISTINGS, MICRO-FICHE
QF006-FZ	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)SRCE LISTINGS,PAPER
QF006-HB	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)UPDATE KIT,PTP
QF006-HC	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),UPDATE KIT,DTA
QF006-HN	GT	JJG	BFB	5	4/74	Q	8	OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)UPDATE KIT,CASSETTE
QF007-AN	GT	JJG	BFB	5	2/73	Q	8	CAPS-8, (CASSETTE PROG. SYS), CASSETTE
QF007-EC	GT	JJG	BFB	5	7/74	Q	8	CAPS-8, (CASSETTE PROG. SYS), SOURCES, DECTAPE
QF007-FZ	GT	JJG	BFB	5	7/74	Q	8	CAPS-8, (CASSETTE PROG. SYS),SOURCE LISTINGS,PAPER
QF007-HN	GT	JJG	BFB	5	9/74	Q	8	CAPS-8, (CASSETTE PROG. SYS), UPDATE KIT, CASSETTE
QF008-AB	GT	JJG	BFB	5	3/73	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) PAPERTAPE
QF008-AC	GT	JJG	BFB	5	2/73	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) DECTAPE
QF008-AN	GT	JJG	BFB	5	5/74	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) CASSETTE
QF008-AY	GT	JJG	BFB	2	2/75	Q	8	OS/8 FORTRAN IV,(OS/8 REQ),FLOPPY
QF008-HB	GT	JJG	BFB	5	6/74	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, PAPERTAPE
QF008-HC	GT	JJG	BFB	5	6/74	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, DECTAPE
QF008-HN	GT	JJG	BFB	5	6/74	Q	8	OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, CASSETTE
QF008-MC	GT	JJG	BFB	6	6/73	Q	8	-SEE QF013-MC-
QF009-AB	GT	JJG	BFB	5	10/72	Q	8	LAB8/E MASS STORAGE SYSTEM,(OS/8 REQ) PAPERTAPE
QF009-AC	GT	JJG	BFB	5	2/73	Q	8	LAB8/E MASS STORAGE SYSTEM,(OS/8 REQ) DECTAPE
QF009-HC	GT	JJG	BFB	5	12/73	Q	8	LAB8/E MASS STORAGE SOURCE, & LISTINGS,(OS/8 REQ)DECTAPE
QF010-HC	GT	JJG	BFB	5	8/74	Q	8	OS/8 FORTRAN IV,LIBRARY,SOURCE & LISTINGS, UPDATE KIT, DTA
QF010-MC	GT	JJG	BFB	5	6/73	Q	8	OS/8 FORTRAN IV LIBRARY, SOURCE & LISTINGS, DECTAPE(LIC REQ'D)
QF011-HC	GT	JJG	BFB	5	8/74	Q	8	OS/8 FORTRAN IV, COMPILER, SOURCE & LISTINGS, UPDATE KIT, DTA



MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	103
QF011-MC	GT	JJG	RFB		5 6/73	0	9	OS/B FORTRAN IV COMPILER, SOURCE & LISTINGS, DECTAPE(LIC REQ'D)	
QF012-MC	GT	JJG	RFB		5 8/74	0	9	OS/B FORTRAN IV, RALF, LOADER, LIB&MISC, SRCE&LISTINGS, UPDATE KIT, DTA	
QF012-MC	GT	JJG	RFB		5 6/73	0	8	OS/B FORTRAN IV RALF, LOADER, LIB & MISC, SOURCE + LISTINGS, DECTAPE	
QF013-MC	GT	JJG	RFB		5 8/74	0	8	OS/B FORTRAN IV, RUNTIME SOURCE & LISTINGS, UPDATE KIT, DTA	
QF013-MC	GT	JJG	RFB		5 8/74	0	8	OS/B FORTRAN IV, RUNTIME, SOURCE & LISTINGS, DTA	
QF014-AB		JJG	RFB		5 10/73	0	9	OS/B FORTRAN IV PLOTTER, (OS/B & FORT IV REQ)LIC, SFTWR, SERV, PTP	
QF014-AC		JJG	RFB		5 10/73	0	9	OS/B FORTRAN IV PLOTTER, (OS/B & FORT IV REQ)LIC, SFTWR, SERV DECTAPE	
QF014-EC		JJG	RFB		5 10/73	0	9	OS/B FORTRAN IV PLOTTER, (OS/B & FORT IV REQ)SOURCE, DECTAPE	
QF015-AB		JJG	RFB		5 1/74	0	9	OS/B OPERATING SYSTEM, PAPERTAPE	
QF015-AC		JJG	RFB		5 1/74	0	8	OS/B OPERATING SYSTEM, DECTAPE	
QF015-AN		JJG	RFB		5 1/74	0	8	OS/B OPERATING SYSTEM, CASSETTE	
QF015-AY	GT	JJG	RFB		2 2/75	0	8	OS/B OPERATING SYSTEM, FLOPPY	
QF015-EC	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, SOURCE, DECTAPE	
QF015-EE	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, SOURCE, DECPACK	
QF015-FR	GT	DMO	RFB		2 12/74	0	8	OS/B OPERATING SYSTEM, LISTINGS KIT, MICRO-FICHE	
QF015-FZ	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, LISTINGS KIT, PAPER	
QF015-HB	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, UPDATE KIT, PAPERTAPE	
QF015-HC	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, UPDATE KIT, DECTAPE	
QF015-HN	GT	JJG	RFB		5 4/74	0	8	OS/B OPERATING SYSTEM, UPDATE KIT, CASSETTE	
QF015-SZ		DMO	RFB		5 1/74	0	8	OS/B OPERATING SYSTEM, SFTWR INSTALLATION	
QF016-CC		JJG	RFB		5 7/74	0	8	2700 SIMULATOR, (BINARIES & SOURCES), LIC, SFTWR, NO SERV, DECTAPE	
QF01-A					6	0	8/L	QUICKPOINT MAIN PROGRAM 5-68	
QF01-B					6	0	8/L	QUICKPOINT MAIN PROGRAM 6-69	
QF01-C					6	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-B (.30, .31)	
QF01-D					6	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-B (.32)	
QF01-E					6 9/71	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-D (.33)	
QF01-F					6 1/72	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-E	
QF01-G					6 1/72	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-F	
QF01-H					6 1/72	0	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-G	
QF01-I					4 9/71	0	8/E, 8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-H	
QF020-SZ	DMO	JJG	RFB		2 10/74	0	8	RTS-8, (W/O OS/B); SFTWR ORIENTATION SERV	
QF020-XB		JJG	RFB		5 3/74	0	8	RTS-8, (W/O OS/B); (OS/B REQ)SRCE&LISTINGS, SRCE LIC, SFTWR, SUPPORT, PTP	
QF020-XC		JJG	RFB		5 3/74	0	9	RTS-8, (W/O OS/B); (OS/B REQ)SRCE&LISTINGS, SRCE LIC, SFTWR, SUPPORT, DTA	
QF020-XN		JJG	RFB		5 3/74	0	8	RTS-8, (W/O OS/B); (OS/B REQ)SRCE&LISTINGS, SRCE LIC, SFTWR, SUPPORT, CASSETTE	
QF021-XB		JJG	RFB		5 3/74	0	8	RTS-8, (W/O OS/B), SOURCE & LISTINGS, SRCE LIC, SFTWR, SUPPORT, PAPERTAPE	
QF021-XC		JJG	RFB		5 3/74	0	8	RTS-8, (W/O OS/B), SOURCE & LISTINGS, SRCE LIC, SFTWR, SUPPORT, DECTAPE	
QF021-XN		JJG	RFB		5 3/74	0	8	RTS-8, (W/O OS/B), SOURCE & LISTINGS, SRCE LIC, SFTWR, SUPPORT, CASSETTE	
QF02-A					4	0	QF01-I	POSTPROC, PRATT & WHITNEY A, B & C	
QF02-B					4	0	QF01-I	POSTPROC, WIEDEMAN W CUTLER-HAMMER 902	
QF02-C					6 9/71	0	QF01-A	POSTPROC, JONES & LAMSON DRILL W GE MK2	
QF02-D					4	0	QF01-I	POSTPROC, WIEDEMAN W GE120	
QF02-E					4	0	QF01-I	POSTPROC, CIN DRILL & MILL W ACCROMATIC 220	
QF02-F					4	0	QF01-I	POSTPROC, CLEERMAN DRILL & MILL W GE120	
QF02-G					4	0	QF01-I	POSTPROC, WHITNEY TURRET PUNCH PRESS W WESTINGHOUSE	
QF02-H					4	0	QF01-I	POSTPROC, BEHRENS TURRET PUNCH PRESS, GE 120-11-500	
QF02-I					4	0	QF01-I	POSTPROC, BURGMASER 2BHT6 TURRET DRILL W GE 120-11	
QF02-J					4	0	QF01-I	POSTPROC, WIEDEMANN A-15 W GE MK2	
QF02-K					4	0	QF01-I	POSTPROC, WIEDEMANN WS-1520 W WARNER & SWASEY CONT	
QF02-L					4	0	QF01-I	POSTPROC, BROWN & SHARPE MODEL A-1110 W GE MK2S	
QF02-M					4	0	QF01-I	POSTPROC, BURGMASER 2BHTL W GE 120-11	
QF02-N					4	0	QF01-I	POSTPROC, MOOG MODEL 83-500	
QF02-O					4	0	QF01-I	POSTPROC, WIEDEMAN S-2540 TURRET PUNCH PRESS W GE MC 100	
QF02-P					4	0	QF01-I	POSTPROC, WESTINGHOUSE 20 W BEHRENS TURRET PUNCH PRESS	
QF02-Q					4	0	QF01-I	POSTPROC, PRATT & WHITNEY CONT FOR THEIR 1000 NC JIGBORER	
QF02-R					4	0	QF01-I	POSTPROC, SPERRY RAND UMAG6 W B&S HYDROCUTT MACHINING CENTER	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	104
QF02-S					4	Q	QF01-I	POSTPROC, WESTINGHOUSE-22 W BURGMASTER 25 CHT ECON 1125 DRILL	
QF02-T					4	9/71 Q	QF01-I	POSTPROC, GE MCL20 W EXCELLON 1225 QUADRAMATIC DRILL	
QF02-U					4	3/71 Q	QF01-I	POSTPROC, GE 7522 W W.A.WHITNEY 636A, 647A	
QF02-V					4	3/71 Q	QF01-I	POSTPROC, HOUDAILLE 85790-300 W STRIPPIT 40/30 TURRET PRESS	
QF02-W					4	3/71 Q	QF01-I	POSTPROC, HUGHES NC-221-8 W STRIPPIT 36/75 FABRICATOR	
QF030-PB GT	JJG		BFB		5	4/74 Q	8	DISK SYSTEM MONITOR, SFTWR ONLY, PAPERTAPE	
QF03-A					4	Q	QF01-I	POSTPROC, SUPERIOR ELECTRIC CONTROL	
QF03-B					4	9/71 Q	QF01-I	POSTPROC CIMX-300 MACHINING CENTER	
QF03-C					4	9/71 Q	QF01-I	POSTPROC, BURGMASTER 3BHTL TURRET DRILL W GE 103P	
QF03-D					4	Q	QF01-I	POSTPROC, BROWN & SHARPE HYDROTAPE 234 12 STATION W GE 103P	
QF03-E					4	Q	QF01-I	POSTPROC, CINCINNATI TAPAC4 W DEVLIEG SPIRAMATIC K JIGMIL	
QF03-F					4	3/71 Q	QF01-I	POSTPROC, ACROMATIC 330 W CINTIMATIC SPINDLE OR TURRET DRILL & MILL	
QF03-G					4	9/71 Q	QF01-I	POSTPROC, SIEMENS CONT W HELLER SBR32 BORING MACHINE	
QF03-H					4	9/71 Q	QF01-I	POSTPROC PLESSEY BUNKER RAMO 2210 CONT W MILWAUKEE-MATIC H60	
QF040-AB GT	JJG		BFB		5	3/73 Q	8	8K BASIC-8, PAPERTAPE	
QF050-AB GT	JJG		BFB		5	2/73 Q	8	8K FORTRAN PTP	
QF05-A					4	Q	DNC02 THRU DNC33	DNC FORGROUND BACKGROUND SFTWR	
QF060-AB GT	JJG		BFB		5	2/73 Q	8	LAB0/E, PAPERTAPE SYSTEM, PAPERTAPE	
QF060-FZ GT	JJG		BFB		5	6/74 Q	8	LAB 8/E PAPERTAPE SYSTEM, LISTINGS	
QF070-AB GT	JJG		BFB		5	2/73 Q	8	OS/8 FORTRAN IV TSAR (TIME SERIES ANALYSIS), (OS/8 REQ) PAPERTAPE	
QF070-AC GT	JJG		BFB		5	2/73 Q	8	OS/8 FORTRAN IV TSAR (TIME SERIES ANALYSIS), (OS/8 REQ) DECTAPE	
QF080-AB	JJG		BFB		5	2/73 Q	8	4K EXTENDED SFTWR KIT, (PTS-8), (08, 01, 0S, 0L), PAPERTAPE	
QF081-AB	JJG		BFB		5	2/74 Q	8	4K EXTENDED SFTWR KIT, (PTS-8), (0E, 0F, 0M), PAPERTAPE	
QF090-AC NW			BFB		5	11/73 Q	8	OS/8 INDUSTRIAL BASIC, (W OS/8) LICENSE, SFTWR, SERV, DECTAPE	
QF090-AN NW			BFB		2	6/74 Q	8	OS/8 INDUSTRIAL BASIC, (W OS/8), LICENSE, SFTWR, SERV, CASSETTE	
QF095-AC NW			BFB		5	11/73 Q	8	OS/8 INDUSTRIAL BASIC, (W/O OS/8) LIC, SFTWR, SERV, DECTAPE	
QF095-AN NW			BFB		2	6/74 Q	8	OS/8 INDUSTRIAL BASIC, (W/O OS/8), LICENSE, SFTWR, SERV, CASSETTE	
QF095-EC NW			BFB		5	11/73 Q	8	OS/8 INDUSTRIAL BASIC, (W/O OS/8) SOURCE, DECTAPE	
QF095-FZ NW			BFB		5	11/73 Q	8	OS/8 INDUSTRIAL BASIC, (W/O OS/8) LISTING PACKAGE	
QF095-HC NW			BFB		2	12/74 Q	8	OS/8 INDUSTRIAL BASIC (W/O OS/8), UPDATE KIT, DECTAPE	
QF095-MN NW			BFB		2	12/74 Q	8	OS/8 INDUSTRIAL BASIC (W/O OS/8), UPDATE KIT, CASSETTE	
QF10-B		GWD			2	Q	GLC-8	GLC-8 VERSION 2 SFTWR	
QF20-A		DM			4	3/71 Q	680-I	COMSYT-8 SFTWR	
QF300-AC DWB	JJG		BFB		5	11/73 Q	8	COS 300, LIC, SFTWR, SERV, DECTAPE (TD8E)	
QF300-AE DWB	JJG		BFB		5	11/73 Q	8	COS 300, LIC, SFTWR, SERV, RK05 CARTRIDGE (TD8E)	
QF300-HC	JJG		BFB		5	7/74 Q	8	COS 300, UPDATE KIT, DECTAPE (TD8E)	
QF300-HE	JJG		BFB		5	7/74 Q	8	COS 300, UPDATE KIT, DECPACK (TD8E)	
QF301-HC	JJG		BFB		5	7/74 Q	8	COS 300, UPDATE KIT, DECTAPE (TC08)	
QF301-AC DWB	JJG		BFB		5	11/73 Q	8	COS 300, LIC, SFTWR, SERV, DECTAPE (TC08)	
QF303-AC RJA	JJG		BFB		5	1/74 Q	8	COS 300, MULTI TERMINAL SWARE, LIC, SFTWR, SERV, DECTAPE	
QF303-AE RJA	JJG		BFB		5	1/74 Q	8	COS 300, MULTI TERMINAL SWARE, LIC, SFTWR, SERV, DECPACK	
QF303-HC RJA	JJG		BFB		5	8/74 Q	8	COS 300, MULTI TERMINAL SFTWR, UPDATE KIT, DECTAPE	
QF303-HE RJA	JJG		BFB		5	8/74 Q	8	COS 300, MULTI-TERMINAL SFTWR, UPDATE KIT, DECPACK	
QF304-AC	JJG		BFB		2	1/74 Q	8	COS 300 TM8E MAGTAPE UTILITY, LICENSE, SFTWR, SERV, DECPACK	
QF304-AE	JJG		BFB		2	1/74 Q	8	COS 300 TM8E MAGTAPE UTILITY, LICENSE, SFTWR, SERV, RK05 DISKPAK	
QF306-AE RJA	JLH		BFB		2	5/74 Q	8	COS 300, 2780 EMULATOR (RDCP), LICENSE, SFTWR, SUPPORT DECPACK	
QF306-DZ RJA	JLH		BFB		2	6/74 Q	8	COS 300, 2780 EMULATOR (RDCP), LICENSE ONLY	
QF400-AC GT	JJG		BFB		6	7/74 Q	8	OS/8 FORTRAN IV COGO-8, DECTAPE	
QF400-EC GT	JJG		BFB		6	7/74 Q	8	OS/8 FORTRAN IV COGO-8, SOURCE, DECTAPE	
QF400-FZ GT	JJG		BFB		6	7/74 Q	8	OS/8 FORTRAN IV COGO-8, LISTINGS, PAPER	
QF500-AB			BFB		2	7/74 Q	8	M734X SERIES S/W TOOLS, LIC, SFTWR, SPR SERV ONLY, PTP	
QF510-PB			BFB		5	6/74 Q	8	PDP-8E MATH PACKAGE, SFTWR KIT, PAPERTAPE	
QF511-PB			BFB		5	6/74 Q	8	PDP-8 FUNCTION & UTILITY KIT, (USABLE WITH BASIC PDP 8/01/12), PTP	
QFE01-PZ		REC	BFB		5	7/74 Q	8	EDU TEXTBOOK KIT (FORMERLY EDU8-8), DOCUMENTS	
QFE02-PZ		REC	BFB		5	7/74 Q	8	EDU BASIC LEARNING PACKAGE, DOCUMENTS	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFUR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	105
QFE03-PZ		REC	DFB		5 7/74	0	8	EDU LEARNING PACKAGE=MATH, DOCUMENTS	
QFE04-PZ		REC	DFB		5 7/74	0	8	EDU LEARNING PACKAGE=EDUTECH, DOCUMENTS	
QFE05-AB		RHM	DFB		5 7/74	0	8	EDU 5 SFTWR, (SUPERCALCULATOR) PAPERTAPE	
QFE09-AY	REC		DFB		2 2/75	0	8	CLASSIC OS/8 BASIC SOFTWARE, LICENSE, SOFTWARE, SERVICE, FLOPPY	
QFE10-AB		RHM	DFB		5 7/74	0	8	EDU 10 SFTWR, (SINGLE-USER BASIC) PAPERTAPE	
QFE15-AB		RHM	DFB		5 7/74	0	8	EDU 15 SFTWR, (SINGLE-USER & BATCH BASIC) PAPERTAPE	
QFE20-AB		RHM	DFB		5 7/74	0	8	EDU 20 SFTWR, (MULTI-USER BASIC) PAPERTAPE	
QFE20-EC		RHM	DFB		2 6/73	0	8	EDU 20 SOURCE, (MULTI-USER BASIC) DECTAPE	
QFE20-FZ		RHM	DFB		2 6/73	0	8	EDU 20 LISTING PACKAGE, (MULTI-USER BASIC), PAPER	
QFE20-HB		RHM	DFB		5 7/74	0	8	EDU 20 SFTWR, (MULTI-USER BASIC) UPDATE KIT, PAPERTAPE	
QFE25-AB		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) PAPERTAPE	
QFE25-AC		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) DECTAPE	
QFE25-EC		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) SOURCE, DTA	
QFE25-FZ		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) LISTINGS, PAPER	
QFE25-HB		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) UPDATE KIT, PTP	
QFE25-HC		RHM	DFB		5 7/74	0	8	EDU 25 SFTWR, (MULTI-USER BASIC W/PROGRAM STORAGE) UPDATE KIT, DTA	
QFE30-AB		RHM	DFB		5 7/74	0	8	EDU 30 SFTWR, (EXTENDED BATCH BASIC) PAPERTAPE	
QFE40-AB		RHM	DFB		5 7/74	0	8	EDU 40 SFTWR, PAPERTAPE	
QFE50-AB		RHM	DFB		5 7/74	0	8	EDU 50 SFTWR, (FULL TIME SHARE SYS) (TSS/8) PAPERTAPE	
QFE50-AC		RHM	DFB		5 7/74	0	8	EDU 50 SFTWR, (FULL TIME SHARE SYS) (TSS/8) DECTAPE	
QFE50-AC		RHM	DFB		2 8/74	0	8	EDU 50 SFTWR, (FULL TIME SHARE SYS) (TSS/8), LIC, SFTWR, SERV, DECPACK	
QFE50-EC		RHM	DFB		2 9/74	0	8	EDU 50 SFTWR, (FULL TIME SHARE SYS) (TSS/8), SOURCES, DECTAPE	
QFE50-EE		RHM	DFB		2 9/74	0	8	EDU 50 SFTWR, (FULL TIME SHARE SYS) (TSS/8), SOURCES, DECPACK	
QFE50-HB		RHM	DFB		2 8/74	0	8	EDU 50, (FULL TIME SHARE SYS) (TSS/8), UPDATE KIT, PAPERTAPE	
QFE50-HC		RHM	DFB		2 8/74	0	8	EDU 50, (FULL TIME SHARE SYS) (TSS/8), UPDATE KIT, DECTAPE	
QFE50-HE		RHM	DFB		2 8/74	0	8	EDU 50, (FULL TIME SHARE SYS) (TSS/8), UPDATE KIT, DECPACK	
QFL01-AB		DFP	DFB		6 3/74	0	8	RTPS FORTRAN IV SFTWR KIT, PAPERTAPE	
QFL01-AC		DFP	DFB		6 3/74	0	8	RTPS FORTRAN IV SFTWR KIT, DECTAPE	
QFL02-AB	GT		DFB		2 4/74	0	8	OS/8 BASIC, FORTRAN IV, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, PTP	
QFL02-AC	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DTA	
QFL02-AE	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QFL02-AN	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QFL02-XC	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 1YR M/U LIC, SFTW, SUPRT, DTA	
QFL02-XE	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 1YR M/U LIC, SFTW, SUPRT, DPK	
QFL03-AB	GT		DFB		2 4/74	0	8	OS/8 BASIC, FORTRAN IV, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, PTP	
QFL03-AC	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DTA	
QFL03-AE	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QFL03-AN	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QFL03-XC	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 2YR M/U LIC, SFTW, SUPRT, DTA	
QFL03-XE	GT		DFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 2YR M/U LIC, SFTW, SUPRT, DPK	
QFL50-AB	GT		DFB		5 10/73	0	8	8K PAMILA/50, LICENSE, SFTWR, SERV, PAPERTAPE	
QFL50-EC	GT		DFB		5 10/73	0	8	PAMILA, SOURCE, DECTAPE, REQUIRES QFL50 OR 51, QFL55 OR 56	
QFL51-AB	GT		DFB		5 10/73	0	8	16K PAMILA/50, LICENSE, SFTWR, SERV, PAPERTAPE	
QFL55-AB	GT		DFB		5 10/73	0	8	8K PAMILA/55, LICENSE, SFTWR, SERV, PAPERTAPE	
QFL56-AB	GT		DFB		5 10/73	0	8	16K PAMILA/55, LICENSE, SFTWR, SERV, PAPERTAPE	
QFP01-A		EW			3 6/71	0	8	PHASE-10, -20 PHASE SFTWR	
QFR02-AB		IS	DFB		5 7/74	0	8	INDAC-8/2, SFTWR; SUPPORT, IN-HOUSE TRAINING, PAPERTAPE	
QFR02-CB		IS	DFB		5 7/74	0	8	INDAC-8/2, SFTWR; NO SUPPORT, PAPERTAPE	
QFR02-FZ		IS	DFB		5 7/74	0	8	INDAC-8/2, DOCUMENTS & LISTINGS ONLY	
QFR02-PB		IS	DFB		5 7/74	0	8	INDAC-8/2, PAPERTAPES ONLY	
QH002-AD	MR	QU		DAS	2 6/73	0	10	XTGSR FOR DA28-C DEVICE HANDLER, LIC, SFTWR, SERV, 9 TR MTA	
QH01J					3 12/72	0	10	TYPESET-10	
QH01S-CC		FSB			3 3/73	0	10	1401 SIMULATOR, LICENSE, NO SUPPORT, DECTAPE	
QH01S-CD		FSB			3 3/73	0	10	1401 SIMULATOR, LICENSE, NO SUPPORT, 9 TRACK MAGTAPE	
QH01S-CF		FSB			3 3/73	0	10	1401 SIMULATOR, LICENSE, NO SUPPORT, 7 TRACK MAGTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QH020-AD					3 7/73 Q		KI10	MCS-10, LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QH020-AF					3 7/73 Q		KI10	MCS-10, LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QH030					3 11/73 Q		10	LINK-10 OVERLAY SYSTEM
QH050	HLD				3 1/75 Q		10	RP04 SERVICE ROUTINES
QH051	HLD				3 1/75 Q		10	TC10 SERVICE ROUTINES
QH052	HLD				3 1/75 Q		10	G601 SERVICE ROUTINES
QH111	HLD				3 1/75 Q		10	MACY-11/LNKX-11, SOURCES TO THE PURCHASERS OF BINARIES
QH300	HLD				3 1/75 Q		10	ESORT- PERFORMANCE SORT PACKAGE
QH100	HLD				3 10/74 Q		10	MCS-10 MESSAGE CONTROL SYSTEM
QH101	HLD				3 10/74 Q		10	DBMS V2
QH102	HLD				3 12/74 Q		10	DBMS SOURCE TO DBMS PURCHASERS
QH110-AC		FSB			3 5/74 Q		10	PDP-11 CROSS ASSEMBLER AND LINKER (MACY-11/LNKX-11)
QH200		FSB			3 5/74 Q		KI10	SPERAN-10 PERFORMANCE ANALYSIS PKG
QH210		FSB			3 5/74 Q		10	FIMODL-10 FINICAL ANALYSIS PKG
QH307-CC		FSB			3 5/74 Q		10	COGO-10
QH400-AD		GLA			5 7/74 Q		10	DECSYSTEM-10 ACCEPTANCE PACKAGE, 9 TRK MTA
QH400-AF		GLA			5 7/74 Q		10	DECSYSTEM-10 ACCEPTANCE PACKAGE, 7 TRK MTA
QH500	HLD				3 10/74 Q		10	FORTRAN-10 V2, INCLUDING FORDDT
QH501	HLD				3 10/74 Q		10	FORTRAN-40
QH502	HLD				3 10/74 Q		10	ALGOL-10
QH503	HLD				3 10/74 Q		10	BASIC-10
QH504	HLD				3 10/74 Q		10	COBOL-10
QH600	HLD				3 10/74 Q		10	BASIC SYSTEM SFTWR PACKAGE FOR KA10/KI10
QH601		RPC			2 8/73 Q		KI10	601 VIRTUAL MEM RELEASE OF TOPS-10 MONITOR
QH602-AF		PFC			3 5/74 Q		10	FORTRAN-10 VERS 2, (INCLUDES FORDDT DEBUGGER)
QH700	HLD				3 10/74 Q		10	TOTAL SYSTEM SFTWR PACKAGE FOR KA10/KI10
QH861-AF		RPC			6 5/74 Q		10	6.01 MONITOR (VMSE)--SEE QH601--
QH901	HLD				3 10/74 Q		10	DBMS-V2 TO PURCHASERS OF V1
QH910	HLD				3 12/74 Q		10	APL-E TO APL-B PURCHASERS
QH911	HLD				3 12/74 Q		10	APL-F TO APL-B PURCHASERS
QHAPL-B					3 12/72 Q		10	APL COMPILER- BASIC VERSION
QHAPL-C					3 11/73 Q		10	APL COMPILER- BASIC VERSION + DOUBLE PRECISION
QHAPL-E					3 12/72 Q		10	APL COMPILER- EXTENDED VERSION
QHAPL-F					3 11/73 Q		10	APL COMPILER- EXTENDED VERSION + DOUBLE PRECISION
QHC01-AD	MR	NU		DA5	2 6/73 Q		DC78, DC79	IBM 2700 EMULATOR, LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QHC02-LZ	PFC	DAL			3 10/73 Q		DC76	DC76 SFTWR LICENSE + INSTALLATION, NO SUPPORT
QHCAP-00		FSB			3 5/74 Q		10	CAAP-10 PLAN I, (COLLEGE ADMIN APPL PKG), PROGRAM & DOCUMENTATION ONLY
QHCAD-00		FSB			3 5/74 Q		10	CAAP-10 PLAN II, (INCLUDES ON-SITE TRAINING)
QHDIS-10		GBH			6 4/74 Q		10	-SEE QHK01-
QHK01-KD		DHD			3 12/73 Q		10	SFTWR DISTRIBUTION SERV-MONTHLY DISTRIBUTION, 9 TRACK MAGTAPE
QHK01-KF		DHD			3 12/73 Q		10	SFTWR DISTRIBUTION SERV-MONTHLY DISTRIBUTION, 7 TRACK MAGTAPE
QHK02-KD		DHD			3 12/73 Q		10	CUSTOMER MAINT SERV, (SUPPORT, MAINT & QHK01), 9 TRACK MAGTAPE
QHK02-KF		DHD			3 12/73 Q		10	CUSTOMER MAINT SERV, (SUPPORT, MAINT & QHK01), 7 TRACK MAGTAPE
QHK03-KD		DHD			3 12/73 Q		10	ON-SITE CONSULT'G & MAINT SRV, (SUPT-MAINT-CONSULT'G & QHK01), 9TR MTA
QHK03-KF		DHD			3 12/73 Q		10	ON-SITE CONSULT'G & MAINT SRV, (SUPT-MAINT-CONSULT'G & QHK01), 7TR MTA
QHK10		RDG			3 5/74 Q		10	ADDITIONAL SUBSCRIPTION TO BULLETIN
QHK12		RDG			3 5/74 Q		10	ADDITIONAL SUBSCRIPTION TO DISPATCH
QHK14		RDG			3 5/74 Q		10	ADDITIONAL SUBSCRIPTION TO NOTEBOOK UPDATES
QHK20		RDG			3 5/74 Q		10	SET OF FULLY UPDATED NOTEBOOKS
QHK30		AF			3 5/74 Q		10	COMPLETE TAPES OF FIELD IMAGE BUNDLED SFTWR
QHK40		AF			3 5/74 Q		10	SUBSCRIPTION TO ADVANCED INFORMATION TAPE
QHLN2-AF		PFC			3 3/74 Q		10	LINK-10 VERS 2, (INCLUDES OVERLAY FEATURE)
QMRJE-10		MR			3 5/74 Q		10	DC72 REMOTE SYSTEM SFTWR
QMSRT-10					3 9/72 Q		10	QSORT - HIGH SPEED SORT ROUTINE
QMSYS-10		GBH			3 7/72 Q		10	DECSYSTEM-10 SFTWR, LICENSE, MAINTENANCE, SUPPORT & QHK02

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFBR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	107
QJ001-A					2 5/73	Q	10	2741 MONITOR, LIC, SFTWR, SERV	
QJ001-AC			BFB		5 3/73	Q	11	DOP2/TCDP DECTAPE DIAGNOSTIC PACKAGE	
QJ001-AE			BFB		5 3/73	Q	11	RKOP DECPACK DIAGNOSTIC PACKAGE	
QJ003-AB	GT		BFB		5 7/74	Q	11	RT-11 F/B OPERATING SYS, LIC, SFTWR, SERV, PAPERTAPE	
QJ003-AC		GT	BFB		5 7/74	Q	11	RT-11 F/B OPERATING SYSTEM LICENSED, DECTAPE	
QJ003-AE		GT	BFB		2 6/73	Q	11	RT-11 F/B OPERATING SYSTEM LICENSED, 60HZ DECPACK	
QJ003-AN	GT		BFB		5 7/74	Q	11	RT-11 F/B OPERATING SYS, LICENSE, SFTWR, SERV, CASSETTE	
QJ003-EC	GT		BFB		5 7/74	Q	11	RT-11 F/B OPERATING SYS, SOURCE KIT, DECTAPE	
QJ003-EE	GT		BFB		2 12/73	Q	11	RT-11 F/B OPERATING SYS, SOURCE KIT, DECPACK	
QJ003-FR	GT		BFB		5 1/75	Q	11	RT-11 F/B OPERATING SYSTEM, LISTINGS KIT, MICROFICHE	
QJ003-FZ	GT		BFB		5 7/74	Q	11	RT-11 F/B OPERATING SYS, LISTING KIT	
QJ003-HB	GT		BFB		2 10/74	Q	11	RT-11 F/B OPERATING SYSTEM, UPDATE KIT, PAPERTAPE	
QJ003-HC	GT		BFB		2 10/74	Q	11	RT-11 F/B OPERATING SYSTEM, UPDATE KIT, DECTAPE	
QJ003-HE	GT		BFB		2 10/74	Q	11	RT-11 F/B OPERATING SYSTEM, UPDATE KIT, DECPACK	
QJ003-HN	GT		BFB		2 10/74	Q	11	RT-11 F/B OPERATING SYSTEM, UPDATE KIT, CASSETTE	
QJ003-SZ		DMD	BFB		2 1/74	Q	11	RT-11 F/B OPERATING SYSTEM, SFTWR INSTALLATION	
QJ005-AC			BFB		5 7/74	Q	11	PHA-11, (DOS/BATCH REQ) LIC, SFTWR, SERV, DECTAPE	
QJ005-AD			BFB		5 7/74	Q	11	PHA-11, (DOS/BATCH REQ) LIC, SFTWR, SERV, 9 TRACK MAGTAPE	
QJ005-AE			BFB		5 7/74	Q	11	PHA-11, (DOS/BATCH REQ) LIC, SFTWR, SERV, DECPACK	
QJ005-AF			BFB		5 7/74	Q	11	PHA-11, (DOS/BATCH REQ) LIC, SFTWR, SERV, 7 TRACK MAGTAPE	
QJ005-AH			BFB		5 7/74	Q	11	PHA-11, (DOS/BATCH REQ) LIC, SFTWR, SERV, 50HZ DECPACK	
QJ006-AB	GT		BFB		5 7/74	Q	11	FOCAL-11, LIC, SFTWR, SERV, PTP	
QJ006-EC	GT		BFB		2 1/75	Q	11	FOCAL-11/PTS, SOURCE KIT, DECTAPE	
QJ006-FZ	GT		BFB		5 8/73	Q	11	FOCAL-11, LISTINGS, PAPER	
QJ007-AB	GT		BFB		5 7/74	Q	11	FOCAL/RT, LIC, SFTWR, SERV, PAPERTAPE	
QJ007-AC	GT		BFB		5 9/74	Q	11	FOCAL/RT, LICENSE, SFTWR, SERV, DECTAPE	
QJ007-AT	GT		BFB		6 6/74	Q	11	FOCAL/RT -SEE QJ007-EC-	
QJ007-EC	GT		BFB		5 6/74	Q	11	FOCAL/RT, SOURCES, DEC-10 FORMAT, DECTAPE	
QJ007-FZ	GT		BFB		3 3/74	Q	11	FOCAL/RT, LISTINGS	
QJ008-AB	GT		BFB		5 7/74	Q	11	FOCAL-GT, LICENSE, SFTWR, NO SERV, PAPERTAPE	
QJ008-AC	GT		BFB		5 7/74	Q	11	FOCAL-GT, LIC, SFTWR, NO SERV, DECTAPE	
QJ008-EC	GT		BFB		5 5/73	Q	11	FOCAL-GT, SOURCE KIT,	
QJ008-FZ	GT		BFB		5 5/73	Q	11	FOCAL-GT, LISTINGS KIT, PAPER	
QJ009-AC	GT		BFB		2 3/73	Q	11	RT-11 PLUS BASIC LICENSED, DECTAPE	
QJ009-AE	GT		BFB		2 3/73	Q	11	RT-11 PLUS BASIC LICENSED, 60HZ DECPACK	
QJ011-AB	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, PAPERTAPE	
QJ011-AC	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, DECTAPE	
QJ011-AE	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, DISK PACK	
QJ011-AN	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, CASSETTE	
QJ030-AT			BFB		6 4/74	Q	11	FORTAN IV SOURCE DECTAPE AND LISTING PACKAGE	
QJ030-AV			BFB		6 4/74	Q	11	FORTAN IV SOURCE MAGTAPE (9 TR) & LISTING PACKAGE	
QJ030-AY			BFB		6 4/74	Q	11	FORTAN IV SOURCE MAGTAPE (7 TR) & LISTING PACKAGE	
QJ031-AT			BFB		6 3/74	Q	11	FORTAN 4 V8A COMPILER SOURCE, DECTAPE	
QJ031-AV			BFB		6 3/74	Q	11	FORTAN 4 V8A COMPILER SOURCE, 9 TRACK MAGTAPE	
QJ031-AY			BFB		6 3/74	Q	11	FORTAN 4 V8A COMPILER SOURCE, 7 TRACK MAGTAPE	
QJ031-AW			BFB		6 3/74	Q	11	FORTAN 4 V8A COMPILER SOURCE, DECPACK	
QJ031-HC			BFB		5 11/73	Q	11	FORTAN COMPILER SOURCE, LISTINGS, DECTAPE, QJ250-A & QJ250-H REQ'D	
QJ031-HD			BFB		5 11/73	Q	11	FORTAN COMPILER SOURCE, LISTINGS, 9 TR MAGTAPE, QJ250-A & -H REQ'D	
QJ031-HE			BFB		5 11/73	Q	11	FORTAN COMPILER SOURCE, LISTINGS, DECPACK, QJ250-A & QJ250-H REQ'D	
QJ031-HF			BFB		5 11/73	Q	11	FORTAN COMPILER SOURCE, LISTINGS, 7 TR MAGTAPE, QJ250-A & -H REQ'D	
QJ031-FZ		DMD	BFB		5 11/73	Q	11	FORTAN COMPILER LISTINGS, BINARY LICENSE REQUIRED	
QJ033-AT			BFB		6 3/74	Q	11	FORTAN 4 V20A OTS SOURCE, DECTAPE	
QJ033-AV			BFB		6 3/74	Q	11	FORTAN 4 V20A OTS SOURCE, 9 TRACK MAGTAPE	
QJ033-AY			BFB		6 3/74	Q	11	FORTAN 4 V20A OTS SOURCE, 7 TRACK MAGTAPE	
QJ033-AW			BFB		6 3/74	Q	11	FORTAN 4 V20A OTS SOURCE, DECPACK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	108
QJ033-FZ		DMD	BFB		5 11/73	Q	11	FORTRAN OTS LISTING PACKAGE, BINARY LICENSE REQUIRED	
QJ033-MC			BFB		5 11/73	Q	11	FORTRAN OTS SOURCE, LISTINGS, DECTAPE, QJ250-A, QJ250-H REQ'D	
QJ033-MD			BFB		5 11/73	Q	11	FORTRAN OTS SOURCE, LISTINGS, 9 TR MAGTAPE, QJ250-A, QJ250-H REQ'D	
QJ033-ME			BFB		5 11/73	Q	11	FORTRAN OTS SOURCE, LISTINGS, DECPACK, QJ250-A, QJ250-H REQ'D	
QJ033-MF			BFB		5 11/73	Q	11	FORTRAN OTS SOURCE, LISTINGS, 7 TR MAGTAPE, QJ250-A, QJ250-H REQ'D	
QJ035-AC			BFB		5 7/74	Q	11	DOS/BATCH FORTRAN & OTS, QJ252-AC UPGRADE, DECTAPE (QJ252 REQ'D)	
QJ035-AD			BFB		5 7/74	Q	11	DOS/BATCH FORTRAN & OTS, QJ252-AD UPGRADE, 9 TR MAGTAPE (QJ252 REQ'D)	
QJ035-AE			BFB		5 2/74	Q	11	DOS/BATCH FORTRAN & OTS, (QJ252-AE UPGRADE), DECPACK, (QJ252 REQ'D)	
QJ035-AF			BFB		5 7/74	Q	11	DOS/BATCH FORTRAN & OTS, QJ252-AF UPGRADE, 7 TR MAGTAPE (QJ252 REQ'D)	
QJ035-DZ			BFB		5 11/73	Q	11	DOS/BATCH FORTRAN & OTS, QJ252-DZ UPGRADE	
QJ080-00	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC; SFTWR, NO SERV, <MIN HDW, PAPER	
QJ080-0C	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC; SFTWR, NO SERV, <MIN HDW, DECTAPE	
QJ080-0N	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC; SFTWR, NO SERV, <MIN HDW, CASSETTE	
QJ090-AB	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DEC-10, LIC, SFTWR, NO SERV, PTP	
QJ090-AC	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DEC-10, LIC, SFTWR, NO SERV, DECTAPE	
QJ090-AD	RMT		BFB		2 10/74	Q	11	PICTURE BOOK/DEC-10, LICENSE, SFTWR, NO SERV, 9 TRK MTA	
QJ090-AF	RMT		BFB		2 10/74	Q	11	PICTURE BOOK/DEC-10, LICENSE, SFTWR, NO SERV, 7 TRK MTA	
QJ090-EC	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DEC-10, SOURCE, DTA	
QJ090-ED	RMT		BFB		2 10/74	Q	11	PICTURE BOOK/DEC-10, SOURCE, 9 TRK MTA	
QJ090-EF	RMT		BFB		2 10/74	Q	11	PICTURE BOOK/DEC-10, SOURCE, 7 TRK MTA	
QJ090-FZ	RMT		BFB		2 6/74	Q	11	PICTURE BOOK/DEC-10, LISTINGS, PAPER	
QJ091-AB	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DOS LICENSE, SFTWR, NO SERV, PAPERTAPE	
QJ091-AC	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DOS LICENSE, SFTWR, NO SERV, DECTAPE	
QJ091-EC	RMT		BFB		5 6/74	Q	11	PICTURE BOOK/DOS, SOURCES, DECTAPE	
QJ091-FZ	RMT		BFB		5 6/74	Q	11	PICTURE BOOK/DOS, LISTINGS, PAPER	
QJ092-CC GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SOFTWARE, NO SERVICE, DECTAPE	
QJ092-CD GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SOFTWARE, NO SERVICE, 9TRK MT	
QJ092-CE GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SOFTWARE, NO SERVICE, DECPACK	
QJ092-CF GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SOFTWARE, NO SERVICE, 7TRK MT	
QJ093-CC GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSX-11D REQ), LICENSE, SOFTWARE, NO SERVICE, DECTAPE	
QJ093-CD GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSX-11D REQ), LICENSE, SOFTWARE, NO SERVICE, 9TRK MT	
QJ093-CE GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSX-11D REQ), LICENSE, SOFTWARE, NO SERVICE, DECPACK	
QJ093-CF GT			BFB		2 12/74	Q	11	PICTURE BOOK, (RSX-11D REQ), LICENSE, SOFTWARE, NO SERVICE, 7TRK MT	
QJ100-AB			BFB		5 10/72	Q	11	PTS-11, (PTP SFTWR), LIC, SFTWR, SERV, PAPERTAPE	
QJ110-AB	DSL		BFB		5 11/73	Q	11	POP11-05 BASIC SFTWR KIT (DIAG'S), PAPERTAPE	
QJ112-AN	DSL		BFB		5 1/74	Q	11	DIAGNOSTICS FOR THE POP11/05-11/15 CASSETTE	
QJ113-AB	DSL		BFB		5 2/74	Q	11	POP-11/05, 11/15; OEM MINIMUM SYSTEM DIAGNOSTICS, PAPERTAPE	
QJ113-PB	DSL		BFB		5 1/75	Q	11	POP-11/05, 11/15; OEM MINIMUM SYSTEM DIAGNOSTICS, PAPERTAPES ONLY	
QJ113-RZ	DSL		BFB		5 1/75	Q	11	POP-11/05, 11/15; OEM MINIMUM SYSTEM DIAGNOSTICS, DOCUMENTS ONLY	
QJ114-AB	DSL		BFB		5 2/74	Q	11	POP-11/35, OEM MINIMUM SYSTEM DIAGNOSTICS, PAPERTAPE	
QJ114-PB	DSL		BFB		5 1/75	Q	11	POP 11/35, OEM MINIMUM SYSTEM DIAGNOSTICS, PAPERTAPES ONLY	
QJ114-RZ	DSL		BFB		5 1/75	Q	11	POP 11/35, OEM MINIMUM SYSTEM DIAGNOSTICS, DOCUMENTS ONLY	
QJ115-AB	DSL		BFB		5 2/74	Q	11	POP-11/05, 11/15; OEM MINIMUM BASIC DIAGNOSTICS, PAPERTAPE	
QJ115-PB	DSL		BFB		5 1/75	Q	11	POP 11/05, 11/15; OEM MINIMUM BASIC DIAGNOSTICS, PAPERTAPES ONLY	
QJ115-RZ	DSL		BFB		5 1/75	Q	11	POP 11/05, 11/15; OEM MINIMUM BASIC DIAGNOSTICS, DOCUMENTS ONLY	
QJ116-AB	DSL		BFB		5 2/74	Q	11	POP-11/35, OEM MINIMUM BASIC DIAGNOSTICS, PAPERTAPE	
QJ116-PB	DSL		BFB		5 1/75	Q	11	POP 11/35, OEM MINIMUM BASIC DIAGNOSTICS, PAPERTAPES ONLY	
QJ116-RZ	DSL		BFB		5 1/75	Q	11	POP 11/35, OEM MINIMUM BASIC DIAGNOSTICS, DOCUMENTS ONLY	
QJ125-CB	ASB		BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, PAPERTAPE	
QJ125-CC	ASB		BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, DECTAPE	
QJ125-CD	ASB		BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, 9 TRACK MAGTAPE	
QJ125-CF	ASB		BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, 7 TRACK MAGTAPE	
QJ125-EC	ASB		BFB		5 5/73	Q	11	ROLLIN UTILITY V07, SOURCE KIT, DECTAPE	
QJ150-MB			BFB		5 10/72	Q	11	SINGLE-USER BASIC, SOURCE & LISTINGS, PAPERTAPE	
QJ155			BFB		3 10/72	Q	11	B-USER BASIC	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	109
QJ185-AB	GT		BFB		4 5/73	Q	11	LPS-11 BASIC, LIC, SFTWR, SERV, PAPER	
QJ188-AN	GT		BFB		5 7/74	Q	11	CAPS-11, LICENSE, SFTWR, SERV, CASSETTE	
QJ188-EN	GT		BFB		5 7/74	Q	11	CAPS-11, SOURCE, CASSETTE	
QJ188-FZ	GT		BFB		5 7/74	Q	11	CAPS-11, LISTING PACKAGE, (LICENSE REQUIRED), PAPER	
QJ188-SZ		DMD	BFB		2 1/74	Q	11	CAPS-11, SFTWR INSTALLATION	
QJ190-AN	GT		BFB		2 10/74	Q	11	PDL, (PROGRAMABLE DATA LOGGER), (RUNS UNDR CAPS-11), LIC, SFTWR, SERV, CSSTE	
QJ190-EN	GT		BFB		2 10/74	Q	11	PDL, (PROGRAMABLE DATA LOGGER), (RUNS UNDER CAPS-11), SOURCES, CSSTE	
QJ190-FZ	GT		BFB		2 11/74	Q	11	PDL, (PROGRAMABLE DATA LOGGER), (RUNS UNDER CAPS-11), LISTINGS KIT, PAPER	
QJ220-AB		PTJ	BFB		6 3/74	Q	11	DOS & FORTRAN V8A LICENSE & UPGRADE, BINARY PAPERTAPE	
QJ220-AC		PTJ	BFB		6 3/74	Q	11	DOS & FORTRAN V8A LICENSE & UPGRADE, BINARY DECTAPE	
QJ220-AD		PTJ	BFB		6 3/74	Q	11	DOS & FORTRAN V8A LICENSE & UPGRADE, BINARY 9 TR MAGTAPE	
QJ220-AF		PTJ	BFB		6 3/74	Q	11	DOS & FORTRAN V8A LICENSE & UPGRADE, BINARY 7 TR MAGTAPE	
QJ220-AL		PTJ	BFB		6 3/74	Q	11	DOS V8A SOURCE LISTING PACKAGE	
QJ220-AM		PTJ	BFB		6 3/74	Q	11	DOS V8A MANUAL PACKAGE	
QJ220-AT		PTJ	BFB		6 3/74	Q	11	DOS V8A SOURCE DECTAPE PACKAGE	
QJ220-AV		PTJ	BFB		6 3/74	Q	11	DOS V8A SOURCE PACKAGE 9 TR MAGTAPE	
QJ220-AY		PTJ	BFB		6 3/74	Q	11	DOS V8A SOURCE PACKAGE 7 TR MAGTAPE	
QJ220-AW		PTJ	BFB		6 3/74	Q	11	DOS V8A SOURCE PACKAGE, DECPACK	
QJ221-AB		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1, PAPERTAPE, QJ220-AB/BB ARE PREREQUISITE	
QJ221-AC		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1 DECTAPE, QJ220-AC/BC ARE PREREQUISITE	
QJ221-AD		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1, 9 TRACK MAGTAPE, QJ220-AD/BD ARE PREREQUISITE	
QJ221-AF		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1, 7 TRACK MAGTAPE, QJ220-AF/BF ARE PREREQUISITE	
QJ221-AT		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1 SOURCE, DECTAPE, QJ220-AT IS PREREQUISITE	
QJ221-AV		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1 SOURCE, 9 TR MAGTAPE, QJ220-AV IS PREREQUISITE	
QJ221-AY		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1 SOURCE, 7 TR MAGTAPE, QJ220-AY IS PREREQUISITE	
QJ221-AW		PTJ	BFB		6 3/74	Q	11	DOS-11 V8A UPDATE #1 SOURCE, DECPACK, QJ220-AW IS PREREQUISITE	
QJ230-AB	GT		BFB		6 3/74	Q	11	DOS F4/LPS, LIC, SFTWR, SERV, PAPERTAPE -SEE QJ903-	
QJ230-AC	GT		BFB		6 3/74	Q	11	DOS F4/LPS, LIC, SFTWR, SERV, DECTAPE -SEE QJ903-	
QJ230-AN	GT		BFB		6 3/74	Q	11	DOS F4/LPS, LIC, SFTWR, SERV, CASSETTE -SEE QJ903-	
QJ250-AC		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, SFTWR, SERV, DECTAPE	
QJ250-AD		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJ250-AE		PTJ	BFB		5 11/73	Q	11	DOS/BATCH W FORTRAN, LICENSE, SFTWR, SERV, DECPACK	
QJ250-AF		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, SFTWR, SERV, 7 TRACK MAGTAPE	
QJ250-AL		PTJ	BFB		6 4/74	Q	11	DOS/BATCH W FORTRAN, SOURCE LISTING PACKAGE	
QJ250-AT		PTJ	BFB		6 4/74	Q	11	DOS/BATCH W FORTRAN, SOURCE PACKAGE, DECTAPE	
QJ250-AV		PTJ	BFB		6 4/74	Q	11	DOS/BATCH W FORTRAN, SOURCE PACKAGE, 9 TR MAGTAPE	
QJ250-AW		PTJ	BFB		6 4/74	Q	11	DOS/BATCH W FORTRAN, SOURCE PACKAGE, DECPACK	
QJ250-AY		PTJ	BFB		6 4/74	Q	11	DOS/BATCH W FORTRAN, SOURCE PACKAGE, 7 TR MAGTAPE	
QJ250-DZ		PTJ	BFB		5 11/73	Q	11	DOS/BATCH W FORTRAN, LICENSE ONLY	
QJ250-HB		PTJ	BFB		5 2/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, UPDATE FROM QJ220-A, QJ250-A, PAPER	
QJ250-HC		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, UPDATE FROM QJ220-A, QJ250-A, DECTAPE	
QJ250-HD		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, UPDATE FROM QJ220-A QJ250-A 9 TR MTA	
QJ250-HE		PTJ	BFB		5 2/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, (UPDATE FROM QJ220-A, QJ250-A), DECPACK	
QJ250-HF		PTJ	BFB		5 7/74	Q	11	DOS/BATCH W FORTRAN, LICENSE, UPDATE FROM QJ220-A, 250-A, 7 TR MTA	
QJ250-2Z		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN A MAINTENANCE SERV, (SFTWR DISPATCH)	
QJ250-3B		DMD	BFB		2 4/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, PAPERTAPE	
QJ250-3C		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, DECTAPE	
QJ250-3D		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MAGTAPE	
QJ250-3E		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK	
QJ250-3F		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, 7 TRK MAGTAPE	
QJ250-3N		DMD	BFB		2 4/74	Q	11	DOS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, CASSETTE	
QJ250-6B		DMD	BFB		2 4/74	Q	11	DOS/BATCH PLAN C MAINTENANCE SERV, SOURCE & BINARY UPDATES, PTP	
QJ250-6C		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN C MAINTENANCE SERV, SOURCE & BINARY UPDATES, DTA	
QJ250-6D		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN C MAINTENANCE SERV, SOURCE & BINARY UPDATES, 9TR MTA	
QJ250-6E		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN C MAINTENANCE SERV, SOURCE & BINARY UPDATES, DECPCK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFBR AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION	110
QJ250-6F		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN C MAINTENANCE SERV, SOURCE & BINARY UPDATES, 7TR MTA	
QJ250-6N		DMD	BFB		2 3/74	Q	11	DOS/BATCH PLAN C MAINT. SERV, SOURCE & BINARY UPDATES, CASSETTE	
QJ251-AB		PTJ	BFB		6 3/74	Q	11	BATCH-11 V8A UPDATE #1 PAPERTAPE, QJ250-AB/BB PREREQUISITE	
QJ251-AC		PTJ	BFB		6 3/74	Q	11	BATCH-11 V8A UPDATE #1, DECTAPE, QJ250-AC/BC PREREQUISITE	
QJ251-AD		PTJ	BFB		6 3/74	Q	11	BATCH-11 V8A UPDATE #1, 9 TR MAGTAPE, QJ250-AD/BD PREREQUISITE	
QJ251-AF		PTJ	BFB		6 3/74	Q	11	BATCH-11 V8A UPDATE #1, 7 TR MAGTAPE, QJ250-AF/BF PREREQUISITE	
QJ251-AL		PTJ	BFB		6 4/74	Q	11	BATCH-11 V8A UPDATE #1 LISTINGS, PAPER	
QJ251-AT		PTJ	BFB		6 3/73	Q	11	BATCH-11 V8A UPDATE #1 SOURCE, DECTAPE, QJ250-AT IS PREREQUISITE	
QJ251-AV		PTJ	BFB		6 3/73	Q	11	BATCH-11 V8A UPDATE #1 SOURCE, 9 TR MAG, QJ250-AV IS PREREQUISITE	
QJ251-AW		PTJ	BFB		6 3/73	Q	11	BATCH-11 V8A UPDATE #1 SOURCE, DECPACK, QJ250-AW IS PREREQUISITE	
QJ251-AY		PTJ	BFB		6 3/73	Q	11	BATCH-11 V8A UPDATE #1 SOURCE, 7 TR MAG, QJ250-AY IS PREREQUISITE	
QJ252-AC		PTJ	BFB		3 11/73	Q	11	DOS/BATCH, NO FORTRAN, LICENSE, SFTWR, SERV, DECTAPE	
QJ252-AD		PTJ	BFB		5 7/74	Q	11	DOS/BATCH, NO FORTRAN LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJ252-AE		PTJ	BFB		5 2/74	Q	11	DOS/BATCH, NO FORTRAN, LICENSE, SFTWR, SERV, DECPACK	
QJ252-AF		PTJ	BFB		5 7/74	Q	11	DOS/BATCH, NO FORTRAN, LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QJ252-QZ		PTJ	BFB		5 11/73	Q	11	DOS/BATCH, NO FORTRAN, LICENSE ONLY	
QJ252-FZ		DMD	BFB		5 11/73	Q	11	DOS/BATCH, NO FORTRAN MONITOR AND CUSP LISTINGS, BIN LICENSE REQ'D	
QJ252-MC		PTJ	BFB		5 7/74	Q	11	DOS/BATCH, NO FORTRN, SOURCE, LISTINGS, DECTAPE, QJ250-H, 52-A REQ'D	
QJ252-MD		PTJ	BFB		5 7/74	Q	11	DOS/BATCH NO FORT SOURCE LISTINGS 9 TR MAGTAPE QJ250-H QJ252-A REQ'D	
QJ252-ME		PTJ	BFB		5 7/74	Q	11	DOS/BATCH NO FORT SOURCE, LISTINGS, DECPACK, QJ250-H, QJ252-A REQ'D	
QJ252-MF		PTJ	BFB		5 7/74	Q	11	DOS/BATCH NO FORT SOURCE, LISTINGS, 7 TR MAGTAPE QJ250-H, 52-A REQ'D	
QJ253-FZ		DMD	BFB		5 11/73	Q	11	DOS/BATCH DEVICE DRIVER LISTINGS, BINARY LICENSE REQUIRED	
QJ253-MC		PTJ	BFB		5 7/74	Q	11	DOS/BATCH DEVICE DRIVER SOURCE, DECTAPE, QJ250-H, QJ252-A REQ'D	
QJ253-MD		PTJ	BFB		5 7/74	Q	11	DOS/BATCH DEVICE DRIVER SOURCE, 9 TR MAGTAPE, QJ250-H, QJ252-A REQ'D	
QJ253-ME		PTJ	BFB		5 7/74	Q	11	DOS/BATCH DEVICE DRIVER SOURCE, DECPACK, QJ250-H, QJ252-A REQ'D	
QJ253-MF		PTJ	BFB		5 7/74	Q	11	DOS/BATCH DEVICE DRIVER SOURCE, 7 TR MAGTAPE, QJ250-H, QJ252-A REQ'D	
QJ255-HB	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, PAPERTAPE	
QJ255-HC	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, DECTAPE	
QJ255-HD	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, 9 TRK MTA	
QJ255-HE	DMD	PTJ	BFB		2 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, DECPACK	
QJ255-HF	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, 7 TRK MTA	
QJ255-HN	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, CASSETTE	
QJ255-MC	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, SRCE&LISTINGS, DTA	
QJ255-MD	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, SRCE&LISTINGS, 9 TRK MTA	
QJ255-ME	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, SRCE&LISTINGS, DECPACK	
QJ255-MF	DMD	PTJ	BFB		5 10/74	Q	11	DOS/BATCH V9.20C, LINKER UPDATE, SRCE&LISTINGS, 7 TRK MTA	
QJ260-AB		PTJ	BFB		2 4/74	Q	11	RT-11+FORTRAN/RT-11, (QJ220 OR QJ250 REQ), LIC, SFTWR, SERV, PTP	
QJ260-AC		PTJ	BFB		2 4/74	Q	11	RT-11+FORTRAN/RT-11, (QJ220 OR QJ250 REQ), LIC, SFTWR, SERV, DTA	
QJ260-AE		PTJ	BFB		2 4/74	Q	11	RT-11+FORTRAN/RT-11, (QJ220 OR QJ250 REQ), LIC, SFTWR, SERV, DECPACK	
QJ260-AN		PTJ	BFB		2 4/74	Q	11	RT-11+FORTRAN/RT-11, (QJ220 OR QJ250 REQ), LIC, SFTWR, SERV, CASSETTE	
QJ400-AC		DFP	BFB		6 7/74	Q	11	RSTS-11, LICENSE, SFTWR, SERV, DECTAPE	
QJ400-AD		DFP	BFB		6 1/74	Q	11	RSTS-11, LICENSE, SFTWR, SERV, 9 TRK MAGTAPE	
QJ400-AE		DFP	BFB		6 7/74	Q	11	RSTS-11, LICENSE, SFTWR, SERV, DECPACK	
QJ400-AF		DFP	BFB		6 1/74	Q	11	RSTS-11, LICENSE, SFTWR, SERV, 7 TRK MAGTAPE	
QJ400-EC		DFP	BFB		6 7/74	Q	11	RSTS-11, (QJ400-A REQ'D), SOURCE, DECTAPE	
QJ400-GZ		DFP	BFB		6 7/74	Q	11	RSTS-11, PRE-DELIVERY KIT	
QJ400-SZ		DMD	BFB		6 8/74	Q	11	RSTS-11, SFTWR ORIENTATION SERV	
QJ425-AB		DFP	BFB		5 7/74	Q	11	RSTS-11 SORT, LICENSE, SFTWR, SERV, PAPERTAPE	
QJ425-AC		DFP	BFB		5 7/74	Q	11	RSTS-11 SORT, LICENSE, SFTWR, SERV, DECTAPE	
QJ425-AD		DFP	BFB		5 7/74	Q	11	RSTS-11 SORT, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJ425-AE		DFP	BFB		5 11/74	Q	11	RSTS-11 SORT, LICENSE, SFTWR, SERVICE, DECPACK	
QJ425-AF		DFP	BFB		5 7/74	Q	11	RSTS-11 SORT, LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QJ425-HB		DFP	BFB		3 3/74	Q	11	RSTS-11 SORT, UPDATE KIT, PAPERTAPE	
QJ425-HC		DFP	BFB		3 3/74	Q	11	RSTS-11 SORT, UPDATE KIT, DECTAPE	
QJ425-HD		DFP	BFB		3 3/74	Q	11	RSTS-11 SORT, UPDATE KIT, 9 TRK MAGTAPE	



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MF&R AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ425-HF		DFP	BF8		3 3/74	Q	11	RSTS-11 SORT, UPDATE KIT, 7 TRK MAGTAPE
QJ425-JZ		DFP	BF8		3 4/74	Q	11	RSTS-11 SORT, START-UP SERV
QJ430-AB		DFP	BF8		5 4/74	Q	11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, PAPERTAPE
QJ430-AC		DFP	BF8		5 4/74	Q	11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, DECTAPE
QJ430-AD		DFP	BF8		5 4/74	Q	11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QJ430-AE		DFP	BF8		5 4/74	Q	11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, DECPACK
QJ430-AF		DFP	BF8		5 4/74	Q	11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QJ430-JZ		DFP	BF8		2 6/73	Q	11	RSTS-11 COMMERCIAL EXT, START-UP SERV
QJ520-AE	HA		BF8		5 7/74	Q	DS520	COS-520, LIC, SFTWR, SERV, DECPACK
QJ520-HE			BF8		5 11/74	Q	11	COS 520, UPDATE KIT, DECPACK
QJ520-HD			BF8		5 11/74	Q	11	COS 520, UPDATE KIT, 9 TRK MTA
QJ550-AB			BF8		5 7/74	Q	11	RSX-11A REAL TIME EXECUTIVE, LIC, SFTWR, SERV, PAPERTAPE
QJ550-AC			BF8		5 7/74	Q	11	RSX-11A REAL TIME EXECUTIVE, LIC, SFTWR, SERV, DECTAPE
QJ551-CC	TZ		BF8		2 2/74	Q	11	RSX-11A PLUS FORTRAN, LICENSE, SFTWR, NO SUPPORT, DECTAPE
QJ560-AB			BF8		5 7/74	Q	11	RSX-11B LIC, SFTWR, SERV, PAPERTAPE
QJ560-AC			BF8		5 7/74	Q	11	RSX-11B LIC, SFTWR, SERV, DECTAPE
QJ560-AE			BF8		6 3/74	Q	11	RSX-11B, LICENSE, SFTWR, SERV, DECPACK -SEE QJ561-AE-
QJ560-AT	JJM		BF8		6 6/73	Q	11	RSX-11B WITH FORTRAN (SOURCE DECTAPE PACKAGE)
QJ560-CB			BF8		2 1/74	Q	11	RSX-11B, LICENSE, SFTWR, NO SERV, PAPERTAPE
QJ560-CC			BF8		2 1/74	Q	11	RSX-11B, LICENSE, SFTWR, NO SERV, DECTAPE
QJ560-CE			BF8		6 3/74	Q	11	RSX-11B, LICENSE, SFTWR, NO SERV, DECPACK -SEE QJ561-CE-
QJ560-EC			BF8		5 5/73	Q	11	RSX-11B SOURCE KIT, DECTAPE
QJ560-HB			BF8		5 5/73	Q	11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, PAPERTAPE
QJ560-HC			BF8		5 5/73	Q	11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, DECTAPE
QJ560-HE			BF8		6 3/74	Q	11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, DECPACK -SEE QJ561-HE-
QJ561-AE			BF8		2 2/74	Q	11	RSX-11B W/DOS, LICENSE, SFTWR, SUPPORT, DECPACK
QJ561-CE			BF8		2 2/74	Q	11	RSX-11B W/DOS, LICENSE, SFTWR, NO SUPPORT, DECPACK
QJ561-HE			BF8		2 2/74	Q	11	RSX-11B W/DOS, V7A, UPDATE FROM RSX-11B V6A, DECPACK
QJ570-AB			BF8		5 7/74	Q	11	RSX-11C LIC, SFTWR, SERV, PAPERTAPE
QJ570-AC			BF8		5 7/74	Q	11	RSX-11C LIC, SFTWR, SERV, DECTAPE
QJ570-AT			BF8		6 6/73	Q	11	RSX-11C WITH FORTRAN (SOURCE DECTAPE PACKAGE)
QJ570-CB			BF8		2 1/74	Q	11	RSX-11C, LICENSE, SFTWR, NO SERV, PAPERTAPE
QJ570-CC			BF8		2 1/74	Q	11	RSX-11C, LICENSE, SFTWR, NO SERV, DECTAPE
QJ570-EC			BF8		5 5/73	Q	11	RSX-11C V7A, SOURCE KIT, DECTAPE
QJ570-HB			BF8		5 7/74	Q	11	RSX-11C V7A UPDATE FROM RSX-11C V6A, PAPERTAPE
QJ570-HC			BF8		5 5/73	Q	11	RSX-11C V7A UPDATE FROM RSX-11C V6A, DECTAPE
QJ580-AC	MW	PV	BF8		5 7/74	Q	11/40	RSX-11D (RK SYS) BIN LICENSE & SUPPORT, DECTAPE
QJ580-AD	MW	PV	BF8		5 7/74	Q	11/40	RSX-11D (RK SYS) BIN LICENSE & SUPPORT, 9 TRACK MAGTAPE
QJ580-AE	MW	PV	BF8		5 7/74	Q	11/40	RSX-11D (RK SYS) BIN LICENSE, SFTWR, SERV, DECPACK
QJ580-AF	MW	PV	BF8		5 7/74	Q	11/40	RSX-11D (RK SYS) BIN LICENSE & SUPPORT, 7 TRACK MAGTAPE
QJ580-CC	MW	PV	BF8		3 3/73	Q	11/40	RSX-11D (RK SYS) BIN LICENSE, NO SUPPORT, DECTAPE
QJ580-CD	MW	PV	BF8		3 3/73	Q	11/40	RSX-11D (RK SYS) BIN LICENSE, NO SUPPORT, 9 TRACK MAGTAPE
QJ580-CE	MW	PV	BF8		3 8/73	Q	11/40	RSX-11D (RK SYS) BIN LICENSE, NO SUPPORT, DECPACK
QJ580-CF	MW	PV	BF8		3 3/73	Q	11/40	RSX-11D (RK SYS) BIN LICENSE, NO SUPPORT, 7 TRACK MAGTAPE
QJ580-ED	MW	PV	BF8		3 5/74	Q	11/40	RSX-11D, SOURCE KIT, 9 TRK MTA
QJ580-EE	MW	PV	BF8		3 5/74	Q	11/40	RSX-11D, SOURCE KIT, DECPACK
QJ580-EF	MW	PV	BF8		3 5/74	Q	11/40	RSX-11D SOURCE KIT, 7 TRK MTA
QJ580-FR	MW	PV	BF8		3 5/74	Q	11/40	RSX-11D, LISTINGS KIT, MICRO-FICHE
QJ580-FZ	MW	PV	BF8		3 5/74	Q	11/40	RSX-11D, LISTINGS KIT, PAPER
QJ580-GZ	MW	PV	BF8		5 7/74	Q	11/40	RSX-11D PRE-DELIVERY DOCUMENT KIT
QJ580-HC	MW		BF8		2 2/74	Q	11/40	RSX-11D, UPDATE FROM PHASE I TO PHASE II, DECTAPE
QJ580-HD	MW		BF8		2 2/74	Q	11/40	RSX-11D, UPDATE FROM PHASE I TO PHASE II, 9 TRK MTA
QJ580-HE	MW		BF8		2 2/74	Q	11/40	RSX-11D, UPDATE FROM PHASE I TO PHASE II, DECPACK
QJ580-HF	MW		BF8		2 2/74	Q	11/40	RSX-11D, UPDATE FROM PHASE I TO PHASE II, 7 TRK MTA
QJ580-SZ		DMD	BF8		2 1/74	Q	11/40	RSX-11D, (RK SYS) SFTWR CONSULTING (FIVE DAYS)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	112
QJ580-2Z	MW	OMD	BFB		2 6/74	Q	11/40	RSX-11D, PLAN A MAINTENANCE SERV (SFTWR DISPATCH)	
QJ580-3C	MW	OMD	BFB		2 6/74	Q	11/40	RSX-11D, (RK SYS); PLAN B MAINTENANCE SERV, BINARY UPDATES, DECTAPES	
QJ580-3D	MW	OMD	BFB		2 6/74	Q	11/40	RSX-11D, (RK SYS); PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MTA	
QJ580-3E	MW	OMD	BFB		2 6/74	Q	11/40	RSX-11D, (RK SYS); PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK	
QJ580-3F	MW	OMD	BFB		2 6/74	Q	11/40	RSX-11D, (RK SYS); PLAN B MAINTENANCE SERV, BINARY UPDATES, 7 TRK MTA	
QJ583-ED	MW		BFB		3 11/73	Q	11/40	RSX-11D SOURCE, UTILITY, REQUIRES QJ580/6, 9 TR MAGTAPE	
QJ583-EE	MW		BFB		3 11/73	Q	11/40	RSX-11D SOURCE, UTILITY, REQUIRES QJ580/6, DISK PACK	
QJ583-EF	MW		BFB		3 11/73	Q	11/40	RSX-11D, SOURCE, UTILITY, REQUIRES QJ580/6, 7 TR MAGTAPE	
QJ583-FR	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, MICRO-FICHE LISTING, UTILITY, REQUIRES QJ580/6	
QJ583-FZ	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, UTILITY LISTING, PAPER, REQUIRES QJ580/6	
QJ583-HD	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, UTILITY, UPDATE FROM PHASE I TO II, 9 TRK MTA	
QJ583-HE	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, UTILITY, UPDATE FROM PHASE I TO II, DECPACK	
QJ583-HF	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, UTILITY, UPDATE FROM PHASE I TO II, 7 TRK MTA	
QJ584-ED	MW		BFB		3 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580/6, 9 TR MTA	
QJ584-EE	MW		BFB		3 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580/6, DISK PACK	
QJ584-EF	MW		BFB		3 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580/6, 7 TR MTA	
QJ584-FR	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING, FORTRAN COMPILER, QJ580/6 REQ'D, MICRO-FICHE	
QJ584-FZ	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING; FORTRAN COMPILER, QJ580/6 REQUIRED, PAPER	
QJ584-HD	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, UPDATE PHASE I TO II, 9 TRK MTA	
QJ584-HE	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, UPDATE PHASE I TO II, DECPACK	
QJ584-HF	MW		BFB		2 2/74	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, UPDATE PHASE I TO II, 7 TRK MTA	
QJ585-ED	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580/6 REQ'D), 9 TRK MTA	
QJ585-EE	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580/6 REQ'D), DECPACK	
QJ585-EF	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580/6 REQ'D), 7 TRK MTA	
QJ585-FR	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING; FRTN RUN-TIME & EXEC QJ580/6 REQ'D, MICRO-FICHE	
QJ585-FZ	MW	OMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING; FRTN RUN-TIME, & EXEC QJ580/6 REQ'D, PAPER	
QJ585-HD	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, UPDATE PHASE I TO II, 9 TRK MTA	
QJ585-HE	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, UPDATE PHASE I TO II, DECPACK	
QJ585-HF	MW	PV	BFB		2 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, UPDATE PHASE I TO II, 7 TRK MTA	
QJ586-AD	MW	HK	BFB		5 2/74	Q	11/40	RSX-11D, (RP SYS); LICENSE, SFTWR, SERV, 9 TRK MAGTAPE	
QJ586-AE	MW	HK	BFB		5 2/74	Q	11/40	RSX-11D, (RP SYS); LICENSE, SFTWR, SERV, DECPACK	
QJ586-AF	MW	HK	BFB		5 2/74	Q	11/40	RSX-11D, (RP SYS); LICENSE, SFTWR, SERV, 7 TRK MAGTAPE	
QJ586-CD	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP SYS); LICENSE, SFTWR, NO SERV, 9 TRK MAGTAPE	
QJ586-CE	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP SYS); LICENSE, SFTWR, NO SERV, DECPACK	
QJ586-CF	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP DISK); LICENSE, SFTWR, NO SERV, 7 TRK MAGTAPE	
QJ586-HD	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP SYS); UPDATE PHASE I TO PHASE II, 9 TRK MTA	
QJ586-HE	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP SYS); UPDATE PHASE I TO PHASE II, RK DECPACK	
QJ586-HF	MW	HK	BFB		2 2/74	Q	11/40	RSX-11D, (RP SYS); UPDATE PHASE I TO PHASE II, 7 TRK MTA	
QJ591-HB			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V6A, PAPERTAPE	
QJ591-HC			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V6A, DECTAPE	
QJ591-HE			BFB		6 3/74	Q	11	RSX-11B V7A, UPDATE FROM RSX-11C V6A, -SEE QJ592-HE- DECPACK	
QJ592-HE			BFB		2 2/74	Q	11	RSX-11B W/OOS, V7A, UPDATE FROM RSX-11C V6A, DECPACK	
QJ596-HB			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V7A, PAPERTAPE	
QJ596-HC			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V7A, DECTAPE	
QJ598-AB		EPC	BFB		6 6/73	Q	11	RSX-11 B/C MAGTAPE HANDLER, PAPERTAPE	
QJ600			BFB		3 6/72	Q	11	RPG11 REPORT PROGRAM GENERATOR	
QJ620-AC		BF	BFB		2 12/73	Q	11	RSX-11M, LIC, SFTWR, SERV, (SRCE FOR EXEC), DECPACK & DECTAPE	
QJ620-AE		BF	BFB		2 12/73	Q	11	RSX-11M, LICENSE, SFTWR, SERV, (SRCE FOR EXEC INCL), DECPACK	
QJ620-AN		BF	BFB		2 12/73	Q	11	RSX-11M, LIC, SFTWR, SERV, (SOURCE FOR EXEC), DECPACK & CASSETTE	
QJ620-CC		BF	BFB		2 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D) DCPK & DTA	
QJ620-CE		BF	BFB		2 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D) DECPACK	
QJ620-CN		BF	BFB		2 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D), DCPK & CSTE	
QJ620-FR		BF	BFB		2 12/73	Q	11	RSX-11M, EXEC, I/O DVRS, LST, (QJ620-A OR C REQ'D) MICRO-FICHE	
QJ620-FZ		BF	BFB		2 12/73	Q	11	RSX-11M, EXEC, I/O DVRS, LST, (QJ620-A OR C REQ'D) PAPER	
QJ620-GZ		BF	BFB		2 12/73	Q	11	RSX-11M, PRE-DELIVERY DOCUMENT KIT.	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ620-SZ		DMD	BFB		2 7/74	Q	11	RSX-11M, ORIENTATION SERV
QJ620-2Z		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN A MAINTENANCE SERV, SFTWR DISPATCH
QJ620-3C		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK & DTA
QJ620-3E		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK
QJ620-3N		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINT. SERV, BINARY UPDATES, DECPACK & CASSETTE
QJ621-FR		BF	BFB		2 12/73	Q	11	RSX-11M, LISTING; UTILITY, (QJ620 REQD), MICRO-FICHE
QJ621-FZ		BF	BFB		2 12/73	Q	11	RSX-11M, LISTING; UTILITY, (QJ620 REQD), PAPER
QJ621-EE		BF	BFB		2 12/73	Q	11	RSX-11M, SOURCE, UTILITY, (QJ620 REQD), DECPACK
QJ622-FR		BF	BFB		2 12/73	Q	11	RSX-11M, LISTING; FORTRAN COMPILER, (QJ620 REQD), MICRO-FICHE
QJ622-FZ		BF	BFB		2 12/73	Q	11	RSX-11M, LISTING; FORTRAN COMPILER, (QJ620 REQD), PAPER
QJ622-EE		BF	BFB		2 12/73	Q	11	RSX-11M, SOURCE, FORTRAN COMPILER, (QJ620 REQD), DECPACK
QJ630-AN		MES	BFB		2 12/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LIC, SWFR, SERV, CSSTE
QJ630-EN		MES	BFB		2 12/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), SOURCES, CASSETTE
QJ630-FR		MES	BFB		2 1/75	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LISTINGS, FICHE
QJ630-FZ		MES	BFB		2 12/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LISTINGS, PAPER
QJ700-B			BFB		3 9/72	Q	11	COMMERCIAL RSTS, BINARY
QJ700-BQ			BFB		3 9/72	Q	11	QJ700-B, FOURTH OR MORE PURCHASE
QJ700-S			BFB		3 9/72	Q	11	COMMERCIAL RSTS, SOURCE & BINARY
QJ710			BFB		3 6/72	Q	11	CLINICAL LAB
QJ720-AB		JBP	BFB		5 3/74	Q	11	GAMMA-11, SFTWR, LICENSE, SERV, PAPERTAPE
QJ720-EC		JBP	BFB		5 3/74	Q	11	GAMMA-11, SOURCES, (QJ720-A REQ'D), DECTAPE
QJ720-ED		JBP	BFB		5 3/74	Q	11	GAMMA-11, SOURCES, (QJ720-A REQ'D) 9 TRK MTA
QJ720-FZ		JBP	BFB		5 3/74	Q	11	GAMMA-11, LISTINGS, (QJ720-A REQ'D) PAPER
QJ721-AB		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), PTP
QJ721-AD		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), 9 TRK MTA
QJ721-AN		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), CASSETTE
QJ721-EC		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, SOURCES, DECTAPE
QJ721-ED		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, SOURCES, 9 TRK MTA
QJ721-EE		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, SOURCE, RK05 DISK
QJ721-EH		JBP	BFB		2 11/74	Q	11	GAMMA-11 F/B, SOURCES, DECPACK 50HZ
QJ721-FZ		JBP	BFB		5 7/74	Q	11	GAMMA-11 F/B, LISTINGS PKG, PAPER
QJ721-HB		JBP	BFB		2 7/74	Q	11	GAMMA-11 F/B, UPDATE FROM GAMMA-11, PAPERTAPE
QJ721-HN		JBP	BFB		2 7/74	Q	11	GAMMA-11 F/B, UPDATE FROM GAMMA-11, CASSETTE
QJ725-CN		JBP	BFB		2 6/74	Q	11	GAMMA-11, (FOR PICKER CORP(OEM) ONLY), LICENSE, SFTWR, NO SERV, CASSETTE
QJ730-AC	GT		BFB		5 7/74	Q	11	SSP-11, SCI SUBROUTINES, (DOS/BATCH W/F4 REQ), LIC, SFTWR, SERV, DTA
QJ800-AC			BFB		6 2/74	Q	11	MUMPS-11 DATA MANAGEMENT BINARY, DECTAPE
QJ800-AD			BFB		6 2/74	Q	11	MUMPS-11 DATA MANAGEMENT, BINARY, 9 TRK MAGTAPE
QJ800-AF			BFB		6 2/74	Q	11	MUMPS-11 DATA MANAGEMENT, BINARY, 7 TRK MAGTAPE
QJ820-AC	RGR		BFB		5 7/74	Q	11	MUMPS-11 LICENSE; SFTWR, SERV, DECTAPE
QJ820-AD	RGR		BFB		5 7/74	Q	11	MUMPS-11 LICENSE; SFTWR, SERV, 9 TR MAGTAPE
QJ820-AF	RGR		BFB		5 7/74	Q	11	MUMPS-11 LICENSE; SFTWR, SERV, 7 TR MAGTAPE
QJ820-CC	RGR		BFB		5 11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, DECTAPE
QJ820-CD	RGR		BFB		5 11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, 9 TRK MTA
QJ820-CF	RGR		BFB		2 11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, 7 TRK MTA
QJ820-EC	RGR		BFB		5 7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, DECTAPE
QJ820-ED	RGR		BFB		5 7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, 9 TR MAGTAPE
QJ820-EF	RGR		BFB		5 7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, 7 TR MAGTAPE
QJ820-FZ	RGR		BFB		5 7/74	Q	11	MUMPS-11 LISTING PACKAGE, REQUIRES QJ820-A
QJ900-AB	GT	ASB	BFB		5 7/74	Q	11	BASIC/PTS, LIC, SFTWR, SERV, PTP
QJ900-EB	GT	ASB	BFB		5 7/74	Q	11	BASIC/PTS, SOURCE, PAPERTAPE
QJ900-FZ	GT	ASB	BFB		5 7/74	Q	11	BASIC/PTS, LISTINGS, PAPER
QJ901-AB	GT	ASR	BFB		3 5/73	Q	11	MULTI USER, BASIC/PTS, PAPERTAPE
QJ901-EB	GT	ASB	BFB		3 3/74	Q	11	MULTI USER, BASIC/PTS, SOURCES, PAPERTAPE
QJ901-FZ	GT	ASB	BFB		3 3/74	Q	11	MULTI USER, BASIC/PTS, LISTINGS
QJ902-AB	GT	ASR	BFB		2 5/73	Q	11	BASIC/PTS, REAL TIME LPS, PAPERTAPE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	114
QJ902-EB	GT	ASB	BFB		2	8/73 Q	11	BASIC/PTS, REAL-TIME LPS SOURCE, PAPER, QJ902-AB, QJ903-AB REQ'D	
QJ903-AB	GT		BFB		5	7/74 Q	11	FORTRAN, DOS REAL-TIME LPS, LIC, SFTWR, SERV, PAPER	
QJ903-AC	GT		BFB		5	7/74 Q	11	FORTRAN, DOS REAL-TIME LPS, LIC, SFTWR, SERV, DECTAPE	
QJ903-EC	GT		BFB		5	7/74 Q	11	FORTRAN, DOS REAL-TIME LPS, SOURCE, DECTAPE, QJ903-AC REQ'D	
QJ905-AB	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, PAPETAPE	
QJ905-AC	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, DECTAPE	
QJ905-AC	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, RK05 DISK	
QJ905-AN	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, CASSETTE	
QJ905-EC	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 SOURCE, REQUIRES QJ905-A, DECTAPE	
QJ905-EE	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 SOURCE, REQUIRES QJ905-A, RK05 DISK	
QJ905-FZ	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 LISTING, REQUIRES QJ905-A	
QJ910-AN	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, CASSETTE	
QJ910-EN	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, SOURCES CASSETTE	
QJ910-FZ	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, LISTINGS	
QJ915-AB	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, PAPETAPE	
QJ915-AC	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, DECTAPE	
QJ915-AE	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, RK05 DISK	
QJ915-AN	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, CASSETTE	
QJ915-EC	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ915-A, DECTAPE	
QJ915-EE	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ915-A, RK05 DISK	
QJ915-FZ	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 LISTING, REQUIRES QJ915-A	
QJ920-AB	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) LICENSE, SFTWR, SERV, PTP	
QJ920-AC	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) LICENSE, SFTWR, SERV, DECTAPE	
QJ920-AE	GT	ASB	BFB		5	11/73 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ), LICENSE, SFTWR, SERV, DISK PACK	
QJ920-AN	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) LICENSE, SFTWR, SERV, CASSETTE	
QJ920-EC	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) SOURCE, DECTAPE	
QJ920-EE	GT	ASB	BFB		5	12/73 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) SOURCE, DECPACK	
QJ920-FZ	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS, (RT-11 REQ) LISTING PACKAGE	
QJ921-AB	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, PAPETAPE	
QJ921-AC	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, DECTAPE	
QJ921-AE	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, DECPACK	
QJ921-AN	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, CASSETTE	
QJ921-EC	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, SOURCES, DECTAPE	
QJ921-EE	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, SOURCES, DECPACK	
QJ921-FZ	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LISTINGS, PAPER	
QJ922-AC	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, DECTAPE	
QJ922-AE	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, DECPACK	
QJ922-AN	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, CASSETTE	
QJ922-EE	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, SOURCE KIT, DECPACK	
QJ922-EC	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, SOURCE KIT, DECTAPE	
QJ922-FZ	GT		BFB		2	8/74 Q	11	FOCAL/RT-11, LISTINGS KIT, PAPER	
QJ925-AB	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, PAPETAPE	
QJ925-AC	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, DECTAPE	
QJ925-AE	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, RK05 DISK	
QJ925-AN	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, CASSETTE	
QJ925-EC	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ925-A, DECTAPE	
QJ925-EE	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ925-A, RK05 DISK	
QJ925-FZ	GT		BFB		5	11/73 Q	11	FORTRAN/RT-11 EXT FORTRAN 4 LISTINGS, REQUIRES QJ925-A	
QJ929-AB	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, PAPETAPE	
QJ929-AC	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, DECTAPE	
QJ929-AE	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, DECPACK	
QJ929-AN	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, CASSETTE	
QJ929-EC	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, SOURCE KIT, DECTAPE	
QJ929-EE	GT		BFB		2	8/74 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, SOURCE KIT, DECPACK	
QJ929-EN	GT		BFB		2	1/75 Q	11	FORTRAN 4/RT-11, LV11 PLOTTING PKG, SOURCE KIT, CASSETTE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD IGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ930-AB	GT		BFB		2 10/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, PAPETAPE
QJ930-AC	GT		BFB		2 10/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, DECTAPE
QJ930-AE	GT		BFB		2 12/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, DECPACK
QJ930-AN	GT		BFB		2 10/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, CASSETTE
QJ930-EC	GT		BFB		2 10/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) SOURCE, DECTAPE, QJ930-A REQ'D
QJ930-EE	GT		BFB		2 12/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) SOURCE, DECPACK, QJ930-A REQ'D
QJ930-EN	GT		BFB		6 10/73 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ) SOURCE, CASSETTE, QJ930-A REQ'D
QJ930-FZ	GT		BFB		2 10/74 0	11		LV11 PLOT PKG,(BASIC/RT-11 REQ), LISTINGS, PAPER
QJ931-AB	GT		BFB		3 10/73 0	11		LV11 PLOTNG, (DOS/BATCH W/F4 REQ) LICENSE, SFTWR, SERV, PAPETAPE
QJ931-AC	GT		BFB		3 10/73 0	11		LV11 PLOTNG,(DOS/BATCH W/F4 REQ) LIC, SFTWR, SERV, DECTAPE
QJ931-AN	GT		BFB		3 10/73 0	11		LV11 PLOTNG,(DOS/BATCH W/F4 REQ) LIC, SFTWR, SERV, CASSETTE
QJ931-EC	GT		BFB		3 10/73 0	11		LV11 PLOTNG, (DOS/BATCH W/F4 REQ), SOURCE, DECTAPE
QJ931-EN	GT		BFB		3 10/73 0	11		LV11 PLOTNG, (DOS/BATCH W/F4 REQ), SOURCE, CASSETTE
QJ931-FZ	GT		BFB		5 10/74 0	11		LV11 PLOTNG,(DOS/BATCH W/F4 REQ), LISTINGS, PAPER
QJ940-AB	GT	CAR	BFB		2 11/73 0	11		LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, PAPETAPE
QJ940-AC	GT	CAR	BFB		2 11/73 0	11		LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, DECTAPE
QJ940-AE	GT	CAR	BFB		5 3/74 0	11		LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, DISK PACK
QJ940-AN	GT	CAR	BFB		2 11/73 0	11		LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, CASSETTE
QJ940-FZ	GT	CAR	BFB		5 3/74 0	11		LAB APPL-11, (RT-11 REQ), LISTING PACKAGE, REQUIRES QJ940-A
QJ942-AN	GT	CAR	BFB		2 12/73 0	11		LAB APPL-11, (CAPS-11) LICENSE, SERV, CASSETTE
QJ942-FZ	GT	CAR	BFB		2 12/73 0	11		LAB APPL-11, (CAPS-11), (QJ942-A REQD), LISTINGS
QJ950	GT		BFB		6 3/74 0	11		FORTTRAN/RT OPERATING SYSTEM -SEE QJ925-
QJ960-AQ	GT		BFB		2 8/74 0	11		RT-11/FORTRAN - SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,DTA
QJ960-AE	GT		BFB		2 8/74 0	11		RT-11/FORTRAN - SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,DECPACK
QJ960-AN	GT		BFB		2 8/74 0	11		RT-11/FORTRAN - SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,CASSETTE
QJD01-CB	DAS		BFB		5 3/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP) LIC, SFTWR, NO SERV, PAPETAPE
QJD01-CC	DAS		BFB		5 9/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP) LIC, SFTWR, NO SERV, DECTAPE
QJD01-CD	DAS		BFB		5 9/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP), LIC, SFTWR, NO SERV, 9 TR MTA
QJD01-CN	DAS		BFB		5 12/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP), LIC, SFTWR, NO SERV, CASSETTE
QJD01-DZ	DAS		BFB		2 3/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP) LICENSE ONLY
QJD01-GZ	DAS		BFB		5 3/73 0	11		COMTEX ASCII SUPPORT (ITTY TAP) PRE-DELIVERY KIT
QJD02-CB	DAS		BFB		5 3/73 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, PAPETAPE
QJD02-CC	DAS		BFB		5 9/73 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, DECTAPE
QJD02-CD	DAS		BFB		5 9/73 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, 9 TR MTA
QJD02-CN	DAS		BFB		5 12/73 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR NO SERV, CASSETTE
QJD02-DZ	DAS		BFB		2 3/73 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) LICENSE ONLY
QJD02-GZ	DAS		BFB		5 7/74 0	11		COMTEX IBM ASYNC SUPPORT (2741 TAP) PRE-DELIVERY KIT
QJD03-CB	DAS		BFB		2 3/73 0	11		COMTEX SYNC SUPPORT LICENSE & SFTWR KIT, PAPETAPE
QJD03-CC	DAS		BFB		2 12/73 0	11		COMTEX SYNC, SUPPORT, LICENSE & SFTWR DECTAPE
QJD03-CD	DAS		BFB		2 12/73 0	11		COMTEX SYNC, SUPPORT, LICENSE & SFTWR 9 TRK MAGTAPE
QJD03-CN	DAS		BFB		2 12/73 0	11		COMTEX SYNC, SUPPORT, LICENSE & SFTWR, CASSETTE
QJD03-DZ	DAS		BFB		2 3/73 0	11		COMTEX SYNCHRONOUS SUPPORT, LICENSE ONLY
QJD03-GZ	DAS		BFB		2 3/73 0	11		COMTEX SYNCHRONOUS SUPPORT PRE-DELIVERY KIT
QJD10-AB	DAS		BFB		5 7/74 0	11		CORE COMM SYS BASE, LIC,SFTWR,SERV, PAPETAPE
QJD10-AC	DAS		BFB		5 7/74 0	11		CORE COMM SYS BASE, LIC,SFTWR,SERV, DECTAPE
QJD10-AD	DAS		BFB		5 7/74 0	11		CORE COMM SYS BASE, LIC,SFTWR,SERV, 9 TR MAGTAPE
QJD10-AN	DAS		BFB		5 12/73 0	11		CORE COMM SYS BASE, LIC,SFTWR,SERV CASSETTE
QJD10-DZ	DAS		BFB		2 3/73 0	11		CORE COMM SYS BASE, LICENSE ONLY, FOR EA ADDITIONAL SYS
QJD10-GZ	DAS		BFB		5 7/74 0	11		CORE COMM SYS BASE, PRE-DELIVERY KIT
QJD10-HB	DAS		BFB		3 1/74 0	11		CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, PAPETAPE
QJD10-HC	DAS		BFB		3 1/74 0	11		CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, DECTAPE
QJD10-HD	DAS		BFB		3 1/74 0	11		CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, 9 TR MAGTAPE
QJD10-HN	DAS		BFB		3 1/74 0	11		CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, CASSETTE
QJD10-JZ	DAS		BFB		2 3/73 0	11		CORE COMM SYS BASE,INSTALLATION ONLY, FOR EA ADDITIONAL SYS
QJD10-MN	DAS		BFB		2 11/74 0	11		CORE COM SYS BASE,SOURCES & LISTINGS, TRAINING, CASSETTE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG# AR#A	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	116
QJD14-AC		DAS	BFB		5 7/74	0	11	DOS-COMTEX CSB, LICENSE, SFTWR, SERV, DECTAPE	
QJD14-AD		DAS	BFB		5 7/74	0	11	DOS-COMTEX CSB, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJD14-AN		DAS	BFB		2 12/73	0	11	DOS-COMTEX CSB, LICENSE, SFTWR, SERV, DECPACK & CASSETTE	
QJD14-DZ		DAS	BFB		3 11/73	0	11	DOS-COMTEX CSB, LICENSE ONLY	
QJD14-GZ		DAS	BFB		5 7/74	0	11	DOS-COMTEX CSB, PRE DELIVERY KIT	
QJD14-HB		DAS	BFB		3 1/74	0	11	DOS-COMTEX CSB, UPGRADE FROM QJC20, QJD20, QJD10, PAPERTAPE	
QJD14-HC		DAS	BFB		3 1/74	0	11	DOS-COMTEX CSB, UPGRADE FROM QJC20, QJD20, QJD10, DECTAPE	
QJD14-HD		DAS	BFB		3 1/74	0	11	DOS-COMTEX CSB, UPGRADE FROM QJC20 QJD20, QJD10, 9 TRK MAGTAPE	
QJD14-HV		DAS	BFB		3 1/74	0	11	DOS-COMTEX CSB, UPGRADE FROM QJC20, QJD20, QJD10, CASSETTE	
QJD14-JZ		DAS	BFB		3 11/73	0	11	DOS-COMTEX CSB, WARRANTY & INSTALLATION	
QJD14-MN		DAS	BFB		2 11/74	0	11	DOS-COMTEX CSB, SOURCE & LISTINGS, TRAINING, CASSETTE	
QJD30-AB		DAS	BFB		5 7/74	0	11	CORE REMOTE SYS BASE, LIC, SFTWR, SERV, PAPERTAPE	
QJD30-AC		DAS	BFB		5 7/74	0	11	CORE REMOTE SYS BASE, LIC, SFTWR, SERV, DECTAPE	
QJD30-AD		DAS	BFB		5 7/74	0	11	CORE REMOTE SYS BASE, LIC, SFTWR, SERV, 9 TR MAGTAPE	
QJD30-AN		DAS	BFB		5 12/73	0	11	CORE REMOTE SYS BASE, LIC, SFTWR, SERV, CASSETTE	
QJD30-DZ		DAS	BFB		2 3/73	0	11	CORE REMOTE SYS BASE, LICENSE ONLY FOR EA ADDITIONAL SYSTEM	
QJD30-GZ		DAS	BFB		5 7/74	0	11	CORE REMOTE SYS BASE, PRE-DELIVERY KIT	
QJD30-JZ		DAS	BFB		2 3/73	0	11	CORE REMOTE SYS BASE, INSTALLATION FOR EA ADDITIONAL SYSTEM	
QJD40-AB		DAS	BFB		5 7/74	0	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, PAPERTAPE	
QJD40-AC		DAS	BFB		5 7/74	0	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, DECTAPE	
QJD40-AD		DAS	BFB		5 7/74	0	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, 9 TR MAGTAPE	
QJD40-AN		DAS	BFB		5 12/73	0	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, CASSETTE	
QJD40-DZ		DAS	BFB		2 3/73	0	11	DECCOMM FRONT END SYS BASE, LICENSE ONLY FOR EA ADDITIONAL SYSTEM	
QJD40-GZ		DAS	BFB		5 7/74	0	11	DECCOMM FRONT END SYS BASE, PRE-DELIVERY KIT	
QJD40-JZ		DAS	BFB		2 3/73	0	11	DECCOMM FRONT END SYS BASE, INSTALLATION ONLY FOR EA ADDITIONAL SYS	
QJD60-AB		ASB	BFB		5 7/74	0	11	RCS-CORE 2700, LIC, SFTWR, SERV, PAPERTAPE	
QJD60-AC		ASB	BFB		2 9/73	0	11	RCS-CORE 2700, LIC, SFTWR, SERV, DECTAPE	
QJD60-AD		ASB	BFB		2 9/73	0	11	RCS-CORE 2700, LIC, SFTWR, SERV, 9 TR MAGTAPE	
QJD60-AN		ASB	BFB		5 12/73	0	11	RCS-CORE 2700, LIC, SFTWR, SERV CASSETTE	
QJD60-FZ		ASB	BFB		2 11/74	0	11	RCS-CORE 2700, LISTINGS PKG, PAPER	
QJD60-DZ		ASB	BFB		2 3/73	0	11	RCS-CORE 2700, LICENSE ONLY FOR EA ADDITIONAL SYS	
QJD60-FZ		ASB	BFB		2 11/74	0	11	RCS-CORE 2700, LISTINGS PKG, PAPER	
QJD60-JZ		ASB	BFB		2 3/73	0	11	RCS-CORE 2700, INSTALLATION, FOR EA ADDITIONAL SYS	
QJD62-AB		DAS	BFB		3 11/73	0	11	RCS HASP, LICENSE, SFTWR, SERV, PAPERTAPE	
QJD62-AN		DAS	BFB		5 12/73	0	11	RCS HASP, LICENSE, SFTWR, SERV, CASSETTE	
QJD62-DZ		DAS	BFB		3 12/73	0	11	RCS HASP, LICENSE ONLY	
QJD62-FZ		DAS	BFB		2 11/74	0	11	RCS-HASP, LISTINGS PKG, PAPER	
QJD62-JZ		DAS	BFB		3 11/73	0	11	RCS HASP, START-UP SERV	
QJD64-AB		ASB	BFB		5 11/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, PAPERTAPE	
QJD64-AC		ASB	BFB		5 11/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, DECTAPE	
QJD64-AD		ASB	BFB		5 11/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJD64-AZ		ASB	BFB		5 12/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), LICENSE, SFTWR SERV, CASSETTE	
QJD64-DZ		ASB	BFB		3 12/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), LICENSE ONLY	
QJD64-JZ		ASB	BFB		3 11/73	0	11	RCS DOS-2700, (DOS/BATCH REQ), START-UP SERV	
QJD66-AC		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, LICENSE, SFTWR, SERV, DECTAPE	
QJD66-AD		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, LICENSE, SFTWR, SERV, 9 TRK MTA	
QJD66-AE		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, LICENSE, SFTWR, SERV, DECPACK	
QJD66-AF		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, LICENSE, SFTWR, SERV, 7 TRK MTA	
QJD66-DZ		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, LICENSE ONLY	
QJD66-GZ		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, PREDELIVERY KIT	
QJD66-JZ		BFB	BFB		2 9/74	0	11	TERMINAL CONCENTRATOR FOR RSX-110, START-UP SERVS	
QJE70-AB		RHM	BFB		5 1/74	0	11	EDU 70, (FORMALLY EDU11-3) SFTWR, BINRY, PAPERTAPE	
QJE70-SB		RHM	BFB		6 2/74	0	11	-SEE QJE70-AB-	
QJE80-A1		RHM	BFB		6 2/74	0	11	-SEE QJE80-EC-	
QJE80-EC		RHM	BFB		2 1/74	0	11	EDU 80, 81, 90, CAI AUTHOR LANGUAGE, (RUNS UNDER RSTS), DECTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	117
QJL01-A		ELL			5 7/74	Q	LAB11	SIGNAL AVERAGER PROGRAM	
QJL02-A		ELL			5 6/71	Q	LAB11	REAL TIME LAB11 BASIC	
QJL03-CC	GT		RFB		5 5/73	Q	11	GT40 SFTWR, LIC, SFTWR, NO SERV, DECTAPE	
QJL04-AB	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, PTP	
QJL04-AC	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DTA	
QJL04-AE	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QJL04-AN	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QJL04-XC	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), SRC&BNRY, 1 YR M/U LIC, SFTWR, SERV, DTA	
QJL04-XE	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), SRC&BNRY, 1YR M/U LIC, SFTWR, SERV, DCPK	
QJL05-AB	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, PTP	
QJL05-AC	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DTA	
QJL05-AE	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QJL05-AN	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QJL05-XC	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), SRC&BNRY, 2 YR M/U LIC, SFTWR, SERV, DTA	
QJL05-XE	GT		RFB		2 4/74	Q	11	RT-11, BASIC, FORTRAN, (LDP ONLY), SRC&BNRY, 2YR M/U LIC, SFTWR, SERV, DCPK	
QJS10-BB	JEH	DLN	RFB		3 5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, PAPER	
QJS10-BC	JEH	DLN	RFB		3 5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, DECTAPE	
QJS10-BD	JEH	DLN	RFB		3 5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, 9 TRACK NRZ1 MAGTAPE	
QJS10-BF	JEH	DLN	RFB		3 5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, 7 TRACK MAGTAPE	
QJS11-BB	JEH	DLN	RFB		3 5/73	Q	11	COMTEX DRIVER FOR TU66 PHASE ENCODED TAPE, PAPER	
QJS11-BD	JEH	DLN	RFB		3 5/73	Q	11	COMTEX DRIVER FOR TU66 PHASE ENCODED TAPE, 9 TR PE MAGTAPE	
QJS14-BB	JEH	DLN	RFB		3 5/73	Q	11	XY11 GRAPHICS PLOT, FORTRAN CALLABLE, PAPER	
QJS20-AB		ELB		CSS	2 1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, PAPERTAPE	
QJS20-AC		ELB		CSS	2 1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, DECTAPE	
QJS20-AD		ELB		CSS	2 1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, 9TRK MT	
QJS20-AF		ELB		CSS	2 1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, 7 TRK MT	
QJS20-AN		ELB		CSS	2 1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, CASSETTE	
QJS21-AB		ELB		CSS	2 1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, PAPERTAPE	
QJS21-AC		ELB		CSS	2 1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, DECTAPE	
QJS21-AD		ELB		CSS	2 1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, 9 TRK MT	
QJS21-AF		ELB		CSS	2 1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, 7 TRK MT	
QJS21-AN		ELB		CSS	2 1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, CASSETTE	
QJT01-AB			RFB		5 7/74	Q	11	VT20 ENGLISH, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT01-AC			RFB		5 7/74	Q	11	VT20 ENGLISH, LICENSE, SFTWR, SERV, DECTAPE	
QJT02-AB			RFB		5 7/74	Q	11	VT20 FRENCH, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT02-AC			RFB		5 7/74	Q	11	VT20 FRENCH, LICENSE, SFTWR, SERV, DECTAPE	
QJT03-AB			RFB		5 7/74	Q	11	VT20 GERMAN, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT03-AC			RFB		5 7/74	Q	11	VT20 GERMAN, LICENSE, SFTWR, SERV, DECTAPE	
QJT04-AB			RFB		5 7/74	Q	11	VT20 ITALIAN, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT04-AC			RFB		5 7/74	Q	11	VT20 ITALIAN, LICENSE, SFTWR, SERV, DECTAPE	
QJT05-AB			RFB		5 7/74	Q	11	VT20 NORWEGIAN, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT05-AC			RFB		5 7/74	Q	11	VT20 NORWEGIAN, LICENSE, SFTWR, SERV, DECTAPE	
QJT06-AB			RFB		5 7/74	Q	11	VT20 SPANISH, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT06-AC			RFB		5 7/74	Q	11	VT20 SPANISH, LICENSE, SFTWR, SERV, DECTAPE	
QJT07-AB			RFB		5 7/74	Q	11	VT20 SWEDISH, LICENSE, SFTWR, SERV, PAPERTAPE	
QJT07-AC			RFB		5 7/74	Q	11	VT20 SWEDISH, LICENSE, SFTWR, SERV, DECTAPE	
QJV10-AB	RV I		RFB		2 1/75	Q	11	PAPERTAPE SOFTWARE, (LSI-11), LIC, SOFTWARE, SERVICE, PAPERTAPE	
OK001-AA	GT		RFB		5 2/73	Q	12	DEC/x8, 8 SYS EXERCISER, LINCTAPE	
OK006-AA	GT		RFB		5 2/73	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ) LINCTAPE	
OK006-EA	GT	DFP	RFB		5 4/74	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ), SOURCE, LINCTAPE	
OK006-HA	GT	DFP	RFB		5 4/74	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ), UPDATE KIT, LINCTAPE	
OK008-AA	GT		RFB		5 2/73	Q	12	OS/8 FORTRAN IV, (OS/8 REQ), LINCTAPE	
OK008-HA	GT	JJG	RFB		5 6/74	Q	12	OS/8 FORTRAN IV, (OS/8 REQ), UPDATE KIT, LINCTAPE	
OK010-HA	GT	JJG	RFB		5 8/74	Q	8	OS/8 FORTRAN IV, LIBRARY, SOURCE & LISTINGS, UPDATE KIT, LINCTAPE	
OK010-MA	GT	DFP	RFB		5 8/73	Q	12	OS/8 FORTRAN 4 LIBRARY, SOURCE, LISTINGS, LINCTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	118
QK011-HA	GT	JJG	RFB		5 8/75 Q		8	OS/8 FORTRAN IV, COMPILER, SOURCE & LISTINGS, UPDATE KIT, LINCTAPE	
QK011-MA	GT	RFP	RFB		5 8/73 Q		12	OS/8 FORTRAN 4 COMPILER, SOURCE + LISTINGS, LINCTAPE	
QK012-HA	GT	JJG	RFB		5 8/74 Q		8	OS/8 FORTRAN IV, RALF, LOADER, LIB&MISC, SRCE&LSTNGS, UPDATE KIT, LINCTAPE	
QK012-MA	GT	RFP	RFB		5 8/73 Q		12	OS/8 FORTRAN RALF, LOADER, LIB & MISC, SOURCE + LISTINGS, LINCTAPE	
QK013-HA	GT	JJG	RFB		5 8/74 Q		12	OS/8 FORTRAN IV, RUNTIME SOURCE&LISTINGS, UPDATE KIT, LINCTAPE	
QK013-MA	GT	JJG	RFB		5 8/74 Q		12	OS/8 FORTRAN IV, RUNTIME SOURCE&LISTINGS, LINCTAPE	
QK014-AA		RFP	RFB		5 6/73 Q		12	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORTRAN 4 REQ), LIC, SFTWR, SERV, LINCTAPE	
QK014-EA		RFP	RFB		5 6/73 Q		12	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORTRAN IV REQ), SOURCES, LINCTAPE	
QK015-AA		RFP	RFB		5 1/74 Q		12	OS/8 OPERATING SYSTEM, LINCTAPE	
QK015-EA	GT	RFP	RFB		5 4/74 Q		12	OS/8 OPERATING SYSTEM, SOURCE, LINCTAPE	
QK015-HA	GT	RFP	RFB		5 4/74 Q		12	OS/8 OPERATING SYSTEM, UPDATE KIT, LINCTAPE	
QK070-AA		RFP	RFB		5 2/73 Q		12	OS/8 FORTRAN 4 TSAR, (TIME SERIES ANALYSES), (OS/8 REQ), LINCTAPE	
QK225	GT	RFB	RFB		6 3/73 Q		12	PDP-12 MASH SFTWR SYSTEM (INCL, IN QK235)	
QK235-PA	GT	RFB	RFB		5 3/73 Q		12	PDP-12 AIPOS SOURCE PKG, (INTERNAL DESCRIPTIONS), LINCTAPE	
QK245-PA	GT	RFB	RFB		5 3/73 Q		12	PDP-12 LAP 6 DIAL, SOFTWARE KIT, LINCTAPE	
QK246-PA	GT	RFB	RFB		5 4/74 Q		12	PDP 12 LAP 6 DIAL MS, SFTWR KIT, LINCTAPE	
QK300-AA	DWB	RFP	RFB		5 5/73 Q		12	COS, LIC, SFTWR, SERV, LINCTAPE	
QKL01-AC		RFP	RFB		6 3/74 Q		12	RTPS FORTRAN IV SFTWR KIT, LINCTAPE	
QKL02-AA	GT		RFB		5 4/74 Q		12	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, LINCTAPE	
QKL02-XA	GT		RFB		5 4/74 Q		12	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 1YR M/U LIC, SFTWR, SERV, LCTPE	
QKL03-AA	GT		RFB		5 4/74 Q		12	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, LINCTAPE	
QKL03-XA	GT		RFB		5 4/74 Q		12	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 2YR M/U LIC, SFTWR, SERV, LCTPE	
QLR01-AB		EDS	RFB		2 1/74 Q		14	INDUSTRIAL 14/30; (143/8) (OS/8 REQ'D), SFTWR, SERV, PAPERTAPE	
QLR08-AB		EDS	RFB		3 12/73 Q		14	INDUSTRIAL 14/30; (143/8) SFTWR, SERV, BINARY PAPERTAPE	
QM005-CC	EW	CP	RFB		5 12/73 Q		9,15	ADSS-15 (ADVANCED SFTWR SYSTEM), BINARY, DECTAPE	
QM005-EC	EW	CP	RFB		5 12/73 Q		9,15	ADSS-15 (ADVANCED SFTWR SYS) (QM005-CC REQD) SOURCE, DECTAPE	
QM005-GZ	EW	CP	RFB		5 9/74 Q		15	ADSS-15, PRE-DELIVERY KIT	
QM015-CC	EW	CP	RFB		5 12/73 Q		9,15	B/F (BACKGROUND/FOREGROUND), BINARY, DECTAPE	
QM015-EC	EW	CP	RFB		5 12/73 Q		9,15	B/F (BACKGROUND/FOREGROUND), (QM015-CC REQD), SOURCE, DECTAPE	
QM015-GZ	EW	CP	RFB		5 9/74 Q		15	B/F (BACKGROUND/FOREGROUND), PRE-DELIVERY KIT	
QM020-CC	EW	CP	RFB		5 11/73 Q		15	ALGOL-15, SFTWR, NO SERV, DECTAPE	
QM020-CD	EW	CP	RFB		5 11/73 Q		15	ALGOL-15, SFTWR, NO SERV, 9 TR MAGTAPE	
QM020-CF	EW	CP	RFB		5 11/73 Q		15	ALGOL-15, SFTWR, NO SERV, 7 TR MAGTAPE	
QM020-EC	EW	CP	RFB		5 11/73 Q		15	ALGOL-15, SOURCE, DECTAPE	
QM020-GZ	EW	CP	RFB		5 9/74 Q		15	ALGOL-15, PRE-DELIVERY KIT	
QM032-GZ	EW	CP	RFB		5 7/74 Q		15	RSX PLUS III PRE-DELIVERY DOCUMENTATION KIT	
QM032-YC	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BASIC KIT, (BINRY&SRCE), SRCE LIC, SFTWR, NO SERV, DTA	
QM032-YD	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BASIC KIT, (BINRY&SRCE) SRCE LIC, SFTWR, NO SERV, 9 TRK MT	
QM032-YF	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BASIC KIT, (BINRY&SRCE), SRCE LIC, SFTWR, NO SERV, 7 TRK MT	
QM033-YC	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BCKGRND/BATCH KIT (BINRY&SRCE), SRCE LIC-SFT-NO SER, DTA	
QM033-YD	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BCKGRND/BATCH KIT (BNRY&SRCE), SRCE LIC-SFT-NO-SER, 9TR MT	
QM033-YF	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III BCKGRND/BATCH KIT (BNRY&SRCE), SRCE LIC-SFT-NO-SER, 7TR MT	
QM034-YC	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III GRAPHICS KIT, (BINRY&SRCE), SRCE LIC, SFTWR, NO-SERV, DTA	
QM034-YD	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III GRAPHICS KIT, (BINRY&SRCE), SRCE LIC, SFTWR, NO-SER, 9TR MT	
QM034-YF	EW	CP	RFB		5 1/74 Q		15	RSX PLUS III GRAPHICS KIT, (BNRY&SRCE), SRCE LIC, SFTWR, NO-SERV, 7TR MT	
QM040-EC	EW	CP	RFB		5 11/73 Q		15	DOS-15 SOURCE, REQUIRES QM041, 42, 43, DECTAPE	
QM040-ED	EW	CP	RFB		5 11/73 Q		15	DOS-15 SOURCE, REQUIRES QM041, 42, 43, 9 TR MAGTAPE	
QM040-EF	EW	CP	RFB		5 11/73 Q		15	DOS-15 SOURCE, REQUIRES QM041, 42, 43, 7 TR MAGTAPE	
QM041-CC	EW	CP	RFB		5 11/74 Q		15	DOS-15, BINARY FOR RF15, DECTAPE	
QM041-CD	EW	CP	RFB		5 11/73 Q		15	DOS-15 BINARY FOR RF15, 9 TR MAGTAPE	
QM041-CF	EW	CP	RFB		5 11/73 Q		15	DOS-15 BINARY FOR RF15, 7 TR MAGTAPE	
QM041-GZ	EW	CP	RFB		5 9/74 Q		15	DOS-15, (RF15 SYS), PRE-DELIVERY KIT	
QM041-PC	EW	CP	RFB		5 11/74 Q		15	DOS-15, (RF15 SYS), MEDIA ONLY, DECTAPE	
QM041-PD	EW	CP	RFB		2 11/74 Q		15	DOS-15, (RF15 SYS), MEDIA ONLY, 9 TRK MTA	
QM041-PF	EW	CP	RFB		2 11/74 Q		15	DOS-15, (RF15 SYS), MEDIA ONLY, 7 TRK MTA	



MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFGR AREA	STATUS MD/YR	CATE-GORY	USED ON	DESCRIPTION	119
QM042-CC	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RP02, DECTAPE	
QM042-CD	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RP02, 9 TR MAGTAPE	
QM042-CF	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RP02, 7 TR MAGTAPE	
QM042-GZ	EW	CP	RF0		5 9/74 0		15	DOS-15, (RP02 SYS), PRE-DELIVERY KIT	
QM042-PC	EW	CP	RF0		5 11/74 0		15	DOS-15, (RP02 SYS), MEDIA ONLY, DECTAPE	
QM042-PD	EW	CP	RF0		2 11/74 0		15	DOS-15, (RP02 SYS), MEDIA ONLY, 9 TRK MTA	
QM042-PF	EW	CP	RF0		2 11/74 0		15	DOS-15, (RP02 SYS), MEDIA ONLY, 7 TRK MTA	
QM043-CC	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RK05, DECTAPE	
QM043-CD	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RK05, 9 TR MAGTAPE	
QM043-CF	EW	CP	RF0		5 11/73 0		15	DOS-15 BINARY FOR RK05, 7 TR MAGTAPE	
QM043-GZ	EW	CP	RF0		5 9/74 0		15	DOS-15, (RK05 SYS), PRE-DELIVERY KIT	
QM043-PC	EW	CP	RF0		5 11/74 0		15	DOS-15 (RK05 SYS), MEDIA ONLY, DECTAPE	
QM043-PD	EW	CP	RF0		2 11/74 0		15	DOS-15 (RK05 SYS), MEDIA ONLY, 9 TRK MTA	
QM043-PF	EW	CP	RF0		2 11/74 0		15	DOS-15 (RK05 SYS), MEDIA ONLY, 7 TRK MTA	
QM050-CC	EW	CP	RF0		5 11/73 0		15	BOSS-15 BINARY, 8 SOURCES, DECTAPE, REQ'S QM041, QM042, QM043	
QM050-CD	EW	CP	RF0		5 11/73 0		15	BOSS-15 BINARY, 8 SOURCES, 9 TR MTA, REQ'S QM041, QM042, QM043	
QM050-CF	EW	CP	RF0		5 11/73 0		15	BOSS-15 BINARY, 8 SOURCES, 7 TR MTA, REQ'S QM041, QM042, QM043	
QM050-GZ	EW	CP	RF0		5 9/74 0		15	BOSS-15, PRE-DELIVERY KIT	
QM000-YC		CP	RF0		5 1/74 0		15	MUMPS-15, SRCE LIC, SFTWR, NO SERV., SOURCE DECTAPE	
QM000-YD		CP	RF0		5 1/74 0		15	MUMPS-15, SRCE LIC, SFTWR, NO SERV, SOURCE, 9 TRK MTA	
QM000-YF		CP	RF0		5 1/74 0		15	MUMPS-15, SRCE LIC, SFTWR, NO SERV, SOURCE, 7 TRK MAGTAPE	
QM000-4C		DMD	RF0		5 11/74 0		15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, DECTAPE	
QM000-4D		DMD	RF0		5 11/74 0		15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, 9 TRK MTA	
QM000-4F		DMD	RF0		5 11/74 0		15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, 7 TRK MTA	
QMK00-2Z		DMD	RF0		5 10/73 0		9, 15	PLAN A - SFTWR SUBSCRIPTION-SFTWR DISPATCH	
QMK01-3C		DMD	RF0		5 10/73 0		9, 15	ADSS-PLAN B SFTWR SUBS FOR 15 BINARY, DECTAPE	
QMK01-3Z		DMD	RF0		5 11/73 0		9, 15	ADSS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK02-3C		DMD	RF0		5 10/73 0		9, 15	ADSS-PLAN B, SFTWR SUBS FOR 9 OR 15, BINARY DECTAPE	
QMK03-3C		DMD	RF0		5 10/73 0		9, 15	B/F-ADSS PLAN B SFTWR SUBS FOR 9 OR 15, PAGE MODE, BINARY DECTAPE	
QMK03-3Z		DMD	RF0		5 11/73 0		15	B/F ADSS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK04-3C		DMD	RF0		5 10/73 0		9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15 BANK MODE, BINARY DECTAPE	
QMK05-3C		DMD	RF0		5 10/73 0		9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15, DISK PAGE MODE BIN DECTAPE	
QMK06-3C		DMD	RF0		5 10/73 0		9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15 W DISK BANK MODE, BIN DECTAPE	
QMK07-3C		DMD	RF0		5 10/73 0		9, 15	B/F ADSS PLAN B SFTWR SUBS 9 OR 15, RB09 DISK BANK MODE, BIN DECTAPE	
QMK08-3C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B, SFTWR SUBS FOR 15 W RF MONITOR, BINARY DECTAPE	
QMK08-3D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, BINARY 9 TR MAGTAPE	
QMK08-3F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, BINARY 7 TR MAGTAPP	
QMK08-4C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE DECTAPE	
QMK08-4D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE 9 TR MAGTAPE	
QMK08-4F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE, 7 TR MAGTAPE	
QMK09-3C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY DECTAPE	
QMK09-3D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY, 9 TR MAGTAPE	
QMK09-3F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY 7 TR MAGTAPE	
QMK09-4C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, SOURCE DECTAPE	
QMK09-4D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MINITOR, SOURCE 9 TR MAGTAPE	
QMK09-4F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, SOURCE 7 TR MAGTAPE	
QMK10-3C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY DECTAPE	
QMK10-3D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY 9 TR MAGTAPE	
QMK10-3F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY 7 TR MAGTAPE	
QMK10-4C		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, SOURCE DECTAPE	
QMK10-4D		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, SOURCE 9 TR MAGTAPE	
QMK10-4F		DMD	RF0		5 10/73 0		9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR SOURCE, 7 TR MAGTAPE	
QMK11-3C		DMD	RF0		5 10/73 0		9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, BINARY DECTAPE	
QMK11-3D		DMD	RF0		5 10/73 0		9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, BINARY 9 TR MAGTAPE	
QMK11-3F		DMD	RF0		5 10/73 0		9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, BINARY 7 TR MAGTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION	120
QMK11-4C		DMD	BFB		5	10/73	Q	9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, SOURCE DECTAPE	
QMK11-4D		DMD	BFB		5	10/73	Q	9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, SOURCE 9 TR MAGTAPE	
QMK11-4F		DMD	BFB		5	10/73	Q	9, 15	BOS-15 PLAN B SFTWR SUBS FOR 15, SOURCE 7 TR MAGTAPE	
QMK12-4C		DMD	BFB		5	13/73	Q	9, 15	RSX PLUS 3 PLAN B SFTWR SUBS FOR 15, SOURCE DECTAPE	
QMK12-4D		DMD	BFB		5	13/73	Q	9, 15	RSX PLUS 3 PLAN B, SFTWR SUBS FOR 15, SOURCE 9 TR MAGTAPE	
QMK12-4F		DMD	BFB		5	10/73	Q	9, 15	RSX PLUS 3 PLAN B SFTWR SUBS FOR 15, SOURCE 7 TR MAGTAPE	
QMK13-3C		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECTAPE	
QMK13-3D		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MTA	
QMK13-3F		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, 7 TRK MTA	
QMK13-3Z		DMD	BFB		5	11/73	Q	15	DOS-BOS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK13-5C		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, DECTAPE	
QMK13-5D		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, 9 TRK MTA	
QMK13-5F		DMD	BFB		5	11/74	Q	15	DOS-BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, 7 TRK MTA	
QMK13-5Z		DMD	BFB		5	11/73	Q	15	DOS-BOS PLAN B 9/15 SUBSCRIPTION BINARY AND SOURCE	
QMK14-5C		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT SERV, DOS-15 BNRY & RSX SOURCES, DECTAPE	
QMK14-5D		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT SERV, DOS-15 BNRY & RSX SOURCES, 9TRK MTA	
QMK14-5F		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT SERV, DOS-15 BNRY & RSX SOURCES, 7TRK MTA	
QMK14-5Z		DMD	BFB		5	11/73	Q	15	DOS-RSX 3 PLAN B SUBS, DOS-15 BINARY & RSX SOURCES	
QMK15-5C		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT, SERV, DOS-15 BNRY&SRCE & RSX SOURCES, DTA	
QMK15-5D		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT, SERV, DOS-15 BNRY&SRCE & RSX SOURCES, 9TR MTA	
QMK15-5F		DMD	BFB		5	11/74	Q	15	DOS-RSX 3, PLAN B MAINT, SERV, DOS-15 BNRY&SRCE & RSX SOURCES, 7TRK MTA	
QMK15-5Z		DMD	BFB		5	11/73	Q	15	DOS-RSX 3 PLAN B SUBS, DOS-15 BINARY & SOURCES, RSX SOURCES	
QP010-AC		ASB	BFB		2	9/74	Q	11/40	COBOL, LICENSE, SFTWR, SERV, DECTAPE	
QP010-AD	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX-11D REQ) 9 TR MAGTAPE	
QP010-AE	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX-11D REQ) DECPACK	
QP010-AF	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX-11D REQ) 7 TR MAGTAPE	
QP010-CC	GM	ASB	BFB		2	9/74	Q	11/40	COBOL, LICENSE, SFTWR, NO SERV, DECTAPE	
QP010-CD	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX-11D REQ) 9 TR MAGTAPE	
QP010-CE	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX-11D REQ) DECPACK	
QP010-CF	GM	ASB	BFB		2	12/73	Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX-11D REQ) 7 TR MAGTAPE	
QP100-AD	ASB		BFB		5	2/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, SERV, 9 TRK MTA	
QP100-AE	ASB		BFB		5	2/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, SERV, DECPACK	
QP100-AF	ASB		BFB		5	2/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP100-CD	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, NO SERV, 9TRK MTA	
QP100-CE	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, NO SERV, DECPACK	
QP100-CF	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, (RSX-11D & 11M REQ), LICENSE, SFTWR, NO SERV, 7TRK MTA	
QP101-ED	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, OTS SOURCES, (QP100-A REQ), 9 TRK MTA	
QP101-EE	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, OTS SOURCES, (QP100-A REQ), DECPACK	
QP101-EF	ASB		BFB		5	10/74	Q	11/45	FORTRAN IV-PLUS, OTS SOURCES, (QP100-A REQ), 7 TRK MTA	
QP101-FZ	ASB		BFB		5	11/74	Q	11/40	FORTRAN IV-PLUS, OTS SOURCE LISTINGS, (QP100-A REQ), PAPER	
QP101-FR	ASB		BFB		5	11/74	Q	11/40	FORTRAN IV-PLUS, OTS SOURCE LISTINGS, (QP100-A REQ), MICRO-FICHE	
QP150-AC			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RK SYS), LICENSE, SFTWR, SERV, DECTAPE	
QP150-AD			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RK SYS), LICENSE, SFTWR, SERV, 9 TRK MTA	
QP150-AE			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RK SYS), LICENSE, SFTWR, SERV, DECPACK	
QP150-AF			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RK SYS), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP156-AC			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, DECTAPE	
QP156-AD			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, 9 TRK MTA	
QP156-AE			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, DECPACK	
QP156-AF			MAX		2	7/74	Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP210-AD	RDA		BFB		2	12/74	Q	11/40	IAS(INTERACTIVE APPL SYS), LIC, SFTWR, SUPPORT, 9 TRK MTA	
QP210-AE	RDA		BFB		2	12/74	Q	11/40	IAS(INTERACTIVE APPL SYS), LIC, SFTWR, SUPPORT, DECPACK	
QP220-HD	RDA		BFB		2	1/75	Q	11/40	IAS, UPGRADE FROM RSX-11D, 9TRK MT(TU10)	
QP220-HE	RDA		BFB		2	1/75	Q	11/40	IAS, UPGRADE FROM RSX-11D, DECPACK	
QP220-HF	RDA		BFB		2	1/75	Q	11/40	IAS, UPGRADE FROM RSX-11D, 7TRK MT	
QP220-HP	RDA		BFB		2	1/75	Q	11/40	IAS, UPGRADE FROM RSX-11D, 9TRK MT(TU16)	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRS AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	121
QP210-AF	RDA		RFB		2	12/74	0	11/40	IAS(INTERACTIVE APPL SYS),LIC,SFTWR,SUPPORT,7 TRK MTA
QP210-AP	RDA		RFB		2	1/75	0	11/40	IAS,(INTERACTIVE APPL SYS),LICENSE,SOFTWARE,SUPPORT,9TRK MT(TU16)
QP210-CD	RDA		RFB		2	1/75	0	11/40	IAS, LICENSE, SOFTWARE, NO SERVICE, 9TRK MT(TU10)
QP210-CE	RDA		RFB		2	1/75	0	11/40	IAS, LICENSE, SOFTWARE, NO SERVICE, DECPACK
QP210-CF	RDA		RFB		2	1/75	0	11/40	IAS, LICENSE, SOFTWARE, NO SERVICE, 7TRK MT
QP210-CP	RDA		RFB		2	1/75	0	11/40	IAS, LICENSE, SOFTWARE, NO SERVICE, 9TRK MT(TU16)
QP586-AD	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,SERV,9 TRK MTA (TU10)
QP586-AE	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,SERV,DECPACK
QP586-AF	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,SERV,7 TRK MTA
QP586-AP	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,SERV,9 TRK MTA (TU16)
QP586-CD	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,NO SERV,9 TRK MTA (TU10)
QP586-CE	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,NO SERV,DECPACK
QP586-CF	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,NO SERV,7 TRK MTA
QP586-CP	MU		RFB		5	11/74	0	11/40	RSX-11D V4B, (RP04 SYS),LICENSE,SFTWR,NO SERV,9 TRK MTA (TU16)
QP586-3D	MU		RFB		2	12/74	0	11/40	RSX-11D V4B,(RP04),PLAN B MAINT. SERV.-BNRY UPDATES, 9TR MT (TU10)
QP586-3E	MU		RFB		2	12/74	0	11/40	RSX-11D V4B,(RP04),PLAN B MAINT. SERV.-BNRY UPDATES, DECPACK
QP586-3F	MU		RFB		2	12/74	0	11/40	RSX-11D V4B,(RP04),PLAN B MAINT. SERV.-BNRY UPDATES, 7TR MT
QP586-3P	MU		RFB		2	12/74	0	11/40	RSX-11D V4B,(RP04),PLAN B MAINT. SERV.-BNRY UPDATES, 9TR MT(TU16)
QPA01-AD			RFB		5	7/74	0	11/40	F-SCAN-11 (RSX-11D REQ) LIC,SFTWR,SERV, 9 TR MAGTAPE
QPA01-AE			RFB		5	5/74	0	11/40	F-SCAN-11 (RSX-11D REQ),LICENSE,SFTWR,SERV,DECPACK
QPA01-AF			RFB		5	5/74	0	11/40	F-SCAN-11 (RSX-11D REQ),LICENSE,SFTWR,SERV,7 TRK MTA
QPA03-AD			RFB		5	7/74	0	11/40	COGO-11 (RSX-11D REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QPA03-AE			RFB		2	5/74	0	11/40	COGO-11 (RSX-11D REQ), LICENSE,SFTWR,SERV,DECPACK
QPA03-AF			RFB		5	7/74	0	11/40	COGO-11 (RSX-11D REQ), LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QPA03-HD	JS		RFB		2	1/75	0	11/40	COGO-11 V1A,(RSX-11D REQ), UPDATE KIT, 9TRK MT (TU10)
QPA03-HE	JS		RFB		2	1/75	0	11/40	COGO-11 V1A,(RSX-11D REQ), UPDATE KIT, DECPACK
QPA03-HF	JS		RFB		2	1/75	0	11/40	COGO-11 V1A,(RSX-11D REQ), UPDATE KIT, 7TRK MT
QPA04-AD			RFB		5	7/73	0	11/40	STRESS (RSX-11D REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QPA04-AE			RFB		5	7/74	0	11/40	STRESS (RSX-11D REQ), LICENSE, SFTWR, SERV, DECPACK
QPA04-AF			RFB		5	7/73	0	11/40	STRESS (RSX-11D REQ), LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QPA05-AD			RFB		2	7/73	0	11/40	CSP-11,(COMMERCIAL SUBR),(RSX-11D REQ) LICENSE,SFTWR,SERV,9 TR MTA
QPA05-AE			RFB		5	5/74	0	11/40	CSP-11,(COMMERCIAL SUBR),(RSX-11D REQ),LICENSE,SFTWR,SERV,DECPACK
QPA05-AF			RFB		2	7/73	0	11/40	CSP-11,(COMMERCIAL SUBR) (RSX-11D REQ) LICENSE,SFTWR,SERV,7 TR MTA
QPA20-XD		JS	RFB		2	9/74	0	11/40	PCS-11,(BNRY&SRCS),(RSX-11D REQ)SRCE LIC,SFTWR,SPR SERV,9 TRK MTA
QPA20-XE		JS	RFB		2	9/74	0	11/40	PCS-11,(BNRY&SRCS),(RSX-11D REQ)SRCE LIC,SFTWR,SPR SERV,DECPACK
QPA20-XF		JS	RFB		2	9/74	0	11/40	PCS-11,(BNRY&SRCS),(RSX-11D REQ)SRCE LIC,SFTWR,SPR SERV,7 TRK MTA
QPD10-AC	ASB		RFB		2	4/74	0	11/40	RSTS-E, 2780 EMULATOR,LICENSE,SFTWR,SUPPORT,DECTAPE
QPD10-AD	ASB		RFB		2	4/74	0	11/40	RSTS/E, 2780 EMULATOR,LICENSE,SFTWR,SUPPORT, 9 TRK MTA
QPD10-AE	ASB		RFB		2	4/74	0	11/40	RSTS/E, 2780 EMULATOR,LICENSE, SFTWR,SUPPORT,DECPACK
QPD10-AF	ASB		RFB		2	4/74	0	11/40	RSTS/E,2780 EMULATOR,LICENSE,SFTWR,SUPPORT,7 TRK MTA
QPD10-0Z	ASB		RFB		2	4/74	0	11/40	RSTS/E,2780 EMULATOR, LICENSE ONLY
QPD10-FZ	ASB		RFB		2	4/74	0	11/40	RSTS/E, 2780 EMULATOR, LISTINGS, PAPER
QPD10-JZ	ASB		RFB		2	4/74	0	11/40	RSTS-E, 2780 EMULATOR, START-UP SERV
QPD70-AC	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, LICENSE, SFTWR, SUPPORT, OTA
QPD70-AD	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, LICENSE, SFTWR, SUPPORT, 9 TRK MTA
QPD70-AE	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, LICENSE, SFTWR, SUPPORT, DECPACK
QPD70-AF	ASB		RFB		5	4/74	0	11/40	RSX-11D,2780 EMULATOR, LICENSE,SFTWR, SUPPORT, 7 TRK MTA
QPD70-0Z	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, LICENSE ONLY
QPD70-FZ	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, LISTINGS, PAPER
QPD70-JZ	ASB		RFB		5	4/74	0	11/40	RSX-11D, 2780 EMULATOR, START-UP SERV
QPE10-YC		JS	RFB		2	8/74	0	11/40	DECAL,(RUNS UNDER RSTS/E),SOURCE,LICENSE,SFTWR,NO SERV,DECTAPE
QPE10-YD		JS	RFB		2	10/74	0	11/40	DECAL,(RUNS UNDER RSTS/E),SOURCE LICENSE,SFTWR,NO SERV,9 TRK MTA
QPE10-YE		JS	RFB		2	10/74	0	11/40	DECAL,(RUNS UNDER RSTS/E),SOURCE LICENSE,SFTWR,NO SERV,DECPACK
QPE10-YF		JS	RFB		2	10/74	0	11/40	DECAL,(RUNS UNDER RSTS/E),SOURCE,LICENSE,SFTWR,NO SERV,7 TRK MTA
QPS12-BS	JEH	BLH	RFB		3	5/73	0	11/40	RSX11-D DRIVER FOR TR08 TAPE SYSTEM, PAPER

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFSR ART A	STATUS	CATE-GORY	USED ON	DESCRIPTION
QPS12-BC	JEH	DLN	RFB		3	5/73 Q	11/40	RSX11-D DRIVER FOR TR08 TAPE SYSTEM, DECTAPE
QPS12-BD	JEH	DLN	RFB		3	5/73 Q	11/40	RSX11-D DRIVER FOR TR08 TAPE SYSTEM, 9 TRACK NRZI MAGTAPE
QPS12-BF	JEH	DLN	RFB		3	5/73 Q	11/40	RSX11-D DRIVER FOR TR08 TAPE SYSTEM, 7 TRACK MAGTAPE
QPS13-BB	JEH	DLN	RFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, PAPER
QPS13-BC	JEH	DLN	RFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, DECTAPE
QPS13-BD	JEH	DLN	RFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, 9 TRACK NRZI MAGTAPE
QPS13-BF	JEH	DLN	RFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, 7 TRACK MAGTAPE
QPS20-AB		ELB		CS5	2	1/74 Q	11/40	PLOT-110, GRAPHIC SUBR.(RSX-110 REQ),LIC,SFTWR,SERV,PAPERTAPE
QPS20-AC		ELB		CS2	2	1/74 Q	11/40	PLOT-110, GRAPHIC SUBR.(RSX-110 REQ),LIC,SFTWR,SERV,DECTAPE
QPS20-AD		ELB		CS2	2	1/74 Q	11/40	PLOT-110, GRAPHIC SUBR.(RSX-110 REQ),LIC,SFTWR,SERV,9 TRK MT
QPS20-AF		ELB		CS2	2	1/74 Q	11/40	PLOT-110, GRAPHIC SUBR.(RSX-110 REQ),LIC,SFTWR,SERV,7 TRK MT
QPS20-AN		ELB		CS2	2	1/74 Q	11/40	PLOT-110, GRAPHIC SUBR.(RSX-110 REQ),LIC,SFTWR,SERV,CASSETTE
QPV10-AE	RVN		RFB		2	1/75 Q	11/40	LSI-11 EMULATOR,(RUNS UNDER RT-11);LIC,,SFTWR,SERV, DECPACK
QR400-AC	RDA		RFB		2	7/74 Q	11/40	RSTS/E UPGRADE FROM RSTS,(REQ RSTS LIC-QJ400),LIC,SFTWR,SERV,DTA
QR400-AD	RDA		RFB		2	7/74 Q	11/40	RSTS/E UPGRADE FROM RSTS,(REQ RSTS LIC-QJ400),LIC,SFTWR,SERV,MT9
QR400-AE	RDA		RFB		2	7/74 Q	11/40	RSTS/E UPGRADE FROM RSTS,(REQ RSTS LIC-QJ400),LIC,SFTWR,SERV,DCPK
QR400-AF	RDA		RFB		2	7/74 Q	11/40	RSTS/E UPGRADE FROM RSTS,(REQ RSTS LIC-QJ400),LIC,SFTWR,SERV,MT7
QR430-AC	RDA		RFB		5	8/72 Q	11/40	RSTS/E, LIC, SFTWR, SERV, DECTAPE
QR430-AD	RDA		RFB		5	9/72 Q	11/40	RSTS/E, LIC, SFTWR, SERV, 9 TR MAGTAPE
QR430-AE	RDA		RFB		2	7/74 Q	11/40	RSTS/E, LICENSE, SFTWR, SERV, DECPACK
QR430-AF	RDA		RFB		5	9/72 Q	11/40	RSTS/E, LIC, SFTWR, SERV, 7 TR MAGTAPE
QR430-CC	RDA		RFB		5	11/73 Q	11/40	RSTS/E, LIC, SFTWR, NO SERV, DECTAPE
QR430-CD	RDA		RFB		5	11/73 Q	11/40	RSTS/E,LIC, SFTWR, NO SERV, 9 TR MTA
QR430-CE	RDA		RFB		2	7/74 Q	11/40	RSTS/E, LICENSE, SFTWR, NO SERV, DECPACK
QR430-CF	RDA		RFB		5	11/73 Q	11/40	RSTS/E,LIC, SFTWR, NO SERV, 7 TR MTA
QR430-DZ	RDA		RFB		2	7/74 Q	11/40	RSTS/E, LICENSE ONLY,(QR430-A REQ)
QR430-ED	RDA		RFB		5	7/74 Q	11/40	RSTS/E,SOURCE, 9 TR MAGTAPE
QR430-FR	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, SYSTEM LISTING ON MICRO-FICHE
QR430-FZ	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, SYSTEM LISTING ON PAPER
QR430-GZ	RDA		RFB		5	7/74 Q	11/40	RSTS/E, PRE-DELIVERY KIT
QR430-SZ	RDA	QMD	RFB		2	1/74 Q	11/40	RSTS/E, SFTWR CONSULTING (FIVE DAYS)
QR430-2Z	RDA	QMD	RFB		2	7/74 Q	11/40	RSTS/E, PLAN A MAINT SERV,SFTWR,DISPATCH & SPR SERV
QR430-3C	RDA	QMD	RFB		2	7/74 Q	11/40	RSTS/E, PLAN B MAINT SERV, BINARY UPDATES, DECTAPE
QR430-3D	RDA	QMD	RFB		2	7/74 Q	11/40	RSTS/E, PLAN B MAINT SERV, BINARY UPDATES, 9 TRK MTA
QR430-3E	RDA	QMD	RFB		2	7/74 Q	11/40	RSTS/E, PLAN B MAINT SERV, BINARY UPDATES, DECPACK
QR430-3F	RDA	QMD	RFB		2	7/74 Q	11/40	RSTS/E, PLAN B MAINT SERV, BINARY UPDATES, 7 TRK MTA
QR430-FR	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, MONITOR ASSEMBLY LISTING ON MICRO-FICHE
QR432-FZ	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, MONITOR ASSEMBLY LISTING ON PAPER
QR433-FR	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, BASIC PLUS & RTS ASSEMBLY LISTING ON MICRO-FICHE
QR433-FZ	RDA	QMD	RFB		3	1/74 Q	11/40	RSTS/E, BASIC PLUS & RTS ASSEMBLY LISTING ON PAPER
QS22		DF			3	9/71 Q	ANY	SFTWR DEV BY PRODUCT LINE 22
QS910-SZ		QMD	RFB		3	4/74 Q	ANY	SFTWR CONSULTING; PER CALL (\$36/HR)
QS914-SZ		QMD	RFB		3	4/74 Q	ANY	2 DAY SFTWR CONSULTING PLUS EXPENSES
QS916-SZ		QMD	RFB		3	4/74 Q	ANY	5 DAY SFTWR CONSULTING PLUS EXPENSES
QS918-SZ		QMD	RFB		3	4/74 Q	ANY	10 DAY SFTWR CONSULTING PLUS EXPENSES
QS920-SZ		QMD	RFB		3	4/74 Q	ANY	SFTWR CONSULTING, MONTHLY (4 WEEKS)
QS922-SZ		QMD	RFB		3	4/74 Q	ANY	SFTWR CONSULTING; RESIDENT 6 MONTHS
QS924-SZ		QMD	RFB		3	4/74 Q	ANY	SFTWR CONSULTING, RESIDENT 12 MONTHS
QT600	HLD				2	10/74 Q	10	BASIC SYSTEM SFTWR PACKAGE FOR KL10
QT700	HLD				2	10/74 Q	10	TOTAL SYSTEM SFTWR PACKAGE FOR KL10
QT900	HLD				2	10/74 Q	10	BASIC SYS SFTWR PKG FOR KL10 TO PRCHSRS OF QHSYS-10,QH600 OR QH700
QY001-AS	EN		PHI		3	1/75 Q	MPS	MICRO-PROCESSOR DEBUGGING PROGRAM,(OPERATING SYS),LIC,SERV.,ROM CHIP

RA01 BV 3 R 7 TYPE 24 DRUM INTERFACE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR AREA	STATUS	DATE MO/YR	CATE-GORY	USED ON	DESCRIPTION
RASP-15		CP			3	8/71	Q	RSX-15	MULTIPROGRAMMING LANGUAGE
RB09		HI		TPL	6	7/71	R	9	RC09 & RD10
RB09-A		HI		TP-	6	7/71	R	9	RC09 & RD10-A
RC07		RR			3		R	7	CONTROL FOR BURROUGHS DISK
RC09		HI		TP-	6	7/71	R	9	CONTROL FOR BURROUGHS DISK
RC10		AJ			5		R	10	DISK SYNCHRONIZER (RD10)
RC11	SMT	PPF			5	1/72	R	11	DEC DISK CONTROL FOR RS64
RC11-A	SMT	PPF			3	3/73	R	11	RC11 + RS64-A, 115V
RC11-B	SMT	PPF			3	3/73	R	11	RC11 + RS64-B, 230V
RD10		KE			5		R		524K 35 BIT (IM 18 BIT) BURROUGHS DISK
RD10-A		KE			4		R		50 HZ RD10
RES10-A		PLE		SSCAL	3	8/73	R	10 I/O + MEM BUS	CONTROL FOR DDC A7310 & 9110 SERIES DISKS, 115V
RES10-B		PLE		SSCAL	3	8/73	R	10 I/O + MEM BUS	CONTROL FOR DDC A7310 & 9110 SERIES DISKS, 230V
RF08		GS			5		R	8 NEG	DEC DISK CONTROL FOR RS08 WITH CAB
RF08-A		GS			5	6/71	R	8 NEG	RF08 + RS08-M + RS08-P (RF08 + RS08)
RF08-B		GS			5	6/71	R	8 NEG	RF08 + 2RS08-M + 2RS08-P (RF08 + 2RS08)
RF08-C		GS			5	6/71	R	8 NEG	RF08 + 3RS08-M + 3RS08-P + CAB (RF08 + 3RS08 + CAB)
RF08-D		GS			5	6/71	R	8 NEG	RF08 + 4RS08-M + 4RS08-P + CAB (RF08 + 4RS08 + CAB)
RF08-M		GS			3		R	8 NEG	SPECIAL RF08 FOR MEDIDATA
RF09		DV			5		R	9 NEG BUS	DEC DISK CONTROL FOR RS09 WITH CAB
RF09-A		DV			5	6/71	R	9	RF09 + RS08-M + RS09-P (RF09 + RS09)
RF09-B		DV			5	6/71	R	9	RF09 + 2RS08-M + 2RS09-P (RF09 + RS09 + RS09-B)
RF09-C		DV			5	6/71	R	9	RF09 + 3RS08-M + 3RS09-P + CAB (RF09 + RS09 + RS09-B + RS09-D)
RF09-D		DV			5	6/71	R	9	RF09 + 4RS08-M + 4RS09-P + CAB (RF09 + RS09 + 2RS09-B + RS11-D)
RF10		KU			2	3/72	R	10	RP04 CONTROL
RF11		LC			4		R	11	16 BIT DEC DISK CONTROL FOR RS11
RF11-AA	RK	LC			4	6/71	R	11	RF11 + RS08-M + RS09-P (RF11 + RS11), 60HZ
RF11-AB	RK	LC			4	3/73	R	11	RF11 + RS08-MA + RS09-PA (RF11 + RS11-A), 50HZ
RF11-B	RK	LC			4	6/71	R	11	RF11 + 2RS08-M + 2RS09-P (RF11 + RS11 + RS11-B)
RF11-C	RK	LC			4	6/71	R	11	RF11 + 3RS08-M + 3RS09-P + CAB (RF11 + RS11 + RS11-B + RS11-D)
RF11-D	RK	LC			4	6/71	R	11	RF11 + 4RS08-M + 4RS09-P + CAB (RF11 + RS11 + 2RS11-B + RS11-D)
RF15		DV			5		R	15 POS BUS	DEC DISK CONTROL
RF15-AA		DV			5	6/71	R	15	RF15 + RS08-M + RS09-P (RF15 + RS09), 60HZ
RF15-AB		DV			5	10/73	R	15	RF15 + RS08-MA + RS09-PA (RF15 + RS09-A), 50HZ
RF15-B		DV			5	6/71	R	15	RF15 + 2RS08-M + 2RS09-P (RF15 + RS09 + RS09-B)
RF15-C		DV			5	6/71	R	15	RF15 + 3RS08-M + 3RS09-P + CAB (RF15 + RS09 + RS09-B + RS09-D)
RF15-D		DV			5	6/71	R	15	RF15 + 4RS08-M + 4RS09-P + CAB (RF15 + RS09 + 2RS09-B + RS09-D)
RF73-E		OF		SSCAL	3	11/71	R	15	INTERFACE TO DDC 73H13, 3.6M WORD 16 BITS
RGX15-A		CP			3	6/72	Q	15	RSX GRAPHICS SOFTWARE
RH10-A	RLD	PW			5	11/74	Q	10	MASS BUS INTERFACE IN H966-A CAB, 115V
RH10-B	RLD	PW			5	11/74	R	10	MASS BUS INTERFACE IN H966-A CAB, 230V
RH11-AB	BD	SJ			5	11/74	Q	11	DUAL PORT UNIBUS
RH70-A	WRD	SJ			2	2/75	R	11/70	MASSBUS INTERFACE
RHP04-AA	RLD	PW			5	11/74	R	10 + DF10	MASSBUS CONTROLLER
RHP04-AB	RLD	PW			5	11/74	R	10 + DF10	RP04-AA SINGLE ACCESS + RH10-A, 60HZ
RHP04-BA	RLD	PW			5	11/74	R	10 + DF10	RP04-AB SINGLE ACCESS + RH10-A, 50HZ
RHP04-BB	RLD	PW			5	11/74	R	10 + DF10	RP04-BA DUAL ACCESS + RH10-A, 60HZ
RHP04-DA	RLD	PW			5	11/74	R	10	RP04-BB DUAL ACCESS + RH10-A, 50HZ
RHP04-DB	RLD	PW			5	11/74	R	10	RP04-AA SINGLE ACCESS + RH10-A + DF10, 60HZ
RHP04-EA	RLD	PW			5	11/74	R	10	RP04-AB SINGLE ACCESS + RH10-A + DF10-A, 50HZ
RHP04-EB	RLD	PW			5	11/74	R	10	RP04-BA DUAL ACCESS + RH10-A + DF10, 60HZ
RHP04-FA	RLD	PW			5	11/74	R	10	RP04-BB DUAL ACCESS + RH10-A + DF10-A, 50HZ
RHP04-FB	RLD	PW			5	11/74	R	10	RP04-AA SINGLE ACCESS + RH10-A + DF10-CA, 60HZ
RHP04-HA	RLD	PW			5	11/74	R	10	RP04-AB SINGLE ACCESS + RH10-A + DF10-CB, 50HZ
RHP04-HB	RLD	PW			5	11/74	R	10	RP04-BA DUAL ACCESS + RH10-A + DF10-CA, 60HZ
									RP04-BB DUAL ACCESS + RH10-A + DF10-CB, 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD E IGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	124
RHS04-CA	RLD	PW			5	1/75 R	RH10-A, RH20	RS04-AA (256K 36-BIT WORDS, 4 USEC/WORD DISK) 115V 60HZ	
RHS04-CB	RLD	PW			5	1/75 R	RH10-A, RH20	RS04-AB (256K 36-BIT WORDS, 4 USEC/WORD DISK) 230V 60HZ	
RHS04-CC	RLD	PW			5	1/75 R	RH10-A, RH20	RS04-AC (256K 36-BIT WORDS, 4 USEC/WORD DISK) 115V 50HZ	
RHS04-CD	RLD	PW			5	1/75 R	RH10-A, RH20	RS04-AD (256K 36-BIT WORDS, 4 USEC/WORD DISK) 230V 50HZ	
RHS04-DA	RLD	PW			5	1/75 R	RH10-A, RH20	RHS04-CA + H966-BA CAB, 115V 60HZ	
RHS04-DB	RLD	PW			5	1/75 R	RH10-A, RH20	RHS04-CB + H966-BB CAB, 230V 60HZ	
RHS04-DC	RLD	PW			5	1/75 R	RH10-A, RH20	RHS04-CC + H966-BA CAB, 115V 50HZ	
RHS04-DD	RLD	PW			5	1/75 R	RH10-A, RH20	RHS04-CD + H966-BB CAB, 230V 50HZ	
RHS04-GA	RLD	PW			5	1/75 R	DF10	RH10-A + RHS04-DA, 115V 60HZ	
RHS04-GB	RLD	PW			5	1/75 R	DF10	RH10-A + RHS04-DB, 230V 60HZ	
RHS04-GC	RLD	PW			5	1/75 R	DF10	RH10-A + RHS04-DC, 115V 50HZ	
RHS04-GD	RLD	PW			5	1/75 R	DF10	RH10-A + RHS04-DD, 230V 50HZ	
RHS04-HA	RLD	PW			5	1/75 R	10	RH10-A + DF10 + RHS04-DA, 115V 60HZ	
RHS04-HB	RLD	PW			5	1/75 R	10	RH10-A + DF10 + RHS04-DB, 230V 60HZ	
RHS04-HC	RLD	PW			5	1/75 R	10	RH10-A + DF10-A + RHS04-DC, 115V 50HZ	
RHS04-HD	RLD	PW			5	1/75 R	10	RH10-A + DF10-A + RHS04-DD, 230V 50HZ	
RHS04-JA	RLD	PW			5	1/75 R	10	RH10-A + DF10-CA + RHS04-DA, 115V 60HZ	
RHS04-JB	RLD	PW			5	1/75 R	10	RH10-A + DF10-CA + RHS04-DB, 230V 60HZ	
RHS04-JC	RLD	PW			5	1/75 R	10	RH10-A + DF10-CB + RHS04-DC, 115V 50HZ	
RHS04-JD	RLD	PW			5	1/75 R	10	RH10-A + DF10-CB + RHS04-DD, 230V 50HZ	
RJP04-AA	RLP	TA			5	11/74 R	11	RH11-AB + RP04-AA, 60HZ, SINGLE ACCESS	
RJP04-AB	RLP	TA			5	11/74 R	11	RH11-AB + RP04-AB, 50HZ, SINGLE ACCESS	
RJP04-BA	RLP	TA			5	11/74 R	11	2 RH11-AB + RP04-BA, 60HZ, DUAL ACCESS	
RJP04-BB	RLP	TA			5	11/74 R	11	2 RH11-AB + RP04-BB, 50HZ, DUAL ACCESS	
RJP04-C	RLP	TA			3	11/74 R	RJP04-A	DISK DUAL ACCESS KIT (RP04-C + RH11-AB)	
RJS03-BA	BD	SJ			5	11/74 R	11	RH11-AB + RS03-BA, 115V 60HZ	
RJS03-BB	BD	SJ			5	11/74 R	11	RH11-AB + RS03-BB, 230V 60HZ	
RJS03-BC	BD	SJ			5	11/74 R	11	RH11-AB + RS03-BC, 115V 50HZ	
RJS03-BD	BD	SJ			5	11/74 R	11	RH11-AB + RS03-BD, 230V 50HZ	
RJS04-BA	BD	SJ			5	11/74 R	11	RH11-AB + RS04-BA, 115V 60HZ	
RJS04-BB	BD	SJ			5	11/74 R	11	RH11-AB + RS04-BB, 230V 60HZ	
RJS04-BC	BD	SJ			5	11/74 R	11	RH11-AB + RS04-BC, 115V 50HZ	
RJS04-BD	BD	SJ			5	11/74 R	11	RH11-AB + RS04-BD, 230V 50HZ	
RK01-K		SI			5		RK01-AA THRU -DB	8 SECTOR CARTRIDGE, RK01 DISK DRIVES	
RK02-AA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 1ST UNIT, W PS, 115V	
RK02-AB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 1ST UNIT, W PS, 230V	
RK02-BA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 2ND UNIT, 115V	
RK02-BB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 2ND UNIT, 230V	
RK02-CA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 3RD UNIT, W PS, 115V	
RK02-CB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 3RD UNIT, W PS, 230V	
RK02-DA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 4TH UNIT, 115V	
RK02-DB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 4TH UNIT, 230V	
RK02-EA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 115V	
RK02-EB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 230V	
RK02-FA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 6TH UNIT, 115V	
RK02-FB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 6TH UNIT, 230V	
RK02-HA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 7TH UNIT W PS, 115V	
RK02-HB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 7TH UNIT W PS, 230V	
RK02-JA	CA	DRR			4	6/71 R	RK11-CA	LOW DENSITY DIABLO DISK, 8TH UNIT, 115V	
RK02-JB	CA	DRR			4	6/71 R	RK11-CB	LOW DENSITY DIABLO DISK, 8TH UNIT, 230V	
RK02-KA	CA	DRR			4	6/71 R	RK02-AA THRU -DB	12 SECTOR CARTRIDGE FOR RK02	
RK03-AA	CA	DRR			4	6/71 R	RK11-CA	HIGH DENSITY DIABLO DISK, 1ST UNIT, W PS, 115V	
RK03-AB	CA	DRR			4	6/71 R	RK11-CB	HIGH DENSITY DIABLO DISK, 1ST UNIT, W PS, 230V	
RK03-BA	CA	DRR			4	6/71 R	RK11-CA	HIGH DENSITY DIABLO DISK, 2ND UNIT, 115V	
RK03-BB	CA	DRR			4	6/71 R	RK11-CB	HIGH DENSITY DIABLO DISK, 2ND UNIT, 230V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	125
RK03-CA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 3RD UNIT, W PS, 115V	
RK03-CB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 3RD UNIT, W PS, 230V	
RK03-DA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 4TH UNIT, 115V	
RK03-DB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 4TH UNIT, 230V	
RK03-EA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 115V	
RK03-EB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 230V	
RK03-FA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 6TH UNIT, 115V	
RK03-FB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 6TH UNIT, 230V	
RK03-HA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 7TH UNIT W PS, 115V	
RK03-HB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 7TH UNIT W PS, 230V	
RK03-JA	CA	ORR			4 6/71	R	RK11-CA	HIGH DENSITY DIABLO DISK, 8TH UNIT, 115V	
RK03-JB	CA	ORR			4 6/71	R	RK11-CB	HIGH DENSITY DIABLO DISK, 8TH UNIT, 230V	
RK03-KA	CA	ORR			4 6/71	R	RK03-A THRU -J, RK05	12 SECTOR CARTRIDGE FOR RK03, RK05	
RK03-KB	CA	SG			3 6/72	R	RK03-A THRU -J, RK05 (RK0-E)	16 SECTOR CARTRIDGE FOR RK03, RK05	
RK03-LA	MI	JDL			2 1/73	R	RK0-E	HIGH DENSITY DIABLO DISK, 1ST UNIT W CAB, PS, 115V	
RK03-LB	MI	JDL			2 1/73	R	RK0-E	HIGH DENSITY DIABLO DISK, 1ST UNIT W CAB, PS, 230V	
RK05-AA	GS	ES			4 7/72	R	RK11-C, -D, -E	25 MBIT DEC PACK DISK TO REPLACE RK03 115V 60HZ	
RK05-AB	GS	ES			4 7/72	R	RK11-C, -D, -E	DEC PACK DISK TO REPLACE RK03 230V 60HZ	
RK05-BA	GS	ES			4 7/72	R	RK11-C, -D, -E	DEC PACK DISK TO REPLACE RK03 115V 50HZ	
RK05-BB	GS	ES			4 7/72	R	RK11-C, -D, -E	DEC PACK DISK TO REPLACE RK03 230V 50HZ	
RK05-CA	GS	ES			3 4/73	R	RK11-C, -D, -E	RK05-AA, H967-HA SHORT CAB, 115V 60HZ	
RK05-CD	GS	ES			3 4/73	R	RK11-C, -D, -E	RK05-BB, H967-HB SHORT CAB, 230V 50HZ	
RK05-DE	BD	ORR			3 5/73	R	RK11	RK05-AA, H960-CA TALL CAB, 115V 60HZ	
RK05-DF	BD	ORR			3 5/73	R	RK11	RK05-AB, H960-CB TALL CAB, 230V 60HZ	
RK05-DH	BD	ORR			3 5/73	R	RK11	RK05-BA, H960-CA TALL CAB, 115V 50HZ	
RK05-DJ	BD	ORR			3 5/73	R	RK11	RK05-BB, H960-CB TALL CAB, 230V 50HZ	
RK05K-B	GS	ES			3 4/73	R	RK03 THRU RK05	2200 BPI 16 SECTOR DISK CARTRIDGE (SAME AS RK03-KB)	
RK05K-11	GS	ES			3 4/73	R	RK03 THRU TK05	2200 BPI 12 SECTOR DISK CARTRIDGE (SAME AS RK03-KA)	
RK05K-AC	GS	LAW			3 4/73	R	RK03, RK05	DIGITAL EQUIP CORP ALIGNMENT CARTRIDGE	
RK05-P	GS	ES			4 8/72	R	RK05-AA, -AB, -BA, -BB	POSITIONER (7008702)	
RK11-CA					6 10/74	R	11	H950 CAB, PS & CONTROL FOR RK02 THRU RK05, 115V	
RK11-CB					6 10/74	R	11	H950 CAB, PS & CONTROL FOR RK02 THRU RK05, 230V	
RK11-D	DLR	REL			4 4/73	R	11	16 BIT SYSTEM UNIT CONT FOR RK05	
RK11-DE	DLR	REL			3 3/73	R	11	H960-CA CAB, RK11-D + RK05-AA, 115V 60HZ	
RK11-DF	DLR	REL			3 3/73	R	11	H960-CB CAB, RK11-D + RK05-AB, 230V 60HZ	
RK11-DH	DLR	REL			3 3/73	R	11	H960-CA CAB, RK11-D + RK05-BA, 115V 50HZ	
RK11-DJ	DLR	REL			3 3/73	R	11	H960-CB CAB, RK11-D + RK05-BB, 230V 50HZ	
RK11-E	DLR	REL			4 4/73	R	15 UNIBUS	16 BIT SYSTEM UNIT CONT FOR RK05	
RK15-FA	BD	SG			5 6/73	R	15	RK05-AA, RK11-E, UC15-FA, 115V 60HZ	
RK15-FB	BD	SG			5 6/73	R	15	RK05-AB, RK11-E, UC15-FB, 230V 60HZ	
RK15-FC	BD	SG			5 6/73	R	15	RK05-BA, RK11-E, UC15-FA, 115V 50HZ	
RK15-FD	BD	SG			5 6/73	R	15	RK05-BB, RK11-E, UC15-FB, 230V 50HZ	
RK15-FE	BD	SG			5 6/73	R	15	RK05-AA, RK11-E, UC15-FE, 115V 60HZ	
RK15-FF	BD	SG			5 6/73	R	15	RK05-AB, RK11-E, UC15-FF, 230V 60HZ	
RK15-FH	BD	SG			5 6/73	R	15	RK05-BA, RK11-E, UC15-FE, 115V 50HZ	
RK15-FJ	BD	SG			5 6/73	R	15	RK05-BB, RK11-E, UC15-FF, 230V 50HZ	
RK15-HE	DD	FD		WM	3 2/74	E	15	UC15-HE, RK05-AA, RK11-E, 115V 60HZ	
RK15-HF	DD	FD		WM	3 2/74	E	15	UC15-HF, RK05-BB, RK11-E, 230V 50HZ	
RK15-HH	DD	FD		WM	3 2/74	E	15	UC15-HF, RK05-AB, RK11-E, 230V 60HZ	
RK15-HJ	DD	FD		WM	3 2/74	E	15	UC15-HE, RK05-BA, RK11-E, 115V 50HZ	
RK15-HK	DD	FD		WM	3 2/74	E	15	UC15-HK, RK05-AA, RK11-E, 115V 60HZ	
RK15-HL	DD	FD		WM	3 2/74	E	15	UC15-HL, RK05-BB, RK11-E, 230V 50HZ	
RK15-HM	DD	FD		WM	3 2/74	E	15	UC15-HL, RK05-AB, RK11-E, 230V 60HZ	
RK15-HN	DD	FD		WM	3 2/74	E	15	UC15-HK, RK05-BA, RK11-E, 115V 50HZ	
RK0-E		SG			4 4/74	R	8/E	CONTROL FOR UP TO 4 RK05	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	126
RK8-EA		SG			4 10/72	R	8/E	RK05-AA & CONTROL, 115V 60HZ	
RK8-EB		SG			4 11/72	R	8/E	RK05-AB & CONTROL, 230V 60HZ	
RK8-EC		SG			4 11/72	R	8/E	RK05-BA & CONTROL, 115V 50HZ	
RK8-ED		SG			4 10/72	R	8/E	RK05-BB & CONTROL, 230V 50HZ	
RK8-F	MI	SG			3 3/73	R	DW8-E	CONTROL FOR UP TO 4 RK05	
RK8-FA	MI	SG			3 3/73	R	DW8-E	RK05-AA & RK8-F CONTROL, 115V 60HZ	
RK8-FB	MI	SG			3 3/73	R	DW8-E	RK05-AB & RK8-F CONTROL, 230V 60HZ	
RK8-FC	MI	SG			3 3/73	R	DW8-E	RK05-BA & RK8-F CONTROL, 115V 50HZ	
RK8-FD	MI	SG			3 3/73	R	DW8-E	RK05-BB & RK8-F CONTROL, 230V 50HZ	
RKC01	MI	JDL		TPL	3 10/72	R	MOVING HEAD DISKS	HEAD & DISK CLEANING KIT W 91% ISOPROPYL ALCOHOL	
RKR01-A	MI	AJM		TPL	3 9/74	R	RK01-K, 02-K, 03-K	RACK MOUNTABLE RACK FOR STORAGE OF 4 DISK CARTRIDGES	
RKR01-B	MI	AJM		TPL	3 10/72	R	RK01-K, 02-K, 03-K	TABLE MODEL RACK FOR STORAGE OF 4 DISK CARTRIDGES	
RKR02	MI	JDL		TPL	3 10/73	R	RK05K, RK0X-K	ATTACHE CASE FOR 2 DISKS, 4 DECTAPES OR 1 DISK, 11 DECTAPES	
RKS8-EA	JEH	LO		CSS	3 1/73	R	8/E	RK8-E W WORD COUNT CAPABILITY, WIRE WRAP	
RKS8-EB	JEH	LO		CSS	3 12/73	R	8/E	RK8-E W WORD COUNT CAPABILITY, PRINTED CKT	
RM08-A		MI			5	R	8 NEG	8K 12 BIT DRUM & CONTROL	
RM08-B		MI			5	R	8 NEG	16K 12 BIT DRUM & CONTROL	
RM08-C		MI			5	R	8 NEG	32K 12 BIT DRUM & CONTROL	
RM08-D		MI			5	R	8 NEG	65K 12 BIT DRUM & CONTROL	
RM08-E		MI			5	R	8 NEG	131K 12 BIT DRUM & CONTROL	
RM08-F		MI			5	R	8 NEG	196K 12 BIT DRUM & CONTROL	
RM08-G		MI			5	R	8 NEG	262K 12 BIT DRUM & CONTROL	
RM09-A		MI			5	R	9	32K 18 BIT DRUM & CONTROL	
RM09-B		MI			5	R	9	65K 18 BIT DRUM & CONTROL	
RM09-C		MI			5	R	9	131K 18 BIT DRUM & CONTROL	
RM09-D		MI			5	R	9	262K 18 BIT DRUM & CONTROL	
RM09-E		MI			5	R	9	524K 18 BIT DRUM & CONTROL	
RM09-UC		MI			5	R	9	RM09, UCC SPECIAL WITH DATA PACKING	
RM09-UD		MI			3	R	9	RM09-UC WITH NO DATA PACKING	
RM10-BA		AJ			5 7/72	R	RC10	340K 36 BIT BRYANT DRUM 60HZ	
RM10-BB		AJ			6 8/71	R	RC10	340K 36 BIT BRYANT DRUM 50HZ	
RM10-GA		AJ			5 8/72	R	10	DRUM SYSTEM (DF10 + RC10 + RM10-BA)	
RM10-GB		AJ			6 8/72	R	10	DRUM SYSTEM (DF10 + RC10 + RM10-BB)	
RP01-A	RLD	PW			3	R	RP10-A	MEMOREX 630 DISK PACK DRIVE, 60 HZ	
RP01-B	RLD	PW			3	R	RP10-B	MEMOREX 630 DISK PACK DRIVE, 50 HZ	
RP01-P	RLD	PW			3	R	RP01-A, RP01-B	SPARE DISK PACK	
RP02-A	RLD	PW			5	R	RP10-A, RP09-A	5M 36BIT WORDS MEMOREX 660 DISK PACK DRIVE, 60 HZ	
RP02-AM	RLD	PW			3 1/72	R	RP10-A, RP09-A	FAST ACCESS RP02-A	
RP02-AS	RLD	PW			3 1/72	R	RP10-A, RP09-A	5M 36BIT WORDS ISS DISK PACK DRIVE, 60 HZ	
RP02-B	RLD	PW			5	R	RP10-B, RP09-B	5M 36BIT WORDS MEMOREX 660 DISK PACK DRIVE, 50 HZ	
RP02-BM	RLD	PW			3 1/72	R	RP10-B, RP09-B	FAST ACCESS RP02-B	
RP02-BS	RLD	PW			3 1/72	R	RP10-B, RP09-B	5M 36BIT WORDS ISS DISK PACK DRIVE, 50 HZ	
RP02-CA	RLD	PW			3 8/72	R	10	DF10 + RP10-CA, RP02-AS, 60HZ	
RP02-CB	RLD	PW			3 8/72	R	10	DF10 + RP10-CB, RP02-BS, 50HZ	
RP02-GA	RLD	PW			6 7/72	R	10	DF10 + RP10-A + 2(RP02-A, -AM, OR -AS)	
RP02-GB	RLD	PW			6 7/72	R	10	DF10 + RP10-B + 2(RP02-B, -BM, OR -BS)	
RP02-P	RLD	PW			5	R	RP02-A -AM -AS -B -BM -BS RP03-AS -BS	SPARE DISK PACK	
RP03-AS	RLD	PW			3 1/72	R	RP10-CA, RP09-A, RP11-CA	ISS DOUBLE TRK RP02-AS 10M 36BIT WORDS, 60HZ	
RP03-BS	RLD	PW			3 1/72	R	RP10-CB, RP09-B, RP11-CB	ISS DOUBLE TRK RP02-BS 10M 36BIT WORDS, 50HZ	
RP03-CA	RLD	PW			3 8/72	R	10	DF10 + RP10-CA, RP03-AS, 60HZ	
RP03-CB	RLD	PW			3 8/72	R	10	DF10 + RP10-CB, RP03-BS, 50HZ	
RP03-GA	RLD	PW			6 7/72	R	10	DF10 + RP10-CA + 4 RP03-AS, 60HZ	
RP03-GB	RLD	PW			6 7/72	R	10	DF10 + RP10-CB + 4 RP03-BS, 50HZ	
RP04-AA	GS	DL			5 11/74	R	RH10, RH11	20M 36BIT WORD DISK PACK & DRIVE, 60HZ, SINGLE ACCESS	
RP04-AB	GS	DL			5 11/74	R	RH10, RH11	20M 36BIT WORD DISK PACK & DRIVE, 50HZ, SINGLE ACCESS	



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
RP04-BA	GS	DL			5	11/74 R	RH10, RH11	20M 3681T WORD DISK PACK & DRIVE, 60HZ, DUAL ACCESS
RP04-BB	GS	DL			5	11/74 R	RH10, RH11	20M 3681T WORD DISK PACK & DRIVE, 50HZ, DUAL ACCESS
RP04-C	GS	DL			3	11/74 R	RP04-A, RP04-B	DISK DUAL ACCESS KIT
RP04-P		DL			2	3/72 R	RP04-A, -B, -C, -D	SPARE DISK PACK
RP08-AA		JEH		SSJK	3	5/71 R	8 POS	CONTROL FOR RP01-A, 60HZ
RP08-AB		JEH		SSJK	3	5/71 R	8 POS	CONTROL FOR RP01-B, 50HZ
RP08-BA		JEH		SSJK	3	5/71 R	8 POS	CONTROL FOR RP02-A, 60HZ
RP08-BB		JEH		SSJK	3	5/71 R	8 POS	CONTROL FOR RP02-B, 50HZ
RP08-CA		SPRY		CS2	3	4/72 R	8 POS	CONTROL FOR RP02-A (15M 12BIT WORDS), 60HZ
RP08-CB		SPRY		CS2	3	4/72 R	8 POS	CONTROL FOR RP02-B (15M 12BIT WORDS), 50HZ
RP09-A		JZ			4	R	9	CONTROL FOR RP02-A (10M WORDS/DRIVE), 60 HZ
RP09-B		JZ			4	R	9	CONTROL FOR RP02-B (10M WORDS/DRIVE), 50 HZ
RP10-A		DFW			6	4/72 R	DF10	CONTROL FOR RP01-A, RP02-A (5M WORDS/DRIVE), 60 HZ
RP10-B		DFW			6	4/72 R	DF10	CONTROL FOR RP01-B, RP02-B (5M WORDS/DRIVE), 50 HZ
RP10-CA		DFW			3	1/72 R	DF10	CONT FOR RP01-A, RP02-A (5M WORDS/DR), RP03-AS (10M) 60HZ
RP10-CB		DFW			3	1/72 R	DF10	CONT FOR RP01-B, RP02-B (5M WJRS/DR), RP03-BS (10M) 50HZ
RP10-UA					-	8/71 R	RP10-A	RP10-CA (W TRADE-IN OF RP10-A)
RP10-UB					-	8/71 R	RP10-B	RP10-CB (W TRADE-IN OF RP10-B)
RP11		DL		LVP	3	R	11	CONTROL FOR 8 RP02 OR RP03
RP11-CA	BD	LBH			5	4/73 R	11	CONT, CAB FOR 8 RP03-AS (20M 16BIT WORDS) 115V60HZ
RP11-CB	BD	LBH			5	4/73 R	11	CONT, CAB FOR 8 RP03-BS (20M 16BIT WORDS) 230V50HZ
RP11-CE	BD	LBH			3	3/73 R	11	RP11-CA + RP03-AS, 115V 60HZ
RP11-CJ	BD	LBH			3	3/73 R	11	RP11-CB + RP03-BS, 230V 50HZ
RP11-DA		RALL			2	5/73 R	DS5XX	RP11-CA EXCEPT H967-HA SHORT CAB, 115V
RP11-DB		RALL			2	6/73 R	DS5XX	RP11-CB EXCEPT H967-HB SHORT CAB, 230V
RP152-A	EW	FD			3	9/74 R	15	RP15-A + RP02-AS, 40HZ
RP152-B	EW	FD			3	9/74 R	15	RP15-B + RP02-BS, 50HZ
RP153-A	EW	FD			3	9/74 R	15	RP15-A + RP03-AS, 60HZ
RP153-B	EW	FD			3	9/74 R	15	RP15-B + RP03-BS, 50HZ
RP15-A		JZ			5	4/71 R	15	CONTROL FOR RP02-A, -AS (10M 18BIT WORDS/DRIVE) 60 HZ
RP15-B		JZ			5	4/71 R	15	CONTROL FOR RP02-B, -BS (10M 18BIT WORDS/DRIVE) 50 HZ
RPG11		OMB			2	5/72 R	11	RPG-2 (REPORT PROGRAM GENERATOR)
RS03-AA	GS	PM			5	11/74 R	RH10, RH11	262K 18-BIT WORD 4 USEC/WORD 3600 RPM 16 INCH DISK 115V 60HZ
RS03-AB	GS	PM			5	11/74 R	RH10, RH11	262K 18-BIT WORD 4 USEC/WORD DISK, 230V 60HZ
RS03-AC	GS	PM			5	11/74 R	RH10, RH11	262K 18-BIT WORD 4 USEC/WORD DISK, 115V 50HZ
RS03-AD	GS	PM			5	11/74 R	RH10, RH11	262K 18-BIT WORD 4 USEC/WORD DISK, 230V 50HZ
RS03-BA	GS	PM			5	11/74 R	RH10, RH11	RS03-AA IN H960-CA TALL CAB, 115V 60HZ
RS03-BB	GS	PM			5	11/74 R	RH10, RH11	RS03-AB IN H960-CB TALL CAB, 230V 60HZ
RS03-BC	GS	PM			5	11/74 R	RH10, RH11	RS03-AC IN H960-CA TALL CAB, 115V 50HZ
RS03-BD	GS	PM			5	11/74 R	RH10, RH11	RS03-AD IN H960-CB TALL CAB, 230V 50HZ
RS03-CA	GS	PM			3	11/74 R	RH10, RH11	2 RS03-AA IN H960-CA TALL CAB, 115V 60HZ
RS03-CB	GS	PM			3	11/74 R	RH10, RH11	2 RS03-AB IN H960-CB TALL CAB, 230V 60HZ
RS03-CC	GS	PM			3	11/74 R	RH10, RH11	2 RS03-AC IN H960-CA TALL CAB, 115V 50HZ
RS03-CD	GS	PM			3	11/74 R	RH10, RH11	2 RS03-AD IN H960-CB TALL CAB, 230V 50HZ
RS04-AA	GS	PM			5	11/74 R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 115V 60HZ
RS04-AB	GS	PM			5	11/74 R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 230V 60HZ
RS04-AC	GS	PM			5	11/74 R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 115V 50HZ
RS04-AD	GS	PM			5	11/74 R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 230V 50HZ
RS04-BA	GS	PM			5	11/74 R	RH10, RH11, RH20	RS04-AA IN H960-CA TALL CAB, 115V 60HZ
RS04-BB	GS	PM			5	11/74 R	RH10, RH11, RH20	RS04-AB IN H960-CB TALL CAB, 230V 60HZ
RS04-BC	GS	PM			5	11/74 R	RH10, RH11, RH20	RS04-AC IN H960-CA TALL CAB, 115V 50HZ
RS04-BD	GS	PM			5	11/74 R	RH10, RH11, RH20	RS04-AD IN H960-CB TALL CAB, 230V 50HZ
RS04-CA	GS	PM			3	11/74 R	RH10, RH11, RH20	2 RS04-AA IN H960-CA TALL CAB, 115V 60HZ
RS04-CB	GS	PM			3	11/74 R	RH10, RH11, RH20	2 RS04-AB IN H960-CB TALL CAB, 230V 60HZ
RS04-CC	GS	PM			3	11/74 R	RH10, RH11, RH20	2 RS04-AC IN H960-CA TALL CAB, 115V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
RS04-CD	GS	PM			3 11/74	R	RH10, RH11, RH20	2 RS04-AD IN H960-CB TALL CAB, 230V 50HZ
RS00		GS			5	R	RF00	262K 12 BIT DEC DISK, 60 HZ (RS00-M + RS00-P)
RS00-A		GS			5	R	RF00	262K 12 BIT DEC DISK, 50 HZ (RS00-M + RS00-PA)
RS00-M		GS			5	R	RS00, RS09	MECHANICAL ASSEMBLY, 60 HZ
RS00-MA		GS			5	R	RS00-A, RS09-A	MECHANICAL ASSEMBLY, 50 HZ
RS00-P		GS			5	R	RS00	POWER CONTROL & LOGIC, 60 HZ
RS00-PA		GS			5	R	RS00-A	POWER CONTROL & LOGIC, 50 HZ
RS09		DV			5	R	RF09, RF15	262K 18 BIT DEC DISK WITH CAB, 60 HZ (RS00-M + RS09-P)
RS09-A		DV			5	R	RF09, RF15	262K 18 BIT DEC DISK WITH CAB, 50 HZ (RS00-MA + RS09-PA)
RS09-B		DV			5	R	RF09, RF15	2ND DISK IN ANY CAB, 60 HZ
RS09-BA		DV			5	R	RF09, RF15	2ND DISK IN ANY CAB, 50 HZ
RS09-C		DV			5	R	RF09, RF15	3RD DISK IN 2ND OR 3RD CAB, 60 HZ
RS09-CA		DV			5	R	RF09, RF15	3RD DISK IN 2ND OR 3RD CAB, 50 HZ
RS09-D		DV			3	R	RF09, RF15	1ST DISK WITH 2ND OR 3RD CAB, 60HZ
RS09-DA		DV			3	R	RF09, RF15	1ST DISK WITH 2ND OR 3RD CAB, 50HZ
RS09-P		DV			5	R	RS09, RS09-B, RS09-C	POWER CONTROL & LOGIC, 60 HZ
RS09-PA		DV			5	R	RS09-A, RS09-BA, RS09-CA	POWER CONTROL & LOGIC, 50 HZ
RS11	RK	LC			4	R	RF11	262K 16 BIT DEC DISK W CAB, 60 HZ (RS00-M + RS09-P)
RS11-A	RK	LC			4	R	RF11	262K 16 BIT DEC DISK W CAB, 50 HZ (RS00-M + RS09-P)
RS11-B	RK	LC			4	R	RF11	2ND DISK IN ANY CAB, 60 HZ
RS11-BA	RK	LC			4	R	RF11	2ND DISK IN ANY CAB, 50 HZ
RS11-C	RK	LC			4	R	RF11	3RD DISK IN 2ND OR 3RD CAB, 60 HZ
RS11-CA	RK	LC			4	R	RF11	3RD DISK IN 2ND OR 3RD CAB, 50 HZ
RS11-D	RK	LC			4	R	RF11	1ST DISK WITH 2ND OR 3RD CAB, 60 HZ
RS11-DA	RK	LC			4	R	RF11	1ST DISK WITH 2ND OR 3RD CAB, 50 HZ
RS11-EA		BALL			3 3/74	R	DS5XX	RS11 IN H967-HA SHORT CAB, 115V 60HZ
RS11-EB		BALL			3 3/74	R	DS5XX	RS11-A IN H967-HB SHORT CAB, 230V 50HZ
RS64-A	GS	PM			5 5/72	R	RC11, RC8-E	65K 16 BIT DEC DISK 115V
RS64-B	GS	PM			5 5/72	R	RC11, RC8-E	65K 16 BIT DEC DISK 230V
RS64-C		MI	OR	TPL	4 6/71	R	NONE	OEM RS64-A
RS64-D		MI	OR	TPL	4 6/71	R	NONE	OEM RS64-B
RS64-M		GS			4 6/71	R	RS64-A THRU -D, -L	MECHANICAL ASSEMBLY
RS64-PA		GS			4 6/71	R	RS64-A, -C	POWER CONTROL & LOGIC, 115V
RS64-PB		GS			4 6/71	R	RS64-B, -D	POWER CONTROL & LOGIC, 230V
RSC04	GS	AZ			3 11/74	R	RS03, RS04	DISK CLEANING KIT
RSC08	GS	AZ			3 11/74	R	DF32, DS32, RS00, RS09, RS64	DISK CLEANING KIT
RSKIT		HRL			3 11/74	B	RS00, 09, 11, 15	HEAD ALIGNMENT KIT
RSP15-A		CP			3 6/72	D	15	RASP SOFTWARE
RSX-15		CP			3 8/71	D	PDP15-35	REAL-TIME EXECUTIVE
RSX15-B		CP			3 6/72	D	15	RSX "PLUS" SOFTWARE
RT01-AA		RJM			5 3/72	D	-	16 KEY REMOTE TERMINAL, 110 BAUD, 115V
RT01-AB		RJM			5 3/72	D	-	16 KEY REMOTE TERMINAL, 110 BAUD, 230V
RT01-BA		RJM			5 3/72	D	-	16 KEY REMOTE TERMINAL, 300 BAUD EIA, 115V
RT01-BB		RJM			5 3/72	D	-	16 KEY REMOTE TERMINAL, 300 BAUD EIA, 230V
RT01-CA		AC			3 7/72	D	-	RT01-AA W RT02 KEYBOARD
RT01-CB		AC			3 7/72	D	-	RT01-AB W RT02 KEYBOARD
RT01-DA		AC			3 7/72	D	-	RT01-BA W RT02 KEYBOARD
RT01-DB		AC			3 7/72	D	-	RT01-BB W RT02 KEYBOARD
RT01-EA	RJM	CYR			3 10/72	D	-	RT01-AA W N-KEY ROLLOVER
RT01-L		RJM			3 3/72	D	-	SPECIAL FOR STRAND HOTEL
RT01-NA		RJM			5 3/72	D	RT01-A, -B	4 DIGIT NIXIE DISPLAY
RT01-NB		RJM			5 3/72	D	RT01-A, -B	8 DIGIT NIXIE DISPLAY
RT01-NC		RJM			5 3/72	D	RT01-A, -B	12 DIGIT NIXIE DISPLAY
RT02-AA		AC			5 11/73	D	ASYNC ASCII UP TO 1200 BAUD	16 KEY REMOTE TERMINAL, 115V
RT02-AB		AC			5 11/73	D	ASYNC ASCII UP TO 1200 BAUD	16 KEY REMOTE TERMINAL, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATEGORY	USED ON	DESCRIPTION	129
RT02-BA	RJM	AC			4 11/73	D	ASYNC ASCII UP TO 1200 BAUD	LK01-R REMOTE TERMINAL, 115V	
RT02-BB	RJM	AC			4 11/73	D	ASYNC ASCII UP TO 1200 BAUD	LK01-R REMOTE TERMINAL, 230V	
RT02-CA	RJM	AC			3 11/73	D	ASYNC ASCII UP TO 1200 BAUD	RT02-AA + TYPE 3 BADGE READER, 115V	
RT02-CB	RJM	AC			3 11/73	D	ASYNC ASCII UP TO 1200 BAUD	RT02-AB + TYPE 3 BADGE READER, 230V	
RT02-EA	RJM	AC			3 11/73	D	ASYNC ASCII UP TO 1200 BAUD	RT02-AA + TYPE 3 CARD READER, 115V	
RT02-EB	RJM	AC			3 11/73	D	ASYNC ASCII UP TO 1200 BAUD	RT02-AB + TYPE 3 CARD READER, 230V	
RT02-FA	RJM	AC			3 3/74	D	ASYNC ASCII UP TO 1200 BAUD	RT02-AA W SPECIAL KEY CAPS FOR W.E.	
RT02-LA	RJM	BSL			3 2/74	D	ASYNC ASCII UP TO 1200 BAUD	RT02-CA + RT02-BA, 115V	
RT02-LB	RJM	RF			3 2/75	D	ASYNC ASCII UP TO 1200 BAUD	RT02-CB + RT02-BB, 230V	
RT90	DH	CV		CSS	- 12/73	D	ASYNC ASCII TO 4800 B	TERMINAL W HICKOCK CARD & BADGE READERS W DISPLAY	
RT90-AA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE: BOX, KEYBD, ANNUNCIATOR, 115V	
RT90-AB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE: BOX, KEYBD, ANNUNCIATOR, 230V	
RT90-BA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA BASIC PACKAGE + BADGE READER, 115V	
RT90-BB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE READER, 230V	
RT90-CA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 115V	
RT90-CB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 230V	
RT90-DA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + 16 CHARACTER DISPLAY, 115V	
RT90-DB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + 16 CHARACTER DISPLAY, 230V	
RT90-EA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + 32 CHARACTER DISPLAY, 115V	
RT90-EB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + 32 CHARACTER DISPLAY, 230V	
RT90-FA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 115V	
RT90-FB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 230V	
RT90-HA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA + BADGE RDR & 16 CHAR DISPLAY, 115V	
RT90-HB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB + BADGE RDR & 16 CHAR DISPLAY, 230V	
RT90-JA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA + BADGE RDR & 32 CHAR DISPLAY, 115V	
RT90-JB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB + BADGE RDR & 32 CHAR DISPLAY, 230V	
RT90-KA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA + CARD RDR & 16 CHAR DISPLAY, 115V	
RT90-KB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB + CARD RDR & 16 CHAR DISPLAY, 230V	
RT90-LA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA + CARD RDR & 32 CHAR DISPLAY, 115V	
RT90-LB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB + CARD RDR & 32 CHAR DISPLAY, 230V	
RT90-MA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA, BADGE & CARD RDR, 16 CHAR DISP 115V	
RT90-MB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB, BADGE & CARD RDR, 16 CHAR DISP 230V	
RT90-NA	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AA, BADGE & CARD RDR, 32 CHAR DISP 115V	
RT90-NB	DH	CV		CSS	3 4/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90-AB, BADGE & CARD RDR, 32 CHAR DISP 230V	
RT90P	DH	CV		CSS	- 12/73	D	ASYNC ASCII TO 4800 B	TERMINAL W PANASONIC CARD & BADGE READERS W DISPLAY	
RT90P-AA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE: BOX, KEYBD, ANNUNCIATOR, 115V	
RT90P-AB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE: BOX, KEYBD, ANNUNCIATOR, 230V	
RT90P-BA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA BASIC PACKAGE + BADGE READER, 115V	
RT90P-BB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE READER, 230V	
RT90P-CA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 115V	
RT90P-CB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 230V	
RT90P-FA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 115V	
RT90P-FB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 230V	
RT90P-HA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA + BADGE RDR & 16 CHAR DISPLAY, 115V	
RT90P-HB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB + BADGE RDR & 16 CHAR DISPLAY, 230V	
RT90P-JA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA + BADGE RDR & 32 CHAR DISPLAY, 115V	
RT90P-JB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB + BADGE RDR & 32 CHAR DISPLAY, 230V	
RT90P-KA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA + CARD RDR & 16 CHAR DISPLAY, 115V	
RT90P-KB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB + CARD RDR & 16 CHAR DISPLAY, 230V	
RT90P-LA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA + CARD RDR & 32 CHAR DISPLAY, 115V	
RT90P-LB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB + CARD RDR & 32 CHAR DISPLAY, 230V	
RT90P-MA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA, BADGE & CARD RDR, 16 CH DISP 115V	
RT90P-MB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB, BADGE & CARD RDR, 16 CH DISP 230V	
RT90P-NA	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AA, BADGE & CARD RDR, 32 CH DISP 115V	
RT90P-NB	DH	CV		CSS	3 12/73	D	ASYNC ASCII UP TO 4800 BAUD	RT90P-AB, BADGE & CARD RDR, 32 CH DISP 230V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	130
RWP04-AA	ARR	SJ			2	1/75 R	11/70	RH70-A + RP04-AA, SINGLE ACCESS, 60HZ	
RWP04-AB	ARR	SJ			2	1/75 R	11/70	RH70-A + RP04-AB, SINGLE ACCESS, 50HZ	
RWP04-BA	ARR	SJ			2	1/75 R	11/70	2 RH70-A + RP04-BA, DUAL ACCESS, 60HZ	
RWP04-BB	ARR	SJ			2	1/75 R	11/70	2 RH70-A + RP04-BB, DUAL ACCESS, 50HZ	
RWP04-CA	ARR	SJ			2	1/75 R	11 & 11/70	RH70-A, RH11-A, RP04-BA DUAL ACCESS, 60HZ	
RWP04-CB	ARR	SJ			2	1/75 R	11 & 11/70	RH70-A, RH11-A, RP04-BB DUAL ACCESS, 50HZ	
RWP04-UA	ARR	SJ			2	1/75 R	11 & 11/70	RH70-A + RWP04 DOCUMENTS FOR UPGRADE FROM RJP04	
RWS03-BA	ARR	SJ			2	1/75 R	11/70	RH70-A + RS03-BA, 115V 60HZ	
RWS03-BB	ARR	SJ			2	1/75 R	11/70	RH70-A + RS03-BB, 230V 60HZ	
RWS03-BC	ARR	SJ			2	1/75 R	11/70	RH70-A + RS03-BC, 115V 50HZ	
RWS03-BD	ARR	SJ			2	1/75 R	11/70	RH70-A + RS03-BD, 230V 50HZ	
RWS03-UA	ARR	SJ			2	1/75 R	11/70	RH70-A RWS03 DOCUMENTS FOR RJS03 UPGRADE	
RWS04-BA	ARR	SJ			2	1/75 R	11/70	RH70-A + RS04-BA, 115V 60HZ	
RWS04-BB	ARR	SJ			2	1/75 R	11/70	RH70-A + RS04-BB, 230V 60HZ	
RWS04-BC	ARR	SJ			2	1/75 R	11/70	RH70-A + RS04-BC, 115V 50HZ	
RWS04-BD	ARR	SJ			2	1/75 R	11/70	RH70-A + RS04-BD, 230V 50HZ	
RWS04-UA	ARR	SJ			2	1/75 R	11/70	RH70-A + RWS04 DOCUMENTS FOR RJS04 UPGRADE	
RX01-AA	RP	CAY			2	1/75 R	RX11, RX8-E	SINGLE FLOPPY DISK SYSTEM, 115V, 60HZ	
RX01-AC	RP	CAY			2	1/75 R	RX11, RX8-E	SINGLE FLOPPY DISK SYSTEM, 115V, 50HZ	
RX01-AD	RP	CAY			2	1/75 R	RX11, RX8-E	SINGLE FLOPPY DISK SYSTEM, 230V, 50HZ	
RX01-BA	RP	CAY			2	1/75 R	RX11, RX8-E	DUAL FLOPPY DISK SYSTEM, 115V, 60HZ	
RX01-BC	RP	CAY			2	1/75 R	RX11, RX8-E	DUAL FLOPPY DISK SYSTEM, 115V, 50HZ	
RX01-BD	RP	CAY			2	1/75 R	RX11, RX8-E	DUAL FLOPPY DISK SYSTEM, 230V, 50HZ	
RX01-CA	RP	CAY			2	1/75 R	RX01-A	SINGLE ADD-ON FLOPPY DISK DRIVE, 115V, 60HZ	
RX01-CC	RP	CAY			2	1/75 R	RX01-A	SINGLE ADD-ON FLOPPY DISK DRIVE, 115V, 50HZ	
RX01-CD	RP	CAY			2	1/75 R	RX01-A	SINGLE ADD-ON FLOPPY DISK DRIVE, 230V, 50HZ	
RX11	RP	CAY			2	1/75 R	11	RX01 CONTROL (M7846)	
RX11-AA	RP	CAY			2	1/75 R	11	RX01-AA, RX11, 115V, 60HZ	
RX11-AC	RP	CAY			2	1/75 R	11	RX01-AC, RX11, 115V, 50HZ	
RX11-AD	RP	CAY			2	1/75 R	11	RX01-AD, RX11, 230V, 50HZ	
RX11-BA	RP	CAY			2	1/75 R	11	RX01-BA, RX11, 115V, 60HZ	
RX11-BC	RP	CAY			2	1/75 R	11	RX01-BC, RX11, 115V, 50HZ	
RX11-BD	RP	CAY			2	1/75 R	11	RX01-BD, RX11, 230V, 50HZ	
RX8-AA	RP	CAY			2	1/75 R	8/E	RX01-AA + RX8-E, 115V, 60HZ	
RX8-AC	RP	CAY			2	1/75 R	8/E	RX01-AC + RX8-E, 115V, 50HZ	
RX8-AD	RP	CAY			2	1/75 R	8/E	RX01-AD + RX8-E, 230V, 50HZ	
RX8-BA	RP	CAY			2	1/75 R	8/E	RX01-BA + RX8-E, 115V, 60HZ	
RX8-BC	RP	CAY			2	1/75 R	8/E	RX01-BC + RX8-E, 115V, 50HZ	
RX8-BD	RP	CAY			2	1/75 R	8/E	RX01-BD + RX8-E, 230V, 50HZ	
RX8-C	RP	CAY			2	1/75 R	8/E	RX01 CONTROL (M8357)	
SC12-BU	SNT	RI			3		12	COLOR SCHEME OPTION- BLUE	
SC12-CL		AW			2	9/71	12	COLOR SCHEME OPTION FOR CL12 (BLUE & WHITE)	
SC12-CR	SNT	RI			3		12	COLOR SCHEME OPTION- CHINESE RED	
SC12-RO	SNT	RI			3		12	COLOR SCHEME OPTION- RUSSET ORANGE	
SCMS-AA		CARN			3	3/73	8/E	MEDICAL SYS COLOR KIT, H957 PROCESSOR CAB	
SCMS-AB		CARN			3	3/73	-	MEDICAL SYS COLOR KIT, H957 OPTION CAB	
SCMS-BA		CARN			3	3/72	11/40	MEDICAL SYS COLOR KIT, PROCESSOR CAB	
SCMS-BB		CARN			3	3/73	-	MEDICAL SYS COLOR KIT, H950 OPTION CAB	
SCMS-CA		CARN			3	3/73	12	MEDICAL SYS COLOR KIT, CLIN LAB 12 PROCESSOR CAB	
SCMS-CB		CARN			3	3/73	12	MEDICAL SYS COLOR KIT, CLIN LAB 12 OPTION CAB	
SCMS-DA		CARN			3	3/73	8/E	MEDICAL SYS COLOR KIT, H950 PROCESSOR CAB	
SCMS-EA		CARN			3	3/73	15	MEDICAL SYS COLOR KIT, H950 PROCESSOR CAB	
SCMS-PA		AW			3	4/73	11	OPTION CAB PHILIPS COLOR & LOGO KIT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFSR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
SCMS-PB		AW			3 4/73	R	11/20 PROC	PHILIPS COLOR & LOGO KIT
SCMS-PC		AW			3 4/73	B	11/40 PROC	PHILIPS COLOR & LOGO KIT
SCMS-PD		AW			3 4/73	R	11/45 PROC	PHILIPS COLOR & LOGO KIT
SCMS-PE		AW			3 4/73	B	CL12 OPTION CAB	PHILIPS COLOR & LOGO KIT
SCMS-PF		AW			3 4/73	B	CL12 PROC CAB	PHILIPS COLOR & LOGO KIT
SK15-A		FA			3	S	15/20, 15/30, 15/40	SUPPLIES KIT FOR DEC TAPE, TTY & PC15
SK15-B		FA			3	S	15/10	SUPPLIES KIT FOR TTY
SMC01-A	RS	GEG			3 6/72	B	-	STEPPER MOTOR CONTROL, 115V 60HZ
SP09-A		RI			5	S	9	SPARE PARTS FOR PDP9
SP11-KA		DJD			3 3/72	S	KA11 (11/20)	SPARE PARTS FOR KA11
SP11-KB		DJD			3 1/72	S	KA11 + KH11	SPARE PARTS FOR KA11 W KH11 OPTION
SP11-KC		DJD			3 3/72	S	KC11 (11/15)	SPARE PARTS FOR KC11
SP11-KD		DJD			3 1/72	S	KC11 + KH11	SPARE PARTS FOR KC11 W KH11 OPTION
SP11-KE		DJD			2 3/72	S	KD11-B (11/05)	KD11-B SPARE PARTS KIT
SP11-KF		DJD			2 3/72	S	KD11-A (11/35, 11/40)	KD11-A SPARE PARTS KIT
SP11-KG		NOR			3 4/73	S	11/05	COMPONENT SPARE PARTS
SP11-MA		DJD			3 1/72	S	MM11-E	SPARE PARTS
SP11-MB		DJD			3 1/72	S	MM11-F	SPARE PARTS
SP11-MC		DJD			3 1/72	S	MM11-K, -L, -M, -S, MFL-L	SPARE MODULES
SP11-MD		DJD			3 1/72	S	MM11-S	COMPONENT SPARES
SP11-ME	BD	GR			3 5/73	B	MF11-LP, MM11-LP	G109, M7259, G231
SP11-MR		DJD			3	S	MR11-A	SPARE PARTS FOR MR11-A
SP11-PA		DJD			3 1/72	S	H720-A, -B	SPARE PARTS
SP11-PB		DJD			3 1/72	S	H720-E, -F	SPARE PARTS
SP11-PC		DJD			3 1/72	S	H742, H744, H745, H746	SPARE BOARD ASSEMBLIES
SP11-PD		DJD			3 1/72	S	H742, H744, H745, H746	SPARE COMPONENTS
SP11-PE		DJD			2 3/72	S	H740	SPARE PARTS FOR H740
SP11-PF	BD	BD			3 10/72	S	(11/40) H742, H744, H745	SPARE PARTS
SP11-PH	BD	BD			3 10/72	S	(11/35) H744, 5409728-YB	SPARE PARTS
SP11-PT		NOR			3 3/73	S	11/05	SPARE PARTS FOR H740 (115V)
SP11-PU		NOR			3 3/73	S	11/05	SPARE PARTS FOR H740 (230V)
SP11-UA		NOR			3 2/74	S	11	H217-D 16K NON-PARITY STACK
SP11-UB		NOR			3 2/74	S	11	H217-C, M7259 PARITY STACK & CONTROL
SP11-UC		NOR			3 2/74	S	11	H754 PS REGULATOR BOARD FOR 16K STACK
SP11-UD		NOR			3 2/74	S	11	G235, G114, M8293 NON-PARITY CONT MODULES
SP11-UM		NOR			3 3/73	M	11/05	EXCHANGE BK MM11-L FOR 4K MM11-K
SP12-A	SNT	RI			5	S	12	MODULE SPARES, PDP12-A
SP12-B	SNT	RI			5	S	12	MODULE SPARES, PDP12-B
SP12-C	SNT	RI			5	S	12	MODULE SPARES, PDP12-C
SP12-D	SNT	RI			5	S	12	SPARE PARTS, CIRCUIT COMPONENTS
SP12-E	SNT	RI			5	S	12	SPARE TTY PARTS & TOOLS
SP14-A		JM			3 1/72	S	14	SPARE PARTS FOR PDP14
SP12-C		LG			5	S	12	MODULE SPARES, PDP12-C
SP12-D		LG			5	S	12	SPARE PARTS, CIRCUIT COMPONENTS
SP14-MR		AR			3	S	MR14	SPARE MODULES FOR MR14
SP15-A		FA			3	S	15/10	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15-B		FA			3	S	15/20	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15-C		FA			3	S	15/30	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15-D		FA			3	S	15/40	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP16-A		JLE			3 9/72	S	16/M	SPARE MODULES
SP36-SA	RJM	RPT			3 1/75	S	LA36	SPARES KIT FOR 50 MACHINES
SP36-SB	RJM	RPT			3 2/75	S	LA36	SPARE PARTS KIT FOR 100 MACHINES
SP45-KA		BD			3 1/72	S	11/45	SYSTEM TOOLS
SP45-KB		BD			3 1/72	S	11/45	PROCESSOR SPARE MODULES
SP45-KC		BD			3 1/72	S	11/45	CONSOLE

MODEL NO	ENG NGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
SP45-KD		BD			3 1/72	S	KT11-C MEMORY MANAGEMENT	SPARE MODULES
SP45-KE		BD			3 1/72	S	FP11-B FLOATING POINT	SPARE MODULES
SP45-KF		BD			3 1/72	S	11/45	SPARE COMPONENTS
SP45-KH		MM			3 3/74	S	11/45	BACK PLANE
SP45-MA		BD			3 1/72	S	MS11-BC, -BD, -BM MOS MEM	SPARE MODULES
SP45-MB		BD			3 1/72	S	MS11-CC, -CM BIPOLAR MEM	SPARE MODULES
SP45-MC		BD			3 1/72	S	MS11-BC, -BD	SPARE COMPONENTS
SP45-MD		BD			3 1/72	S	MS11-CC	SPARE COMPONENTS
SP70-KB	ARR	DW			2 2/75	S	KB11-B	SPARE PARTS KIT
SP70-RH	ARR	DW			2 2/75	S	RH70	SPARE PARTS KIT
SP8-CR		LT			3 9/72	S	CR8-E, CM8-E	SPARE PARTS, 1ST LEVEL
SP8-CS		LT			3 9/72	S	CR8-E, CM8-E	SPARE PARTS, 2ND LEVEL
SP8-DB		RBR			3 9/72	S	DB8-E	SPARE PARTS
SP8-DK		ADL			3 9/72	S	DK8-EA, -EC	1ST LEVEL SPARE PARTS
SP8-DL	JC	ADL			3 9/72	S	DK8-EA, -EC	2ND LEVEL SPARE PARTS
SP8-EA		JK			3 1/72	S	KK8-E, MM8-E	1ST LEVEL SPARE PARTS FOR KK8-E, MM8-E, 548972B
SP8-EB		JK			3 1/72	S	KK8-E, MM8-E	2ND LEVEL SPARE PARTS FOR KK8-E, MM8-E, 548972B
SP8-EC	JC	JK			3 9/72	S	B/E, KK8-E, MM8-EJ	1ST LEVEL SPARE PARTS
SP8-ED	JC	JK			3 9/72	S	B/E, KK8-E, MM8-EJ	2ND LEVEL SPARE PARTS (COMPONENTS)
SP8-FA	JC	JK			3 9/72	S	B/F, KK8-E, MM8-E	1ST LEVEL SPARES (4K)
SP8-FB	JC	JK			3 9/72	S	B/F, KK8-E, MM8-E	2ND LEVEL SPARES (4K, COMPONENTS)
SP8-FC	JC	JK			3 9/72	S	B/F, KK8-E, MM8-EJ	1ST LEVEL SPARES (8K)
SP8-FD	JC	JK			3 9/72	S	B/F, KK8-E, MM8-EJ	2ND LEVEL SPARES (8K, COMPONENTS)
SP8-IA		RR		TPL	3	S	B/I, NEG BUS	SPARE PARTS FOR PDP8/I & TTY
SP8-IB		RR		TPL	3	S	B/I, POS BUS	SPARE PARTS FOR PDP8/I & TTY
SP8-KA	JC	LT			3 9/72	S	KA8-E	SPARE PARTS
SP8-KD	JC	LT			3 9/72	S	KD8-E	SPARE PARTS
SP8-KE	JC	GHL			3 9/72	S	KE8-E	SPARE PARTS
SP8-KG	JC	RBR			3 9/72	S	KG8-E	SPARE PARTS
SP8-KM	JC	LN			3 9/72	S	KM8-E	SPARE PARTS
SP8-KP	JC	LN			3 9/72	S	KP8-E	SPARE PARTS
SP8-L		RR		TPL	3	S	B/L	SPARE PARTS FOR PDP8/L & TTY
SP8-LC	JC	JK			3 9/72	S	LC8-E	SPARE PARTS
SP8-MA	JC	GHL			3 3/73	S	B/M, KK8-E, MM8-E	1ST LEVEL SPARES (4K)
SP8-MB	JC	GHL			3 3/73	S	B/M, KK8-E, MM8-E	2ND LEVEL SPARES (4K)
SP8-MC	JC	GHL			3 3/73	S	B/M, KK8-E, MM8-E	1ST LEVEL SPARES (8K)
SP8-MD	JC	GHL			3 3/73	S	B/M, KK8-E, MM8-E	2ND LEVEL SPARES (8K)
SP8-MI	JC	LT			3 9/72	S	MI8-E	SPARE PARTS
SP8-MP	JC	BT			3 9/72	S	MP8-E	1ST LEVEL SPARE PARTS
SP8-NQ	JC	BT			3 9/72	S	MP8-E	2ND LEVEL SPARE PARTS
SP8-MR	JC	UC			3 9/72	S	MR8-E	SPARE PARTS
SP8-TD	JC	DA			3 9/72	S	TD8-E	1ST LEVEL SPARE PARTS
SP8-TE	JC	DA			3 9/72	S	TD8-E	2ND LEVEL SPARE PARTS
SP8-XY	JC	LN			3 9/72	S	XY8-E	SPARE PARTS
SPF11-MM		JC			2 4/73	S	11	SPARE MODULES FOR MM11-F
SPF12-A	AW				3	S	12-A, -B, -C	QUIET FAN KIT
SPF12-B	AW				3	S	12	QUIET CARAVEL FAN
SPF12-C	AW				3	S	12	QUIET 3 MUFFIN FAN KIT FOR OPTIONS
SPM12-10	AW				3	S	12/10	SPARE MODULES FOR 12/10
SPM12-20	AW				3	S	12/20	SPARE MODULES FOR 12/20
SPM12-30	AW				3	S	12/30	SPARE MODULES FOR 12/30
SPM12-40	AW				3	S	12/40	SPARE MODULES FOR 12/40
SPRT2-A1	RJM	BSL			3 7/74	S	RT02-A	SPARE PARTS KIT, MODULES
SPRT2-A2	RJM	BSL			3 7/74	S	RT02-A	SPARE PARTS KIT, COMPONENTS
SPRT2-B1	RJM	BSL			3 7/74	S	RT02-B	SPARE PARTS KIT, MODULES

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	133
SPRT2-B2	RJM	BSL			3 7/74	S	RT22-B	SPARE PARTS KIT, COMPONENTS	
STD8E-CA	JC	PG			3 12/73	E	PDP8E-FK, M18-EL, TAB-AA; RKB-EA, LA30-PA, LC8-E, OS/8, H960-8C, 115V 60HZ		
STD8E-CB	JC	PG			3 12/73	E	PDP8E-FL, M18-EL, TAB-AB; RKB-ED, LA30-PD, LC8-E, OS/8, H960-8D, 230V 50HZ		
STD8E-CC	JC	PG			3 12/73	E	PDP8E-FS, M18-EL, TAB-AA; RKB-EA, LA30-PA, LC8-E, OS/8, H960-8C, 115V 60HZ		
STD8E-CD	JC	PG			3 12/73	E	PDP8E-FT, M18-EL, TAB-AB; RKB-ED, LA30-PD, LC8-E, OS/8, H960-8D, 230V 50HZ		
STD8E-FA	JC	PG			3 12/73	E	- OEM STD8E-CA, 115V 60HZ		
STD8E-FB	JC	PG			3 12/73	E	- OEM STD8E-CB, 230V 50HZ		
STD8E-FC	JC	PG			3 12/73	E	- OEM STD8E-CC, 115V 60HZ		
STD8E-FD	JC	PG			3 12/73	E	- OEM STD8E-CD, 230V 50HZ		
SWSDP-10		QHD			3 7/72	Q	10	DATA PROC SUPPORT PKG: 20 WK SOFTWARE SUPPORT	
SWSTD-10		QHD			3 9/72	Q	10	STANDARD SUPPORT PACKAGE: 6 WEEK SOFTWARE SUPPORT	
TA01-A		RV		CS5	2	T	TM10-B	INTERFACE FOR AMPEX TM10	
TA08-NA	BE	DPS		SSUAL	2 1/73	T	8 NEG	TU60-AA + CONT, 115V	
TA08-NB	BE	DPS		SSUAL	2 1/73	T	8 NEG	TU60-AB + CONT, 230V	
TA08-PA	BE	DPS		SSUAL	2 1/73	T	8 POS	TU60-AA + CONT, 115V	
TA08-PB	BE	DPS		SSUAL	2 1/73	T	8 POS	TU60-AB + CONT, 230V	
TA11	DLR	REL			3 8/73	T	11	CASSETTE CONTROL FOR TU60, M7892	
TA11-AA	DLR	REL			3 8/73	T	11	TA11 + TU60-AA, RACK MOUNT, 115V	
TA11-AB	DLR	REL			3 8/73	T	11	TA11 + TU60-AB, RACK MOUNT, 230V	
TAB-AA		LN			4 12/72	T	8/E	TAB-E + TU60-AA, RACK MOUNT, 115V	
TAB-AB		LN			4 12/72	T	8/E	TAB-E + TU60-AB, RACK MOUNT, 230V	
TAB-E		LN			4 12/72	T	8/E	CASSETTE CONTROL (M8331) FOR TU60	
TC01		NI		TPL	6 7/71	T	8	DECTAPE CONTROL (TU55)	
TC02		NI		TPL	6 7/71	T	9, 9/L	CONTROL WITH SPACE FOR 4 TU55, 60HZ	
TC02-A		NI		TPL	6 7/71	T	9, 9/L	CONTROL WITH SPACE FOR 4 TU55, 50HZ	
TC02-B		NI		TP-	6 8/74	T	9, 9/L	TC02 IN H950 CAB, 60HZ	
TC02-C		NI		TP-	6 8/74	T	9, 9/L	TC02-A IN H950 CAB, 50HZ	
TC08		LN			5	T	8 POS	POS BUS DECTAPE CONTROL, 60 HZ	
TC08-A		LN			5	T	8 POS	POSITIVE BUS DECTAPE CONTROL, 50 HZ	
TC08-HA		RHM			3 9/72	T	8 POS	TC08 W NO CABINET, 60HZ	
TC08-HB		RHM			3 9/72	T	8 POS	TC08-A W NO CABINET, 50HZ	
TC08-N		LN			5	T	8 NEG	NEGATIVE BUS DECTAPE CONTROL, 60 HZ	
TC08-NA		LN			5	T	8 NEG	NEG BUS DECTAPE CONTROL, 50 HZ	
TC09		NI		TP-	3 7/71	T	9	DECTAPE CONTROL W SPACE FOR 4 TU55	
TC10-CA	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	TAPE CONT W FORMATTER FOR TSU42-A, TSU43-A	
TC10-CB	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	TAPE CONT W FORMATTER FOR TSU42-B, TSU43-B	
TC10-CC	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	2 TSU43-A DUAL DEN MAGTAPES + TC10-CA, TC10-PN, 60HZ	
TC10-CD	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	2 TSU43-B DUAL DEN MAGTAPES + TC10-CB, TC10-PN, 50HZ	
TC10-CE	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	5 TSU43-A DUAL DEN TAPES + TC10-CA, 2 TC10-PN, 60HZ	
TC10-CF	JEH	EM		CS2	3 6/73	T	10 I/O + DF10 OR DM10	5 TSU43-B DUAL DEN TAPES + TC10-CB, 2 TC10-PN, 50HZ	
TC10-P	JEH	EM		CS2	3 6/73	T	TC10-CA, -CB	150 IPS 1600 BPI PE FORMATER	
TC10-PN	JEH	EM		CS2	3 6/73	T	TC10-CA, -CB	150 IPS 1600 BPI PE & 800 BPI NRZ FORMATTER	
TC10-N	JEH	EM		CS2	3 6/73	T	TC10-CA, -CB	150 IPS 800 BPI NRZ FORMATTER	
TC11-AA	JA	KSR		FS	5 10/71	T	11	DECTAPE CONTROL & CAB FOR 8 DECTAPES, 115V	
TC11-AB	JA	KSR			3 9/74	T	11	DECTAPE CONTROL & CAB FOR 8 DECTAPES, 230V	
TC11-AC	RLD	RMD			3 9/74	T	11	TC11 IN H950 CAB FOR PDP10 (115V)	
TC11-AD	RLD	RMD			3 9/74	T	11	TC11 IN H950 CAB FOR PDP10 (230V)	
TC11-GA		JMD		FS	3 3/73	T	11	TC11-AA + TU56, 115V	
TC11-GB		JMR		FS	3 3/73	T	11	TC11-BA + TU56, 230V	
TC11-GC	RLD	RMD			3 9/74	T	11	TC11-AC + TU56 FOR PDP10 (115V)	
TC11-GD	RLD	RMD			3 9/74	T	11	TC11-AD + TU56 FOR PDP10 (230V)	
TC12	AB				5	T	12	LINC TAPE CONTROL	
TC12-F	AB				5	T	TC12	DECTAPE/LINC TAPE FORMAT CONVERTER	

MODEL NO	ENG IGR	DESIGN ENGR	PROB E IGR	MFR AR A	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
TC15		FA			5 3/71	T	15	DECTAPE CONTROL W SPACE FOR 4 TU56
TC50					4	T	8,9	GENERAL MAG TAPE CONTROL
TC58		JDL		TPL	5	T	8	MAG TAPE CONTROL FOR TU20
TC59		RF			6 1/73	T	9	MAG TAPE CONTROL FOR TU20
TC59-D		RF			5	T	DW15	TC59 ON POP15
TC59-H	BE	RWI		SSCAL	3 5/73	T	DW15	TC59 MODIFIED TO ACCEPT TU10 &/OR TU40 MAGTAPES
TD10-AA	EAS	OG			5	T	10	CONTROL W SPACE FOR 3 TU55, 60 HZ
TD10-AB	EAS	OG			5	T	10	CONTROL W SPACE FOR 3 TU55, 50 HZ
TD10-B	EAS	OG			5	T	TD10-A	EXTENDER CAB FOR TD10-A
TD10-CA	EAS	OG			3 1/72	T	10	CONTROL W SPACE FOR 3 TU56, 60 HZ
TD10-CB	EAS	OG			3 1/72	T	10	CONTROL W SPACE FOR 3 TU56, 50 HZ
TD10-GA	EAS	OG			- 8/71	T	10	TD10-CA + TU56
TD10-GB	EAS	OG			- 8/71	T	10	TD10-CB + TU56
TDB-E		DA			4 10/71	T	8/E	DECTAPE CONTROL, SIMPLE (M868)
TDB-EH		DA			-	T	8/E	TDB-E + TU56-MH
TDB-EJ		DA			- 5/71	T	8/E	TDB-E + TU56-MJ (TABLE TOP)
TDB-EM		DA			-	T	8/E	TDB-E + TU56-M
TDB-ER		DA			- 5/71	T	8/E	TDB-E + TU56-MR (TABLE TOP)
TJU16-EA	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EA, 115V 60HZ
TJU16-EB	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EB, 230V 60HZ
TJU16-EC	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EC, 115V 50HZ
TJU16-ED	NRD	TA			3 10/74	T	11	RH11-AB + TU16-ED, 230V 50HZ
TJU16-EK	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EK, 115V 60HZ
TJU16-EL	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EL, 230V 60HZ
TJU16-EM	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EM, 115V 50HZ
TJU16-EN	NRD	TA			3 10/74	T	11	RH11-AB + TU16-EN, 230V 50HZ
TL8-AA	JC	PG			2 10/72	T	8/E	TAB-AA, LA30-PA, RACK MOUNT, 115V 60HZ
TL8-AB	JC	PG			2 10/72	T	8/E	TAB-AB, LA30-PB, RACK MOUNT, 230V 60HZ
TL8-AC	JC	PG			2 10/72	T	8/E	TAB-AA, LA30-PC, RACK MOUNT, 115V 50HZ
TL8-AD	JC	PG			2 10/72	T	8/E	TAB-AB, LA30-PD, RACK MOUNT, 230V 50HZ
TM01-D		RF		CSS	3 2/72	T	TM10-D	INTERFACE TO IBM 729-6
TM02-CA	RP	JH			2 10/74	T	RH10, RH20	18 BIT PE & NRZI FORMATTER, 115V
TM02-CB	RP	JH			2 10/74	T	RH10, RH20	18 BIT PE & NRZI FORMATTER, 230V
TM02-CE	RP	ALA			2 10/74	T	RH10, RH20	TM02-CA + TM45-A, 115V, 50/60HZ
TM02-CF	RP	ALA			2 10/74	T	RH10, RH20	TM02-CB + TM45-B, 230V, 50/60HZ
TM02-FA	RP	JH			3 10/74	T	RH11	16 BIT PE & NRZI FORMATTER, 115V
TM02-FB	RP	JH			3 10/74	T	RH11	16 BIT PE & NRZI FORMATTER, 230V
TM02-FC	RP	JH			3 10/74	T	RH11	16 BIT NRZI FORMATTER, 115V
TM02-FD	RP	JH			3 10/74	T	RH11	16 BIT NRZI FORMATTER, 230V
TM02-FE	DH	MSB			3 10/74	T	RH11	TM02-FA W TU45 BUS & CLOCK, 115V, 50/60HZ
TM02-FF	DH	MSB			3 10/74	T	RH11	TM02-FB W TU45 BUS & CLOCK, 230V, 50/60HZ
TM02-UA	RP	JH			3 10/74	T	TM02-FC, -FD, -FH, -FJ	ADDS PE TO NRZI ONLY FORMATTER
TM10-A		JS			5	T	10	CONTROL FOR TU20, TU30 I/O
TM10-B		JS			5	T	DF10	CONTROL FOR TU20 OR TU30 CHANNEL
TM10-C		JS			6 7/72	T	TM10-A	CONVERSION KIT, TM10-A TO TM10-B
TM10-D	JEH	RF		CSS	3 5/72	T	DF10	CONTROL FOR 729-6 IBM MAG TAPE
TM10-E	JEH	RF		CSS	3 5/72	T	10	CONTROL FOR 729-6 IBM MAG TAPE
TM10G-EA		JS			6 7/72	T	10	TM10-A + 2 TU10A-EE (9 TRACK 45 IPS 115V 60HZ)
TM10G-EB		JS			6 7/72	T	10	TM10-A + 2 TU10A-EJ (9 TRACK 45 IPS 230V 50HZ)
TM10G-FA		JS			6 7/72	T	10	TM10-A + 2 TU10A-FE (7 TRACK 45 IPS 115V 60HZ)
TM10G-FB		JS			6 7/72	T	10	TM10-A + 2 TU10A-FJ (7 TRACK 45 IPS 230V 50HZ)
TM10-U		JS			- 8/71	T	TM10-A	DF10 + TM10-B (W TRADE-IN OF TM10-A)
TM11-A		RLP			6 10/74	T	11	MAG TAPE CONT FOR TU10-EA, -EC, -FA, -FC, 115V
TM11-B		RLP			6 10/74	T	11	MAG TAPE CONT FOR TU10-EB, -ED, -FB, -FD, 230V
TM11-EA		RLP			6 10/74	T	1P	TM11-A + TU10-EA, 115V 60HZ



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
TM11-EB		RLP			6 10/74	T	11	TM11-B + TU10-EB, 230V 60HZ
TM11-EC		RLP			6 10/74	T	11	TM11-A + TU10-EC, 115V 50HZ
TM11-ED		RLP			6 10/74	T	11	TM11-B + TU10-ED, 230V 50HZ
TM11-FA		RLP			6 10/74	T	11	TM11-A + TU10-FA, 115V 60HZ
TM11-FB		RLP			6 10/74	T	11	TM11-B + TU10-FB, 230V 60HZ
TM11-FC		RLP			6 10/74	T	11	TM11-A + TU10-FC, 115V 50HZ
TM11-FD		RLP			6 10/74	T	11	TM11-B + TU10-FD, 230V 50HZ
TM12-EE	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-EE
TM12-EF	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-EF
TM12-EH	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-EH
TM12-EJ	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-EJ
TM12-FE	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-FE
TM12-FF	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-FF
TM12-FH	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-FH
TM12-FJ	SNT	RI			3 10/72	T	8 POS	DW00-A + TC50 + TU10-FJ
TM0-E	JC	GHL			4 8/73	T	8/E	MAG TAPE CONTROL FOR TU10-EA THRU -ED, -FA THRU -FD
TM0-EA	JC	GHL			-	T	8/E	TM0-E + TU10-EA
TM0-EB	JC	GHL			-	T	8/E	TM0-E + TU10-EB
TM0-EC	JC	GHL			-	T	8/E	TM0-E + TU10-EC
TM0-ED	JC	GHL			-	T	8/E	TM0-E + TU10-ED
TM0-FA	JC	GHL			-	T	8/E	TM0-E + TU10-FA
TM0-FB	JC	GHL			-	T	8/E	TM0-E + TU10-FB
TM0-FC	JC	GHL			-	T	8/E	TM0-E + TU10-FC
TM0-FD	JC	GHL			-	T	8/E	TM0-E + TU10-FD
TMA11-A	RP	JF			3 10/74	T	11	IMPROVED MAG TAPE CTRL FOR TU10-EA, -EC, -FA, -FC, 115V
TMA11-B	RP	JF			3 10/74	T	11	IMPROVED MAG TAPE CTRL FOR TU10-EB, -ED, -FB, -FD, 230V
TMA11-EA	RP	JF			3 10/74	T	11	TMA11-A + TU10-EA, 115V 60HZ
TMA11-EB	RP	JF			3 10/74	T	11	TMA11-B + TU10-EB, 230V 60HZ
TMA11-EC	RP	JF			3 10/74	T	11	TMA11-A + TU10-EC, 115V 50HZ
TMA11-ED	RP	JF			3 10/74	T	11	TMA11-B + TU10-ED, 230V 50HZ
TMA11-FA	RP	JF			3 10/74	T	11	TMA11-A + TU10-FA, 115V 60HZ
TMA11-FB	RP	JF			3 10/74	T	11	TMA11-B + TU10-FB, 230V 60HZ
TMA11-FC	RP	JF			3 10/74	T	11	TMA11-A + TU10-FC, 115V 50HZ
TMA11-FD	RP	JF			3 10/74	T	11	TMA11-B + TU10-FD, 230V 50HZ
TMS11-M	JEH	CV		CSS	3 10/72	T	11	CONT FOR 8 CDC 9103 MAG TAPES, 7 TR, 112.5 IPS, 556 BPI
TMS11-W		GO		SSUK	2 2/75	T	11	CONT FOR WANGO 1025 800BPI 25IPS MAG TAPE
TR02-NA		RW		LVP	6 8/73	T	8 NEG	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR02-NB		RW		LVP	6 8/73	T	8 NEG	WRITE ONLY INCR TAPE CONT, 1 TRANSPORT
TR02-NC		RW		LVP	6 8/73	T	8 NEG	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR02-ND		RW		LVP	6 8/73	T	8 NEG	WRITE ONLY INCR TAPE CONT, 2 TRANSPORTS
TR02-PA		RW		LVP	6 8/73	T	8 POS	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR02-PB		RW		LVP	6 8/73	T	8 POS	WRITE ONLY INCR TAPE CONT, 1 TRANSPORT
TR02-PC		RW		LVP	6 8/73	T	8 POS	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR02-PD		RW		LVP	6 8/73	T	8 POS	WRITE ONLY INCR TAPE CONT, 2 TRANSPORTS
TR03-DA		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR03-DB		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR03-DC		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 3 TRANSPORTS
TR03-OD		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 4 TRANSPORTS
TR05-AA		RW		CSS	3	T	8 POS	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT
TR05-AB		RW		CSS	3	T	8 POS	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS
TR05-AC		RW		CSS	3	T	8 NEG	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT
TR05-AD		RW		CSS	3	T	8 NEG	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS
TR05-EA	ABW			CSS	3 5/72	T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT
TR05-EB	ABW			CSS	3 5/72	T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS
TR05-EC	ABW			CSS	3 5/72	T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 3 UNITS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	136
TR05-ED		ABM		CS2	3	5/72 T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 4 UNITS	
TR05-F		OF		SSCAL	3	9/72 T	11	CONT, PEC 6000/7000 SYNC READ/WRITE, 1-4 UNITS	
TR06-AA				CS6	3	T	8 POS	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-AB				CS2	3	T	8 POS	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-AC				CS2	3	T	8 NEG	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-AD				CS2	3	T	8 NEG	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-EA		ABM		CS2	2	3/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-EB		ABM		CS2	2	3/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-EC		ABM		CS2	2	7/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 3 UNITS	
TR06-ED		ABM		CS2	2	7/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 4 UNITS	
TR06-FA		BE		SSCAL	3	3/71 T	11	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 9 TRACK, 1-4 UNITS	
TR06-FB		DE		SSCAL	3	9/74 T	11	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 7 TRACK, 1-4 UNITS	
TR06-FC		SD		SSUK	3	9/74 T	11	CONT, AMPEX TM100 200/800 BPI, 9 TRACK, 1-4 UNITS	
TR07-A		SK		CS2	3	2/72 T	8	CONT FOR PEC 6640 PHASE ENCODED TAPE & FORMATTER	
TR07-AC	RW	SK		LVI	3	10/72 T	8 POS	CONT & FORMATTER FOR 4 PEC 6640 PE MAG TAPES	
TR07-AD	RW	SK		LVI	3	12/72 T	8 POS	CONT & 2 FORMATTERS FOR 8 PEC 6640 P. E. MAG TAPES	
TR07-F	JEH	SK		CS2	3	8/72 T	11	CONT FOR PHASE ENCODED FORMATTER	
TR07-FC	JEH	SK		CS2	3	3/73 T	11	TAPE CONTROL & FORMATTER FOR 4 PEC 6640 PE MAG TAPES	
TR07-FD	JEH	SK		CS2	3	3/73 T	11	TAPE CONTROL & 2 FORMATTERS FOR 8 PEC 6640 PE MAG TAPES	
TR07-FE	MH	H		SSUK	3	3/73 T	11	WIRE WRAP VERSION OF TR07-FC	
TR07-FF	MH	H		SSUK	3	3/73 T	11	WIRE WRAP VERSION OF TR07-FD	
TR07-FH		OR		SSUO	3	7/73 T	11	TR07-FC IN ONE SYSTEM UNIT	
TR07-FJ		OR		SSUO	3	7/73 T	11	TR07-FD IN TWO SYSTEM UNITS	
TR07-FW	BE	MWI		SSCAL	3	2/74 T	11		
TR08-F	JEH	OH		CS2	3	12/72 T	11	CONT FOR 2 TC10-PN DUAL DENSITY FORMATTERS	
TR08-FC	JEH	OH		CS2	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS: TR08-F + TC10-PN + TSU43-A, 60HZ	
TR08-FD	JEH	OH		CS2	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS: TR08-F + TC10-PN + TSU43-B, 50HZ	
TR08-FE	JEH	OH		CS2	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS: TR08-F + TC10-PN + 2 TSU43-A, 60HZ	
TR08-FF	JEH	OH		CS2	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS: TR08-F + TC10-PN + 2 TSU43-B, 50HZ	
TR08-FH	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-N + TSU41-A 150 IPS NRZI MAG TAPE, 60HZ	
TR08-FJ	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-N + TSU41-B 150 IPS NRZI MAG TAPE, 50HZ	
TR08-FK	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-N + 2 TSU41-A 150 IPS NRZI MAG TAPE, 60HZ	
TR08-FL	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-N + 2 TSU41-B 150 IPS NRZI MAG TAPE, 50HZ	
TR08-FM	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-P + TSU42-A 150 IPS PE MAG TAPE, 60HZ	
TR08-FN	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-P + TSU42-A 150 IPS PE MAG TAPE, 50HZ	
TR08-FP	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-P + 2 TSU42-A 150 IPS PE MAG TAPE, 60HZ	
TR08-FR	JEH	OH		CS2	3	3/73 T	11	TR08-F + TC10-P + 2 TSU42-B 150 IPS PE MAG TAPE, 50HZ	
TR79-F	JEH	IS		CS2	3	9/72 T	11	CONT FOR HP7970 PHASE ENCODED MAG TAPE	
TR79-FA	JEH	SK		CS2	3	8/74 T	11	HP7970-E-STD 25IPS PE MASTER MAG TAPE, 13195-A FORMATTER, TR79-F CON	
TR79-FB	JEH	SK		CS2	3	8/74 T	11	TR79-A + TR79-FT	
TR79-FC	JEH	SK		CS2	3	8/74 T	11	TR79-FA + 2 TR79-FT	
TR79-FD	JEH	SK		CS2	3	8/74 T	11	TR79-FA + 3 TR79-FT	
TR79-FT	JEH	SK		CS2	3	8/74 T	11	HP7970-E-STD 25IPS PE SLAVE MAG TAPE UNIT	
TSU42-A	JEH	EM		CS2	3	8/72 T	TC10-P, -PN	150 IPS 9 TR 1600 BPI PE MAG TAPE UNIT, 60HZ	
TSU42-B	JEH	EM		CS2	3	8/72 T	TC10-P, -PN	150 IPS 9 TR 1600 BPI PE MAG TAPE UNIT, 50HZ	
TSU43-A	JEH	EM		CS2	3	8/72 T	TC10-PN	150 IPS 9 TR 1600 BPI PE OR 800 BPI NRZI MAG TAPE UNIT 60HZ	
TSU43-B	JEH	EM		CS2	3	8/72 T	TC10-PN	150 IPS 9 TR 1600 BPI PE OR 800 BPI NRZI MAG TAPE UNIT 50HZ	
TU10A-EE	RP	JS			3	2/72 T	TM10	TU10-EE W QUICK-LATCH CONNECTOR (9 TRACK 45 IPS 115V 60HZ)	
TU10A-EJ	RP	JS			3	2/72 T	TM10	TU10-EJ W QUICK-LATCH CONN (9 TRACK 45 IPS 230V 50HZ)	
TU10A-FE	RP	JS			3	2/72 T	TM10	TU10-FE W QUICK-LATCH CONN (7 TRACK 45 IPS 115V 60HZ)	
TU10A-FJ	RP	JS			3	2/72 T	TM10	TU10-FJ W QUICK-LATCH CONN (7 TRACK 45 IPS 230V 50HZ)	
TU100-EA	LH	SDG			3	10/73 T	GT44	TM11-A, TU10-EA IN H967-KC (9 TR 45 IPS MASTER 115V 60HZ)	
TU100-ED	LH	SDG			3	10/73 T	GT44	TM11-B, TU10-ED IN H967-KD (9 TR 45 IPS MASTER 230V 50HZ)	
TU100-EE	LH	SDG			3	10/73 T	GT44	TU10-EE IN H967-KC (9 TR 45 IPS SLAVE 115V 60HZ)	
TU100-EJ	LH	SDG			3	10/73 T	GT44	TU10-EJ IN H967-KD (9 TR 45 IPS SLAVE 230V 50HZ)	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	137
TU10B-FA	LH	GDG			3	10/73 T	GT44	TM11-A, TU10-FA IN H967-KC (7 TR 45IPS MASTER 115V 60HZ)	
TU10B-FD	LH	GDG			3	10/73 T	GT44	TM11-B, TU10-FD IN H967-KD (7 TR 45 IPS MASTER 230V 50HZ)	
TU10B-FE	LH	GDG			3	10/73 T	GT44	TU10-FE IN H957-KC (7 TR 45 IPS SLAVE 115V 60HZ)	
TU10B-FJ	LH	GDG			3	10/73 T	GT44	TU10-FJ IN H957-KD (7 TR 45 IPS SLAVE 230V 50HZ)	
TU10C-EE	RP	JS			3	8/72 T	10	TM10-A + TU10A-EE (9 TRACK 45 IPS MAG TAPE, 115V 60HZ)	
TU10C-EJ	RP	JS			3	8/72 T	10	TM10-A + TU10A-EJ (9 TRACK 45 IPS MAG TAPE, 230V 50HZ)	
TU10C-FE	RP	JS			3	8/72 T	10	TM10-A + TU10A-FE (7 TRACK 45 IPS MAG TAPE, 115V 60HZ)	
TU10C-FJ	RP	JS			3	8/72 T	10	TM10-A + TU10A-FJ (7 TRACK 45 IPS MAG TAPE, 230V 50HZ)	
TU10D-EA		BALL			3	3/74 T	TM11-A, TM8-E	TU10-EA IN H967-UA SHORT CAB	
TU10D-ED		BALL			3	3/74 T	TM11-B, TM8-E	TU10-ED IN H967-UB SHORT CAB	
TU10D-EE		BALL			3	3/74 T	TC58 TC59 TU10-EA -FA TU10D-EA -FA	TU10-EE IN H967-EC SHORT CAB	
TU10D-EJ		BALL			3	3/74 T	TC58 TC59 TU10-ED -FO TU10D-ED -FD	TU10-EJ IN H967-EB SHORT CAB	
TU10D-FA		BALL			3	3/74 T	TM11-A, TM8-E	TM10-FA IN H967-UA SHORT CAB	
TU10D-FD		BALL			3	3/74 T	TM11-A, TM8-E	TM10-FD IN H967-UB SHORT CAB	
TU10D-FE		BALL			3	3/74 T	TC58 TC59 TU10-EA -FA TU10D-EA -FA	TU10-FE IN H967-EC SHORT CAB	
TU10D-FJ		BALL			3	3/74 T	TC58 TC59 TU10-ED -FO TU10D-ED -FD	TU10-FJ IN H967-EB SHORT CAB	
TU10-EA	RP	JH			5	5/72 T	TM11-A TM8-E	MASTER 45 IPS 9 TRACK DUAL HEAD DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-EB	RP	JH			5	5/72 T	TM11-B TM8-E	60 HZ 230V TU10-EA	
TU10-EC	RP	JH			5	5/72 T	TM11-A TM8-E	50 HZ 115V TU10-EA	
TU10-ED	RP	JH			5	5/72 T	TM11-B TM8-E	50 HZ 230V TU10-EA	
TU10-EE	RP	JH			5	5/72 T	TC58 TC59 TU10-EA, -FA	SLAVE 45 IPS 9 TRACK DUAL HEAD DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-EF	RP	JH			5	5/72 T	TC58 TC59 TU10-EB, -FB	60 HZ 230V TU10-EE	
TU10-EH	RP	JH			5	5/72 T	TC58 TC59 TU10-EC, -FC	50 HZ 115V TU10-EE	
TU10-EJ	RP	JH			5	5/72 T	TC58 TC59 TU10-ED, -FD	50 HZ 230V TU10-EE	
TU10-FA	RP	JH			5	5/72 T	TM11-A TM8-E	MASTER 45 IPS 7 TRACK DUAL HEAD DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-FB	RP	JH			5	5/72 T	TM11-B TM8-E	60 HZ 230V TU10-FA	
TU10-FC	RP	JH			5	5/72 T	TM11-A TM8-E	50 HZ 115V TU10-FA	
TU10-FD	RP	JH			5	5/72 T	TM11-B TM8-E	50 HZ 230V TU10-FA	
TU10-FE	RP	JH			5	5/72 T	TC58 TC59 TU10-EA, -FA	SLAVE 45 IPS 7 TRACK DUAL HEAD DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-FF	RP	JH			5	5/72 T	TC58 TC59 TU10-EB -FB	60 HZ 230V TU10-FE	
TU10-FH	RP	JH			5	5/72 T	TC58 TC59 TU10-EC -FC	50 HZ 115V TU10-FE	
TU10-FJ	RP	JH			5	5/72 T	TC58 TC59 TU10-ED -FD	50 HZ 230V TU10-FE	
TU10-M		EN			3	9/74 T	TU10 SLAVE	MASTER CONVERSION KIT MODULE SET	
TU16-EA	RP	JH			3	10/74 T	RH11, RH70	TM02-FA + TU16-EE, 115V 60HZ	
TU16-EB	RP	JH			3	10/74 T	RH11, RH70	TM02-FB + TU16-EF, 230V 60HZ	
TU16-EC	RP	JH			3	10/74 T	RH11, RH70	TM02-FA + TU16-EH, 115V 50HZ	
TU16-ED	RP	JH			3	10/74 T	RH11, RH70	TM02-FB + TU16-EJ, 230V 50HZ	
TU16-EE	RP	JH			3	10/74 T	TM02-C, -F	SLAVE 45 IPS 9 TR PE/NR21 DEC MAG TAPE UNIT, 115V 60HZ	
TU16-EF	RP	JH			3	10/74 T	TM02-C, -F	230V 60HZ TU16-EE	
TU16-EH	RP	JH			3	10/74 T	TM02-C, -F	115V 50HZ TU16-EE	
TU16-EJ	RP	JH			3	10/74 T	TM02-C, -F	230V 50HZ TU16-EE	
TU16-EK	RP	JH			3	10/74 T	RH11, RH70	TM02-FC + TU16-EE, 115V 60HZ	
TU16-EL	RP	JH			3	10/74 T	RH11, RH70	TM02-FD + TU16-EF, 230V 60HZ	
TU16-EM	RP	JH			3	10/74 T	RH11, RH70	TM02-FC + TU16-EH, 115V 50HZ	
TU16-EN	RP	JH			3	10/74 T	RH11, RH70	TM02-FD + TU16-EJ, 230V 50HZ	
TU16-UA									
TU20-AA	RP	NO			5	T	TC58 TC59 TM10 TU10-EA,B -FA,B	DATAMEC 9 TRACK 2020 DEC MOD 60HZ	
TU20-AB	RP	NO			5	T	TC58 TC59 TM10 TU10-EC,D -FC,D	DATAMEC 9 TRACK 2020 DEC MOD 50HZ	
TU20-BA	RP	NO			5	T	TC58 TC59 TM10 TU10-EA,B -FA,B	DATAMEC 7 TRACK 2020 DEC MOD 60HZ	
TU20-BB	RP	NO			5	T	TC58 TC59 TM10 TU10-EC,D -FC,D	DATAMEC 7 TRACK 2020 DEC MOD 50HZ	
TU22-A		SW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 200 BPI, 7 TRACK, READ/WRITE	

MODEL NO	ENG IGR	DESIGN ENGR	PROJ C IGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	138
TJ22-D		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 200 BPI, 7 TRACK, WRITE ONLY	
TJ22-E		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	TU22-A WITH 8.5 INCH REELS	
TU22-F		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	TU22-B WITH 8.5 INCH REELS	
TU25-A		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 556 BPI, 7 TRACK, READ/WRITE	
TU25-B		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 556 BPI, 7 TRACK, WRITE ONLY	
TU25-E		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	TU25-A WITH 8.5 INCH REELS	
TU25-F		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	TU25-B WITH 8.5 INCH REELS	
TU28-A		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 800 BPI, 7 TRACK, READ/WRITE	
TU28-B		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 800 BPI, 7 TRACK, WRITE ONLY	
TU28-C		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 800 BPI, 9 TRACK, READ/WRITE	
TU28-D		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 800 BPI, 9 TRACK, WRITE ONLY	
TU28-E		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	TU28-A WITH 8.5 INCH REELS	
TU28-F		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	TU28-B WITH 8.5 INCH REELS	
TU28-H		RW		LVP	6	8/73 T	TR02-PA, PC, NA, NC, TR03	TU28-C WITH 8.5 INCH REELS	
TU28-J		RW		LVP	6	8/73 T	TR02-PB, PD, NB, ND, TR03	TU28-D WITH 8.5 INCH REELS	
TU30-AA		OG			6	1/75 T	TC58 TC59 TM10 TU10-EA,B -FA,B	DATAMEC 3030 9 TRACK DEC MOD 60HZ	
TU30-AB		OG			6	1/75 T	TC58 TC59 TM10 TU10-EC,D -FC,D	DATAMEC 3030 9 TRACK DEC MOD 50HZ	
TU30-BA		OG			6	1/75 T	TC58 TC59 TM10 TU10-EA,B -FA,B	DATAMEC 3030 7 TRACK DEC MOD 60HZ	
TU30-BB		OG			6	1/75 T	TC58 TC59 TM10 TU10-EC,D -FC,D	DATAMEC 3030 7 TRACK DEC MOD 50HZ	
TU40-A	EAS	RLD			3	1/72 T	TM10 TU10-EA, -EB, -FA, -FB	150 IPS 9 TRACK MAG TAPE UNIT, 60 HZ	
TU40-B	EAS	RLD			3	1/72 T	TM10 TU10-EC, -ED, -FC, -FD	150 IPS 9 TRACK MAG TAPE UNIT, 50 HZ	
TU40-CA	EAS	RLD			3	8/72 T	10 I/O + 10 MEM BUS	DF10, TM10-B, TU40-A (9TR 150 IPS TAPE, 60HZ)	
TU40-CB	EAS	RLD			3	8/72 T	10 I/O + 10 MEM BUS	DF10, TM10-B, TU40-B (9TR 150 IPS TAPE, 50HZ)	
TU40-GA	EAS	RLD			6	7/72 T	10	DF10 + TM10-B + 2 TU40-A	
TU40-GB	EAS	RLD			6	7/72 T	10	DF10 + TM10-B + 2 TU40-B	
TU40-UA	EAS	RLD			-	8/71 T	(10) TU30-AA, -BA	TU40-A (W TRADE-IN OF TU30-AA OR -BA)	
TU40-UB	EAS	RLD			-	8/71 T	(10) TU30-AB, -BB	TU40-B (W TRADE-IN OF TU30-AB OR -BB)	
TU40-VA	EAS	RLD			-	8/71 T	(10) TU20-CA, -DA	TU40-A (W TRADE-IN OF TU20-CA OR -DA)	
TU40-VB	EAS	RLD			-	8/71 T	(10) TU20-CB, -DB	TU40-B (W TRADE-IN OF TU20-CB OR -DB)	
TU41-A	EAS	RLD			3	1/72 T	TM10 TU10-EA, -EB, -FA, -FB	150 IPS 7 TRACK MAG TAPE UNIT, 60 HZ	
TU41-B	EAS	RLD			3	1/72 T	TM10 TU10-EC, -ED, -FC, -FD	150 IPS 7 TRACK MAG TAPE UNIT, 50 HZ	
TU41-CA	EAS	RLD			3	8/72 T	10 I/O + 10 MEM BUS	DF10, TM10-B, TU41-A (7 TR 150 IPS TAPE, 60HZ)	
TU41-CB	EAS	RLD			3	8/72 T	10 I/O + 10 MEM BUS	DF10, TM10-B, TU41-B (7 TR 150 IPS TAPE, 50HZ)	
TU41-GA	EAS	RLD			6	10/72 T	10	DF10 + TM10-B + 2 TU41-A	
TU41-GB	EAS	RLD			6	10/72 T	10	DF10 + TM10-B + 2 TU41-B	
TU41-RA	EAS	RLD			-	8/71 T	1040-A, 1050-A	TU41-GA IN PLACE OF TM10G-EA OR TM10G-FA	
TU41-RB	EAS	RLD			-	8/71 T	1040-B, 1050-B	TU41-GB IN PLACE OF TM10G-EB OR TM10G-FB	
TU41-UA	EAS	RLD			-	8/71 T	(10) TU30-AA, -BA	TU41-A (W TRADE-IN OF TU30-AA OR -BA)	
TU41-UB	EAS	RLD			-	8/71 T	(10) TU30-AB, -BB	TU41-B (W TRADE-IN OF TU30-AB OR -BB)	
TU41-VA	EAS	RLD			-	8/71 T	(10) TU20-CA, -DA	TU41-A (W TRADE-IN OF TU20-CA OR -DA)	
TU41-VB	EAS	RLD			-	8/71 T	(10) TU20-CB, -DB	TU41-B (W TRADE-IN OF TU20-CB OR -DB)	
TU45-EA	DH	MSB		CSB	2	2/75 T	MASSBUS	DUAL DENSITY MASTER TU45: TM02-FE + TU45-EF, 115V 50/60HZ	
TU45-EB	DH	MSB		CSB	2	2/75 T	MASSBUS	DUAL DENSITY MASTER TU45: TM02-FF + TU45-EF, 230V 50/60HZ	
TU45-EE	DH	MSB		CSB	2	2/75 T	TM45-A	SLAVE DUAL DENSITY TRANSPORT, 75IPS, 9TRACK, PE/NRZ1, 115V	
TU45-EF	DH	MSB		CSB	2	2/75 T	TM45-B	SLAVE DUAL DENSITY TRANSPORT, 75IPS, 9TRACK, PE/NRZ1, 230V	
TU55	RP	HD			5	T	T010, TC01, 02, 08, 09, 550, 551, 552	60 HZ DECTAPE	
TU55-A	RP	HD			5	T	T010, TC01, 02, 08, 09, 550, 551, 552	50 HZ DECTAPE	
TU56	RP	HD			5	T	T010, TC01, 02, 08, 09, 550, 551, 552, T08-E	DUAL DECTAPE	
TU56-C	RP	MI	RR		3	T	NONE	OEM TU56	
TU56-H	RP	HD			4	2/71 T	T010, TC01, 02, 08, 09, 550, 551, 552	DECTAPE (HALF TU56)	
TU56-HC	RP	MI	RR		3	T	NONE	OEM TU56-H	
TU56-M	RP	HD			2	T	T08-E	MASTER DUAL DECTAPE (READER/WRITER)	
TU56-MC	RP	MI	RR		3	T	NONE	OEM TU56-M	
TU56-MD	RP	MI	RR		3	T	NONE	OEM TU56-MH	
TU56-MH	RP	HD			2	T	T08-E	HALF TU56-M	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
TU56-MJ	RP	ND			2 5/71	T	TD8-E	TABLE TOP TU56-MH
TU56-MR	RP	ND			2 5/71	T	TD8-E	TABLE TOP TU56-M
TU56-V	RP	ND			3 4/72	T	TU56 (2), TU56-H (1)	MOTOR SUB ASSEMBLY
TU56-W	RP	ND			3 4/72	T	TU56	MTG PANEL SUB ASSEMBLY
TU56-Y	RP	ND			3 4/72	T	TU56	CHASSIS SUB ASSEMBLY
TU56-Z	RP	ND			3 4/72	T	TU56 (2), TU56-H (1)	TAPE GUIDE SUB ASSEMBLY
TU60-AA	RP	ND			3 8/73	T	TAB-E, IA11	DUAL CASSETTE, PHILIPS CARTRIDGE RACK MOUNTABLE 115V
TU60-AB	RP	ND			3 8/73	T	TAB-E, IA11	DUAL CASSETTE, PHILIPS CARTRIDGE RACK MOUNTABLE 230V
TU60-CY	RP	ND			3 5/74	T	TU60	CYCLOPS ALIGNMENT TAPE
TU60-K	RP	ND			3 5/74	T	TU60	TU60 CASSETTE
TU60-LH	MI	JDL		TP-	2 2/73	T	TU60	HAND CARRYING CASE FOR 12 CASSETTES
TU60-R	RP	ND			3 1/73	T	TU60	REFERENCE CASSETTE (SKEW & SPEED TEST)
TU66	RW	SK		LVP	3 2/72	T	TR07	PEC 6640 25 IPS 1600 CPI PE MAG TAPE UNIT
TU66-AC	RW	SK		LVP	3 12/72	T	TR07	PEC 6640 25 IPS 1600 CPI PE MAG TAPE IN CAB
TU66-AE	RW	SK		LVP	3 3/73	T	TR07	PEC 6640 45 IPS 1600 BPI PE MAG TAPE IN CAB
TU66-AF	RW	SK		LVP	3 3/73	T	TR07	PEC 6640 75 IPS 1600 BPI PE MAG TAPE IN CAB
TU66-A	RW	SK		CSS	3 7/71	T	TR05	PEC 6860-72 37.5 IPS 7 TRACK 800 OR 200 BPI
TU68-B	RW	SK		CSS	3 7/71	T	TR05	PEC 6860-75 37.5 IPS 7 TRACK 800 OR 556 BPI
TU68-C	RW	SK		CSS	3 7/71	T	TR05	PEC 6860-9 37.5 IPS 9 TRACK 800BPI
TU68-D	RW	SK		CSS	3 7/71	T	TR06	PEC 6840-72 37.5 IPS 7 CH 800/200 R AFTER W
TU68-DA	RW	SM		LVP	3 12/72	T	TR06	PERTEC 6840-72 75 IPS 7 CH 800/200 BPI R AFTER W
TU68-E	RW	SM		CSS	3 7/71	T	TR06	PEC 6840-75 37.5 IPS 7 CH 800/556 R AFTER W
TU68-EA	RW	SM		LVP	3 12/72	T	TR06	PERTEC 6840-75 75 IPS 7 CH 800/556 BPI R AFTER W
TU68-F	RW	SM		CSS	3 7/71	T	TR06	PEC 6840-9 37.5 IPS 9 CH 800 BPI R AFTER W
TU68-FA	RW	SM		LVP	3 12/72	T	TR06	PERTEC 6840-9 75 IPS 9 CH 800 BPI R AFTER W
TU70-AA	RLD	ROR			2 12/74	T	TX01, TX02	STC 200IPS 9TRACK 800BPI NRZI & 1600BPI PE MAG TAPE, 60HZ
TU70-AB	RLD	ROR			2 12/74	T	TX01, TX02	STC 200IPS 9TRACK 800BPI NRZI & 1600BPI PE MAG TAPE, 50HZ
TU70-CA	RLD	ROR			2 12/74	T	10 I/O & MEM BUS	DX10-A, TX01-A, TU70-AA MAG TAPE SYS, 60HZ
TU70-CB	RLD	ROR			2 12/74	T	10 I/O & MEM BUS	DX10-B, TX01-B, TU70-AB MAG TAPE SYS, 50HZ
TU71-AA	RLD	ROR			2 12/74	T	TX01, TX02	STC 200IPS 7 TRACK 200/556/800 BPI NRZI MAG TAPE UNIT, 60HZ
TU71-AB	RLD	ROR			2 12/74	T	TX01, TX02	STC 200IPS 7 TRACK 200/556/800 BPI NRZI MAG TAPE UNIT, 50HZ
TUC01		ND			3 3/72	T	ALL TAPE DRIVES	TAPE UNIT CLEANING KIT
TWU16-EA	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EA, 115V 60HZ
TWU16-EB	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EB, 230V 60HZ
TWU16-EC	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EC, 115V 50HZ
TWU16-ED	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-ED, 230V 50HZ
TWU16-EK	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EK, 115V 60HZ
TWU16-EL	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EL, 230V 60HZ
TWU16-EM	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EM, 115V 50HZ
TWU16-EN	ARR	SJ			2 1/75	T	11/70	RH70-A + TU16-EN, 230V 50HZ
TWU16-UA	ARR	SJ			2 1/75	T	11/70	RH70-A + TWU16 DOCUMENTS (UPGRADE FROM TJU16)
UC15-FA	EW	FD			6 9/74	E	15	PERIPHERAL PROC: 11/05-FA, 2 DR11-C, DR15-C, MX15-B, 115V
UC15-FB	EW	FD			6 9/74	E	15	PERIPHERAL PROC: 11/05-FB, 2 DR11-C, DR15-C, MX15-B, 230V
UC15-FE	EW	FD			6 9/74	E	15	PERIPHERAL PROC: 11/05-FE, 2 DR11-C, DR15-C, MX15-B, 115V
UC15-FF	EW	FD			6 9/74	E	15	PERIPHERAL PROC: 11/05-FF, 2 DR11-C, DR15-C, MX15-B, 230V
UC15-HE	EW	FD		WM	3 2/74	E	15	PERIPH PROC: 11/05-NC, OR -SA, OR 11/10-NC, OR -SA, 2 DR11-C, DR15-C, MX15-B, DD11-B, H950, KY11-JH, 115V
UC15-HF	EW	FD		WM	3 2/74	E	15	PERIPH PROC: 11/05-ND, OR -SB, OR 11/10-ND, OR -SB, 2 DR11-C, DR15-C, MX15-B, DD11-B, H950, KY11-JH, 230V
UC15-HK	EW	FD		WM	3 2/74	E	15	UC15-HE + MM11-K; 115V
UC15-HL	EW	FD		WM	3 2/74	E	15	UC15-HF + MM11-K; 230V
UDC11	RS	MORO			5 10/71	D	11	UNIVERSAL DIGITAL CONTROLLER, USES DD01-D, DD02
UDC11-A	RS	RC		IPB	3 3/73	D	11	UDC, DD01-D, BF02, H726-E

MODEL NO	ENG MGR	DESIGN ENGR	PRDUE IGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	140
UDC15	RS	PDM			3	5/71 D	RD15	UNIVERSAL DIGITAL CONTROLLER	
UDC8-N	RS	MORO			5	5/71 D	8 NEG	UNIV DIGITAL CONT: DD01-AN, 8F02 & PS	
UDC8-P	RS	MORO			5	5/71 D	8 POS	UNIV DIGITAL CONT: DD01-AP, 8F02 & PS	
UDC8-PA	RS	MORO			3	7/71 D	8 POS	UDC, DD01-AP, 8F02, H726-B	
UDC8-XA	RS	MORO			5	5/71 D	UDC8-N, -P, UDC11	8F02, DD02, SHORT CABLES	
UDC8-XB	RS	MORO			5	5/71 D	UDC8-N, -P, UDC11	8F02, DD02, LONG CABLES	
VA38		LH			6	V	338	20 USEC CHARACTER GENERATOR	
VA39		LH			6	V	339	20 USEC CHARACTER GENERATOR	
VB08		JUL		CSS	6	7/71 V	8 POS	DATA BREAK DISPLAY CONTROL	
VB08-A		JUL		CSS	3	7/73 V	POS 8 BUS, DATA BREAK	INTERACTIVE DISPLAY SYS FOR PDP8	
VB10-C		JUL		CSS	3	V	10 I/O & MEM BUS	DISPLAY PROCESSOR (I/C LOGIC VB10)	
VB11		JUL		CSS	-	6/71 V	-	SYSTEM NAME, INTERACTIVE DISPLAY SYSTEM	
VB11-A		JUL		CSS	3	6/71 V	11	DISPLAY CONTROL W CRT	
VB11-C		JUL		CSS	3	6/71 V	VB11-A	COLOR OPTION TO VB11-A SCOPE	
VB11-CS		JUL		CSS	3	7/71 V	VB11-S	COLOR VB11-SS	
VB11-CG		JUL		CSS	3	6/71 V	VB11-A	CHARACTER GENERATOR	
VB11-F		JUL		CSS	3	6/71 V	VB11-A	FUNCTION BOX & INTERFACE	
VB11-K		JUL		CSS	3	6/71 V	VB11-A	KEYBOARD & INTERFACE	
VB11-PM		DR		CSS	3	1/73 V	VB11-A	MEMORY PORT MULTIPLEXER	
VB11-R		JUL		CSS	3	6/71 V	VB11-A	RASTER OPTION	
VB11-S		JUL		CSS	3	6/71 V	VB11-A	SLAVE SCOPE INTERFACE (UP TO 4)	
VB11-SS		JUL		CSS	3	6/71 V	VB11-S	DESK MOUNTED SLAVE SCOPE, BLACK & WHITE	
VB11-T		JUL		CSS	3	6/71 V	VB11-A	TABLET & INTERFACE	
VB11-XY		JUL		CSS	3	6/71 V	VB11-A	CALCOMP 565 PLOTTER & INTERFACE	
VB15-BA	JH	CV		CSS	3	5/74 V	9, DM09-A	GRAPHIC 2/I: VB15-BC, 376, VB15-K, VB15-P, VB15-LC, 115V60HZ	
VB15-BB	JH	CV		CSS	3	5/74 V	9, DM09-A	GRAPHIC 2/I: VB15-BD, 376, VB15-K, VB15-P, VB15-LC, 230V50HZ	
VB15-BC	JH	CV		CSS	3	5/74 V	9, DM09-A	GRAPHIC 2/I CONTROL + VT15-BM ADAPTER, 115V 60HZ	
VB15-BD	JH	CV		CSS	3	5/74 V	9, DM09-A	GRAPHIC 2/I CONTROL + VT15-BM ADAPTER, 230V 50HZ	
VB15-BM	JH	CV		CSS	3	5/74 V	9	ADAPTER BETWEEN DM09-A & VB15-BC, -BD	
VB15-EA	JH	CV		CSS	3	5/74 V	15	GRAPHIC 2/I: VB15-EC, 376, VB15-K, VB15-P, VB15-LC, 115V60HZ	
VB15-EB	JH	CV		CSS	3	5/74 V	15	GRAPHIC 2/I: VB15-ED, 376, VB15-K, VB15-P, VB15-LC, 230V50HZ	
VB15-EC	JH	CV		CSS	3	5/74 V	15	GRAPHIC 2/I CONTROL, 115V 60HZ	
VB15-ED	JH	CV		CSS	3	5/74 V	15	GRAPHIC 2/I CONTROL, 230V 50HZ	
VB15-K	JH	CV		CSS	3	5/74 V	VB15-B, -E	128 CHARACTER KEYBOARD & INTERFACE	
VB15-LC	JH	CV		CSS	3	5/74 V	VB15-B, -E	KRATOS 21" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 115V60	
VB15-LD	JH	CV		CSS	3	5/74 V	VB15-B, -E	KRATOS 21" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 230V50	
VB15-P	JH	CV		CSS	3	5/74 V	VB15-B, -E	9 PUSHBUTTON FUNCTION BOX & INTERFACE	
VB15-SC	JH	CV		CSS	3	5/74 V	VB15-B, -E	KRATOS 17" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 115V60	
VB15-SD	JH	CV		CSS	3	5/74 V	VB15-B, -E	KRATOS 17" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 230V50	
VC12	SNT	RI			5	1/73 V	12	DISPLAY CONTROL MODULE SET	
VC12-C	SNT	RI			5	2/73 V	VC12	COLOR ADAPTER FOR VR20 (M7601)	
VC12-N	SNT	RI			3	V	VC12	NEG INTENSIFY ADAPTER FOR TEK 503	
VC12-S	SNT	RI			6	5/72 V	VC12	TEK 601 OR VT01-A ADAPTER (M7601 + CABLE)	
VC20-A	SNT	AW			3	1/73 V	11	AA11-DA + AA11-E + AA11-FA + 2 A614 VR20 CONTROL	
VC20-B	SNT	AW			3	1/73 V	11	AA11-DB + AA11-E + AA11-FA + 2 A614 VR20 CONTROL	
VC38		LH			6	V	338, 339	CHARACTER MODE OPTION	
VC8-E	SNT	AK			5	10/71 V	8/E	POINT PLOTTING DISPLAY CONTROL	
VC8-I		DR		TP-	5	V	8/I	DISPLAY CONTROL MODULE SET	
VC8-L		DR		TP-	5	V	BA08	DISPLAY CONTROL MODULE SET	
VF12-A		DN			2	V	VR12, VR12-A, B, C, D, E	GRAY-GREEN FACEPLATE FILTER	
VF38		LH			6	V	338, 339	SEARCH LOGIC	
VK8-EA		PK			4	2/73 V	8/E	CONTROL FOR VT8-EA, -EB, 64 CHAR, 60HZ	
VK8-EC		PK			4	2/73 V	8/E	CONTROL FOR VT8-EC, -ED, 64 CHAR, 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
VK8-EE		PK			4 2/73	V	8/E	CONTROL FOR VT8-EE, -EF, 32 CHAR, 60HZ
VK8-EH		PK			4 2/73	V	8/E	CONTROL FOR VT8-EH, -EJ, 32 CHAR, 50HZ
VL04		LH			5 4/71	V	VT04	370, CABLE, MODULE, VT04 LT PEN INTERFACE
VL07		DC			2 3/72	V	VT07	370-C, CABLE, MODULE, VT07 LT PEN INTERFACE
VL09		MI		TPL	6 7/72	V	9	INTERFACE FOR 330
VL10		DO			3	V	8	INTERFACE FOR 30-N
VM01		MI		TP-	3	V	34	TEK 503/564 SCOPE MOUNTING HARDWARE
VM01-A		MI			3	V	34	VM01 & LIGHT PEN MOUNTING
VM01-B		MI			3	V	34	VM01 FOR H950 CABINET
VM01-C		MI			3	V	34	VM01-B PLUS LIGHT PEN MOUNT
VM03	SNT	AW			4 10/71	V	VC8-E	MOUNTING HARDWARE FOR TEK 602, 604 IN H945-AA
VM08		MI		TP-	6	V	8/I, VS08	MUX CONTROL + LINE DRIVER FOR UP TO 8 VT02
VM15		LH			5 5/71	V	VT15	MULTIPLEXER FOR 4 VT04, VT01, ETC
VP01		KS			2	V	LINC/8	TEK 564 SCOPE ON LINC/8
VP02-N		ST		CSS	2 7/71	V	9 WITH API	POINT PLOT DISPLAY CONT W PROG CHAR GEN
VP02-P		ST		CSP	2 7/71	V	15 WITH API	POINT PLOT DISPLAY CONT W PROG CHAR GEN
VP09		FA			4	V	BA09	POINT PLOTTING DISPLAY CONTROL W VT01
VP10		DC			6 7/74	V	10	POINT PLOTTING DISPLAY CONTROL, 60 HZ
VP10-A		DC			6 7/74	V	10	POINT PLOTTING DISPLAY CONTROL, 50 HZ
VP12-AA	SNT	RI			5 6/71	X	XY12	HOUSTON COMPLIT 12-IN PLOTTER 10 MIL STEP
VP12-AB	SNT	RI			3 1/73	X	XY12	HOUSTON COMPLIT 12-IN PLOTTER, 5 MIL STEP
VP12-AC	SNT	RI			3 1/73	X	XY12	HOUSTON COMPLIT 12-IN PLOTTER, 100 MIL STEP
VP12-BA	SNT	RI			5 6/71	X	XY12	CALCOMP 565 PLOTTER (12-IN) 10 MIL STEP
VP12-BB	SNT	RI			3 1/73	X	XY12	CALCOMP 565 PLOTTER (12-IN), 5 MIL STEP
VP12-BC	SNT	RI			3 1/73	X	XY12	CALCOMP 565 PLOTTER (12-IN), 100 MIL STEP
VP12-CA	SNT	RI			5 6/71	X	XY12	CALCOMP 563 PLOTTER (30-IN) 10 MIL STEP
VP12-CB	SNT	RI			3 1/73	X	XY12	CALCOMP 563 PLOTTER (30-IN) 5 MIL STEP
VP12-CC	SNT	RI			3 1/73	X	XY12	CALCOMP 563 PLOTTER (30-IN) 100 MIL STEP
VP15-A		LH			5	V	BA15-A	POINT DISPLAY CONTROL WITH VT01
VP15-B		LH			5	V	BA15-A	POINT DISPLAY CONTROL WITH TEK RM503
VP15-BL		LH			5	V	BA15-A	VP15-B WITH LIGHT PEN
VP15-C		LH			5 6/71	V	BA15-A	POINT DISPLAY CONTROL WITH VR14
VP15-CL		LH			3 2/72	V	BA15-A	VP15-C WITH LIGHT PEN
VP15-MA		SKJ		CSS	3 3/72	V	VP15-A	MUX, ALLOWS VP15-A TO CONTROL 8 TEK 611
VP8-I		RR		TP-	5	X	8/I	PLOTTER CONTROL
VP8-IA					5	X	8/I	CALCOMP 563 PLOTTER & CONTROL
VP8-IB					5	X	8/I	CALCOMP 565 PLOTTER & CONTROL
VP8-L		RR		TP-	5	X	BA08	PLOTTER CONTROL
VP8-LA		RR		TP-	5	X	BA08	CALCOMP 563 PLOTTER & CONTROL
VP8-LB		RR		TP-	5	X	BA08	CALCOMP 565 PLOTTER & CONTROL
VR01-A		RR		TP-	6 5/72	V	VC8-I, VC8-L	TEK 503, VM01-B
VR01-B		RR		TP-	5	V	VC8-I, VC8-L	TEK 503, VM01-C & 370-A
VR02-A		RR		TP-	6 5/72	V	VC8-I, VC8-L	TEK 564, VM01-B
VR03-A	SNT	AW			6 11/71	V	VC8-E	TEK 602 W VM03
VR03-B	SNT	AW			6 11/71	V	VC8-E	TEK 601 W VM03
VR14	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, RACK MOUNT, 115V
VR14-A	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, RACK MOUNT, 230V
VR14-B	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, RACK MOUNT, 100V
VR14-C	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, TABLE TOP, 115V
VR14-D	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, TABLE TOP, 230V
VR14-E	SNT	LH			5 2/71	V	MANY	7X9 DISPLAY, TABLE TOP, 100V
VR14-LC	SNT	LH			3 6/72	V	GT40-AA, -AC, -AE, -BA, -BC, -BE	VR14-C MODIFIED FOR 115V GT40
VR14-LD	SNT	LH			3 6/72	V	GT40-AB, -AD, -AF, -BB, -BD, -BF	VR14-D MODIFIED FOR 230V GT40
VR14-V	SNT	LH			2 3/72	V	ANY VR14	2-BIT INTENSITY CONTROL (VIDEO)
VR17-LC	SNT	LH			3 12/73	V	GT44	17 INCH DISPLAY W LIGHT PEN, 8 LEVELS INTENSITY, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
VR17-LD	SNT	LH			3 12/73	V	GT44	17 INCH DISPLAY W LIGHT PEN, 8 LEVELS INTENSITY, 230V
VR20	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, RACK MOUNT, 115V
VR20-A	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, RACK MOUNT, 230V
VR20-B	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, RACK MOUNT, 100V
VR20-C	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, TABLE TOP, 115V
VR20-D	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, TABLE TOP, 230V
VR20-E	SNT	LH			6 3/73	V	MANY	2 COLOR VR14, TABLE TOP, 100V
VR20-LC	SNT	LH			6 3/73	V	GT40-BA	VR20-C MODIFIED FOR GT40-BA
VR20-LD	SNT	LH			6 3/73	V	GT40-BB	VR20-D MODIFIED FOR GT40-BB
VR30		MI		TP-	6 7/72	V		RACK MOUNTED 30 FAMILY
VR30-D		MI		TP5	6 7/72	V	4, 7, 9	16-INCH POINT PLOTTING DISPLAY
VR30-G		MI		TP-	6 7/72	V	4, 7, 9	VR30-D & 33 SYMBOL GENERATOR
VR30-N		MI		TP-	6 7/72	V	5, 8 NEG	16-INCH POINT PLOTTING DISPLAY
VS01		LH			2 5/71	V	VT15, VT04	VT01-A INTERFACE TO VT15 & VT04
VS08-N		BM			5	V	8 NEG	INTERFACE & MTNG PANEL FOR KV8
VS08-P		BM			5	V	8 POS	INTERFACE & MTNG PANEL FOR KV8
VS38		LH			6	V	338, 339	SLAVE CONTROL LOGIC FOR 343
VT01		SKJ			3 8/73	V	VS08, KV8-1, KV8, KV8-E, KV15	TEK 611 SCOPE DEC MODIFIED (DOUBLE ENDED)
VT01-A		SKJ			3 1/72	V	-	TEX 611 SCOPE (SINGLE ENDED)
VT01-K		SKJ			3	V	OLD TEK 611 SCOPE	MOD KIT TO MAKE VT01 FROM OLD TEK 611
VT01-KA		SKJ			3 8/73	V	NEW TEK 611 SCOPE	MOD KIT TO MAKE VT01 FROM NEW TEK 611
VT02		MI		TP-	6	V	VS08, VS09, KV8-1, VSB-E	KEYBOARD & INTERFACE FOR VT01
VT04-A		LH			5	V	VT09, VT15	DISPLAY TERMINAL, 60 HZ
VT04-B		LH			5	V	VT09, VT15	DISPLAY TERMINAL, 50 HZ
VT05		DOANE			5 3/72	V		ALPHA-NUMERIC TERMINAL
VT05A-AA		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 115V 60HZ
VT05A-AB		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 230V 60HZ
VT05A-AC		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 115V 50HZ
VT05A-AD		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 230V 50HZ
VT05A-AE		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05A-AA, NO INSTALLATION
VT05A-AF		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05A-AB, NO INSTALLATION
VT05A-AH		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05A-AC, NO INSTALLATION
VT05A-AJ		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05A-AD, NO INSTALLATION
VT05A-BA		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 115V 60HZ
VT05A-BB		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 230V 60HZ
VT05A-BC		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 115V 50HZ
VT05A-BD		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 230V 50HZ
VT05A-CA		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 115V 60HZ
VT05A-CB		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 230V 60HZ
VT05A-CC		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 115V 50HZ
VT05A-CD		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 230V 50HZ
VT05A-DA		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 115V 60HZ
VT05A-DB		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 230V 60HZ
VT05A-DC		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 115V 50HZ
VT05A-DD		DOANE			6 10/74	V	ASYNC ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 230V 50HZ
VT05B		DOANE			4 3/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05 W 2400 BAUD CAPABILITY
VT05B-AA		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 115V 60HZ
VT05B-AB		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 230V 60HZ
VT05B-AC		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 115V 50HZ
VT05B-AD		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 230V 50HZ
VT05B-AE		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B-AA, OEM
VT05B-AF		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B-AB, OEM
VT05B-AH		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B-AC, OEM
VT05B-AJ		DOANE			4 5/72	V	ASYNC ASCII UP TO 2400 BAUD	VT05B-AD, OEM
VT05B-AX		OPF			3 3/74	V	DS5XX	REMOTE VT05B-AA WITH EIA CABLE



MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
VT05B-AY		DPF			3	3/74 V	DS5XX	REMOTE VT05B-AD WITH EIA CABLE
VT05B-BA		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 115V 60HZ
VT05B-BB		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 230V 60HZ
VT05B-BC		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 115V 50HZ
VT05B-BD		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 230V 50HZ
VT05B-CA		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 115V 60HZ
VT05B-CB		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 230V 60HZ
VT05B-CC		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 115V 50HZ
VT05B-CD		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 230V 50HZ
VT05B-DA		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 115V 60HZ
VT05B-DB		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 230V 60HZ
VT05B-DC		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 115V 50HZ
VT05B-DD		DOANE			4	5/72 V	ASYNC ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 230V 50HZ
VT06-A	SNT	LH			6	5/72 V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 115V 60 HZ
VT06-AP	SNT	LH			6	5/72 V	DC10, DC08, LT08	VT06-A W PARITY
VT06-B	SNT	LH			6	5/72 V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 230V 60 HZ
VT06-BP	SNT	LH			6	5/72 V	DC10, DC08, LT08	VT06-B W PARITY
VT06-C	SNT	LH			6	5/72 V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 115V 50HZ
VT06-CP	SNT	LH			6	5/72 V	DC10, DC08, LT08	VT06-C W PARITY
VT06-D	SNT	LH			6	5/72 V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 230V 50HZ
VT06-DP	SNT	LH			6	5/72 V	DC10, DC08, LT08	VT06-D W PARITY
VT09		MI		TPL	3	5/71 V	9, 9/L	BUFFERED DISPLAY CONTROL (LIKE VT15)
VT11	LH	JE			2	6/74 V	11	INCREMENTAL STROKE DISPLAY PROC UNIT (VT40 MODULES IN SYSTEM UNIT)
VT11-AA	LH	LH			2	6/74 V	11	VT11 + VR17-LC, 115V 50/60HZ
VT11-AB	LH	LH			2	6/74 V	11	VT11 + VR17-LD, 230V 50/60HZ
VT14-AA	JM	HORO			5	12/74 V	14	PROGRAMMING PANEL W 12" DISPLAY, B/E PROC, CONSOLE 115V 60HZ
VT14-AB	JM	HORO			5	12/74 V	14	PROGRAMMING PANEL W 12" DISPLAY, B/E PROC, CONSOLE 230V 50HZ
VT14-AC	JM	HORO			5	12/74 V	14	PROGRAMMING PANEL W 12" DISPLAY, B/E PROC, CONSOLE 230V 60HZ
VT14-AD	JM	HORO			5	12/74 V	14	PROGRAMMING PANEL W 12" DISPLAY, B/E PROC, CONSOLE 115V 50HZ
VT15-A		LH			5	3/71 V	15	1ST BUFFERED DISPLAY PROCESSOR
VT15-B		LH			5	3/71 V	15	2ND BUFFERED DISPLAY PROCESSOR
VT20-BA	MI	SG			6	9/74 E	ASYNC ASCII	2 16X64 CRT'S, 2 DL11-B, 11/05 W 8K, 2 FK11-A CRT CONT, 115V
VT20-BB	MI	SG			6	9/74 E	ASYNC ASCII	2 16X64 CRT'S, 2 DL11-B, 11/05 W 8K, 2 FK11-A, CRT CONT 230V
VT20-BC	MI	SG			5	12/74 V	ASYNC ASCII	REPACKAGED VT20-BA FOR TYPSET 11, 115V
VT20-BD	MI	SG			5	12/74 V	ASYNC ASCII	REPACKAGED VT20-BB FOR TYPSET 11, 230V
VT20-BE	MI	SG			5	12/74 V	ASYNC ASCII	VT20-BC FOR DECSET 11, 115V
VT20-BF	MI	SG			5	12/74 V	ASYNC ASCII	VT20-BD FOR DECSET 11, 230V
VT20-KA	MI	SG			5	12/74 V	VT20-B, -C	CRT CONT, H957, 861-C, 115V
VT20-MA	MI	TM			5	12/74 V	VT20-B	EUROPEAN CHARACTER OPTION) KETS + SOFTWARE
VT20-MB	MI	TM			5	12/74 V	VT20-B	10-IN SCOPE ASSEMBLY 70-10090, CABLE 70-09933, 115V
VT20-PC	MI	SG			3	12/74 V	VT20-B, -C	10-IN SCOPE ASSEMBLY 70-10090, CABLE 70-09933, 230V
VT20-PF	MI	AJM			3	12/74 V	VT20-B, -C	PLASTIC DUST COVER FOR VT20
VT30	MUT	BMP		SSUK	3	8/72 V	11	PLASTIC FACE PLATE FILTER
VT30-A		JGN		SSUK	3	2/75 V	11	CONT FOR COLOUR MONITOR, 64 ASCII + 64 CUSTOMER CHARACTERS
VT30-B		JGN		SSUK	3	2/75 V	11	COLOUR MONITOR CONT: 36 LINES, 64 CHS, 8X8 MATRIX, DISP FILE IN CORE
VT30-C		JGN		SSUK	3	2/75 V	11	COLOUR MONITOR CONT: 48 LINES, 80 CHS, 6X6 MATRIX, DISP FILE IN CORE
VT30-D		JGN		SSUK	3	2/75 V	11	COLOUR MONITOR CONT: 36 LINES, 64 CHS, 8X8, INTEGRAL DISP FILE
VT40-AA		HL			2	1/73 V	GT40	11/05-MA (4K) W GRAPHICS BACK PLANE, MODULES, 115V
VT40-AB		HL			2	1/73 V	GT40	11/05-MB (4K) W GRAPHICS BACK PLANE, MODULES, 230V
VT40-BA		HL			2	1/73 V	GT40	11/05-PA (8K) W GRAPHICS BACK PLANE, MODULES, 115V
VT40-BB		HL			2	1/73 V	GT40	11/05-PB (8K) W GRAPHICS BACK PLANE, MODULES, 230V
VT50-AA	TS	JEB			3	2/75 V	ASYNC ASCII	KEYBOARD DISPLAY TERMINAL, CURRENT LOOP, 115V 60HZ
VT50-AB	TS	JEB			3	2/75 V	ASYNC ASCII	KEYBOARD DISPLAY TERMINAL, CURRENT LOOP, 220/240V 50/60HZ
VT50-AC	TS	JEB			3	2/75 V	ASYNC ASCII	KEYBOARD DISPLAY TERMINAL, CURRENT LOOP, 100/127V 50/60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	144
VT50-AE	RS	JEB			3 2/75	V	ASYNC ASCII	EIAVT50-AA = VT50-AA + BN50A-7F, 115V 60HZ	
VT50-BA	TS	JEB			2 1/75	V	ASYNC ASCII	KEYBOARD DISPLAY TERMINAL, COPIER, CURRENT LOOP 115V 60HZ	
VT50-BB	TS	JEB			2 1/75	V	ASYNC ASCII	KEYBD DISPLAY TERMINAL, COPIER, CURRENT LOOP 220/240V 50/60HZ	
VT50-BC	TS	JEB			2 1/75	V	ASYNC ASCII	KEYBD DISPLAY TERMINAL, COPIER, CURRENT LOOP 100/127V 50/60HZ	
VT50-CA	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AA W 283B PLUG, 115V 60HZ	
VT50-CB	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AB W 283B PLUG, 220/240V 50/60HZ	
VT50-CC	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AC W 283B PLUG, 100/127V 50/60HZ	
VT50-DA	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BA W 283B PLUG, 115V 60HZ	
VT50-DB	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BB W 283B PLUG, 220/240V 50/60HZ	
VT50-DC	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BC W 283B PLUG, 100/127V 50/60HZ	
VT50-HA	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AA W DIRECT CURSOR & NUMERIC KEY PAD, 115V 60HZ	
VT50-HB	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AB W DIRECT CURSOR & NUMERIC KEY PAD, 220/240V 50/60HZ	
VT50-HC	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-AC W DIRECT CURSOR & NUMERIC KEY PAD, 100/127V 50/60HZ	
VT50-JA	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BA W DIRECT CURSOR & NUMERIC KEY PAD, 115V 60HZ	
VT50-JB	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BB W DIRECT CURSOR & NUMERIC KEY PAD, 220/240V 50/60HZ	
VT50-JC	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BC W DIRECT CURSOR & NUMERIC KEY PAD, 100/127V 50/60HZ	
VT8-EA	JC	PK			4 1/73	V	B/E (VK8-EA)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 115V60HZ	
VT8-EB	JC	PK			4 1/73	V	B/E (VK8-EA)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 230V60HZ	
VT8-EC	JC	PK			4 1/73	V	B/E (VK8-EC)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 115V50HZ	
VT8-ED	JC	PK			4 1/73	V	B/E (VK8-EC)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 230V50HZ	
VT8-EE	JC	PK			4 1/73	V	B/E (VK8-EE)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 115V60HZ	
VT8-EF	JC	PK			4 1/73	V	B/E (VK8-EE)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 230V60HZ	
VT8-EH	JC	PK			4 1/73	V	B/E (VK8-EH)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 115V50HZ	
VT8-EJ	JC	PK			4 2/73	V	B/E (VK8-EH)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 230V50HZ	
VT90-AA	BE	BLE		SSCAL	3 5/73	V	ASYNC ASCII UP TO 2400 BAUD	VT05B + BADGE READER & SWITCHES, 115V 60HZ	
VT150-AA		PTJ			3 2/75	V	ASYNC ASCII	VT50-AA IN PLACE OF LA36-CA, 115V 60HZ	
VT150-AB		PTJ			3 2/75	V	ASYNC ASCII	VT50-AB IN PLACE OF LA36-CB, 220/240V 50/60HZ	
VT150-AC		PTJ			3 2/75	V	ASYNC ASCII	VT50-AC IN PLACE OF LA36-CA, 100/127V 50/60HZ	
VV15		LH			6 10/73	V	VT15	ARBITRARY VECTOR OPTION	
VV15-A	LH	HL			3 10/73	V	VT15	ARBITRARY VECTOR OPTION, IMPROVED VV15	
VV15-K	LH	HL			3 10/73	V	VV15	UPDATES VV15 TO VV15-A	
VW01-AN		GDG			5 6/71	V	B NEG	WRITING TABLET, SPARK DIGITIZER	
VW01-AP		GDG			5 6/71	V	B POS	WRITING TABLET, SPARK DIGITIZER	
VW01-BN		GDG			5 6/71	V	9, 9/L	WRITING TABLET, SPARK DIGITIZER	
VW01-BP		GDG			5 6/71	V	15	WRITING TABLET, SPARK DIGITIZER	
VW01-FA	AP	NS		CSS	3 8/73	V	11	11X11 WRITING TABLET, SPARK DIGITIZER	
VW01-FC	AP	NS		CSS	3 8/73	V	11	24X24 WRITING TABLET, SPARK DIGITIZER	
VW01-FD	AP	NS		CSS	3 8/73	V	11	30X30 WRITING TABLET, SPARK DIGITIZER	
VW01-FE	AP	NS		CSS	3 8/73	V	11	36X36 WRITING TABLET, SPARK DIGITIZER	
VW01-FF	AP	NS		CSS	3 8/73	V	11	60X60 WRITING TABLET, SPARK DIGITIZER	
VW01-MA		GDG			5 6/71	V	VW01-MX	SINGLE TABLET ASSEMBLY	
VW01-MX		GDG			5 6/71	V	VW01-A, VW01-B	4 CHANNEL MULTIPLEXER	
VW01-PS		GDG			2 1/72	V	VW01-AP	POINT SELECTOR	
VW01-SP		GDG			5 6/71	V	VW01-A, VW01-B, VW01-M	SPARK PEN	
VW01-WC	AP	NS		CSS	3 8/73	V	11	24X24 SPARE TABLET	
VW01-WD	AP	NS		CSS	3 8/73	V	11	30X30 SPARE TABLET	
VW01-WE	AP	NS		CS	3 8/73	V	11	36X36 SPARE TABLET	
VW01-WF	AP	NS		CS	3 8/73	V	11	60X60 SPARE TABLET	
VW01-WT		GDG			5 6/71	V	VW01-A, VW01-B, VW01-M	WRITING TABLET	
VW02-A		SPR			6 1/75	V	AF01	GRAFATRAN TRACING DEVICE	
VW03	RW	PM		LV	3 6/73	V	B/E	INTERFACE FOR BOICE 3-AXIS DIGITIZER	
VZ38		LH			6	V	338, 339	ZOOM LOGIC	
XL01		AW			5	X	H304	ONE CHANNEL BRISTOL RECORDER INTFC KIT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
XT10-A		KE			6 3/72	X	KA10 CONSOLE	PERFORMANCE ANALYZER
XY10		KE			5	X	BA10, TD10-A	CALCOMP PLOTTER CONTROL
XY10-A		KE			5	X	BA10, TD10-A	CALCOMP 565 PLOTTER & CONTROL
XY10-B		KE			5	X	BA10, TD10-A	CALCOMP 563 PLOTTER & CONTROL
XY11	RW			LVP	3	X	11, DD11	INCREMENTAL PLOTTER CONTROL
XY12	SNT	RI			5	X	12	INCREMENTAL PLOTTER CONTROL
XY15		FA			5	X	DW15	CALCOMP PLOTTER CONTROL
XY15-AA		FA			5	X	DW15	CALCOMP 565, 10 MIL STEP, 18K/MIN
XY15-AB		FA			5	X	DW15	CALCOMP 565, 5 MIL STEP, 18K/MIN
XY15-BA		FA			5	X	DW15	CALCOMP 563, 10 MIL STEP, 12K/MIN
XY15-BB		FA			5	X	DW15	CALCOMP 563, 5 MIL STEP, 18K/MIN
XY211-CA	JEH	JTN		CSS	3 12/74	X	11	CONTROL FOR ELECTRONIC ASC. INC. 2-ARM PLOTTER, 115V
XY211-CB	JEH	JTN		CSS	3 12/74	X	11	CONTROL FOR ELECTRONIC ASC. INC. 2-ARM PLOTTER, 230V
XY310-AA	JEH			CSP	2 11/74	X	BA10	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 115V 60HZ
XY310-AB	JEH			CSS	2 11/74	X	BA10	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 230V 50HZ
XY310-BA	JEH			CSP	2 11/74	X	BA10	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 115V 60HZ
XY310-BB	JEH			CSS	2 11/74	X	BA10	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 230V 50HZ
XY311-AA	JEH	LO		CSP	3 7/73	X	11, DD11	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 115V 60HZ
XY311-AB	JEH	LO		CSS	3 10/73	X	11, DD11	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 230V 50HZ
XY311-BA	JEH	LO		CSP	3 10/73	X	11, DD11	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 115V 60HZ
XY311-BB	JEH	LO		CSP	3 7/73	X	11, DD11	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 230V 50HZ
XY8-E		LN			5 10/71	X	8/E	M842 PLOTTER CONTROL
XY8-EA		LN			5 10/71	X	8/E	CALCOMP 565 PLOTTER & M842 CONTROL
XY8-EB		LN			5 10/71	X	8/E	CALCOMP 563 PLOTTER & M842 CONTROL
XY8-EH		LN			5 3/72	X	8/E	HOUSTON DP-10 PLOTTER & M842 CONT, 115V
XY8-EJ		LN			5 3/72	X	8/E	HOUSTON DP-10 PLOTTER & M842 CONT, 230V
XY8-EK		LN			5 3/72	X	8/E	TABLE TOP XY8-EH
XY8-EL		LN			5 3/72	X	8/E	TABLE TOP XY8-EJ
XY8-F		JK		SSMU	2 6/73	X	8/E	CONTROL FOR CALCOMP 936 PLOTTER
XY810-A	DH	SKJ		CSP	3 13/74	X	BA10	CALCOMP 663 PLOTTER CONTROL

M	M	0000	DDDD	U	U	L	EEEEEE	SSSS
MM	MM	0	0	0	U	U	E	S
M	M	0	0	0	U	U	E	S
M	M	0	0	0	U	U	EEEE	SSSS
M	M	0	0	0	U	U	E	S
M	M	0	0	0	U	U	E	S
M	M	0000	DDDD	UUU	UUU	LLLLL	EEEEEE	SSSS

LISTING OF MODULES

FEB 28, 1975

DICK BEST

THIS IS A LISTING OF MODULES DESIGNED OR MANUFACTURED BY DEC, ARRANGED ALPHABETICALLY BY SERIES. THE FOLLOWING SERIES ARE INCLUDED: 700, 800, A, B, CAB,, C, D, E, F, G, H, K, M, R, S, W, X, Y. THE "PRODUCT LINE" IS THE GROUP WITH THE FINAL RESPONSIBILITY FOR THE MODULE. THE "DESIGN ENGINEER" HAS DESIGN RESPONSIBILITY FOR THE MODULE, AND IS AVAILABLE TO HELP SOLVE PROBLEMS

THE CODES ARE:

PRODUCT LINE

STATUS CODE

- 8 = PDP8
- 10 = PDP10, ETC.
- A/N = A/N DISPLAYS
- CAT = IN CATALOG
- CLP = COMPUTER LOGIC PRODUCTS
- COM = COMMUNICATIONS, PDP11
- CPL = COMMERCIAL PRODUCT LINE
- CSS = COMPUTER SPECIAL SYS
- DAS = DEC SYSTEM 10 ADVANCED SYSTEMS
- EDU = 8 & 11 FOR SCHOOLS
- FS = FIELD SERVICE
- GRAPH = GRAPHICS ENGINEERING
- IPG = INDUSTRIAL PRODUCTS GROUP
- LDP = LAB 8, LAB 11
- LOGIC = LOGIC PRODUCTS
- LVP = LOW VOLUME PRODUCTION, PARKER ST
- MCE = MECHANICAL CENTRAL ENGINEERING
- MS = MEDICAL SYSTEMS
- MTST = MEMORY TEST (DISCONTINUED PROD LINE)
- PERIPH = PERIPHERAL PRODUCTS
- PROE = PROCESS ENGINEERING
- PS = POWER SUPPLY GROUP
- QC = QUALITY CONTROL (TESTERS)
- SSCAL = SPECIAL SYSTEMS, CALIFORNIA
- SSCAN = SPECIAL SYSTEMS, CANADA
- SSMU = SPECIAL SYSTEMS, MUNICH
- SSU = SPECIAL SYSTEMS, U. K.
- TE = TEST ENGINEERING
- TPL = TRADITIONAL PRODUCTS
- TYP = TYPSETTING
- XML = CROSS PROD LINE MEMORY

- 0 = PROJECT CANCELLED
  - 1 = IN DESIGN, NUMBER ASSIGNED
  - 2 = IN DESIGN, PRQD RELEASE STARTED
  - 3 = CUSTOM BUILT
  - 4 = RELEASED TO BUILD
  - 5 = RELEASED TO PRODUCTION
  - 6 = OBSOLETE, CAN STILL BE BUILT
  - 7 = OBSOLETE, CANNOT BE BUILT
- NUMBERS AFTER CODE INDICATE MONTH/YEAR OF LATEST CHANGE IN STATUS OR DESCRIPTION

IF ANYONE FINDS INCORRECT OR MISSING INFORMATION CONCERNING THESE MODULES, PLEASE CONTACT DICK BEST, EXT 2273.

IN ORDER TO FIND THE PRODUCTION STATUS OF ANY MODULE CALL JOHN GROAK, 4266

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
POWER SUPPLIES				
700	CAT		6	CLASSROOM RACK MTD PWR SUP W SW & PILOT LIGHT
700-D	CAT		6	700-S + TELEPHONE DIAL (USES 900 CONTROL PANEL), 3-W051, 1-R401
700-S	CAT		6	700 + 4 PUSHBUTTON SWITCHES
700-DA	CAT		6	50HZ 700-D
701			6	POWER SUPPLY REGULATOR USED ON CR01-B, -C
702	10	SU	6	MARGINAL CHECK SUP- 728 W SMALLER CAPS & REMOTE VARIAC AND POLARITY SWITCH 115V 60HZ
702-A	10	SU	6	50HZ 702
703	10	NW	6	FAST MEM PWR SUP- +1.8V 6A, -3V 6A REGULATOR FROM A 728 POWER SOURCE
704-A	8		6	8" PWR SUP- +5V 10A, -15V 5A, -30V 6A, +15V UNFILTERED 5A, 50/60HZ
704-B	8		7	704-A FOR PEDESTAL 8/1
704-C	8		6	704-A W NO MERCURY RELAY
705	10		5 7/72	PD10 2.5 D MEM & ME10, +10V 3.5A, -15V 24A, 2 FLOATING 10V 4A EA 50/60HZ
705-B	PERIPH	GS	6	19" 705
706	10		6	MEMORY DRIVE PWR SUP; 49V 20A UNREGULATED (G005 FOR 36V 20A REG IN LOGIC) 2.5 D MEM
707	8	MA	1 11/66	BIG 8 SUPPLY (SAME AS 708 BUT MODULES MOUNTED ELSEWHERE)
708	8		6	PDP8 POWER SUPPLY & CONTROL 115V 60HZ
708-A	8		6	50 HZ 708
709	9		6	PDP9 MODULAR 50/60HZ SUPPLY; ALSO FOR LINC 8 & BIG 8
710	CAT		6	+10V 1A SUPPLY
711				
712	9/L	DV	6	NEW PDP9 POWER SUPPLY & CONTROL
713	12		6	VR12 POWER SUPPLY: +/-6V, +/-80V, +400V, +30V
714	14	AR	7 5/73	PD14 POWER SUPPLY 5V 7.5A, REPLACED BY H752
715	15		5	PD15 POWER SUPPLY
716	15	DV	5	INDICATOR POWER SUPPLY: +6.5V 4A, 19"X3.5", RF09
716-B	15	JZ	5	716 ON A 17" PANEL
716-C	LDP	RI	5 12/74	716 W CHOICE OF OUTPUT VOLTAGES: 6.5V, 8V, 10V (5A)
716-D	LDP	RI	3 12/74	50HZ 716-C, 10V 5A
717	8	NH	6	PC0/L PWR SUPPLY, 115V 50/60HZ
718	8	NH	6	PD08/L SUPPLY: +10V UNREG, +5V 6A, -30V 2.5A TAP AT -15V (FOR SWITCHES) 115V 50/60HZ
718-B	8		6	230V 718
719				
720	CAT		7	POWER SUPPLY FOR LAB MODULES
721	CAT		7	+10V, -3V, -15V LAB MODULE SUPPLY
721-A	CAT		7	721 W +3V SUPPLY DISCONNECTED, INCREASING THE -15V CURRENT 1.5A
722	CAT		6	LAB MODULE SUPPLY: -15V 6.5A, -3V 1A, +10V 1A, 19"X5.25"
722-A	CAT		6	50HZ 722
723				
724	12		6	PD12 SUPPLY (USES G024)
725	PERIPH	HD	5	TU26 POWER SUPPLY, 115V
725-A	PERIPH	HD	2 6/73	230V 725
726				
727				
728	CAT		5	COMPUTER SUPPLY: -15V 8A, +10V 1A, 17", 115V 60HZ
728-A	CAT		5	50HZ 728
728-B	1		7	728 W NO +10V & 4 -15V TERMINALS
728-C	10	DREW	5	50/60 HZ 728
729	CAT		7	COMPUTER SUPPLY: -15V 6A, +10V 0.5A, 17"
730	CAT		7	DUAL 0 TO 20V 2.5A SUPPLY WITH METERS
730-A	CAT		7	50HZ 730
731	HTST		7	730 W NO METERS & RESISTOR FOR USE IN A DAC, 1510 ONLY
732	CAT		7	730 W NO METERS
732-A	CAT		7	50HZ 732

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
733	1		7	MEMORY POWER SUPPLY
734	1		7	0 TO 20V 1.5A SUPPLY, 115V 60HZ
734-A	1		7	50HZ 734
734-B	5		7	734 FOR PDP5, INCLUDES EXTRA TERMINALS & REVERSING SWITCH
734-C	5		7	50HZ 734-B
734-D	15		6	734-B W METER ACROSS MARGINAL CHECK VOLTAGE INSTEAD OF SUPPLY
734-E	15		6	50HZ 734-D
735	1		7	MEMORY POWER SUPPLY
735-A	1		7	50HZ 735
735-B	1		7	MODIFIED FOR IMPROVED MEMORY DRIVER
735-C	1		7	50HZ 735-B
736	1		7	17" X 4" 30V SUPPLY
737	5		7	INEXPENSIVE 0 TO 20V SUPPLY W POLARITY SW & NO RESONANT XFMR
738	7		7	734 W KNOB & METER REMOTE 115V 60HZ
738-A	7		7	50HZ 738
739	1		7	MEM SUPPLY: 40 TO 60V 3A, 55 TO 75V 2A, 115V 60HZ
739-A	1		7	50HZ 739
739-B				?
739-C				?
739-D	1		7	40 TO 60V 5A, 40 TO 75V 2A, 115V 60HZ
739-E	1		7	50 TO 70V 5A, 65 TO 85V 2A, 50HZ
740	CAT		7	DUAL -15V 7A
741	CAT		7	DUAL 15V SUPPLIES ISOLATED FROM GROUND, 115V 60HZ
741-A	CAT		7	50HZ 741
742	CAT		7	COMPUTER -15V SUPPLY
743	CAT		6	DUAL -15V 1-8.5A, 19"X5.25", 115V 60HZ
743-A	CAT		6	50HZ 743
744	MTST		7	2 FLOATING 8V SUPPLIES CONNECTED TO X & Y BUSES IN 1511, 1512. CLAMPS TO +/-20V
745	MTST		7	+100V, -150V, -300V USED IN 1510
746	MTST		7	2 0V SUPPLIES TIED TO BUSES IN 1510, CLAMPS TO GND & -40V
747	CAT		7	10V SUPPLY FROM SOLA 7104
748	CAT		7	-1 V SUPPLY: 1/2 OF A 740 ON A 19" PANEL
749	CAT		7	3 FLOATING SUPPLIES FOR 50, 51, 60, 61 CURRENT DRIVERS: 150V, 135V, 130V, 6.3VAC
749-A	CAT		7	50HZ 749
750	CAT		7	DC POWER CABLE FOR JOINING 722 TO LAB MODULE MING PANELS (901)
760	-		7	+10V & -15V FROM 100-X-1010 XFMR
761	-		7	+10KV FOR CRT, +150V, -135V, -265V
762	MTST		7	1/2 744, OUTPUT MARKED "2", 3.5" X 19"
763	-		7	10KV 1MA SUPPLY (SEE 770)
764	-		7	0 TO 250V 60MA SUPPLY FOR TEST EQUIPMENT
765	-		7	BENCH POWER SUPPLY
766	CAT		7	FOR SOLID STATE CURRENT DRIVERS: +40V 0.5A, +30V 3A, -30V 3A, -40V 0.5A, 115V 60HZ
766-A	CAT		7	50HZ 766
767	MTST		7	765 IN A 52 CHASSIS (REPLACED BY 773)
768	MTST		7	767 + TERMINAL STRIP FOR +/-20V CLAMPS
769	CAT		7	769 W NEW XFMR: 36V 4A, 45V 1A, -36V 4A, -45V 1A, 115V 60HZ
769-A	CAT		7	9/67 50HZ 769
770	-		7	10KV, +250V, -140V, FIL XFMR, 115V 60HZ (REPLACES 763)
770-A	-		7	50HZ 770
771	MTST		7	BUS -12V SUPPLY
772	-		6	DUAL 36V 5A, 17", 115V 60HZ
772-A	-		6	50HZ 772
773	MTST		7	BUS -12V SUPPLY, REPLACES 771 & 767
773-A	MTST		7	771 W CLAMPS TO +/-20V
774	1		7	COMPUTER -15V 8A, 100X1016, 115V 60HZ (USE 728)

MODEL NO	PRD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
775	MTST		7	BUS -12V LIKE 773 FOR SPLIT + & -BUS
776	MTST		7 9/67	76" ON 17" PLENUM DOOR 115V 60HZ
776-A	MTST		7 9/67	50HZ 776
777	MTST		7	12V BUS SUPPLY (775 W DIFFERENT CONNECTIONS FOR SCR SWITCHES)
778	-		6	DUAL 15V 8A ON PLENUM DOOR, 17" X 12", 115V 60HZ
778-A	-		6	50HZ 778
779	-		6	+15V 1A, -15V 8A, -30V 4A, 10"X17", 115V 60HZ
779-A	-		6	50HZ 779
780	MTST		7 9/67	12V BUS SUPPLY W ISOLATING CHOKES, NO BIAS CONTROL
781	1		7	16K PDP1 MEM POWER SUPPLY
782	CAT		6	+15V 0.4A, -15V 3A 5.25" X 19" SUPPLY, 115V 60HZ
782-A	CAT		6	50HZ 782
783	CAT		6	+15V 1A, -15V 8A, 10.5" X 19" 728, 115V 60HZ
783-A	CAT		6	50HZ 783
783-C	CAT	DREW	5 11/71	50/60HZ 783
784	CAT		7	-3V ACCESSORY FOR 783
785	-		6	+35V 4A, -30V 4A, 17", 115V 60HZ
785-A	-		6	50HZ 785
786	-		7	25V VARIABLE SUPPLY 5.25" X 19", 115V 60HZ
786-A	-		7	50HZ 786
787	6		6	2 USEC MEM INHIBIT SUPPLY, 40 TO 80V 5A
788	6		6	40 TO 80V 2A 2USEC MEM SUPPLY
789	-		7 8/66	+30V 4A, -30V 4A, 19", 115V 60HZ
789-A	-		7 8/66	50HZ 789
790	CAT		7 11/69	SUPPLY FOR 2500/2600 CURRENT DRIVERS, 115V 60HZ
790-A	CAT		7 11/69	50HZ 790
791	-		7	+/- 80V TELETYPE LINE SUPPLY (A 790 WITHOUT +10V; -15V) 115V, 60HZ
791-A	-		7	50HZ 791
791-B	-		7	791 W REDUCED RIPPLE (<0.5V)
791-C	-		7	50HZ 791-B
792	CAT		7	+/-65V, +/-90V, +/-100V, +/-110V FOR 6 CURRENT DRIVERS OF ANY KIND
793	-	LN	5	+/-80, 75, 70, 65, 55, 50, 45V 400 WATT <0.5V RIPPLE, 115V 60HZ TELEGRAPH LINE SUPPLY
793-A	-	LN	5	50HZ 793 FOR UK & AUSTRALIA
794				
795				
796				
797				
798	-		6	19" 778: DUAL 15V 8A, 115V 60HZ
798-A	-		6	19" 778-A: 50HZ 798
799	-		6	19" 779: +10V 1A, -15V 8A, -30V 4A, 115V 60HZ
799-A	-		6	19" 779-A: 50HZ 779

## POWER CONTROLS

801	CAT		6	LAB MODULE CONTAINING A RELAY
804	TPL	WH	6	CONT FOR PC01, CR01, 34D, 350, 75, 750
810	-	-	7	2 STEP POWER CONTROL, 17" FOR PDP1
811	TPL	RR	6	POWER CONT W INTERLOCK, 17"
811-A	TPL	RR	7	POWER CONTROL FOR DUPLEX TAPE, 17", PDP1
811-B	TPL	RR	7	POWER CONTROL FOR HOLLY PRINTER, PDP1
811-C	TPL	RR	6	POWER CONTROL FOR MICROTAPE (NOW DECTAPE), PDP1
812	-	-	7	2 1/2 AMP POWER CONTROL FOR TELETYPE PUNCH, FAST ON, SLOW OFF, 17"
813	-	-	6	2-STEP POWER CONTROL, 3 WIRE, 17"
814	-	-	6	2-STEP POWER CONTROL FOR ANELEX PRINTER
814-A	-	-	7	2-STEP POWER CONTROL FOR EXTRA MEMORIES

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
815	CSS		7	POWER CONTROL PANEL, 5X19
816	CSS		7	POWER CONTROL PANEL, 3 1/2 X 19
817	CSS		7	UPPER POWER CONTROL PANEL WITH FRENCH DOORS, 5 7/8 X 19 1/2
818	CSS		7	LOWER POWER CONTROL PANEL WITH FRENCH DOORS, 5 7/8 X 19 1/2
819	TPL	RR	7	POWER CONTROL FOR PUNCH & READER; PUNCH IS FAST ON, SLOW OFF
820	TPL	RR	7	SINGLE STEP POWER CONTROL W REMOTE TURN ON, FILTERS, CIRCUIT BREAKER, 8X17
821	TPL	RR	7	MARGINAL CHECK PANEL
822	TPL	RR	6	POWER CONTROL FOR TAPE UNIT 59
823	TPL	RR	6	SCR 3-AMP CONTROL
824	-	-	7	POWER CONTROL, 2 SWITCHES; "AC", "DIRVERS", 3 1/2 OR 5 1/4 X 19
825	TPL	RR	6	2-STEP POWER CONTROL (813 W 100MS HOLD FOR POWER LOSS)
825-A	TPL	RR	7	825 W DELAYED OUTPUT CONTROLLING -15V ONLY
826	TPL	RR	6	814 WITH 3 HG RELAYS, HV CONTROL DC
826-A	TPL	RR	6	?
827	-	-	7	POWER CONTROL & 10V SUPPLY
828-B	TPL	RR	6	POWER CONT, 5 1/4X19, CB, 4OUTLETS FRONT, 4 BACK, CHROMACOATED
829	TPL	RR	6	2-STEP POWER CONT FOR PDP6
830	TPL	RR	6	2-STEP POWER CONT FOR 570 MAG TAPE TRANSPORT
831	TPL	RR	6	POWER CONT W TERM STRIP, OPT CB SIZE, LIGHT
832	TPL	RR	6	2-STEP PWR CONT W HG RELAYS AND ELAPSED TIME METER, 8X17
832-A	-	-	7	2-STEP PWR CONT, 50 HZ, TIME METER (NEVER MADE)
832-B	TPL	RR	6	2-STEP PWR CONT, 230V 50HZ W METER
832-C	TPL	RR	6	832 W 30AMP CB
832-D	-	-	5	2-STEP 115V 60HZ 20A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-E	-	-	5	230V 50HZ 20A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-F	-	-	5	112V 60HZ 30A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-K	CSS	HV	5 2/72	832-F EXCEPT HG COMPONENTS REPLACED
833	-	-	7	832 W NO ELAPSED TIME METER (NEVER BUILT)
834	-	-	5	1 STEP HG POWER CONT, 115V 20A, ECO 6/71 TO REMOVE MERCURY
834-B	-	-	5	1 STEP HG PWR CONT, 230V 20A, ECO 6/71 TO REMOVE MERCURY
835	TPL	RR	6	835 W 6.3V TRANSFORMER
835-B	TPL	RR	6	835-B W 6.3V TRANSFORMER
836	TPL	RR	6	DC RELAY PANEL W 4 DIODE INPUT FOR CONTROLLING 832, 834, 853, 854
837	-	-	7	DC RELAY PANEL W 3 DIODES & AC RELAY FOR CONTROLLING 832, 834
838	TPL	RR	6	POWER DISTRIBUTION PANEL 4X17
839	TPL	RR	7	3 PHASE PWR CONT FOR 237 DRUM
840	TPL	RR	7	-12V DELAY PANEL FOR PDP7-A
841-A	15	FA	6	112V 30A PWR CONT FOR PDP9
841-B	15	FA	6	112/230V 30A PWR CONT W SWITCH & HG RELAY
841-C	15	FA	5	112/230V 30A PWR CONT W ROWAN CONTACTOR
842	15	FA	1	RESERVED FOR 17" 841'S
843	15	FA	1	RESERVED FOR 19" 841'S
844	10	KE	5	2-STEP PWR CONT FOR 10 PERIPHERALS
844-B	10	KE	1	19" 844
845	10	KE	6	3 PHASE PWR CONT 115/230V, 60/50HZ
845-C	CSS	AHDAB	2 4/72	845 W 3 PHASE POWER FAIL RESTART
846	10	SU	6	OVERVOLTAGE PROTECTOR (CROWBAR +13V) FOR ADDER PROTECTOR
847	CSS		3	REMOTE PWR CONT (8/1, 17")
847-B	CSS		3	19" 847
848	10	QG	6	1 MALE, 1 FEMALE PLUG, DELAY RELAY (4 SEC) TO DELAY POWER TO TU55'S
849-A	IPG	MORO	5	PWR CONT FOR AFC & UDC
849-B	IPG	MORO	1	230V 849-A
849-CA	IPG	FE	2 3/72	849 W THERMAL CUTOFF FOR 11/07 115V
849-CB	IPG	FE	2 3/72	230V 849-CA
858	-	-	1	RELAY PANEL



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
851	-	-	1	RELAY PANEL
852	-	-	1	RELAY PANEL
853-E			5	10 1/2 X 19 832-E, ECO 6/71 TO REMOVE MERCURY
853-F			5	10 1/2 X 19" 832-F, ECO 6/71 TO REMOVE MERCURY
854			5	7X19 834, ECO 6/71 TO REMOVE MERCURY
854-B			5	7X19 834-B, ECO 6/71 TO REMOVE MERCURY
854-C			5	834-B WITH 115 VAC CONTROL INPUT, ECO 6/71 TO REMOVE MERCURY
855	15	DV	5	L FILTERED PWR CONT, 115/230V, 30A FOR RF09
856	15	ELIA	5	19" 836
856-A	15	FD	2 1/75	DC RELAY PANEL (15V RELAY), 19" X 3.5"
857	15	KE	2 7/71	MASTER PWR CONT FOR KI10
858	10	KE	4 4/72	AU POWER CONTROL W 3 PHASE POWER FAIL (USED WITH 857)
859	15	FD	1 9/74	NE PDP15 POWER CONTROL
860-A	11	BDH	6 3/74	115V 30A PWR CONT FOR TOP OF CAB, 8/E & 11 COMPATIBLE
860-B	11	BDI	6 3/74	230V 15A PWR CONT FOR TOP OF CAB, 8/E & 11 COMPATIBLE
860-C	11	BDN	6 3/74	860-A W BOTH OUTPUTS SWITCHED, 115V
860-D	11	BDH	7 3/74	860-B W BOTH OUTPUTS SWITCHED, 230V
861-A	PS	FL	4 3/74	3 POLE 4 WIRE 16A 2 PHASE 125V POWER CONTROL, 19 X 5.25 INCHES, 3.7KVA
861-B	PS	FL	4 3/74	2 POLE 3 WIRE 16A 250V POWER CONTROL, 19 X 5.25 INCHES, 3.7KVA
861-C	PS	FL	4 3/74	2 POLE 3 WIRE 24 AMP 115V POWER CONTROL, 19 X 5.25 INCHES, 2.75KVA
861-D	PS	DREW	1 11/74	4 POLE 5 WIRE 3 PHASE 24 AMP 120V POWER CONTROL, 19x5.25", 8.3KVA
861-E	PS	DREW	2 2/75	4-POLE 5-WIRE 3-PHASE 15AMP 240V POWER CONTROL, 19 X 5.25", 10,8KVA
861-F	R	GHL	3 2/75	2 POLE 3 WIRE 12AMP 115V POWER CONTROL, 19 X 5.25", 1.38KVA
862-A	PS	BU	1 9/72	115V 16A TABLE TOP POWER CONT, 4 SWITCHED OUTLETS, NO CKT BRKR, 3 PIN MAT'N'LOCK CONTROL INPUT
862-B	PS	BU	1 9/72	230V 16A 862-A
863-A	PS	DREW	2 7/74	5 WIRE 115V 75A 3 PHASE POWER CONTROL, KI10
863-B	PS	DREW	2 7/74	5 WIRE 230V 40A 3 PHASE POWER CONTROL, KI10
864	PS	DREW	1 7/73	SYSTEM POWER CONTROL (CONTROLS 863, 861, ETC)
893	R	LN	6	64 FUSES, 1/8 AMP EACH USED W 793 IN DC08-C, EUROPE

COMPLEX ANALOG MODULES

A001	IPG	AKI	5 3/74	11-BIT + SIGN A/D FOR UDC, USES PADDLE BOARD A002, 1-1000 PROG GAIN +/-15V DC/DC CONVERTER, QUAD 8.5
A002	IPG	AKI	4 2/74	8 CH FLYING CAP SOLID STATE MUX PADDLE BOARD FOR A001 (1.5 HZ BANDWIDTH, BIPOLAR)
A002-YA	IPG	RG	2 7/73	A002 W 60HZ BANDWIDTH, UNIPOLAR
A003	SSCAN	OF	3 9/73	CS0, A001 W CONNECTORS FOR X BUS (SEE M7829)
A004	SSCAN	OF	3 9/73	CS0, 4 CH FLYING CAP MUX, BERG INPUTS, X BUS CONNECTIONS (SEE M7829)
A005	IPG	AKI	2 10/74	8 CH FLYING CAP HG RELAY 12-BIT ADC, PROG GAIN, 1 HZ BW, BIPOLAR (ADU02), HEX
A006	SSCAN	OF	3 3/74	64 SINGLE ENDED OR 32 DOUBLE ENDED MUX W X BUS CONNECTIONS (SEE M7829)
A007	IPG	AKI	2 10/74	16 CH RELAY MUX FOR A005, HEX
A008	LDP	GFS	2 12/74	10 BIT A/D, S & H, 16 CH MUX, SINGLE ENDED, PROG SINGLE OR BIPOLAR (AD0-A), QUAD

MULTIPLEXERS

A100	CAT		5	MX SWITCH SIMILAR TO 15780, 2 SINGLE POLE TRANS SW, 12V MAX IN
A101			6	(OBSOLETE), MX SW, SIMILAR TO 15781
A102			6	(OBSOLETE), MX SW, SIMILAR TO 15782
A103	CAT		6 10/74	MX SW, SIM TO 15783, 2 SINGLE-POLE SW, 30V MAX IN
A110			6	(OBSOLETE), RELAY MX, SAME PIN CONNECTIONS AS A100
A111	CAT		5	LOW-LEVEL RELAY MX, 2 3-POLE GUARDED SW, 15V MAX IN, COMMON OUTPUTS, COMMON MODE 200V
A112	IPG		5 11/71	REED RELAY REPLACEMENT FOR A111 (MORE OFFSET & SLOWER, BUT WORKS)
A120			7	(OBSOLETE), 3 BIT FET MX
A121	CAT		5	MX SW, 4 SINGLE-POLE MOS FET SW, 10V MAX IN, INDEP OUT, NEG LOGIC
A122	IPG		6 10/74	A121 WITH 3-INPUT AND GATES & OUTPUTS COMMON
A123	CAT		5	MX SW, POS LOGIC, 4 SINGLE-POLE MOS FET SW, COMMON OUTPUT

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A124	IPG	DCB	5	A123 WITH SEPARATE DIGITAL & ANALOG GNDS
A125	IPG	FE	5 2/74	QUAD MULTIPLEX FET SW, OPEN CKT W NO POWER, CAN REPLACE A124, SINGLE 5
A126	LOGIC	RF	5 6/74	8 CH CMOS ANALOG MUX, DOUBLE 5
A127	CSS	JTH	3 10/74	8 CH CMOS DIFF ANALOG MUX (DATEL MMD-8), DOUBLE 5
A130	12	JDL	5	MX FOR LINC, 4 CKTS
A131	12	RI	5	MX FOR PDP-12, 8 CHANNELS, DRIVES AN A215
A132			7	(NEVER RELEASED), FET GATE DRIVER
A133	10	DREK	5 11/71	8 CHANNEL FET SWITCH FOR K110, 0 TO +10V RANGE
A140	15	IL	5	2 CHANNEL ANALOG SWITCH, 2/CARD, USES SWITCHABLE OP AMP, FOR VT15
A141	15	LH	6 10/74	BREAK POINT GENERATOR FOR VT15, USED WITH A311
A142				
A150	IPG	MORO	5	8 CHANNEL FLYING CAP MUX, QUAD, CONNECTOR ON HANDLE END FOR INPUT
A151	IPG	MORO	5	BLVCK SELECT FOR AM07-A
A152	IPG	MORO	2 3/72	SOLID STATE A150
A153	IPG	MORO	1 11/71	SOLID STATE A151
A160	CAT	DCB	5 7/73	8 CHANNEL MUX (ANALOGIC), 20-A160, DOUBLE X 5
A161	CAT	DCB	5 7/73	8 CH MUX WITH 1:1 AMP (ANALOGIC), 20-A161, DOUBLE X 5
A162	CAT	DCB	5 7/73	8 CH MUX WITH DECODER & ENABLE (ANALOGIC), 20-A162, DOUBLE X 5
A163	CAT	DCB	5 7/73	8 CH MUX WITH 1:1 AMP, DECODER, & ENABLE (ANALOGIC), 20-A163, DOUBLE X 5
A164	CAT	DCB	6 10/74	8 CH CONSTANT IMP MUX (ANALOGIC), 20-A164, DOUBLE X 5
A165	CAT	DCB	6 10/74	8 CH CONST IMP MUX WITH 1:1 INVERTING AMP, (ANALOGIC) 1000 OHMS/VOLT, 20-A165, DOUBLE X 5
A166	CAT	DCB	6 10/74	8 CH CONST IMP MUX WITH DECODER(ANALOGIC), 20-A166, DOUBLE X 5
A167	CAT	DCB	6 10/74	8 CH CONST IMP MUX WITH 1:1 INV AMP (ANALOGIC) 1000 OHMS/VOLT, WITH DECODER, 20-A167, DOUBLE X 5

AMPLIFIERS

A200	CAT		6	DIE OP AMP, HIGH DC GAIN, PURCHASED, ENCAPSULATED, 10V, 20 MA OUT
A200-YA	IPG		5	-10V TO +10V INPUT, 0V TO -10V OUTPUT
A200-YB	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A200-YC	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A200-YD	IPG		5	-5V TO +5V IN, 0 TO -10V OUT
A200-YE	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A200-YF	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A201			6	(OBSOLETE), OP AMP SIMILAR TO 1751
A202	12	RI	5	2 ANALOG PREAMPS, FOR PDP8/L
A203			7	CAPSTAN SERVO PREAMP
A204			7	DEFLECTION PREAMP
A206	CAT		6	DIE OP AMP, FAST SETTLING, PURCH FROM ANALOG DEVICES, 10V, 15 MA OUT
A207	CAT		5	DIE OP AMP, ECONOMICAL, GENERAL PURPOSE, 10V, 15 MA OUT
A207-YA	IPG		5	-10V TO +10V INPUT, 0V TO -10V OUTPUT
A207-YB	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A207-YC	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A207-YD	IPG		5	-5V TO +5V IN, 0 TO -10V OUT
A207-YE	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A207-YF	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A207-YH	IPG		5	0 TO -10V IN, 0 TO +10V OUT
A207-YJ	IPG		5	0 TO -10V IN, -10 TO +10V OUT
A207-YK	IPG		5	0 TO -10V IN, -5 TO +5V OUT
A207-YL	IPG		5	-10.51V TO +10.51V IN, 0 TO +10.51V OUT
A207-YM	IPG		5	0 TO +10V IN, +10.51V TO 0V OUT
A207-YN	IPG		5	0 TO -10.51V IN, 0 TO +10.51V OUT
A207-YP	IPG		5	0 TO +5V IN, +10.51V TO 0V OUT
A207-YR	IPG		5	0 TO -5.25V IN, 0 TO +10.51V OUT
A207-YS	IPG		5	-5V TO +5V IN, +10.51V TO 0V OUT
A208	DIS	BU	5	POWER OP AMP FOR REMOTE DISPLAY, 200 MA OUT

MODEL NO	PRD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A209	12	CL	5	2 PREAMPS FOR 0 TO +2V, MODIFIED A202 FOR LINC, GAIN OF 5
A210	IPG	WORD	5	X1 AMP FOR GASCHROM-8, HIGH COMMON MODE VOLTAGE AND REJECTION
A211	IPG	WORD	5	X10 AMP, SIMILAR TO A210
A212	IPG	WORD	5	VARIABLE GAIN AMP, X1 TO X256, FOR GASCHROM-8, DOUBLE WIDTH & THICKNESS
A213	IPG	FE	6	10 CPS LOW PASS ACTIVE FILTER, FOR GASCHROM-8
A214	12	RI	5	DUAL X5 AMP FOR PDP-12
A214-YA	12	RI	5	Z 10 +2V IN, X5
A214-YB	12	RI	5	+/- 5V IN, X1
A214-YC	12	RI	5	+/-12V IN, X 1/2
A214-YD	12	SPB	5	Z 10 -2V IN, X5
A214-YE	12	GPR	5	Z 10 +10V IN, X1
A214-YF	12	SPB	5	Z 10 +5V IN, X2
A214-YH	CSS	CH	3 13/73	Z 10 +1V IN X10, 0 TO -1V IN X10
A214-YJ	CSS	CH	3 13/73	-0.5 TO +.5 IN X10, -.5 TO +1.5V X5
A214-YK	CSS	CH	3 13/73	-1.5V TO 4.5V IN X2, -.5 TO 9.5V X1
A215	12		5	ANALOG BUFFER FOR PDP-12, USED WITH A131
A215-YA	12		5	A215 WITH FILTER CAPS REMOVED, J2=0V, H2=+10V
A215-YB	12		5 5/73	A215 WITH FILTER CAPS REMOVED, J2= -1V, H2=+1VOLT
A216	IPG	WORD	5	BUTTERWORTH FILTER, 2 CPS, REPLACES A213 EXCEPT FOR POLARITY
A217	15	LR	5	SUMMER-DRIVER FOR VT15, 5 FET INPUTS, ONE W OFFSET POT, X-1, 10K IN, BUF OUT
A217-YA	CSS	JUL	3 2/72	A217 WITH GAIN OF 1 AND NO OFFSET
A217-YB	CSS	JUL	3 2/72	A217 WITH GAIN OF 2 AND NO OFFSET
A218	12	RI	5	DUAL DAC BUFFER FOR LINC/8 RETROFIT
A219	IPG	WORD	5	SWITCHED GAIN AMPLIFIER, 8 GAIN POSITIONS, FOR AM07
A220	IPG	FE	5	SELECTABLE GAIN NON-INVERTING AMP, GAINS OF 1,2,4, OR 8, 0 TO +10V IN, +/- 10V OUT, 1 US TO .01% TWO ANALOG CABLE DRIVERS, DIF INPUT, GAIN OF 1/2, CKT OF A217, 50 OHM LOAD, +/- 5V OUT
A221	15	DR	5	LOW DRIFT A220
A222	IPG	WORD	5	JRC ORDER BESSEL FILTER FOR AM05, 3 MS RISE TIME TO .01%, -20 DB AT 2 KHZ
A223	IPG	WORD	5	
A224	12		5 11/71	SINGLE CH BI-POLAR DIF AMP, GAIN=5, 100 MEG OHM INPUT, 74 DB CMR, +/-10V OUT
A224-YA	12		5 11/71	A224 WITH GAIN OF 2, +/- 5V IN
A224-YE	12		5 11/71	A224-YA WITH 2X ATTEN AT INPUT; +/-10V IN, 20K INPUT Z, GAIN OF 1
A224-YC	12		5 11/71	A224 WITH GAIN OF 10, +/- 1V IN
A225	12	LR	5 11/71	REJECTION AMP FOR 4 AMP YOKE, VR14
A225-YA	12	LR	5 5/73	REDUCED GAIN A225 FOR PDP15, CREATED BY ECO
A225-YB	LDP	RL	5 5/73	A225 W FASTER SETTLING TIME, GT40
A226	12	RG	5 11/71	SINGLE CH DIF AMP, GAIN=10, UNI-POLAR, +2 INPUT, +/-10V OUT, JUMPER CHANGE FOR NEG INPUTS
A226-YA	12		5 11/71	A226 EXCEPT GAIN = 4, 0 TO +5 INPUT
A226-YB	12		5 11/71	A226 EXCEPT GAIN = 2, 0 TO +10 INPUT, 20K INPUT Z
A226-YC	12		5 11/71	A226 WITH GAIN OF 20, 0 TO +1V IN
A227	15	RG	5 2/75	DUAL LAG & INTENSITY DECODER W Z AXIS DRIVER, FOR VS04 & RM503
A228	15	RL	5	A227 WITH ONE INVERTING INPUT
A229	IPG	EK	3 5/73	DIF AMP + SPACE FOR FILTER
A229-YA	IPG	EK	3 5/73	A229, 17 HZ LOW PASS, 4 POLE
A229-YB	IPG	EK	3 5/73	A229, 2000 HZ LOW PASS, 4 POLE
A229-YC	IPG	RG	5 6/72	A229, 10 HZ LOW PASS, 4 POLE
A229-YD	IPG	RG	3 1/74	A229, 2 POLE 4 HZ LOW PASS
A229-YE	IPG	RG	3 1/74	A229, 1.5 HZ LOW PASS PASSIVE FILTER
A230	IPG	RG	5 11/71	DUAL DIF OP AMP, SPACE FOR RESISTORS, (2 741'S), OUTPUT RANGE OF +/-10V
A230-YA	IPG	RG	2 4/71	FOLLOWER IN CH 1, 2 INPUT DIF ADDER CHAN 2, GAIN OF 1
A230-YB	IPG	RG	2 4/71	FD-LOWER IN CHAN 1, INVERTER IN CHAN 2 WITH GAIN OF -1 OR +0.5
A230-YC	IPG	RG	5 11/71	2 DIF 2 INPUT ADDERS, GAIN OF 1
A230-YD	IPG	RG	2 4/71	INVERTER IN CHAN 1, GAIN OF 2.0625, INVERTER IN CHAN 2, GAIN OF -4
A230-YE	IPG	RG	2 4/71	INVERTER IN CHAN 1 WITH GAIN OF -0.1, INVERTER WITH GAIN OF -1 IN CHAN 2
A230-YF	IPG	RG	2 9/71	CH 1: GAIN OF -2 OR +3; CH 2: FOLLOWER
A231	R/E	GPR	5 4/72	64 CH MUX CONTROL FOR A232 & A841

MODEL NO	PROD LINE	DES ENCR	STATUS NO/YR	DESCRIPTION
A232	8/E	GPB	5 9/72	8 PREAMPS & 8 CH MUX EXPANSION, A131 & A215 CKTS, AM8-EB
A233	IPG	RG	5 11/71	4 CH PADDLE BOARD FOR A633, A634, 0 TO +10V, QUAD X 5
A233-YA	IPG	RG	3 7/73	A233 WITH +/-10V OUTPUTS
A234	IPG	RG	5 11/71	A233 EXCEPT +1 TO +5V
A235	IPG	RG	5 11/71	A233 EXCEPT 4 TO 20 MA
A236	IPG	RG	5 9/72	A233 EXCEPT 10 TO 50 MA
A238	15	HL	4 2/74	DUAL IMPROVED A228
A239	IPG	GORO	2 3/72	SW GAIN AMP, 8 RANGES
A240	IPG	TM	2 4/72	FILTER, 3RD ORDER BESSEL, PROG BANDWIDTH
A241	LDP	JL	4 7/73	4 PREAMPLIFIERS, MANUALLY SWITCHED 0 TO +2V, +/-5V, 0 TO +10V IN, +/-5V OUT, LOW TC, DOUBLE 8.5
A242	LDP	JL	4 5/73	A241 W +/-1V IN, +/-5V OUT ONLY
A243	IPG	RG	4 2/74	DUAL 1 MEGOHM INPUT DIFF AMP, GAIN=1, +/-10V OUT, SPACE FOR 2ND STAGE OF GAIN, SINGLE 5
A243-YA	IPG	RG	4 2/74	A243 W 1.5 HZ LOW PASS FILTER
A243-YB	IPG	RG	2 7/73	A243 W 0.5 USEC FILTER ON OUTPUT
A244	IPG	DEB	5 2/74	DUAL 10 MEGOHM INPUT DIFF AMP, GAIN=1, +/-10V OUT, SPACE FOR 2ND STAGE OF GAIN, SINGLE 5
A244-YA	IPG	DEB	3 1/74	A244 WITH 1.5 HZ RC FILTER
A244-YB	IPG	DEB	1 9/73	ONE 10-MEG INPUT DIFF AMP, GAIN = 1, SINGLE ENDED X10 AMP, BOTH +/-10V OUT
A244-YC	IPG	DEB	1 11/73	DUAL SINGLE ENDED FOLLOWER, +/-10V
A244-YD	IPG	DEB	1 11/73	DUAL 5.1K INPUT DIFF AMP, GAIN=1, +/-10V
A245	SSCAN	OF	1 4/74	SELECTABLE GAIN AMP FROM XBUS (SEE M7828), GAINS OF 1, 10, 100, 1000, QUAD
A260	CAT	OCB	5 7/73	DUAL DIFFERENTIAL OP AMP, 20-A260, DOUBLE X 5

## GENERATORS

A300	MTST		6 10/74	X10 AMPLIFIER
A310	IPG	MORD	6 10/74	4X LINE FREQUENCY CLOCK, GASCHROM-8 (INTEGRATOR & 2 COMPARATORS)
A311	15	HL	7 5/74	BASIC VECTOR GENERATOR FOR VT15, REPLACED BY A318
A312	DIS	BM	5	ANALOG FUNCTION GENERATOR FOR KV8/I
A312-YA	DIS	BM	5	A312 WITH LONGER TIME CONSTANTS FOR MULTIPLE TERMINALS
A313	DIS	BM	1 9/68	WRITE THROUGH OPTION CARD FOR KV8/I
A314	DIS	BM	6 10/74	COMPARATOR, USED IN VT02 TERMINAL (WITH KV8/I)
A315	IPG	GFS	5	ABSOLUTE AMPLIFIER WITH SIGN BIT
A316	8/E	ADL	7	(OPS), ANALOG FUNCTIONS FOR VS8-E, QUAD, 8.5, A312 PLUS
A317	15	HL	6 7/73	ARBITRARY VECTOR FOR VT15, DOUBLE 8.5 (WILL BE REPLACED BY A3170)
A3170	15	HL	4 2/74	ARBITRARY VECTOR FOR VT15, REPLACES A317, DOUBLE 8.5
A318	15	HL	5 2/74	BASIC VECTOR GENERATOR FOR VT15, IMPROVED A311, DOUBLE 5
A3180	15	AA	4 2/74	ARBITRARY VECTOR GENERATOR FOR VT15, REPLACES A318 IN ARBITRARY SYSTEMS, DOUBLE 8.5
A319	15	GDS	2 7/71	X & Y COMPARATOR, VW01-PS, DOUBLE X 5
A320	LDP	HL	5 3/74	VECTOR GENERATOR & DRIVER FOR VT40, HEX 8.5
A321	LDP	AA	1 3/74	GT48 CHARACTER GENERATOR, QUAD
A322	LDP	HL	1 5/74	VT38 VECTOR GENERATOR, 4 LAYER HEX
A323	LDP	HL		
A324	LDP	HL		
A325	LDP	HL		

## SAMPLE &amp; HOLDS

A400	CAT		5	SAMPLE & HOLD, GAIN OF -1, 10V MAX IN, NEG LOGIC
A401	12	RI	5	SAMPLE & HOLD, USED ON LINC-8, SIMILAR TO A705
A402	DIS		7	(OBSOLETE), FOLLOW & HOLD, EQUIV TO 1575
A403			7	(NEVER MADE)
A404	CAT		5	SAMPLE & HOLD, SIM TO A400, POS & NEG LOGIC CONTROL, 6 USEC ACQUISITION
A405	11		5	SAMPLE & HOLD, POS LOGIC ONLY, 2 US ACQUISITION, REPLACES A404 IN PDP12 & AD01
A406	LDP	JL	4 5/73	SAMPLE & HOLD (15 BIT ACCURACY) SINGLE 8.5
A407	LDP	JL	5 2/74	A406 8 CH MUX, SINGLE 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS	DATE	DESCRIPTION
A408	LDP	CL	4	3/74	8 CH SWITCHED GAIN MUX (1, 4, 16, 64), SINGLE 0.5
A440	12		5	12/71	4 CHANNEL SAMPLE & HOLD (SIMILAR TO A405)
A460	CAT	DCB	5	7/73	SAMPLE & HOLD WITH NO INPUT BUFFER, 20-A460, DOUBLE X 5
A461	CAT	DCB	5	7/73	A460 WITH AN INPUT BUFFER, 20-A461, DOUBLE X 5
COMPARATORS					
A500	MTST		7		(OBSOLETE), HIGH SPEED DIF AMP & SLICER FF, REPLACED BY A501
A501	MTST		5		(OBSOLETE), A500 WITH DIFFERENT PINS, NO INTERNAL POT, SLICER FF
A502	CAT		5		COMPARATOR WITH 1 MV RESOLUTION, DIF IN (SIM TO 1572), NEG LOGIC
A503	MTST		7		(OBSOLETE), SLICER FF
A504	MTST		7		(OBSOLETE), DISCRIMINATOR WITH FF
A505	IPG	RG	2	9/72	DUAL VOLTAGE LEVEL DETECTOR, ADJUSTABLE FROM +10V TO -10V, SINGLE 5
DACs					
A6002	LDP	3FS	5	5/73	12 BIT D/A 4 REF, CURRENT OUTPUT, REQUIRES +/-15V, 2 3/8 X 3 3/4 SUBASSEMBLY
A6002-YA	LDP	3FS	3	9/72	A6002 W 10-BIT ACCURACY
A6002-YB	LDP	3FS	1	1/74	A6002 EXCEPT OFFSET REFERENCE VOLTAGE AT PIN 1 EXCEEDS -1 TO -1.16 V RANGE
A601	CAT		5		D/A, 0.25% ACCURACY, 3 BIT LADDER SECTION FOR 0 TO -10V DAC, NEG LOGIC
A602			5		(OBSOLETE), 3-BIT BINARY DAC, MED ACC
A603			5		(OBSOLETE), 3-BIT BINARY DAC, HIGH ACC
A604	CAT		5		D/A, 0.025% ACC, 2 BIT LADDER SECTION FOR 0 TO -10V DAC, NEG LOGIC
A605	CAT		5	10/74	A604 WITH 0.205% ACC
A606	CAT		5		A604 WITH DIF WEIGHTING RESISTORS, USED WITH A604 FOR 2421 BCD
A607	IPG		5		CHEAP 10 BIT DAC FOR DISPLAY
A608	CAT		5		D/A, 10 BITS, 0 TO +10V OUT, SINGLE BUFFER, POS LOGIC
A609	CAT		5		D/A, 10 BITS, -5 TO +5V OUT, SINGLE BUFFER, POS LOGIC
A610	CAT		5		A608 WITH DOUBLE BUFFER
A611	CAT		5	10/74	A609 WITH DOUBLE BUFFER
A612	DIS	EM	5		10 BIT DAC WITH FET GATE DRIVERS, KV8/1
A613	CAT		5		D/A, 12 BITS, BINARY OR BCD, 0 TO +10V OUT, POS LOGIC
A614	IPG	RG	5		12 BIT DAC WITH BUF REG, +/-10V, 0.5, DOUBLE
A615	12	SI	5		9 BIT DAC FOR POP-12, WITH DUPLICATE INPUTS TO 2ND & 3RD LSB'S
A616	CSS	DJL	5	4/71	ANALOG DEVICES MINIDAC, 10 BIT, 40 NS DAC
A617	8	ADL	2	3/70	2 8-BIT DACS & COUNTER, FOR CHAR GEN VAB IN KV8
A618	CAT		5		A618 USING +5V SUPPLY INSTEAD OF +10V
A618-YA	15	LH	5		A618 WITH 0 TO +5V INPUT & SUMMING NODE BROUGHT OUT
A619	CAT		5		A619 USING +5V SUPPLY
A620	CAT		5		A620 USING +5V SUPPLY
A621	CAT		5		A621 USING +5V SUPPLY
A622	15	LH	5	7/71	10-BIT SINGLE BUFFERED DAC, 5 USEC SETTLING TIME, VT15
A623	15	RF	5	1/72	12-BIT DOUBLE BUFFERED DAC, 10 USEC SETTLING TIME, AA15
A624	15	3DS	2	7/71	10-BIT BUFFER & DAC, 0 TO +5V, SINGLE X 5
A625	LDP	AW	5	10/73	2 12-BIT DACS, +/-5V
A633	IPG	RG	5	12/71	4 D/A'S, 10 BITS, UNIPOLAR, USED WITH A233, 4, 5, 6, 0 TO -10V, QUAD X 0.5, FOR UDC
A633D	IPG	WORO	1	2/74	4 CHANNEL 10-BIT DAC, 0 TO +10V, 4 TO 20 MA, HEX, ICNDA-0A
A634	IPG	RG	3	5/73	2 D/A'S, 12 BITS, UNIPOLAR, USED W A233, 4, 5, 6, 0 TO -10V, QUAD 0.5 FOR UDC11
A635	SSCAN	DF	3	9/74	CSE 0 8-BIT DACS, INPUTS FROM M1000, QUAD
A660	CAT		5	7/73	12 BIT MULTIPLYING DAC, +/-10V REF RANGE, OUTPUT IS 0 TO REF, BIN ABS VALUE, 20-A660, DBLE X 5
A661	CAT		5	7/73	A660, EXCEPT BCD ABSOLUTE VALUE, 20-A661
A662	CAT		5	7/73	A660, EXCEPT 2'S COMPLEMENT, 20-A662
A663	CAT		5	7/73	A662, EXCEPT BINARY ABSOLUTE VALUE WITH REGISTER, 20-A663
A664	CAT	DCB	5	7/73	DUAL 8-BIT DAC, 0 TO +10V, 30 USEC, 20-A664, DOUBLE X 5
A665	CAT	DCB	1	5/71	SINGLE 8-BIT DAC, 0 TO +10V, 30 USEC, 20-A665, SINGLE X 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
----------	-----------	----------	--------------	-------------

POWER SUPPLIES

A700			7	(CANCELLED)
A701	IPG		6 10/74	POWER SUPPLY, +15V IN, +10V & +3V OUT
A702	CAT		5	-15V REF SUPPLY, SIM TO 1562, 30 MV REG, -60 TO +60 MA OUT
A704	CAT		5	-15 REF SUPPLY, LIKE 1704, 0.1 MV REG, 0.1 MV P-P RIPPLE, -90 TO +40 MA OUT
A705			7	(OBSOLETE), SAMPLE & HOLD
A706	12		5	POWER SUPPLY FOR A202, USED ON LINC-8
A707	IPG		1 9/68	A7 4 BUFFER
A708	IPG		5 12/72	VO-TAGE REG, AD01-A, +15V & -20V IN, +5V @ 1.1A, -15V @ .2A OUT.
A709	IPG	RG	1 12/72	+/-10V REFERENCE SUPPLY, 50MA, SINGLE 5
A712	IPG	RM	5	VO-TAGE REG FOR KV8/1, +/- 12V @ 100 MA FROM +/- 15V
A760	MOD	DCB	5 7/73	DUCL 15V 100 MA(150 TOTAL) FROM 5V 1.1A ANALOGIC, DOUBLE X1 X 5, 20-A760
A761	MOD	DCB	5 7/73	2 A760 ON ONE CARD, DOUBLE X 1 X 5, 20-A760

A/D CONVERTERS

A800			6	(OBSOLETE), A/D, 13 BITS, WITHOUT INTERNAL REF
A801	CAT		5	A/D, 10 BITS, 0 TO +10V IN, 10 USEC CONV TIME, WITH INT REF, POS LOGIC
A802	IPG	MORO	1 4/70	12 BIT + SIGN A/D, 8.5" QUAD, 20 USEC
A803	CAT	DCB	1 7/71	8-BIT A/D, ANALOG DEVICES MICRO-DAC
A804	LDP	JUL	5 10/73	12 BIT A/D, +5 TO -5V
A810			7	(NEVER RELEASED)
A811	CAT		5	A801 USING +5V SUPPLY INSTEAD OF +10V
A812	11		5 1/72	10 BIT A/D, 0 TO +10V INPUT, 10 USEC CONV TIME
A841	8/E	GPB	4 5/73	10 BIT A/D WITH S&H, A405 + A811 CKTS, AD8-EA
A860	CAT		5 7/73	12 BIT A/D (SIGN + 11 BITS MAGNITUDE) +/-2V IN, 9 MSEC, 20-A860
A861	CAT		5 7/73	12 BIT A/D UNIPOLAR, 0 TO +10V IN, 48 USEC, 20-A861
A862	CAT		5 7/73	12 BIT A/D BIPOLAR, +/-10V IN, 48 USEC, 20-A862
A863	IPG	MORO	1 12/71	12 BIT A/D BIPOLAR +/- 10V IN, 48 USEC, 20-A863
A864	12		5 7/73	15-BIT BIPOLAR +/-10V A/D, 18 USEC, 3 THICK, DOUBLE X 5
A865	LDP		1 4/72	REPACKAGED A864 DOUBLE 8.5, 2 THICK
A866	LOGIC	DCB	5 1/74	12 BIT 15 USEC A/D, PHOENIX DATA, DOUBLE 5, 20-A866
A872	IPG	MORO	2 5/73	12 BIT A/D, BIPOLAR, +/-10V IN 18 USEC, PHOENIX DATA, LIKE A862 EXC NO SERIAL OUTPUT, 30-10090
A873	IPG	EK	2 5/73	11 BIT BIPOLAR +/-10V IN, 6 USEC, PHOENIX ADC711 ON DEC BOARD, DOUBLE X 1 X 5
A874	IPG	RG	2 5/73	12-BIT BIPOLAR +/-10V IN, 6.5 USEC, PHOENIX ADC712 ON DEC 80, DBLE X 1 X 5
A875	IPG	RG	1 2/72	12 BIT 0 TO +10V A/D, 6.5 USEC, PHOENIX ADC712 ON DEC BOARD, 30-10861-52
A877	IPG	MORO	1 9/72	13 BIT A/D, BIPOLAR, +/-10V IN, 36 USEC, PHOENIX, DOUBLE X 8.5
A878	IPG	MORO	1 12/71	13 BIT A/D BIPOLAR, +/- 10V IN, 10 USEC, ANALOGIC, DOUBLE 5, 20-A878
A879	IPG	RG	2 5/73	12 BIT A878, 4 USEC, 20-A878
A880	IPG	RG	1 5/72	11 BIT A878, 20-A880
A881	IPG	RG	2 5/73	10 BIT A878, 2.5 USEC, 20-A881
A882	IPG	DER	1 2/74	14 BIT UNIPOLAR A/D, 0 TO +10V IN, 45 USEC, PHOENIX. SAME ETCH AS A877, DOUBLE 8.5, 20-A882

SIGNAL CONDITIONING CARDS, MISC.

A900	IPG	MORO	4 7/73	8 CHANNELS, 0 TO 10V, WITH 8 PAIR FORKED LUGS FOR TWISTED PAIR CABLE, PLUGS INTO A150
A901	IPG	MORO	6 9/70	A900 EXCEPT 0 TO 100V, PLUGS INTO A150
A902	IPG	MORO	6 9/70	A900 EXCEPT 0 TO 50 MA, PLUGS INTO A150
A903	IPG	MORO	5	8 CH, 0 TO 10V WITH FINGERS ON HANDLE END FOR H807, PLUGS INTO A150, DOUBLE X 6"
A903-YA	IPG	RG	3 5/73	A903 MODIFIED FOR +/- 10V
A904	IPG	MORO	5	A903 EXCEPT 0 TO 100V
A905	IPG	MORO	5	A903 EXCEPT 0 TO 50 MA
A906	SSCAN	DF	3 3/74	DOUBLE ENDED FILTER FOR A006

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A907	IPG	AKI	1 1/75	ISH-1A, HEX MU-METAL SHIELD
A913	IPG	MORO	2 2/72	A903 WITH FUSE
A914	IPG	MORO	1 11/71	A904 WITH FUSE
A915	IPG	MORO	2 1/72	A905 WITH FUSE
A990	CAT		5	AMPLIFIER BOARD FOR MOUNTING OP AMP (NOT INCLUDED)
A992	CAT		5	AMPLIFIER BOARD
A995			7	(CANCELLED)
<b>8 SERIES MODULES, GATES</b>				
B104	CAT		5	4 INVERTERS, 3 LOADS
B104-YA	TPL	HI	2 3/72	2 MA FAN IN, 3 & 4.7K LOADS
B105	CAT		5	5 INVERTERS, 5 LOADS
B113	CAT		5	4 2-INPUT NEG NAND GATES, 3 LOADS
B115	CAT		5	3 3-INPUT NEG NAND GATES, 3 LOADS
B117	CAT		5	2 6-INPUT NEG NAND GATES
B123	CAT	DOANE	5	4 2-INPUT SERIES TRANSISTOR GATES, 3 LOADS
B124	CAT	WH	5	3 SETS OF 3 INVERTERS IN PARALLEL, 3 LOADS
B129	15		6	(O'S), PDP7X INVERTER LOGIC
B130	CAT	DOANE	5	4 2-INPUT ANDS ORED, BOTH OUTPUTS, PARITY FOR 3 BITS
B131	15		5	PDP9 ADDER
B132	15		5	PDP9 LINK ADDER
B133	10	WH	5	2 MA EQUIV TO B113
B134	10		5	4 2-INPUT POS AND GATES, 3 LOADS, 2MA EQUIV TO B124
B135	10	WH	5	2 MA EQUIV TO B115
B136	10	WH	5	3 MA B134
B137	10	WH	5	2 MA EQUIV TO B117
B138	10	SU	5	PDP10 ADDER (B131 WITH ADDED DIODE TO KILL THE CARRY QUICKLY)
B141	10	WH	5	7 2-INPUT GATES, 2 MA INPUT EQUIV TO R141
B142	8		5	DIODE GATE, B141 WITH 10 MA LOADS ON INPUTS F, J, L, N, R, T, V, FOR POP8
B152	10		5	BINARY-TO-OCTAL DECODER, R151 WITH HIGHER FAN-IN & NO CLAMP LOADS & NO EMITTER GATING
B155	CAT	WH	5	HALF BIN-TO-OCTAL DECODER, 2 BITS, 2 ENABLE INPUTS
B156	10		5	2 MA EQUIV TO B155
B163	10		5	6 2-INPUT GATES, 1 PAIRED COMMON INPUT, 2 MA EQUIV OF R123
B165	10		5	2 MA DIODE EQUIV OF B125
B166	10		5	CARRYING GATE FOR SC ADDER OF PDP10
B167	10		5	8 2-INPUT NANDS ORED TO 4 OUTPUTS WITH 2 ENABLE INPUTS, 2X4
B168	10		5	4 2-INPUT NANDS ORED TO 3 OUTPUTS WITH 3 ENABLE INPUTS, 3X3
B169	15		5	DIODE GATE EQUIV TO B129, PDP9, 8 2-INPUT NANDS ORED TO 2 OUTPUTS, 4 ENABLE INPUTS, 4X2
B169-YA	10	SU	4 2/74	B169 W NO LOAD RESISTORS (MF10)
B171	CAT		5	6 SETS OF 2-INPUT ANDS ORED, BOTH POLARITIES OUT, PDP7
B172	10		5	FARTER B171, 2 MA FAN-IN
B173	10	SU	5	14 INPUT NEG NAND GATE W ONE INPUT PRECEDED BY A 10 IN POS NAND, ME10
B181	CSS	JUL	2 7/71	10MHZ R181 DC CARRY CHAIN
B191	10		7	(NEVER MADE), ADDER, PDP10
B192	10		7	(NEVER MADE), NEGATIVE LOOK AHEAD ADDER, PDP10
B193	10		7	(NEVER MADE), POSITIVE LOOK AHEAD ADDER, PDP10
B198	10		5	PROTECTION COMPARATOR, PDP10 MEM, 0 & -3V IN & OUT, COMPARES 2 8-BIT WORDS
B199	10		5	FM ADDRESS DECODER FOR B250 IC'S, DOUBLE

**FLIP-FLOPS**

B200	CAT		6 10/74	CHEAP 10 MC COUNTING FF
B201	CAT		5	SINGLE FF
B204	CAT		5	4 FF'S

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
B210	15		6 10/74	AR FOR PDP7
B211	10		6	FF, BUFFERED, NO DELAY
B212	10		5	DUAL RS FF, PDP10, BUS DRIVER OUT, DELAYED & NOT DELAYED RS INPUTS
B213	15		5	POF9 FF, SINGLE INPUT JAM, NO DELAY
B214	10		5	4 FF'S, B204 MADE OUT OF 3 MA DIODE GATES
B250	10		5	FF MEMORY, PDP10, FAIRCHILD IC'S, 8X12 BITS/CARD, DOUBLE BOARD

## DELAYS

B301	CAT		5	10 MC ONE SHOT
B305	MTST		1 3/67	10 MC ONE SHOT, RAMP GENERATOR, INTERNAL OR REMOTE (PROGRAMMABLE) DELAY
B310	10		5	4 DELAY LINES, DOUBLE SIZED
B311	10		5	TAPPED DELAY LINE, 200 NSEC, 25 NS STEPS, EMITTER FOLLOWER INPUT
B312	10		5	DELAY LINE, B311 CONTINUOUSLY VARIABLE, DIODE INPUT, PDP10
B320	MOD	DOANE	1 11/65	TAPPED DELAY WITH PULSE AMP, 25-200 NSEC IN 25 NSEC STEPS
B360	CAT		5	SCREWDRIVER DELAY LINE + PULSE AMP, 200 - 250 NS MAX

## CLOCKS

B401	CAT		5	VARIABLE CLOCK
B405	CAT		5	CRYSTAL CLOCK, 2 TO 10 MC
B410	10	ATT	5	VOLTAGE CONTROLLED CLOCK, 1-10 MC, 40 TO 100 NSEC NEG PULSES, POT ADJUST
B450		PH	1 12/64	10 MC FIXED FREQ MULTI WITH FF OUTPUTS

## INPUT CONVERTERS

B501 SEE W501

## PULSE AMPLIFIERS

B602	CAT		5	DUAL 10 MC PULSE AMP
B604	15	RI	7 7/73	DUAL PA, LIKE B602 BUT WITH 2 OUTPUTS FROM EACH PA, PDP7
B610			6	(OPS), 25 NS PULSE AMP FOR USE WITH B212
B611	10		5	DUAL PULSE AMP, 25 NSEC, PDP10
B612	10	SU	4 2/74	DUAL PULSE AMP, 60 NSEC, MF10

## OUTPUT CONVERTERS

B620	CAT		6 10/74	REGISTER CARRY CIRCUIT, 2 BITS + INVERTERS
B633	10	ATT	5 1/73	B193 W 6534-C TRANSISTORS, SINKS 63 MA
B635	10	ATT	5 1/73	B195 W 6534-C TRANSISTORS, SINKS 63 MA
B681	CAT		5	4 POWER INVERTERS
B682	10		6 10/74	4 BUS DRIVERS
B683	10		5	3 BUS DRIVERS, OR OUTPUT, 50 OHM LOAD, 0 -3V
B684	CAT	DOANE	5	2 BUS DRIVERS, LIKE 6684
B685	10		5	3 DIODE GATE DRIVERS, 2 CKTS, 80 MA @ GND, 8 MA @ -3V, PDP10

## C SERIES EQUIPMENT, PANELAIDE KITS

C001	8		7	A/D KIT WITH H999WP
C001-A	8		7	A/D KIT WITH H900AMP
C002	8		7	A/D KIT WITH 1943WP
C003-A	8		7	REAL TIME CLOCK PANELAID KIT, 60 HZ
C003-B	8		7	50 HZ VERSION
C004	8		7	PDP8 TO PDP8/S INTERFACE CONVERTER-BUFFER



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
C005	8		5 9/66	PDP8/S I/O BUS INTERFACE CONNECTOR PANELAID KIT
C006	8		7	INPUT/OUTPUT BUFFER FOR PDP8/S PANELAID KIT
C007	8		7	INPUT BUFFER INTERFACE FOR 8 OR 8/S, REPLACES D005
C009			7	MEMORY TIMING & CONTROL KIT
C100	MOD	RC	7	K11, 12 BIT INTERACE TO POS BUS (USES E100), 2 BLOCKS, FOR 4 SINGLE CARD INTERFACE MODULES (M737, M739, M107)

## CABINET SERIES

CAB-1			6 4/73	STANDARD CABINET, MAY BE ORDERED WITH OR WITHOUT PANELS OR END
CAB-1B			6 4/73	BLACK CAB-1
CAB-2			6 4/73	SPARE SYSTEM CABINET, SIMILAR TO CAB-1
CAB-3			6 4/73	FRENCH DOORS BELOW, BLANK AT TABLE LEVEL, PLYWOOD TOP PANEL
CAB-5			6 4/73	PDS CABINET, INCLUDING TABLE & BLANK CONTROL PANEL
CAB-5D			6 4/73	DOUBLE CAB-5 WITH LONG TABLE, 2 CONTROL PANELS
CAB-6			6 4/73	CABINET, POP6 TYPE, INDICATOR PANEL AT TOP
CAB-8A	8		6 4/73	CABINET FOR PDP8 WINGED TABLE
CAB-8B	8		6 4/73	CABINET FOR PDP8 RECTANGULAR TABLE
CAB8-AS	8		6 4/73	CAB FOR PDP8/S
CAB8-IA	8		6 4/73	OPTION CABINET (OLD)
CAB8-IB	8		6 4/73	H920 + 8/I
CAB-1C	8		6 4/73	OLD CABINET + 8/I
CAB-9A	9		6 4/73	19" EXPANDER CABINET, FULL WIDTH DOORS, BLACK, GRAY END PANELS
CAB-9B	9		6 4/73	SAME AS 9A WITH INDICATOR PANEL
CAB-9C	9		6 4/73	SAME AS 9A, BUT SNAP-ON COVERS ON FRONT
CAB-9D	9		6 4/73	SAME AS 9B, BUT SNAP-ON COVERS ON FRONT

## D SERIES EQUIPMENT, OCTAID KITS

D001-A	8		6	8-BIT D/A OCTAID KIT
D001-C	8		6	10-BIT
D001-D	8		6	11-BIT
D001-E	8		6	12-BIT
D001-F	8		6	13-BIT
D002	8		6	BCD QUAD DECADE OCTAID
D003	8		6	(O/S), 8-BIT DIGITAL COMPARATOR OCTAID
D004	8		6	UP-DOWN COUNTER, DECIMAL DECODER, & CONVERTER OCTAID
D005	8		6	(O/S), PDP8/S INPUT BUFFER INTERFACE OCTAID (SEE C007)
D006	8		6	(O/S), PDP8/S OUTPUT BUFFER REGISTER OCTAID
D007	8		6	DUAL 8-BIT SHIFT REGISTER OCTAID
D008	8		6	DUAL 8-BIT BINARY UP COUNTER OCTAID

## E SERIES EQUIPMENT, PANELAIDS

E001				PANELAID FOR C005
E002				PANELAID C005
E003			7	PANELAID C006
E004			7	PANELAID C006
E005			7	PANELAID C006
E006			6 9/73	5014453
E007			7	PANELAID C003-A, -B
E008			7	PANELAID, PDP8/S INPUT INTERFACE C007
E009			7	PANELAID C007
E010			7	PANELAID C009
E011			7	PANELAID C009

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
E012			6 5/73	5400037
E013			6 5/73	5400038
E014			6 5/73	5400039
E015			6 5/73	5400040
E016			6 5/73	5400041
E017			6 5/73	5400042
E018			6 5/73	5400043
E019	9/E	PG	6 9/73	PDP-8-E BUS
E020	15		5 2/72	VTKS BUS
E100	MOD	RC	7	PANELAID (USED IN C100), 2 BLOCKS
E724			7	PANELAID C001, -A & C002
E725			7	PANELAID C001, -A & C002
E726			7	PANELAID C001, -A & C002
E727			7	PANELAID C001, -A & C002
E869			7	PANELAID C003-A,-B
E870			7	PANELAID C003-A,-B

## F SERIES EQUIPMENT, OCTAIDS

F001			7	OCTAID D006
F002			6	(OFS), INPUT BUFFER INTERFACE
F003			6	(OFS), INPUT BUFFER INTERFACE
F004			6	OCTAID D006
F005			6	OCTAID D007
F006			6	OCTAID D007
F007			6	OCTAID D008
F008			6	OCTAID D008
F723			6	OCTAID D002
F728			6	OCTAID D001-A THRU -F
F843			6	OCTAID D001-A THRU -F
F861			6	OCTAID D004
F862			6	OCTAID D004

## SENSE AMPLIFIERS

G001	15		5	PDP-7 SENSE AMP
G002	13		5	SLICE CONTROL FOR G001
G003	8		6	(OFS), PDP-8 SENSE AMP
G004	8		6	(OFS), SLICE CONTROL FOR G003
G005	10		5	4 INPUT SENSE AMP (DOUBLE), PDP-6, 2 US
G006	10		6 10/74	MASTER SLICE CONTROL, FOR G005
G007	8		5	PDP-8 SENSE AMP
G008	8		5	SLICE CONTROL FOR G007 & G009
G009	15		5	2 INPUT SENSE AMP FOR PDP-9, (NO PA), ALSO USED FOR G013 & G014
G010	15		5	SENSE AMP SELECTOR FOR PDP-9, 164, ALSO USED FOR G012
G011	8		6	(OFS), 2 INPUT SA FOR BIG 8-PIN COMPATIBLE WITH G007 (EXCEPT SELECTION LEVELS)
G012	8		6	(OFS), SENSE AMP SELECTOR, NEW 8, 164, -5 TO +8V; USES G010 BOARD
G013	15	DV	6	(OFS), SENSE AMP FOR PDP-9L, 4K MEM, G009 BOARD
G014	15	DV	5	2 INPUT G013, G009 BOARD
G020	8		5	SENSE AMP FOR 8/I, SINGLE, ON G021 CARD, IC LEVELS
G021	8		5	DUAL SENSE AMP FOR 8/I, IC LEVELS, ALSO USED FOR G020
G022	10		5	4 INPUT SENSE AMP FOR PDP-10, SINGLE, WITH CABLE; +6.2V, -6.2V
G023	10		5	MASTER SLICE CONTROL FOR G022
G024	10	SU	4 2/74	MASTER SLICE CONTROL FOR MF10, +3.5 TO +6.5 V, SENSE AMPS ON G113
G050	PERIPH	RP	5	9 TRACK, 45 IPS, DUAL GAP HEAD READ AMP

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G051	PERIPH	RP	1 8/69	7 TRACK, 45 IPS, DUAL GAP HEAD READ AMP
G052	PERIPH	RP	1 8/69	9 TRACK, 45 IPS, SINGLE GAP HEAD READ AMP
G053	PERIPH	RP	1 8/69	7 TRACK, 45 IPS, SINGLE GAP HEAD READ AMP
G054	PERIPH	RP	1 8/69	9 TRACK, 75 IPS, DUAL GAP HEAD READ AMP
G055	PERIPH	RP	1 8/69	7 TRACK, 75 IPS, DUAL GAP HEAD READ AMP
G056	PERIPH	AEK	4 6/74	9 CH READ AMP (TU16) HEX 8.5
G060	PERIPH	RP	5	MAG TAPE COMPRESSOR, 9 TRACK
G061	PERIPH	RP	1 8/69	MAG TAPE COMPRESSOR, 7 TRACK
G062	PERIPH	RP	5	MAG TAPE PEAK DETECTOR, 9 TRACK
G063	PERIPH	RP	1 8/69	MAG TAPE PEAK DETECTOR, 7 TRACK
G064	PERIPH	RP	5	MAG TAPE SLICER, 9 TRACK
G065	PERIPH	RP	1 11/66	MAG TAPE SLICER, 7 TRACK
G080	PERIPH		6 8/66	(OPS), DRUM SENSE AMP
G081	15		6 10/74	MAG TAPE READ AMPLIFIER
G082			5	DRUM AMP & SLICER
G083	PERIPH		5	DISK PRE-AMP
G084	8		5	MAG TAPE READ, RECTIFY, SLICE AMP, TU20, ALSO USED ON G086
G085	PERIPH		5	DISK AMP, (REPLACES 1/2 G083 + 1/2 W532) + (1/2 W533)
G0850	12	RI	5 11/71	DISK AMP FOR DF320, DS32-D
G086	10		6	(OPS), MAG TAPE READ AMP, RECTIFY, SLICE, PEAK PICKER
G087	10		5 5/73	MAG TAPE READ AMP, RECTIFY, SLICE, PEAK, TU30
G0870	10	DREW	5 7/73	MASTER SLICE CONTROL FOR G087
G088	PERIPH		5	DISK READ AMP WITH COMPRESSOR & PEAK DETECTOR, RS64
G089	CSS	MF	6 4/71	2 KH TRANSFORMER TO ADAPT IBM TRANSPORTS TO G087, G088
G090	PERIPH	ND	1 2/71	DEU TAPE SKEW TESTER
G091	PERIPH	GS	3 11/73	RS*8 CHECKOUT TESTER (G085 WITH P-P AVG VOLTAGE AMP)
G092	PERIPH	PM	4 10/73	TIMING AMP + LOGIC, RS03, DBL X 8.5
G093	PERIPH	AEK	1 10/74	TU10 PEAK DETECTOR (REPLACES G062)
G094	PERIPH	AEK	1 10/74	TU10 THRESHOLD DETECTOR & BUFFER (REPLACES G064)

## SENSE/INHIBIT MODULES

G100	15		5	SENSE AMP & INHIBIT DRIVER, PDP15, 3 WIRE, 30 MEMORY
G101	11	PD	7 2/70	SENSE, INHIBIT, & REGISTER FOR MM11-A
G102	XML	RH	5	SENSE, INHIBIT, & REGISTER (4 BITS) FOR MM11 & ME10
G103	XML	RH	5	MEMORY VOLTAGE LEVELS, MM11 & ME10
G104	8/E	PD	5	SENSE, INHIBIT, & 12 BIT REGISTER FOR MM8-E, QUAD, 8.5
G105	8/E	PD	4 5/73	SENSE, INHIBIT, & 8 BIT REGISTER & PARITY CONTROL FOR MP8-E, QUAD, 8.5
G106	XML	PD	7 8/73	MR11-A ROM DRIVE & SENSE, QUAD, 8.5, USES G642
G107	XML	PD	7 7/71	MR11-A WORDLET SENSE & INHIBIT, DOUBLE, 8.5
G108	XML	PD	2 11/70	G102 WITH 2 BITS ONLY
G109	XML	PD	5 10/74	18*BIT 11/05, 11/25, 11/45 CONTROL & DATA LOOPS, HEX X 8.5 (SEE G231, G232)
G109-YA	15	HL	5 10/74	G109 W M SELECT FF & DATA LOAD PULSE PINS, USED IN ME15
G110	XML	PD	4 1/72	16 BIT G109 (900 NSEC)
G110-YA	XML	RH	2 1/73	850 NSEC G110
G111	XML	XC	5 9/72	12 BIT 8/E SENSE & INHIBIT, 8.5 X QUAD
G112	XML	DWS	1 2/72	20 BIT SENSE/INHIBIT, 16K SENSE, 8.5 HEX, MM11-U
G113	10	SU	4 2/74	19 BIT MF10 DATA LOOPS, HEX 8.5 (SEE G231) (8K SENSE)
G114	XML	DWS	4 6/73	G112 W 8081 & 300 IN PLACE OF 8038
G115	XML	XC	1 3/73	G111 FOR 8 OR 4K STACKS
G116	XML	DWS	1 11/74	20*BIT SENSE/INHIBIT, 32K, (DUAL 16K SENSE), ETCH OF G114, HEX
G180	PERIPH	ES	5 7/73	LOW DENSITY (1100 BPI DOUBLE FREQ), R/W FOR RK04, DECPACK, DOUBLE X 8.5
G181	PERIPH	ES	1 11/70	HIGH DENSITY (2200 BPI DOUBLE FREQ) R/W FOR RK05, DECPACK, DOUBLE X 8.5
G182	PERIPH	CHI	4 2/74	R/W HEAD AND DETECTION, RS03, DBL X 8.5

MODEL PRD DES STATUS DESCRIPTION  
 NO LINE ENGR MO/YR

CURRENT DRIVERS, WRITE AMPS, R/W SWITCHES

MODEL NO	PRD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G200	15		6 10/74	PDP-7 MEMORY PULSER
G201	15		5	PDP-7 INHIBIT DRIVER
G202	15		5	PDP-7 MEMORY DRIVER
G203	8		6	(OBS), PDP-5(A) MEMORY SELECTOR
G204	8		6	(OBS), PDP-8 INHIBIT DRIVER, 2 BITS
G205	8		6	(OBS), PDP-8 INHIBIT DRIVER, REPLACED BY G208
G206	10		5	MEMORY SELECTOR, PDP-6, 2 US, DOUBLE, USED FOR G212
G207	10		5	INHIBIT DRIVER, 4 QUADRANT, PDP-6, 2 US, DOUBLE
G208	8		5	PDP-8 INHIBIT DRIVER (REPLACES G205) FOR + POWER SUPPLY, USED FOR G218
G209	8		5	PDP-8 MEMORY SELECTOR (HOT SIDE), (REPLACES G203) FOR + POWER SUPPLY, USED FOR G210, G219
G210	15		5	PDP9 CONTROL MEMORY DRIVER, DESIGNED TO DRIVE G920, USES G209 BOARD
G211	8		6 10/74	MEMORY DRIVER, 8 LINES, DIRECT COUPLED
G212	10		5	MEMORY COMMON DRIVER, G206 + MISC R&D, G206 BOARD, FOR PDP6 2USEC MEM
G217	10	SU	5	WORD DRIVER, MA10, USES G219 FOR DIGIT DRIVER
G218	15		5 10/74	INHIBIT DRIVER (A G208 FOR NEG SUPPLY), FOR PDP9
G219	15		5	MEMORY SELECTOR (A G209 FOR NEG SUPPLY), FOR PDP9
G221	8		5	MEMORY DRIVER, 10 INPUTS, 4 CKTS, SINGLE, FOR 8/I, 8/L
G222	15		5	MEMORY SELECTOR, 10 INPUTS, 4 CKTS, 3 WIRE, 3D, PDP15
G223	15		5	READ/WRITE DRIVER, 10 INPUTS, 2 CKTS, SINGLE, 3 WIRE, 3D, PDP15
G224	11	PD	7 2/70	MM11-A SELECTOR
G225	XML	SU	5	CURRENT SOURCE, SINGLE X 8-1/2, ME10, MM11
G225-YA	11	PD	5 1/72	G225 MODIFIED FOR RUGGED STACK
G226	XML	SU	5 5/73	XY SELECTION SWITCH, SINGLE X 8-1/2, ME10, MM11
G227	8	PD	5	XY SELECTION, CURRENT SOURCE & REGULATOR FOR MM8-E, QUAD, 8.5
G228	8		5	INHIBIT DRIVER, 10 INPUTS, 8/I, 8/L
G229	XML	PD	7 7/71	MM11-A WORDLET WORD DRIVE
G230	10	SU	5 11/71	G225 WITH DELAY LINE ON INPUT, 0 TO 40 NSEC
G231	XML	PD	4 5/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K DECODE, HEX X 8.5, SEE G109, G110
G231-YA	10	VC	1 9/73	G231 W DIFFERENT SUBSTITUTE PARTS LIST
G232	XML	PD	1 7/71	4K G231
G233	XML	VC	5 10/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K DECODE, 8.5 X QUAD, SEE G111
G234	XML	VC	1 3/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K OR 4K DECODE, QUAD 8.5, SEE G111, G115
G235	XML	DWS	4 6/73	16X XY DRIVE, CURRENT SOURCE, DECODE, HEX 8.5, MM11-U, M110, M217
G236	XML	DWS	1 9/73	32X XY DRIVE, CURRENT SOURCE, DECODE, HEX, MM11-W, -WP
G250	MTST		6	(OBS), WAVE SHAPER FOR 2503
G251	MTST		6	(OBS), REGULATOR FOR 2503
G252	MTST		6	(OBS), PROTECTOR FOR 2503
G253	MTST		6	(OBS), REGULATOR FOR 2504
G254	MTST		6	(OBS), PROTECTOR FOR 2504
G260	MTST		6	(OBS), WAVE SHAPER FOR 2603
G261	MTST		6	(OBS), REGULATOR FOR 2603
G262	MTST		6	(OBS), PROTECTOR FOR 2603
G263	MTST		6	(OBS), REGULATOR FOR 2604
G264	MTST		6	(OBS), PROTECTOR FOR 2604
G270	MTST		6	(OBS), RELAY R/W SWITCH, REPLACED BY G379
G271	MTST		6	(OBS), WAVESHAPER FOR 2500, 2600
G272	MTST		6	(OBS), NEG OUTPUT AMP FOR 2500
G273	MTST		6 7/73	(OBS), POS OUTPUT AMP FOR 2600
G274	MTST		6	(OBS), NEG DRIVER POWER MONITOR
G275	MTST		6	(OBS), POS DRIVER POWER MONITOR
G276	MTST		6	(OBS), POWER MONITOR
G277	MTST		6	(OBS), SCR R/W SWITCH
G278	MTST		6	(OBS), READ-WRITE SELECTOR

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G279	MTST		6	(OBS), RELAY MODULE, REPLACED BY G379
G280	CSS		6 10/74	DRUM WRITER, 240 MA/SIDE
G281	CSS		5	X SELECT, DRUM, 2 PAIR FORM A
G282	CSS		5	Y SELECT, DRUM, (4 FORM A)
G283	15		6	(OBS), MAG TAPE WRZ1 WRITER
G284	PERIPH		5	DISK WRITER, DISK
G285	PERIPH		5	SERIES SWITCH, DISK
G286	PERIPH		5	CENTER TAP SELECTOR, DISK,
G287	R		5	MAG TAPE WRITER, 2 CHANNELS, 100 MA HEAD CUR, NO CENTER TAP, 0 TO -15V
G288	10		6	(OBS), DRUM WRITER, 150 MA/SIDE, G280 BOARD, ALSO FOR TU79
G289	10		6	(OBS), DRUM WRITER, 2 CHANNELS, 65 MA HEAD CUR, G280 ETCH, 180 OHMS INSTEAD OF 130
G290	PERIPH	GS	5	DISK WRITER, INCLUDES 2-1/2 MHZ FF
G291	PERIPH	PM	5	DISK WRITER W +20,+5,-15 POWER FAIL, RS64
G294	R		5	DISK WRITER, + LOGIC EQUIV TO G284
G295	R		5	SERIES SWITCH, + LOGIC EQUIV TO G285
G296	R		5 7/73	CENTER TAP SELECTOR, + LOGIC EQUIV TO G286
G350	PERIPH	RP	5	9 TRACK, DUAL HEAD, 45 IPS, MAG TAPE WRITE DRIVER
G351	PERIPH	RP	1 11/69	7 TRACK, DUAL HEAD, 45 IPS, MAG TAPE WRITE DRIVER
G352	PERIPH	RP	1 11/69	9 TRACK, SINGLE HEAD, 45 IPS
G353	PERIPH	RP	1 11/69	7 TRACK, SINGLE HEAD, 45 IPS
G354	PERIPH	RP	1 11/69	9 TRACK, DUAL HEAD, 75 IPS, MAG TAPE WRITE DRIVER
G355	PERIPH	RP	1 11/69	7 TRACK, DUAL HEAD, 75 IPS
G370	MTST		7	(OBS), BIPOLAR READ/WRITE SWITCH, REPLACED BY G371, G372
G371	MTST	BU	6	(OBS), BIPOLAR R/W SWITCH, DOUBLE BOARDS, LIKE G370, EXCEPT COMES APART, VERTICAL DECODING
G372	MTST	BU	6	(OBS), BIPOLAR R/W SWITCH, LIKE G371 BUT HORIZONTAL DECODING
G373	MTST		6	(OBS), MULTIPLEXER, DOUBLE 10 FORM C CONTACTS, MAGNECRAFT RELAYS, 12V, 300 OHMS
G374	MTST	BU	6	(OBS), BIPOLAR R/W SWITCH, REED RELAY EQUIV TO G371
G375	MTST	BU	6	(OBS), BIPOLAR R/W SWITCH, REED RELAY EQUIV TO G372
G376	MTST		6	(OBS), PROTECTION CONTROL FOR 2500 + 2600
G377	MTST		6	BIPOLAR REED RELAY TREE, 16 OUTPUTS, 2X8 REPACKAGED G379
G378	MTST		6	G377 WITH DIFFERENT OUTPUT WIRING
G379	MTST	BU	6	(OBS), SAME AS G279 BUT WITH DIFFERENT INPUT DECODING
G380	PERIPH	CAY	5 11/71	DUAL 5 AMP SOLENOID DRIVER, 5% DUTY FACTOR, FOR LA30
G381	PERIPH	CAY	5 11/71	LINE FEED SOLENOID DRIVER FOR LA30, 6 AMPS

## ROMS &amp; RAMS

G400	R	ADL	2 3/70	CHAR GEN ROM, MOS, 64 WORDS, 5X7 DOT MATRIX (EA3400 24 PIN IC)
G401	11/45	VB	4 5/73	4K X 16-BIT MOS RAM, 8.5 X HEX, 4 LAYER
G401-YA	11/45	VB	4 6/73	16 BIT G401

## TEST EQUIPMENT

G500	FS		5 10/74	TU55/56 SKEW TESTER, SINGLE X 8.5
G5000	PROE	BMM	3 9/74	FAILURE SUMMATION & TIME SELECT, 2340, QUAD
G5001	PROE	BMM	3 9/74	PIV SELECTOR, 2340, QUAD
G5002	PROE	BMM	3 9/74	22 PIN COMPARATOR, 2340, QUAD
G5003	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #1, 2340, QUAD
G5004	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #2, 2340, QUAD
G5005	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #3, 2340, QUAD
G5006	PROE	BMM	3 9/74	RANDOM ADAPTER, 2340, QUAD
G5007	PROE	BMM	3 9/74	ADAPTER INTERFACE, 2340, QUAD
G5008	PROE	BMM	0 7/74	INDICATOR (RENAMED 5410882) 2340, QUAD
G5009	TE	GD	3 10/74	1K 36 BIT PROM, TU16 XOR, OUTPUTS TOP FINGERS TO G5013, DOUBLE (SEE G5035)
G501	FS	FD	4 9/74	LOGIC MAINTENANCE MODULE, 3FF, 4 GATES, 2 INV, 1 ONE SHOT, SINGLE 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G5010	PERIPH	ROTT	1 9/73	AVGERAGE AMPLITUDE DETECTOR, RS04 TESTER, DOUBLE 8.5
G5011	PS	FL	3 9/74	H740-TA CONTROL BOARD, DOUBLE 5
G5012	TE	PWK	2 4/74	ECL FAN-OUT, 4 LAYER DOUBLE 8.5, KL10-TA
G5013	TE	GD	3 9/74	DATA BUFFER MODULE, TU16 XOR, DOUBLE 8.5, INPUTS TOP FINGERS
G5014	TE	JV	3 3/74	BIDIRECTIONAL BUFFER, 11/05, RK11-D XOR, SINGLE 8.5
G5015	TE	JEK	2 8/74	1/5 H353
G5016	TE	JEK	2 8/74	1/5 H353
G5017	IPG	AKI	3 1/74	TEXT CARD FOR A202/ADU01, SINGLE 5
G5018	TE	RMC	3 4/74	OMI RESISTOR CARD (MS1400), SINGLE 5
G5019	TE	ASC	4 13/74	DV7 SELECT, 2223, DOUBLE 8.5
G502	FS	ES	4 6/74	DEYPACK WRITER EXERCISER, DOUBLE 8.5
G5020	TE	ASC	4 13/74	DRIVER MUX, 2223, DOUBLE 8.5
G5021	TE	ASC	4 9/74	EXTERNAL PATTERN REGISTER, 2223, DOUBLE 8.5
G5022	TE	ASC	4 9/74	REGISTER MUX, 2223, DOUBLE 8.5
G5023	TE	ASC	4 13/74	INDICATOR DRIVER, 2223, QUAD
G5024	TE	ASC	4 13/74	REGISTER DRIVER A, 2223, DOUBLE 8.5
G5024-YA	TE	ASC	1 1/74	REGISTER DRIVER B, 2223, DOUBLE 8.5
G5025	PERIPH	YMA	2 9/74	TYWRITER KEY SWITCH TESTER, QUAD
G5026	TE	EG	3 9/74	9600 BAUD CLK & BELL DECODER, SINGLE 8.5, BLANK FINGERS, ALL SIGNALS FROM H054, USED ON 11/05 XOR
G5027	0	ADL	2 11/74	LOADS FOR H763-TA, QUAD
G5029	0	ADL	2 11/74	CONTROL FOR H763-TA, QUAD
G5029	TE	EG	1 1/74	DD11 XOR TEST HEAD ADAPTOR FOR M7800, DOUBLE 8.5
G503	FS	ES	4 6/74	DEYPACK POSITIONER EXERCISER DOUBLE 8.5
G5030	TE	ASC	4 13/74	+5V BCD SELECT, 2223, DOUBLE 8.5, WAS 93-05530-0-230 OR 93-05530-0-174
G5030-YA	XML	XC	4 13/74	2253-D +20V BCD SELECT
G5031	TE	ASC	4 13/74	2223-GR -15V BCD SELECT, WAS 93-05530-0-175, DOUBLE 8.5
G5032	TE	ASC	4 13/74	2253-MB -15V BCD SELECT, WAS 93-05530-0-314, DOUBLE 8.5, USES G5031 ETCH BOARD
G5033	TE	ASC	4 13/74	+20V BCD SELECT, WAS 93-05530-0-228, USES ETCH BOARD OF G5031
G5034	TE	IR	3 9/74	2300 RANDOM PATTERN GENERATOR, 22 OUTPUTS CHANGING ONE AT A TIME, QUAD
G5035	TE	GD	3 13/74	1K 104 BIT PROM (3 G5009), HEX
G5036	LDP	JL	4 6/74	WRAP AROUND TEST MODULE FOR M7809 (AR11), SINGLE, NO FINGERS, H054
G5037	TE	GS	1 5/74	11/05 XOR TTY CENTER SAMPLING, DOUBLE 8.5
G5038	TE	JV	1 7/74	UNIBUS SLAVE MEMORY EXERCISER, HEX
G5039	XML	PF	2 12/74	2254 DVM SELECT, DOUBLE 8.5
G504	PERIPH	TD	3 3/74	SSST TU56 SKEW TESTER, SINGLE 5
G5040	TE	RR0	2 8/74	8/A, 8/E CPU I/O SIMULATOR, HEX
G5041	TE	RR0	2 8/74	8/A, OPTIONS 1 & 2 TESTER, HEX
G5044	TE	ASC	4 13/74	2253 VARIABLE CLOCK & BAC LINE BUFFERS, WAS 93-05530-0-163, QUAD
G5045	TE	ASC	4 13/74	2253 DATA CHANNELS, QUAD, WIRE WRAPPED VERSION, WAS 93-05530-0-156
G5046	TE	ASC	1 13/74	2253 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5046-YA	TE	ASC	4 13/74	2223 1 OF 8 POT SELECT A, DOUBLE 8.5, WAS 93-05530-0-157
G5046-YB	TE	ASC	4 13/74	2223 1 OF 8 POT SELECT B, DOUBLE 8.5
G5046-YC	TE	ASC	4 13/74	2253 1 OF 8 POT SELECT C, DOUBLE 8.5
G5046-YD	TE	ASC	4 13/74	2253 1 OF 8 POT SELECT D, DOUBLE 8.5
G5046-YE	TE	ASC	4 13/74	2253 1 OF 8 POT SELECT E, DOUBLE 8.5
G5046-YF	TE	ASC	4 13/74	2253 1 OF 8 POT SELECT F, DOUBLE 8.5
G5046-YH	TE	ASC	4 13/74	2223 1 OF 8 POT SELECT H, DOUBLE 8.5
G5046-YJ	TE	ASC	4 13/74	2223 1 OF 8 POT SELECT J, DOUBLE 8.5
G5046-YK	TE	ASC	1 1/74	2253-MB 1 OF 8 POT SELECT K, DOUBLE 8.5
G5047	TE	ASC	2 13/74	2253 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5047-YA	TE	ASC	4 13/74	2223-K VXY A POT SELECT, DOUBLE 8.5, USES G5046 ETCH
G5047-YB	TE	ASC	4 13/74	2253-K VZ A POT SELECT, DOUBLE 8.5, USES G5046 ETCH
G5047-YC	TE	ASC	2 8/74	2253-K VZ B POT SELECT, DOUBLE 8.5, USES G5046 ETCH
G5048	TE	ASC	2 13/74	2253 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5048-YA	TE	ASC	2 8/74	2253-MB STROBE POT SELECTS A, DOUBLE 8.5, USES G5046 ETCH

MODEL NO	PROD LINE	DES ENGR	STATUS	NO/YR	DESCRIPTION
G5048-YB	TE	ASC	2	8/74	2223-MB STROBE POT SELECTS B, DOUBLE 8.5, USES G5046 ETCH
G5048-YC	TE	ASC	2	8/74	2223-MB STROBE POT SELECTS C, DOUBLE 8.5, USES G5046 ETCH
G5048-YD	TE	ASC	2	8/74	2223-MB STROBE POT SELECTS D, DOUBLE 8.5, USES G5046 ETCH
G5049	TE	ASC	2	10/74	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5049-YA	TE	ASC	4	10/74	2223-K VTH POT SELECT A, DOUBLE 8.5, USES ETCH OF G5046
G5049-YB	TE	ASC	4	10/74	2223-K VTH POT SELECT B, DOUBLE 8.5, USES ETCH OF G5046
G505	FS	EB	3	2/74	8/E XOR TESTER OMNIBUS DRIVERS, BOARD H, QUAD 8.5
G5050	TE	ASC	4	10/74	2223-K VXY CONTROL B, DOUBLE 8.5, USES ETCH OF G5046
G5051	TE	ASC	2	10/74	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5051-YA	TE	ASC	4	10/74	2223-K STROBE POT SELECT A, DOUBLE 8.5, USES ETCH OF G5046
G5051-YB	TE	ASC	4	10/74	2223-K STROBE POT SELECT B, DOUBLE 8.5, USES ETCH OF G5046
G5051-YC	TE	ASC	4	10/74	2223-K STROBE POT SELECT C, DOUBLE 8.5, USES ETCH OF G5046
G5051-YD	TE	ASC	4	10/74	2223-K STROBE POT SELECT D, DOUBLE 8.5, USES ETCH OF G5046
G5052	TE	ASC	4	10/74	2223-MB VXYE POT SELECT, DOUBLE 8.5, USES ETCH OF G5046
G5053	TE	ASC	4	10/74	2223-MB VXYF POT SELECT, DOUBLE 8.5, USES ETCH OF G5046
G5054	TE	ASC	4	10/74	2223-MB YTH G POT SELECT, DOUBLE 8.5, USES ETCH OF G5046
G5057	A/N	MDN	1	6/74	VT20-TD, G5057-YA + 3 G5057-YB, QUAD
G5057-YA	A/N	MDN	1	6/74	VT20-TD REMOTE UNIT, 8.5 DOUBLE
G5057-YB	A/N	MDN	1	6/74	VT20-TD SLAVE CABLE DRIVERS, 2.5 X 2.5
G5058	A/N	MDN	1	6/74	VT20-TD, G5058-YA + G5058-YB, QUAD
G5058-YA	A/N	MDN	1	6/74	VT20-TD BASE UNIT, 8.5 TRIPLE
G5058-YB	A/N	MDN	1	6/74	VT20-TD MASTER CABLE DRIVER, 2.5 X 4.5
G5059	TE	MDN	1	5/74	VT10 MODULE TESTER SIGNAL SOURCE CONTROL, QUAD
G506	FS	EB	5	6/74	8/E XOR TESTER OMNIBUS BUFFER, BOARD C, QUAD 8.5
G5060	X4L	TJB	2	1/75	2224-AA DATA GENERATION, QUAD
G5061	X4L	TJB	2	1/75	2224-AA ADDRESS GENERATION, QUAD
G5061-YA	X4L	TJB	2	1/75	2224-AA, G5061 WITHOUT CARRY LOOK-AHEAD
G5062	X4L	TJB	2	12/74	2224-AA MICROPROGRAM MEMORY, QUAD
G5063	X4L	TJB	2	12/74	2224-AA REFRESH & CONTROL, DOUBLE
G5064	X4L	TJB	1	2/74	2224-AA TIMING, 4-LAYER QUAD
G5065	X4L	TJB	2	2/75	2224-AA MICRO INSTRUCTION TEST, 4 LAYER QUAD
G5066	X4L	TJB	2	1/75	2224-AA ADDRESS SWAP & LATCH, 4 LAYER QUAD, STND INNER LAYER
G5067	X4L	TJB	2	12/74	2224-AA MULTIPLEXOR, SINGLE 8.5
G5068	X4L	TJB	2	1/75	2224-AA ADDRESS EXTENSION, DOUBLE 8.5
G5069	X4L	TJB	1	4/74	2224-AA FRONT PANEL/CPU WRITE CONTROL, QUAD
G507	FS	EB	3	2/74	8/E XOR TESTER OMNIBUS BUFFER, BOARD B, QUAD 8.5
G5070	PERIPH	BMA	1	2/74	KEYBOARD ENCODER TESTER (FOR AY-5-3600), QUAD
G5071	TE	RSS	2	5/74	2324-A 8 TO 1 AND 1 TO 8 FULL DUPLEX SELECTOR, SINGLE 8.5
G5072	X4L	TJB	2	1/75	2224-AA CPU/FRONT PANEL OUTPUT, QUAD
G5073	X4L	TJB	2	1/75	2224-AA SYNC GENERATION, QUAD
G5074	X4L	TJB	2	2/75	2224-AA TIMING GENERATOR, 4-LAYER SINGLE 8.5
G5075	X4L	TJB	2	12/74	2224-BA D/A, DOUBLE 8.5
G5076	X4L	TJB	1	9/74	2224-BA POWER CONTROL BOARD, DOUBLE 8.5
G5077	TE	BL	1	6/74	KL10-TE, REGISTER CONVERTER, DOUBLE
G5078	TE	BL	1	6/74	KL10-TE, LEO DRIVER, DOUBLE
G5079	TE	BL	1	6/74	KL10-TF, TEST HEAD CONVERTER
G508	FS	EB	3	10/73	8/E XOR INTEGRATOR BOARD, QUAD 8.5
G508-YA	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 2, QUAD 8.5
G508-YB	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 3, QUAD 8.5
G508-YC	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 4, QUAD 8.5
G508-YD	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 5, QUAD 8.5
G508-YE	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 6, QUAD 8.5
G508-YF	FS	EB	3	2/74	8/E XOR INTEGRATOR BOARD 7, QUAD 8.5
G5080	FS	EB	1	5/74	8/E, 8/A XOR PROGRAMMABLE INTEGRATOR, QUAD, REPLACES G508
G5081	TE	TU	1	7/74	AP11-S SERIAL LINE TO UNIBUS INTERFACE, HEX

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
G5082	KL10	JHH	1	8/74	M8550-TA DELAY VERIFIER, 4-LAYER DOUBLE 8.5
G5083	KL10	JHH	1	8/74	2325 DELAY MEASURING INSTRUMENT, 4-LAYER HEX
G5085	PERIPH	RLOM	1	5/74	2225 ROM TESTER REGULATOR BOARD, QUAD
G5086	PERIPH	RLOM	2	11/74	2225 ROM TESTER DATA BOARD, QUAD
G5087	PERIPH	RLOM	2	11/74	2225 ROM TESTER LOGIC BOARD, QUAD
G5088	TE	TU	1	1/75	G5481 + SWITCH AND VARIABLE TRANSMIT RATE, HEX
G5089	FS	HRL	5	1/74	AC LINE FILTER AND DETECTOR, DOUBLE 8.5 (UL)
G5089-YA	FS	HRL	5	1/74	230VAC G509
G5090	PERIPH	RLOM	2	11/74	M7/22-TA TESTER, PROM, QUAD
G5091	PERIPH	RLOM	2	11/74	M7/22-TA TESTER, ANALOG, QUAD
G5092	PERIPH	RLOM	2	11/74	M7/22-TA TESTER, CONTROL, QUAD
G5093	PERIPH	RLOM	2	11/74	M7/22-TA TESTER, COMPARE, QUAD
G5094	PERIPH	PNH	2	10/74	LA26 5410805-TA BOARD #2, SINGLE 5
G5095	PERIPH	PNH	2	10/74	LA26 5410805-TA BOARD #4, SINGLE 5
G5096	PERIPH	PNH	2	10/74	LA26 5410805-TA RESISTOR BOARD
G5097	PERIPH	PNH	1	2/75	LA26 BUFFER BOARD, DOUBLE 8.5
G5100	FS	EB	3	2/74	8/E XOR OMNIBUS DRIVER & XOR BOARD A
G5100	X4L	KC	2	9/74	2223-D -15V BCD CONT, THERMISTOR, 8.5 DOUBLE
G5101	X4L	KC	2	9/74	2223-D BUFFER B, 8.5 DOUBLE
G5102	X4L	KC	2	9/74	2223-D BUFFER A, 8.5 DOUBLE
G5103	X4L	KC	2	11/74	2223-D TIMING A, 8.5 DOUBLE
G5104	X4L	KC	2	11/74	2223-D TIMING B, 8.5 DOUBLE
G5105	X4L	KC	2	9/74	2223-D VOLTAGE SELECT, 8.5 DOUBLE
G5106	X4L	KC	2	10/74	2223-D POT SELECT (PARTS THAT ARE USED ON ALL VARIATIONS)
G5106-YA	X4L	KC	2	9/74	2223-D POT SELECT A USES G5046 ETCH
G5106-YB	X4L	KC	2	9/74	2223-D POT SELECT B USES G5046 ETCH
G5106-YC	X4L	KC	2	9/74	2223-D POT SELECT C USES G5046 ETCH
G5106-YD	X4L	KC	2	9/74	2223-D POT SELECT D USES G5046 ETCH
G5111	FS	EB	3	2/74	8/E XOR OMNIBUS DRIVER & XOR BOARD D, QUAD 8.5
G5110	B	RBR	1	8/74	MR0-SA CONTROL, HEX
G5111	B	RBR	1	8/74	MR0-SA PROGRAMMING CIRCUITS, HEX
G5112	B	RBR	1	8/74	MR0-SA PROGRAMMER/MULTIPLEXER MODULE, HEX
G5114	10	JHH	1	11/74	DELAY LINE & COAX ASSEMBLY TEST JIG, DOUBLE 8.5
G512	FS	EB	3	2/74	8/E XOR OMNIBUS DRIVER & XOR BOARD E, QUAD 8.5
G5120	X4L	DRD	1	9/74	MOSTEK 4K MK4096P 64 SOCKET BURN-IN BOARD, QUAD
G513	FS	EB	3	2/74	POWER CONT & VREF MODULE, BOARD R, SINGLE 5
G5130	FS	EB	1	10/74	2326 INTERNAL MEMORY, 4-LAYER QUAD
G5131	FS	EB	1	11/74	2326 MEMORY CONTROL, 4-LAYER QUAD
G5132	FS	EB	1	11/74	2326 PMT INTERFACE, QUAD
G5133	FS	EB	1	1/75	2326 XOR, QUAD
G5134	FS	EB	1	2/75	2326 INTEGRATOR CONT, QUAD
G5135	FS	EB	1	2/75	2326 HEAD DRIVER, DOUBLE 8.5
G5136	FS	EB	1	2/75	2326 HEAD RECEIVER, DOUBLE 8.5
G5137	FS	EB	1	2/75	2326 HEAD INTERFACE, DOUBLE 8.5
G5138	FS	EB			
G5139	FS	EB			
G514	FS	EB	3	2/74	8/E XOR CURRENT SENSE SEPARATOR, BOARD F, QUAD 6
G5140	FS	EB			
G5141	FS	EB			
G515	FS	EB	4	9/74	8/E XOR CONTROL BOARD M, QUAD 8.5
G5150	11	PKR	1	1/75	M7564-TA, 16-BIT HIGH SPEED COMPARATOR & LATCH, ECL, 4-LAYER HEX
G5151	11	PKR			
G5152	11	PKR			
G5153	11	PKR			
G5154	11	PKR			



MODEL NO	PROD LINE	JES ENGR	STATUS MO/YR	DESCRIPTION
G5155	11	PKR		
G516	QC	EG	5 9/74	11 XOR STROBE & CONTROL BOARD, (WIRE WRAPPED VERSION WAS 93-05365-0-2, MS1498-8), QUAD 8.5
G516-YA	TE	RDH	1 1/75	VT90-TA VARIATION
G517	FS	EB	3 10/73	8/E XOR TIMING SYNCHRONIZER, SINGLE 5
G517-YB	FS	EB	3 2/74	G517 W NO COMPONENTS
G518	FS	EB	1 11/72	8/E XOR TTY SIMULATOR, DOUBLE 5
G519	FS	EB	3 2/74	8/E XOR DATA BREAK SIMULATOR, DOUBLE 5
G520	FS	EB	1 11/72	8/E XOR PCO SIMULATOR, DOUBLE 5
G521	PS	RJW	3 3/74	2327 POWER SUPPLY TESTER MODULE, DOUBLE 5
G522	COM	FZ	3 5/74	14/2, 1482 (WESTERN DIGITAL) CHIP TESTER, DD11, QUAD 8.5
G523	PC	LRB	1 3/72	UNIBUS TERMINATOR & INDICATOR, DOUBLE 8.5
G524	QC	ALB	3 1/74	PIN DRIVER & RECEIVER FOR CMT
G525	10	STP	2 6/74	TT- TO ECL & ECL TO TTL CONVERTER, 54 CHANNELS, MULTILAYER HEX 8.5
G526	PROE	BMM	1 3/73	LOGIC MODULE, 2339 BC08R, BC08S CABLE TESTER, QUAD 8.5
G527	PROE	BMM	1 3/73	TIMING MODULE, 2339 BC08R, BC08S TESTER, DOUBLE 8.5
G528	QC	RBG	3 2/74	16 CHANNEL ADJUSTABLE WINDOW XOR (TU60), QUAD 8.5
G5280	QC	IB	2 11/74	G528 W H854 CONNECTOR
G5180-YA	TE	RDH	1 1/75	VT90-TA G5280
G529	QC		3 8/74	8 CH LEVEL COMPARATOR (TU60 XOR), QUAD 8.5
G530	QC	EG	3 3/74	32 CH 11 XOR MODULE, QUAD 8.5
G530-YB	QC	GD	2 10/73	G530 W INVERTED OUTPUT
G532	11	ORR	1 5/73	RK05 SIMULATOR, DOUBLE 8.5
G533	PS	RJW	3 9/74	COMPONENT BOARD FOR H744, 5, 6 TESTER, (11/45-YA), DOUBLE 8.5
G534	QC	WP	2 6/74	SINGLE X 5 CARD, H807 ONE END, 3M CABLE OTHER END, 10 CABLE DRIVERS, ODD PINS, MODULE A
G535	QC	WP	2 6/74	SINGLE X 5 CARD, H807 ONE END, 3M CABLE OTHER END, 10 CABLE DRIVERS, EVEN PINS, MODULE B
G536	QC	WP	2 6/74	SINGLE X 8.5 CARD, 1 3M CABLE ONE END, 2 ON OTHER, 40 SIGNALS, MODULE C, I/O CONNECTOR
G537	QC	WP	2 6/74	MODULE D, 40 XOR GATES, INPUTS FROM 4 H854, OUTPUTS FROM 2 SETS OF FINGERS & BOTTOM PINS, QUAD (8/E)
G538	QC	WP	2 6/74	8/E XOR CONTROL, 1 H854, QUAD, MODULE E
G539	QC	PJD	2 7/73	CHI XOR RELAY BOARD, 12 FORM C RELAYS, DOUBLE 8.5

## PRODUCTION EQUIPMENT

G5400	PROE	OS	3 3/74	2 STATION WIRE WRAP INTERFACE, QUAD 8.5
G5401	PROE	OS	1 1/73	120 WIRE LOOM CONTROL, QUAD 8.5
G5402	PROE	OS	1 2/74	MULTIPLEXOR FOR WIRE WRAP INTERFACE, QUAD
G5403	PROE	OS	1 2/74	8/E INTERFACE FOR GARDNER-DENVER MOD, B & E, QUAD
G5404	PROE	OS	3 9/74	8/E INTERFACE FOR GARDNER-DENVER MOD, 14VF, ALLOWS REPLACEMENT OF SUPERIOR READER WITH 8/E, QUAD

## SPECIFIC OP AMPS

G588	FS	EB	1 9/72	G219 TESTER BOARD
G589	10	ATT	5	DIFFERENTIAL INTEGRATOR/AMP, RP10 CONTROLLER, RP01-MEMOREX 630-1
G590	10	ATT	5	DIFFERENTIAL FILTERED INTEGRATOR, RP10, RP02, MEMOREX 660
G591	10		1 7/68	OP AMP, MAX PLANK, ANALOG DEVICES 220
G592	10		1 7/68	OP AMP, MAX PLANK, ANALOG DEVICES 149, POP-10
G593	CSS		6 10/74	OP AMP, PERKIN ELMER S&H
G594	10		6	(OPS), PHOTOCCELL AMP, TU79 OPTICAL TACH, A207 BOARD
G595	10		6	(OPS), CAPSTAN PREAMP, TU79, A200 OR A207 BOARD
G596	10		6	(OPS), CAPSTAN AMPLIFIER DRIVER, TU79, A200 OR A207 BOARD
G597	10		6	(OPS), CAPSTAN CURRENT AMPLIFIER, TU79, A200 OR A207 BOARD
G598	10		6	(OPS), REEL REFERENCE AMPLIFIER, TU79, A200 A207 BOARD
G599	10		6	(OPS), REEL ERROR AMPLIFIER, TU79, A200 OR A207 BOARD

## RESISTOR &amp; DIODE MODULES

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
G600	15		6	(OBS), PDP-7 RESISTOR, MEMORY
G6000	MCE	RLS	1 5/74	THERMAL TEST HEX
G601	15		6 10/74	MEMORY SELECTOR MATRIX, PDP-7
G602	15		6 10/74	MEMORY SELECTOR MATRIX, PDP-7
G603	0	II	5	MEMORY SELECTOR MATRIX, 56 CONTACTS, 28 EACH SIDE, BIFURCATED
G604	10		6 10/74	MEMORY SELECTION MATRIX, PDP-6
G605	MTST		6	(OBS), MEM SELECT MATRIX FOR MEM TEST
G606	MTST		6	(OBS), SAME AS G605 BUT TRANSFORMER OUTPUTS
G607	10		6	(OBS), MEMORY DIODE BOARD FOR PDP-10, SEE G609
G608	10		6	(OBS), SENSE/INHIBIT/REGULATOR, PDP-10, SEE G609
G609	9		5	COMBINES G607 & G608 INTO ONE QUAD SIZE BOARD
G610	0	BEST	5	"A" DIODE BOARD FOR PDP-8 STACK 3005256
G611	0	BEST	5	"B" DIODE BOARD FOR PDP-8 STACK 3005256
G612	0	BEST	5	"B" DIODE BOARD FOR PDP-8 13 BIT STACK
G613	10		5	X DIODE MATRIX, 3 WIRE, 3D, 4K, 9/1
G614	10		5	Y DIODE MATRIX, 3 WIRE, 3D, 4K, 9/1
G615	X4L	PD	1 2/70	250 X 16 BIT, 20 MIL BOARD WITH DIODES, DOUBLE, 8.5
G616	X4L	PD	5	4K 12 BIT, 20 MIL BOARD WITH DIODES, QUAD, 9 DEEP
G617	X4L	PD	5 5/73	4K 9 BIT, 20 MIL COVER BOARD FOR G616
G618	15	LH	5	ROM DIODE BOARD WITH ALL DIODES, 16 WORDS, 32 BITS
G618-YA	15	LH	5	VT25 CHAR GEN ROM FOR ASCII OCTAL WORDS 300 THRU 307
G618-YB	15	LH	5	CHAR GEN ROM FOR 310 THRU 317
G618-YC	15	LH	5	FOR 320 THRU 327
G618-YD	15	LH	5	FOR 330 THRU 337
G618-YE	15	LH	5	FOR 240 THRU 247
G618-YF	15	LH	5	FOR 250 THRU 257
G618-YG	15	LH	5	FOR 260 THRU 267
G618-YH	15	LH	5	FOR 270 THRU 277
G619	3/E	PD	5	4K 12 BIT, 20 MIL CORE MEMORY BOARD WITH DIODES, QUAD, 8.5 DEEP, FOR 8/E
G620			7	(OBS), NEVER BEEN USED, RESISTOR BOARD FOR PDP-9 MEMORY
G621	9		6	(OBS), RESISTOR BOARD FOR 8 MEM, 4 INHIBIT, 1 READ/WRITE & CAP & DIODE
G622	15		5	RESISTOR BOARD FOR MC708, FIRST PDP-9 MEMORIES
G623	CSS		5 7/73	FOR 683, LINE PATCHING MODULE, LUGS FOR CONNECTING A OR B TO ANY OTHER PIN
G624	9		5	RESISTOR BOARD FOR B/I MEMORY, SIMILAR TO G621
G625	10		6	(OBS), REEL SERVO RESISTOR CARD, TU79
G626	10		5	RESISTOR BOARD, PDP-10, 2-1/2 D
G627	CSS		5	PROGRAM BOARD, 4 WORDS, 12 BITS, DIODES CUT OUT FOR ZEROS
G628	CSS	OV	6 10/74	6 REFERENCES, ADJUSTABLE, 0 TO -3V OFF DIODE STRING, VICTOREEN A/D OUTPUT, NH01-A
G629	10		6	(OBS), FILTER, R'S, C'S, FRONT END CAPSTAN SERVO, TU79, SERVO COMPENSATOR
G630	15	OV	6 10/74	RESISTOR BOARD FOR MC71
G631	10		6	(OBS), TACHOMETER ADJUST, TU79
G632	10		6	(OBS), SERVO REFERENCE VOLTAGE
G633	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G634	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G635	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G636	11	PD	7 2/70	INHIBIT AMPLITUDE CONTROL, MM11-A
G637	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G638	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G639	10		6 11/69	(OBS), OPTICAL TACHOMETER CABLE CARD, TU79, USES G625 BOARD
G640	11	CA	1 1/69	RESISTOR MODULE, 4 RES, YA, YB ETC, SPACE FOR 4 12 WATT RES, FOR TELEGRAPH SERIES RES
G641	15	ELIA	5	+3V SOURCE FOR 19 PINS, TO REPLACE EAE, DOUBLE HEIGHT
G642	X4L	PD	5	BREAD BOARD, 256 WIRES, 64 CORES, 1 DIODE PER WIRE (MR11), PLUGS INTO G106
G643	8	MC	5 5/73	BREAD BOARD, 128 WIRES, 24 CORES, 1 DIODE PER WIRE (MR8-E), PLUGS INTO M880
G644	12	STP	5	G627 ETCH, DIODES REVERSED
G645	X4L	PD	5 9/72	8K X 19 BIT STACK BOARD, QUAD X 8.5, FOR 11/05, 11/25, 11/45, 10

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G646	XNL	PD	5 5/73	8K X 12 BIT STACK BOARD, QUAD X 8.5, FOR 8/E
G647	XNL	DWS	4 2/74	16KX20 BIT STACK BOARD, PDP11, POP10, HEX 8.5
G648	XNL	DWS	8 11/74	8K 12-BIT STACK BOARD (G646 W DISCREET DIODES)
G649	8	NC	2 1/75	8K 12-BIT BASE BOARD WITH LOGIC, HEX, USED WITH H219-A
G650	8	NC	1 1/74	16K 12-BIT BASE BOARD WITH LOGIC, HEX, USED WITH H219-B
G651	XNL	PD	1 3/74	4-KK 16-18 BIT MOTHER BOARD, MATES WITH H221
G652	XNL	DWS	1 9/74	16K 16-18 BIT MOTHER BOARD WITH LOGIC, HEX, MATES WITH H222-A
G653	11	PD	1 2/75	MMY11-A, 4K 16-BIT MOTHER BOARD W LOGIC, MATES W H223
G680			5 5/73	DISK HEAD MOUNT & MATRIX (4 TRACK HEAD)
G681	PERIPH		5	DISK HEAD MOUNT & MATRIX, 8 TRACK HEAD

## CABLE TERMINATORS

G700	10	DREW	5	CABLE TERMINATOR, W028 BOARD
G700-YA	12	GPB	5	G700 MODIFIED BY REMOVING R9, USED IN DP12-A,-B, TO INHIBIT INPUT WHEN DP12 IS NOT IN USE
G7000	10	DREW	5 5/73	I/O BUS TERMINATOR 1 DOUBLE 5
G7001	10	DREW	5 5/73	I/O BUS TERMINATOR 2 DOUBLE 5
G7002	10	DREW	5 5/73	I/O BUS TERMINATOR 3 DOUBLE 5
G7003	10	DREW	5 5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7004	10	DREW	5 5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7005	10	DREW	5 5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7006	10	DREW	5 5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7007	TE	RDH	1 5/74	VT20 MODULE TESTER ADAPTER, HEX FINGERS TO 5410902
G7008	TE	RDH	1 5/74	VT20 MODULE TESTER ADAPTER, HEX FINGERS TO 5410902
G701	8	RR	6 10/74	CABLE TERMINATOR, R001 BOARD, 3 DIODES TO STOP OVERSHOOT ON PINS, FOR 8/S BUS
G7010-YA FS	FS	EB	3 9/74	P008 NEG LOGIC CLOCK ADAPTER, PMK02, W023 W MATE-N-LOCK CONNECTOR
G7010-YB FS	FS	EB	3 9/74	8/S, 8/M, 11 TTY CURRENT LOOP ADAPTER, PMK02, W023 W MATE-N-LOCK CONNECTOR
G7010-YC FS	FS	EB	3 9/74	8/L, 8/L, 12 CLOCK SLOT ADAPTER, PMK02, W023 W MATE-N-LOCK CONNECTOR
G7010-YD FS	FS	EB	3 9/74	INTERFACE CABLE END, PMK2
G7011	FS	EB	4 9/74	RP02/03 TESTER TERMINATOR, SINGLE 5, 15 390-390 OHM DIVIDERS +10 TO GND
G702	PERIPH		6 10/74	DISK SIMULATOR, SINGLE SIZE, DIODES, LIGHTS, SWITCH, RESISTOR, DF32
G703	10	KE	5	10K OHM TERMINATOR, G700 PATTERN, DOUBLE BOARD WITH CUT OUT TO FIT OVER H003 OR H004
G704	10	KE	5	2 MA LEVEL TERMINATOR, G796 BOARD & COMPONENTS
G705	10	DG	5	DEL TAPE JUMPER MODULE
G706	10	DG	5	DEL TAPE ATTENUATOR
G707	15		6	(OBS), 7 TERMINATORS FOR W691 DRIVER LINES, FOR DX36
G708	IPG	RG	6	(OBS), GENERATES +10 & +3V FROM +15 WITH DIODES, ALSO OTHER VOLTAGES, REPL BY 5404220 IN AD00
G709	PERIPH	RP	6 10/74	CABLE TERMINATOR, 9 .001 UF TO GND, W028 BOARD
G710	PERIPH	GS	6	(OBS), DISK SIMULATOR, LIGHT BOARD, BIG DISK
G711	PERIPH	GS	5	TERMINATOR FOR RS00, 100 OHMS
G712	SSU		3	GP LINE FILTER, WITH OVERVOLTAGE & CURRENT PROTECTION, UK
G713	CSS		6 10/74	CLAMPS 0 & +7, 15 CKTS, FOR ELECTROLOGICA EX-8 COMPUTER
G714	IPG	RG	6 10/74	DOUBLE AD08-B TESTER FOR MULTIPLEXER, 17 1K RESISTORS, 16 TAPS, -10V ACROSS STRING
G715	10	SU	5	TERMINATOR, EQUIV 100 OHMS TO +4, USES +10 & GND, G700 CONNECTIONS
G716	12	RD	5	RESISTOR BOARD, R002 LAYOUT, USED IN AX00
G717	8	JO	5	5 100 OHMS TO GND, PINS K2, M2, P2, S2, T2, SAME GNDS AS W022
G718	12	CL	5	TIMING JUMPER FOR PDP12, WHEN PLUGGED IN UPSIDE DOWN, EACH DELAY LINE TAP IS SHIFTED
G719	PERIPH	GS	5	RF08 TERMINATOR BOARD-A, (9 470 OHMS TO +10, 6 1K TO +10)
G720	PERIPH	GS	5	RF08 TERMINATOR BOARD-B, (15 470 OHMS TO +10), G719 ETCH
G721	15		1 1/69	TERMINATOR BOARD FOR PDP15 MEM EX, (24 2.7K TO +5, .01 UF TO GND)
G722	15		1 1/69	TERMINATOR BOARD FOR PDP15 MEM EX, (24 2.7K TO +5)
G723	PERIPH	GS	5	9 CLAMPED LOADS FOR RS09, W021 CONNECTIONS, 15 MA CLAMPED LOADS, 30 MA ON V
G724	8		5	JUMPER MODULE FOR DC08A CHECKOUT, ADJACENT PINS JUMPED EXCEPT A1-B1, A2-B2
G725	CSS		3 1/75	JUMPER BOARD
G726	10	SU	5 5/73	ME10 BUS CONTROL, A JUMPER BOARD

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
G726-YA	10	SU	5	9/73	NO CAPACITOR ON REQUEST LINE (MF10)
G727	11	PJ	5		SHORTS K2-L2, M2-N2, P2-R2, S2-T2, USED IN DD11 WHEN NO PERIPH CONTROL IS PRESENT
G727-JA	11/45	REL	1	7/72	SYSTEM-TESTED G727
G7270	11/45	REL	5		LONGER G727
G7271	11	MODR	4	7/73	SHORT DOUBLE JUMPER CARD, MF11-L
G728	15	JE	5	5/73	BB15 JUMPER CARD (24 JUMPERS)
G728-YA	10	CHIN	1	1/75	MODIFIED G728 FOR MG10
G729	IPG	HORO	5	5/73	JUMPER CARD, 16 IN & 2 OUT (2 OCTAL DIGITS) FOR AM07
G730	IPG	HORO	5	5/73	JUMPER CARD, DPDT, TO REPLACE AMPLIFIER IN AM07
G731			1	1/70	PUSH BUTTON RESISTOR BOARD FOR CNC CONTROL PANEL
G732	8	ADL	2	2/70	KV JUMPER CARD
G733	12	BN	1	4/70	2 10W 1.5 OHM RESISTORS (VR12)
G734	8	MA	5		PART OF G793 FOR BM08
G735	11		5		VOLTAGE DIVIDER TEST CARD FOR AD01
G736	11	PJS	5		JUMPER MODULE, 1 IC SOCKET, 16 PINS, SINGLE 5
G7360	11	SS	4	2/74	G736 W 2 SOCKETS, SINGLE 8.5
G7361	LOGIC	RF	5	2/74	SELECTS BUS REQUEST PRIORITY LEVELS FOR UP TO 4 DEVICES ON UNIBUS; USES 54-10342 PLUG
G737	10	SU	5		9 DIVIDERS, 150 OHMS TO +3V, W028 CONNECTIONS
G738	PERIPH	PM	5		TERMINATOR, 9 82 OHMS TO GND, 15 UNIBUS LOADS, RS64
G739	PERIPH	PM	5		TERMINATOR, 9 82 OHMS TO +5V, 15 UNIBUS LOADS, RC11
G740	11		5		DISK SELECTION CARD, 8 IN & 10 OUT WITH LOADS & JUMPERS
G741	11		5		18 5 MA NEG CLAMP LOADS FOR TU10-E, -F
G741-YA	PERIPH	JH	5	4/72	16 5 MA NEG CLAMP LOADS, 2 20 MA LOADS, G741 ETCH, TU10
G742	PERIPH		5		JUMPER CARD, PINS OF NON-INVERTING M500 & M531, TU56 WITH POS LOGIC CONTROLS
G743	IPG	RB	1	12/70	OFFSET COMPONENTS & POT FOR A200
G744	15	LH	5		JUMPER CARD FOR VT15
G745	15	LH	5	11/71	TERMINATOR CARD FOR VT15
G746	10	ATT	5	3/72	G740 WITH 220 OHM RESISTORS FOR TM10 BUS
G747	10	ATT	5	2/72	G740 WITH 220 OHM TO GND & 390 OHM TO -15V FOR TM10 BUS
G748	IPG	HORO	2	10/71	RELAY EVALUATION MODULE USED WITH A150, 16 5K RES ON PADDLE 0D
G749	CSS	AHDAB	2	3/72	LOAD CLAMP, 16 CKTS, TAP JUNCTION OF DIODE TO GND & RES TO -15V

## CABLE CONNECTOR MODULES

G750	QC	EG	3	2/74	CPU INTERFACE, XOR TESTER, SINGLE 8.5, 4 3M CABLES
G7501	CSS	LO	3	11/73	SINGLE 5", 35 SIGS TO H854, B005
G7502	QC	PWK	2	4/74	ECL TO TTL & 3M CABLE, 16 CH, G7503 USED ON OTHER CABLE END, SINGLE 8.5 (TRANSMITTER)
G7503	QC	PWK	2	4/74	3M CABLE & TTL TO ECL, 16 CH, SINGLE 8.5, G7502 USED ON OTHER CABLE END (RECEIVER)
G7503-YA	TE	PWK	1	4/74	G7503 WITHOUT TERMINATORS
G7504	QC	EWB	1	11/73	G7502 W FINGERS ON HANDLE END INSTEAD OF 3M CABLE
G7505	QC	EWB	4	10/74	FINGERS BOTH ENDS, AA1 TO HV1, ETC, USED W G7504 & H051, SINGLE 8.5, 4 LAYER
G7506	QC	IB	2	9/74	DIAGNOSTIC RECEIVER/TRI STATE DRIVER (DR3SD), RP04 XOR TESTER, SINGLE 8.5
G7507	QC	EWB	2	12/74	4 LAYER HEX EXTENDER TO 5 SLOTS
G7508	QC	PJD	2	4/74	KL10 16CH TTL XOR DRIVER, SINGLE 8.5
G7509	QC	PJD	2	4/74	KL10 8CH TTL XOR RECEIVER, DUAL 8.5
G7509-YA	QC	PJD	2	4/74	G7509 W NO RECEIVER, MATES WITH G7509 W H051
G751	QC	EG	3	2/74	SIDE 1 TEST HEAD INTERFACE DRIVER (XOR TESTER), 1 3M CABLE, SINGLE 8.5
G752	QC	EG	3	2/74	SIDE 2 TEST HEAD INTERFACE DRIVER (XOR TESTER), 1 3M CABLE, SINGLE 8.5
G7520	QC	IB	1	11/73	G752 W TERMINATOR RESISTORS
G753	CPL	BALL	5	9/72	INITIALIZE BOARD, DS300 SERIES, DOUBLE 8.5
G754	CPL	BALL	2	10/72	INITIALIZE BOARD, DS500 SERIES, DOUBLE 5
G766	10	DREW	5	5/73	G736 W 3M CABLE, 14 SIG, 2 GND
G767	IPG	RG	5		POWER INPUT FOR AA11, +/-15V, REMOTE SENSE
G768	8	EW	2	5/70	INTENSITY INVERTER FOR CONNECTING GRID INTENSIFIED SCOPES TO VCB/I
G769	8	PS	5	5/73	KV0/I TO VT02, G778 ETCH

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
G770	8	PS	5	5/73	VT02 TO VT02 CONNECTOR, G778 ETCH
G771	12		5	5/73	AC COUPLING CARD FOR DC04-A
G772	11	CRB	5		PDP11 POWER CONNECTOR
G773	8	WH	5	5/73	2 TABS FOR -30, OTHERWISE W990, TYPESETTING
G774	1PG	EK	2	4/69	CONTACT INPUT CONNECTOR BOARD, 18 RES TO -15, -15 & GND IN ON HANDLE, FOR DS01
G775	15	DV	5		36 WIRES TO INDICATOR Q'S, +6.5V FROM LAMPS, RF09
G775-YA	DAS	RCR	1	3/73	DA28-C INDICATOR PANEL CONNECTOR CARD #1
G775-YB	DAS	RCR	1	3/73	DA28-C INDICATOR PANEL CONNECTOR CARD #2
G776	8	LN	1	3/69	DC08-C POWER CONNECTOR (C&D GND, OTHERS BUSSED)
G777	14	JM	5		PDP14 CONNECTOR, MYLAR OR RIBBON, (WILL HAVE LUGS), SIDE ENTRY, C & 19TH WIRE CONN USED WITH G782
G778	DIS	PS	5	2/74	CABLE CONNECTOR FOR KV8/1, SEE G769
G780	12	LG	6	10/74	POWER CONNECTOR CARD FOR PDP-12
G781	10		6		(OPS), CABLE CARD FOR TU79, REPLACES DAC
G782	14	JM	5		PDP14 CONNECTOR A +5, B, D FILTERED SIGS (WITH E&H) C GND, OTHER STRAIGHT THRU, USED WITH G777
G783	12	LG	5		9 TWISTED PAIR AND SHIELD, 1 PR GROUND RETURN
G784	8	DA	5	10/74	CABLE INTERFACE FOR TR02, DOUBLE HEIGHT
G785	8	WH	5		POWER CONNECTOR, 8/L, POWER OK
G786	CSS		3		BELL 300 SERIES TERMINATOR, 5 TRANSMITTERS, + 2 MORE WIRES
G787	SSU		1	3/68	GPX MODEM CONNECTOR (ENGLAND), SPLIT LUGS, ZENER CLAMPS & FUSES
G788	PERIPH	GS	1	1/68	CONNECTOR W023 AND MORE GND CONNECTIONS, BIG DISC, BACK SIDE CONTACTS TO USE H002
G789	PERIPH	GS	5	5/73	CONNECTS W012 WITH DIFFERENT R'S, CONNECTOR TO G790
G790	PERIPH	GS	6	10/74	DISK SIMULATOR, FLEXPRINT TO G789
G791	10	SU	6	10/74	DEU TAPE CONNECTOR
G792	8	MA	5		PDP-8/I POWER CONNECTOR, DOUBLE, DOUBLE SIDED
G793	8	MA	5		PDP-8/I SWITCH CONNECTOR, 8/I TO CONSOLE
G794	10		6		(OPS), 25 OHM CABLE CONNECTOR
G795	15	DV	5		CLAMPED LEVEL CABLE CONNECTOR, W021 PINS, DIODES TO -.7 & -3V, PDP-9, EXTENDED MEMORY
G796	10		5		CLAMPED LEVEL CABLE CONNECTOR, W034 WITH CLAMPS & GND & -3V WITH 2 MA CLAMPED LOADS, G704 ETCH
G797	8	WH	6	10/74	47 OHM SHUNT, OTHERWISE W031
G798	8	WH	5	5/73	47 OHM SERIES, OTHERWISE W031
G799	10		5		PDP-10 CABLE CONNECTOR, W021 CONNECTIONS, 3 FLEX PRINTS IN PARALLEL TO ACHIEVE 30 OHM IMP

## POWER SUPPLY MODULES

G800	10		5	2/74	CONTROL FOR 739 POWER SUPPLY
G8000	11	RL	5		+8.5V RECTIFIER
G8001	PERIPH	PH	5		LOW VOLTAGE DETECTOR, -2V
G8002	PERIPH	SERG	5	4/72	LOW VOLTAGE DETECTOR, RS64
G8003	11	GS	5	8/72	FULL WAVE RECTIFIER UP TO 600V 1 AMP
G8003-YA	TPL	JG	3	1/74	G8003 W NO DIODES
G8004	PERIPH	CAY	5	11/72	+5V DETECTOR FOR LA30, SINGLE 5
G8005	TE	ET	1	10/74	POWER SUPPLY LOAD, WATER COOLED, QUAD
G801	15		7	3/66	(NEVER BUILT) SERIES REGULATOR, PDP-9 MEMORY
G8010	PS	DREW	5	9/74	-5.2V CONTROL, KL10, SINGLE 5
G8011	PS	DREW	5	9/74	-2V CONTROL, KL10, SINGLE 5, G8010 ETCH
G8012	PS	DREW	2	10/73	+5V CONTROL, KL10, SINGLE 5, G8010 ETCH
G8013	PS	DREW	5	9/74	+1V REFERENCE, KL10, SINGLE 5
G8014	PS	DREW	5	9/74	-5.2V DETECTOR; 16 INPUTS; ALL MUST BE MORE THAN 4.8V, SINGLE 6
G8015	PS	DREW	2	7/74	POWER CONTROL LOGIC, KL10, DOUBLE 6, USED IN 863
G8016	8/A	ADL	4	9/74	REGULATOR FOR H763, QUAD
G8017	PS	DREW	2	10/74	86% INDICATOR DRIVER, SINGLE 6
G8018	8/A	ADL	2	2/75	POWER SUPPLY REGULATOR FOR 8A400, 8A500
G802	8	WH	2	2/75	REGULATOR TRANSISTORS FOR PDP-8 EXTENDED MEMORY, DOUBLE HEIGHT, DOUBLE THICK
G803	TPL	RR	6		(OPS), RECTIFYING SLICER, 8/S, RENAMED W533
G804	8	WH	5		CONTROL FOR G805, PS PRE-REG PLUS +10 & -15V DETECTOR, (G809)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G805	8	WH	5	REGULATOR FOR NEG 8 MEMORY
G806	8	WH	6	(O'S), LIKE G804 BUT TURNS OFF REGULATOR INSTEAD OF DRIVING EXT RELAY, (DRIVES G805)
G807	12	SU	7	(O'S), OPTION POWER SUPPLY FOR VR12, +5V 220 MA, -5V 20 MA, DOUBLE THICK
G808	8	WH	5	POWER SUPPLY CONTROL FOR 700 PS, SAME AS G800
G809	8	WH	5	-15V SENSE & RELAY DRIVER, PDP-8 PS
G810	10		5	6V REGULATOR CONTROL, DRIVES A G805
G811	10	NW	5	+1.8V REG CONTROL, DRIVES G805, PDP-10, USED ON G812 & 703 POWER SUPPLY
G812	10	NW	5	-3V REG CONT, DRIVES G805, PDP-10, G811 BOARD, 703 POWER SUPPLY
G813	8	MA	5	REGULATOR CONTROL FOR 704, DOUBLE MODULE SHAPE, DOESN'T PLUG IN
G814	15	DL	6	(O'S), +3V SUPPLY, 1-1/2 AMPS, DOUBLE HEIGHT & WIDTH, FOR 0X36
G815	10	NW	5	SERIES REGULATOR, 7 AMPS, 35 WATTS, FOR 703 SUPPLY, DOUBLE HEIGHT & WIDTH
G816	10		5	MODIFIED G806 FOR DRIVING 70V POWER SUP REGULATOR OUTPUTS
G817	12	SU	6 10/74	CARD 1 FOR 713
G818	12	SU	6 10/74	CARD 2 FOR 713
G819	12	LH	3 5/73	HV SUPPLY OF VR12
G820	12	RI	6 10/74	+5V 300 MA SUPPLY (FROM +10V) FOR LINC-8 CLIN CHEM
G821	15	DO	5	+5V REG CONT AND OUTPUT CARD FOR PDP15, (SEE G829)
G822	15	DO	5	-6V REGULATOR (FROM -10V) FOR SENSE AMPS, PDP15
G823	15	DO	5 5/73	-23V MEM REG CONT CARD, DRIVES G825, PDP15
G824	12	LG	5	+5V REG CONTROL, PDP-12
G825	15	DO	5 2/74	-23V PASS ELEMENT, FROM G823
G826	8	MA	5	REG CONTR FOR 8/I, DRIVES G805 & DETECTS PRESENCE OF OTHER VOLTAGES, DOUBLE HEIGHT
G827	15		5	LOW VOLT DETECTOR, PDP-15, + K303 RC'S, DETECTS +9V, USES +5V
G828	10	SU	5 5/73	REGULATOR CONTROL, ME10, USES G805
G829	15	ELIA	5	5V CONNECTOR CARD FOR 15 PERIPHERALS WITH OVERVOLTAGE SCR & FUSE, CAN REPLACE G821
G830	10	DREW	5 5/73	5V, 10 AMP REGULATOR FROM 8V, K110
G831	10	DREW	5 2/72	-15V REF, +5V OUT, 0 TO +10V 6 BIT DAC, MARGINAL CHECK CONTROL, K110
G832	14	AR	5	-14V, 1 AMP REGULATOR, 12.6 VAC IN
G833	IPG	RG	2 11/69	-6V, 6 AMP REGULATOR FOR AG02, VECTOR BOARD, ONLY 5 TO BE MADE
G834	12	GPB	5	5V 3 AMP REGULATOR, STUD OR SOCKET MOUNTED, FOR H309
G835	8	LN	5 5/73	30V, 5A SUPPLY (NO XFMR), FOR PR8-ES
G836	12	LH	5 12/71	+ 0 -20V REGULATOR FOR VR14, QUAD
G836a	GRAPH	HL	1 11/74	G836 REPACKAGED
G837	11	RL	1 10/70	DC/DC CONVERTER, GENERATES +15V @ 0.3A FROM -15V, SINGLE X SHORT
G838	12	LH	5	FAULT PROTECTION FOR VR14, PROVIDES +5V FOR INTENSITY BOARD W602, IN VR14
G839	12	LH	5 11/71	COLOR GAIN COMPENSATOR, INCLUDES +5V FOR INTENSITY BOARD W602 IN VR20

## SPECIAL MODULES

G840	LDP	HL	4 5/73	LIGHT PEN AMP FOR VR14, SINGLE 5
G847	PERIPH	HD	5	DUAL VOLTAGE CONTROL FOR G848, TU56
G848	PERIPH	HD	5	TU26 MOTOR DRIVE
G849	DIS		1 6/67	FEED FORWARD FOR DISPLAY, EQUIV TO 1579
G850	PERIPH	HD	5	SCR MOTOR DRIVE, FOR TU55
G851	PERIPH	HD	5	DEC TAPE RELAY MODULE, DOUBLE SIZE
G852	CSS		6 10/74	DUAL TELEGRAPH LEVEL CONVERTER
G853			5 2/74	DEC TAPE MISC, SINGLE UNIT SELCTION & TIMING TRACK SENSING
G854	10	KE	5	TELEGRAPH LINE CIRCUIT, SINGLE, DOUBLE THICK
G855	8	WH	5 5/73	DUAL TELEGRAPH LEVEL CONV, REPLACES G852 IN MODIFIED SYSTEM
G856	8	AC	5	G825 WITH + LOGIC INPUT LEVELS, DC08, 50-00V, DOUBLE THICK
G857	11	LK	6 10/74	EIC LEVEL CONVERTER, PIN COMP WITH W076, +10 & -15V, PART OF BC01C
G857-YA	SSMU	WE	3 2/72	
G858	15	FA	5	TELETYPE CONNECTOR, PDP-15, 8 PIN AMP CONNECTOR
G859	PERIPH	HD	5	CLOCK & REGULATOR FOR TU56
G860	8	LN	6 10/74	TELEGRAPH LEVEL CONV, G856 WITH CONTACT SUP FOR 135VDC, DC08-C

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G8600	8/E	LN	1 3/71	TELEGRAPH LEVEL CONV, G860 MOD, MORE POS BIAS ON RECEIVE RELAYS
G861	8	LN	5 5/73	SOLID STATE XMTR, 2 CKTS, EACH SPDT FROM +80 TO -80V, 400 MA MAX, DC88-CS, DOUBLE
G862	8	LN	5	SOLID STATE RCVR, 2 CKTS, 8.5 TO 75 MA THRESHOLD ADJ, HIGH COM MODE REJ
G863	8		5 7/73	G876 WITH DIFFERENT CONTACT PROTECTION FOR GPO, IN DC88-L
G870	MTST		6	(OBS), EMITTER FOLLOWER (ANALOG) TO CONNECTOR X18 AMP TO SLICER
G879	15		5	TRANSPORT DETECTOR, TC08/9/15
G8790	8	LN	5	TRANSPORT DETECTOR & POWER UP CLAMP, TC08
G880	15		7	(NEVER RELEASED), SLICING RECTIFIER
G881	15		7	(NEVER RELEASED), PEAK DETECTOR
G882	8		5	MANCHESTER READER-WRITER
G883	10		6	(OBS), PEAK DETECTOR (DRUM)
G885	10		6	(OBS), 3 USEC DELAY LINE, FOR TU79
G886	CSS		6	(OBS), WRITE ERROR DETECTOR
G887	PERIPH		5	5 USEC TAPPED DELAY, EVERY 1/2 US, 1K IMP, FOR 545 FOR READ DESKEW
G888	15	RD	5 10/69	MANCHESTER READER/WRITER
G889	FS	EB	1 10/71	CASSETTE READER/WRITER (USED IN PMK02) SINGLE X 5
G890	COMM	IR	5 5/73	POWER FAIL & SELECT BYPASS, IBM 360, DX11-B, SINGLE X 5

## MISCELLANEOUS

G900	PERIPH		5	TAPE PHOTOCCELL AMPLIFIER
G901	PERIPH		6 10/74	PAPER TAPE MOTOR DRIVE
G902	PERIPH		7	(NEVER BUILT), PAPER TAPE PHOTOCCELL AMPLIFIER
G903	PERIPH		6 10/74	CLOCK ACCELERATOR FOR PAPER TAPE READER
G904	8	WH	5	PAPER TAPE PHOTOCCELL AMP, USES SDA, 9 CHANNEL, DOUBLE BOARD
G905			6	(OBS), DISPLAY OUTPUT AMPLIFIER
G906	12	CL	5	LINC-8 CAP & POWER UP
G907	8	HA	7	(OBS), MISC FOR PDP-8/1, RENAMED L700, RENAMED M700
G908	8	HA	5	+ OUTPUT VERSION OF G904, LAMP FOR -15V INSTEAD OF +10, USES HOFFMAN PHOTOCCELL
G909	10		6	(OBS), PHOTOCCELL AMP FOR TU79
G910	10		6	(OBS), SERVO INTERRUPTER, FOR TU79
G911	10		6	(OBS), REWIND GENERATOR, TU79
G912	12		6 10/74	DEFLECTION AMP, -12 AMPS INTO 30 UH PUSH-PULL YOKE, 15 US FULL DEFL TIME, VR12
G913	15	OV	5	CLOCK CONTROL, (G903 + 1/2 R302 + 1/3 R603)
G914		BU		INTENSITY CONTROL
G915	8	MI	5	POWER ENABLE, MOTOR START, PP67-C,D
G916	12	RI	5	POWER DETECTOR & SWITCH FILTER, PDP-12
G917	12		6 10/74	GAIN & SET CONTROL FOR VR12
G918	PERIPH	MDL	5	PHOTOCCELL AMP FOR PT04,5, REPLACEMENT FOR G908, FOR PHOTOTRANSISTORS
G918-YA	TYP	SG	7 1/74	REPLACED BY G918
G919	LDP	HL	5 5/73	LIGHT PEN OUTPUT AMPLIFIER
G920	15		5 3/74	CONTROL MEMORY QUAD MODULE, FOR PDP9
G921	8	WH	5	PDP-8/L CONSOLE, (PLUGS IN)
G922	14	AR	5	BRAID BOARD, MTI ROM
G923	14	AR	5	SENSE BOARD, MTI ROM
G923-YA	14	LF	5 4/74	SENSE BOARD, MTI ONLY ROM
G9230	14	LF	3 1/73	SENSE BOARD, DATA-PAC, MR14-E, QUAD 6 DOUBLE THICK, 20-G9230
G924	14	AR	5	SELECTION BOARD, MTI ROM
G9240	14	LF	3 1/73	SELECTION BOARD, DATA-PAC, MR14-D, QUAD 6, 20-G9240
G925	14	AR	3 5/73	KEEPER BOARD FOR MTI ROM
G926	8	PS	1 1/69	KEYBOARD FOR VT02, QUAD
G927	8	PS	1 1/69	ENCODING LOGIC FOR VT02 KEYBOARD, QUAD
G930	8	RFC	5	NON-TORE TAPE ALLOTMENT FOR PR68-C,D
G9300	TYP	RFC	5 4/72	NON-TORE TAPE ALLOTMENT FOR PR68-E
G931	PERIPH	RP	1 11/69	RO/EOY SENSOR FOR TU10, (USES FAIRCHILD BOT/EOT ASSEMBLY)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G932	PERIPH	MDM	5	CAPSTAN SERVO PREAMP (DRIVES H603)
G933	PERIPH	MDM	5	REEL MOTOR AMP FOR TU10, +/-12V, +/-6A
G934	PERIPH	MDM	6 4/71	BRKE ACTUATOR FOR TU10, 6V, INITIALLY 0.8A, FINALLY 0.1A
G9340	PERIPH	JH	5	REPLACEMENT FOR LOGIC PORTION OF G934, SINGLE
G9340-YA	PERIPH	EM	3 10/74	BRKE ACTUATOR LOGIC FOR TU10 W TU16 CASTING
G9341	PERIPH	JH	5	REPLACEMENT FOR OUTPUT PORTION OF G934, HIGHER CURRENT, DOUBLE
G935	12	STP	5 5/73	TT137 TO 35 OR 33 CONVERTER
G936	PERIPH	CAY	5 5/73	CLUCK WITH ACCELERATOR FOR LA30
G937	14	AR	1 10/70	14" L MEMORY TEST CARD
G938	PERIPH	DJ	5 5/73	DECKPACK HEAD POSITION SERVO, DOUBLE X 8.5
G9380	PERIPH	JR	1 1/74	TRACK POSITION DETECTOR, RP04-M, DOUBLE 8.5
G9381	PERIPH	JR	1 1/74	VELOCITY FUNCTION GENERATOR, RP04-M, DOUBLE 8.5
G9382	PERIPH	JR	1 1/74	SERVO CONTROL BOARD, RP04-M, DOUBLE 8.5
G939	OC	CARTER	1 1/71	UNIVERSAL TESTER LOAD BOARD
G940	OC	CARTER	1 2/71	B15 LOAD #1, UNIV TESTER
G941	OC	CARTER	1 2/71	B15 ENABLE B15, UNIV TESTER
G942	PROC	US	1 2/71	TESTER FOR M835, M836 (WIRE WRAP ON W931), QUAD X 8.5
G943	PERIPH	CAY	4 5/73	LA20 EXERCISER, 7-BIT CNTR, SINGLE X 5
G944	PERIPH	GHP	3 3/74	LA20 EXERCISER, NORMAL G943 OR 4 + 1 (SKIPS LINE FEED 4X)
G950	MOD		6 10/74	FAST GATE FOR NEW BURST GENERATOR, REPLACES B104
G951	MOD		3	MODULE TEST PULSER, FOR BURST GEN, WIDTH ADJUSTABLE, AMPL PROGRAMMABLE
G952	8	WH	5 5/73	PIN SELECTOR, SELECTS 1 OF 2 BUSES, DOUBLE, 36 PIN RIBBON CABLE OUT
G953	8	WH	6 10/74	PDP8 DIGITAL MX, 8/I IN/OUT BUS, 6 POLE FORM A TRANSISTORS
G970	MTST	WW	6	(OPS), REF SUPPLY, OP AMP, FOR 2720 CURRENT CALIB
G971		BU	6 10/74	POWER ISOLATION BOARD, BALUNS & CAPS FOR 2 VOLTAGES
G972	10	SU	2 12/68	PDP-10 MEMORY TEST BOARD, CURRENT MONITOR AND LOADING, 8" X DOUBLE HT
G973	10	EB	3 10/74	INDICATOR BOARD FOR RP02-AS, -BS, 5 X 13.5
G9730	FS	GOH	1 6/73	56 PIN CONNECTOR CARD FOR RP02-AS, -BS, RP03-AS, -BS, 5"X6"
G980	10		6 10/74	DEC TO DISK FILE PA. (DATA PRODUCTS)
G981	10		6 10/74	JOES AUDIO OSCILLATOR
G982	10		6 10/74	JOES AUDIO AMPLIFIER
G983	10	WW	5 5/73	HEX HEAT TEST BOARD
G984	10	RMEL	1 1/75	KL 0 LOAD BOARD, -5.2V 13A, -2V 8A, 4-LAYER HEX (84 WATTS)
G998			3	CURRENT MEASURING EXTENDER, 1-1/2 LENGTH WITH BUS LOOPS
G999				(RESERVED FOR DOUBLE-SIZED G998)

HARDWARE

H001	CAT		5	3/4" BRACKET TO STAND 1907 COVER PLATE IN FRONT OF F.C. MOUNTING PANELS 1943, H900, ETC. PUTS PLATE FLUSH WITH RAILS OF DEC AND EMCOR CABINETS
H002	CAT		5	BRACKET TO SET FC MNTG PANELS BACK ABOUT 2-1/2" TO 3" SO CONTROLS, SWITCHES, ETC. ON A COVER PLATE WILL HAVE 2" SPACE, COMPATIBLE WITH DEC COMPUTER CABINETS & ALL TYPES OF RACKS
H003		KE	5 4/73	NYLON BLOCK FOR MOUNTING H350, H351, OR H352 CONNECTORS, 2/H800'S
H004		KE	5 4/73	NYLON BLOCK FOR MOUNTING H350-2 CONNECTORS, 4/2-H800'S
H005	CAT	SZ	1 8/72	GRAY FLIP-CHIP HANDLE W EYELETS
H006	IPC	MORO	5	19" MOUNTING PANEL FOR 5 H706'S, USED IN A405
H007	CAT	BP	3 10/72	CONNECTOR RETAINING BLOCK KIT (REPLACES H003, H004) 12-09850
H008	14	AR	5 2/75	1 PAIR MOUNTING RAILS (74-10925) FOR H912 PANELS IN NEMA ENCLOSURES, 3' LONG
H009	14	KDG	3 2/75	1 PAIR MOUNTING RAILS FOR H912 OR 8C40H TERMINALS, 2' LONG
H010	MOD		5	(CHANGED TO H020)
H011	MOD		5	7475575-2 BRACKETS FOR H013
H012	MOD		6 10/74	12-5310-2 NYLON FASTENER (PAIR) FOR H011
H013	MOD		5	7475331 PANEL COVER SNAP ON FOR PDP9 OR 10
H014	MOD	SZ	1 5/71	5.25 X 19" PANEL WITH HOLES TO MOUNT H726-B
H015-AA	TPL	SG	1 9/74	FILE BRACKET SET



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H019	CAT	SZ	5	CASTING FOR 10 H003 BLOCKS IN 8/E BOX, INCL 4 STOFFS, TERM STRIP, & PWR HARNESS, USED ON H9190
H020	CAT			19; CASTING FOR 1943 ETC. (WITH SHORT & LONG END)
H021	CAT			STRAIGHT END PLATE FOR SHORT END OF H020 WITH 4 SCREWS
H022	CAT			OFFSET END PLATE WITH TERMINAL BLOCK FOR LONG END OF H020 WITH 4 SCREWS
H023	MOD			OFFSET END PLATE WITH HEYMAN TAB TERMINALS, 2 BLACK, 2 RED, 2 ORANGE, 4 SCREWS
H024	CAT	SZ	2 7/71	8.2" H021
H025	CAT	SZ	5 5/72	8.1" H022
H033	CAT	RF	3 10/74	SYSTEM UNIT CASTING (SPACE FOR 3 H003)
H034	CAT	RF	3 10/74	DOUBLE SYSTEM UNIT CASTING (SPACE FOR 6 H003 + 3 H0030), 12-11439
H035	LOGIC	RF	3 10/74	VERTICAL SYSTEM UNIT MOUNTING FRAME, 6 POSITIONS, 74-08379
H080	MOD		6	(OBS), PDP8 RACKS, ETC. FOR MTG. IN CAB-8 OR IN CUSTOMER'S RACK
H081			6	(O S), PDP8 RACKS, ETC. TABLE TOP VERSIONS

## POWER INTERFACES

H100	MOD	DOANE	7	(OBS), BLANK CASE, WITH SLOT MILLED FOR MOUNTING ON H190
H104	MOD	DOANE	6	(OBS), 4 115 VAC-DC ISOLATED LOGIC INPUTS, 2 ALSO USABLE ON 24V AC-DC, IN RELAY PANEL PKG
H1500	IPG	AR	4 2/75	12 VAC INPUT TO 5V LOGIC, 1X1.5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1501	IPG	DCF	2 2/75	120 VAC INPUT TO 5V LOGIC, 1X3.5X3" SOLID STATE CONVERTER
H1501-A	IPG	DCF	2 2/75	8 H1501
H1550	IPG	AR	4 2/75	10-55 VDC ISOLATED INPUT TO 5V LOGIC, 1X1.5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1551	IPG	DCF	2 2/75	10-55 VDC ISOLATED INPUT TO 5V LOGIC, 1X3.1X3" SOLID STATE CONVERTER
H152	MOD	DOANE	6	(OBS), 2 10 WATT @ 120 VAC OR DC ISOLATED SWITCHES IN RELAY PANEL PACKAGE
H1600	IPG	AR	4 2/75	5V TO 120 VAC 2A, 1.1.5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1601	IPG	DCF	2 2/75	5V TO 120 VAC 2A, 1.5X3.5X3" SOLID STATE CONVERTER
H1601-A	IPG	DCF	2 2/75	8 H1601
H161	MOD	DOANE	6	(OBS), 1 300 WATT @ 120 VAC OR DC ISOLATED SWITCH IN RELAY PANEL PACKAGE
H1650	IPG	AR	4 2/75	5V TO DC ISOLATED 55V 2A OUTPUT, 1X1.5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1651	IPG	DCF	1 1/75	5V TO DC ISOLATED 55V 2A OUTPUT, 1X3.5X3" SOLIDSTATE CONVERTER
H190	MOD	DOANE	6	(OBS), MOUNTING RAIL FOR H104, H153, H161, ETC.

## CORE STACKS, BRAIDS

H201	CAT		5 12/66	PDP8-S STACK, 8K PLANES, MOUNTED ON G609, 4K X 13 BITS
H202	11	PD	7 1/69	4K 8 BIT, 30 MIL STACK ON G615
H203		PD	1 1/69	4K 8 BIT, 20 MIL STACK ON G616, PS-3009957
H204		PD	1 1/69	4K 9 BIT, 22 MIL STACK ON G616, PS-3009957
H205		PD	5 9/72	4K 12 BIT, 22 MIL STACK ON G616, PS-3009957
H206		PD	1 1/69	4K 13 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H207	11	PD	5	4K 16 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H207-E	11	PD	5 9/72	H207 CONFORMALLY COATED, 1.5 USEC, PS-3009957
H208	11	PD	1 1/69	4K 17 BIT, 22 MIL STACK ON G617 & G616, PS-3009957
H209		PD	1 1/69	4K 18 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H210	10	SU	5 9/72	4K 19 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H211	8/E	PD	4 9/72	4K 12 BIT ON G646, 3 WIRE 3D, 18 MIL CORES, MM8-EH
H211-A	8/E	VC	2 12/73	4K 12 BIT ON G648, 3 WIRE 3D 18 MIL CORES, DISCREET DIODES, MM8-EH
H212	8/E	PD	5 9/72	8K 12 BIT H211, MM8-EJ, PS-3010654
H212-A	8/E	VC	2 12/73	8K 12 BIT ON G648, 3 WIRE 3D 18 MIL CORES, DISCREET DIODES, MM8-EJ
H213	11	PD	5 9/72	4K 16 BIT STACK ON G645, 3 WIRE 3D, 18 MIL CORES, PS-3010654
H214	11	PD	5 9/72	8K 16 BIT H213, PS 3010654, 900 NSEC, USED IN MM11-L
H214-A	11	RH	2 1/73	850 NSEC H214
H215	11	PD	4 9/72	8K 18 BIT H213, PS-3010654, USED IN MM11-LP, ME15
H216	10	PD	4 9/72	8K 19 BIT H213, PS-3010654, USED IN MF10
H217-A	XML	DWS	2 9/72	16K 20 BIT STACK ON G647, PS H217-0
H217-B	XML	DWS	2 9/72	16K 19 BIT STACK ON G647, PS H217-0

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H217-C	XML	DWS	2	9/72	16K 18 BIT STACK ON G647, PS H217-0
H217-D	XML	DWS	2	9/72	16K 16 BIT STACK ON G647, PS H217-0
H218-A	XML	DWS	1	8/73	32K 20 BIT STACK ON 50-10704
H218-B	XML	DWS	1	8/73	32K 19-BIT STACK ON 50-10704
H218-C	XML	DWS	1	8/73	32K 18-BIT STACK ON 50-10704
H218-D	XML	DWS	1	8/73	32K 16-BIT STACK ON 50-10704
H219-A	8/E	NC	1	12/73	8K 12 BIT, PLUGS INTO G649, MM8-AA
H219-B	8/E	NC	1	12/73	16K 12 BIT, PLUGS INTO G650, MM8-AB
H220	8/E	PD	5	9/72	4K 12 BIT, 22 MIL STACK ON G619, PS 3009834
H221-A	11	PD	1	3/74	8K 18 BIT STACK, PLUGS INTO G651
H221-B	11	PD	1	3/74	8K 16 BIT STACK, PLUGS INTO G651
H221-C	11	PD	1	3/74	4K 18 BIT STACK, PLUGS INTO G651
H221-D	11	PD	1	3/74	4K 16 BIT STACK, PLUGS INTO G651
H222-A	11	DWS	1	9/74	16K 18-BIT STACK, PLUGS INTO G652, USED IN MM11-0P
H222-B	11	DWS	1	9/74	16K 16-BIT STACK, PLUGS INTO G652, USED IN MM11-D
H224-A	XML	DWS	1	2/75	32K (16K SENSE) 20-BIT STACK ON 50-
H224-B	XML	DWS	1	2/75	32K (16K SENSE) 19-BIT STACK ON 50-
H224-C	XML	DWS	1	2/75	32K (16K SENSE) 18-BIT STACK ON 50-
H224-D	XML	DWS	1	2/75	32K (16K SENSE) 16-BIT STACK ON 50-
H223	11	PD	1	2/75	4K 16-BIT STACK & DRIVE ASSEMBLY, PLUGS INTO G653
H230	11	PD	7	7/71	25P X 16 BIT, 3W 3D STACK, 20 MIL, ON G615
H240	11	PD	1	2/70	BRAID ASSY (G106+G642+BRAID+HARDWARE) FOR MR11, 256 WIRES X 64 CORES
H241	8/E	RBR	5	8/73	BRAID ASSY FOR MR8-EA, 128 WIRES X 24 CORES, M880+G643
H242	8/E	RBR	1	6/71	BRAID ASSY FOR MR8-EB, 256 WIRES X 48 CORES, M886+G642

## LITTLE BOXES

H300	IPG	MORO	4	4/69	PUSH BUTTON BOX, 3 BUTTONS & AMPHENOL CONNECTOR
H301	IPG	MORO	6	10/74	H300 & W809 MODULE
H302	IPG	MORO	6	10/74	CONNECTOR PANEL (BETWEEN H303 & AM03)
H303	IPG	MORO	4	10/68	AMP, MOUNTING PANEL & CONNECTORS (AF07)
H304	12	CL	6	2/75	CLINICAL CHEM TERM BOX, (FOR AUTO ANALYZER, TECHNICON)
H305	12	CL	5		8 PKT DISTRIBUTION BOX, CONNECTS TO H304 & AGL2
H306	DIS	ADL	5		JOY STICK FOR KVR/I
H307-A	12	AW	4	2/73	SMA 12/60 RELAY DELAY (CLIN LAB TESTER BOX), 115V
H307-B	12	AW	3	5/70	SMA 4, SMA 7 RELAY BOX, 115V
H307-C	12	AW	3	5/70	SMA 12/30 RELAY BOX, 115V
H307-D	12	AW	5		230V H307-A
H307-E	12	AW	5		230V H307-B
H307-F	12	AW	5		230V H307-C
H308	8	WH	5	5/72	BC01A TO BC01C ADAPTER, (RS232B - RS232C) NULL MODEM
H309-A	12	RAW	5		9.75 X 10.5 I/O ACCESS PANEL, PROVIDES +5V @ 2A, 6 CONN, 3 I/O, 2 DATA BRK, 1 SENSE
H309-B	12	RAW	2	8/70	19 X 5.25 H309-A
H309-C	8/E	LN	5	4/72	H309-B WITH 5 CONN & H710 SUPPLY, 3 I/O, 2 DATA BRK
H310	12	RAW	5		MODULE TEST ASSEMBLY
H311	12	DN	1	5/70	TOOL KIT FOR USE WITH H310
H312-A	COM	JER	5	10/71	NULL MODEM FOR ASYNC OR SYNC COMMUNICATION LINE, USED WITH RS232-C CABLES
H312-B	TYP	JG	1	9/74	NULL MODEM FOR ASYNC OR SYNC COMM LINE, HAS 2 M854, USED WITH BC08R
H313-A	8	JER	5	2/72	DEB TTY TO EIA 232-C INTERFACE
H314	12	RAW	6	10/74	INTEGRATED CIRCUIT SAMPLER, 180 IC'S
H314-A	12	RAW	7	1/71	INTEGRATED CIRCUIT SAMPLER, ADVANCED SELECTION
H314-B	12	RAW	7	1/71	INTEGRATED CIRCUIT SAMPLER, BASIC SELECTION
H315	11	PJ	5	5/73	ASYNCH MODEM TEST CONNECTOR
H316-A	COM	SS	2	9/72	DUAL TELEGRAPH LINE INTERFACE, G861, G862, K731, G8003 IN A BOX, 115V
H316-B	COM	SS	2	9/72	230V H316-A

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
			MO/YR	
H317-A	COM	VB	5 4/74	TTY DISTRIBUTION PANEL, DJ11, 16 LINES
H317-B	COM	VB	5 4/74	EIA DISTRIBUTION PANEL, DJ11, 16 LINES
H317-C	COM	MC	3 2/75	EIA DISTRIBUTION PANEL (CLOCK LEADS), DV11, 16 LINES
H317-D	8	TP	1 2/75	8 CH 20MA DR EIA DISTRIBUTION PANEL (USED WITH 2 M0319)
H317-E	COM	RAC	1 2/75	EIA DISTRIBUTION PANEL FOR 8 LINES, DATA & MODEM CONTROL
H318	EDU	AM	1 8/72	LOGIC DESIGN & COMPUTER INTERFACING KIT
H319	TPL	JW	5 4/74	20 MA CURRENT LOOP RECEIVER (OPTICAL ISOLATER RECEIVER, PASS-THROUGH TRANSMITTER)
H320-A	TPL	JG	3 7/74	8 CH TELEGRAPH RECEIVER, 115V
H320-B	TPL	JG	3 7/74	8 CH TELEGRAPH RECEIVER, 230V
H321	LDP	RI	3 10/74	INSTRUMENTATION CONTROL BOX, 3 LIGHTS & 3 SWITCHES, 5 DRIVEN FROM ONE DR11-D
H322	LDP	RI	3 10/74	DISTRIBUTION PANEL, 2 H854 TO 80 SCREW TERMINALS, 5.25 X 19
H323-A	LDP	RI	3 10/74	ANALOG PANEL FOR VT50
H323-B	LDP	RI	3 10/74	H323-A + MTNG BOX
H324	11	NJH	3 9/74	RESTART LOADER SWITCH PANEL FOR BM873

## CONNECTOR ASSEMBLIES

H350	15			2 W850'S & HARDWARE FOR CONNECTOR
H351	10	KE	5	2 W851'S & HARDWARE FOR CONNECTOR
H352	10	KE	6	2 W852'S & HARDWARE FOR CONNECTOR
H353	OC	WEK	1 10/73	G5015 + G5016 PHYSICAL I/O FAULT INSERTER
H360	10	SU	5 12/71	2 W922'S JOINED & CONN TOGETHER WITH ONE HANDLE

## SYSTEM END OF POWER CABLE

H400-A	PS	BU	5 5/72	7A CKT BREAKER, FILTER, & OUTPUT CONN IN BOX (FOR 8/M, 11/03, 11/05), 115 VAC
H400-B	PS	BU	5 5/72	4A CKT BREAKER, FILTER, & OUTPUT CONN IN BOX (FOR 8/M, 11/03, 11/05), 230 VAC
H400-C	11	CRB	1 10/72	H400-A W 10A CKT BREAKER
H400-D	11	CRB	1 11/72	H400-B W 5A BREAKER
H401	PS	BU	1 8/72	SPACE FOR FUSES (10A MAX), FILTER, DUAL VOLTAGE INPUT BOX (8/M, 11/05; REPLACES H400)
H402-A	8	PG	5 1/74	H400 WITH H401-A OUTPUT CONNECTORS
H402-B	8	PG	5 1/74	H400 WITH H401-B OUTPUT CONNECTORS

## COMPUTER LAB, LOGIC LAB, PUP16 CABS

H500	MOD		5	COMPUTER LAB, 110V, 60/50 HZ
H500-A	MOD		5	COMPUTER LAB, 230V, 60/50 HZ
H501	MOD		1 3/68	MOUNTING BRACKET FOR COMPUTER LAB, FOR 19" RACK
H502	EDU	AM	3 2/72	COMPUTER INTERFACE PANEL FOR DB8-EB (8/E) (BUILT IN CARLETON PLACE)
H503-A	SSCAN		1 8/74	COMPUTER LAB, 115V
H503-B	SSCAN		1 8/74	COMPUTER LAB, 230V
H510	MOD		3 10/74	K-SERIES LOGIC LAB, 110VAC, 60 HZ, 1-K900, 1-K901, 1-K902, 62-4913
H520	MOD	RF	3 10/74	M-SERIES LOGIC LAB, 115V, USES H808
H520-A	MOD	RF	3 10/74	M-SERIES LOGIC LAB, 230V, USES H808
H520-B	MOD	RF	1 3/71	M-SERIES LOGIC LAB, 115V, USES H803
H520-C	MOD	RF	1 3/71	M-SERIES LOGIC LAB, 230V, USES H803
H521	MOD	RF	5 12/71	AUX MEMORY DEVICE FOR M-SERIES LOGIC LAB
H522	MOD	RF	2 3/71	DRAWER, WITH SLIDES
H523	MOD	RF	2 3/71	DRAWER, TABLE TOP
H524	MOD	RF	2 3/71	CABINET, TABLE TOP CAB FOR K950 + MODULES
H525	MOD	RF	2 3/71	REMOTE CABINET
H526	MOD	RF	5 12/71	OPERATORS CONSOLE
H527	MOD	RF	2 3/71	CONTROL PANEL

## POWER AMPLIFIERS

MODEL NO	PROD LINE	DES ENGR	STATUS MD/YR	DESCRIPTION
H600	10		7 2/68	(OPS), CAPSTAN POWER AMP FOR TU79
H601	10		7 5/67	(OPS), REEL SERVO POWER AMP FOR TU79, REPLACED BY W042
H602	10		7	(OPS), CAPSTAN POWER AMP FOR TU79
H603	PERIPH	MDM	5	CAPSTAN SERVO POWER AMP FOR TU10 (PREAMP IS G932)
H604	PERIPH	NF	5 4/72	DECPACK HEAD POSITION SERVO POWER AMP, (PREAMP IS G938)
H605	PERIPH	CAY	5 5/73	MOTOR DRIVE AMP, LA30
H606	PERIPH	JH	4 4/74	TU16 POWER BOARD (CAPSTAN PREAMP, POWER AMP, REEL MOTOR AMPS, BRAKE ACTUATORS)
POWER SUPPLY FILTERS				
H7000	8	ADL	3 2/74	TELETYPE SIGNAL STATIC FILTER
H7001	8	ADL	3 2/74	PDF8-E STATIC FILTER KIT (INCLUDES H7000, BRACKETS, CAPACITOR, TAPE & INSTALLATION INSTRUCTIONS)
H7002	11	DV	5 9/74	TTU SIGNAL STATIC FILTER, SHIELDED CABLE TO MAT'N'LOCK; MAT'N'LOCK INPUT
H7003	11	DV	5 9/74	TTU SIGNAL STATIC FILTER, SHIELDED CABLE TO H856; MAT'N'LOCK INPUT
POWER SUPPLIES				
H701	CAT		5	+10V @ 0.4A FLOATING, -15V @ 0.5 TO 3.0A
H701-A	CAT		5	50 HZ VERSION OF H701
H702	CAT		6	REG POWER SUPPLY, MOUNTS ON FC MNTG PANEL BAR, 0 TO 0.4 AMP 15V FLOATING, 0 TO 0.4 AMP 20V FLTG, FOR USE WITH A201, A120; TAKES THE PLACE OF TWO 8-MODULE BLOCKS, WILL FIT SYSTEM MODULE MTG PANELS TOO (9/16" SPACING ONLY)
H703			5	REGULATED POWER SUPPLY, MOUNTS ON P.C. MTG PANEL BAR, 0 TO 1-1/2 AMPS 10V FLOATING, AND 0 TO 1-1/2 AMPS 20V FLOATING FOR USE AS DIGITAL OR ANALOG SYSTEM POWER WHEN CLOCK & RELAY JITTER MUST BE REDUCED, WILL ALSO FIT 9/16" SPACING SYSTEM MODULE MNTG PANELS
H704	CAT		5	REG, DUAL POWER SUPPLY, 15V @ 400 MA FLOATING, MOUNTS ON 1943 OR H911, 115V
H704-A	IPG		5	SAME AS H704, EXCEPT IT MOUNTS ON RIGHT ANGLE BRACKET, 115V
H704-B	MTST			H704 MOUNTED ON A PLENUM DOOR PANEL WITH TERMINAL STRIP, 115V
H704-C	IPG	RG	2 6/70	H704 MOUNTED ON 19 X 5 1/4 PANEL, 115V
H704-D	IPG	RG	2 6/70	H704, 230V
H704-H	IPG	RG	2 6/70	H704-C, 230V
H705	MTST			+6V, +65V, 200 MA EACH (DRB65-.2/.2)
H705-B	MTST			H705 ON PLENUM DOOR LIKE H704B
H706	MTST			10V 1-1/2 AMP SUPPLY, POWER MATE, (USE H717 INSTEAD)
H706-B			6	H706 MOUNTED ON PLENUM DOOR
H707	CAT		5	LIKE H704, BUT 1.5 AMPS FROM EACH OF THE TWO 15 V SUPPLIES, DELTRON
H707-C	15	LH	2 1/70	H707 WITH NO BRACKET, FOR VT15
H708	IPG		2 12/69	DUAL SUPPLY, 15V @ 1-1/2 AMPS, 20V @ 1-1/2 AMPS, 115 VAC, DELTRON, MOUNTS ON 1943 ON H900
H708-B	IPG		5	23V VAC H708
H709	8		5	+20V 1.5A & +10V 1.5A, DELTRON ON 19X 5.25" PANEL, 115V
H709-A	8		1 3/71	230V H709
H709-B	8		5	H709 FOR 230V
H710	CAT		5	+5V 5AMP SUPPLY, USED IN H910 (OYNAGE)
H711			7 4/69	(OPS), +5V @ 3A, -15V @ 1.5A, OR +5V @ 5A
H711-A			7 4/69	(OPS), 50 HZ H711
H712	12	BN	1 9/69	DEL ELECTRONICS POWER SUPPLY, MOUNTED ON A PLATE, FOR VR12
H713	IPG	RG	1 9/68	2-H707'S ON A 19" PANEL, GAS CHROM-8, (AF86A), 4 FLOATING 15V REG SUPPLY, 1-1/2 AMP EACH
H714		BEST	5	LINE FILTER, 250VAC, 2 X 30 AMPS, CHOKE INPUT, LINE 1, FRAME GND, NEUTRAL OR LINE 2
H715-B	8/L	WH	1 10/68	CAP MOUNTING, 19" PANEL AUTOTRANSFORMER, 95,205,230,250 IN TO 115V OUT, 1.75 KVA
H715-C	8/L	WH	6 10/74	TABLE TOP (FLOOR), 95 205,230,250 TO 115 VAC AUTOTRANSFORMER, 50/60 HZ, 1.75 KVA FOR 0L
H716	IPG	DEB	5	+5V 4A, +/-3%, -15V 1-1/2A, WANLASS, 2 BLOCK SPACE (4"X5-1/4X12), 50/60HZ, 120/240V (110V RECEPTACLE)
H716-A	IPG	DEB	1 7/70	H716 WITH 230V RECEPTACLE
H716-B	8	JDL	5	19" H716 (115V RECEPTACLE)
H716-C	IPG	DEB	3 7/70	H716-B WITH OUTPUT RELAY SWITCHED FROM +5V

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H716-D	IPG	DEB	1 7/70	H716-B WITH 230V RECEPTACLE
H717	IPG	MORO	6 10/74	10V 1A REF SUPPLY (FOR AA05), TO REPLACE H706, MADE BY KEPGO
H718-A	PERIPH	GS	5	H714 ON 19" PANEL WITH CB & LIGHT, 30A, 115V
H718-B	8	BH	2 3/70	15' 115V 16' CORD WITH PANEL MOUNTED FILTER IN MIDDLE
H718-C	8	BH	5 12/71	30A H718-B
H719	TPL	MI	2 4/69	H716 + 160 MF, 20V ON 19" X10-1/2 PANEL
H720-A	11	FL	6 10/73	PDP11/20 SUPPLY, +5V @ 16A, -15V@10A, +8V RMS@1.5A, +25V@1A, 115VAC, AC LO, DC LO, LTC
H720-B	11	FL	6 10/73	23V VAC VERSION OF H720
H720-C	11	FL	5	19 X 10.5 INCH H720-A
H720-D	11	FL	5	19 X 10.5 INCH H720-B
H720-E	11	FL	5 12/71	H720-A WITH POWER CONTROL & REMOTE/LOCAL POWER INTERLOCK, +5V 22A
H720-EJ	11	FL	3 12/74	SYSTEM TESTED H720-E
H720-F	11	FL	5 12/74	235V H720-E
H720-FJ	11	FL	3 12/74	SYSTEM TESTED H720-F
H720-H	11	DV	4 5/72	RUNGED 11 POWER SUPPLY FOR 11H20, 115V
H720-J	11	DV	5 5/72	H720-H EXCEPT FOR 230V
H720-K	11	FL	1 9/74	RACK MOUNTED H720-E
H720-L	11	FL	1 9/74	RACK MOUNTED H720-F
H721	15	ELIA	5 12/71	+5V +/-2% @ 20A, -15.5V +/-10% @ 3-1/2A, +10.5V +/-10% @ 2-1/2A (PDP15 PERIPH) AUTO TAPS, 20 MS HOLD UP, 5-1/4" X 19 X 6-1/4, NORTH ELECTRIC, 80-132 VAC, 176 - 264 VAC, 47-63 HZ
H721-C	8/E	JDM	3 10/74	H751 W DCLO ON 7089608 CABLE HARNESS
H722	11	PJ	2 3/70	STEP-DOWN TRANSFORMER, 4 A @ 115V OUTPUT (LIKE IN TTY) MOUNTED ON A 19" PANEL
H723	10	DREW	5 5/72	8V @ 40 AMPS FOR K010, 4-10 AMP OUTPUTS WITH CB'S, 50/60 HZ RESONANT TRANSFORMER
H724	8/E	JDM	4 3/71	POWER SUPPLY FOR POP8/E, +5V, -15V
H724-A	8/E	JDM	4 3/71	230V H724
H725	10	DREW	5 5/72	15V @ 20A SUPPLY FOR K110, 50/60 HZ RESONANT TRANSFORMER
H726-A	14	FL	1 4/70	5V 7A, 47 - 500 HZ, 115/230 PARALLELABLE, 5X10-1/2X2 (SAME SPEC AS 714) SYSTEM UNIT
H726-B	14	FL	1 4/70	H756-A MOUNTED IN PDP11 SYSTEM UNIT WITH SWITCH, FUSE, & OUTLET, SEE H014
H726-E		BPF		12-09933-03 POWER FAIL H726-B
H726-F	11	BPF	1 12/71	H726-E MODIFIED FOR 5.9V @ 5 AMPS FOR DT11
H727-A	IPG	DEB	5	DUAL SUPPLY, 15V 400 MA, 20V 400 MA, MOUNTS ON 1943 OR H900, 115 VAC
H727-B	IPG	DEB	5	23V VAC H727-A
H728-C	IPG	MORO	2 8/70	DUAL SUPPLY, 15V @2A, 20V @ 1.2A, ON 19X5.25" PANEL, 115V, FOR AD15, DELTRON
H728-D	IPG	MORO	2 10/70	230V H728-C
H729		GEG	1 10/70	12A 30V UNREG SUPPLY (FOR DNC)
H730-A	PERIPH	MDM	5	TU10 PS, 115V 60 HZ, TIME METER, -15V 4A, -15V 4A, +5V 5A, +/-17.5V 10A, +/-16V 5A (REPLACED BY H778)
H730-B	PERIPH	MDM	3 1/71	235V 60 HZ H730-A
H730-C	PERIPH	MDM	3 2/71	110V 50 HZ H730-A
H730-D	PERIPH	MDM	3 2/71	235V 50HZ H730-A
H731-A		GEG	1 10/70	+15V, -15V, 3A TOTAL; 10VAC, 200V 20 MA, 115V 60 HZ
H731-B		GEG	1 10/70	50 HZ H731-A
H732	10	DREW	5 5/72	MARGINAL CHECK SUPPLY, K110, MANUAL, 19" DUAL FREQ VERSION OF 702
H733	15		3 3/72	VT*5 POWER SUPPLY, +5V 4A, +12V 500MA, -12V 1A, +5V 1A, 6.3VAC 50MA, 30-10325, 115/230V
H734-A	11	BDW	2 4/71	19 X 10.5 INCH, +15V 12A, -15V 12A, AC LO, DC LO, 115V, REMOTE/LOCAL DC PWR INTERLOCK, RK02.03
H734-B	11	BDW	2 4/71	230V H734-A
H735	PERIPH	CAY	5 2/72	LAMP SUPPLY, +15V 5A, +10V 4A, +5V 1A, -15V 5A, DUAL FREQ RESONANT SUPPLY 16-10416
H735-A	PERIPH	CAY	1 1/71	50 HZ H735
H735-B	PERIPH	CAY	1 1/71	DUAL FREQUENCY H735
H736	PERIPH	PM	1 1/71	RS24 DELTRON SUPPLY, 115/230V
H737	PERIPH	SERG	5 5/72	RS24 DEC SUPPLY, 115/230V, +20V 1.5A (5409484), +5V 8A (5409503), -15V 2A (5409484)
H738-A	IPG	RG	5	715 & H728 ON 5 X 19 PANEL, 115V, +5V 5A, +10V 2A, -10V 1.2A
H738-B	IPG	RG	2 3/72	715 & H728 ON 5 X 19 PANEL, 230V
H739-A	11	VB	5	714 & H707 ON 5 X 19 PANEL, 115V, +5V 5A, +15V 1.5A, -15V 1.5A
H739-B	11	VB	5	230V H739-A
H740-D	PS	SC	5 11/72	+5V20A, -15V5A, +15V1A, ACLO, DCLO, LINE FREQ SIG, 115/230V, 47-63HZ (5409728) 3.5X19 PANEL

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H740-P	16	JDL	1 4/73	BATTERY STANDBY FOR H740 (0.5 HR)
H741-A	11	BU	1 6/71	PS FOR 11/25, +5V@40A, -15@14A, +15V@1.5A, ACLO, DCLO, LINE FREQ SIG, 115/230V, 47-63HZ
H742-A	11	FL	5 7/73	PS CHASSIS FOR 11/45, 5 30VAC 6A EACH, +15V@2A, +8V@1A, ACLO, DCLO, LINE FREQ SIG, 115V
H742-B	11	FL	5 7/73	230V H742-A
H742-C	15	FL	4 7/73	H742-A MODIFIED FOR PDP15
H742-D	15	FL	4 7/73	H742-B MODIFIED FOR PDP15
H7420-A	11	VDB	1 8/74	HIGHER POWER H742-A, +15V 3.4A, +8V 1-0A, 5 30VAC 6A EA, ACLO, DCLO, LINE FREQ SIG, 115V
H7420-B	11	VDB	1 8/74	HIGHER POWER H742-B, +15V 3.4A, +8V 1-0A, 5 30VAC 6A EA, ACLO, DCLO, LINE FREQ SIG, 230V
H7420-C	15	VDB	1 8/74	H7420-A FOR PDP15
H7420-D	15	VDB	1 8/74	H7420-B FOR PDP15
H7420-E	PS	FL	1 11/74	LO <sup>m</sup> POWER H7420-A (USES H765-A TRANSFORMER W 4 30VAC 6A EACH)
H7420-F	PS	FL	1 11/74	LO <sup>m</sup> POWER H7420-B (USES H765-B TRANSFORMER W 4 30VAC 6A EACH)
H743-AA	PERIPH	SERG	5 8/73	H727 REPACKAGE FOR RK05 PLUS BATTERY, 115V
H743-BB	PERIPH	SERG	5 2/75	H737 REPACKAGE FOR RK05 PLUS BATTERY, 230V
H744	11	AB	5 8/72	+5V 25A REG FOR H742, H765
H744-YA	11	KS	3 12/74	H744 MODIFIED TO BE VARIABLE FROM 2.5 TO 8V
H745	11	AB	5 8/72	-17V 10A REG FOR H742, H765
H746	11	AB	5 8/72	+22.2V 1.6A, +19.7V 3.3A, -5V 1.6A FOR H742, H765
H748	PERIPH	LN	4 5/73	VI20-BC, -BD SUPPLY: +5V 4A, +15V 750 MA, -15V 750MA, VI20, 95-130VAC, 190-260VAC
H749	16	RJH	1 11/71	-15V PS, 750 MA, G032 ETCH, SINGLE X 5, USES 8V ZENER
H750	11/35	SC	3 10/74	11/35 SUPPLY: 5409728-YB, H744, 2 XFMRs, POWER INPUT FROM BC05T (115V 12A) OR BC05U (230V 7A)
H751-A	PERIPH	MDL	2 7/72	CASSETTE P. S. (TU60) +5V 4A, +15V 2A, -15V 2A, 95-130VAC, USES 5410131
H751-B	PERIPH	MDL	2 7/72	190-260VAC H751-A
H752	14	AR	5 5/73	REPLACEMENT FOR 714
H753	CLP	AC	1 5/72	RT12 POWER SUPPLY: +250V 30MA, +12V 300MA, -12V 300MA, +5V3A, 95-135 OR 190-270VAC
H754	11	AB	5 1/74	+20V 7.5A -5V REG FOR H742, H765
H755	LDP	AW	1 8/72	LPS SUPPLY: +5V 13A, +/-15V +/- .03% 2A, LINEAR REGULATORS, 100, 115, 200, 230V +/-10%, 47-63 HZ
H756	14	LF	5 9/74	REPACKAGED H744 W TRANSFORMER AND FAN, +5V, 25A
H757	PERIPH	AEK	5 2/75	TU16 POWER SUPPLY (NO LINE CORD)
H758-A	COM	SS	5 1/74	H751-A ON 5.25 X 19" PANEL, 115V
H758-B	COM	SS	5 1/74	H751-B ON 5.25 X 19" PANEL, 230V
H759	FS	HRL	1 6/73	+15V 0.5A, -15V 1.5A, TAP INPUTS 90-232V
H760-A	PS	DREW	2 8/73	KL10 RAW SUP 208V 18A 60HZ DELTA (3 PH), +12V 105A, -12V 450A, +15V 4A, -15V 2A, RESONANT XFMR REG
H760-B	PS	DREW	1 7/73	KL10 RAW PS 416V 9A 50HZ DELTA (3 PH), +12V 105A, -12V 450A, +15V 4A, -15V 2A, RESONANT XFMR REG
H761	PS	DREW	2 7/74	KL10 SUPPLY REGULATORS, 9 -5.2V 35A, 3 +5V 35A, 4 -2V 35A
H762	14	AR	5 2/75	90-135V/180-270V, 50/60HZ, +15V 1A, +5V 20A, -15V 5A, ACLO, DCLO, LINE FREQ
H763-A	8	ADL	2 10/74	PD18-A POWER SUPPLY, 115V
H763-B	8	ADL	2 10/74	PD18-A POWER SUPPLY, 230V
H764	PERIPH	RJH	1 10/73	JW5 5409728 (H743) REGULATORS; EACH +5V 17A, +15V 5A, +15V 1A, ACLO, DCLO (RP04)
H765-A	PS	FL	1 1/74	PS FOR BA11-K, +15V 2A, 8V 1A, ACLO, DCLO, LINE FREQ SIGNAL, 2 H744, H745, H754, 5410993, 115V
H765-B	PS	FL	1 4/74	PS FOR BA11-K, +15V 2A, 8V 1A, ACLO, DCLO, LINE FREQ SIGNAL, 2 H744, H745, H754, 5410993, 230V
H767-A	PS	DREW	1 3/74	RK06 SUPPLY, +5V 3A, -5V 400MA, +/-15V 200MA, +/-25V 3A, SERVO AMP, 60HZ
H767-B	PS	DREW	1 3/74	RK06 SUPPLY, +5V 3A, -5V 400MA, +/-15V 200MA, +/-25V 3A, SERVO AMP, 50HZ
H768-A	PS	GP	2 5/74	TP2 SUPPLY FOR 11/35, 90-132VAC, +5V 25A, +15V 2A, -15V 2A, +20V 5A, -5V 1A, ACLO, DCLO, LINE CLOCK
H768-B	PS	GP	2 5/74	TP2 SUPPLY FOR 11/35, 180-264VAC, +5V 25A, +15V 2A, -15V 2A, +20V 5A, -5V 1A, ACLO DCLO, LINE CLOCK
H768-C	PS	GP	2 11/74	BATTERY BACKUP H768-A FOR MOS MEMORIES; NO +20V, 115V
H768-D	PS	GP	2 11/74	BATTERY BACKUP H768-B FOR MOS MEMORIES; NO +20V, 230V
H768-E	PS	GP	2 11/74	H768-C W NO BATTERY, 115V
H768-F	PS	GP	2 11/74	H768-D W NO BATTERY, 230V
H769-A	PS	GP	2 9/74	TP2 SUPPLY FOR 8/A, 90-132VAC, +5V 25A, +15V 2A, -15V 2A, +20V 7A, -5V 1A, ACLO, DCLO, LINE CLOCK
H769-B	PS	GP	2 9/74	TP2 SUPPLY FOR 8/A, 180-264VAC, +5V 25A, +15V 2A, -15V 2A, +20V 7A, -5V 1A, ACLO, DCLO, LINE CLOCK
H770	KL10	RMEL	1 5/74	+15V 3X 10A REGULATOR FOR H742
H771-A	PS	RJH	1 6/74	RX01 SUPPLY +5V, 3A, +/- 12V 2A (UNREG) 60HZ
H771-B	PS	RJH	1 6/74	RX01 SUPPLY +5V, 3A, +/- 12V 2A (UNREG) 50HZ
H772-A	IPG	RG	2 6/74	+5V 25A, +21V UNREG 5.5A, -21V UNREG 3.5A; LINE FREQ CLOCK, ACLO, DCLO, 115/230V, 60HZ, RESONANT

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
				XFMR LINEAR REG, 19 X 4.5 X 10.25, DATA POWER
H772-B	IPG	RG	2 6/74	50 HZ H772-A
H773-A	14	GEG	2 9/74	90-135V/180-270V, 50/60HZ, +15V 1A, +5V 20A, +15V 5A, ACLO, DCLO, LINE FREQ, REPLACES H762
H774-A	8	LN	1 10/74	8/A BACKUP SUPPLY FOR H769-A, RESONANT XFMR, 115V
H774-B	8	LN	1 10/74	8/A BACKUP SUPPLY FOR H769-B, RESONANT XFMR, 230V
H775-AA	PS	MK	2 11/74	H708-C 12V 2A 2HR BATTERY BACKUP W CHARGER, 115V
H775-AB	PS	MK	2 11/74	H708-D 12V 2A 2HR BATTERY BACKUP W CHARGER, 230V
H776-C	PS	MK	1 11/74	MO2 CONVERTER
H776-P	PS	MK	1 11/74	MO2 POWER PACK
H777-A	11	GP	1 2/75	11'04 POWER SUPPLY, +5V 25A, +20V 5A, BATTERY SUPPORT ON +/-15V 1A, +/-5V, 115V
H777-B	11	GP	1 2/75	23'0V H777-A
H778	PERIPH	AEK	1 2/75	TU10 POWER SUPPLY USING H757 APPROACH; REPLACES H730 (NO LINE CORD)
H779	11	JBD	1 2/75	BATTERY BACKUP FOR H777
H780-A	11V05	MK	1 2/75	11V05 POWER SUPPLY, +5V 18A, +12V 3A

CONNECTORS, (ALSO H050)

H800-F	CAT		5	FLIP-CHIP 8-SOCKET BLOCK, FORKED SOLDER LUGS 12-02525
H800-W	CAT		5	FLIP-CHIP 8-SOCKET BLOCK, WIRE WRAP, 12-02244
H801-F	CAT		5	SET OF 18 CONNECTOR CONTACTS, FORKED SOLDER LUGS, 12-02525
H801-W	CAT		5	SET OF 18 CONNECTOR CONTACTS, WIRE WRAP, 12-02244
H802	CAT		5	SINGLE CONNECTOR 18 PIN (1712-18-PCC), 12-02625
H803	CAT		5	288 PIN CONNECTOR, 12-05348 (SEE H863)
H8030	CAT	DN	2 4/73	72 PIN CONNECTOR FOR DOUBLE HEIGHT CARD (SLICE OF H803)
H804			7 1/68	(OBS), 144 PIN CONNECTOR (ON 288 PIN MOLD)
H805	CAT		5	SET OF 36 CONTACTS FOR 288 PIN CONNECTOR, A=AMPHENOL, C=CINCH, S=SYLVANIA, 12-05348
H806			7 2/68	(NEVER MADE), DOUBLE MODULE TAPER CONNECTOR
H807	CAT		5	CONNECTOR BLOCK, 36 PIN SINGLE MODULE DOUBLE-SIDED CONNECTOR, .025 SQUARE, 12-09123
H8070	CAT	DN	2 4/73	72 PIN CONNECTOR FOR JUMPER (H851) LIKE 2 H807'S GLUED TOGETHER
H808	CAT		5	CONNECTOR BLOCK, 144 PIN, 4 MODULE CONNECTOR, .031 X .062, 12-09114
H809	CAT		5	SET OF 36 PINS FOR H808, 12-09114

TOOLS

H810	CAT		5	(#24) WIRE WRAP HAND TOOL (PISTOL GRIP)
H810-A	CAT		5	(#30) GARDNER DENVER NO. 14HC
H810-B	CAT		5	(#54 + #30) GARDNER DENVER
H810-C	CAT		2 6/71	BATTERY OPERATED WIRE WRAP HAND TOOL, #24 WIRE
H810-D	CAT		2 6/71	H810-C FOR #30 WIRE
H810-E	CAT		5 3/74	PISTOL GRIP BATTERY OPERATED WIRE WRAP GUN
H811	CAT		5	(#54) HAND WIRE TOOL, A20557-12
H811-A	CAT		5	(#50) GARDNER DENVER NO. A20557-29
H812	CAT		5	(#24) HAND UNWIRE TOOL, 500130
H812-A	CAT		5	(#50) GARDNER DENVER NO. 505 244-475, UNWRAP TOOL
H813	CAT		5	#24 BIT
H813-A	CAT		5	#30 BIT
H814	CAT		5	#24 SLEEVE
H814-A	CAT		5	#30 SLEEVE
H815	MOD		6 10/74	GARDNER DENVER GUN ALONE
H816	CAT		3 9/70	15 953 WIRE WRAP SOCKETS, 75 952 PINS, 1 811-A TOOL, 1 812-A TOOL, 1 STRIPPER
H817	CAT		3 9/70	H816 WITH 15 954 SOLDER SOCKETS
H820	CAT		5	1000 GRIP CLIPS FOR H800, AMP PART NO. 60477-2, SLIP-ON PATCH CORDS, #24-20 WIRE
H821	CAT		5	1000 GRIP CLIPS FOR H803, SLIP-ON PATCHCORDS, AMP #24-30 WIRE
H825	CAT		5	HAND CRIMPING TOOL FOR H820, AMP PART NO. 90084
H826	CAT		5	HAND CRIMPING TOOL FOR H821, AMP #9019-1

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H830	CAT		5	STAK-ON RIVETING TOOL, FOR ASSEMBLING FLIP CHIP NO HANDLES TO THE BOARD, ALSO ASSEMBLES 1951, INDESTRO MFG CORP TOOL #824, PAINTED DEC BLUE AND TOOL TURNED DOWN TO WORK WITH OUR HANDLE RIVETS
H840		DOANE	1 4/66	AMP TERMI-POINT PUSH-ON & PULL-OFF HAND TOOL, AMP PART NO 465430-1

## CONNECTORS (ALSO SEE H800)

H850	8/E	MORRIS	1 1/70	HANDLE EXTENDER, 5" TO 8-1/2"
H851	8/E	PG	5	EDGE CONNECTOR, 2 H807'S JOINED BY PC BOARD FOR ADJACENT MODULE CONNECTIONS AT HANDLE END
H8511	8/E	DA	4 8/73	H807 W ALL CORRESPONDING SIDE 1 & SIDE 2 PINS CONNECTED TOGETHER
H8513	8/E	DA	3 2/75	3 H807 JOINED BY PC BOARD FOR BUSSING 3 MODULES AT HANDLE END
H8514	8/E	DA	3 2/75	4 H807 JOINED BY PC BOARD FOR BUSSING 4 MODULES AT HANDLE ENDS
H8519	15	JE	5 11/72	2 SETS OF 3 H807 JOINED BY PC BOARD BUSSING 3 MODULES, PINS AH2, AK2, AV2 OPEN
H852	11	DN	1 4/70	MODULE HOLDER FOR 4 MODULES WITH 0.5 VERTICAL SEPARATOR
H853	11	DN	1 4/70	H852 WITH NO VERTICAL SEPARATOR
H854	8/E	WH	1 6/70	40 PIN CONNECTOR, MALE, USED ON 8/E MODULES, 12-89941
H855	8/E	WH	1 6/70	MATES TO H854 & 3M RIBBON CABLE (1211206)
H856	8/E	WH	1 6/70	MATES TO H854 WITH POKE HOME CONTACTS (BERG) (1210090 HOUSING, 1210089 PINS)
H857	15	FA	1 9/70	H807 MOUNTED AT RIGHT ANGLE TO PC CARD (FOR KC15-B)
H858	8/E	PG	3 5/73	CURRENT LOOP CONNECTOR, (2 H807'S JOINED BY WIRE LOOPS INSTEAD OF PC BOARD)
H859	8/E	PG	5	SHORT M922 SOLDERED TO H807
H860	12	AW	5 3/72	H804 TO H807, M903 CONNECTIONS
H861	COM	RL	5 12/71	DM11-BB TEST CONNECTOR (4 H854 ON CARD WITH INTERCONNECTIONS)
H8611	COM	JER	1 5/74	H806 W INTERCONNECTIONS FOR LOOP BACK TEST ON DM11-AD, DM11-AE
H8612	COM	WRS	2 1/75	H806 FOR LOOP BACK TEST ON M7839
H8613	CAT	RF	1 2/75	H806 FOR LOOPBACK TEST ON M7864, M7865, M8361 (DR11-L, DR11-M, DR8-ED)
H862	11	RMS	1 7/71	BURNDY MO12 MXR-8T WIRED AS TEST CONNECTOR FOR BC01W
H863	8/E, 11	LOREN	5 10/72	H803 WITH SLOTTED ENDS
H864	11	RMS	1 7/71	RS432 FEMALE TEST CONNECTOR FOR BC01V, BC05C
H865	MOD	RJM	1 7/71	RS-232 MALE PLUG & HOOD
H866	10	DREW	5 3/72	MEMORY BUS TERMINATOR (AMP QUICK LATCH)
H867	10	DREW	2 5/72	I/O BUS TERMINATOR (AMP QUICK LATCH)
H868	10	DREW	5 3/72	TU00 TERMINATOR (AMP QUICK LATCH), NEGATIVE BUS
H869	CSS	EM	2 3/73	TU00 TERMINATOR (AMP QUICK-LATCH), POSITIVE BUS
H870	11	POT	2 1/74	MASS BUS TERMINATOR, PLUGS INTO H854
H871	FS	POT	2 1/74	H804 TO H854 (CABLE EXTENDER) SINGLE 5, NO CONTACTS ON FINGERS
H872	FS	POT	4 4/74	MASS BUS TERMINATOR & DISPLAY, DOUBLE 8,5, GND ONLY ON FINGERS
H873	11/70	TN	2 10/74	11/70 CORE BUS TERMINATOR (PLUGS INTO H854)
H874-A	KL10	RMEL	3 2/75	KL10 FEMALE POWER CONNECTOR KIT, 120V
H874-B	KL10	RMEL	3 2/75	KL10 POWER CONNECTOR KIT, 240V

## MOUNTING PANELS

H900	CAT			FLIP-CHIP MNTG PANEL & POWER SUPPLY, (USES H701)
H900-CA	CAT		5	H900 WITH FORKED LUGS & 50 HZ
H900-CC	CAT		5	H900 WITH FORKED LUGS & 60 HZ
H900-DA	CAT		5	H900-CA WITH POWER BUS
H900-DC	CAT		5	H900-CC WITH POWER BUS
H900-JA	CAT		5	H900 WITH WIRE WRAP PINS & 50 HZ
H900-JC	CAT		5	H900-JA EXCEPT 60 HZ
H900-KA	CAT		5	H900-JA WITH POWER BUS
H900-KC	CAT		5	H900-JC WITH POWER BUS
H901	CAT		5	PATCHBOARD MOUNTING PANEL, SPACE FOR 10 MODULES
H902	CAT		5	SWITCH, INDICATOR PANEL
H903	CAT		5	CLASSROOM D-A MNTG PANEL



MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H904-A	MCE	GG	3	12/74	5.25" X 19" HORIZONTAL MODULE MOUNTING BOX
H905-A	MCE	GG	3	12/74	10.50" X 19" HORIZONTAL MODULE MOUNTING BOX
H906-A	MCE	GG	3	12/74	21" X 19" VERTICAL MODULE MOUNTING BOX W FANS, SPACE FOR SINGLE SYSTEM UNITS
H907-A	MCE	GG	1	12/74	21" X 19" HORIZONTAL MODULE MOUNTING BOX
H908	MTST		2	1/66	SPECIAL RACK, MODIFIED 1943, FOR MEMORY TEST
H909-A	CAT	EN	3	2/75	5.25" SHELL (PART OF BA11-L)
H909-BA	CAT	EN	3	2/75	H909-A W 115V PS (NEEDS A FAN)
H909-BB	CAT	EN	1	12/74	H909-A W 230V PS (NEEDS A FAN)
H910	CAT		5		MOUNTING PANEL, 36 PIN H900, 4-H803 BLOCK +5V ONLY, 47-63 W2
H911-C	CAT	SZ	3	9/73	H911-R W SLOTTED BLOCKS (H863)
H911-D	CAT	SZ	3	9/73	H911-S W SLOTTED BLOCKS (H863)
H911-J	CAT		5		MNIG PANEL, 36 PIN 1943, NO POWER BUS
H911-K	CAT		5		H911-J PREWIRED FOR POWER
H911-L	MOD		3	1/69	H911-J WITH MC SWITCHES
H911-P	MOD		3	1/69	H911-K WITH MC SWITCHES
H911-R	CAT	SZ	5	12/71	H911-J WITH 8.5" END PANELS
H911-S	CAT	SZ	5	12/71	H911-K WITH 8.5" END PANELS
H912	14	AR	5	2/75	BLANK I/O MNTG PANEL, SPACE FOR 16 H1000 SERIES I/O UNITS
H912-AX	14	AR	5	2/75	H912 W 16 H1500 (120 VAC INPUTS TO 5V LOGIC)
H912-AY	14	AR	5	2/75	H912 W 16 H1600 (5V LOGIC TO 120 VAC 2A OUTPUTS)
H912-DX	14	AR	5	2/75	H912 W 16 H1550 (10-55 VDC ISOLATED INPUTS TO 5V LOGIC)
H912-DY	14	AR	5	2/75	H912 W 16 H1650 (5V LOGIC TO ISOLATED 55V 2A OUTPUTS)
H913	CAT		5		MNIG PANEL, H910 WITH H808'S
H914	CAT		5		MNIG PANEL, H911 WITH H808'S
H916	CAT		5		MNIG PANEL, H716 POWER SUP + 6-H803'S ON 1943 MNTG BAR
H917	CAT		5		MNIG PANEL, H716 + 6-H808'S
H919	8	PG	5		PDP8-E BUS CONNECTOR BLOCK ASSEMBLY
H9190	CAT	SZ	5		EXPANDER MNTG PANEL FOR 8/E, 10 H803 BLOCKS PREWIRED FOR STD PWR ONLY, USES H019 CASTING
H9191	8/E	PG	5	12/71	PDP8-M BUS CONNECTOR BLOCK ASSEMBLY
H9192	8/A	PG	2	5/74	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (10 QUAD SLOTS)
H9193	8/A	PG	2	2/75	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (3 QUAD + 3 QUINT SLOTS)
H9194	8/A	PG	2	2/75	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (7 QUAD + 5 QUINT SLOTS)
H920	CAT		5		MODULE DRAWER, 3-BAR MOUNTING FRAME FOR MOUNTING UP TO 24 CONNECTOR BLOCKS
H921	CAT		5		H920 FRONT PANEL
H922					RESERVED FOR H920 REAR PANEL
H923	CAT	AR	5		CHASSIS SLIDES FOR H920
H925	CAT		5		MODULE DRAWER, PDP8-L STYLE BOX, ROOM FOR 18 CONNECTOR BLOCKS
H926-AA		SZ	2	4/73	BA7 WITH 9 H800-W
H926-BA		SZ	2	4/73	BA7 WITH 9 H803
H926-AB			2	4/73	H926-AA WIRED FOR STEPPING MOTOR DRIVERS
H926-BB			2	4/73	H926-BA WIRED FOR COMPUTER INTERFACES
H929-A	15	PDM	1	7/70	19" X 7" MNTG BAR FOR 8 PANELS ON 2-INCH CENTERS
H929-B	15	PDM	1	7/70	2 X 5.25" FILLER PANEL
H929-C	15	PDM	1	7/70	4-INCH PANEL FOR 16 BNC CONNECTORS
H929-D	15	PDM	1	7/70	2-INCH PANEL WITH PHENOL SERIES 26 32-PIN MALE
H930	CAT	SZ	1	4/73	11'35" BOX W BLANK FRONT PANEL BUT NO PS, FANS, SYSTEMS UNITS OR HARNESS
H9300-AA	8/A	PG	2	2/75	10.5" RACK MOUNTABLE CHASSIS W FANS, PS, G8016, H9194, KK8-A, 115V 60HZ (FOR MOS 8/A)
H9300-AB	8/A	PG	2	2/75	10.5" RACK MOUNTABLE CHASSIS W FANS, PS, G8016, H9194, KK8-A, 230V 50HZ (FOR MOS 8/A)
H9300-BA	8/A	PG	2	2/75	H9300-AA EXCEPT G8018, 115V 60HZ (FOR CORE 8/A)
H9300-BB	8/A	PG	2	2/75	H9300-AB EXCEPT G8018, 230V 50HZ (FOR CORE 8/A)
H932	MOD		1		RESERVED FOR DEEP H930 WITH 22 BLOCKS INSTEAD OF 16
H933-A	CAT	JB	5	4/73	SYSTEM UNIT WITH 3 H800-W
H933-B	CAT	JB	5	4/73	SYSTEM UNIT WITH 3 H800-F
H933-C	CAT	JB	5	4/73	SYSTEM UNIT WITH 3 H803
H933-CA	CSS	LO	3	1/74	SYSTEM UNIT W 1 H803, 2 H863

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H933-CB	CAT	RF	3	9/74	SYSTEM UNIT WITH 3 H863
H933-D	CAT	JB	5	4/73	SYSTEM UNIT WITH 3 H800
H933-DA					
H934-CB	CAT	RF	3	9/74	DOUBLE SYSTEM UNIT WITH 6 H863, 3 H8030
H940-AA		SZ	5	4/73	15-3/4" ASSEMBLY (3 BAY ASSY), INNER & OUTER FRAME
H940-BA		SZ	5	4/73	COVER
H941-AA	CAT	SZ	5	4/73	19" MOUNTING PANEL FRAME, 4 BAY ASSEMBLY, PDP14
H941-BA	CAT	SZ	5		COVER FOR 5" MODULES
H941-BB	CAT	SZ	5	12/71	COVER FOR 8.5" MODULES
H945	12	GPB	5	2/72	MOUNTING PANEL WITH NIM PANEL SPACING, SERIES NAME
H945-AA	11	GPB	5	3/72	TABLE TOP H945
H945-AB	11	GPB	5	2/72	RACK MOUNTABLE H945
H945-BA	12	GPB	5	2/72	115V TABLE TOP H945 WITH POWER SUPPLY
H945-BB	12	GPB	5	3/72	234V H945-BA
H945-CA	12	GPB	5	3/72	115V RACK MOUNTABLE H945 WITH POWER SUPPLY
H945-CB	12	GPB	5	3/72	234V H945-CA

## CABINETS

H950-A	CAT		5		19" CABINET FRAME, 72" HIGH
H950-AA	CAT	GG	5	9/72	H920-A + H952 CASTER SET, H950-SA FILTER, H952-EA LEVELLER SET
H950-BA	CAT		5		FULL LENGTH RH DOOR BLACK
H950-BC	10	DN	1	9/71	148 BLASI BLUE H950-AA
H950-BD	MS	AW	3	4/72	FULL LENGTH RH DOOR, 131 BRITE COPEN BLUE
H950-CA	CAT		5		FULL LENGTH LH DOOR BLACK
H950-CB	12	AW	1	6/71	OFF WHITE FULL LENGTH LH DOOR (H950-CA) (68 GRAY)
H950-CC	10	DN	1	1/72	148 BLASI BLUE LH DOOR
H950-DA	CAT		5		MNIG PANEL DOOR, RH
H950-EA	CAT		5		MNIG PANEL DOOR, LH
H950-FA	CAT		5		MOUNTING PANEL DOOR SKIN
H950-G			5		TABLE FRAME
H950-HA	CAT		5		SHORT DOOR, COVERS 21" MOUNTING HEIGHT, COVERS BOTTOM PAN (101 GRAY)
H950-HB	CAT		5		SHORT DOOR, 22-3/4" HEIGHT (101 GRAY)
H950-HC	CAT		5		DOOR, 26-1/4" (101 GRAY)
H950-HD	CAT		5		DOOR, 31-1/2" (101 GRAY)
H950-HE	CAT		5		DOOR, 36-3/4" (101 GRAY)
H950-HF	CAT		5		DOOR, 42" (101 GRAY)
H950-HG	CAT		5		DOOR, 47-1/4" (101 GRAY)
H950-HH	CAT		5		DOOR, 52-1/2" (101 GRAY)
H950-HJ	CAT		5		DOOR, 57-3/4" (101 GRAY)
H950-HK	CAT		5		DOOR, 63" (101 GRAY)
H950-HM	12	AW	1	6/71	H920-HR OFF WHITE COLOR (68 GRAY)
H950-HU	12	AW	1	6/71	H920-HH OFF WHITE COLOR (68 GRAY)
H950-HX	CPL	BALL	1	3/72	TOPAZ H950-HA
H950-HY	TYP	RFC	3	9/74	H920-HA 131 BRITE COPEN BLUE
H950-JA			5		MIDDLE DOOR (DOES NOT COVER PAN OR FEET), COVERS 21" BLACK
H950-JB			5		MIDDLE DOOR, 26-1/4" BLACK
H950-JC			5		31-1/4", BLACK
H950-JD			5		36-3/4", BLACK
H950-JE			5		63", BLACK
H950-JF	MS	AW	3	4/72	21" MIDDLE DOOR, 131 BRITE COPEN BLUE
H950-JH	MS	AW	3	4/72	36-3/4" MIDDLE DOOR, 68 GRAY
H950-JK	IPG	FE	3	11/73	21" MIDDLE DOOR, 165 AC RED
H950-KA	11	PAJ	1	7/72	21" COVER PANEL, BLACK
H950-KB	-	PAJ	1	9/72	21" COVER PANEL, 149 TOPAZ

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H950-KC	-	PAJ	1 9/72	21" COVER PANEL, 148 BLASI BLUE
H950-KD	-	PAJ	1 9/72	21" COVER PANEL, 155 MORRIS MAROON
H950-KE	-	PAJ	1 9/72	21" COVER PANEL, 158 DAVE BROWN
H950-KF	-	PAJ	1 9/72	21" COVER PANEL, 129 LIME PEEL
H950-KH	-	PAJ	1 9/72	21" COVER PANEL, 131 BRITE COPEN BLUE
H950-LA	CAT		5	FRAME PANEL FOR TOP (LOGO MOUNT), BLACK
H950-LB			5 1/70	PLASTIC BLANK LOGO
H950-MA			5	FRAME PANEL, 1-3/4"
H950-NA			5	FRAME PANEL, 3-1/2"
H950-P	CAT		5	COVER PANEL, 5-1/4" W 1209224 THIN LATCHES TO GO OVER A LOGIC PANEL
H950-PA		GG	3 7/73	COVER PANEL, 5-1/4" W THIN 1209224 LATCHES TO GO OVER A LOGIC PANEL + THICK 1211388 LATCHES
H950-PB		GG	3 7/73	COVER PANEL, 5-1/4" W NO LATCHES
H950-Q	CAT		5	COVER PANEL, 10-1/2" W THIN 1209224 LATCHES TO GO OVER A LOGIC PANEL
H950-QA		GG	3 7/73	COVER PANEL, 10-1/2" W THICK 1209224 LATCHES TO GO OVER A LOGIC PANEL + THICK 1211388 HATCHES
H950-QB		GG	3 7/73	COVER PANEL, 10-1/2" W NO LATCHES
H950-R			1 6/69	DOOR COVER PANEL
H950-SA	CAT		5	FILTER
H950-T			1 9/69	KICKPLATE BETWEEN EXTENSION FEET
H950-U	A	PG	1 4/71	BOTTOM BAFFLE
H950-VA	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" BLACK COVER PANEL
H950-VB	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 149 TOPAZ COVER PANEL
H950-VC	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 148 BLASI BLUE COVER PANEL
H950-VD	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 155 MORRIS MAROON COVER PANEL
H950-VE	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 158 DAVE BROWN COVER PANEL
H950-VF	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 129 LIME PEEL COVER PANEL
H950-VH	-	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 131 BRITE COPEN BLUE COVER PANEL
H951-AA			6 4/73	30" CABINET FRAME, 72" HIGH
H951-BA			6 4/73	SKIN DOOR (FULL DOOR)
H951-BB	12	AW	6 4/73	OFF WHITE SKIN DOOR (FULL DOOR)
H951-HA			5 4/73	SHORT DOOR, COVERS 21" MOUNTING HEIGHT, BLACK, COVER BOTTOM PAN
H951-HB			5 4/73	22-3/4" SHORT DOOR, 148 BLASI BLUE
H951-HC			5 4/73	DOOR, 26-1/4", 148 BLASI BLUE
H951-HD			5 4/73	DOOR, 31-1/2", 148 BLASI BLUE
H951-HE			5 4/73	DOOR, 36-3/4", 148 BLASI BLUE
H951-HF			5 4/73	DOOR, 42", 148 BLASI BLUE
H951-HG			5 4/73	DOOR, 47-1/4", 148 BLASI BLUE
H951-HH			5 4/73	DOOR, 52-1/2", 148 BLASI BLUE
H951-HJ			5 4/73	DOOR, 57-3/4", 148 BLASI BLUE
H951-HK			5 4/73	DOOR, 63", 148 BLASI BLUE
H951-TA			6 4/73	NARROW DOOR, CHINESE RED
H951-TB			6 4/73	NARROW DOOR, LIME
H951-TC			6 4/73	RUSSET
H951-TD			6 4/73	NAVY BLUE
H951-TE			6 4/73	131 BRITE COPEN BLUE
H951-SA			5	FILTER
H952				CABINET ACCESSORIES
H952-AA	CAT		5	END PANEL (FOR H950, H951) (101 GRAY)
H952-AB	12	AW	1 6/71	131 BRITE COPEN BLUE H952-AA
H952-AC	12	AW	1 9/71	OFF WHITE END PANEL (FOR H950, H951) (68 GRAY)
H952-AM			5	END PANEL FOR H954
H952-BA	CAT		5	EXTENSION, FEET, PAIR
H952-CA	CAT		5 7/73	110V SINGLE FAN KIT
H952-CB	-		3 6/73	230V SINGLE FAN KIT
H952-CC		GG	3 6/73	110V DUAL FAN KIT
H952-CD		GG	3 6/73	230V DUAL FAN KIT

MODEL NO	PROD LINE	DES ENGR	STATUS MU/YR	DESCRIPTION
H952-D				FILTER
H952-EA	CAT		5	CASTER SET
H952-FA	CAT		5	LEVELER SET
H952-GA	CAT		5	SET FRONT & REAR FILLER STRIPS
H952-GB				2 REAR FILLER STRIPS
H952-HA	11	MORRIS	3 8/78	19" X 22-3/4" TABLE, FREE STANDING, 27" HIGH +/- 1-1/2" ADJ, 21" DEEP, GRAY
H953-A	MOD	JE	1 6/69	LAB-K CABINET + K960 (NOT DISCOUNTABLE)
H954	15	MORRIS	6 4/73	CABINET, (FOR VT34 INITIALLY)
H954-AC	15	MORRIS	6 4/73	CAB FRAME
H954-BC	15	MORRIS	6 4/73	FULL LENGTH DOOR (RH)
H954-CA	15	MORRIS	6 4/73	FAN
H954-GB	15	MORRIS	6 4/73	TABLE EXTENDER
H954-SA	15	MORRIS	6 4/73	FILTER
H954-UA	15	MORRIS	6 4/73	COVER
H955	17	DN		SAME AS H951, EXCEPT FOR HAT, FOR KI10
H955-A	17	DN	5 5/72	30 INCH, CABINET FRAME FOR KI10
H955-BA	17	DN	5 5/72	RH OUTER DOOR, 148 BLASI BLUE
H955-CA	17	DN	5 5/72	LH OUTER DOOR, 148 BLASI BLUE
H955-DA	17	DN	5 5/72	RH MTNG PANEL DOOR
H955-EA	17	DN	5 5/72	LH MTNG PANEL DOOR
H955-GA	17	DN	5 5/72	TABLE ASSEMBLY
H955-LA	17	DN	5 5/72	BLANK LOGO
H955-LB	17	DN	5 5/72	POP10 LOGO
H956	17	KE	- 4/77	19" CAB FOR KI10, USES MANY H950 PARTS
H956-A	17	DN	5 5/72	19 INCH CABINET FRAME FOR KI10
H956-HA	17	DN	5 5/72	SHORT DOORS, H952-HA 148 BLASI BLUE
H956-HB	17	DN	5 5/72	H950-HB 148 BLASI BLUE
H956-HC	17	DN	5 5/72	H950-HC 148 BLASI BLUE
H956-HD	17	DN	5 5/72	H950-HD 148 BLASI BLUE
H956-HE	17	DN	5 5/72	H950-HE 148 BLASI BLUE
H956-HF	17	DN	5 5/72	H950-HF 148 BLASI BLUE
H956-HG	17	DN	5 5/72	H950-HG 148 BLASI BLUE
H956-HH	17	DN	5 5/72	H950-HH 148 BLASI BLUE
H956-HJ	17	DN	5 5/72	H950-HJ 148 BLASI BLUE
H956-HK	17	DN	5 5/72	H950-HK 148 BLASI BLUE
H956-LA	17	JRP	5 5/72	BLANK LOGO
H956-LB	17	DN	5 5/72	POP10 LOGO
H957		RHA	3 3/72	SHORT 19" CAB (DEC DATA CENTER)
H957-AA		RHA	3 3/72	CABINET FRAME
H957-BA		RHA	3 3/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN
H957-BB	MS	CARNES	2 10/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN (131 BRITE COPEL BLUE)
H957-BC	MS	CARNES	2 10/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN (68 GRAY)
H957-CA		RHA	3 3/72	FULL LENGTH LH MTNG PANEL DOOR W SKIN
H957-DA		RHA	3 3/72	MTNG PANEL PLENUM DOOR, RH
H957-EA		RHA	3 3/72	MTNG PANEL PLENUM DOOR, LH
H957-FA		RHA	3 3/72	RH END PANEL (68 GRAY)
H957-FB		RHA	3 3/72	LH END PANEL (68 GRAY)
H957-FC	17	RHA	3 3/72	RH END PANEL FOR USE WITH END TABLE
H957-FD	17	RHA	3 3/72	LH END PANEL FOR END TABLE
H957-FE	MS	CARNES	2 10/72	RH END PANEL (131 BRITE COPEL BLUE)
H957-FF	MS	CARNES	2 10/72	LH END PANEL (131 BRITE COPEL BLUE)
H957-GA	17	RHA	3 3/72	1 SET FILLER STRIPS (FRONT, TOP & BACK)
H957-HA		RHA	3 3/72	FAN ASSEMBLY, 115V
H957-HB	LDP	GDG	3 10/73	FAN ASSEMBLY, 230V
H957-JA		RHA	3 3/72	BOTTOM COVER PLATE

MODEL NO	PRGD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H957-KA	CPL	BALL	3 7/72	FULL LENGTH RH REAR DOOR
H957-LA		RHA	3 3/72	FRAME PANEL FOR TOP (LOGO MOUNT)
H957-MA	CPL	BALL	1 5/72	FULL LENGTH LH REAR DOOR
H957-SA		RHA	3 3/72	FILTER
H958	CPL	BALL	6 8/73	DESK HEIGHT CABINET SERIES (NEEDS TABLE TOP H958-T, COMPLETE HEIGHT 29)
H958-AA	CPL	BALL	6 8/73	CABINET FRAME, BLACK
H958-BA	CPL	BALL	6 8/73	FULL LENGTH RH REAR DOOR, BLACK
H958-CA	CPL	BALL	6 8/73	FULL LENGTH LH REAR DOOR, BLACK
H958-DA	CPL	BALL	6 8/73	FULL LENGTH PLENUM DOOR, RH
H958-DB	CPL	BALL	6 8/73	FULL LENGTH PLENUM DOOR, LH
H958-EA	CPL	BALL	6 8/73	SHORT PLENUM DOOR, RH
H958-EB	CPL	BALL	6 8/73	SHORT PLENUM DOOR, LH
H958-FA	CPL	BALL	6 8/73	END PANEL, 68 GRAY
H958-GA	CPL	BALL	6 3/73	BOTTOM CABLE TROUGH
H958-HA	CPL	BALL	6 8/73	FAN ASSEMBLY
H958-JA	CPL	BALL	6 8/73	TABLE CABLE TROUGH, USED ON H958-LA OR -LB
H958-JB	CPL	BALL	6 8/73	TABLE CABLE TROUGH, USED ON H970-DA
H958-LA	CPL	BALL	6 8/73	TABLE TOP FRAME
H958-LB	CPL	BALL	6 8/73	TABLE TOP FRAME W LEGS ON ONE END
H958-MA	CPL	BALL	6 8/73	MODESTY SHIELD & CATCHALL (MOUNTS ON H958-JA)
H958-PA	CPL	BALL	6 8/73	BOTTOM CABLE PAN
H958-SA	CPL	BALL	6 8/73	FILTER
H958-TA	CPL	BALL	6 8/73	TABLE TOP, 30 X 60, 68 GRAY (MOUNTS ON H958-AA + H958-LB)
H958-TB	CPL	BALL	6 8/73	TABLE TOP, 30 X 90, 68 GRAY (MOUNTS ON 2 H958-AA + H958-LA)
H960-AA	B		5	8/L MAIN CABINET
H960-B	B		5	8/L MAIN CABINET
H960-BA	B	PG	6 8/73	8/D, 8/F, 8/M MAIN CABINET, REPLACED BY H960-BC, -BD
H960-BB	12	QPB	3 2/72	LAB 8/E MAIN CABINET
H960-BC	B	PG	5 6/73	8/E, 8/F, 8/M MAIN CABINET W 115V POWER CONTROL
H960-BD	B	PG	5 6/73	8/E, 8/F, 8/M MAIN CABINET W 230V POWER CONTROL
H960-BE	B	PG	2 12/73	8/E, 8/F, 8/M MAIN SYSTEM CABINET WITH 2 FANS AND 861-C 115V POWER CONTROL
H960-BF	B	PG	2 12/73	8/E, 8/F, 8/M MAIN SYSTEM CABINET WITH 2 FANS AND 861-B 230V POWER CONTROL
H960-CA	11	RFG	5	PDF11 CABINET, 115 VAC, 861-C
H960-CB	11	RFG	4	PDF11 CABINET, 230 VAC, 861-B
H960-CC	11	RFG	1 7/71	LAB11 CAB
H960-CD	11/45	RFG	1 1/72	11/45 CAB WITH 2 PWR CONTROLS, FOR CPU
H960-DA	11/45	RFG	3 3/72	11/45 CAB WITH 115V PC, PWR SUP (+5V,-15V), 1 EXPANDER BOX BA11-FB
H960-DB	11/45	RFG	3 3/72	11/45 CAB WITH 230V PC, PWR SUP (+5V,-15V), 1 EXPANDER BOX BA11-FB
H960-DC	11	JFB	3 2/74	H950-DH + DB11-A
H960-DD	11	JFB	3 2/74	H950-DJ + DB11-A
H960-DH	11	NM	3 4/74	11/45 CAB W 115V PC, PWR SUP (+20V,+5V,-15V), 1 EXPANDER BOX BA11-FB
H960-DJ	11	NM	3 4/74	11/45 CAB W 230V PC, PWR SUP (+20V,+5V,-15V), 1 EXPANDER BOX BA11-FB
H960-EA	11/45	RFG	6 4/74	11/45 CAB WITH 115V PC, PWR SUP (+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960-EB	11/45	RFG	6 4/74	11/45 CAB WITH 230V PC, PWR SUP (+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960-EH	11	NM	3 4/74	11/45 CAB W 115V PC, 861-A, PWR SUP (+20V,+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960-EJ	11	NM	3 4/74	11/45 CAB W 230V PC, 861-B, PWR SUP (+20V,+5V,-15V), 2 EXPANDER BOXES BA11-FB
H961-A	B		5	8/L OPTION CABINET, (ALSO 8/L), ALSO FOR 9/L FRONT EMPTY
H961-AA	B	PG	3 1/74	8/E, 8/F, 8/I, 8/L, 8/M OPTION CABINET W 115V POWER CONTROL
H961-AB	B	PG	3 1/74	8/E, 8/F, 8/I, 8/L, 8/M OPTION CABINET W 230V POWER CONTROL
H961-B	B	GRAHAM	1 3/69	8/L, 8/L OPTION CABINET WITH FRONT DOORS OR FILLER PROVIDED
H961-C	12	GRAHAM	3 11/70	12 OPTION CABINET WITH FILLER PANELS
H961-CA	LDP	AW	1 10/71	LAB11 & LAB 8/E OPTION CABINET
H962-A	9		1 12/68	PDF9 OPTION CABINET
H963	15	SW	- 10/69	PDF15 CABINETS, H950 & H952 PARTS

(S&amp;COND LETTER: A=115V,60HZ B=230V,60HZ C=115V,50HZ D=230V,50HZ)

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H963-A	15	SW	2	10/69	RS09
H963-B	15	SW	2	10/69	RS49/RF15
H963-C	15	SW	2	10/69	RP15
H963-D	15	SW	2	10/69	KP15, MM15, KC15
H963-E	15	SW	2	10/69	BB15, BA15, DW15
H963-F	15	SW	2	10/69	TC15, TU56
H963-H	15	SW	2	10/69	TU26
H963-J	15	SW	2	10/69	TC29, CR03B, DB09, LT19
H963-JA	15	BG	2	10/72	UC15
H963-K	15	SW	2	10/69	ANALOG
H963-L					VT15-A, VT15-B
H963-M	15	SW	1	4/70	LP15
H963-N	15	SW	1	4/70	MX15
H963-P	15	SW	3	2/71	D/A
H963-RA	15	PDM	1	10/70	H904-FA WITH PDP15 LOGO
H963-RB	15	PDM	1	10/70	H904-FB WITH PDP15 LOGO
H963-RC	15	PDM	1	10/70	H904-FC WITH PDP15 LOGO
H963-RD	15	PDM	1	10/70	H904-FD WITH PDP15 LOGO
H963-S	15	PDM	1	10/70	BD15 CAB
H963-U	15	JE	2	9/72	ME15
H963-V	15	SCH	2	3/73	DC19 (4)
H963-WA	15	FD	3	11/74	PDP15-CA CAB, 861-C, H742-A, 3 H744, 115V
H963-WB	15	FD	3	11/74	PDP15-CB CAB, 861-B, H742-B, 3 H744, 230V
H964	IPG	FE	5	3/71	FLYING CAPACITOR & UDC CABINET SERIES
H964-AA	IPG	FE	5	3/71	LOGIC CAB FOR 115V
H964-AB	IPG	FE	5	3/71	LOGIC CAB FOR 230V
H964-BA	IPG	FE	5	3/71	TOP OR BOTTOM ENTRY TERMINATION CAB
H964-BB	IPG	FE	5	3/71	BOTTOM ENTRY TERMINATION CAB
H964-CA	IPG	FE	5	3/71	H964-AA & H964-BA, 115V
H964-CB	IPG	FE	5	3/71	H964-AA & H964-BB, 115V
H964-CC	IPG	FE	5	3/71	H964-AB & H964-BA, 230V
H964-CD	IPG	FE	5	3/71	H964-AB & H964-BB, 230V
H964-DA	11	MORRIS	5	4/73	CB11 CAB
H964-EA	IPG	FE	5	4/73	UDC CAB, 115V, INCLUDES H740-D, 861-A
H964-EB	IPG	FE	5	4/73	UDC CAB, 230V, INCLUDES H740-D, 861-B
H964-FA	IPG	KDG	3	10/74	IC2 CAB, 115V, 861-C
H964-FB	IPG	KDG	3	10/74	IC2 CAB, 230V, 861-B
H964-MA	IPG	FE	5	3/71	TERMINATION MOUNTING HARDWARE FOR A SINGLE BF01.1 FILE
H964-MC	IPG	FE	5	4/73	TERMINATION MOUNTING HARDWARE FOR 3 BF01.3 FILES
H964-P	IPG	FE	5	3/71	TOP ENTRY KIT
H965	8	TP	1	6/70	TABLE TOP CAB FOR 19 X 10-1/2" THINGS, WHITE
H966-A	10	KE	1	8/72	K110 PERIPHERAL CAB (H956, H950, H952 PARTS, 857 PWR CONT)
H966-BA	10	RHA	3	9/73	K110 PERIPHERAL CAB FROM H956 PARTS + 861-C 115V 30A (24A) PWR CONT (RH10-DA, DC)
H966-BB	10	RHA	3	9/73	K110 PERIPHERAL CAB FROM H956 PARTS + 861-B 230V 20A (16A) PWR CONT (RH10-DB, DD)
H967					CABINET SERIES FROM H957 PARTS (DEC DATA CENTER SHORT CABS)
H967-AA	8	PG	2	2/72	8/E, 8/F, 8/M OPTION CAB, 115V
H967-AB	8	PG	2	4/72	8/E, 8/F, 8/M OPTION CAB, 230V
H967-BA	8	PG	2	2/72	8/E, 8/F, 8/M MAIN CAB, 115V
H967-BB	8	PG	2	4/72	8/E, 8/F, 8/M MAIN CAB, 230V
H967-DA	CPL	BALL	1	5/73	DS200 EXPANDER CAB, BA11-FB + H967-HA, 115V
H967-DB	CPL	BALL	1	5/73	DS200 EXPANDER CAB, BA11-FB + H967-HB, 230V
H967-DH	CPL	BPF	3	10/74	DS200 CAB W PS (+20, +5, -15V), 861-C, BA11-FB, 115V
H967-DJ	CPL	BPF	3	10/74	DS200 CAB W PS (+20, +5, -15V), 861-B, BA11-FB, 230V
H967-EA	CPL	BALL	3	4/72	EXPANDER CAB FOR DS300 SERIES, 115V
H967-EB	CPL	BALL	3	9/72	EXPANDER CAB FOR DS300 SERIES, 230V

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H967-FI	CLP	RHA	3	5/72	H957-AA, -BA, -DA, -FA, -FB, -HA, -LA, -SA, H952-BA, -EA, -FA, 74-06782 KICK PLATE
H967-FJ	CLP	RHA	3	5/72	H957-AA, -BA, -FA, -FB, -HA, -LA, -SA, H952-EA, -FA, 74-06793 KICK PLATE
H967-FK	CLP	RHA	3	5/72	H957-AA, -CA, -EA, -GA, -HA, -LA, -SA, H952-EA, -FA, 74-06793 KICK PLATE
H967-GA	CPL	BALL	3	9/72	DS200 OPTION CAB, 115V (INCLUDES END PANELS)
H967-GB	CPL	BALL	3	9/72	DS200 OPTION CAB, 230V (INCLUDES END PANELS)
H967-HA	CPL	BALL	3	9/72	DATA SYSTEM CAB, 115V, 1 PHASE 30A (24A) 861-C (NO END PANELS)
H967-HB	CPL	BALL	3	9/72	DATA SYSTEM CAB, 230V, 861-B (NO END PANELS)
H967-HC	CPL	BALL	1	5/73	DS200 EXPANDER CAB, 861-A 115V 2 PHASE 20A (16A)
H967-JA	CPL	BALL	1	6/73	DS200 CAB ANGLING KIT (H957-FA, H957-FB, H958-GA)
H967-KA	LDP	GDG	3	10/73	GT44 BASIC CAB, 1 PHASE 30A (24A), 115V 861-C, NO END PANELS
H967-KB	LDP	GDG	3	10/73	GT44 BASIC CAB, 1 PHASE 20A (16A) 230V 861-B, NO END PANELS
H967-KC	LDP	GDG	3	10/73	GT44 EXPANDER CAB, 861-C, NO END PANELS
H967-KD	LDP	GDG	3	10/73	GT44 EXPANDER CAB, 861-B, NO END PANELS
H967-KE	LDP	AW	3	11/73	1140 BASIC CAB, 115V 861-C, NO END PANELS
H967-KF	LDP	AW	3	11/73	1140 BASIC CAB, 230V 861-B, NO END PANELS
H967-KH	LDP	AW	3	11/73	1140 EXPANDER CAB, 115V 861-C, NO END PANELS
H967-KJ	LDP	AW	3	11/73	1140 EXPANDER CAB, 230V 861-B, NO END PANELS
H967-KK	LDP	GKC	3	4/74	SHORT CAB, 861-C POWER CONTROL, GT42 LOGO, FANS, 115V
H967-KL	LDP	GKC	3	4/74	SHORT CAB, 861-B POWER CONTROL, GT42 LOGO, FANS, 230V
H967-LA	TYP	RFC	3	7/74	TYSET OPTION CAB, 115V
H967-LB	TYP	RFC	3	7/74	TYSET OPTION CAB, 230V
H967-UA	CPL	BALL	3	9/72	OPTION CAB FOR DS300 SERIES, 115V, WEIGHTS INSTEAD OF STABILIZER FEET
H967-UB	CPL	BALL	3	9/72	OPTION CAB FOR DS300 SERIES, 230V, WEIGHTS INSTEAD OF STABILIZER FEET
H968-AA	CPL	BALL	1	5/72	DS100 DESK HEIGHT CABINET (USES H958 PARTS)

## TABLES

H970	12		1	1/70	PDP12 CONSOLE TABLE
H970-A	10	BB	2	5/71	CR10-F, CR8/I-F, CR10-D TABLE, 24 X 48 X 29
H970-BA	8	PG	1	2/72	PD12 CONSOLE TABLE (70-05958) 20 X 30 X 26 5/8
H970-CA	8	PG	1	2/72	30 X 30 X 26 5/8 TABLE
H970-DA	CPL	BALL	1	4/72	30 X 60 X 29 DESK, 68 GRAY, TOPAZ MODESTY SHIELD (USES H958-TA TOP)
H970-EA	TYP	JDL	3	8/73	30 X 36 X 27" TABLE, FOR VT20
H970-FA	LDP	BQ	3	9/73	30 X 48 X 29 TABLE
H971-A	-	RHA	1	7/72	STAND FOR LS01-E CENTRONICS PRINTER (3411104)

## MISCELLANEOUS PURCHASED CABINETS &amp; CHAIRS

H980-AA	TPL	JDL	3	11/73	OPTIMEDIA CABINET 7200-99, CONTAINS H980-CC, H980-CD, H980-CH, H980-CG, H980-CF
H980-AB	TPL	JDL	3	11/73	OPTIMEDIA CABINET 7300-99, CONTAINS H980-CC, 2 H980-CD, H980-CH, H980-CG, H980-CF
H980-BA	TPL	JDL	3	11/73	BASIC FRAME OF OPTIMEDIA CABINET 7200-10 USED IN H980-AA, 71 X 36 X 18
H980-BB	TPL	JDL	3	11/73	BASIC FRAME OF OPTIMEDIA CABINET 7300-10 USED IN H980-AB, 58 X 36 X 18
H980-CA	TPL	JDL	3	11/73	TAPE SEAL HANGER BAR, 35 TAPES CAPACITY, 7901-01
H980-CB	TPL	JDL	3	11/73	CANISTER HOLDER FOR MAGTAPE, 7904-01, HOLDS 20 TAPES
H980-CC	TPL	JDL	3	11/73	DECPACK STORAGE RACK 7912-01, HOLDS 14 DECPACKS
H980-CD	TPL	JDL	3	11/73	ROLL OUT DRAWER 7921-01
H980-CE	TPL	JDL	3	11/73	HANGING BINDER FRAME 7935-24, HOLDS LETTER/LEGAL DOCUMENTS PLUS BINDERS
H980-CF	TPL	JDL	3	11/73	BIN DRAWER 7941-01, 12H X 13 1/2W X 12D
H980-CG	TPL	JDL	3	11/73	HEAVY DUTY FIXED SHELF 7951-01
H980-CH	TPL	JDL	3	11/73	DIVIDER KIT 7961-24 FOR 72 DECTAPES
H980-DA	TPL	JDL	3	11/73	STEELCASE SHELL SWIVEL ARM CHAIR
H980-DB	TPL	JDL	3	11/73	STEELCASE SWIVEL ARM CHAIR
H980-DC	TPL	JDL	3	11/73	STEELCASE SIDE ARM CHAIR
H980-DD	TPL	JDL	3	11/73	STEELCASE SIDE CHAIR
H980-DE	TPL	JDL	3	11/73	STEELCASE POSTURE CHAIR

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H981-A	TPL	SG	1 4/74	COPY HOLDER
H982-T	B	PG	3 1/75	VANGUARD DIVERSIFIED TEAK TOP DESK FOR CLASSIC
H982-W	B	PG	3 1/75	VANGUARD DIVERSIFIED WALNUT TOP DESK FOR CLASSIC
NEMA CABINETS				
H990-AA		SZ	1 10/70	BASE CABINET, NEMA 12, FILTERS
H990-BA		SZ	1 10/70	HORIZONTAL MOUNTING PANEL ASSEMBLY
H991-AA		SZ	1 10/70	UNWIRED LOGIC CONSOLE, NEMA 12
H991-AB			1 10/70	WIRED ASSEMBLY CONSOLE
H991-AC			1 10/70	TOTAL CONSOLE ASSEMBLY (H991-AB + BB + CA + H731-A) 60 HZ
H991-AD			1 10/70	TOTAL CONSOLE ASSEMBLY (H991-AB + CA + H731-B) 50 HZ
H991-BA		SZ	1 10/70	BLANK PLEXIGLAS FRONT PANEL
H991-BB		SZ	1 10/70	ONE SYSTEM FRONT PANEL
H991-CA			1 10/70	LIGHT BOARD ASSEMBLY
H992-AA 14		GEG	2 8/72	NEMA CAB WITH 4 FRONT DOORS, 1 W TTY TUB, FULL LENGTH BACK DOOR, AIR COND, 130F MAX AMBIENT
H992-AB 14		GEG	2 8/72	H992-AA WITH AIR/AIR HEAT EXCHANGER, 100F MAX AMB
H992-BA 14		GEG	2 8/72	H992-AA WITH NO TTY TUB
H992-BB 14		GEG	2 8/72	H992-BA WITH AIR/AIR HEAT EXCHANGER
H992-CA 14		GEG	2 8/72	NEMA CAB WITH FULL LENGTH FRONT & REAR DOORS, AIR CONDITIONER, 130F MAX AMBIENT
H992-CB 14		GEG	2 8/72	H992-CA WITH AIR/AIR HEAT EXCHANGER
H993-AA 1PG		PHG	2 8/72	11'07 NEMA ENCLOSURE 54" HIGH WITH AIR CONDITIONER
H993-AB 1PG		PHG	2 8/72	11'07 ENCLOSURE 54" HIGH WITH HEAT EXCHANGER
H993-BA 1PG		PHG	2 8/72	72" HIGH H993-AA
H993-BB 1PG		PHG	2 8/72	72" HIGH H993-AB

## K-SERIES MODULES, GATES

K003	CAT		5	GATE EXPANDER, 3 3-INPUT DIODE GROUPS, 3 1-MA LOADS
K012	CAT		5	GATE EXPANDER, 3 4-INPUT OR GATES
K022	14	LF	5	2 INPUT AND/OR EXPANDER
K026	CAT		5	GATE EXPANDER, 3 GROUPS OF 2 INPUT AND-OR GATES
K028	CAT		5	AND/OR EXPANDER, 8 2-INPUT ANDS ORED TOGETHER
K080	CAT		5	19 CONDUCTOR FLEXPRINT CABLE CONNECTOR, 18 PINS, USED ON K960
K112	CAT		5	K113 EXCEPT 100 TIMES SLOWER
K113	CAT		5	2-INPUT NAND GATES, 3 INDEP CKTS WITH EXPANSION CAPABILITY
K122	CAT		5	K123 EXCEPT 100 TIMES SLOWER
K123	CAT		5	2-INPUT AND GATES, 3 INDEP CKTS WITH EXPANSION CAPABILITY
K124	CAT		5	2 2-INPUT ANDS ORED TOGETHER, 3 TIMES
K134	CAT		5	4 2-INPUT NANDS WITH 1 INPUT COMMON, EXPANSION CAPABILITY FOR AND INPUT ONLY
K135	CAT		5	K124 WITH OR EXPANSION
K136	14	AR	5	PARTIAL K135 WITH 5 USEC DELAY IN ENABLE AND IN 2 OR 4 CHANNELS
K138	CAT		5	8 INVERTERS
K154	CAT	JB	0 10/74	4-BIT BINARY ADDER/SUBTRACTOR, SINGLE X 5
K156	CAT	JB	0 10/74	BCD ADDER, 1 DIGIT, SINGLE X 5
K161	CAT		5	BINARY-TO-OCTAL DECODER, 8 OUTPUTS, 3 INPUTS PLUS 1 INHIBIT
K168	CAT	JB	0 10/74	TEN'S COMPLEMENT, 1 DIGIT, CASCADABLE
K171	CAT	RJM	5	4 BIT EQUALITY COMPARATOR, DRIVES AND EXPANSION NODES ONLY
K174	CAT		5	4-BIT MAGNITUDE COMPARATOR
K175				(RESERVED FOR JLE)
K182				(RESERVED FOR JLE)
K184	CAT		5	4-BIT RATE MULTIPLIER

## FLIP-FLOPS



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
K201	CAT		5	DUAL 1 KHZ FLIP-FLOP, J-K TYPE
K202	CAT		5	2 V-TYPE FFS WITH INDEP SET & CLEAR INPUTS
K206	CAT		5	4 RS FFS WITH COMMON ENABLE AND CLEAR INPUTS, "1" OUTPUTS ONLY
K207	14	AR	5 5/73	K206 WITH 1 DATA INPUT/BIT, COMMON ENABLE SET AND ENABLE CLEAR
K210	CAT		5	4-BIT DECIMAL/BINARY COUNTER, "1" OUTPUTS ONLY
K211	CAT		5	PROGRAMMABLE DIVIDER, FUNCTIONS LIKE K210 WITH K003 EXPANDERS
K220	CAT		5	UP/DOWN DECIMAL COUNTER PLUS INPUT LOGIC, 4 BITS, DOUBLE WIDE
K230	CAT		5	4-BIT SHIFT REGISTER PLUS INPUT LOGIC
RELAYS, MEMORIES				
K265	CAT	RJM	5	FIVE 100 MA REED RELAYS & DRIVERS, EITHER AXIAL OR PC RELAYS
K271	CAT		5	RETENTIVE MEMORY, 1 BISTABLE HG WETTED RELAY WITH SET, CLEAR, & INHIBIT
K272	14		5	RETENTIVE MEMORY FOR PDP14, 1 BIT
K273	CAT		5	RETENTIVE MEMORY, 3 HG WETTED RELAY LATCHES, COMMON LATCH INPUT
K274	14	AR	5 11/71	DUAL RETENTIVE MEMORY, REPLACES K272
K281	CAT		5	READ-ONLY MEMORY, 8 4-BIT WORDS, DIODE ARRAY
K282	CAT	JB	5	READ-ONLY MEMORY, 8 16-BIT WORDS, DIODE ARRAY
TIMERS, SWITCHES				
K301	CAT		5	TIMER, ONE-SHOT WITH EITHER POLARITY INPUT
K302	14		5	2 TIMERS, SIM TO K303, .01 TO .3 SEC, .1 TO 3 SEC, 1 TO 30 SEC, PDP14
K303	CAT		5	3 TIMER CKTS, DELAYS FROM 10 USEC TO 30 SEC, USED FOR ONE-SHOTS OR CLOCKS
K323	CAT		5	3 ONE-SHOTS LIKE M320, EXCEPT BOTH OUTPUTS, FIXED OR ADJ DELAY 10 USEC TO 30 SEC
K333	CAT	RJM	5	3 PULSER CKTS, 20 US PULSES
K371	CAT		5	CLOCK CONTROL, 200 HZ TO 6 KHZ, USED WITH K303
K372	10	KE	5 4/72	TIMER CONTROL, 1 TO 30 MSEC
K373	CAT		5	CLOCK CONTROL, 20 HZ TO 600 HZ, SIM TO K371
K374	CAT		5	CALIBRATED TIMER CONTROL, 0.01 SEC TO 0.3 SEC
K375	CAT		5	CLOCK CONTROL, 2 HZ TO 60 HZ, USED ON 2/3 K303
K376	CAT		5	CALIBRATED TIMER CONTROL, 0.1 SEC TO 3 SEC
K378	CAT		5	CALIBRATED TIMER CONTROL, 1 SEC TO 30 SEC, SIM TO K374
K410	CAT		5	INDICATOR LIGHT, 5 LIGHTS WITH FULL WAVE RECTIFIER
K415	CAT	RJM	5	NIXIE DISPLAY, 1 TYPE, B5750'S
K420	CAT		5	3 TOGGLE SWITCHES, 3 POSITIONS (1 MOMENTARY)
K421	CAT	VDB	5 8/73	SINGLE THUMBWHEEL
K422	CAT		5	DUAL THUMBWHEEL, (FITS K950), CONTAINS DIODE MATRIX FOR DECIMAL TO BCD CONV, USED AS ENCODER
K424	CAT		5	DUAL THUMBWHEEL, K422 WITH DIODES REVERSED, USED FOR DECODING
K425	CAT	VDB	4 2/74	THUMBWHEEL MOUNTING MODULE (5 SOCKETS FOR K421, 1 25-PIN CANNON)
K432	CAT		5	2 ADJ TIMER CKTS, USED WITH K303, DELAY 0.1 MS TO 5 SEC
INPUT CONVERTERS				
K501	CAT		5	4 SCHMITT TRIGGERS
K508	CAT		5	AC INPUT CONVERTER, USED WITH K716, 8 CKTS, 6.3 VAC IN FROM TRANSFORMER
K522	CAT		5	SENSOR CONVERTER, 2 DIFFERENTIAL INPUT CKTS, INT 1.8V REF
K522-YA	10	DREW	5 1/72	K522 WITH 500 OHM POTS INSERTED
K524	CAT		5	SENSOR CONVERTER, 4 DIF INPUT CKTS, 7.5V COMMON MODE RANGE
K531	CAT		5	QUADRATURE DETECTOR, 2 INPUTS FROM ENCODER, COUNT, DIRECTION, & SIGN OUTPUTS
K564	14	AR	5 3/72	DC INPUT CONVERTER, 8 CKTS
K578	CAT		5	120 VAC INPUT CONVERTER, 8 CKTS, OUTPUT GATING
K579	14	AR	5 2/72	K578 WITH SCHMITT TRIGGERS
K580	CAT		5	8 CONTACT FILTERS, SUPPLY VOLTAGE BETWEEN 10 & 120V
K580-YA	CSS	ST	3 12/71	K580 WITH 5.1V ZENERS INSTEAD OF RESISTORS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
K581	CAT		5	8 CONTACT FILTERS, SUPPLY VOLTAGE OF +5V
K582	SSCAN	OF	3 3/74	64 CONTACT FILTERS, SUPPLY VOLTAGE OF +5V, QUAD (SEE M1005)
K596	CAT		5	EIA INPUT CONVERTER, 6 CKTS, BIPOLAR INPUTS OF +/-3 TO +/-25V
<b>SWITCHES &amp; DRIVERS</b>				
K604	CAT		5	4 ISOLATED AC SWITCHES, CONTROL OF 120 VAC LOADS, USED WITH K716
K614	CAT		5	4 ISOLATED AC SWITCHES, SIM TO K604, USED WITH K724 OR K725
K615	CAT		5	LIKE K614, EXCEPT 1 INPUT TO EACH CKTS IS FAIL-SAFE
K616	CAT	VDB	5 5/73	4 CH ISOLATED AC OUTPUT, 120VAC (REPLACES K614) DOUBLE 5, TRIPLE THICK
K644	CAT		5	4 DC DRIVERS, SWITCH UP TO 2.5 AMPS AT 55V
K650	CAT		5	4 DC DRIVERS, SWITCH UP TO 1 AMP AT 55V
K652	CAT	RJM	5	4 DC DRIVERS, SWITCH UP TO 2.5 AMPS AT 55V
K654	CAT	RJM	1 6/69	4 DC DRIVERS, SIM TO K644, SWITCH UP TO 4 AMPS AT 55V
K656	CAT		5	4 DC DRIVERS, SWITCH UP TO 1 AMP AT 250V
K657	14	AR	5 12/71	4 DC DRIVERS, 1 AMP AT 250V, REVERSIBLE
K658	CAT		5	4 DC DRIVERS, SWITCH UP TO 4 AMPS AT 125V
K671	CAT		5	DECIMAL DECODER AND NIXIE DISPLAY, 2 PARTS SEPARATED BY 1 FT RIBBON CABLE
K675	CAT	VDB	4 2/74	5 DIGIT DISPLAY, LEDS, PANEL MOUNT, 25-PIN CANNON
K681	CAT		5	6 DRIVER CKTS, OUTPUTS ON SPLIT LUGS FOR CABLE CONN, DRIVE 30 MA, 18V
K683	CAT		5	8 DRIVER CKTS, OUTPUTS ON SPLIT LUGS, DRIVE 250 MA, 55V
K696	CAT		5	EIA OUTPUT CONVERTER

**MISCELLANEOUS**

K710				(RESERVED FOR 8 TRANSFORMER INTERFACE BLOCK)
K716	CAT		5	INTERFACE BLOCK
K724	CAT		5	INTERFACE SHELL, USED FOR PDP14 I/O BOX SHELL
K725	CAT		6	INTERFACE SHELL, USES A PRINTED BACKPLANE FOR CONNECTIONS, 16 IN, 8 OUT (PDP14 I/O BOX)
K727	14	LF	4	OUTPUT INTERFACE BOX FOR PDP14
K730	CAT	JB	5	BRIDGE RECTIFIER, TAKES 12.6 V FROM K743 AND MAKES +10V FOR K580 SWITCHES, DELAYED +5V OK SIGNAL
K731	CAT		5	1 AMP REGULATOR, INPUT FROM 12.6 VAC CENTER-TAPPED TRANSFORMER, +5V OUT
K732	CAT		5	SLAVE REGULATOR, USED WITH K731, SUPPLIES TWICE AS MUCH CURRENT
K741	CAT		5	TRANSFORMER WITH FILTER, 120 OR 240 VAC IN, 12.6 VAC WITH CENTER TAP OUT
K743	CAT		5	TRANSFORMER WITH FILTER, 120 VAC IN, 2 12-VAC SECONDARIES
K771	CAT		5	DECIMAL DISPLAY SUPPORT, PROVIDES POWER FOR UP TO 6 K671'S
K782	CAT		5	9-WIRE TERMINAL STRIP, STRAIGHT THROUGH CONNECTIONS
K783	CAT	VDB	5 2/74	25-PIN CANNON FEMALE ON DOUBLE 5, NO "A" SIDE HANDLE
K784	CAT		5	SI TO K782, EXCEPT IT HAS 8 CLAMP DIODES
K791	CAT		5	TEST PROBE, INDICATES BOTH TRANSIENT AND STEADY-STATE CONDITIONS

**HARDWARE & MISC**

K900	CAT	RJM	5	CONTROL PANEL FOR K SERIES LOGIC LAB
K901	CAT	RJM	5	PATCH PANEL FOR K SERIES LOGIC LAB, SIM TO H901, SINGLE HEIGHT CARDS
K902	CAT	RJM	5	INDICATOR LIGHT AND SWITCH PANEL FOR K SERIES LOGIC LAB
K903	CAT	JB	5 1/71	PATCH PANEL FOR K SERIES LOGIC LAB, WILL TAKE DBL HEIGHT CARDS
K940	CAT		5	BAR SUPPORT, MOUNTING FOOT FOR K914
K941	CAT		5	MOUNTING BAR
K943-R	CAT		5	MOUNTING PANEL, 1943 MODIFIED FOR USE IN +5V SYSTEMS, SOLDER FORKS
K943-S	CAT		5	MOUNTING PANEL, 1943 MODIFIED FOR USE IN +5V SYSTEMS, WIRE WRAP
K950	CAT		5	MAGNETIC FRAME 19" WIDE BY 3 1/2" HIGH
K960	CAT		5	PLUG BOARD RECEIVER, QUAD BOARD WITH 8 CABLES
K980	CAT		5 11/72	PAIR OF END BRACKETS FOR 5" MODULES
K981	CAT	SZ	3 1/75	8.5" K980

MODEL NO	PHOD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
K982	CAT	RJM	5	TRANSFORMER MOUNTING PANEL FOR 19" RACK
K984	MOD	RJM	5	NIAIE MOUNTING PANEL FOR 19" RACK
K990	CAT		5	TIPER COMPONENT BOARD, SPACE FOR 6 RC NETWORKS
LOADS, DRIVERS				
H002	CAT		5	RESISTOR NETWORK, 15 CKTS FOR A SOURCE OF LOGIC 1 (3V)
M002-YA	11	SR	5 1/72	10 390 OHM RES TO GND & 5 180 OHM RES TO +5V
M040	CAT		5	HIGH CURRENT DRIVER, 2 4-INPUT GATES, 70V, 600MA MAX/DRIVER
M044	PERIPH		5 5/73	4 SOLENOID DRIVERS, 2 INPUT AND GATES, LOADS RETURNED TO NEG VOLTAGE, 100 MA, -30V MAX
M050	CAT		5	INVERTER DRIVER, 12 CKTS, SWITCH -30V AND 50 MA MAX/DRIVER
M051	CAT		5	LEVEL CONV, POS LOG IN AND NEG LOG OUT, 12 CKTS, OPEN COLLECTOR
M057			7	(NEVER MADE), GATE EXPANDER
M060	CAT	DCU	5	4 DRIVERS, 1.2 AMPS AND 50V
GATES				
M100	B	HA	5	NEG BUS EQUIV TO M101
M1000	OC	EWB	2 4/74	DUAL 3-INPUT ECL NOR GATES (10111), 4 LAYER SINGLE 5, 5010074 (W9611)
M1001	OC	EWB	2 4/74	UAD 2-INPUT ECL AND GATE (10104), 4 LAYER SINGLE 5, 5010074 (W9611)
M1002	OC	EWB	2 4/74	QUAD 2-INPUT ECL NOR GATE (10102), 4 LAYER SINGLE 5, 5010074 (W9611)
M1003	OC	EWB	2 4/74	TRIPLE 2, 3, 2-INPUT ECL OR/NOR GATE, MC10105, 5010074 4 LAYER SINGLE 5 (W9611)
M1004	SSCAL	CER	3 2/74	2 92S62 9 BIT PARITY CHECKERS ON W960 ETCH, SINGLE 5
M1005	SSCAL	DF	3 3/74	CSU 8 X 8 MUX W X BUS CONNECTIONS (SEE M7829), QUAD
M1006	SSCAL	HAY	1 5/74	16 BIT 2 X 1 MUX, DOUBLE
M1007	SSCAN	DF	3 2/74	CSU 64CH TRANSITION DETECTOR, 8 OUTPUTS, DRIVES M1005, QUAD
M1008	SSCAN	DF	3 2/74	CSU 64 TTL OUTPUT, 1 STROBE PER 8, DRIVES A635, M690, W810, QUAD
M101	CAT		5	2-INPUT GATES, 15 CKTS, 1 COMMON AND 1 INDEPENDENT INPUT
M102	B	HA	5	NEG BUS EQUIV TO M103
M103	CAT		5	DEVICE SELECTOR FOR POS B/I BUS, 6-BIT AND 10P DECODING
M104	15	DO	5	I/O BUS MULTIPLEX CONTROL FOR PDP-15 PERIPHERALS, SEE M194
M105	11	PJ	5 5/73	DEVICE SELECTOR FOR PDP-11
M106	14	AR	5	BUS RECEIVER WITH WIRED OR OUTPUT CAPABILITY
M107	MOD	RC	5	DEVICE SELECTOR, 12 OUTPUT PULSES, 2 FLAGS
M108	MOD	RC	5	FLAG MODULE FOR 12 BITS & BUS, GEN PURPOSE, FITS INTO E100
M109	11	PD	5 5/73	PDP-11 DEVICE SELECTOR WITH JUMPERS, BITS 13 THRU 17
M1091	11	PD	5 2/72	MEMORY DEVICE SELECTOR, JUMPERS, BITS 11 THRU 17, SINGLE
M1103	MOD	RVN	5	2 INPUT AND, 10 CKTS, M113 PINS, 7400 IC, KOR16-A, SINGLE X 5
M111	CAT		5	16 INDEPENDENT INVERTERS
M111-YA	SSCAL	BLE	3 6/73	M111 WITH 74H01 INSTEAD OF 7400 (OPEN COLLECTOR)
M112	CAT		5	2-INPUT NOR GATES, 10 INDEP CKTS
M1125	CAT	RF	5 2/73	2-INPUT XOR GATES, 10 CKTS, M113 ETCH, SINGLE 5
M113	CAT		5	2-INPUT NAND GATES, 10 INDEP CKTS
M1131	OC	RM	5 4/72	M113 WITH OPEN COLLECTORS
M115	CAT		5	3-INPUT NAND GATES, 8 INDEP CKTS
M116	CAT	DCB	5	4-INPUT NOR GATES, 6 CKTS, DEC8815'S
M117	CAT		5	4-INPUT NAND GATES, 6 INDEP CKTS
M119	CAT		5	8-INPUT NAND GATES, 3 INDEP CKTS
M121	CAT		5	2, AND-NOR, 6 CKTS
M122				(RESERVE FOR NON H VERSION OF M127)
M123			7 11/68	(OBSOLETE), NUMBER CHANGED TO M133
M124				(RESERVE FOR NON H VERSION OF M129)
M126	10	HW	5 1/72	H VERSION OF M121, (NOT PIN COMPATIBLE)
M127	15	DO	5	2,2,2,3 AND-NOR, H, 3 CKTS
M128	10	DREW	5 1/72	4,1 AND-NOR, H, 3 CKTS

MODEL NO	PROD LINE	DES ENGR	STATUS MJ/YR	DESCRIPTION
M129	15	OO	5	4,4 AND-NOR, H, 4 CKTS
M130	10	SU	5	3/72 5 8-BIT PARITY CKTS + 5 2-INPUT XOR GATES (MC4000)
M1307	16	RVN	5	4 INPUT AND, 6 CKTS, M117 PINS, 74H21 IC, KOR16-0, SINGLE X 5
M131			7	3/69 (OBSOLETE), H VERSION OF M111, (SEE M611)
M132	10	WH	1	7/69 ADDER (8260) 4 BITS, K110, 6 BUFFERS
M133	CAT		5	H VERSION OF M113
M134	10	WH	1	7/69 ADDER LOOK AHEAD, USED WITH M132, K110
M135	CAT	OCB	5	H VERSION OF M115
M137	CAT	OCB	5	H VERSION OF M117
M139	CAT	OCB	5	H VERSION OF M119
M141	CAT		5	2,2,2 AND-NOR GATES, 3 CKTS, 2 INVERTERS
M142	10	WH	5	1/72 ADDER, DISCRETE EQUIV TO M132, DOUBLE
M143	10	SU	5	5/73 10 2-INPUT NAND GATES, WITH ONE PAIR SHARING COMMON INPUT, K110
M145	10	SU	5	1/72 3-INPUT NAND GATES, 7 CKTS, 74H, K110
M147	10	SU	5	1/72 5 2-INPUT NANDS, 1 2-INPUT NAND, 74H, K110
M149	15	FA	5	9X5 NAND WIRED-OR, 2 SECTIONS OF 9 2-INPUT NANDS ORED TO 9 OUTPUTS
M1500	CAT	OCB	5	1/72 BUS GATES MODULE, PDP8/E OR PDP11 BUS
M1501	CAT	OCB	5	5/73 BUS INPUT INTERFACE, 8/E OR 11 BUS, SINGLE
M1502	CAT	OCB	4	2/74 BUS OUTPUT INTERFACE, 8/E OR 11 BUS, DBL X 8.5
M1503	CAT			
M151	10	ATT	5	1/72 DUAL BINARY TO OCTAL WITH ENABLE, H SERIES, K110, 74H20
M1510	CAT	OCB	5	5/73 BUS DEVICE SELECTOR, PDP8/E BUS, DOUBLE
M152	10	ATT	5	1/72 M121 NON INVERTING, K110, 74H21
M155	CAT	OCB	5	1 OF 16 DECODER WITH ENABLE, 74154 ON BOARD 50-08908A (SEE W962)
M159	CAT	JJO	5	4 BIT ARITHMETIC LOGIC UNIT, (DEC 74181), USES 50-08908 BOARD
M160	CAT		5	4,2,2,2,3 AND-NOR, 4,2,2,4 AND-NOR, 2,2 AND-NOR
M1603	16	RVN	5	RT T-DECODER, 3 OR 4 BIT DECODER
M161	CAT		5	BINARY TO OCTAL/DECIMAL DECODER, 3 ENABLE INPUTS
M162	CAT		5	PARITY GENERATOR FOR 8/1, 4-BIT INPUT, ODD & EVEN PARITY OUT
M1621	CAT	JB	5	5/73 DVM DATA INPUT INTERFACE, DBL X 8.5
M1622	CAT	JB	1	9/71 DVM REMOTE CONTROL, DBL X 8.5
M1623	CAT	JB	5	2/72 PROGRAMMABLE POWER SUPPLY INTERFACE, QUAD X 8.5
M163	8		5	DUAL BINARY-TO-DECIMAL DECODER
M164	15		5	6-BIT ADDER FOR PDP-15, 2 ADDERS FOR CARRY IN 1 OR 0
M165	10	ATT	5	1/72 MEMORY BUFFER, INV & NON-INV OUT FROM OPEN COLLECTOR, 8 CH FOR K110
M166	10	SU	5	1/72 9 BIT COUNTING GATE, K110
M167	11	PM	5	COMPARES 2 8-BIT WORDS, <,=,>
M168	CAT	RC	5	12 BIT COMPARATOR, <,=,>
M169	CAT		5	FUNCTIONAL GATE MODULE FOR PDP-12, 4 4-BIT OUTPUT MULTIPLEXERS
M170	10	WH	5	1/72 3-3-3-2-2-2-2-2 AND-NOR & 3-2-2-2 AND-NOR, H, K110
M1700	CSS	JTN	1	10/74 2 10 1 MUX, 8 CKTS, 50-08912 ETCH, 74157, SINGLE
M1701	CAT	OCB	5	4 10 1 MUX, 4 CKTS, 50-08912 ETCH, 74153, SINGLE
M1702	MOD	RC	7	8/72 QUAD BUFFERED 3 12-BIT WORD INTERFACE, QUAD X 8.5
M1703	MOD	RC	5	5/73 SINGLE 12-BIT WORD 8/E INTERFACE, QUAD X 8.5
M1703-YA	TE	PNH	3	8/74 542005-TA, M1703 W ADDRESS CODE 34
M1704	MOD	RC	2	1/72 DUAL ASYNC SERIAL 8/E BUS TRANSCEIVER, QUAD X 8.5
M1705	MOD	RC	5	2/74 DUAL 12-BIT WORD OMNIBUS OUTPUT INTERFACE, QUAD 8.5
M1705-YA	TE	PNH	3	8/74 542005-TA, M1705 W ADDRESS CODES 31 & 32, 1000PP ON W25
M1705-YB	TE	PNH	3	8/74 542005-TA, M1705 W ADDRESS CODES 33 & 36
M1709	MOD	JB	5	11/72 8/E UNIV INTERFACE, SPACE FOR 16 16-PIN + 2 40-PIN IC'S, PARTIAL WIREWRAP, QUAD
M171	10	QREW	5	1/72 2,2,2,3 AND-NOR, 3 CKTS, DIFFERENT PINS THAN M127
M1710	CAT	JB	5	3/74 UNIBUS DD11-A INTERFACE W WIRE WRAP PINS, SPACE FOR 19 16-PIN IC'S
M1713	CAT	OCB	5	16 TO 1 MUX INV, 74150, 50-08908 ETCH, SINGLE
M172	10	WH	5	1/72 2 EN X 9 OUT MIXER, 74H50, FOR K110
M173	10	WH	5	11/71 NON-INVERTING M143

MODEL NO	PROD LINE	DES ENGR	STATUS	M3/YR	DESCRIPTION
M174	10	NW	5	1/72	4 EN X 9 OUT MIXER, 74H53'S, KI10, DOUBLE
M175	10	NW	5	1/72	7 2-INPUT AND GATES, 74H, KI10
M177	10	NW	5	5/73	NON-INVERTING M147
M178	10	NW	5		8 EN X 6 OUT MIXER, 74H53, 74H62, KI10, DOUBLE
M1801	CAT	JB	5	5/73	16-BIT REED RELAY REGISTER, 120V OR 0.5A, 10 WATTS. QUAD
M181	10	NW	5	1/72	NON-INVERTING M171
M182	15	DO	5	5/73	M172 WITH FAST IC'S, H
M190	12	SNT	5		4 ARITHMETIC LOGIC, IN & OUT BUFFERS, SN74181, USED IN FPP12
M191	CAT	OCB	5		2 LOOK-AHEAD ELEMENTS (74182), USES W961 BOARD, USED WITH M190 OR M159 (BOARD 50-08912)
M192	12	SNT	5	11/71	2 8-INPUT PRIORITY ENCODERS, 9318 IC, 50-08912 BOARD
M194	15	ELIA	5		1/2 BUS MUX CONT FOR PDP9 PERIPHERALS (ENABLE BUS IN/OUT -3V LOGIC), SEE M104

## FLIP-FLOPS

M2000	DAS	ROR	4	5/73	18 BIT REGISTER 4 PARITY, DOUBLE 5
M2001	CAT	RF	5	3/74	2 4-BIT TRI-STATE D FLIP FLOP REGISTERS, SINGLE 5
M2002	SSCAL	CER	1	2/74	2 74174 HEX FF ON W960 ETCH, SINGLE 5
M2003	SSCAL	CER	1	2/74	74174 HEX FF PLUS 7585 COMPARATOR ON W960 ETCH, SINGLE 5
M2004	CSS	BMW	1	9/74	DUAL UNIVERSAL SHIFT REGISTER (2 74194), 50-08912 ETCH, SINGLE 5
M202	CAT		5		3 JK FFS, S, CL, C
M203	CAT		5		8 SET-RESET FFS, (M113 GATES)
M204	CAT		5		4 JK FFS, CAN DO SYNCHRONOUS BINARY COUNTING
M205	CAT	OCB	5		5 D FFS, ALL PINS AVAILABLE
M206	CAT		5		6 D FFS
M207	CAT		5		6 INDEPENDENT JK FFS
M208	CAT		5		8 BIT SHIFT & BUFFER REGISTER, D FFS
M209			7		(NEVER MADE), 8 BIT UP/DOWN COUNTER
M210			7		(NEVER MADE), 10 BIT BUFFER SHIFT REGISTER
M2100	CSS	JTN	3	9/74	TTL OUTPUT MODULE, 16-BIT REGISTER, OPEN COLLECTOR TO H854, SINGLE 8.5
M2101	CSS	JTN	2	6/74	TTL INPUT MODULE, 16-BIT REGISTER FROM H854, SINGLE 8.5
M211	CAT		5		6 BIT UP/DOWN COUNTER
M212	12	CL	5		6 BIT LEFT-RIGHT SHIFT REG, LOAD FROM 2 SOURCES, (2-R212'S)
M213	CAT		5		1 DECADE BCD UP/DOWN JAM COUNTER WITH PARALLEL READ IN
M214	15	DO	5		6 BIT ACCUMULATOR WITH 3 INPUTS
M215	15	LH	5		4 BITS OF 3 REGISTERS, COMMON ADDER PER BIT, COMMON CLOCK PER WORD
M216	8		5		6 D FFS, (M206 WITHOUT CLEAR JUMPER CHOICE)
M217	12	RI	5		CLOCK REGISTER FOR PDP-12, 4 BIT COUNTER WITH BUFFER REGISTER FOR PRESET OR READOUT
M218	15		5		BIDIRECTIONAL SHIFT REGISTER, 9 BITS, 2 PARALLEL LOADS
M219	15		5		7 BIT SYNCHRONOUS COUNTER WITH JAM & CLEAR PRESETS, DOUBLE
M220	8		5		REGISTER FOR PDP-8/1, 2 BITS EACH OF MA, MB, PC, AC, & ADDER
M221	12	CL	5		REGISTER FOR PDP-12, (M220 PLUS EXTRA LOGIC)
M222	12	CL	5		TAPE REGISTER FOR PDP-12, 2 BITS, 6 REGISTERS, DOUBLE
M223	15		5		REGISTER FOR PDP-15, 4 BITS, MA & MB
M224	11	JO	5		8 BITS WITH DATA PATHS FOR KA11, 2 LATCHES, ADDER, DOUBLE 8.5
M224-JA	11	JO	1	7/72	SYSTEM TESTED M224
M225	11	JO	5	5/73	PROCESSOR MEMORY FOR KA11, 16 BITS X 16 BITS, DOUBLE 8.5
M225-JA	11	JO	1	7/72	SYSTEM TESTED M225
M226	15		5	5/73	1 BIT ALL REGISTERS (EXCEPT ACC) FOR PDP-15
M227	15		5	5/73	ACCUMULATOR FOR PDP-15, 9 BITS
M228	15		5	5/73	MARK TRACK DECODER FOR TC08, TC15
M229	15	OR	5		4 UNIT SELECTOR DRIVER, VP15-H, 4FFS WITH BUFFERED OUTPUT GATES
M230	CAT	RC	5		BINARY/BCD/BINARY CONVERTER, 12 BITS, 5 MHZ COUNT RATE
M231	12	SNT	5		DUAL 12 BIT PRESETTABLE REPEATABLE COUNTER, DOUBLE, USED IN AIP12
M232	CAT	AR	5	5/73	16 WORD 1 BIT MEMORY WITH COMMON CLEAR
M233	8	NH	5	5/73	12 WORD SHIFT REGISTER WITH PARALLEL LOAD, CLEAR, COMMON CLOCK

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
M234	11	SR	5	3 8 BIT REGISTERS, ADDER & L/R SHIFT, KE11-A
M235	14	AR	5	3 2 BIT REGISTERS, 2 STORAGE & 1 CTS FOR 14/L, DOUBLE
M236	MOD	RC	5	12 BIT SYNCHRONOUS UP/DOWN COUNTER WITH PARALLEL LOAD, ETCH BD 50-08931
M237	MOD	RC	5	3 DIGIT BCD SYNCHRONOUS UP/DOWN COUNTER WITH PARALLEL LOAD, ETCH BD 50-08931
M238	CAT	OCB	5	2 4-BIT SYNC UP/DOWN CNTR WITH PARALLEL LOAD, SEP UP & DOWN CLOCKS, ETCH BD 50-08912 (W961)
M239	11	PJ	5	3 4-BIT COUNTERS (8291'S) OR 74197, PARALLEL LOAD, SINGLE X 5
M240	15		5	6 SET-RESET FF'S MADE FROM 74H40 BUFFERS
M241	10	HW	5 1/72	6 D FF'S (74H74) WITH COMMON CLOCK
M242	15		5 5/73	H EQUIVALENT TO M232
M243	10	HW	5 1/72	8 D FF'S (74H74) WITH 2 COMMON CLOCKS, 4 BITS EACH
M244	11	BD	5	6 KTS, EACH 3 INPUT MX W LATCH, NON-INV, ENABLES 4 & 2, 3 TIMES, SINGLE X 8.5
M245	CAT	OCB	5	2 3-BIT SHIFT REGISTERS W PARALLEL READ IN, USES BOARD 50-08912 (SEE W961)
M246	10	HW	5 1/72	5 D FLIP-FLOPS, ALL PINS BROUGHT OUT, (74H74)
M247	10	SU	5 4/72	6 SET-RESET FF'S, CLOCKED TO 6 D FF'S, SINGLE X 5"
M248	CAT	OCB	5	8 BIT SHIFT RIGHT, PARALLEL LOAD, 50-08914 ETCH, 7495 IC'S
M249	14	AR	5	12 BIT BUF REG WITH OPEN COLLECTOR OUTPUT GATES, SINGLE X 5

## MEMORIES

M250	10	ATT	5 1/72	16 WORDS, 4-BIT MEMORY, (F9035), KI10
M2500	11	DI	5 11/72	2 64-WORD 4-BIT MOS 1ST IN 1ST OUT MEMORIES, SINGLE 5, 5008912, NEEDS -12V
M2500-YA	SSCAL	BLE	3 12/74	M2500 W FILTER CAP ON LINE U1 (-12V)
M251	10	ATT	7	16 WORDS, 8-BIT MEMORY (9033), M250 PINS INTENDED, KI10
M252	10	ATT	2 10/69	16 WORDS, 4 BITS (NOT 4005L), KI10, M250, DOUBLE
M253	10	ATT	5 1/72	16 WORDS, 12-BIT MEMORY, USES TI 7489
M254	12	SNT	1 5/71	256 20-BIT, 3 256 WORD 4-BIT RAM, 120 NSEC CYCLE, QUAD X 8.5
M255	13	DMT	5 2/74	256 X 12 BIT RAM (INTEL 3106) + BUFFER, DOUBLE 5
M259	11	BD	5	ASSOCIATIVE MEMORY, 2XB, SHIFT REG CAPABILITY, SINGLE, 8.5, KI11
M260	10	ATT	5 1/72	ASSOCIATIVE MEMORY, 4 WORDS, 12 BITS, KI10, 4102 IC, FAIRCHILD, 35 NS MATCH TIME, DOUBLE
M261	CAT	OCB	5	SLJ SYN/RESPONSYN STEPPING MOTOR TRANSLATOR, 4 WINDINGS
M262	CAT	OCB	5	FUJITSU/WARNER STEPPING MOTOR TRANSLATOR, 5 WINDINGS
M266	IPG	EK	6 4/71	K2K6 WITH INPUT FILTERS REMOVED
M270	10	OREW	1 3/72	256 X 12 ROM, SN74187, RF10, SINGLE 5
M271	11/05-R	OAC	1 3/74	8K X 18 MOS ARRAY (TMS 4030), QUAD 7
M2700	OC	EWB	2 4/74	8X32 ECL BLASTABLE PROM (10139), 4 LAYER SINGLE 5, 5010874 (W9611)
M2701	CSS	BMW	1 9/74	512X16 ROM (4 23-000A2), SINGLE 5
M2701-YA	CSS	BMW	1 9/74	EM11-B, M2701 PATTERN 1
M2701-YB	CSS	BMW	1 9/74	EM11-B, M2701 PATTERN 2
M2701-YC	CSS	BMW	1 9/74	EM11-B, M2701 PATTERN 3
M2701-YD	CSS	BMW	1 9/74	EM11-B, M2701 PATTERN 4

## ONE-SHOTS, DELAYS

M302	CAT		5	2 ONE-SHOTS
M3020	CAT	MORO	5 7/73	2 ONE-SHOTS TO REPLACE M302, HYSTERISIS ADDED TO PREVENT NOISE TRIGGERING
M304	12	RI	5	4 ONE-SHOTS, 100 NSEC OR 1 USEC ONLY
M304-YA	TE	EG	3 4/74	M304 MODIFIED TO BE 250 NS OR 2.5 USEC
M306	MOD	RC	5	INTEGRATING ONE SHOT, 500 NSEC MIN
M307	12	GPB	5	DUAL INTEGRATING ONE-SHOT, USES FAIRCHILD 9601'S; 5 USEC TO 500 MSEC
M3070	10	OREW	5 1/72	DUAL INTEGRATING ONE SHOT, 200 NSEC TO 20 MSEC IN 5 STEPS
M308	10	SU	5 4/72	INTEGRATING ONE SHOT, EDGE OR PULSE TRIGGERED, CLOCK, POWER UP & DOWN
M309	14	AR	5 3/74	POWER SEQUENCE FILTER (2 DELAYS CIRCA 500 USEC) SINGLE 8.5
M310	CAT		5	TAPPED DELAY LINE, 500 NSEC TOTAL, 50 NSEC TAPS, 2 PA'S, IC LEVELS IN & OUT
M310-YA	B	AC	5 5/73	M310 WITH FI INVERTED & 2.3 USEC LONG
M311	15		5	2 TAPPED DELAY LINES, 250 NSEC EACH, 25 NSEC STEPS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M312	15		5	6 100 OHM DELAYS, 2 AT 30 NS, 3 AT 50 NS, 1 VARIABLE 0 TO 40 NS, 74H40 INPUTS
M321	10	ATT	5 1/72	M311 EXCEPT 1 DELAY LINE, 1 OUTPUT BUFFER CAN DRIVE 30 TTL H LOADS
M360	CAT		5	VARIABLE DELAY LINE, IC LEVELS IN, (LIKE 8360)
M360-YB	SSCAL	BLE	1 5/74	M300 W MIN DELAY OF 25 NSEC
M362	10	SU	5 1/72	DELAY, 25 TO 50 NSEC
M363	10	SU	5 1/72	DELAY 15 TO 80 NSEC, INVERTS
M300	IPG		6 10/74	SINGLE SHOTS, DR80
<b>CLOCKS</b>				
M401	CAT		5	VARIABLE CLOCK
M401-YA	COM	MC	1 5/74	M401 W WIDE OUTPUT PULSE
M401-YB	SSCAL	BLE	1 5/74	M401 W 25 NSEC OUTPUT PULSE
M402	15	ELIA	5	REMOTELY VARIABLE CLOCK, USES 5V PHOTODIODE, 2 HZ TO 1 MHZ
M402-YA	SSCAL	OPS	3 1/73	R8 CHANGED TO 680K, C1 CHANGED TO 1 MFD (HALVES FREQUENCY)
M402-YB	SSCAL	OPS	3 1/73	R8 CHANGED TO 680K, C1 CHANGED TO 3.9 MFD
M403	CAT	JB	5 3/72	VARIABLE CLOCK, 1 KHZ TO 50 KHZ, 2 ONE-SHOTS, 74123
M404	CAT	JB	5 4/72	CRYSTAL CLOCK, 2MHZ TO 5 KHZ, BINARY OR BCD COUNTDOWN
M404-YA	SSCAL	BLE	3 1/75	200KHZ M404
M405	CAT		5	CRYSTAL CLOCK, POS & NEG PULSE OUTPUTS, 5 KHZ TO 10 MHZ
M405-YA	COM	MC	1 5/74	M405 W WIDE OUTPUT PULSE
M405-YB	SSCAL	BLE	1 5/74	M405 W 25 NSEC OUTPUT PULSE
M4050	COM	CS	5 1/74	CRYSTAL CLOCK, 5KHZ TO 5 MHZ, NOT TUNABLE, NO CHOKES
M4050-YA	COM	MC	1 5/74	M4050 W WIDE OUTPUT PULSE
M4051	TYP	JG	3 9/74	8/E OMNIBUS M4050, HANDLE END FINGERS FOR DP8=E (M866), QUAD
M410	MOD	AR	5	RESONANT REED CLOCK
M410-YA	15	FA	1 5/70	872 HZ M410
M415	12		5	20 MHZ XTAL CLOCK
M420	15	ELIA	5	PHASE LOCK CLOCK, RP09, RP15
M4201	PERIPH	PM	5	PHASE LOCK CLOCK FOR RS64, NOMINAL 750 KC
M430	MOD	DCB	6 4/71	MULTIPLIES INPUT FREQ BY .001 TIMES X TO THE -N POWER, X BETWEEN 2 & 10, N BETWEEN 0 & 3, DOUBLE X 5"
M452	CAT		5	TELETYPE CLOCK, SQUARE WAVES AT 800 & 220 HZ, FOR M706, M707
M452-YA	FS	FMS	1 10/71	5.05 US M452 FOR PMK02
M453	8	NH	5 2/74	M422 WITH VARIABLE FREQ
M454	11	VB	5	CRYSTAL CLOCK W SIMULTANEOUS OUTPUTS OF 28.8, 19.2, 9.6, 4.8, 2.4, 1.760 KHZ 2,152 KHZ, SINGLE 8.5 (FOR DC11-A, DP11-A)
M4540	11	MC	4 2/74	M424 W MORE FREQUENCIES AVAILABLE.
M455	8	JDL	5 8/73	VARIABLE CLOCK, 2 RANGES, 4 - 20 MS, 0.4 - 2 MS, BY JUMPER
M499	8/E	NH	1 11/70	100 KHZ CLOCK - PULLS MEM START IN 8/E
<b>INPUT CONVERTERS</b>				
M5000	OC	EWB	2 4/74	4 CH ECL TO TTL CONVERTER, MC10125, 501087 4 LAYER SINGLE 5 (W9611)
M5005	SSCAN	OF	1 9/74	CSC, 36 CH OPTICAL COUPLED INPUT TO TTL, 5-125V IN, QUAD
M5006	SSCAN	OF	1 9/74	CS, 36 CH DIFF AMP +/-25V IN TO TTL, QUAD
M5007	CSS	OC	3 2/75	QUAD DIFF RECEIVER (75107), REQUIRES -5V, W960 ETCH
M500	CAT	OCB	5	NEGATIVE BUS RECEIVER (NEG EQUIV TO M510)
M501	CAT		5	SCHMITT TRIGGER
M502	CAT		5	NEGATIVE INPUT CONVERTER, 2 CHANNELS, 0 & -3V IN
M503	12	RI	5	DIFFERENTIAL SCHMITT, 2 CHANNELS, PA IN EACH
M503-YA	FS	CRK	5 10/73	REPLACE MC1709 WITH LH0024 TO MAKE FASTER, 9L01
M504	8		7 3/72	4 SCHMITTS, 4 ONE-SHOTS
M506	CAT		5	NEGATIVE INPUT CONVERTER, 6 CHANNELS, 0 & -3V IN
M506-YA	CSS	EK	2 9/69	M506 WITH 470 INPUT R'S CHANGED TO 300 OHMS
M507	CAT		5	NEG BUS TO POS BUS CONV, 6 CKTS, OPEN COLL OUT, GND IN = GND OUT

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M508	8	JO	5	NEG BUS TO POS BUS CONV, 6 CKTS, OPEN COLL OUT, GND IN = PLUS OUT
M509	14	AR	5 5/73	10 DIFFERENTIAL BUS RECEIVERS (PAIR 9622) 130 OHM DIFFERENTIAL TERMINATORS
M510	CAT	OCB	5	1/2 BUS RECEIVER, 8 CKTS, POS BUS
M510-YA	12	AW	6 4/71	M510 MODIFIED TO ACCEPT RTL INPUTS WITH 1 VOLT THRESHOLD
M510-YB	SSCAL	BLE	1 10/74	M510 MODIFIED TO ACCEPT 30 NS 1.5V INPUTS
M510-YC	SSCAL	BLE	1 10/74	M510-YB WITH 2 SHOTTKY OUTPUTS
M511	10	AW	5 11/71	UNIBUS RECEIVER, 15 CKTS, SINGLE X 5, 4 GND, DS11, DL10
M512	11	ET	5 1/75	16 SCHMITT CKTS W INPUT FILTERS, SINGLE 5
M513	11	ET	5 1/75	10 OPTICAL ISOLATORS, TTL OUTPUT, SINGLE 5
M514	PERIPH		5	TU10 TRANSCEIVER (FOR CONNECTION TO TC59, TC59, & TM10), SEE M519, DOUBLE
M515	15		5	REAL TIME CLOCK, 12 VAC INPUT ON TABS, USES +11V & +5V
M516	8	JO	5	POS INPUT RECEIVER, 6 CKTS, 1.4V THRESHOLD, (M506 PINS)
M517	8	MA	5 5/73	M507 WITH AN ENABLE INPUT
M518	8/E	LN	5 11/71	3 DIFFERENTIAL SCHMITTS & 8 BIT INPUT REGISTER (A503 CKTS), DS0-EA
M519	PERIPH		1 1/71	TU10-C, -D BUS TRANSCEIVER, SEE M514
M520	MOD		5	POS BUS RECEIVER WITH STROBE, 6 CHANNELS, HIGH IMPEDANCE
M521	CAT	JB	5	4 CH K TO M CONVERTER W SCHMITT TRIGGER, INV & NON-INV OUTPUTS
M521-YA	MS	AW	3 10/72	M521 W 3 CKT W 1 MS TIME CONSTANT, 1 CKT STD
M522	TYP	FP	5 8/73	2 INPUT CONVERTERS 0.8-6V 1.6MA, 40US, 1CH +15.0V; 2CH 0.85V CLAMP W FILTER (FOR PHOTOCOMP) SINGLE 5
M523	TYP	JW	4 4/74	SELECTABLE RANGE INPUT CONVERTER + SELECTABLE LOAD RESISTORS & VOLTAGE, SINGLE 5
M530	MOD		7 7/69	(NEVER BUILT), NEG BUS RECEIVER
M531	PERIPH		5	8 CHANNEL NEGATIVE BUS RECEIVER WITH NOISE FILTERING (PIN COMP WITH M500)
M563	10	DREH	2 7/72	4 XMTRS & 4 RCVRs, RS10, SINGLE X 5
M564	10	SU	5 1/72	1/2 BUS RECEIVER, NEG BUS, POS LOGIC, 8 CKTS, LIGHT INPUT LOAD
M565	10	SU	5 2/74	MEM BUS RECEIVER, NEG BUS, POS LOGIC, 8 CKTS
M570		AR	7	(NEVER MADE) EIA INPUT CONVERTER TO TTL OUT, REPLACES M570, 5V INSTEAD OF 10V, 4 CHANNELS
M585	CSS	SK	1 4/74	4 CH CDC 7600 RECEIVERS, SINGLE 5
M586	11	HC	5 4/74	1 CH ASYNC MODEM DF11-BA (BELL 113A) ORIGINATE ONLY, DBL X 8.5
M587	11	HC	5 2/74	1 CH ASYNC MODEM DF11-BB (BELL 113B) ANSWER ONLY, DBL X 8.5
M588	CSS	BMU	3 1/74	4 CH DIFF SEND/REC FOR DM11 (DM8020, DM8030), SINGLE X 8.5
M589	14	AR	5 11/72	1 CH OPTICAL COUPLED 45 OHM 200 KC SEND & REC, SINGLE X 5 W MATE-N-LOK

## INPUT/OUTPUT CONVERTERS

M590	CSS	PETERS	3 2/70	DIFFERENTIAL SEND/RECEIVE, FOR MARK CENTURY INTERFACE, 2 CH
M5900	11	VB	4 3/74	16 CH TTL RECEIVER, DJ11, DOUBLE 8.5
M5901	11	VB	4 5/73	16 CH EIA TRANSMITTER, DJ11, DOUBLE 8.5
M5902	11	VB	4 2/74	16 CH FULL DUPLEX TTY TRANSCEIVER, DJ11, DOUBLE 8.5
M5903	11	POT	4 9/73	MASS BUS TERMINAL TRANSCEIVER, DOUBLE 8.5
M5903-YA	11	POT	4 2/74	M5903 W TERMINATORS
M5904	11	POT	5 1/74	MASS BUS CONTROL TRANSCEIVER, DOUBLE 8.5
M5905	CSS	SPRY	1 1/74	16CH EIA-CCITT TO TTL, 16CH TTL TO EIA-CCITT, MODEM CONTROL DOUBLE 8.5
M5906	COM	BAC	4 9/74	16 CH EIA-TTL, TTL-EIA, PRIORITY SOCKETS, 2 M854; DM11-AD, -AE, DOUBLE 8.5
M5907	SSCAN	DW	2 4/74	DA90 BUS EXTENDER, 8 CH RECEIVE & TRANSMIT FULL DUPLEX DIFF, 1000 FT, QUAD
M5908	COM	DR	1 4/74	MU-TIDROP TRANSCEIVER, 4V P-P 1MHZ DIPHASE INTO TERMINATED 75 OHM CABLE, 50MV SENSITIVITY, DOUBLE 8.5
M5908-YA	COM	DR	1 9/74	56KB TRANSCEIVER, DOUBLE 8.5
M5909	CSS	VM	2 2/75	SINE WAVE TO PULSE CONVERTER; 1V P-P INPUT, TTL SQUARE WAVE OUTPUT, SINGLE 5
M591	11	VB	5	5 CH EIA TO DEC, 4 CH DEC TO EIA, SINGLE 8.5
M592	10	SU	5 1/72	1/2 DEVICE SELECT (USED WITH M7100) 1074H IC'S
M593	CSS	KB	2 4/72	6 CH DIFFERENTIAL RECEIVER, NAT SEMI 8828
M593-YA	CSS	TF	1 6/74	M593 W ENABLE DELETED
M594	11	RL	5	8 CH EIA-CCITT TO DEC, 7 DEC TO EIA-CCITT, DF11-A, SINGLE 8.5, 1V HYSTERESIS
M594-YA	11	RL	1 6/73	M594 + CLOCK RECOVERY
M594-YB	11	SS	5 1/74	M594 W 3V HYSTERESIS
M5940	10	JW	5 3/72	M594 STD SINGLE SIZE



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M5941	CSS	SPRY	3 3/74	8 CH MIL 188C TO DEC INTERFACE FOR DFS11-H, SINGLE 8.5
M5942	11	BS	4 9/74	8 CH EIA-CCITT TO DEC, 7 DEC TO EIA-CCITT, 300, 600, 1200, 1800 BAUD XTAL CLK, DF11-L, DOUBLE 8.5
M5943	CSS	DRS	3 9/74	DM11-DR, 5 CH EIA-CCITT TO TTL, 4 CH TTL TO TRI-STATE, SINGLE 8.5
M5943-YA	CSS	DRS	3 9/74	DM11-DS, M5943 MODIFIED TO PERMIT OTHER DRIVERS & RECEIVERS ON SAME LINES
M5944			5/73	?
M5945	SSCAN	DF	3 9/74	CS08 TO XBUS INTERFACE, QUAD
M595	11	RL	5 8/72	CURRENT MODE CONV FOR 301 & 303 MODEM, DF11
M596	11	DC	5 7/73	20 MA TO DEC, DEC TO 20 MA, 4 CHAN EACH, SINGLE X 8.5, DF11, REPLACED BY M5960
M5960	11	DR	4 2/74	REPLACEMENT M596
M597	COM	DR	5 11/71	6 CH IBM RECEIVER, +BUS, 50-08912, SIG 8T14 (M961)
M598	COM	RF	5 5/73	1 CH OPTICAL COUPLED 20 MA TO DEC SEND & RECEIVE, 8.5 X SINGLE, DF11-K
M599	COM	VB	2 10/71	4 CH XMIT & REC WESTERN UNION HIGH LEVEL (+/-6V 10MA) TELEX, SINGLE X 8.5

OUTPUT CONVERTERS

M6000	QC	EWB	2 4/74	QUAD TTL TO ECL TRANSLATOR (10124), 4 LAYER SINGLE 5, 5010074 (M9611)
M6001	TE	BL	1 6/74	12 TTL TO ECL, 4 LAYER SINGLE 5
M602	CAT		5	2 PULSE AMPLIFIERS
M603	10	HW	5 1/72	2 MA'S, NEG EDGE IN, 1 POS 60 NS & 1 POS 45-100 NS OUT, 4 2-IN NANDS (74H00), 3 3-IN ANDS (74H11)
M606	CLP	RC	5	6 PULSE AMPLIFIERS
M610	CLP	RC	5	6 2-INPUT NANDS, OPEN COLLECTOR, (PINS OF M620)
M611	15	ELIA	5	14 POWER INVERTERS, 6 GNDS
M612	10	ATT	5 1/72	6 POWER GATES, 6 GNDS, 5 INPUTS PER GATE PAIR
M617	CAT		5	6 2-INPUT NAND BUFFERS
M620	MOD		7 7/69	(NEVER MADE), 6 CKTS, BUS GROUNDERS, POS BUS DRIVER WITH STROBE
M621	15	ELIA	5	BUS DRIVER, 6 CKTS, ENABLES FOR EA OF 2 6-BIT WORDS
M622	CAT	DCB	5	BUS GROUNDER, 8 CKTS, USES 74H50, FOR MEMORY & I/O BUS, 2 INPUT NEG AND EA
M623	CAT	DCB	5	BUS DRIVER, 12 CKTS, OPEN COLLECTOR, 100 MA AT GND
M624	CAT		5	BUS DRIVER, OPEN COLLECTOR, 12 INPUTS & 1 ENABLE, 2 INPUTS & EN, 1 INPUT INV, 100 MA @ GND
M6240	SSCAL	DPS	3 8/72	PIC COMPATIBLE W M624, PUTS OUT 300MA AT GND, SINGLE 5
M625	15	JZ	5 5/73	BUS SWITCH FOR PDP-15, 8 CKTS
M626	IPG		5 5/73	M623 WITH GROUND ISOLATION (WITH TRANSFORMERS)
M627	CAT		5	6 2-INPUT NAND BUFFERS, (H VERSION OF M617)
M628	15	ELIA	5 5/73	3 SWITCHES, 2 BIT ADDER, 1 M621 TYPE DRIVER, FOR MX15
M629	10	HW	5 11/71	BUS DRIVER, 11 CKTS, FOR + BUS, PDP11, 88811'S
M630	MOD		7 7/69	(NEVER MADE), NEG BUS EQUIV TO M620
M631	15	ELIA	5	NEG BUS EQUIV TO M621
M632	CAT	DCB	5	NEG BUS EQUIV TO M622
M633	CAT	DCB	5	NEG BUS EQUIV TO M623
M633-YA	SSCAL	RWI	3 6/73	M633 W INVERTED OUTPUT
M636	IPG		5 5/73	M633 WITH GROUND ISOLATION
M637	11	DHK	1 6/74	CLOCK DRIVER (N CHANNEL, -1 TO +1 LOWER LEVEL, +5 TO +14 UPPER LEVEL), 4 CHANNELS, SINGLE 5
M640	PERIPH	HDM	5	TU10 BUS DRIVERS (30 CKTS)
M650	CAT		5	NEG OUTPUT CONV, 3 CHANNELS, R650 TYPE OUTPUTS
M651	8	JD	5	M650 WITH OUTPUTS CLAMPED TO GND WHEN 5V GOES AWAY
M652	CAT		5	NEG OUTPUT CONV, 2 CHANNELS, 0 & -3V OUTPUT
M660	CAT		5	POS LEVEL DRIVER FOR 8/I BUS, 3 CKTS, +/-50 MA OUT
M661	CAT		5	POS LEVEL DRIVER FOR 8/I BUS, 3 CKTS, OUTPUT CLAMPED TO +3V, M660 PINS
M662	9	PS	5	6 CKTS, NON-INV BUS DRIVERS FOR KVGS (VT02), 6 US RISE & FALL INTO OPEN LINE
M663	10	SU	5 5/73	3 NEG MEM BUS DC DRIVERS, POS INPUT, 50 OHM LOAD, KI10
M664	10	SU	5 1/72	I/O BUS DRIVER, 0 TO +3V IN, 0 TO +3V OUT, 8 CKTS
M665	10	SU	5 1/72	MEM BUS DRIVER, 0 TO +3V IN, 0 TO -3V OUT, 8 CKTS
M665-YA	CSS	DH	3 5/73	M665 W 130 NSEC OUTPUTS
M666	10	SU	5 2/72	I/O BUS RESET, 12 OUTPUTS, 20 MA @ -3V, 1/3 DUTY FACTOR MAX, SINGLE X 5"
M667	10	DREW	7 10/73	PHOTO COUPLED ISOLATOR, 4 CKTS, RS10, SINGLE X 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M670		AR	7 6/72	(NEVER MADE) EIA LINE DRIVER, 4 CKTS, TO REPLACE M670 EXCEPT +5V INSTEAD OF +10V
M671	CAT	JB	5	M 10 K SERIES CONVERTER, 4 CKTS
M681	IPG	MORO	4 8/73	ISOLATED M685 RELAY DRIVER
M683	IPG		5	6 RELAY DRIVERS, M683 CKT, FOR DR80, DOUBLE
M684	IPG		5	12 BIT FLIP-FLOP RELAY DRIVER FOR UDC (0001)
M685	IPG		5	16 BIT M684
M6850	IPG	RG	2 9/74	16 BIT FLIP-FLOP DC OUTPUT (ICMDC-0A) OR AC OUTPUT WITH H1600 (ICMAC-0A), HEX
M685-YA	IPG	RWH	3 5/73	M685 W 55V 500MA OUTPUT
M686	IPG		5	12 BIT SINGLE SHOT RELAY DRIVER FOR UDC (0001)
M687	IPG		5 1/72	16 BIT M686
M6870	IPG	RG	2 9/74	16 BIT SINGLE SHOT DC OUTPUT (ICMDC-0B) OR AC OUTPUT WITH H1600 (ICMAC-0B), HEX
M688	11	DV	5 9/72	UNIBUS POWER FAIL DRIVER, SINGLE 5
M689	CSS	SPRY	3 3/74	30 SOLENOID DRIVERS, 300 MA UP TO 30V, USES BC40F CABLE, QUAD
M690	SSCAN	DF	3 9/74	CSC, 72 CH LIGHT DRIVER (FROM M1000), 24V 200MA, QUAD
M693	CSS		2 3/72	6 CH DIFFERENTIAL DRIVER, NAT SEMI 8830
M694	CSS	DV	2 3/72	4 CH CDC 3000 DRIVER, +/-20 MA, 2 IN NEG OR
M695	CSS	SK	1 4/74	4 CH CDC 7600 DRIVER, SINGLE 5
M697	COM	DR	5 11/71	4 CH IBM TRANSMITTER, 50-08912, SIG 8T13 (W961)

## COMPLEX LOGIC MODULES

M700	8		5 5/73	MANUAL TIMING GENERATOR-FILTER, ONE-SHOTS, 8/I, 8/L, DOUBLE
M7000	15		5	CURSOR CONTROL FOR VT05, QUAD X 8.5
M7001	15	DOANE	5 11/71	CHARACTER GENERATOR & TIMING, VT05, QUAD X 8.5
M7002	15	DOANE	5	MO5 MEMORY & MEMORY TIMING, VT05, QUAD X 8.5
M7003	15		5 11/71	I/O INTERFACE, VT05, UP TO 300 BAUD, QUAD X 8.5
M7004	15		5 11/72	I/O INTERFACE, VT05, UP TO 2400 BAUD, QUAD X 8.5
M7005	15		1 1/71	M7004 PLUS TRANSMIT OPTION
M7006	15	DOANE	1 9/71	SPLIT SCREEN OPTION FOR VT05
M7007	TYP	TM	5 9/74	FK11 CONTROL, VT20, QUAD 8.5
M7008	TYP	TM	5 6/74	VT20-B DISPLAY CONTROL, HEX 8.5
M7009	TYP	TM	5 1/74	VT20-B DATA INTERFACE, HEX 8.5
M701	8	JDL	5 5/73	DISPLAY CONTROL FOR VC8/I
M7010	LDP	HL	5 11/71	VV15 TIMING & CONTROL, DOUBLE X 8.5
M7011	LDP	HL	5 5/74	UART SERIAL INTERFACE, SINGLE 5, H854 + SPLIT LOGS, LK40
M7012	LDP	AA	1 3/72	768 X 8 BIT ROM, NO ROMS INCLUDED, SIMULATES PC05, PLUGS INTO PC05 CABLE SLOT, SINGLE 8.5
M7013	LDP	GEG	4 9/74	VECTOR GENERATOR & CHARACTER GENERATOR CONTROL, VT40, HEX 8.5
M7014	LDP	BQ	4 5/73	UNIBUS CONT & BOOTSTRAP FOR VT40, QUAD 8.5
M7014-YA	LDP	BQ	4 2/74	M7014 W NO BUS TERMINATORS
M7015	LDP	AW	4 2/74	UNIBUS INTERFACE FOR LPS, QUAD 8.5
M7016	LDP	AW	4 2/74	PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITT TRIGGERS, LPSKW, QUAD 8.5
M7017	LDP	AW	4 5/73	DIGITAL I/O, 16 BITS, TTL LEVELS, SIMILAR TO M663, LPSDR, QUAD 8.5
M7018	LDP	AW	4 2/74	A/J CONTROL, PART OF LPSAD-12, LPSAD-15, USED WITH A804, A865, A406, DOUBLE 8.5
M7019	LDP	AW	4 5/73	DISPLAY CONT, PART OF LPSVC, COLOR TUBE, STORAGE TUBE & PLOTTER CAPABILITY, DOUBLE 8.5
M7020	LDP	AW	5 2/74	LPSAD-NP, NPR CONTROL FOR LPSAD, DOUBLE 8.5
M7021	LDP	HL	4 7/73	M7014 W BUS TERMINATORS ONLY
M7022	LDP	BQ	1 5/73	VH40 LOGIC INTERFACE, DOUBLE 8.5
M7023	LDP	ML	4 2/74	DIGITAL I/O, 16 BITS, LATCH CHOICE, INTERRUPT ON ANY INPUT BIT, LPSDR-A, QUAD
M7024	LDP	ERK	2 8/74	VT25 GRAPHING CONTROL MODULE, HEX, NO GOLD ON FINGERS
M703	8		5	POWER FAIL LOGIC FOR 8/I
M7030	CSS	PWD	3 6/74	CONTROL FOR CTS11-J, QUAD 8.5
M7031	CSS	PWD	2 1/75	DRIVERS, RECEIVERS, CODE CONVERTER FOR CTS11-JA, DOUBLE 8.5
M7032	CSS	PWD	3 6/74	DRIVERS, RECEIVERS, CODE CONVERTER FOR CTS11-JB, DOUBLE 8.5
M7033	CSS	JTH	3 3/74	SCANNER MODULE FOR USE WITH HICKOK CARD EQUIPMENT
M7034	CSS	JTH	3 5/74	80 COLUMN DRIVER FOR USE WITH HICKOK CARD EQUIPMENT

MODEL NO	PROD LINE	DES ENGR	STATUS	MD/YR	DESCRIPTION
M7035	CSS	JTN	3	5/74	22 COLUMN DRIVER FOR USE WITH HICKOK CARD EQUIPMENT
M7036	CSS	JTN	3	1/74	DIODE MODULE ASSY FOR USE WITH HICKOK CARD EQUIPMENT
M7038	TYP	TM	1	2/74	VT50-C DISPLAY CONT, HEX
M7039	TYP	TM	1	2/74	VT50-C DATA INTERFACE, HEX
M704	8		5		PLOTTER CONTROL FOR 8/I
M7040	CSS	JTN	1	11/72	X-Y REGISTER CARD, VB08, QUAD 8.5
M7041	CSS	MS	2	1/75	TIME OF DAY CLOCK (DKS8-EK), DOUBLE 8.5
M7044	CSS	JTN	1	11/72	VECTOR CONTROL CARD, VB08, QUAD 8.5
M7045	CSS	JTN	2	9/73	VECTOR DATA CARD, VB08, QUAD 8.5
M7046	CSS	VM	2	2/75	SWITCH INPUT REGISTER FOR EMHART CONT SYS (7606496), DOUBLE 8.5
M7047	CSS	LO	2	1/75	STEPPING MOTOR CONTROL FOR KOPPERS, HEX
M705	8		5	5/73	READER CONTROL FOR 8/I
M7050	PERIPH	MDL	5		READER CONTROL WITH FEED HOLE STROBE & FEED HOLE TRANSITION OUT OF TAPE SENSE, DOUBLE
M7050-YA	8	KQ	3	5/73	M7050 MODIFIED TO DRIVE PR68
M7051	LDP	RQ	1	3/74	VT98 DATA REGISTERS & MULTIPLEXORS, HEX
M7052	LDP	SO	1	3/74	VT98 DUAL 12 X 12 MULTIPLIER WITH SUCCESSIVE APPROXIMATION, HEX
M7053	LDP	HL	1	3/74	VT98 SCISSORING & TANGENT CONT, HEX
M7054	LDP	HL	1	3/74	VT98 STACK & SILO CONTROL, HEX
M7055	LDP	SDS	1	3/74	VT98 DISPLAY STATUS MUX, HEX
M7056	LDP	JE	1	3/74	VT98 STACK & SILO, HEX
M7057	LDP	JE	1	3/74	VT98 DISPLAY STATUS REGISTER, HEX
M7058	LJP	HL	1	8/74	VT98 DISPLAY CONTROL, 4-LAYER HEX
M7059	LDP	AA	1	3/74	VT98 BUS CONTROL, QUAD
M706	CAT		5		ASYNCH LINE RECEIVER, 8 OR 5 BIT, (EQUIV TO 4706), POS LOGIC
M7060	LDP	HL	1	3/74	VT98 PUSH BUTTON CONTROL, QUAD (SPC)
M7061	LJP	HL	1	3/74	
M7062	LDP	HL	1	3/74	
M7063	LDP	HL	1	3/74	
M7064	LDP	HL	1	3/74	
M7065	11	RL	5	5/73	SYNCH LINE RECEIVER, 6,7, OR 8 BITS, SINGLE X 8.5
M707	CAT		5		ASYNCH LINE XMTR, 8 OR 5 BIT, (EQUIV TO 4707), POS LOGIC
M7075	11	RL	5		SYNCH LINE TRANSMITTER, 6,7 OR 8 BITS, SINGLE X 8.5
M708	8	JO	5		CLOCK CONTROL, 8/I
M7080	SSCAN	OF	1	12/74	0 TRANSCEIVER, CSC X-BUS TO MODEM CONT, QUAD
M709	8	JO	5		CLOCK COUNTER, 8/I
M710	8		5		PUNCH CONTROL FOR 8/I
M710-YA	TYP	JDL	6	4/71	M710 WITH SHORTER PUNCH DONE DELAY RECOVERY TIME
M7100	10	SU	5	2/72	I/O DEVICE CONTROL, USED WITH M592, 1074H IC'S
M7101	TPL	JDL	4	2/74	TIMING, TAKES 8+ TO GEN 8/E TIMING, 8.5 X DOUBLE, DW08-E
M7102	TPL	JDL	4	7/73	AC TRANSFER, 8.5 X DOUBLE, DW08-E
M7103	TPL	JDL	4	7/73	DATA TRANSFER, 8.5 X DOUBLE, DW08-E
M7104	TPL	SG	4	5/73	DATA BUF & STATUS, RK8-E, QUAD X 8.5
M7104-YA	TPL	SG	2	3/73	MODIFIED TO RUN WITH DW8-E
M7105	TPL	SG	4	5/73	MAJOR REGISTERS, RK8-E, QUAD X 8.5
M7105-YA	CSS	LO	1	7/72	MODIFIED M7105 FOR CODON RK8-E
M7105-YB	TPL	SG	1	3/73	MODIFIED TO RJN WITH DW8-E
M7105-YC	CSS	LO	3	3/74	M7105 MODIFIED FOR RKS8-E
M7106	TPL	SG	5	10/73	CONTROL, RK8-E, QUAD X 8.5
M7106-YA	CSS	LO	1	8/73	M7106 MODIFIED FOR CODON RK8-E
M7106-YB	CSS	LO	3	9/74	M7106 MODIFIED FOR RKS8-E (B ETCH)
M7106-YC	CSS	RHU	3	9/74	M7106-YB ON C ETCH
M7107	CSS	LO	3	5/74	RK88-E 4096 WORD COUNT TRANSFER MODULE
M711	12		5		SCOPE CONTROL FOR PDP-12
M7110	10	NW	5	1/72	SYNCH MODEM INTERFACE FOR DS11, QUAD X 8.5
M7111	10	DREN	4	5/73	ERROR CORRECTION FOR RF10, 5 BIT CORRECTION/128 36 BIT WORDS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7112	10	SU	4 5/73	CONT FOR MF10, DOUBLE 8.5
M712	8	BM	5	DISPLAY CONTROL FOR KV8/I
M713	8	PS	5	MULTIPLEX INTERFACE FOR KV8/I
M714	8		5	CONTROL LOGIC I FOR CR8-I, CR8-L
M715	8		5	READER CLOCK FOR PCB/I, CLOCK ACCELERATOR, PA'S, NON IC PARTS OF M705
M715-YA	8	KQ	3 5/73	M715 MODIFIED TO DRIVE PR68
M715-YB	CSS	BM	2 1/72	M715 MODIFIED TO HAVE LONGER START-UP TIME
M716	8		5	CONTROL LOGIC II FOR CR8-I, CR8-L, DOUBLE
M717	15	FA	5 2/74	DISPLAY CONTROL FOR VP09 & VP15
M7170	15	JE	5 11/73	PC215 TO MM11-L INTERFACE, DOUBLE 8.5
M7171	15		5 2/74	COLOR SWITCH FOR VP15-D, SINGLE 5
M7172	15	FD	1 9/74	15 MEM TO UNIBUS INTERFACE, QUAD
M7173	15	FD	1 2/75	MEMORY MULTIPLEXOR, HEX
M7174	15	FD		
M7175	15	FD		
M7176	15	FD		
M718	11	RH	4	BUS INTERFACE FOR PDP-11
M719	12	GL	5 5/73	CLOCK SYNC & DECADE COUNTER FOR KW12
M720	8		5	NON-EXISTANT MEMORY DETECTOR, INTEG ONE-SHOT, OTHER ONE-SHOT, & MISC LOGIC
M721	11	JO	5	BUS INTERFACE 1, KA11, 8 BITS GATED IN & OUT, SINGLE 2.5
M7210	11	SR	5	KE11-A DATA CONTROL, QUAD X 8.5
M7211	11	SR	5	KE11-A REGISTER CONTROL, QUAD X 8.5
M7212	11	VB	5	ADDRESS LINE BUS REPEATER FOR DB11, 75 NS PER EACH OF 10 CH, SINGLE X 8.5
M7213	11	VB	5 5/73	BUS REPEATER CONTROL, FOR DB11, DOUBLE X 8.5
M7213-YA	CSS	FA	3 5/73	M713 MODIFIED BY SPEC SYS, 2 ETCH CUTS, 2 JUMPERS
M7214	11	CRB	1 9/70	READER CARD FOR PDP11-MA, DOUBLE X 8.5
M7215	11	CRB	1 9/70	READER INTERFACE FOR PDP11-MA, DOUBLE X 8.5
M7216	11	CMD	5 11/71	PRIORITY & CONTROL, KC11, DOUBLE X 8.5
M7216-YA	11	JO	5 4/72	M716 FOR K411-A
M7217	11	JO	5	POWER FAIL & RESTART, KP11-A, SINGLE X 8.5
M7218	11	JO	5	BUS REQUESTS
M7219	11	KK	5 11/71	RC11 BUS INTERFACE, QUAD X 8.5
M7219-YA	SSCAL	BLE	3 1/74	M719 MODIFIED TO ADD "BA00 LOW"
M722	11	PD	2	A SOURCE & TIMING FOR MM11
M7220	11	KK	5 11/71	RC11 CLOCK CONTROL, SINGLE X 8.5
M7221	11	KK	5 1/72	RC11 DISK INTERFACE, QUAD X 8.5
M7222	11	KK	5 1/72	RC11 STATUS CONTROL, QUAD X 8.5
M7223	11	RL	5 11/71	CONTROL FOR DP11-AA, QUAD X 8.5
M7224	11	KK	5 1/72	RC11 UNIT & TRACK SELECTOR, SINGLE X 8.5
M7225	11	KK	5 1/72	RC11 STATUS CONTROL EXTENDER, SINGLE X 8.5
M7226	11	VB	5 1/72	DN11 CONTROL, DOUBLE X 8.5
M7227	CSS	GSZ	4 8/73	XY11 PLOTTER CONTROL
M7228	11	BDW	5 1/72	REAL TIME PROGRAMMABLE CLOCK, KW11-P, 8.5 X QUAD
M7229	11	BPF	5 1/74	DR11-B INTERFACE FOR DA11-B, DBLE X 8.5
M723	11	PD	7 6/69	(NEVER BUILT), A LOGIC FOR MM11
M7231	11/40	RAA	5 2/74	DATA PATHS, KD11-A, 8.5 HEX
M7232	11/40	RAA	5 1/73	U WORD, KD11-A, 8.5 QUAD
M7233	11/40	RAA	5 1/73	IR DECODE, KD11-A, 8.5 HEX
M7234	11/40	RAA	4 5/73	TIMING, KD11-A, 8.5 HEX
M7234-YA	11/40	RAA	1 3/73	M734 AS USED IN 2338-3 XOR TESTER
M7235	11/40	RAA	4 9/74	STATUS, PROCESSOR/KD11-A, 8.5 HEX
M7235-YA	11/40	RAA	1 3/73	M735 AS USED IN 2338-3 XOR TESTER
M7236	11/40	PJ	5 1/74	KT11-D MEMORY MANAGEMENT, 8.5 HEX
M7237	11/40	PJ	5 8/72	STACK LIMIT REGISTER, SINGLE 8.5
M7238	11/40	RAA	4 5/73	E10 (EXPANDED INSTRUCTION SET) BOARD, HEX 8.5, KE11-E

MODEL NO	PROD LINE	DES ENGR	STATUS	MD/YR	DESCRIPTION
M7239	11/40	HAA	4	5/73	FIS CONTROL KE11-F, QUAD 8.5
M724	11	JO	5		BUS & CONSOLE CONTROL FOR KA11, QUAD, 8.5
M724-JA	11	JO	1	7/72	SYSTEM TESTED M724
M724-YA	11	JO	5	5/73	M724 FOR KH11-A
M7240	11	VB	5	5/73	DM11-A CONTROL
M7241	11	VB	5	5/73	DM11-B CONTROL, QUAD
M7242	11	VB	5	5/73	DM11-C CONTROL
M7243	11	VB	5	5/73	DM11 TRANSMITTER D
M7244	11	VB	5	11/71	DM11 TRANSMITTER E
M7245	11	VB	5	2/74	DM11 RECEIVER, QUAD
M7246	11	RL	5	2/74	MODEM CONTROL SCAN, 16 LINES, DM11-BB
M7247	11	RL	5	2/72	MODEM CONTROL MUX, 8 LINES, DM11-BB, SEE M7807, M7808, DOUBLE
M7248	11	VB	5	1/72	UNIBUS REPEATER BBSY, SINGLE
M7249	11	LC	5	4/72	HOLLERITH CHECK (MULTIPLE ONES ERROR DETECTOR), SINGLE X 5, FOR CD11
M725	11	JO	5		BUS INTERFACE & IR, KA11, QUAD, 8.5
M725-JA	11	JO	1	7/72	SYSTEM TESTED M725
M725-YA	11	JO	5	5/73	M725 FOR KH11-A
M7250	11	GH	7	9/72	M02 MEMORY MATRIX, 4K X 18-BITS, HEX X 8.5
M7251	11	RL	5	5/73	X02 & CRC BLOCK CHECK, DOUBLE X 8.5, KC11-A
M7252	11	RD	1	9/71	64 16-BIT ROM BOOTSTRAP
M7253	SSCAL	OF	3	9/73	11 TO LEAR SIEGLER 7700 TERMINAL
M7254	11	ORR	4	5/73	STATUS CONTROL, RK11-D
M7255	11	ORR	4	5/73	DISK CONTROL, RK11-D, QUAD X 8.5
M7255-YA	SSUK	GO	3	11/74	MODIFIED M7255 FOR DIABLO SERIES 30 DISK DRIVES
M7256	11	ORR	4	5/73	REGISTERS, RK11-D, QUAD X 8.5
M7257	11	ORR	4	5/73	BUS CONTROL, RK11-D, QUAD 8.5
M7258	11	LC	5	2/74	LS11 INTERFACE, QUAD 8.5
M7259	11	MOOR	4	5/73	PARITY FOR MF11-LP, DOUBLE 8.5
M726	11	JO	5		IR DECODER FOR KA11
M726-JA	11	JO	1	7/72	SYSTEM TESTED M726
M726-YA	11	JO	5	5/73	M726 FOR KH11-A
M7260	11/05	SNT	4	5/73	KD11-B BOARD #1, DATA PATHS, 8.5 X HEX
M7261	11/05	SNT	4	2/74	KD11-B BOARD #2, CONTROL LOGIC & MICROPROGRAM 8.5 X HEX
M7263	11/04	HAA	1	8/74	KD11-D PROCESSOR MODULE, HEX
M727	11	JO	5		STATE CONTROL, KA11, QUAD, 8.5
M727-JA	11	JO	1	7/72	SYSTEM-TESTED M727
M727-YA	11	JO	5	5/73	M727 FOR KH11-A
M7271	SSU	GO	1	1/72	BOARD 1 OF CA11-A, QUAD X 8.5
M7272	SSU	GO	1	1/72	BOARD 2 OF CA11-A, QUAD X 8.5
M7273	SSU	GO	1	1/72	BOARD 3 OF CA11-A, QUAD X 8.5
M7274	SSU	GO	1	1/72	BOARD 4 OF CA11-A, TERMINATOR, ON 5009045 (W940)
M7275	SSU	MUT	2	4/72	BRPE 11 PUNCH INTERFACE, DOUBLE 8.5
M7276	SSU	MUT	2	4/72	TREND READER INTERFACE, DOUBLE 8.5
M7277	11	MC	4	5/73	XMT SCANNER & NPR, DH11, HEX 8.5
M7278	11	MC	5	1/74	REGISTERS & BYTE COUNT, DH11, HEX 8.5
M7279	11	MC	5	2/74	ISI IN 1ST OUT BUFFER, DH11, DJ11, DOUBLE 8.5
M728	11	JO	5		TIMING & STATES, KA11, QUAD, 8.5
M728-JA	11	JO	1	7/72	SYSTEM-TESTED M728
M728-YA	11	JO	5	5/73	M728 FOR KH11-A
M7280	11	VB	5	1/74	8 PARTS ON QUAD 8.5, DJ11
M7280-YA	SSCAL	HAY	3	11/74	M7280 W HIGH SPEED UARTS IN 4 LEAST SIGNIFICANT LINES
M7281	11	JFB	4	5/73	CB11-DA UNIBUS TO 32 POINT RELAY DISTRIBUTOR MODULE, HEX 8.5
M7282	11	JFB	5	1/74	CB11-SA UNIBUS TO 64 POINT INPUT SCAN, HEX 8.5
M7283	11	BPF	5	10/73	WINDOW DATA PATH BOARD DA11-F, QUAD 8.5
M7284	11	BPF	5	10/73	WINDOW CONTROL, DA11-F, QUAD 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7285	11	VB	5 1/74	DJ11 MUX CONTROL BOARD, HEX 8.5
M7285-YA	CSS	RLN	1 8/73	M7485 W BAUD RATE OF 50
M7286	11	TM	4 5/73	FK11 INTERFACE, VT20, QUAD 8.5
M7288	11	MC	4 5/74	LINE PARAMETERS CONTROL, DH11, HEX 8.5
M7289	11	MC	5 1/74	RCVY SCANNER, DH11, 8.5
M729	11	PD	5 5/73	CONTROL LOGIC & TIMING FOR MM11-E, DOUBLE, 8.5 (16 OR 17 BIT), 1.2 USEC MEM
M729-YA	11	PD	5 1/72	M729 MODIFIED FOR 1.5 USEC RUGGED MEMORY
M7290	11	PD	5 11/71	M749 FOR 980 NSEC MEMORY
M7291	11	RAC	4 9/73	16 POINT INPUT INTERRUPT FOR CB11-WA, HEX 8.5
M7292	11	ORH	5 5/73	TU50 INTERFACE, QUAD 8.5, DB11
M7293	11	DWS	1 11/72	TIMING & CONT, UNIBUS INTFRCE, MM11-U, MM11-UP, QUAD 8.5
M7294	11	SJ	4 2/74	DATA BUFFER & CONT, RH11, HEX 8.5
M7295	11	SJ	4 2/74	BUS CONTROL, RH11-A, HEX 8.5
M7296	11	SJ	5 1/74	CONTROL & STATUS REGISTERS, RH11, DOUBLE 8.5
M7297	11	SJ	5 13/73	MA'S BUS PARITY CONTROL, RH11, DOUBLE 8.5
M7298	CSS	SPRY	4 8/73	WALCHDOG TIMER W RESTART & CRYSTAL CLOCK, 11/40, QUAD 8.5
M7299	SSMU	OK	2 6/73	CONTROL FOR CALCOMP 936, XY11-B, QUAD
M730	CAT	ICC	5	POS BUS TO POS LOGIC FOR 8/I, FITS IN E100, DOUBLE
M7300	CAT	RJM	5	PD16 CPA CONTROL, GEN PURPOSE ARITHMETIC UNIT, 4 4-BIT BYTES, USED WITH M7301'S, DOUBLE X 8.5, KAC16
M7301	CAT	RJM	5 11/71	PD16 GPA REGISTER, GEN PURPOSE ARITH UNIT REGISTERS, 4 4-BIT BYTES, DOUBLE X 8.5, KAR16
M7302	CAT	RJM	7	PD16 K-SIMPLE, 5 OR 6 INDEPENDENT CONTROL CKTS, SINGLE X 8.5
M7303	CAT	RJM	4 5/73	PD16 K-DECISION, 6 CKTS, SPLITS CONTROL FLOW, SINGLE X 8.5
M7304	CAT	RJM	5	PD16 BUS SENSE, SENSES ALL ZERO, OVERFLOW, MANUAL START, DOUBLE X 8.5, KBS16
M7305	CAT	RJM	5	PD16 TRANSFER REGISTER, PROVIDES 16 BIT DATA STORAGE, MASKING & BYTE CONTROL, MS16-A
M7306	CAT	RJM	5	PD16 FLAG MODULE, 3 SINGLE BIT STORAGE AND CONTROL, KFL16, SINGLE X 8.5
M7307	CAT	RJM	5 11/71	PD16 CONSTANTS REGISTER, SMALL ROM, MR16-A, DOUBLE X 8.5
M7308	CAT	RJM	2 12/73	PD16 TO 11 INTERFACE
M7309	CAT	RJM	2 12/72	PD16 PARALLEL MERGE, A GATE MEANS OF RETURNING TO A SINGLE CONTROL PATH AFTER A BRANCH OP
M731	CAT	JCR	5	POS BUS TO -3V LOGIC FOR 8/I, FITS IN E100
M7310	16	RJM	5	PD16 EVOKE, 6 CKTS, MORE GEN VERSION OF K-SIMPLE, KEV16, SINGLE X 8.5
M7311	16	RJM	5	PD16 GPI, GEN PURPOSE INPUT/OUTPUT, DB16-A, DOUBLE X 8.5
M7312	16	RJM	5	PD16 2-WAY BRANCH (K DECISION + K SIMPLE), 8 CKTS, SINGLE X 8.5, KB16-A
M7313	16	RJM	5 5/73	PD16 TTY INTERFACE, TRANSDUCER, TTY XMTR & RCVR, DC16-A, DOUBLE X 8.5
M7314	16	RJM	5	PD16 EIGHT-WAY BRANCH, 2 3-BIT LATCH & DECODER, KB16-B, SINGLE X 8.5
M7315	16	RJM	5	PD16 SUBROUTING RETURN, 6 CKTS, 6 BITS, INDEP STORAGE, KSR16, SINGLE X 8.5
M7316	16	RJM	5	PD16 OUTPUT INTERFACE, 16 BIT REGISTER, DB16-B, DOUBLE X 8.5
M7317	16	RJM	5	PD16 INPUT INTERFACE, 16 GATES, SINGLE STROBE, DB16-C, DOUBLE X 8.5
M7318	16	RJM	5 5/73	PD16 SCRATCH PAD, 16 16-BIT WORDS, MS16-C, DOUBLE X 8.5
M7319	16	RJM	5 5/73	PD16 SCRATCH PAD, 256 16-BIT WORDS, MS16-D, DOUBLE X 8.5
M732	CAT		5	POS BUS FROM POS LOGIC FOR 8/I
M7320	16	RJM	5 8/72	BYTE REGISTER, REG TRANSFER, MS16-B, DOUBLE X 8.5
M7321	16	RJM	7 7/72	NO OP MODULE, SINGLE X 8.5, KNP16, DOUBLE X 8.5
M7322	16	RJM	5 8/72	PD16 BUS MONITOR, KBM16, DOUBLE X 8.5
M7323	16	RJM	5 8/72	CONTACT INTERROGATOR UNIT, POP16
M7324	16	RJM	4 4/74	1K X16 MGS RAM, 1 USEC CYCLE, DOUBLE X 8.5
M7325	16	RJM	5 11/72	24 X 16 ROM, DOUBLE X 8.5
M7326	16	RJM	4 5/73	PCS CONTROL, MICRO-PROCESSOR CONTROL, DBL X 8.5
M7327	16	RJM	5 8/72	PC2 INSTRUCTION MEMORY, 256 X 8, SING X 8.5 PROGRAMMED BY M8307
M7327-YA	16	RJM	5 2/74	BASIC DIAG (OPT) ROM 0
M7327-YB	16	RJM	5 2/74	BASIC DIAG (OPT) ROM 1
M7327-YC	16	RJM	5 2/74	BASIC DIAG ROM 2
M7327-YD	16	RJM	5 2/74	BASIC DIAG ROM 3
M7328	16	RJM	5 8/72	PC2 EVOKE DECODER, 32 STATES, DBL X 8.5
M7329	16	RJM	5 3/72	PC2 MULTIPLEX INPUTS, 29 INPUTS, DBL X 8.5
M733	CAT		5	POS BUS FROM -3V LOGIC FOR 8/I

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7330	16	RJM	1 11/71	ARITHMETIC REG UNIT, OPERATES ON 2 16-BIT WDS, DBL X 8.5
M7331	16	RJM	1 11/71	ARJ ENCODER, USE WITH M7330, DBL X 8.5
M7332	16	RJM	5 11/72	BUS CONTROL, DBL X 8.5
M7333	16	RJM	5 8/72	SERIAL INTERFACE ADAPTER, DC16-B, SING X 8.5
M7334	16	RJM	5 11/72	PD16 LIGHT & SWITCH INTERFACE, DOUBLE 8.5
M7335	16	RJM	5 11/72	PD16 SERVICE BOARD, DOUBLE 8.5
M7336	16	RJM	5 11/72	EXPANDED PROGRAM CONTROL SEQUENCER, DOUBLE 8.5
M7337	16	RJM	2 3/73	PD16/M-TU600 READ ONLY INTERFACE, DOUBLE 8.5
M7338	16	RJM	5 4/74	PD16/M-UNIBUS CONVERTER/INPUT INTERFACE
M7339	16	RJM	2 3/73	PD16/M HHC (HAND HELD CONTROLLER) INTERFACE, DOUBLE 8.5
M734	CAT		5	I/O BUS MULTIPLEXER, 3 12-BIT WORDS TO BUS
M7340	16	RJM	2 3/73	PD16/M EXTENDED CONTROL MEMORY
M7341	CAT	CYR	4 9/74	MP2-1 PM (PROGRAMMABLE MODULE 8000-1, QUAD
M7342	CAT	CYR	4 9/74	MP2-1 PM MONITOR/CONSOLE
M7343	CAT	CYR	2 1/74	MP2-1 PM FOUNDATION MODULE, QUAD
M7344	CAT	OM	4 9/74	MP2-1 SPACE FOR 4K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YA CAT	CAT	OM	4 9/74	MP2-1 1K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YB CAT	CAT	OM	4 9/74	MP2-1 2K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YC CAT	CAT	OM	4 9/74	MP2-1 4K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7345	CAT	OM	4 9/74	MP2-1 SOCKETS FOR 4K X 8 REPROGRAMMABLE PROM (INTEL 1702A), QUAD
M7346	CAT	OM	4 9/74	MP2-1 PM POWER FAIL, 6.3VAC INPUT REQUIRED, QUAD
M7347	CAT	LJF	1 2/75	MP2-1 TTY READER RUN, SINGLE 8.5
M735	CAT		5	I/O TRANSFER, 12 BIT REGISTER, 12 OUTPUT BUS DRIVERS
M7350	CLP	AC	2 2/74	RT2-C, -D, -E BADGE READER, DOUBLE 8.5
M736	CAT		5	PRIORITY INTERRUPT, 4 CHANNELS
M737	CLP	RC	5	I/O BUS RECEIVER WITH BUFFER REGISTER & BUFFERED OUTPUTS, FITS IN E100
M7377	CLP	EN	2 5/74	PDM70-JR SERIAL I/O W 64 CHAR BUFFER & REMOTE RESET, QUAD, IS 54-11530 CABLED TO 54-11004
M7378	CLP	EN	2 5/74	PDM70-SD FOUNDATION MODULE; PDM70 INTERFACE + WIRE WRAP PINS & I/C LOCATIONS, QUAD
M7379	CLP	EN	4 9/73	CLOCK, 110 TO 39.6K BAUD, PDM70, DOUBLE 8.5
M738	CLP	RC	5	I/O BUS TRANSMITTER, PARTIALLY REPLACES M732, FITS IN E100
M7380	CLP	EN	4 2/74	CONTROL, PDM70-P, DOUBLE 8.5
M7381	CLP	RC	4 2/74	DIGITAL INPUT, 32 BITS, PDM70-D, QUAD 8.5
M7382	CLP	RC	4 2/74	DIGITAL OUTPUT, 32 BITS, PDM70-E, QUAD 8.5
M7383	CLP	PDM	4 2/74	4 CH ANALOG INPUT CARD, PDM70-F, QUAD 8.5
M7384	CLP	PDM	4 2/74	2 CH ANALOG OUTPUT CARD, PDM70-H, QUAD 8.5
M7385	CLP	RC	4 9/73	BI SERIAL INPUT/OUTPUT, EIA OR 20 MA, PDM70-J, QUAD 8.5
M7386	CLP	EN	5 3/74	CHARACTER SERIAL INPUT/OUTPUT, 16 KEY KEYBOARD DISPLAY, PDM70-K, QUAD 8.5
M7387	CLP	EN	4 9/73	HARDWARE READ-IN MODULE FOR POWER FAIL/RESTART PDM70-N, SINGLE 8.5
M7388	CLP	RC	4 10/73	CHARACTER SERIAL INPUT/OUTPUT GENERAL PURPOSE, PDM70-M, QUAD 8.5
M7389	CLP	EN	5 5/73	ADDRESSABLE ASYNC TRANSCEIVER WITH PROGRAMMABLE CLOCKS, 110 TO 4800 BAUD, DBL X 8.5
M7389-YA CLP	CLP	EN	7 2/72	M7389 W OPEN COLLECTOR OUTPUTS
M7390	CLP	RJM	5 5/73	ASYNCH TRANSCEIVER, RT01, DOUBLE
M7391	CLP	RJM	5 5/73	12 X 4 BUFFER, RT01
M7392	CLP	RJM	1 2/71	NIXIE DISPLAY, RT01, RENAMED 5409457
M7393	CLP	RJM	5 11/71	16 CHAR KEYBOARD ENCODER, RT01
M7394	CLP	AC	1 5/72	16 CHAR KEYBOARD/CARD READER ENCODER, RT01-A, -B
M7394-YA MOD	MOD	AC	2 4/72	16 CHAR KEYBOARD/CARD READER ENCODER, RT01
M7395	CLP	AC	4 5/73	DISPLAY CONTROL, RT02, SINGLE 8.5
M7396	CLP	AC	4 5/73	16 KEY NKR KEYBOARD ENCODER, SINGLE 8.5
M7396-YA CLP	CLP	CYR	3 2/74	M7296 W RT01 KEYBOARD DECODER
M7397	CLP	AC	1 1/73	KEYBOARD + ELECTRONICS, HHC01, DOUBLE 8.5
M7398	CLP	AC	1 1/73	DISPLAY + ELECTRONICS, HHC01, DOUBLE 8.5
M7399	CLP	AC	4 2/74	AUDIO ALARM, RT02-B, DOUBLE 8.5
M740	14	AR	6 7/73	INSTRUCTION DECODING & REGISTER CONTROL FOR PDP14, DOUBLE, DOUBLE
M7400	14	VDB	5 8/72	PD14 INSTR DECODER & CONTROL, TO REPLACE M740, DBL X 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7403	14	VDB	5 11/72	TIMING FOR DL14, DBL X 5
M7404	14	VDB	5 11/72	CONTROL FOR DL14, DBL X 5
M7405	14	VDB	4 5/73	MEMORY FOR DL14, DBL X 5, 256 X 4 + 156 X 6
M7406	14	VDB	4 5/73	STEPPING MOTOR CONTROL, HEX 8.5, SMC01-A
M7407	14	LD	5 2/74	MM01-E INTERFACE, QUAD 6
M741	14	AR	5	MAJOR STATES & TIMING FOR PDP14
M742	14	AR	5	SWITCH & POWER CONTROL FOR PDP14
M743	14	AR	5	K INTERFACE CONTROL FOR PDP14
M7431	14	AR	5 4/74	PDP14/30 MEM CONTROL, QUAD 8.5
M7432	14	LD	5 9/74	PDP14/30 I/O TIMING CONTROL, QUAD
M7433	14	AR	5 5/74	PDP14/30 I/O MULTIPLEX DRIVERS, QUAD 8.5
M7434	14	LD	2 10/74	PDP14/30 I/O CONNECTOR INTERFACE, QUAD
M744	14	AR	5	COMPARE CONTROL FOR PDP14, COMPARES 2 12-BIT WORDS WITH EACH OTHER OR ZERO, DOUBLE
M7441	14	MORO	5 3/74	KEYBOARD CONTROL, OMNIBUS, VT14, QUAD, TOP CONNECTED TO M7443
M7443	14	MORO	5 9/74	VIDEO CONTROL, OMNIBUS, VT14, QUAD, TOP CONNECTED TO M7441
M745	14	AR	5	INTERFACE, PDP14 TO PDP8/I.L, 72 PINS, DOUBLE BUS TERMINATION INCLUDED
M7450	14	AR	5 11/72	PDP14 TO PDP8 INTERFACE, REPLACES M745, DBL X 6
M7451	14	AR	5 5/74	PDP14/30 TO PDP8 POS BUS I/O INTERFACE, QUAD 8.5
M746	14	AR	5	BUS REGISTER FOR PDP14, 6 D FF'S WITH OPEN COLLECTOR OUTPUT GATING, DIRECT SETS & COMMON CLEAR
M747	14	AR	5	BUS REGISTER FOR PDP14, (SIMILAR TO M746), INCREMENTS & DECREMENTS
M748	14	AR	5 11/72	SERIAL TRANSMITTER, 14 BIT ERROR CORRECTION, ASYNC, DOUBLE X 5
M7481	14	AR	2 12/74	DC14-E, HIGH SPEED SERIAL INTERFACE, PDP14/30, QUAD 8.5
M7483	14	AR	4 2/74	UART VERSION OF M7481, 2 8-LEVEL CODE WORDS W PARITY, QUAD 8.5
M749	14	AR	5 11/72	SERIAL RECEIVER, 14 BIT ERROR CORRECTION, ASYNC, DOUBLE X 5
M750	8	RL	5	LINE I/O CONTROL, EQUIV TO 2 M750'S, DOUBLE
M751	8	AC	5	LINE REGISTER & R REG FOR DC00A, I/O BUS CONNECTION, DOUBLE
M752	8	AC	5	INSTRUCTION DECODER & GATES FOR DC00A, DOUBLE
M753	8	AC	5	CONTROL FOR 2 DATA SET LINES IN DC00F
M754		GORMAN	1 8/69	TELETYPE RECEIVER, 6,7 BITS
M755		GORMAN	1 8/69	TELETYPE TRANSMITTER 6,7 BITS
M756	8	WH	1 4/69	TELETYPE RECEIVER, 5,6,7, OR 8 BITS
M757	8	WH	1 4/69	TELETYPE TRANSMITTER, 5,6,7, OR 8 BITS
M758	CSS	KB	6 4/71	SYNCHRONOUS SERIAL DATA RECEIVER, (6,8 BITS), DOUBLE BUFFERED
M759	CSS	KB	6 4/71	SYNCHRONOUS SERIAL DATA TRANSMITTER, (6,8 BITS), DOUBLE BUFFERED
M760	12	RI	5	A/D CONTROL FOR PDP-12, POSSIBLE GENERAL APPLICATION
M7600	12	MORO	5 8/72	M760 WITH MODIFIED TIMING FOR AD12-F, SINGLE
M7601	12	AF	5 5/73	CONTROL FOR TEKTRONIX 611 OR COLOR SCOPE
M761	15	HL	5 5/73	32 TO 8 BIT MULTIPLEXER
M762	15	HL	5 5/73	ROM DIODE MATRIX RECEIVER
M763	PERIPH	JH	5	9 TRACK WRITE BUFFER, FOR TU10, NEG LOGIC, SEE M893
M764	PERIPH	JH	1 8/69	7 TRACK WRITE BUFFER, FOR TU10, NEG LOGIC, SEE M894
M765	PERIPH	JH	5 5/73	9 TRACK READ BUFFER, FOR TU10
M766	PERIPH	JH	1 8/69	7 TRACK READ BUFFER, FOR TU10
M767	PERIPH	JH	5	CLOCK & SKEW DELAY LOGIC FOR TU10
M7670	PERIPH	JH	5	FORWARD BGT TIMER, TU10
M7671	PERIPH	JH	5	MASTER/SLAVE BUS DRIVER FOR TU10 MASTERS, 25 CKTS, DOUBLE X 5
M7672	PERIPH	JH	5	TU10 MASTER CONTROL BUFFERS, DOUBLE X 5
M7673	PERIPH	JH	5	TU10 DATA CHECKER, DOUBLE X 5
M7674	PERIPH	JH	1 12/72	IMPROVED M7670
M7675	PERIPH	EM	2 2/75	FORWARD BGT TIMER FOR TU10 W TU16 CASTING
M768	PERIPH	JH	5	DELAY SELECTOR FOR TU10 WITH TC58, TC59, TM10
M768-YA	PERIPH	PHD	2 9/74	M768 W LONGER DELAY
M769	PERIPH	JH	5	FUNCTION CONTROL FOR TU10
M770	15		5 5/73	EAT CONTROL FOR PDP-15
M7700	PERIPH	ES	5 5/73	SECTOR CTR, INDEX & PHO/DAMP FOR DECPACK, DOUBLE X 8.5



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7700-YA	CSS	PH	0 9/74	M7700 WITH REMOTE UNIT SELECT SWITCH
M7701	PERIPH	ES	5 5/73	CONTROL & SAFETY INTERLOCKS FOR DECPACK, DOUBLE X 8.5
M7702	PERIPH	ES	5 5/73	TRACK ADDRESS & DIFFERENCE CNTR FOR DECPACK, DOUBLE X 8.5
M7703	PERIPH	ES	1 11/70	DECPACK OFFLINE TESTER
M7704	PERIPH	LAW	1 5/74	RK06 SERVO COMPENSATION, DOUBLE 8.5
M7705	PERIPH	LAW	1 7/74	RK06 DRIVE CONTROL LOGIC, QUAD
M7706	PERIPH	LAW	1 2/75	RK06 INTERFACE & TIMING, QUAD
M7707	PERIPH	LAW	1 2/75	RK06 SERVO CONTROL, QUAD
M7708	PERIPH	LAW	1 2/75	RK06 TRACK POSITION DETECTOR/PLO, QUAD
M7709	PERIPH	LAW	1 2/75	RK06 TRANSDUCER ELECTRONICS, DOUBLE 8.5
M771	15		5 5/73	INTERNAL DEVICE DECODER FOR PDP-15
M7710	PERIPH	CAY	5 1/72	PRINT CYCLE TIMING, LA30, DOUBLE
M7711	PERIPH	CAY	5 11/71	CONTROL LOGIC A, LA30, DOUBLE
M7712	PERIPH	CAY	5 2/72	CONTROL LOGIC B, LA30, DOUBLE
M7713	PERIPH	CAY	5 11/71	RIBBON CONTROL & LAST CHAR VISIBILITY, LA30, DOUBLE
M7714	PERIPH	CAY	5 11/71	CHARACTER GENERATOR, LA30, DOUBLE
M7715	PERIPH	CAY	5 11/71	LINE FEED CONTROL, LA30, DOUBLE
M7716	PERIPH	CAY	5	MOTOR TRANSLATOR, LA30, DOUBLE
M7717	PERIPH	CAY	5	MOTOR CONTROL, LA30, DOUBLE
M7718	PERIPH	CAY	5 1/72	KEYBOARD INTERFACE, LA30, CONNECT TO 8/I, 8/L, 12, OR 15, PARALLEL (CAN REPLACE M786), DOUBLE
M7719	PERIPH	CAY	5 1/72	TRANSMIT DATA TO LA30 PRINTER, PARALLEL, (CAN REPLACE M707), DOUBLE
M772	15	FA	5	CONSOLE CONTROL #1 FOR PDP-15
M7720	PERIPH	CAY	5 5/73	KEYBOARD TRANSMITTER, LA30, DOUBLE
M7721	PERIPH	CAY	4 5/73	CONTROL LOGIC A, (M7711 WITH BELL LOGIC) LA30, DOUBLE 5
M7722	PERIPH	RLOM	4 9/74	LA26 MICROPROCESSOR, 10 X 15, NO FINGERS (REPLACED BY M7723)
M7722-YA	PERIPH	RLOM	1 1/75	M7722 W LOCAL ECHO
M7723	PERIPH	RLOM	2 2/75	LA26 MICROPROCESSOR, REPLACEMENT FOR M7722, HAS TEST PADS, NO FINGERS, 10 X 15
M7724	PERIPH	CAY	5 4/72	M7714 WITH 7474'S INSTEAD OF MC4015'S
M7725	SCCAN		0 12/74	SHORT CARRIAGE RETURN CONTROL, LA30, SINGLE 8.5
M7726	PERIPH	CAY	2 2/75	RX01 CONTROL
M7727	PERIPH	CAY	2 2/75	RX01 READ/WRITE ELECTRONICS
M773	15	FA	5 5/73	CONSOLE CONTROL #2 FOR PDP-15
M7731	PERIPH	RF	5 5/73	SERIALINTERFACE CONTROL, LA30
M7731-YA	PERIPH	RF	2 2/72	M7731 W PULL UP RESISTORS 4.7K INSTEAD OF 220 OHMS
M7734	PERIPH	CAY	3 3/74	UPPER/LOWER CASE LA30 CHAR GEN, DOUBLE 8.5
M774	14	AR	4 9/74	PD14-L INSTRUCTION DECODER
M7741	14	AR	4 2/74	PD14/30 TIMING & REGISTERS, QUAD 8.5
M775	15		5 5/73	TIME STATE GENERATOR
M7751	PERIPH	CHI	4 2/74	ENCODER-DECODER PLL (PHASE LOCK LOOP), 4 LAYER DOUBLE X 8.5, RS03 (STANDARD DOUBLE INNER LAYER)
M7752	PERIPH	TFF	4 2/74	DESKEW LOGIC, RS03, DOUBLE X 8.5
M7753	PERIPH	NF	4 9/73	DATA BUFFER, RS03, DBL X 8.5, INCLUDES CRC
M7754	PERIPH	NF	4 2/74	ADDRESS REGISTER, RS03, DBL X 8.5
M7755	PERIPH	NF	4 2/74	CONTROL, RS03, DBL X 8.5
M7756	PERIPH	CHI	5 3/74	ALTERNATE TRACK OPTION, RS03, DBL X 8.5
M7757	PERIPH	PH	4 7/73	RS04-TA (TIMING TRACK WRITER) QUAD 8.5
M7758	PERIPH	CHI	5 6/74	RS04 HEAD MATRIX
M7759	PERIPH	TFF	4 2/74	COMMAND DECODE, DOUBLE 8.5
M776	15	FA	5	READER REGISTER
M7760	PERIPH	NOL	4 5/73	CASSETTE LOGIC, TU60, HEX 8.5, NO FINGERS
M7761	PERIPH	NOL	5 6/74	CASSETTE SERVO & READ, TU60, HEX 8.5, NO FINGERS
M7770	PERIPH	TFF	4 2/74	RS03 STATUS, DOUBLE 8.5
M7771	PERIPH	TFF	4 2/74	RS03 FORMAT, DOUBLE 8.5
M7772	PERIPH	KG	4 4/74	RP04 SYNCHRONOUS LOGIC, 4 LAYER HEX
M7773	PERIPH	KG	4 4/74	RP04 ASYNCHRONOUS LOGIC, HEX
M7774	PERIPH	SERG	4 4/74	RP04 REGISTER LOGIC, HEX

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
M7775	PERIPH	SERG	4	5/74	RP04 DUAL PORT LOGIC, HEX
M7776	PERIPH	DL	4	4/74	RP04 ERROR CORRECTION LOGIC, 4 LAYER HEX
M7777	PERIPH	KG	4	5/74	RP04 MDLI (MIN DEVICE LEVEL INTERFACE) TRANSMITTER, DOUBLE 8.5
M7778	PERIPH	KG	4	4/74	RP04 MDLI RECEIVER, DOUBLE 8.5
M7780	PERIPH	KF	1	5/74	RP04-M VOLTAGE SENSE, DOUBLE 8.5
M7781	PERIPH	KF	1	5/74	RP04M DRIVE LOGIC A, HEX
M7782	PERIPH	KF	1	5/74	RP04M DRIVE LOGIC B, HEX
M7783	PERIPH	PGA	1	5/74	
M7784	PERIPH	PGA	1	5/74	
M7785	PERIPH	RWG	1	5/74	RP04-M R/W MATRIX, 6 X 6 NON STND
M7786	PERIPH	RWG	1	5/74	
M780	11	PJ	5		TELETYPE TRANSMITTER & RECEIVER FOR KL11, 110 BAUD, DOUBLE
M780-YB	11	PJ	5		150 BAUD M780
M780-YC	11	PJ	5		300 BAUD M780
M780-YD	11	PJ	5		600 BAUD M780
M780-YE	11	PJ	5		1200 SEND, 110 RECEIVE M780
M780-YF	11	PJ	5		2400 BAUD M780
M780-YH	FS	EB	3	3/72	USED IN PMK02-C OPTION
M780-YS	CSS	JTH	3	10/74	307 K BAUD M780 FOR KL11-S TEKTRONIX 4010 SERIES TERMINALS
M7800	11	PJ	5	11/72	ASJNC TRANSMITTER & RCVR, KL11, JUMPER BAUD RATE FROM 110 TO 2400, TO REPLACE M780, M105, M782
M7800-YA	11	PJ	5	1/73	M7500 WITHOUT EIA CHIPS, CURRENT LOOP ONLY
M7800-YB	11	BLE	3	10/73	M7500 W 24.6 K BAUD
M7800-YC	CSS	MSR	3	2/74	M7500 W FILTER ON RING CKT FOR USE WITH EMI FILTER CABLE
M7800-YD	SSCAN	PCO	3	10/74	M7500 FOR 56.9 BAUD
M7801	CSS	SKJ	3	2/74	DATA WORD CONTROL FOR MC11
M7801-YA	CSS	RLM	3	9/74	M7801 FOR MC11-B
M7802	CSS	SKJ	3	2/74	ADDRESS CONTROL FOR MC11
M7802-YA	CSS	RLM	2	8/74	M7802 FOR MC11-B
M7803	CSS	SKJ	3	2/74	ARBITRATION CONTROL FOR MC11
M7803-YA	CSS	RLM	2	8/74	M7803 FOR PARITY MC11
M7803-YB	CSS	RLM	1	2/75	HIGH SPEED M7803-YA, WILL BE REPLACED BY M7869
M7804	11	BES	1	1/73	ARBITRATOR CARD FOR MA11, DOUBLE 8.5
M7805	11	BES	1	1/73	TIMING, MA11, QUAD 8.5
M7806	11	BES	1	1/73	PORT, MA11, HEX 8.5
M7807	11	WF	2	7/74	M7247, M105, M7821 ON ONE QUAD, EIA ONLY
M7808	11	WF	1	11/73	M7247 & M7246 ON ONE QUAD, EIA ONLY
M7809	11	JL	2	1/74	16CH 10BIT A/D, 1 CH D/A, CLOCK, 4 LAYER HEX
M781	11	PJ	5		PC11 CONTROL BOARD, FOR KA11
M7810	11	DDJ	5	11/72	M781 + M105 + M7821, QUAD X 8.5 (INTERFACE BETWEEN 11 & HIGH SPEED READER/PUNCH)
M7812	11	RL	5	6/74	DQ11-AA BUS SELECTORS, CSR'S, SHIFT REGISTERS, HEX 8.5
M7813	11	RL	5	9/74	DQ11-AA CHAR COUNT, BUS ADDRESS, SHIFT CONT, HEX 8.5
M7815	11	RL	5	6/74	DQ11-AA MODEM CONTROL (DQ11-BA), SINGLE 8.5
M7816	11	RL	5	9/74	DQ11-AB BUS SELECTORS & BLOCK CHECK CHAR, HEX 8.5
M7817	11	RL	4	9/74	DQ11-AB CHAR DETECTION & SEQUENCE CONT (DQ11-BB), HEX 8.5
M7818	11	RL	5	6/74	DQ11-AA HARDWIRED CHAR DETECTION & NPR CONT, DOUBLE 8.5
M7819	COM	RAC	1	2/75	DL11-F 8-LINE DBL BUF ASYNC EIA 50 TO 19.2 KBAUD W 103A MODEM CONT, HEX
M782	11	PJ	6	10/71	INTERRUPT CONTROL, 6 BITS, 1 PER POP11 PERIPHERAL
M7820	11	PJ	5		INTERRUPT CONTROL, 7 BITS, 1 PER POP11 PERIPHERAL, WILL BE REPLACED BY M7821
M7821	11	SR	5	2/72	FAST M7820
M7822	11	FZ	5	10/74	DU11, QUAD 8.5
M7823	11	DEB	3	9/74	WATCH DOG TIMER, KW11-W, DOUBLE 8.5
M7824	SSCAL		3	5/73	PUNCH INTERFACE, CP11-UP, QUAD
M7825	11	FZ	2	4/74	BACKUP FOR M7822, DU11, HEX
M7826	CSS	ABW	2	9/73	DV211 SERIAL LINE XMIT/RECEIVER, SYNC, ASYNC, ISOCHRONOUS, DOUBLE 8.5
M7827	CSS	LO	3	5/74	XY211 CONTROL BOARD, DOUBLE 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7828	CSS	DRS	3 9/74	REMOTE DT03 BUS SWITCH CONTROL, DOUBLE 8.5
M7829	SSCAN	PLM	3 9/73	CSC, X BUS TO UNIBUS INTERFACE, USED WITH M7400 & A003, A004, M1005, M5005, M5006 M5945, MODULES
M783	11	PJ	5	12 BUS DRIVERS, PDP-11, SINGLE X 8.5
M7830	SSCAN	OF	3 12/74	WATCHDOG TIMER, GEN PWR FAIL AFTER 20MS, RESTART AFTER 4 SEC, WIRE WRAPPED W940, QUAD
M7831	11	GH	1 9/72	4K 16 BIT STATIC N-CHANNEL MOS MEM, HEX 8.5
M7832	11	GH	1 10/73	16K 18-BIT DYNAMIC RAM (4K CHIPS), 4-LAYER HEX RELIABILITY STUDY FOR TI, INTEL
M7834	11/40	JO	1 1/73	TIMING (PARITY), KD11-A, 8.5 HEX
M7835	SSCAL	RWI	3 2/74	TONE ALERT, USED IN DD11, SINGLE 8.5
M7836	COM	MC	2 1/75	DV11 ALU & TRANSFER BUS, HEX
M7837	COM	MC	2 1/75	DV11 UNIBUS DATA & NPR CONTROL, HEX
M7838	COM	MC	2 1/75	DV11 ROM, RAM, & BRANCH, HEX
M7839	COM	NRS	2 1/75	SYNCHRONOUS MUX LINE CARD, HEX
M784	11	PJ	5	UNIBUS RECEIVER, PDP-11
M7840	11	JHW	2 3/74	EAE, KE11-B, HEX, KE11-A COMPATIBLE
M7841	CAT	JB	0 6/73	UNIBUS CONTROL, B008, HEX
M7842	SSCAN	OW	2 4/74	DA30-F 8 BIT PARALLEL FULL DUPLEX INTERPROCESSOR BUFFER 10-30KHZ, M854, QUAD
M7843	11	BI	2 4/74	DR11-K DIGITAL I/O, HEX
M7844	11	GH	1 5/74	16K 18-BIT DYNAMIC RAM (MOSTEK P4096 4K CHIP), 4 LAYER HEX, RELIABILITY STUDY
M7845	SSCAL	JAY	1 5/74	TITE OUT CKT FOR BOEING INTERFACE, SINGLE 8.5
M7846	PERIPH	ORH	2 1/75	RX01 UNIBUS INTERFACE, QUAD
M7847-YA	XML	DAC	1 6/74	MS11-E, 4K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YB	XML	DAC	1 6/74	MS11-EP, 4K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YC	XML	DAC	1 6/74	MS11-F, 8K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YD	XML	DAC	1 6/74	MS11-FP, 8K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YE	XML	DAC	1 6/74	MS11-H, 12K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YF	XML	DAC	1 6/74	MS11-HP, 12K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YH	XML	DAC	1 2/75	MS11-J, 16K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YJ	XML	DAC	1 2/75	MS11-JP, 16K 18-BIT RAM, HEX, MOSTEK MK4096
M7848-YA	XML	DAC	1 5/74	MS11-E, 4K 16-BIT RAM, HEX, TI4030
M7848-YB	XML	DAC	1 3/74	MS11-EP, 4K 18-BIT RAM, HEX, TI4030
M7848-YC	XML	DAC	1 3/74	MS11-F, 8K 16-BIT RAM, HEX, TI4030
M7848-YD	XML	DAC	1 3/74	MS11-FP, 8K 18-BIT RAM, HEX, TI4030
M7848-YE	XML	DAC	1 3/74	MS11-H, 12K 16-BIT RAM, HEX, TI4030
M7848-YF	XML	DAC	1 3/74	MS11-HP, 12K 18-BIT RAM, HEX, TI4030
M7848-YH	XML	DAC	1 2/75	MS11-J, 16K 16-BIT RAM, HEX, TI4030
M7848-YJ	XML	DAC	1 2/75	MS11-JP, 16K 18-BIT RAM, HEX, TI4030
M7849	XML	DAC	1 6/74	
M785	11	PJ	5 5/73	UNIBUS DRIVER & RECEIVER, 8 BITS, PDP-11, SINGLE X 8.5
M7850	11	PD	2 2/75	MM11-BP, MM11-CP PARITY BOARD FOR G651, DOUBLE 8.5
M7851	11	KA	2 9/74	DT11-M LOGIC INDICATOR DRIVER, SINGLE 5 (W960 ETCH)
M7852	FS	DSD	1 7/74	PM03 BUFFER, HEX
M7853	11	GH	1 8/74	16K 18BIT DYNAMIC RAM (MOTOROLA/AMI MCM6605 4K CHIP) 4-LAYER HEX, RELIABILITY STUDY
M7854	11		2 10/74	TMA-11 OPI/BTE DETECTOR (OPERATION INCOMPLETE OR BAD TAPE), SINGLE 5
M7855	TE	RFB	1 9/74	UNIBUS EXERCISER, HEX
M7856	11	RBP	1 10/74	DL11-W, SLU/RTC OPTION, QUAD
M7857	11	RMS	1 10/74	DM11-A, EIA SYNC/ASYN MONITOR
M7858	11	RMS	1 10/74	DH11-B, QUAD
M7859	11	RBP	1 10/74	KY11-LB CONSOLE INTERFACE, QUAD
M786	11	PJ	5	UNIBUS TRANS & REC, & REC, 16 BITS, BR, PDP-11, DOUBLE, 8.5, SEE M7866
M7860	11	BJD	5 11/72	DR11-C = M786 + M105 + M7821, QUAD X 8.5 (GENERAL DEVICE INTERFACE TO 11), SEE M7866
M7861	CAT	JB	0 10/74	1K X 16 BIT RAM, QUAD
M7862		JB	0 10/74	1K X 16 BIT PROM
M7863		JB	0 10/74	MAINTENANCE MODULE
M7864	CAT	RF	2 2/75	DR11-L, 2-WORD UNIBUS INPUT INTERFACE, QUAD
M7865	CAT	RF	2 2/75	DR11-M, 2-WORD UNIBUS OUTPUT INTERFACE, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS	NO/YR	DESCRIPTION
M7866	11	LC	1	11/74	DR11-C, REPLACES M7866, M7860, 16 BIT PARALLEL BR INTERFACE, QUAD
M7867	11	FZ	1	1/75	DU11-DA SDLC OR DDCMP SYNC INTERFACE, HEX
M7868	11	FZ			
M7869	CSS	RLM	1	2/75	MC11-B ARBITRATION CONTROL (REPLACES M7803-YB)
M787	11	CA	5		LINE FREQUENCY INTERRUPT CLOCK
M788	11	PD	6	10/74	MR11-A CONTROL LOGIC, DOUBLE, 8.5
M789	11	PD	1	2/70	MR11-A DEVICE SELECTOR, DOUBLE, 8.5
M7892	11	DRM	4	7/73	M7892 W 8881 & 380
M790	11	PD	1	2/70	MR11-A DATA REGISTER, DOUBLE, 8.5
M7900	PERIPH	RN	1	10/74	RK11-A TIMING, QUAD
M7901	PERIPH	RN	1	10/74	RK11-A UNIBUS CONTROL, HEX
M7902	PERIPH	RN	1	10/74	RK11-A DATA PATHS, HEX
M7903	PERIPH	RN	1	10/74	RK11-A SERCON CONTROL, QUAD
M791	11	BEATTY	5	11/71	LA30 INTERFACE FOR PDP11, DBL X 8.5
M7910	11	DJD	4	9/73	M721 + M105 ; M7821, QUAD X 8.5 (PARALLEL INTERFACE BETWEEN 11 & LA30P)
M792	11	BPF	5		32 WORD, 16 BIT ROM DIODE MATRIX, ALL DIODES IN, QUAD, 8.5, USED IN DD11
M792-YA	11	BPF	5	11/71	PAPER TAPE LOADER
M792-YB	11	BPF	5		DISK LOADER ROM
M792-YC	11	GEF	5	5/73	CARD READER BOOTSTRAP ROM
M792-YD	11/45	BPF	5	8/72	CARD 1 OF MR11-DB BOOTSTRAP LOADER
M792-YE	11/45	BPF	5	8/72	CARD 2 OF MR11-DB BOOTSTRAP LOADER
M792-YF	CPL	BALL	5	10/73	DS900 LOADER ROM
M792-YH	11	PJ	4	5/73	TA11 BOOTSTRAP LOADER
M792-YJ	CSS	LO	1	4/73	BELL SPECIAL TM11 LOADER
M792-YK	11	TM	5	3/74	VT00 BOOTSTRAP
M7921	CSS	RLM	1	10/74	MA11-F D MUX (DATA MULTIPLEXER), 4-LAYER QUAD, STANDARD INNER LAYER
M7922	CSS	RLM	1	10/74	MA11-F A MUX (ADDRESS MULTIPLEXER), 4-LAYER QUAD, STANDARD INNER LAYER
M7923	CSS	RLM	1	10/74	MA11-F MUX CONTROL, 4-LAYER QUAD, STANDARD INNER LAYER
M7924	CSS	RLM	1	10/74	MA11-F UNIBUS INTERFACE QUAD
M7925	CSS	RLM	1	10/74	MA11-F MEM TIMING & CONTROL, QUAD, WILL REPLACE M8293-YA
M7927	11	LC	1	10/74	INTERRUPT CONTROL, WILL REPLACE M7821, SINGLE 8.5
M793	11	CA	7	10/74	CONTROL FOR LINE PRINTER (LP11), DOUBLE, 8.5, SIDE M904 CONNECTOR
M793-YA	SSCAL	GE	3	3/72	CONTROL FOR DATA PRODUCTS 2440 & 2770 (FORM FEED)
M793-YB	SSCAL	OF	1	10/72	CONTROL FOR DATAMETRICS MC3000 LINE PRINTER
M7930	11	DJD	5	5/73	M723 + M105 + M7821, QUAD X 8.5 (INTERFACE TO DATA PRODUCTS LINE PRINTERS)
M7930-YA	CSS	ABW	3	9/74	M7100 W ADDED ZONING & VERTICAL FORMAT
M7931	CSS	ABW	1	9/74	M7900 W ADDED DIRECT ACCESS VFD FOR LP05-VK, =WK, QUAD
M794	11	VB	5		MOVEM INTERFACE & CONTROL CARD (DC11-D)
M7945	11V35	WBE	1	2/75	MS11-B, 4K 16-BIT TI MOS RAM, DOUBLE 8.5
M795	CAT	OCB	5		WORD COUNT & CURRENT MEM ADDRESS, DOUBLE X 8.5
M796	11		5		UNIBUS MASTER CONTROL, SINGLE X 8.5, USED WITH M782
M796-YA	DAS	ROR	2	6/73	M796 W C1=6.8UF (DA28-C)
M7960	LDP	TA	1	2/75	RP11-F UNIBUS CONTROL, HEX
M7961	LDP	TA	1	2/75	RP11-F DRIVE BUS OUT, HEX
M7962	LDP	TA	1	2/75	RP11-F DATA PATH REGISTERS, HEX
M7963	LDP	TA	1	2/75	RP11-F DISK CONTROL, HEX
M7964	LDP	TA	1	2/75	RP11-F DATA REGISTERS, HEX
M7965	LDP	TA	1	2/75	RP11-F DATA SEPARATOR, DOUBLE 8.5
M797	11		5		REGISTER SELECT MODULE, SINGLE X 5, USED WITH M105
M7970	SSUK	GO	3	2/75	TM511-W COMMAND & STATUS REGISTER, QUAD
M7971	SSUK	GO	3	2/75	DATA CONTROL & CRCC LOGIC, HEX
M7972	SSUK	GO	3	2/75	TAPE MOTION CONTROL LOGIC, QUAD
M798	11		5		UNIBUS DRIVER, 16 CHANNELS, WIRED OR INPUTS, SINGLE X 5
M799	11	RG	5		DISPLAY CONTROL FOR AA11, DOUBLE X 8.5
M7990	11	FS	5	3/72	LA11 COLOR CONTROL, SINGLE X 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7999	CSS	ST	3 11/71	M799 WITH ABILITY TO HANDLE A LIGHT PEN
M800	IPG	FE	5	6 RELAYS & 6 MOSFET DRIVERS, DOUBLE
M8000	CSS	NS	3 9/74	SOLID STATE M800, 50 MA MAX, +/- 50V, TELEDYNE 640-1 RELAYS
M8001	SSCAL	CER	1 2/74	1/2 MOUNT RELAY PLUS DRIVER ON W960 ETCH, SINGLE 5
M801	IPG	BG	5	6 LATCHING RELAYS, DOUBLE, 6"
M802	IPG	FE	5	12 BIT LATCHING RELAYS FOR DD01
M802-YA	IPG	RG	7 6/71	M802 WITH JUMPERS INSTEAD OF RELAYS, DRIVES CUSTOMER RELAYS
M803	IPG	FE	5	16 BIT M802
M8030	IPG	RG	2 9/74	16 BIT LATCHING RELAYS, IRL-0A, HEX
M804	IPG	FE	5	12 BIT FLIP FLOP RELAYS FOR DD01
M805	IPG	FE	5	16 BIT M804
M8050	IPG	RG	2 9/74	16 BIT FLIP FLOP RELAYS, IRL-DB, HEX
M806	IPG	FE	5 2/74	12 BIT SINGLE SHOT REALYS FOR DD01
M807	IPG	FE	5	16 BIT M806
M8090	IPG	RG	2 9/74	IC911 MASTER CONTROL, HEX
M8091	IPG	NSL	2 10/74	IC98 MASTER CONTROL, HEX
M8092	IPG	NSL	2 12/74	IC98 FILE CONTROL, HEX
M8094	IPG	NORO	1 5/74	IC11, REMOTE MASTER CONTROL, HEX
M8096	IPG	NORO	1 5/74	IC11 REMOTE SLAVE CONTROL, HEX
M8098	IPG	ULA	1 9/74	IC11 REMOTE MODEM CONTROL, 1 MEGABAUD, HEX
M8098-YA	IPG	ULA	1 1/75	56 KILOBAUD M8098
M8100	11/45	SJ	4 5/73	DAT (DATA PATH MODULE), 11/45, HEX X 8.5, 4 LAYER
M8101	11/45	SJ	4 5/73	GRA (GENERAL REGISTER ADDRESS), 11/45, 8.5 HEX, 4 LAYER
M8102	11/45	SJ	4 5/73	IRX (INSTRUCTION REGISTER CONTROL), 11/45, 8.5 HEX, 4 LAYER
M8103	11/45	SJ	4 5/73	RAX (ROM ADDRESS CONTROL), 8.5 HEX, 4 LAYER
M8103-YA	CSS	BMW	1 3/74	M8103 MODIFIED FOR VIRTUAL MACHINE EXTENSION, NEEDS M8117
M8104	11/45	AEH	4 5/73	PDR (PROCESSOR DATA & UNIBUS REGISTERS), 11/45, 8.5 HEX, 4 LAYER
M8105	11/45	AEH	5 9/74	TMC (TIMING & MISC CONTROL), 11/45, 8.5 HEX, 4 LAYER
M8106	11/45	AEH	5 1/74	UBC (UNIBUS CONTROL), 8.5 HEX, 4 LAYER
M8107	11/45	BG	4 5/73	SAL (SEGMENTATION ADDRESS PATHS), 8.5 HEX 4 LAYER
M8108	11/45	BG	4 5/73	SSR (SEGMENTATION STATUS REG), 8.5 HEX 4 LAYER
M8109	11/45	DV	5 3/74	TIG (TIMING GENERATOR), 8.5 QUAD, 4 LAYER
M8110	11/45	DI	4 5/73	MEM CONTROL FOR MOS MEM, 8.5 HEX, 4 LAYER
M8111	11/45	DI	4 5/73	1K X 16 BITS BIPOLAR MEMORY
M8111-YA	11/45	DI	4 5/73	18 BIT M8111
M8112	11/45	DI	4 5/73	FRM (FLOATING POINT ROM CONTROL) 8.5 HEX, 4 LAYER
M8113	11/45	DI	4 5/73	FXE (FLOATING POINT EXPONENT DATA PATHS) 8.5 HEX, 4 LAYER
M8114	11/45	DI	4 5/73	FRH (FRACTION HIGH ORDER DATA PATH) 8.5 HEX, 4 LAYER
M8115	11/45	DI	5 9/73	FRL (FRACTION LOW ORDER DATA PATH) 8.5 HEX, 4 LAYER
M8116	11/45	BG	4 5/73	SJM (SEGMENTATION JUMPER BOARD), 8.5 HEX, 2 SIDES
M8117	CSS	BMW	1 1/74	M8117-A VIRTUAL MACHINE EXTENSIONS, 4 LAYER DOUBLE 8.5
M8118	CSS	BMW	1 1/74	M8117-A UNIBUS INTERFACE FOR M8117, DOUBLE 8.5
M8120	11/45	DI	4 5/74	MEM CONTROL FOR BIPOLAR MEM, 4 LAYER HEX
M8121	11/45	VDB	1 2/75	MS11-AM 4K 16-BIT BIPOLAR MEM, SIGNETICS 82510 OR FAIRCHILD 93415 1KX1, HEX
M8121-YA	11/45	VDB	1 2/75	MS11-AP 4K 18-BIT BIPOLAR MEM, SIGNETICS 82510 OR FAIRCHILD 93415 1K X 1, HEX
M8130	11/70	SJ	2 12/74	M8100 MODIFIED, DPA (DATA PATHS) 4-LAYER HEX
M8131	11/70	SJ	2 12/74	M8101 MODIFIED, GRA (GENERAL REGS & ALU CONT), 4-LAYER HEX
M8132	11/70	SJ	2 12/74	M8102 MODIFIED, IRC (IR DECODE & COND CODES), 4-LAYER HEX
M8133	11/70	SJ	2 12/74	M8103, MODIFIED, RAC (ROM & ROM CONT), 4-LAYER HEX
M8134	11/70	AEH	2 12/74	M8104 MODIFIED; PDR (PROCESSOR DATA & UNIBUS REGS) 4-LAYER HEX
M8135	11/70	AEH	2 12/74	M8105 MODIFIED; TMC (TRAP & MISC CONTROL) 4-LAYER HEX
M8136	11/70	AEH	2 12/74	M8106 MODIFIED; UBC (UNIBUS & CONSOLE CONT) 4-LAYER HEX
M8137	11/70	SAS	2 12/74	M8107 MODIFIED; SAP (SYSTEM ADDRESS PATH) 4-LAYER HEX
M8138	11/70	SAS	2 12/74	M8108 MODIFIED; SSR (SEGMENTATION STATUS REG) 4-LAYER HEX
M8139	11/70	AEH	2 12/74	M8109 MODIFIED; TIG (TIMING GENERATOR) 4-LAYER QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8140	11/70	SAS	2 12/74	SCD (SEGMENTATION & CONSOLE CONT) 4-LAYER HEX
M8141	11/70	SAS	2 12/74	MAP (MAPPING BOX) 4-LAYER HEX
M8142	11/70	AEH	2 12/74	CACHE CCB (CACHE CONTROL BOARD) 4-LAYER HEX
M8143	11/73	AEH	2 12/74	CACHE ADM (ADDRESS MEMORY BOARD) 4-LAYER HEX
M8144	11/70	AEH	2 12/74	CACHE DTM (DATA MEMORY), 4-LAYER HEX
M8145	11/70	AEH	2 12/74	CACHE CDP (CACHE DATA PATH) 4-LAYER HEX
M8148	11/70	TN	2 12/74	MCI (MEMORY CONTROL & TIMING) 4-LAYER HEX
M8149	11/70	TN	2 12/74	MXC (MEMORY TRANSCEIVER CARD) 4-LAYER HEX
M8150	11/70	SJ	2 12/74	RH10 MASSBUS DATA PATH, 4 LAYER HEX
M8151	11/70	SJ	2 12/74	RH10 CST (CONTROL & STATUS), 4 LAYER HEX
M8152	11/73	SJ	2 12/74	RH10 AWR (ADDRESS & WORD COUNT REGS), QUAD
M8153	11/70	SJ	2 12/74	RH10 BCT (UNIBUS CONTROL), QUAD
M8198	11/45	DI	1 11/71	FI1 (FLOATING INTERFACE DATA PATH), HEX 8.5, 2 SIDES
M8199	11/45	DI	1 11/71	FI1 (FLOATING INTERFACE CONTROL), HEX X 8.5, 2 SIDES
M820	11/20	JO	5	DATA PATHS CONTROL, KA11, QUAD, 8.5
M820-JA	11/20	JO	1 7/72	SYSTEM-TESTED M820
M8200	COM	RL	1 11/74	DM11 MICRO CONTROLLER, HEX
M8201	COM	RL	1 11/74	DM11 LINE UNIT #1, QUAD
M8202	COM	RL	1 11/74	DM11 LINE UNIT #2, QUAD
M8203	COM	RL	1 11/74	DM11 LINE UNIT #3, QUAD
M8204	COM	RL	1 11/74	DM11 LINE UNIT #4, QUAD
M821	11/20	JO	5	MEMORY CONTROL, KA11, DOUBLE, 8.5
M821-JA	11/20	JO	1 7/72	SYSTEM-TESTED M821
M822	11/20	JO	5	FLAG CONTROL, KA11, DOUBLE, 8.5
M822-JA	11/20	JO	1 7/72	SYSTEM-TESTED M822
M822-YA	11/22	JO	5 5/73	M822 FOR KH11-A
M823	11/20	JO	5 5/73	COSES, DATA, POP-11, SINGLE, 8.5
M823-JA	11/22	JO	1 7/72	SYSTEM-TESTED M823
M824	11/20	JO	5	PRIORITY, KA11, DOUBLE, 8.5
M824-JA	11/20	JO	1 7/71	SYSTEM-TESTED M824
M824-YA	11/20	JO	5 5/73	M824 FOR KH11-A
M825	11/20	JO	5	POWER FAIL, SINGLE, 8.5
M825-JA	11/20	JO	1 7/72	SYSTEM-TESTED M825
M825-YA	11/20	JO	5 5/73	M825 FOR KH11-A
M8251	11/20	JO	5 5/73	NPC EXPANSION, KH11-A
M826	11	OD	5	75 TO 250 NS CLOCK WITH SR, (B PHASE CLOCK), SINGLE X 8.5
M827	11	SR	5	CLOCK & STATES, KE11-A, QUAD, 8.5
M828	11	CA	5 11/71	KY11-B CONSOLE BOARD, DOUBLE, 8.5
M8280	11	OV	5 5/73	CONSOLE INTERFACE FOR 11R20, KY11-E, -F, QUAD X 8.5
M829	11	KK	5 11/71	CARD READER CONTROL, DOUBLE X 8.5, FOR CR11 & CM11
M8290	11	QJD	5 5/73	M829 + M105 + M7821, QUAD X 8.5
M8290-YA	CSS	JSR	3 9/74	M8590 W FILTER ON INPUT STROBE LINE FOR USE WITH EMI CABLE
M8291	11	LC	1 9/74	CR11, CM11 CONTROL, USED IN OD11, QUAD
M8293	11	OWS	4 7/73	M7593 W NO 8838'S
M8293-YA	CSS	RLM	1 2/75	MA11-F MODIFICATION. WILL BE REPLACED BY M7925
M8294	11	OWS	1 8/73	32K TIMING & UNIBUS INTERFACE, MM11-W, -WP, QUAD
M830	8/E	LK	6 7/71	MAJOR REGISTER FOR KKB-E
M8300	8/E	GHL	5	MAJOR REGISTER FOR KKB-E, REPLACES M830 WHEN USED WITH M8310, QUAD
M8301	8/E	LK	1 7/72	8/E INDEX REGISTER OPTION, QUAD 8.5 WIRE WRAPPED
M8302	8/E	JRB	4 5/73	LV01 CONT, LV0, QUAD 8.5
M8303	8/E	LN	1 9/72	VTP-E MUX, USED WITH M8335-7, QUAD 8.5
M8304	8/E	RBR	1 11/72	INTEGRAL MODEM (113A EQUIVALENT), DF8-BA, QUAD 8.5
M8305	8/E	RBR	1 11/72	INTEGRAL MODEM (113B EQUIVALENT), DF8-BB, QUAD 8.5
M8306	8/E	VDB	2 5/73	SM101 INTERFACE, QUAD 8.5
M8307	16	OWS	1 1/73	PRGM SIMULATOR/LOADER CONTROL, LOADS M7327

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
M8308	LVP	BM	3	5/74	COORDINATE MEASURING SYSTEM INTERFACE, QUAD
M8309	LDP	ACF	0	2/75	DK8-AP PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITTS, QUAD
M831	8/E	LK	6	6/71	REGISTER CONTROL FOR KK8-E
M8310	8/E	GHL	5		REGISTER CONTROL FOR KK8-E, REPLACES M831 WHEN USED WITH M8308, QUAD
M8311-YA	8/A	JK	4	9/74	1K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AA), USING 2102
M8311-YB	8/A	JK	4	9/74	2K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AB), USING 2102
M8311-YC	8/A	JK	4	9/74	3K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AC), USING 2102
M8311-YD	8/A	JK	4	9/74	4K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AD), USING 2102
M8311-YE	8/A	JK	4	9/74	FASTER M8311-YA (MS8-AE), USING 2102-1
M8311-YF	8/A	JK	4	9/74	FASTER M8311-YB (MS8-AF), USING 2102-1
M8311-YH	8/A	JK	4	9/74	FASTER M8311-YC (MS8-AH), USING 2102-1
M8311-YJ	8/A	JK	4	9/74	FASTER M8311-YD (MS8-AJ), USING 2102-1
M8312-YA	8/A	RBR	4	9/74	1K ROM, MR8-AA, QUAD
M8312-YB	8/A	RBR	4	9/74	2K ROM, MR8-AB, QUAD
M8312-YC	8/A	RBR	4	9/74	3K ROM, MR8-AC, QUAD
M8312-YD	8/A	RBR	4	9/74	4K ROM, MR8-AD, QUAD
M8313-YA	8/A	GH	1	11/74	4K RAM, MS8-BA, MOSTEK 4096-P, HEX
M8313-YB	8/A	GH	1	11/74	8K RAM, MS8-BB, MOSTEK 4096-P, HEX
M8313-YC	8/A	GH	1	11/74	16K RAM, MS8-BC, MOSTEK 4096-P, HEX
M8314					
M8315	8/A	LK	2	8/74	1 HEX BOARD OMNIBUS CPU, 8/E INSTRUCTION SET
M8316	8/A	LN	2	5/74	OPTION BOARD #1, SLU, XTAL CLOCK, GP PARALLEL INTERFACE, FRONT PANEL CONTROL, DKCB-AA, HEX
M8317	8/A	LN	4	9/74	OPTION BOARD #2, MEM EXT & TIME SHARE CONT, BOOTSTRAP, PWR FAIL START, HEX (KMB-AA)
M8317-YA	8/A	LN	2	6/74	M8317 W BOOTSTRAP ROMS REMOVED (KMB-AB)
M8318	8/A	LK	2	8/74	OMNIBUS DIODE CLAMPS
M8319	8/A	LN	1	1/75	KL*-A, 4 CH DBL BUF ASYNC SERIAL CONT 110 TO 9600 BAUD, 20MA OR EIA
M832	8/E	JK	6	2/72	LOAD RESISTORS FOR BUS, 8/E
M8320	8/E	GHL	5		BUS LOADS FOR 8/E, REPLACES M832, QUAD
M8320-YA	8/E	EB	3	9/74	MODIFIED M8320 FOR 8/E XOR
M8321	8/E	GHL	5	1/74	TM8-E OUTPUT CONTROL
M8322	8/E	GHL	5	5/74	TM8-E CONTROL & BREAK
M8323	8/E	GHL	5	9/74	TM8-E TRANSPORT STATUS CONTROL
M8324	8/E		1	3/74	KCB-JA DATA PATHS, QUAD
M8325	8/E		1	3/74	KCB-JA CONTROLS, QUAD
M8326	8/E	LN	5	1/72	INTERPROCESSOR BUFFER, 8/E TO 8/E, UP TO 8 PER COMPUTER, QUAD
M8326-YA	8/E	TP	2	8/74	M8326 MODIFIED FOR G8016-TA
M8326-YB	8/E	TP	2	8/74	M8326 MODIFIED FOR G8016-TA
M8327	8/E	GHL	5	9/73	TM8-E REGISTERS
M8328	TPL	SG	5		BUF MEM CLAMP LOADS, SWITCHES & INDICATORS (8M8-L), QUAD
M8328-YA	TPL	JDL	3	9/74	M8328 DEPOPULATED FOR 8M812-I
M8329	8/E	JK	6	10/74	LC8-E PARALLEL INTERFACE TO LA30-P, 8.5 X QUAD
M833	8/E	GHL	6	2/72	TIMING GEN FOR KK8-E
M8330	8/E	GHL	5	5/73	IMPROVED M833 (SEE M8347), QUAD
M8330-YA	8/E	EB	3	9/74	MODIFIED M8330 FOR 8/E XOR
M8330-YB	8/E	LN	2	12/74	TIMING GENERATOR FOR KK8-E, ECO'S 6 & 7
M8331	8/E	LN	5	2/74	CASSETTE CONTROL (TAB/E), QUAD
M8332	14	AR	5	11/72	DC14-B CONTROL (USED WITH UP TO 12 M8333'S), QUAD X 0.5, PLUG INTO OMNIBUS
M8333	14	AR	5	1/73	DC14-C ASYNC 14 BIT ERROR CORR, XMIT & RECEIVE, 8.5 X QUAD, PLUG INTO OMNIBUS
M8334	14	AR	5	11/72	DC14-D CONTROL (USED WITH UP TO 12 M8333'S), UNIBUS COMPATIBLE, QUAD X 0.5
M8335	8/E	PK	5	5/73	VT8-E KEYBOARD PRINTER CONTROL, QUAD 8.5
M8336	8/E	PK	5	1/74	VT8-E FREQUENCY DIVIDER, QUAD 8.5
M8337	8/E	PK	5	6/74	VT8-E LINE BUFFER, QUAD 8.5
M8338	SSMU	WE	3	2/72	8/E INTERFACE TO FACIT 4001 & 4003 PAPER TAPE READER
M8339	SSMU	WE	3	2/72	8/E INTERFACE TO FACIT 4000 & 4001 PAPER TAPE PUNCH
M8340	8/E	GHL	5	8/72	EAK INSTRUCTION DECODER, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8341	8/E	GHL	5 11/72	EAE REGISTER CONTROL, QUAD
M8342	8/E	JK	5 10/73	LSB-E PARALLEL CONT- WILL REPLACE M8329
M8343	8/E	DA	1 3/72	RCB/E BOARD 1 QUAD 8.5
M8344	8/E	DA	1 3/72	RCB/E BOARD 2 QUAD 8.5
M8345	8/E	DA	1 3/72	RCB/E BOARD 3 QUAD 8.5
M8346	8/E	DA	1 3/72	RCB/E BOARD 4 QUAD 8.5
M8347	8/E	BT	7 9/73	TIMING GENERATOR FOR 8/E W STOP CLOCK INPUT, CAN REPLACE M8330, QUAD 8.5 (KM8-F) (ECO'D INTO M8330)
M8349	8/E	DA	5 5/74	1K 12 BIT PROM & CONT + 256 WORDS R/W, (INTEL 1702 REPROGRAMMABLE ROM), NEEDS +5V & -15V, QUAD 8.5
M8349-YA	8/E	DA	3 5/74	M8349 WITH ONLY 256 WORDS OF PROM
M8349-YD	8/E	DA	3 5/74	M8349 W 1K 12-BIT PROM ONLY
M8349-YO	8/E	DA	3 5/74	M8349 W 512 12-BIT PROM ONLY
M8349-YE	14	AR	5 9/74	M8349 WITH ONLY 1K 12 BIT PROM & NO SWITCH START LOGIC
M835	8/E	LK	6 8/71	POSITIVE BUS INTERFACE CARD FOR PDP8-E
M8350	8/E	LT	5 11/71	FASTER M835, REPLACES M835, QUAD
M8350-YA	QC	DO	5 8/72	M8350 MODIFIED FOR TERRADYNE IC TESTER
M8351	8/E	GHL	0 2/75	MASS BUS INTERFACE, CARD 1
M8352	8/E	GHL	0 2/75	MASS BUS INTERFACE, CARD 2
M8353	8/E	GHL	0 2/75	MASS BUS INTERFACE, CARD 3
M8354	8/E	GHL	0 2/75	MASS BUS INTERFACE, CARD 4
M8355	8/E	RI	2 10/73	MASS (MAJOR ACTIVE REGISTERS & STATUS BITS) PANEL DRIVER, QUAD
M8356	8/E	RI	5 3/74	KEY OPTION; MATCHES KEYS TO MEM ADDRESS REGISTER & HALTS, QUAD
M8357	8/E	DRM	2 1/75	RXP1 OMNIBUS INTERFACE
M8358	TYP	RHZ	1 7/74	MBB-E 8/E MEMORY BANK CONT, QUAD
M8359	CSS	ABW	1 7/74	LC58-A CONTROL, QUAD
M836	8/E	LK	6 8/71	DATA BREAK BUS INTERFACE CARD FOR PDP8-E
M8360	8/E	LT	5	FASTER M836, REPLACES M836, QUAD
M8361	OF	SSCAN	3 9/74	CS48-A INTERFACE, QUAD, SEE M7829
M8362	LDP	ACF	0 2/75	VCS-A DUAL 10-BIT DACS W SCOPE CONT, QUAD
M8363	CAT	LAU	2 2/75	ONE 12-BIT WORD OUTPUT, QUAD
M8364	CAT	LAU	1 1/75	TWO 12-BIT WORD INPUT, QUAD
M837	8/E	LN	5	MEMORY EXTENSION CONTROL FOR PDP8-E, ALSO TIME SHARE
M8370	8/B	LK	1 7/73	CP BOARD, HEX
M838	8/E	RBR	7 11/70	ASYNCHRONOUS CONTROL FOR DT8-E
M839	8/E	RBR	5 11/72	SYNC MODE INTERFACE CARD FOR DP8-E
M840	8/E	LN	5 1/72	PC4-BL & PC4-BM CONTROL (PC8-E, PC8-EA)
M840-YA	8/E	KQ	3 5/73	M840 MODIFIED TO DRIVE PR68
M8401	8/E	ORB	1 9/70	PR68-D INTERFACE TO OMNIBUS, DOUBLE X 8.5, FOR PDP11-MA
M841	8/E	LN	5	LEB-C, DATA PRODUCTS LINE PRINTER CONTROL, LP8-E
M8410	8/A	WH	1 1/75	FPC8-A CONTROL, HEX
M8411	8/A	WH	1 1/75	FPC8-A DATA PATH, HEX
M8412	8/A	WH		
M842	8/E	LN	5	XY PLOTTER CONTROL
M8420	SSMU	WK	2 6/73	CONTROL FOR CALCOMP 936, XY8-F, QUAD
M843	8/E	LT	5 11/71	GD1 CARD READER CONTROL
M843-YA	CSS	MB	2 7/71	M843 WITH DEVICE CODE OF 33 & 37
M844	8/E	ADL	7	TIMING & CONTROL FOR VS8-E
M845	8/E	ADL	7 3/71	CHARACTER GENERATOR FOR V48-E
M846	8/E		1 1/70	PUSH DOWN LIST CONTROL, KH8-E
M847	8/E	LT	5 8/72	ROM, M18-E, ALL DIODES IN
M847-YA	8/E	LT	5 8/72	ROM FOR M18-EA HIGH/LOW SPEED PAPER TAPE RIM
M847-YC	8/E	LT	5 8/72	ROM FOR M18-EG, TC88 BOOTSTRAP
M847-YD	8/E	LT	5 8/72	ROM FOR M18-ED, RK8 BOOTSTRAP
M847-YE	8/E	LT	5 8/72	ROM FOR M18-EE TYPSET RIM LOADER
M847-YF	8/E	LT	5 8/72	ROM FOR M18-EF, EDU SYSTEM BOOTSTRAP, LOW SPEED
M847-YG	8/E	LT	5 8/72	ROM FOR M18-EG, EDU SYSTEM BOOTSTRAP, HIGH SPEED



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M847-YH	8/E	LT	5 3/72	T08-E BOOTSTRAP (M18-EH)
M847-YJ	8/E	HR	5 7/73	RK2/E BOOTSTRAP (M18-EJ)
M847-YK	10	KE	5 6/73	CR2 BOOTSTRAP FOR DC72
M847-YL	8/E	LT	5 9/73	TU20 BOOTSTRAP (M18-EL)
M847-YM	TYP	JDL	5 9/73	TYPESET DECTAPE BOOTSTRAP
M847-YN	TYP	JDL	1 2/74	TYPESET RK8/E BOOTSTRAP
M848	8/E	LN	5	POWER FAIL DETECT & AUTO RESTART, 8-E, QUAD
M8480	8/E	LN	6 9/72	IMPROVED M848, USED ONLY WITH M8330
M849	8/E	ADL	5	RF SHIELD, 8-E, QUAD
M850	8	OH	5	EIS FULL DUPLEX LEVEL CONVERTER, W076 PINS, PIN X MUST BE -15V
M8501	CSS	OH	1 9/71	TELEX INVERTER, DBL X 8.5 (W941)
M8502	CSS	OH	1 9/71	TELEX DIALER, QUAD X 8.5 (W940)
M8503	CSS	JTN	2 11/71	DQ21/DMA CONTROL CARD, QUAD X 8.5, WIRE WRAPPED
M8504	CSS	JTN	2 11/71	DQ211-A REGISTER CARD, QUAD X 8.5, WIRE WRAPPED
M8505	CSS	JTN	1 6/72	DQ211-D REGISTER CARD, QUAD 8.5, WIRE WRAPPED
M8506	CSS	JTN	1 6/72	DQ211 CONTROL CARD, QUAD 8.5, WIRE WRAPPED
M8507	CSS	JLM	3 5/74	REORDER INTERFACE & CONTROL (3 PORT ASYNC MUX), RT90, QUAD 8.5
M8508	CSS	JLM	3 3/74	KEYBOARD ENCODER MODULE, DOUBLE 8.5
M8509	CSS	JLM	4 6/74	INDICATOR MOD, 24 LIGHTS ON 1 1/16" CENTERS, 12.6V CT
M851	IPG	FE	5	BUS RECEIVER & 8 BIT ADDRESS DECODER FOR DD02
M8510	KL10	RE	2 8/74	SHIFT MATRIX, 4 LAYER HEX 8.5
M8511	KL10	RE	2 8/74	CONTROL ROM ADDRESS, 4 LAYER HEX
M8512	KL10	RE	2 8/74	DATA PATH BOARD, 4 LAYER HEX 8.5
M8513	KL10	KO	2 8/74	CACHE CONTROL, 4 LAYER HEX
M8514	KL10	KO	2 8/74	CACHE ADDRESS, 4 LAYER HEX 8.5
M8515	KL10	PMG	2 8/74	CACHE EXTENSION, 4 LAYER HEX 8.5
M8516	KL10	SNZ	2 8/74	EC/TTL TRANSLATOR, 4 LAYER HEX 8.5
M8517	KL10	KO	2 8/74	MEMORY BUFFER, 4 LAYER HEX
M8518	KL10	PMG	2 8/74	PHYSICAL MEMORY ADDRESS MODULE, 4 LAYER HEX
M8519	KL10	SNZ	2 8/74	INTERNAL MEM BUS TRANSLATOR (S BUS), 4 LAYER HEX
M8520	KL10	KO	2 8/74	PAGING BOARD, 4 LAYER HEX
M8521	KL10	PMG	2 8/74	CACHE DATA, 4 LAYER HEX
M8522	KL10	RE	2 8/74	IRI D RAM & CARRY, 4 LAYER HEX
M8523	KL10	RE	2 8/74	VIRTUAL MEMORY ADDRESS, 4 LAYER HEX
M8524	KL10	RE	1 7/73	SCD, PC13-17, PC FLAGS, 4 LAYER HEX
M8525	KL10	RE	2 8/74	CONTROL REGISTER, 4 LAYER HEX
M8526	KL10	RE	2 8/74	CLOCK CONTROL, 4 LAYER HEX
M8527	KL10	RE	1 11/73	E BOX CONTROL LOGIC, 4 LAYER HEX
M8528	KL10	RE	2 8/74	CONTROL RAM, 4 LAYER HEX
M8529	KL10	KO	2 8/74	M BOX CONTROL LOGIC, 4 LAYER HEX
M8530	KL10	RE	2 8/74	E BOX MEMORY CONTROL, 4 LAYER HEX
M8531	KL10	KO	1 10/73	M BOX CONTROL 3, 4 LAYER HEX
M8532	KL10	BB	2 8/74	PRIORITY INTERRUPT, E BUS INTERFACE 4 LAYER HEX
M8533	KL10	KU	2 2/75	CHANNEL CONTROL, 4 LAYER HEX
M8534	KL10	KU	2 2/75	CHANNEL CONTROL WORD, 4 LAYER HEX
M8535	KL10	KU	2 2/75	CHANNEL RAM CONTROL, 4 LAYER HEX
M8536	KL10	KU	2 2/75	CHANNEL CONTROL LOGIC 4 LAYER HEX
M8537	KL10	PMG	2 8/74	M BOX CONTROL #4, 4 LAYER HEX
M8538	KL10	JSL	2 2/75	MTN (METER), 4 LAYER HEX
M8539	10	RE	2 2/75	APR (ARITHMETIC PROCESS REGISTER), 4 LAYER HEX
M8549	KL10	JDA	1 9/74	UNIVERSAL SUBSTITUTE BOARD, 4 LAYER HEX
M8549	KL10	JDA	2 2/75	UNIVERSAL SUBSTITUTE BOARD
M8549-YA	KL10	JDA	2 2/75	CHANNEL CONTROL SUBSTITUTE
M8549-YB	KL10	JDA	2 2/75	CHANNEL CONTROL WORD SUBSTITUTE
M8549-YC	KL10	JDA	1 9/74	CHANNEL RAM CONTROL SUBSTITUTE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8549-YD	KL10	JDA	2 2/75	CHANNEL CONTROL LOGIC SUBSTITUTE
M8549-YE	KL10	JDA	2 2/75	CACHE ADDRESS SUBSTITUTE
M8549-YF	KL10	JDA	2 2/75	CACHE EXTENSION SUBSTITUTE
M8549-YH	KL10	JDA	1 9/74	CACHE DATA SUBSTITUTE
M8550	KL10	KU	2 8/74	DATA PATH BOARD FOR K110 I/O ADAPTER, HEX 8.5
M8551	KL10	KU	2 8/74	CONTROL BOARD FOR K110 I/O ADAPTER, 4 LAYER (STND INNER LAYERS) HEX 8.5
M8552	KL10	BB	2 8/74	10 <sup>11</sup> DATA PATH, 4 LAYER HEX 8.5
M8553	KL10	BB	2 8/74	10 <sup>11</sup> BUS & DATA CONTROL, 4 LAYER HEX 8.5
M8554	KL10	BB	2 8/74	10 <sup>11</sup> BUS & DATA CONTROL EXTENSION, 4 LAYER DOUBLE 8.5
M8555	KL10	KU	2 8/74	E BUS INTERFACE, 4 LAYER HEX 8.5
M8556	KL10	KU	2 8/74	MAPS BUS DATA PATH, 4 LAYER HEX 8.5
M8557	KL10	KU	2 8/74	MAPS BUS CONTROL, 4 LAYER HEX
M8558	KL10	DML	2 8/74	KI MEMORY BUS ADAPTER, 4 LAYER HEX, STND INNER LAYER
M8559	KL10	SNZ	2 8/74	CLOCK DISTRIBUTION, 4 LAYER HEX
M8560	KL10	BB	2 8/74	DMA 20 BOARD 1, 4 LAYER HEX
M8561	KL10	SU	2 8/74	MAF0 CONTROL, 4 LAYER HEX
M8562	KL10	SU	2 8/74	MAF0 TIMING, DOUBLE 8.5
M8563	KL10	BB	2 8/74	DMA20 BOARD 2, 4 LAYER HEX
M8564	KL10	BB	2 1/75	DTE 20 INTERRUPT JUMPER (PDP11 TO KL10 INTERFACE)
M8588	10	CHIN	2 12/74	MG10 PARITY CHECK, 4 LAYER DOUBLE 8.5
M8589	10	CHIN	2 12/74	MG10 CYCLE TIMING, 4-LAYER DOUBLE 8.5
M8590	10	CHIN	2 12/74	MG10 PRIORITY CONTROL, 4-LAYER DOUBLE 8.5
M8591	10	CHIN	2 12/74	MG10 ADDRESS RECEIVER, 4-LAYER DOUBLE 8.5
M8592	10	CHIN	2 12/74	MG10 PORT ADDRESS, 4-LAYER DOUBLE 8.5
M8593	10	CHIN	2 12/74	MG10 DATA REGISTER, 4 LAYER DOUBLE 8.5
M8593-YA	10	CHIN	2 12/74	MG10 ADDRESS REGISTER
M8594	10	CHIN	2 12/74	MG10 DATA TRANSCEIVER, 4 LAYER DOUBLE 8.5
M8595	10	RCR	2 1/75	DX10 MEMORY BUS INTERFACE, 4 LAYER HEX
M8596	10	RCR	2 1/75	DX10 CHANNEL BUS INTERFACE, 4 LAYER HEX
M8597	10	RCR	2 1/75	DX10 PDP8 INTERFACE, 4 LAYER HEX
M8598	10	RCR	2 1/75	DX10 I/O & MEMORY CONTROL, 4 LAYER HEX
M8599	10	RCR	2 1/75	DX10 BYTE ASSEMBLY LOGIC, 4 LAYER HEX
M860	8/E	LN	5 6/73	REAL TIME CLOCK, DKB-EF, 8-E, QUAD
M861	8/E	NC	3 12/74	25 <sup>2</sup> WORD R/W, 8-E, QUAD, DRIVERS, DECODE
M8610	8/E	NC	3 12/74	25 <sup>0</sup> WORD STACK BOARD
M8611	8/E	NC	3 12/74	M8610 WITH CORE STACK ATTACHED
M862	8/E	NC	3 12/74	25 <sup>0</sup> WORD R/W SENSE, INHIBIT, & DATA REGISTER, 8/E, QUAD
M863	8/E	AW	5 2/72	12 CH DIGITAL I/O (DR8-EA)
M864	8/E	ADL	7 9/73	MULTIPLEX INTERFACE FOR VS8-E
M865	8/E	RBR	7 9/73	CONSOLE TELETYPE CONTROL, 110 BAUD, KL8-E, QUAD X 8.5
M865-YA	8/E	RBR	1 3/70	15 <sup>1</sup> BAUD, KL8-EB
M865-YB	8/E	RBR	1 3/71	30 <sup>1</sup> BAUD M865
M865-YC	FS	EB	1 6/72	M865 FOR PMK02 CASSETTE
M8650	8/E	RBR	5	REPLACEMENT FOR M865, QUAD X 8.5
M8650-YA	8/E	RBR	5 12/71	REPLACEMENT FOR M865-YA
M8650-YB	FS	EB	1 9/72	TTY CONTROL, PMK02-B
M8651	CSS	BV	3 4/71	CONSOLE TTY CONTROL, DIF DEVICE CODE FOR TTY (40 & 41)
M8652	8/E	RBR	5 2/74	DOUBLE BUFFERED ASYNCH DATA CONTROL, QUAD X 8.5, KL8-FA, 110 BAUD
M8652-YA	8/E	RBR	4 5/73	M8652 150 BAUD, KL8-FB THRU -FG
M8652-YB	8/E	RBR	4 5/73	M8652 134.5 BAUD, KL8-FH
M8652-YC	8/E	RBR	4 5/73	M8652 (14.746 MHZ CRYSTAL), KL8-FJ
M8652-YD	CSS	DE	3 12/71	M8652 WITH 13.107 MHZ CRYSTAL (FOR 100 BAUD)
M8652-YE	TPL	MI	1 6/73	M8652, 4800 BAUD, KL8-FL, COMMUNICATES W DL11-C
M8652-YF	SSCAN	AAM	2 8/74	M8652-YA MODIFIED FOR DRIVING LONG LINES
M8652-YH	SSCAN	PCD	3 12/74	M8652 FOR 75 BAUD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8653	8/E	RBR	4 2/74	MODEM CONTROL, KLB-M
M8655	8/E	RBR	4 2/74	KLB-J, QUAD, 110 TO 9600 BAUD CONT, 20 MA & EIA
M8655-YA	TPL	JG	3 1/74	M8655 W 4.435 MHZ XTAL FOR 1090 BAUD
M8655-YB	TPL	JG	3 1/74	M8655 W 3.8739 MHZ XTAL FOR 60.6 BAUD
M8655-YC	TPL	JG	3 1/74	M8655 W 2.621 MHZ XTAL FOR 56.86 BAUD
M866	8/E	RBR	5 5/73	EIA LEVEL CONVERTERS FOR M839 (DP8-E)
M867	8/E	DF	7 5/73	INCREMENTAL TAPE CONTROL (TR8-EA)
M868	8/E	DA	5 1/72	DETAPE CONTROL, SIMPLE, (TD8-EA)
M869	8/E	AC	5 11/71	POINT PLOTTING SCOPE CONTROL SECTION 1, (VC8-E), QUAD X 8.5
M869-YA	CSS	MS	1 7/72	MODIFICATION FOR HP130C SCOPE (10 USEC INTENSIFY PULSE)
M870	12	SNT	5 5/73	IMPLEMENTS SIMPLE CLOCK IN POP12
M871	12		1 10/70	2 16 BIT REGISTERS, 1 4 BCD FOR BINARY-BCD-BINARY CONV, NEEDS M872, DOUBLE X 5
M872	12		1 10/70	CONTROL FOR M871
M873	11	DR	5 6/74	UNIBUS RESTART W SPACE FOR 4 ROMS, EA 256X4, QUAD
M873-YA	11	DR	5 6/74	UNIBUS RESTART W 128 WORD ROM, INCLUDES M792-YA, -YB, -YD, -YE, -YF, -YH; DD11, QUAD 8.5 (BM873-YA)
M873-YB	11	SI	5 10/74	UNIBUS RESTART W 256 WORD ROM, (BM873-YB)
M873-YC	11	RMS	1 11/74	M873-YA + DU11 HANDLER, 256 WORDS
M873-YD	11	RMD	1 12/73	KLB ROM BOOTSTRAP LOADER
M880	8/E	RH	5 5/73	256 WORD ROM, 8-E, QUAD, (USES G643) (MR8-EA)
M881	8/E	WH	7 9/73	AUTOMATIC PRIORITY INTERRUPT, 8.5 QUAD, KFB-E
M882	8/E	ADL	5	REAL TIME CLOCK, LINE FREQUENCY (DK8-EA) 8.5, QUAD
M883	8/E	ADL	6 2/72	REAL TIME CLOCK, CRYSTAL, (DK8-EC) 8.5 QUAD, 3 FREQ CHOICE, REPLACED BY M8330
M8830	8/E	ADL	5 1/72	M883 WITH 4 FREQ CHOICE
M884	8/E	JK	5	REDUNDANCY CHECK, CRC, LRC & VRC GEN & CHECK, KGB-E, QUAD X 8.5
M885	8/E	AW	5 5/73	POINT PLOTTING SCOPE CONTROL SECTION 2, (VC8-E), QUAD X 8.5
M886	8/E	WH	7 9/73	1024 WORD ROM, 8-E, QUAD, USES G642
M890	PERIPH	JH	5	MOTION CONTROL FOR TU10, DOUBLE X 5
M890-YA	PERIPH	EM	3 10/74	MOTION CONTROL FOR TU10 W TU15 CASTING
M8901	PERIPH	JH	4 9/74	DATA SYNCHRONIZER, TU16, QUAD 8.5
M8902	PERIPH	JH	5 10/74	TM2 TAPE CONTROL, PE, QUAD
M8903	PERIPH	JH	4 4/74	TM2 TAPE CONTROL, COMMON MODE, HEX
M8904	PERIPH	JH	5 10/74	TM2 TAPE CONTROL, NRZI, QUAD
M8905	PERIPH	JH	5 9/74	TM2 MAINTENANCE REGISTER, QUAD
M8906	PERIPH	JH	4 9/74	TM2 16-BIT FIDDLER, QUAD
M8907	PERIPH	HD	4 5/74	1 M854, 15 LINES TO PINS, 5 DRIVEN IN BOARD, DOUBLE 8.5, TM2-CA THRU -FD
M8908	PERIPH	HD	4 5/74	1 M854, 12 LINES RECEIVED ON CARD, 28 BROUGHT OUT, DOUBLE 8.5, TM2-CA THRU -FD
M8908-YA	PERIPH	HD	4 6/74	M8908 WITH TERMINATOR RESISTORS
M8909	PERIPH	HD	4 6/74	TM2 MASS BUS INTERFACE, HEX
M891	PERIPH	NDN	5	CRC & WRITE GATING FOR TU10, DOUBLE
M8910	PERIPH	JH	4 9/74	TU16 LOGIC & WRITE BOARD, HEX 8.5
M8911	PERIPH	JH	4 6/74	TU16 SLAVE CLOCK, MOTION DELAY, DOUBLE 8.5
M8912	PERIPH	JH	5 10/74	TU16 SLAVE TEST FUNCTION GENERATOR, DOUBLE 8.5
M8913	PERIPH	HD	4 6/74	2 M854, 10 LINES DRIVEN FROM BOARD, 20 LINES BROUGHT OUT, TU16
M8913-YA	PERIPH	HD	4 6/74	M8913 WITH TERMINATOR RESISTORS
M8914	PERIPH	HD	1 4/74	TM2 18-BIT FIDDLER, HEX
M8917	CSS	NSB	1 2/75	TM2-FE THRU -FJ VERSION OF M8907, DOUBLE 8.5
M8918	CSS	MSB	1 2/75	TM2-FE THRU -FJ VERSION OF M8908-YA, DOUBLE 8.5
M8919	CSS	NSB	1 2/75	TM2-FE THRU -FJ VERSION OF M8909, DOUBLE 8.5
M892	PERIPH	NDM	5	GATE TIMING & READ PARITY, FOR TU10 MASTER
M8920	PERIPH	HD	2 2/75	TS13 TO TU10 MASTER BUS INTERFACE, NON-STANDARD SIZE
M893	PERIPH		7 1/71	9 TRACK WRITE BUFFER FOR TU10, +LOGIC VERSION OF M763
M894	PERIPH		7 1/71	7 TRACK WRITE BUFFER FOR TU10, +LOGIC VERSION OF M764
M895	PERIPH		5	READ & WRITE TIMING FOR TU10 MASTER, DOUBLE
M896	PERIPH	JH	5 11/71	CRC CHECKER FOR TU10
M897				

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M898	PERIPH		1 9/70	DELAY SELECTOR FOR TU10-C,-D
CONNECTORS & TERMINATORS				
M900	8		5	CONNECTOR TO 8/I CONSOLE, 30 SIGNALS, 2 GNDS, TTL BUFFERING
M9000	COM	RAC	5 2/74	GRANT CONTINUITY BOARD FOR UNIBUS SLOTS IN C811, DOUBLE 2 3/8
M9001	PERIPH	JH	2 3/74	BUS CONNECTOR, 2 H854'S BUSSED TOGETHER, ALL SIGNALS COME OUT, DOUBLE 8.5, 19 LINES JUMPERED TO GROUND
M9001-YA	PERIPH	HD	2 3/74	M9001 WITH 8 LINES GROUNDED
M9001-YB	PERIPH	HD	4 6/74	M9001 TERMINATED
M9001-YC	PERIPH	HD	2 3/74	M9001-YA TERMINATED
M9002	PERIPH	JH	3 6/74	BUS TERMINATOR, 1 H854, DOUBLE 8.5
M9003	QC	RBC	3 1/74	DOUBLE MODULE TO FLAT MYLAR (40 SIGS), ALL PINS, ROOM FOR RESISTORS TO +5, GND, & IN SERIES
M9004	QC		2 8/74	1 H856, 2 H854, CAN BE WIRED TO ANY CONFIGURATION, TU60 XOR
M9005	10	SU	2 12/74	MA20 TERMINATOR, SAME PINS AS M9006, DOUBLE 8.5
M9006	10	SU	2 9/73	MA20 S BUS CABLE BOARD, 2 3M CABLES, 40 SIG, DOUBLE 8.5
M9007	QC	IR	3 9/74	33 470-OHM RESISTORS TO +5V
M9007-YA	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YB	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YC	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YD	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YE	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YF	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YH	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YK	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YL	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9007-YM	TE	RDH	1 11/74	VT20-TA, LOAD BOARD
M9008	TPL	AJM	1 10/73	H824 TO 36 PINS, A, B, QU, VV NOT CONNECTED, SINGLE 5 (5409209)
M9009	TPL	AJM	1 10/73	H824 TO 36 PINS, M, N, P, S NOT CONNECTED, SINGLE 5
M901	CAT		5	FLAT MYLAR CABLE CONNECTOR, 10 OHMS IN A2, B2, U1 & V1, 2 CABLES
M9010	CSS	WDS	2 1/75	CTR11 CONNECTOR MODULE, 4 BERGS, QUAD, 30 TWISTED SIGNALS EACH
M9011	10	CHIN	2 12/74	2 H854 FACING Z EDGE, 40 SIGNALS, 22 GND, SIGS SAME AS M9006, DOUBLE
M9012	SSCAL	LEC	3 2/75	SINGLE 6.25" CARD, FINGERS BOTH ENDS, FOR H827 W HOOD FOR 8.5" HOLD-DOWN BAR (A1 CONNECTS TO A1)
M902	15	HL	6 1/71	TERMINATOR, 18 100 OHM RESISTORS, M903 & M904 CONNECTIONS
M902-YA	8	MA	5	18 470 OHMS RESISTORS (MB TERMINATOR, 8 + BUS)
M902-YB	8	MA	5	6 100 OHM & 12 470 OHM RESISTORS ( TERMINATES AC, IOP, ON 8 + BUS)
M903	CAT		5	DUAL 1.25" 19 CONDUCTOR FLAT MYLAR CONNECTOR, 18 SIGNALS, 14 GND PINS, SINGLE 5
M9030	15	DOLL	1 7/74	DUAL 2" 19 CONDUCTOR FLAT MYLAR CONNECTOR, M903 CONNECTIONS, SINGLE 5
M904	CAT		5	COAX CONNECTOR, 2 9-CONDUCTOR COAXES, M903 PINS
M905	8		5	SPECIAL RIBBON CABLE CONNECTOR, DF32
M906	CAT		5	CABLE TERMINATOR, 220 OHMS TO +5V, CLAMPED TO 3V & GND, M903 PINS
M906-YA	12	MOOR	5 5/73	M906 WITH NO 220 OHM RESISTORS
M907	CAT		5	M906 WITH CLAMPS ONLY TO GND
M908	CAT		5	RIBBON CABLE CONNECTOR, 10 OHMS IN A2, B2, U1 & V1, ALL OTHERS STRAIGHT THRU
M908-YA	15	DV	2 1/70	RF89 MAINTENANCE CARD, REPLACES CABLE TO RS09
M908-YB	11	DR	5 5/73	M908 WITH HANDLE
M909	CAT	DCB	5	TERMINATOR, 18 68 OHM RESISTORS TO GND, FOR 15 I/O BUS
M910	CAT	DCB	5	TERMINATOR, 18 68 OHM RESISTORS TO +5V, FOR 15 I/O BUS, PROC END
M9100	MOD	DCB	5 5/73	2 H854 ON SINGLE 8.5 CARD
M911	15	HL	6 1/71	TERMINATOR, 18 100 OHM RESISTORS TO +5V, FOR 15 MEM BUS
M911-YA	SSCA	DPS	3 1/73	M911 W 1.2K RESISTORS
M912	CAT	DCB	5	I/O BUS CARD, 36 PAIRS, M904 CONNECTIONS
M913	MOD		7 7/69	(NEVER MADE), 6 TERMINATORS, PIN COMPATIBLE WITH M520, 530, 620, & 630
M914	15	DV	5	CABLE CONNECTOR, RF89 TO PATCH PANEL
M915	CAT	DCB	5	35 WIRES TO POP-15 CONSOLE WITH PULL-UP RESISTORS
M916	15	FA	5	35 WIRES TO PDP15 CONSOLE WITH +5V CLAMP DIODES

MODEL NO	PROG LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M917	CAT	DCB	5	M904 WITH RIBBON CABLE COMING IN EITHER SIDE, FOR MM15
M917a	10	JD	5 9/73	M917 W SPLIT LUGS & CLAMP ON SIOC 2
M918	CAT	DCB	5	M911 WITH CABLE COMING OUT EITHER SIDE BUT JUMPERS IN U1 & V1, NONE IN A2 & B2
M919	11	CRB	5 5/73	11 EXTERNAL BUS, 2 60-WIRE MYLAR, DOUBLE, 2.5, 56 SIGNALS, 14 GND PINS
M919a	10	STP	1 6/73	M919 WITH +5 ON AA2, BA2
M9191	11	KA	2 7/74	M919 W SIDE 1 & 2 INTERCHANGED
M9192	11	KS	1 1/75	8.5" M919 W SLOT, 54-11577
M920	11	CRB	5 5/73	73 WIRE MYLAR, 11 INTERNAL BUS, 2 BOARDS 1" APART, M919 PINS, DOUBLE
M920a	11	SW	5 5/73	M920 W BOARDS 0.5" APART
M9202	11	KS	1 1/75	547 (M9192 W NO HANDLE) + 54- (M9292 W NO HANDLE) ASSEMBLED 1" APART W 2FT CABLE 11579
M921	12	LG	5	DEVICE CODE SELECT JUMPER MODULE, FOR 3 IOT'S
M922	CAT	DCB	5 5/73	M911 WITH JUMPERS INSTEAD OF RESISTORS FOR INDICATOR BUS, NOT TO BE USED ON BOTH ENDS OF ANY CABLE
M923	PERIPH		5	TU56 OPTION CONNECTOR, REPLACES W032 WHEN READER/Writers ARE IN TU56
M924	CSS	CV	7 4/72	24 LINES IN, ROOM FOR SERIES & SHUNT COMP TO COMMON
M925	11	PJ	5	SHORT M903 WITH NO SLOTS, RIGHT ANGLE
M926	CAT	DCB	5	M901 WITH 100 OHMS IN SERIES WITH SOME OF THE PINS
M927	11	CA	5	SHORT RIGHT ANGLE M904, FOR DD11-R, SINGLE X 3.75
M929	11	CRB	5 5/73	MIRROR IMAGE OF M919 FOR OTHER END OF CABLE
M929a	10	STP	1 6/73	M929 WITH +5 ON AA2, BA2
M9292	11	KS	1 1/75	8.2" M929 W SLOT, 54-11579
M930	11	PJ	5	TERMINATOR FOR PDP-11 BUS, (M919 PINS), 120 OHMS TO +3V, 1000PF ON BF1 & BF2, DOUBLE 2 3/8
M930-JA	11	PJ	1 7/72	SYSTEM-TESTED M930
M930-YA	11	KA	2 9/74	M930 W EXTERNAL CABLE FOR +5V & GND
M9300	11	SJ	4 7/73	UNIBUS B TERMINATOR (M930 + NPR LOGIC)
M9301	11	RAA	1 6/74	UNIBUS TERMINATOR W SPACE FOR ROM BOOTSTRAP, DOUBLE 8.5
M9301-YA	11	RAA	1 11/74	M9301 W OEM BOOTSTRAP
M9301-YB	11	RAA	1 11/74	M9301 W END USER BOOTSTRAP
M9302	11	RAA	2 2/75	11'04 UNIBUS TERMINATOR, FAR END, DOUBLE, SHORT
M9303	11	KS	2 1/75	M930 W INDIVIDUAL +5V FOR EACH TERMINATOR, , DOUBLE 8.5
M9303-YA	11	KS	2 1/75	M9303 W 3M CONNECTOR
M9303-YB	11	KS	2 1/75	M9303 W NO COMPONENTS EXCEPT 3M CONNECTOR ONLY
M9303-YC	11	KS	2 1/75	M9303-YA + M9303-YB W CABLE, ASSEMBLED WITH 1" SPACERS
M9304	11	KS	2 9/74	LONG M930 FOR LOW MARGIN TESTING, DOUBLE 10
M9304-YA	11	KS	2 9/74	LONG M930 FOR HIGH MARGIN TESTING, DOUBLE 10
M9305	11	KS	2 1/75	LONG M981 FOR LOW MARGIN TESTING, DOUBLE 10"
M9305-YA	11	KS	2 1/75	LONG M981 FOR HIGH MARGIN TESTING DOUBLE 10"
M9306	11	RAA	2 2/75	11'04 UNIBUS TERMINATOR, DOUBLE 8.5
M931	10	SU	5 1/72	15 TERMINATORS, 2K TO +5V, CLAMPED AT +.75 & +3V, M903 PINS EXCEPT 9 INDICATOR OUTPUTS, K110
M932	10	FF	1 11/69	DOUBLE HEIGHT M901 WITH CABLE CLAMPS IN MIDDLE & HANDLES ON END
M933	CAT	AR	5	20 RIBBON CABLE LUGS, ALL STRAIGHT THRU, SP FOR SHUNT COMP TO GND OR JUMPER SEL VOLT BUS
M934	12	AW	5	ROBOT CHEMIST CABLE CONN, 14 CH, ATTENUATORS, AMPS
M935	B/E	PG	5	VARIATION OF M920 FOR B/E INTERNAL BUS, DOUBLE
M936	B/E	PG	5	PDP8-E INTERNAL BUS CONNECTOR
M937	B/E	PG	5	MIRROR IMAGE M936
M938	8	HI	5 5/73	M913 CONNECTIONS WITH 18 3K LOADS CLAMPED TO +3V
M939	8	HIPP	5 5/73	M906 WITH 1K RESISTORS INSTEAD OF 220 OHMS
M940	14	AR	5	M913 PINS, 10 GND, 10 SIG WITH 82 OHMS TO +5V, SINGLE
M941	PERIPH		5 5/73	JUMPER/EXTENDER BOARD FOR TU56
M942	IPG		5	M920 ETCH, DIFFERENT RESISTORS, DD02
M943	15	HL	5 5/73	M903 WITH CABLE COMING OUT EITHER SIDE
M944	IPG	MORO	5 5/73	BUS TERMINATOR FOR AM07
M945	IPG		5	EXTERNAL BUS CONNECTOR FOR UDC, M935 CONNECTIONS + A1 & B1 GND
M946	IPC		5	MIRROR IMAGE M945
M947	10	SU	5 11/71	INDICATOR DRIVER, 24 CKTS, CABLE OUT BACK
M948	10	SU	5 11/71	24 RESISTORS TO CABLE, 4 RESISTORS TO COMMON POINT, COMPANION TO M947

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M949	10	SU	5 11/71	9 INDICATOR DRIVERS, 18 SIGNALS, FOR KI CONSOLE
M950	10	SU	5 11/71	9 RESISTORS TO CABLE, 9 R TO COMMON, 18 RC FILTERS, COMPANION TO M949
M951	CSS	CV	5 2/74	SELECTABLE CLAMPS MODULE, 12 CKTS, M906 PINS, (LOW VOLUME MODULE)
M952	10	ATT	5 5/73	27 LEVEL TERMINATORS, CLAMPS AT +.75 & 3.25V
M953	8/E	PG	5	40 CONDUCTOR 3M CABLE TO M903 CONNECTIONS, .05 SPACING, USED ON BC08J-XX (18 SIGNALS)
M954	8/E	PG	5	2 40 CONDUCTION 3M CABLES TO M901 CONN., 10 OHMS IN A2, B2, U1, V1, .05 SPACING
M955	8/E	PG	5	1 50 CONDUCTOR CABLE TO W077 CONN., 10 OHMS IN A2, B2, PC8-E
M956	10	SU	5 1/72	18 130 OHMS TO +3.2V, M903 PINS
M957	CAT	DCB	5	8.5" LONG M908, NO HANDLE, CABLE CLAMP LOCATION ON SIDES & END
M957-YA	LDP	FS	5 1/72	M927 WITH DIFFERENT VALUE RESISTORS
M957-YB	PERIPH	PM	5 2/74	M927 W HANDLE, 0 OHMS IN A2, 10 OHMS IN B2, U1, V1 (RS03)
M958	PERIPH		2 8/70	+BUS TERMINATOR, 32 OHMS TO GND, DIODE CLAMPS, SINGLE X 5
M959	11	KK	5	22 FORKED LUGS ON SHORT BOARD FOR RIBBON CABLE, CR11
M960	8/E	PK	5 11/71	COMMAND CABLE CONNECTOR FOR TU56
M961	8/E	PK	5 11/71	DATA CABLE CONNECTOR FOR TU56
M962	16	RVH	5	RT K-BUS TERMINATOR, REQUIRED TO TERMINATE RTM BUS, DOUBLE X 5
M963	PERIPH	WJO	5	CONNECTOR FOR LA30 PRINT HEAD (14 COND)
M9630	PERIPH	WJO	5 10/73	CONNECTOR FOR LA30L PRINT HEAD (15 COND)
M964	PERIPH	PM	1 11/70	TERMINATOR FOR DECPACK
M965	PERIPH	CAY	1 11/70	HEAD CABLE CARD FOR LA30
M9650	PERIPH	PNH	4 6/74	HEAD CABLE CARD FOR LA36
M966	15	HL	5	18 60-OHM RESISTORS TO +2.5V, M903 PINS
M967	PERIPH	PM	1 11/70	40 CONDUCTOR 3M CABLE, RIGHT ANGLE, ALL PINS BROUGHT OUT, D THRU P, DOUBLE X 8.5
M968	11	BU	5	JUMPER BOARD FOR DR11-B TESTING
M9680	11	BPF	4 2/74	M928 JUMPER BOARD FOR DR11-S TESTING WITH CKT FOR INCREASING DELAY BETWEEN CYCLES
M9681	DAS	DJA	1 7/74	DR11-B TEST BOARD, DOUBLE 2.5
M969	10	DREW	5 11/71	24 LEVEL TERMINATORS LIKE M952 + 1 THERMISTOR
M970	8/E	RBR	5 1/72	H824 MTD ON SINGLE X 8.5 CARD, ACCEPTS BC05C & BC01V
M9700	COM	CRS	5 2/74	M970 W SPLIT LUGS INSTEAD OF H854, USED ON BC05M-XX
M971	8/E	RBR	5 4/72	H854 MTD ON SINGLE X 8.5 CARD, ACCEPTS BC08R
M9710	CSS	ULH	3 1/74	M921 W 2 10-POS & 2 SPOT SWITCHES (RT90)
M9711	CSS	CV	3 5/74	ONE PUSH BUTTON & 1 OPDT SWITCH, RT90 MAINTENANCE MODULE, SINGLE 8.5
M972	11	SS	5	CABLE CONNECTOR, 2 FLAT CABLES, SINGLE X 8.5, M901 W 10 OHM IN A2 & B2 ONLY
M973	11	SS	5	TTL MAT-N-LOCK, 5 PINS
M9730	11	AJM	1 10/73	6-INCH M973
M974	11	SS	5	DM11 MAINTENANCE JUMPER BOARD
M975	11	REL	5 11/71	DOUBLE FLIP CHIP TO 2 H854, M903 CONNECTIONS
M976	11	CA	5 2/72	M929 WITH SPLIT LUGS
M9760	11	UV	4 2/74	8.5 M976 W FILTERS
M977	LDP	FS	5 2/72	RIGHT ANGLE M953, SINGLE X 3.75, CABLE ON V SIDE
M978	11	RFC	5 2/72	CONTROL END OF PR68-D CABLE
M9780	TPL	MI	4 8/73	M978 ETCH, CONTROL END OF PR68-A CABLE W FILTERS (70-05063)
M979	11	RFC	5 3/72	CONTROL END OF PP67-D CABLE
M980	11	CA	5 1/72	DR11-A TEST BOARD
M981	11	CRD	4 5/73	M920 INTERNAL BUS JUMPER WITH M930 TERMINATIONS, 2 BOARDS 1" APART
M982	15	ERP	5 4/72	TERMINATOR FOR CR15, SINGLE X 5, USES W964 ETCH
M983	PERIPH	NF	5 2/72	ALL SIDE 1 PINS TO FORKED LUGS, DBL X 8.5, 2 ROUND CABLES OUT V SIDE, RK05
M984	11	DR	5 5/73	M902 WITH 51 OHM RESISTORS
M984-YA	11	DR	5 5/73	M924 WITH 2 PINS SHORTED & 1 RESISTOR REMOVED
M988	10	JRP	5 11/72	2 BOARDS 0.5 TO 0.75 APART- AMP PINS & SOCKET MAKES STRETCHABLE JUMPERS
M989	8/E	GHL	5 1/74	TERMINATOR FOR 8/E TO TU10-M CABLE
M990	PERIPH	NF	1 5/72	RS03 BUS INPUT CONN, 3M CABLE, 40 SIG, AA2-AD2, BA2-BD2, AS1-ASV, BS1-BSV NOT USED, DOUBLE 8.5
M991	PERIPH	NF	1 5/72	RS03 BUS OUTPUT CONN; BUS CABLE USES M990 ON ONE END, M991 ON OTHER, DOUBLE 8.5
M992	PERIPH	NF	1 5/72	TERMINATOR, PINS LIKE M990, M991, 75 OHMS TO +3.6V, DOUBLE 8.5
M993	TPL	SG	4 5/73	RK-E CONTROL CABLE, 2 3M, 41 SIGNALS STRAIGHT THRU, 1 BUFFERED, 38 GND

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M993-YA	TPL	JDL	1 1/75	M993 W 42 SIGNALS, 38 GND
M994	8/E	DA	4 5/73	40 COND 3M CABLE TO M901 PINS, 10 OHMS IN A2, B2; U1, V1
M995	QC	ALB	3 6/74	3 H854 ON DOUBLE 8.5, 22 SIG EACH
M996	LDP	AW	4 5/73	3 LAYER (MIDDLE LAYER GROUND SHIELD), FRONT & BACK PANEL INTERCONNECTIONS, LPS, HEX 8.5
M997	PROE	DS	5 2/75	H854 ON DOUBLE X 5 MODULE, ALL PINS BROUGHT OUT
M9970	11/85	RAA	5 1/74	M917, H854 FACING EDGE A, DOUBLE 8.5
M998	FS	EB	3 11/73	M999 W FINGERS INSTEAD OF H807, SINGLE 5 (USE M9980 FOR OTHER END OF CABLE)
M9980	FS	EB	3 11/73	M918 FOR OPPOSITE END OF CABLE
M999	FS	EB	2 9/73	H807 ON SINGLE X 5 CARD FOR 2 3M CABLES, F1 F2 N1 N2 JUMPER GND (USE M9990 FOR OTHER END OF CABLE)
M9990	FS	EB	3 10/73	M919 FOR OPPOSITE END OF CABLE

## N-SERIES MODULES, GATES

R001	CAT		5	DIODE NETWORK, 7 DIODES, BOTH ENDS BROUGHT TO PINS
R002	CAT		5	DIODE NETWORK, 5 GROUPS OF 2 DIODES, CATHODES COMMON
R012	15	DV	5	DIODE NETWORK, USES R002 BOARD, REVERSES DIODES, ANODES COMMON
R107	CAT		5	7 INVERTERS, 1 WITH EXPANSION NODE
R111	CAT		5	3 4-INPUT GATES, EXPANDABLE, OPEN COLLECTOR, 3 CLAMP LOAD RESISTORS
R1110	10	ATT	5 1/73	R111 W 2MA FAN-IN & 6534-C TRANSISTORS, SINKS 63MA
R113	CAT		5	5 4-INPUT GATES
R1130	10	ATT	5 1/73	R113 W 2MA FAN-IN & 6534-C TRANSISTORS, SINKS 63MA
R121	CAT		5	2 2-IN, 1 3-IN, 1 4-INPUT GATES
R122	CAT		5	LOGICAL COMPLIMENT OF R121
R123	CAT		5	INPUT BUS GATE, 6 GATES, 1 INDEP INPUT, 1 PAIRED COMMON INPUT
R131	CAT		5	EXCLUSIVE OR, 4 CKTS, OUTPUT IS -3V IF INPUTS ARE THE SAME
R141	CAT		5	AND/NOR GATE, 7 SETS OF 2-INPUT AND GATES NORED TOGETHER
R151	CAT		5	BINARY-OCTAL DECODER, 6 INPUTS + AN ENABLE, 8 OUTPUTS
R152	10		6 4/67	(OPS), R151 WITHOUT CLAMP LOADS, SEE B152
R181	CAT		5	DC CARRY CHAIN, 6 INTERCONNECTED DIODE GATES + 1 INVERTER

## FLIP-FLOPS

R200	CAT		5	SET-RESET FLIP-FLOP
R201	CAT		5	RS FF WITH 3 SET & 2 RESET DCD GATES
R202	CAT		5	DUAL FF, DIRECT CLEAR, COMMON SET, 1 SET & 1 RESET DCD GATES EACH
R203	CAT		5	TRIPLE FF, DIRECT CLEAR, SET DCD GATES FOR EACH
R204	CAT		5	QUAD FF, DIRECT SET FOR EACH, DIRECT CLEAR FOR 2, COMMON FOR 2
R205	CAT		5	DUAL FF, COMMON DIRECT CLEAR, 3 DCD GATES EACH
R210	8	WH	5	PDP8 ACCUMULATOR, DOUBLE SIZE
R211	8	WH	5	MB1PC, MA (PDP8), DOUBLE SIZE
R212	8	WH	5	MQ (PDP8), 2 FF'S, SR, SL, READ-IN, CLEAR
R220	8	WH	5	3 BIT SR, PARALLEL READ-IN, DIODES OUT FOR DETECTING ALL 0'S IN R111 NODE
R284	8	WH	6 10/74	QUADRAFLOP, PDP8, 4 STABLE STATES

## DELAYS

R302	CAT		5	2 ONE-SHOTS
R303	CAT		5	INTEGRATING ONE-SHOT

## CLOCKS

R401	CAT		5	VARIABLE CLOCK, 30 CPS TO 2 MC
R405	CAT		5	CRYSTAL CLOCK, 5 KC TO 2 MC AVAILABLE
R406	15	DV	6 10/74	CLOCK FOR PDP9/L, 1.5 USEC
R407	15	DV	6 10/74	PDP9 PARITY CLOCK, 1.2 USEC

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
R408	8		5	PDP8 CLOCK
R409	15		5	PDP9 CLOCK, 1 MC
R450	8	WH	5	CLOCK FOR USE WITH TELETYPE, FIRST PULSE COMES 1/2 PERIOD LATE
R451	10	SU	5	TELETYPE CLOCK, FOR FASTER TELETYPE, OTHERWISE AN R450
OUTPUT CONVERTERS				
R601	CAT		5	PULSE AMPLIFIER, 6 DCD GATES, 100 OR 400 NSEC PULSES
R602	CAT		5	PULSE AMP, 2 CKTS, 2 DCD GATES & 1 DIODE INPUT EACH, 100 OR 400 NSEC PULSES FROM ONE
R603	CAT		5	PULSE AMP, 3 CKTS, 1 DCD GATE & 1 DIODE INPUT EACH
R613	8	WH	5	R603 THAT CANNOT BE TRIGGERED FROM OUTPUT, WITH 5 MA LOADS
R623	12	RI	3 5/73	R603 WITH 400 USEC PULSES, USES R603 ETCH, RETROFIT FOR LINC-8
R650	CAT		5	BUS DRIVER, 2 CKTS, 2 INPUTS & NODE
R663	10	ATT	5 2/72	B173 W DEC 6534C (6 2-INPUT NANDS, 1 INPUT/GATE + 1 INPUT/GATE PAIR, 2 MA FAN-IN)
S SERIES MODULES, GATES				
S107	8		5	R107 WITH 5 MA CLAMP LOADS
S111	8		5	R111 WITH 5 MA CLAMP LOADS
S113	10		1	(NEVER RELEASED), R113 WITH 5 MA CLAMP LOADS
S123	8		5	R123 WITH 2 MA FAN-IN
S151	8		5	R151 WITH 5 MA CLAMP LOADS
S181	8		5 3/74	DC CARRY CHAIN, 6 INTERCONNECTED DIODE GATES + 1 INVERTER
FLIP-FLOPS				
S202	8		5	R202 WITH 5 MA CLAMP LOADS
S203	8		5	R203 WITH 5 MA CLAMP LOADS
S205	8		5	R205 WITH 5 MA CLAMP LOADS
S206	15	OV	5	DEC 4258, 12K, 82 PF, 10 MA CLAMP LOADS, 2FF
S284	8		5	R284 WITH 5 MA CLAMP LOADS
PULSE AMPLIFIERS				
S602	8		5	R602 WITH 5 MA CLAMP LOADS
S603	8		5	R603 WITH 5 MA CLAMP LOADS
S623	12	RI	5	PULSE AMPLIFIER, R603 ETCH, 400 NSEC PULSES
W-SERIES MODULES, CLAMP LOADS				
W002	CAT		5	15 2 MA CLAMPED LOADS, USES W005 BOARD
W005	CAT		5	15 CLAMPED LOADS, BOARD USED ON W002
W006	10		5	15 5 MA CLAMPED LOADS WITH DIODES ALSO TO GND
W010			5	15 10 MA CLAMPED LOADS TO -15V
CABLE CONNECTORS				
W011	CAT	DCB	5	W041 AMPUTATED BY 1 3/4"
W012	10		5	FLEXPRINT INDICATOR CABLE, -15 +15 SIGNAL, PDP10
W013	10		6 10/74	WORD SINK STACK CONNECTOR, W016 BOARD, PDP10, 2 1/2 D MEM
W014	10		6 10/74	DIGIT STACK CONNECTOR, PDP10, 2 1/2 D MEMORY, MODIFIED W015 LAYOUT
W015	15		6 10/74	DIGIT STACK CONNECTOR, PDP9
W016	15		6 10/74	WORD SINK STACK CONNECTOR, PDP9 MEMORY, DOUBLE
W017	9		6 10/74	DRIVE CABLE CONNECTOR, PDP9 MEMORY, DOUBLE
W018	CAT		6 10/74	18 LINE RIBBON CABLE CONNECTOR, SERIES DIODE, W020 BOARD



MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W019	15		6	(OBS), SIGNAL CABLE CONNECTOR, PDP7 EAE
W020	MOD		5	INDICATOR CABLE CONN, 18 RIBBON CABLE, 1.5 K RESISTORS
W021	CAT		5	SIGNAL CABLE CONN, 19 WIRE RIBBON, 9 HOT, 10 GND, SIG:D,E,W,K,M,P,S,T,V. GND:C,F,J,L,N,R,U
W022	CAT		5	W021 EXCEPT 9 100 OHM SHUNT TERMINATORS FROM EACH SIGNAL WIRE TO SHIELD
W023	CAT		5	18 LINE RIBBON CABLE CONNECTIONS, COMPONENT SPACE NEAR PINS A & B, OTHERS STRAIGHT THRU
W024	CAT	DCB	5	CONNECTOR CARD, 220 OHM RES IN A & B, SHORT TO OTHERS, C & V GND
W025			5	32 SPLIT LUGS, 4 SLOTS, DOUBLE SIZE, MEMORY PADDLE BOARDS USED FOR W075
W026	8		5	CONNECTOR CARD INDICATORS, DIODES IN A THRU N, WIRES IN REST, WIRE COMES OUT TOP OR BOTTOM
W027	MOD		5	W020 WITH WITH 3K RESISTORS
W028	CAT		5	W021 WITH LUGS FOR SERIES OR SHUNT R OR D IN SIGNAL LEADS
W029			1	W021 WITH CABLE COMING OUT BOTTOM
W030	PERIPH	WH	6 10/74	DEC TAPE CONNECTOR
W031	CAT	DCB	5	FLEXPRINT W021
W032	PERIPH		6 10/74	5 SHIELDED TRIPLES, DEC TAPE SIGNAL CONNECTOR, DOUBLE HEIGHT
W033	CAT	DCB	5	FLEXPRINT, W023 CONNECTIONS ON "A" SIDE, SIDE ENTRY CABLE
W034			5	FLEXPRINT W024
W035			6 10/74	FLEXPRINT, W024 WITH 100 OHM SERIES RES
W036	12	CL	6 10/74	SAME AS W026 FLEXPRINT, USED ON W037
W037	15	DV	6 10/74	FLEXPRINT W027, USES W036 BOARD
W038	15	DV	1	FLEXPRINT W028
W039				FLEXPRINT W029

## DRIVERS

W040	CAT		5	2 SOLENOID DRIVERS, 2 INPUTS PLUS A NODE, 0.6 AMP MAX, SIM TO 4113+4681
W041	MOD	DOANE	6	(OBS), SOLENOID DRIVER, 3 CKTS, OUTPUT 48V 250 MA MAX
W042	CAT		5	4 10 AMP DRIVERS, HIGH CUR CONNECTIONS BY TAPER TAB AT HANDLE END, COMMON HEAT SINK FOR 4 CKTS
W043	CAT		5	2 SOLENOID DRIVERS, 2 AMP MAX, PIN COMP WITH W040 EXCEPT 2 MORE GND PINS
W050	CAT		5	7 INDICATOR DRIVERS, 30 MA -20V MAX
W051	CAT		5	7 INDICATOR-SOLENOID DRIVERS, 100 MA -15V MAX
W052	MOD		5	8 INDICATOR DRIVERS, USES PIN A AS INPUT, FOR EDUCATIONAL MTNG PANEL
W053	IPG		1 9/67	10 INDICATOR LAMPS ON DOUBLE HEIGHT, SINGLE THICKNESS
W054	MOD		5	100 MA DRIVERS, 30V, CLAMPS ON PIN V, R107 CONNECTIONS
W060				(RESERVED FOR LOW-CURRENT VERSION OF W061)
W061	CAT		5	4 DELAY DRIVERS, 250 MA, +55V MAX
W061-YA	SSU		3 2/69	
W062	MOD	DOANE	6	(OBS), PHOTON-COUPLED DRIVER, 1/4 AMP, 55V, SLOW SWITCHING

## CONNECTORS

W070	8		5	TELETYPE CABLE CONNECTOR, PDP8
W071	15		6 10/74	POWER CONNECTOR, DOUBLE BOARD, KEYED TO FAN HOUSING, PDP9
W072	12		5	LINC 8 TO SCOPE CABLE CONNECTOR, DOUBLE, 3 OUTPUT CABLES
W073	12		6 10/74	LINC 8 TO LINC TRANSPORT CABLE, DOUBLE
W074	8		6	(OBS), LINE TERMINATOR CONNECTOR, 8 500 OHM, 5 WATT RES, DOUBLE, USED IN 683
W075			5	CONNECTOR, 32 SPLIT LUGS, DOUBLE SIZE, ONLY ONE HANDLE (BOTTOM)
W076	8		5	TELETYPE CONNECTOR, FROM POS LOGIC 8/1, LOGIC EQUIV TO W070
W077	8		5	10 OHMS A & B, OTHER STRAIGHT THRU, FLEX PRINT, CABLE AT END
W078	15		5	W076 WITH AMP CONNECTOR INSTEAD OF CABLE
W078-YA	CSS	RBH	5 1/72	W078 MODIFIED TO PROVIDE ADJ CURRENT FOR A DISTANT TTY
W080	CAT		6 10/74	2 ISOLATED AC-DC SWITCHES, PHOTOTRANSISTORS CAN SWITCH 250 MA, 135V
W092			6 10/74	CABLE CONNECTOR WITH BALUNS, CONNECTIONS OF W022 WITH 100 OHM TERM, 9 CKTS, FORKED LUGS

## BUS INTERFACE MODULES, MAINTENANCE BOARDS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W100	10		5	7 EMITTER FOLLOWERS, 6 IO BUS TO R SERIES GATES
W101	10		6 10/74	IO BUS DRIVER, SIM TO 4657
W102	10		5	MEMORY BUS TRANSCEIVER, 1665 TYPE
W103	CAT		5	PDP8 DEVICE SELECTOR
W104	15		5	PDP9 IO BUS MULTIPLEXER CONTROL
W105	10	NW	1 7/68	CROWBAR, PDP10 I/O BUS, IN PERIPHERALS
W106	10	SU	5 9/72	PRIORITY INTERRUPT GRANT
W107	10		5	I/O RECEIVER, PDP10, 7 CHANNELS
W108	CAT		5	DECODE DRIVER, 8 CKTS, USED IN PDP8-S MEMORY
W109	15		5	PDP9 DEVICE SELECTOR
W110	10	SU	4 7/73	W10 FOR MF10
W112	10	KE	1 4/69	W142 WITH 70 TO 100 NS PULSE WIDTH
W113		JO	1 10/68	W143 WITH 600 US WIDE PULSES
W122	10	SU	5 5/73	PULSED BUS TRANSCEIVER, PIN COMPATIBLE WITH W102 & W112, +LOGIC IN, -BUS, -LOGIC OUT
W123	8/E	LK	5 11/71	W143 WITH PA REPLACED WITH DC AMP (OUTPUT PULSE = IOP PULSE)
W130	11	JO	5	MAINTENANCE BOARD 1, 28 LIGHT DRIVERS, PLUGS INTO KA11
W131	11	JO	5	MAINTENANCE BOARD 2, 28 LIGHTS, 4 SWITCHES, PLUGS INTO W130
W132	10	SU	5 4/72	MEMORY BUS TRANSCEIVER, KI10, NEG BUS, 4 CKTS, SIM TO W102
W133	11	BD	5 5/73	DOUBLE MAINTENANCE BOARD 1 (2 W130'S)
W134-YA	FS	HRL	5 1/74	COYN & PWR SUPPLY FOR 60HZ LINE MONITOR BL01-A
W134-YB	FS	HRL	5 1/74	COYN & POWER SUPPLY FOR 50HZ LINE MONITOR BL01-B

## INDICATOR LIGHT ASSEMBLIES &amp; DRIVERS

W200		NH	12/64	9 LIGHT INDICATOR ASSEMBLY
W201		NH	12/64	18 LIGHTS INDICATOR ASSEMBLY
W210	MOD	DOANE	7 5/67	(08S), 10 SCR SHIFT REGISTER
W250	10	KE	5	12 INDICATOR DRIVERS, FLEX PRINT, GND & -15V FROM MALE END
W251	10	NW	1 11/70	63 BIT 1 WORD DIODE ROM, DOUBLE X 5
W252	CSS	LO	3 10/73	MOUNTING BOARD FOR 40 LEDS
W253	CSS	LO	1 9/73	W252 W 20 SWITCHES

## DELAYS

W300	8	DO	6 6/73	TAPPED 800 NS DELAY LINES WITH 50 NS TAPS, 3 OUTPUT AMPLIFIERS, REPLACED BY W301
W301	10		5	TAPPED 800 NS DELAY LINE, PIN COMP WITH W300 BUT DIFFERENT INPUT LOADING AND IMPROVED MARGINS
W306	10		1 11/65	6 BIT DELAY PROGRAMMER
W310	MTST		6 10/74	20% NS DELAY LINES, 4 ON 0310 BOARD

## UDC PADDLE BOARDS, DECTAPE ATTENUATOR, JUMPER BOARDS

W400	IPG		5	PADDLE BOARD FOR UDC (0001) W ISOLATE PWR, USED ON W730-W733, W740-W743, M802-M807, REPLACED BY W406
W400-YA	IPG	DEB	2 5/71	W400 WITH CONTACT RC CKTS (12)
W400-YB	IPG	RG	5 5/73	W400 WITH 10 USEC TIME CONSTANTS IN ALL CKTS
W400-YC	IPG	BWH	3 5/73	TO BE USED WITH M685-YA & INDUCTIVE LOADS
W401	PERIPH		5	DECTAPE ATTENUATOR FOR G882 & G888
W402	IPG		5	PADDLEBOARD FOR UDC (0001), W COMMON PWR, USED ON W730-W733, W740-W743, M802-M807, REPLACED BY W406
W402-YA	IPG	RG	2 5/71	W402 WITH 10 USEC TIME CONSTANT TO W730-YB, W732-YB
W402-YB	IPG		2 10/71	W402 FOR A SPECIAL UDC11, PADDLE BD USED WITH W731-YB
W402-YC	IPG	RG	3 2/74	SPECIAL W402 FOR TRW
W403	IPG		5	PADDLE BOARD FOR UDC (0001), FOR RELAY DRIVER M684 TO M687, TO BE REPLACED BY W406
W403-YA	IPG	DEB	2 5/71	SIGNAL CONDITIONING BD, 120 VAC INPUT, 24VDC OUT TO W730-YA
W404	11	SS	5	JUMPER, N2 TO R2, 2-1/2 NO HANDLE
W405	IPG	BWH	2 7/72	PADDLE BOARD, UDC, ISOLATED RELAY DRIVER, USED WITH M685, M687
W406	IPG	FE	5 3/74	PADDLE BOARD, W400, W402, W403 COMBINED
W410	IPG	MORO	5 2/74	PADDLE BOARD FOR UDC/0001; AC INPUT CONDITIONING, QUAD 5, USED ON W740-W743

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
<b>INPUT CONVERTERS</b>				
W500	CAT		5	HIGH IMPEDANCE FOLLOWER, 7 CKTS
W501	CAT		5	SCHMITT TRIGGER, +/-10V IN, 0 & -3V OUT
W501-AB	MOD		5	W501 MODIFIED FOR AUTOMATIC TOTALISATORS
W502	MOD	DOANE	5	PHOTON-COUPLED TRIGGER, 2 SCHMITT-LIKE CKTS FOR 48 VDC OPERATION
W503		DOANE	7	(OPS), PHOTON-COUPLED TRIGGER
W504	10		5	INITIAL TRANSIENT DETECTOR, A SCHMITT, 0 DELAY, 10 MS BLACKOUT
W505			5	LOW VOLTAGE DETECTOR, MEASURES +10 & -15V
W506	10	DOANE	5	LOW VOLTAGE DETECTOR, PDP6, MEASURES AC, -10,+10,-15, 3 OUTPUTS IN ORDER
W507	10	SU	5	LOW VOLTAGE DETECTOR FOR ME10, MEASURES +5,+5,-15,-15, ALL REG,-15,+10 UNREG, DOUBLE
W508	10	DREN	1 6/70	HIGH VOLTAGE DETECTOR FOR MA10
W509	10	DREN	5 2/72	3 PHASE AC LOW VOLTAGE DETECTOR
W510	CAT		5	POS LEVEL CONV, 3 CKTS, THRESHOLDS OF 0,+1, OR +2V, 0 & -3V OUT
W511	CAT		5	NEG LEVEL CONV, 2 CKTS, THRESHOLDS OF 0,-1,-2, OR -3V, 0 & -3V OUT
W512	CAT		5	POS LEVEL CONV, 7 CKTS, THRESHOLDS OF +1.6 OR 0.8V, FOR USE WITH TTL, 0 & -3V OUT
W513	PERIPH		5	NEG LEVEL CONV, 6 CKTS, USED IN T055
W514	10		5	POS LEVEL CONV, 6 CKTS, 100 OHM INPUT
W515	10	MJS	2 6/73	LOW VOLTAGE DETECTOR & CONNECTOR
W516	PS	DREN	2 7/74	3 PHASE LOW VOLTAGE DETECTOR, SINGLE 6, FOR 863
W517	PS	DREN	1 5/73	CROWBAR, USED WITH W516, SINGLE 6, FOR 863
W519	10	DREN	5 2/72	POWER SEQUENCE & CROWBAR
W520	CAT		5	COMPARATOR, 3 DIFFERENTIAL CKTS, 100 MV RESOLUTION, LIKE 1501 LEVEL CONV
W521	10	DREN	5 3/73	+5V & -15V LOW VOLT DETECTOR, 16 +5V INPUTS, RS10, SINGLE X 5
W522	10	DREN	5 2/74	CROWBAR FOR DS11, SINGLE 5
W523	CSS	SV	3 11/73	LOW VOLTAGE DETECTOR, CROWBAR OUTPUT (-7V TO GND) @ +4.75V, SINGLE 5
W532	CAT		5	DUAL AC-COUPLED SENSE AMPLIFIER, USED ON PDP8-S
W533	CAT		5	DUAL RECTIFYING SLICER, WAS 6803
W570	MOD		5	EIA INPUT CONVERTER TO TTL, 4 CHANNELS
W590	CAT		6 10/74	IB <sup>M</sup> N LINE TO DEC CONVERTER, 5 CKTS, 6 OR 12 MA
W591	10	SU	5	POS BUS TO DEC CONV, FOR MEMOREX, 0 TO +3V, 8 MC, 5 CHANNELS, PIN COMP WITH W592
W592	8		5	IB <sup>M</sup> 360 BUS TO DEC CONVERTER (NON-INVERTING)
W594	8		5	IB <sup>M</sup> 360 TO DEC (INVERTING)

**OUTPUT CONVERTERS**

W600	CAT		5	NEG LEVEL AMPLIFIER, LIKE 1667, 3 INVERTING CKTS
W601	CAT		5	POS LEVEL AMPLIFIER, 3 INVERTING CKTS
W602	CAT		5	BIPOLAR LEVEL AMPLIFIER, 3 CKTS, EIA LINE INTERFACER
W603	CAT		5	POS LEVEL AMPLIFIER, 7 CKTS
W603-YA	IPC		3	W603 WITH 15K TO -15V REMOVED, FOR INTERFACING WITH VIDAR AF04
W604	15		1 3/67	EMITTER FOLLOWER, 7 CKTS, TO DRIVE BURROUGHS DISC
W605	DIS		5	POS LEVEL AMP, 4 CHANNELS, +3V INTO 50 OHMS, FOR X & Y TO REMOTE DISPLAYS
W607	CAT		5	3 PULSE CONVERTERS, POS OR NEG 70 NS 2.5 V PULSE OUT
W612	8		5	DUAL PA, 8622 PINS, 120 & 320 NSEC, DIODE OUTPUT FOR "OR" BUS
W612-YA	10	SU	5 5/73	W612 LESS 2 OUTPUT DIODES
W620	10		6	(OPS), SYMMETRY CONTROL, TU79
W621	10		6	(OPS), REFERENCE GENERATOR, TU79
W640	CAT		5	3 PULSE CONV, POS OR NEG, 400 NSEC OR 1 USEC 2.5V PULSE OUT
W670	MOD	AR	6 10/74	EI <sup>2</sup> LINE DRIVER, 4 CKTS, +3V IN
W671	11	JER	5 3/72	20 MA LOOP TO EIA CONVERTER
W672	11	JER	5 11/71	ADAPTER MODULE, W313A TO MATE N LOCK
W680	MTST		1 3/65	BUS DRIVER, 2/3 1693
W681	8		5	SCOPE INTENSIFIER FOR 34 DISPLAY

MODEL NO	PROD LINC	DES ENGR	STATUS NO/YR	DESCRIPTION
W682	LDP	HL	5	SCOPE INTENSIFIER, 0 TO +3V STEP, DELAY 50 TO 300 NS, PULSE WIDTH 400 NS (FOR VR12 & VR14)
W683	LDP	HL	5 12/71	SCOPE INTENSIFIER FOR VR12, VR14, & VR20
W684	LDP	HL	5 1/74	SCOPE INTENSIFIER FOR VR14 & VR20 IN GT40 SERIES, 8 INTENSITY LEVELS
W690	CAT		5	DEC TO IBM N LINE CONVERTER, 4 CKTS, 6,12, OR 20 MA
W691	CSS		5	DEC TO CDC CONVERTER, 3 CHANNELS, +/-20 MA
W692	8		5	DEC TO IBM 360 BUS DRIVER
W693	10		5	DEC TO CTUL CONVERTER
W694	9		5	DEC IBM 360, POSITIVE OR
W695	CSS		1 4/68	DEC TO BELL 300 SERIES DATA SET DRIVER, 5 CHANNELS, >23MA INTO 100 OHMS, >1V OFF; <5MA, .8V

#### FILTERS, TRANSMITTERS, RECEIVERS, REGULATORS

W7000	10	DOV	2 7/74	AUX PWR SUPPLY, KL10, SUPPLIES +15V 50MA, +5V 1A; -15V 100MA TO 864
W700	CAT		5	SWITCH FILTER, 6 CKTS, SIM TO 1703, USED ON W710
W700-AD	MOD	RC	5	H700 MODIFIED FOR AUTOMATIC TOTALISATORS
W701	9		5	INPUT NETWORK, FOR POP0 CARD READER
W701-YA	CSS	ABW	3 5/73	INPUT NETWORK, IBM 1502 INTERFACE
W701-YB	CSS	ABW	3 5/73	OUTPUT NETWORK FOR IBM 1502 INTERFACE
W702	10		5	TELETYPE LEVEL CONVERTER FOR DC100 DATA LINE SCANNER
W704	DIS	LH	5	+5V SUPPLY, 1 1/2 AMPS FOR CHARACTER GEN VA30
W7040	11/45	DI	5 1/73	3V ZENER & CAP TO GND TO GENERATE +12V FROM -15V
W705	CAT		5	+3.6V POWER SUPPLY, UP TO 1.5 AMPS, SINGLE HEIGHT, 1 1/2" THICK
W706	CAT		5	TELETYPE RECEIVER, 8 BITS, 11 UNIT CODE
W706-YB	SSU	MUT	3 7/71	8-BIT, 5 UNIT STOP FOR PT08
W706-YC	SSU	MUT	3 7/71	5-BIT, 1 UNIT STOP FOR PT08
W7060	10		1 1/73	TELETYPE RECEIVER, 6 BITS, 8 UNIT CODE
W707	CAT		5	TELETYPE TRANSMITTER, 8 BIT, 2 UNIT STOP CODE ONLY
W707-YA	CSS		2 5/69	7 BIT TTY TRANSMITTER
W707-YC	SSU	MUT	3 7/71	5-BIT TRANSMIT, 1.5 UNIT STOP FOR PT08
W7070	10		1 1/73	TELETYPE TRANSMITTER, 6 BITS, 8 UNIT CODE
W708	CAT		5	TELETYPE COMMUNICATIONS ADAPTER
W709	MOD	AR	5	DIVIDE BY 16/64 COUNTER, FOR TELETYPE MODULES
W710	8	MI	6 10/74	SWITCH FILTER, USES W700 BOARD
W711	8	MI	1	SWITCH FILTER
W712	15	DV	6 10/74	SWITCH MODULE, 2 FORM C MICROSWITCHES, 0 & -3V, RF FILTERED
W713	10		6	(OPS), SWITCH FILTER, W700 WITH LOWER VALUE, TU79
W714	15		5	SWITCH MODULE, 2 FORM C MICROSWITCHES, NO CKTS, 9/I MEMORY
W715	CSS	RW	2 1/69	12 CHANNEL SWITCH FILTER, PASSIVE FILTER & AMPLIFICATION, & SCHMITT
W716	MOD	AR	7 3/73	8-BIT TELETYPE RECEIVER, REPLACES W706
W716-YA			7 3/73	7 BIT CODE MOD, PT08B
W717	MOD	AR	7 3/73	8-BIT TELETYPE TRANSMITTER, REPLACES W707 & W708

#### SWITCHES, CONTACT SENSE & INTERRUPT

W718			6 10/74	10 SWITCHES, 0 & +3V OUT
W719	15	LH	5	4 DPST SWITCHES, 4 IN TO 1 OUT, 2 TIMES, VT04
W720	IPG		5 12/69	CONTACT SENSE, 4 CH, 6V, INDAC
W721	IPG		5	CONTACT SENSE, 4 CH, 24V
W722	IPG		5	CONTACT SENSE, 4 CH, 48V
W723	IPG	MORO	6 10/74	CONTACT INTERRUPTS, 4 CH, 6V
W724	IPG	MORO	5	CONTACT INTERRUPTS, 4 CH, 24V
W725	IPG	MORO	6 10/74	CONTACT INTERRUPTS, 4 CH, 48V
W726	PERIPH	RP	5	4 VC & 3 DIFFERENTIATING SWITCH FILTERS FOR + LOGIC, IN TU10
W727	IPG	EK	6 4/71	INPUT PROTECTOR, 6 CKTS
W730	IPG	FE	5	12 BIT CONTACT SENSE FOR DD01, 8.5, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS	DATE	DESCRIPTION
W730-YA	IPG	HER	2	5/71	W730 WITH 24V RELAYS
W730-YB	IPG	HER	2	5/71	W730 WITH JUMPERS IN PLACE OF RELAYS
W731	IPG	FE	5		16 BIT W730
W731-YB	IPG		2	10/71	W731 W/O RELAY FOR A SPECIAL UDC11, USED WITH W402-YB
W732	IPG	FE	5	11/71	12 BIT CONTACT INTERRUPT FOR DDW1, 8.5, QUAD
W732-YB	IPG	RG	2	5/71	W732 WITH JUMPERS IN PLACE OF RELAYS
W733	IPG	FE	5	11/71	16 BIT W732
W734	IPG		5	2/72	16-BIT GENERAL PURPOSE COUNTER FOR UDC, QUAD, 8.5
W735	CSS	JE	3	10/73	2 XMTRS WITH PULSE XFMRs, + 1 IC XMTR
W736	CSS	JE	2	6/72	2 CVRS W PULSE XFMRs, + 1 IC RCVR
W740	IPG	MORO	5	5/73	12-BIT SOLID STATE CONTACT SENSE, QUAD X 8.5, USES PADDLE BOARD, UDC8
W7400	SSCAN	DLH	3	3/73	CS0, 8 BIT SOLID STATE CONTACT SENSE, FROM BERG, FINGERS HANDLE END FOR BUS, QUAD 8.5
W7401	SSCAN	DLH	3	5/73	CS0, X BUS TERMINATOR (USED WITH W7400) QUAD (SEE M7829)
W7402	SSCAN	DLH	3	6/73	CS0, 8 BIT RELAY OUTPUT BOARD, CONTACTS TO BERG, FINGERS HANDLE END FOR BUS, QUAD
W7403	SSCAN	DLH	3	9/73	CS0, 12-BIT COUNTER, CONTACTS TO BERG, FINGERS HANDLE END FOR X BUS, QUAD
W7405	SSCAN	AAI	3	9/73	CS0, WATCHDOG TIMER, X BUS, QUAD
W7406	SSCAN	AAH	3	8/74	CS0, DUAL COUNTER/ACCUMULATOR, X BUS, QUAD
W7408	SSCAN	AAH	3	9/73	CS0, X BUS REPEATER & TERMINATOR
W741	IPG	MORO	5	5/73	16-BIT W740, UDC11, UDC15
W7410	IPG	RG	2	9/74	16 BIT SOLID STATE DC CONTACT SENSE, W7430 ETCH, IDC-1A, HEX
W7411	IPG	USL	2	10/74	16 BIT SOLID STATE VOLTAGE SENSE, W7431 ETCH, IDC-ID, HEX
W741-YA	IPG	RG	2	1/72	W741 WITH AN INPUT TRANSISTOR INSTEAD OF OPTIC COUPLER
W742	IPG	MORO	5	5/73	12-BIT SOLID STATE CONTACT INTERRUPT, QUAD X 8.5, USES PADDLE BOARD, UDC8
W743	IPG	PJS	5	5/73	16-BIT W742, UDC11, UDC15
W7430	IPG	RG	2	9/74	16 BIT SOLID STATE DC CONTACT INTERRUPT, W7430 ETCH, IDC-1B, HEX
W7431	IPG	USL	2	10/74	16 BIT SOLID STATE VOLTAGE INTERRUPT, W7431 ETCH, IDC-1E, HEX
W7440	IPG	USL	2	10/74	16 BIT GENERAL PURPOSE COUNTER, IDC-0C, HEX
W750	B		5		TELETYPE MULTIPLEXER
W751	TPL	MI	1	11/70	GEN PURPOSE REGULATOR, (USES LM309K)

## POWER SUPPLIES

W760	PS	GP	2	11/72	5V 10A SUPPLY, 115/230VAC, ACLO, DCLO, DOUBLE 8.5, DOUBLE THICK
W761	PS	GP	2	11/72	-15V 2A, FLOATING 15V 2A, 115/230VAC, ACLO, DCLO, DOUBLE 8.5, DOUBLE THICK
W762	PS	GP	2	11/72	+25V 3A, FLOATING 5V 1A SUPPLY, 115/230VAC, ACLO, DCLO, DOUBLE 8.5, DOUBLE THICK
W770	PS		1	4/73	DC TO DC CONVERTER, +5V 1A IN, +/- 15V 100MA OUT
W771	GRAPH	AA	1	10/74	VT98 DC TO DC CONVERTER, +5V 2A IN, +15V 500MA OUT

## RELAY MODULES

W800	CAT		5		2 FORM A REED RELAYS, SIM TO 1803
W801			6		(03S), RELAY MULTIPLEXER, REPLACED BY W802
W802	CAT		5		RELAY MULTIPLEXER, 8 REED RELAYS
W803	CSS		6		5 8GM MERCURY RELAYS (CLAIRE), DRIVEN BY W051
W804	CSS		1	1/68	8 PISTABLE HG FORM C RELAYS IN MATRIX
W805	15		6		2 FORM C RELAYS, 15V, NO OTHER PARTS, 360 INTERFACES, 250 MA
W807		CU	5		FORM A, 1 AMP 250V, DOUBLE THICK
W808		CU	5		2-2 FORM A, 1/8 AMP 250V
W809		CU	5		4 FORM A, 1/8 AMP 250V
W810	CSS		2	11/69	CONTACT SENSE, 6 RELAYS
W811	11	TS	1	8/70	SOLID STATE "RELAY REPEATER" FOR REMOTE TTY WITH READER CONTROL
W812	CSS	RJS	1	10/71	DT2-C RELAY BOARD, 4 FORM C RELAYS, -15V, DOUBLE X 5
W813	CSS	BMW	5	5/73	DT2-FB RELAY BOARD, SWITCHES 4 UNIBUS LINES TO OFF LINE, BUS A, OR BUS B
W814	CSS	BMW	3	1/74	DT2-FA RELAY BOARD, SWITCHES 4 UNIBUS LINES TO OFF LINE, BUS A, BUS B, OR BUS C
W815	SSCAL	KB	3	6/72	RELAY BOARD, 9 LINES, OFF, BUS A OR BUS B, DOUBLE 8.5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W816	CSS	FA	4 2/74	UNIBUS GRANT RELAY MODULE, DOUBLE 5
W817	TYP	JW	4 4/74	11 POLE 2 POSITION RELAY MODULE, 5V 450MA COIL
W818	SSCAN	DF	1 11/74	CSC, 32 FORM A OR FORM B, QUAD, USED WITH M1008

## CONNECTORS

W841	10		6	1/2 W851 FOR 9 COAX
W850	15		5	CONNECTOR, 2 DOUBLE BOARDS WITH W021 LAYOUT, FRAME, HOLD-DOWN SCREW
W851	10		5	CONNECTOR, SIM TO W850, W851 IS CARD & COMPONENTS; BC10 IS ASSEMBLY & CABLE
W852	10		5	W851 WITH NO COMPONENTS, USED IN BC10C-XX, USES W851 BOARD
W853	9	AC	6 10/74	EIA INTERFACE, 6 OUT & 4 IN, +/-6V, LOGIC 0 & +3V, CABLE OUT BACK TO MODEM
W853-YA	9	AL	5	W853 WITH JUMPERS & HANDLE, NO CABLE
W854	10	DU	5	W820 WITH NO COMPONENTS, RP10
W855	10	MM	5	W821 RELAYED OUT FOR EASIER COAX CONSTRUCTION
W856	10	IM	5	W825 WITH COMPONENTS ON SIDE 2 (DIF ETCH)
W857	10	KE	5 5/73	DUAL W021 WITH LUGS NEAR TO PINS, USED IN BC10H, BC10J
W858	10	KE	5 5/73	W827 WITH LUGS ON SOLDER SIDE, USED IN BC10H, BC10J

## NON COMPONENT BOARDS &amp; MISC

W900	11/45	JV	5 5/73	4 LAYER, DOUBLE X 8.5 EXTENDER BOARD
W9000	00	EWB	2 4/74	4 LAYER HEX 1.5 INCH EXTENDER
W901	00	EG	2 11/72	XOR TESTER I/O BOARD, HEX
W9010	00	RJMC	2 6/73	CM1 LOAD BOARD #1, QUAD
W9011	00	RJMC	2 6/73	CM1 LOAD BOARD #2, QUAD
W9012	00	RMC	5 5/74	CM1 ADAPTER, QUAD, 4 H807 HANDLE END, 4 H807 IN MIDDLE, WIRE WRAP
W9013	00	DWR	2 12/74	4 LAYER HEX LOAD BOARD, EA PIN TO EITHER INNER LAYER
W9014	TE	BBG	1 8/74	8.5 QUAD, 4 FINGER SETS BOTH ENDS, WIRE WRAP, IC LOCATIONS
W9015	TE	HEK	1 9/74	GR TESTER I/O BOARD, HEX, 50-11451
W9015-YA	TE	FCH	1 2/75	GR DRIVER/SENSOR TEST BOARD
W9016	TE	HEK	1 10/74	3.5" DEEP HEX EXTENDER (GR TESTER) W PLATED THRU HOLES & ETCH JUMPER PER PIN
W902	00	RM	3 4/74	2 250 MA LAMP DRIVERS, SINGLE 2.5
W903	MOD	DOANE	6	D/A, COMPARTOR, FOR H903
W904	11/45	JV	2 1/73	4 LAYER HEX X 8.5 EXTENDER BOARD
W905	PERIPH	IF	4 2/74	SHIELD BOARD, C2 GND, SINGLE 8.5
W906	PERIPH	IF	4 9/73	SHIELD BOARD, AC2, BC2 GND, DOUBLE 8.5
W907	PERIPH	IF	4 2/74	SHIELD BOARD, AC2, BC2, CC2, DC2 GND, QUAD 8.5
W930	11	DV	5	SINGLE 36 PIN BLANK 8.5" MODULE
W931	R/E	DS	1 2/71	WIRE WRAP PINS ON SIDE 1, 5 H807 ON SIDE 2, SPACE FOR 30 16- + 4 24-PIN IC'S, QUAD X 8.5
W940	CAT	RC	5	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 50 16-PIN IC'S, QUAD X 8.5, 50-09045
W941	CAT	RC	5	W940 EXCEPT HOLES FOR 25 16-PIN IC'S, DOUBLE X 8.5, 50-09046
W942	CAT	RC	5	W940 EXCEPT SOCKETS FOR 50 16-PIN IC'S, QUAD X 8.5, 50-09045
W943	CAT	RC	5	W940 EXCEPT SOCKETS FOR 25 16-PIN IC'S, DOUBLE X 8.5, 50-09046
W944	PERIPH	KF	3 1/74	W945 EXCEPT HOLES FOR 36 IC'S, DOUBLE 8.5, 50-10218
W945	PERIPH	KF	3 1/74	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 72 IC'S, QUAD 8.5, 50-10218
W946	PERIPH	DL	3 1/74	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 100 IC'S, HEX
W950	CAT	RC	5	W920 EXCEPT HOLE FOR 8 24 OR 16-PIN & 30 16-PIN IC'S, QUAD X 8.5, 50-09048
W951	CAT	RC	5	W920 EXCEPT HOLES FOR 4 24- OR 16-PIN & 15 16-PIN IC'S, DOUBLE X 8.5, 50-09047
W952	CAT	RC	5 3/72	W920 EXCEPT SOCKETS INSTEAD OF HOLES
W953	CAT	RC	5 3/72	W921 EXCEPT SOCKETS INSTEAD OF HOLES
W954	R	DA	3 2/74	WIRE WRAP PINS ON SIDE 1, HOLES FOR 8 24- OR 16-PIN, 49 16-PIN IC'S, 2 H854, HEX 8.5
W955	R	DA	3 2/74	W954 WITH SOCKETS
W956	R/B	EA	1 3/73	WIRE WRAP QUAD, 24 22-PIN HOLES, 8 16-PIN HOLES
W957	R/B	EA	1 8/73	W956 W SOCKETS
W960	MOD	RC	5	MS1 MOUNTING BOARD (2 14-16 PIN OR 1 24 PIN, ALL PINS BROUGHT OUT)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W961	15		5	2 16 PIN I/C MOUNT, A2 +5V PIN 16, C2&T1 GND PIN 8, 50-08912 (M245, M191, M238, M597, M697, M1700, M1701, M2004, M2500, M5007)
W9610	CAT	RF	5 3/74	2 16-PIN I/C MOUNT W +3V ON U1 & V1, ALL PINS OUT (M2001)
W9611	DC	EWB	2 4/74	SINGLE 16 PIN ECL BOARD MOUNT W LOAD PADS, +5V A2, V1; -2V B1; -5.2V B2, U1, 5010874, ALSO USED ON M1000, M1001, M1002, M1003, M2700, M5000, M6000, 4 LAYER SINGLE 5
W962	12	SNT	5	24 PIN I/C MOUNT WITH A2 (PIN 24) +5V & C2,T1 (PIN 12) GND, BOARD 50-08908A, ALSO USED FOR M155, M159
W963	15		5	2 14-PIN I/C MOUNT WITH A2 (PIN 14) +5 & C2, T1 GND (PIN 7), BOARD 50-08914
W964	CAT	ERP	5 2/72	GENERAL PURPOSE BLANK TERMINATOR FOR 28 PINS, SINGLE X 5, BOARD 50-09733
W964-YA	CSS	CC	3 2/75	IMP11 VOLTAGE DIVIDER, TERMINATOR, -5V SUPPLY
W966	B/E	PG	5	W987 WITH HOLES INSTEAD OF SOCKETS
W9660	FS	BP	2 6/74	WIRE WRAP QUAD W 4 SETS OF HANDLE END FINGERS, 1 H854, 37 16-PIN HOLES
W9661	CLP	RC	4 9/74	W986 W STANDARD HANDLES
W967	B/E	PG	5	8.2 QUAD, 42 16-PIN SOCKETS, WIRE WRAP, COMP SIDE, 2 TOP FINGER SETS, H854, FOR E919, OFFSET HANDLES
W9670	FS	BP	2 6/74	W9660 W SOCKETS INSTEAD OF HOLES
W9671	CLP	RC	4 6/74	W987 W STANDARD HANDLES
W968	MOD	RC	5	8.2 QUAD W979
W9680	CAT	SZ	2 9/72	8.2 HEX COLLAGE BOARD W 1 PIN/FINGER + 2 PINS/SOCKET LOCATION
W969	MOD	TC	5	8.2 W979
W9690	DC	IB	2 10/74	WIRE WRAP SINGLE 8.5, SPACE FOR 6 16-PIN IC, 40 WIRE FLAT MYLAR CONNECTOR 12-10023
W970	CAT		5	36 PINS, BARE BOARD, USED ON W971, SINGLE 5
W9700	PS	BP	1 4/73	SINGLE 8.5 BLANK BOARD, 36 HOLES, EACH CONNECTED TO ONE FINGER
W9701	PS	BP	1 4/73	DOUBLE 8.5 BLANK BOARD, 72 HOLES, EACH CONNECTED TO ONE FINGER
W9702	PS	BP	1 4/73	QUAD 8.5 BLANK BOARD, 144 HOLES, EACH CONNECTED TO ONE FINGER
W9703	DAS	DJA	1 7/74	DA28-F CUSTOM JAM ADDRESS, SHORT W970
W971	CAT	RJM	5	72 PINS, BARE BOARD, USES W970 BOARD, DOUBLE 5
W972	CAT	RJM	5 3/72	36 PINS, COPPER CLAD BOARD, SINGLE 5
W9720	CAT	SZ	5 4/72	36 PINS COPPER CLAD BOARD, SINGLE 8.5
W9721	CAT	SZ	5 3/72	72 PINS COPPER CLAD BOARD, DOUBLE 8.5
W9722	CAT	SZ	5 9/72	144 PINS COPPER CLAD BOARD, QUAD 8.5
W973	CAT	RJM	5	72 PINS, COPPER CLAD BOARD, DOUBLE 5
W974	CAT	RJM	5	36 PINS, HOLES ON 0.1" GRID, CONTACTS ONLY, SINGLE 5
W975	CAT	RJM	5	DOUBLE, 72 PINS, HOLES ON 0.1" GRID, CONTACTS ONLY
W976	MOD	RJM	6	(OPS), STD SIZE 36 PIN PANEL, PLATED THRU HOLES, PLASTIC MODULE GRID
W977	MOD	RJM	6	(OPS), DOUBLE SIZE 72 PIN PANEL, PLATED THRU HOLES, PLASTIC MODULE GRID
W979	MOD	RJM	5	DOUBLE HIGH, 72 PIN COLLAGE BOARD, SPACE FOR 18 16-PIN IC'S OR SOCKETS,
W980	CAT	RJM	5	MODULE EXTENDER
W9800	11	KA	5 2/74	HEX EXTENDER (NO FINGERS ON C, D, E) FOR CB11
W9801	11	JSM	1 3/74	SHORT HEX EXTENDER WITH POWER & GND ETCHED, WIRE WRAP FOR OTHERS
W981			2 10/74	(NEVER MADE), DOUBLE EXTENDER
W982	CAT	DCB	5	EXTENDER, SINGLE SIZE, 36 PINS
W983		RJM	5	DOUBLE EXTENDER, 72 PINS
W984	CAT	DCB	5	8.2 X DOUBLE EXTENDER BOARD
W985	CAT	RJM	6 10/74	SYSTEM MODULE ADAPTER
W986	PERIPH	LEVINE	1 10/69	W980 WITH 19 WIRE FLEXPRINT, 16 SIG + 3 GNDS, DF32
W987	CAT	SZ	5 5/73	8.2 QUAD DOUBLE SIDE MODULE EXTENDER
W989			6	(OPS), DOUBLE SIZE F.C. WIRING CHECKER, SIM TO 4909
W990	CAT	RJM	5	BLANK MODULE, SPLIT LUG FOR EACH PIN, 18 PINS
W991	CAT	RJM	5	DOUBLE SIZE BLANK MODULE, 36 PINS
W992	CAT	RJM	5	COPPER CLAD SINGLE MODULE, 18 PINS
W993	CAT	RJM	5	DOUBLE SIZED COPPER CLAD, 36 PINS
W994	CAT	RJM	6	SINGLE SIZED VECTOR BOARD, 18 PINS
W994-YA	CSS	EK	3 12/69	HPY440A DIGITAL VOLTMETER TERMINATOR
W994-YB	CSS	AP	3 1/70	3 COTS, 3 CAPS, LODGE & SHIPLEY MARK CENTURY CONTROLLER
W995	CAT	RJM	6	DOUBLE SIZE VECTOR BOARD, 36 PINS
W996			1	SINGLE SIZE CLAD BOARD, PLATED THRU HOLES FOR 19 IC'S & GOLD PLATED FINGERS, WHITE HANDLE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W998	CAT	RJM	5	W994 WITH NEW HOLE PATTERN, WAS W994B BOARD
W999	CAT	RJM	5	W995 WITH NEW HOLE PATTERN, WAS W995B BOARD

THE Y SERIES IS A GROUP OF MODULES OF PROPRIETARY DESIGN BY AND/OR FOR THE VARIOUS LISTED CUSTOMERS.

Y150	LOGIC	LAU	2	1/74	DUPONT F. S. C.
Y151	LOGIC	LAU	2	1/74	DUPONT OFFSET CONTROL
Y152	LOGIC	LAU	2	1/74	DUPONT PHOTOMETER
Y163-YH	LOGIC	JTN	1	10/74	1800 BAUD, NO PARITY
Y163-YJ	LOGIC	JTN	1	10/74	1200 BAUD, NO PARITY
Y163-YK	LOGIC	JTN	1	10/74	1200 BAUD, EVEN PARITY
Y187	LOGIC	FM	1	11/74	KODAK, OPTO-ISOLATOR
Y188	LOGIC	LAU	2	1/75	DUPONT F. S. C.