

5RD DECEMBER 1975

OPTION LIST PAGES 1-133

MODULE LIST PAGES 184-277

STATUS 0 (CANCELLED), STATUS 1 (UNANNOUNCED) AND STATUS 7 (OBSOLETE) ITEMS DELETED

OPTION LIST	000	PPPP	TTTT	I	000	N	N	/	M	M	000	DDDD	U	U	L	EEEE	L	I	SSSS	TTTT	1				
	0	0	P	P	T	I	0	0	NN	N	/	MM	MM	0	0	D	D	U	U	L	E	L	I	S	Y
	0	0	PPPP	T	I	0	0	NN	NN	N	/	MM	MM	0	0	D	D	U	U	L	E	L	I	SSS	T
	0	0	P	T	I	0	0	NN	NN	N	/	M	M	0	0	D	D	U	U	L	E	L	I	S	T
	0	0	P	T	I	0	0	NN	NN	N	/	M	M	0	0	D	D	U	U	L	E	L	I	S	T
	000	P	T	I	000	N	N	/	M	M	000	DDDD	UUU	LLLLL	EEEE	LLLLL	I	SSSS	TTTT						

OPTION DESIGNATION LIST 2 DEC, 1975

STATUS 0, 1 AND 7 DELETED

DICK BEST

THIS IS A LIST OF DESIGNATIONS AND NAMES OF EQUIPMENT WHICH HAS BEEN, IS, OR MAY BE AVAILABLE FOR SALE BY DEC. ANY PRICE LIST OF DATE LATER THAN THIS MAY INCLUDE ITEMS THAT ARE NOT IN THIS LIST. (ANY PUBLISHED LIST IS SOMEWHAT OUT OF DATE AS SOON AS IT IS SENT TO THE PRINTER) THE OPTIONS ARE SORTED BY MODEL NUMBER.

THE MODEL NUMBER HAS BEEN PLACED IN THE SPACE AVAILABLE FOR IT IN THE ACCOUNTING FORMAT. THIS SPACE CONSISTS OF A 2-CHARACTER CLASS CODE FIELD, A MAIN 5-CHARACTER FIELD AND A 2-CHARACTER "VARIATION" FIELD. A DASH SEPARATES THE MAIN AND VARIATION FIELDS, WHILE THE MAIN NUMBER IS RIGHT JUSTIFIED AND THE VARIATION IS LEFT JUSTIFIED. THE CLASS CODE FIELD IS BLANK FOR MOST MODEL NUMBERS. IT IS BEING USED, FOR EXAMPLE, FOR REFURBISHED EQUIPMENT (IEI AQ-DC10-AA) AND PRINT SETS (IEI MP-8A400). IN GENERAL, OLD MODEL NUMBERS CONTAIN NO LETTERS IN THE MAIN FIELD WHILE NEW MODEL NUMBERS CONTAIN 2 LETTERS FOLLOWED BY 2 NUMBERS FOR OPTIONS AND ONE LETTER FOLLOWED BY 3 OR 4 NUMBERS FOR MODULES. THE INITIAL LETTER IN THE MAIN FIELD GENERALLY IS THE SAME AS THE CATEGORY. EXCEPTIONS TO THIS ARE COMPUTERS, LISTED IN CATEGORY E.

THE MODEL NUMBER FOR A TESTER USES THE SAME CHARACTERS IN THE MAIN FIELD AS DOES THE OPTION FOR WHICH IT IS DESIGNED, WITH THE FIRST CHARACTER IN THE VARIATION FIELD BEING "T". FOR EXAMPLE, 2 TESTERS FOR THE RP01-A MIGHT BE NAMED RP01-TA AND RP01-TB. SUCH TESTER NUMBERS ARE NOT LISTED HERE. THEY ARE CONTROLLED BY DRAFTING.

THE "USED ON" COLUMN REFERS TO THE OPTIONS OR COMPUTERS TO WHICH THE ITEM IN QUESTION MAY BE CONNECTED.

THE "ENG MGR" IS THE ENGINEERING MANAGER WHO HAS THE FINAL RESPONSIBILITY FOR THE DEVICE.

THE "MANUFACTURING AREA" IS THE GROUP THAT MANUFACTURES OR IS RESPONSIBLE FOR THE DEVICE.

- COM = PDP11 COMMUNICATIONS F. A. T., WESTMINSTER
- CON = CONTROL SYSTEMS
- CSS = SPECIAL SYSTEMS, PARKER ST
- DAS = DEC SYSTEM 10 ADVANCED SYSTEMS
- FS = FIELD SERVICE
- IPC = INDUSTRIAL PRODUCTS, MAYNARD
- LVP = LOW VOLUME PRODUCTION, PARKER ST
- MAY = MAYNARD, THOMPSON ST.
- SDC = SOFTWARE DISTRIBUTION CENTER
- SSAU = SPECIAL SYSTEMS, AUSTRALIA
- SSCAL = SPECIAL SYSTEMS, CALIFORNIA
- SSCAN = SPECIAL SYSTEMS, CANADA
- SSCH = SPECIAL SYSTEMS, CHICAGO
- SSMU = SPECIAL SYSTEMS, MUNICH
- SSRU = SPECIAL SYSTEMS, RUNGIS, FRANCE
- SSUK = SPECIAL SYSTEMS, ENGLAND
- TE = TEST EQUIPMENT MFG, MAYNARD
- TEI = TEST EQUIPMENT MFG, IRELAND
- TPL = TRADITIONAL PRODUCTS
- TYP = TYPSETTING
- WF = WESTFIELD
- WM = WESTMINSTER

THE "DESIGN ENGINEER" HAS DESIGN RESPONSIBILITY FOR THE DEVICE AND IS AVAILABLE TO HELP SOLVE PROBLEMS THAT CANNOT BE HANDLED BY THE PRODUCTION ENGINEER.

THE "PRODUCTION ENGINEER" DETERMINES THE METHOD OF MANUFACTURE AND BUILDS THE PILOT RUN, HE IS ALSO AVAILABLE TO SOLVE PROBLEMS WITH THE DEVICE THAT THE PRODUCTION LINE CANNOT SOLVE,

2

THE "STATUS" CODE IS AS FOLLOWS:

0 = PROJECT CANCELLED	5 = RELEASED TO PRODUCTION
1 = UNANNOUNCED	6 = OBSOLETE, BUT CAN STILL BE CUSTOM BUILT
2 = IN DESIGN AND ANNOUNCED	7 = OBSOLETE AND CANNOT BE BUILT
3 = CUSTOM BUILT	8 = NO OPTION, BUT A SERIES NAME
4 = RELEASED TO BUILD	

"MO/YR" RECORDS THE MONTH AND YEAR OF THE LATEST CHANGE IN STATUS OR DESCRIPTION ON THAT LINE

THOSE ITEMS WITH STATUS 0, 1 AND 7 ARE NOT INCLUDED IN THE GENERALLY DISTRIBUTED LIST SINCE THOSE ITEMS ARE COMPANY CONFIDENTIAL, MONTHLY UPDATED COMPLETE LISTS ARE SENT TO THE FOLLOWING PEOPLE:

BOB ASPELL MR1/F39 (MF)	JOE MADDEN ML4/E23 (MF)	ROGER POTHIER MR1/E79 (MF)	BEV HALLMAN KA (MF)
GINGER CARROLL (2) ML1/F31 (MF)	BILL SHAW ML3/P54 (MF)	KEN RUSS 1=3 (MF)	JIM MCHUGH PK1/P84 (HC)
AL PEYFFER 4=4 (MF)	CHUCK BRANNIGAN WF (MF)	GEORGE CHAISSON PK3/S20 (HC)	MARTIN VDSHELL ML3/E33 (MF)
FRANK CASSIDY ML1/P53 (MF)	JOHN HOLMAN PK1 (MF)	BILL BURNS ML5/P67 (HC)	RENE THIBAUT PK3/T12 (HC)
DON RUZECKI PK3=2 (MF)	BILL HOGAN MR2/M59 (MF)	BRUCE DILLINGHAM MR1/P73 (MF)	JOHN WANAMAKER 5=5 (MF)
ANN WOOD ML4/P70 (MF, HC)	CHARLES FEELEY, GA (MF)	LORENZO RASILLE ML1/F31 (HC)	PAUL MC GAUNN WF (MF)
PETER BRIGGS ML1/P69 (MF)	MARK OLSEN MR1/E18 (MF)	JAY CHILD NR2/EXPORT (HC)	D. DINNOCENZO ML11/E52 (2HC)
BILL KLEIN ML12/E39 (MF)	DON CROWTHER ML5/E72 (MF)	DAVE MEUNIER WM/P18 (MF)	MARY CLOUTER PK3=2 (MF)
WAYNE GORSKI ML4/P70 (MF)	LYNNE CANAL PK3/S25 (HC)	LEN BIZZARO ML5/M17 (HC)	DAVE KICILINSKI ML1/P69 (HC)
JACK SHARP ML1/P49 (MF)	PAUL MASSONI WM/P41 (MF)	CHESTER JU ML1/E63 (MF)	ROY MOFFA MR2/M64 (MF)
NORM HOSLEY WM/P43 (MF)	FRANK HOLLAND, NATICK (MF, HC)	ANNE WOJCIK 5=2 (MF)	BERTHA STEGHUIRE KA (MF)
PABLO MARTINEZ AG (MF)	WALTER VARGAS SH (HC)	TOM LARSON SG (HC)	JOHN H. JACKSON WM/P41 (MF)
HANK BULENS WM/P80 (MF)	ED LO TURCO ML4/P70 (MF)	DICK AMANN ML6/E21 (MF)	MIKE MCCARTHY MR1=1/M42 (MF)
KEN BANKER ML5/E54 (MF)	DAN BLAST WM/P47 (MF)	WALTER VIGNAULT ML5/E60 (HC)	DEAN HOLLATZ WM/P47 (MF)
JEAN-CLAUDE VERDIN GE (MF)	DOUG ROTHENBERG ML1/E65 (MF)	DON CALL ML1/P60 (MF)	EMANUEL TUCKER ML5/M47 (MF)
WAYNE SAUNDERS PK2/A39 (MF)	MIKE MATTHEWS PK3=1/M29 (MF)	LEE ROBILLARD KA (MF)	BOB CURTISS PK3-2/F41 (MF)
IAN WATSON IRE (MF)	SUE STEVENS PK1/P84 (HC)	JEAN COOLIDGE MR1=1/M42 (MF)	CATHY BAKER PK1/P84 (HC)
HARTLEY LA DUKE MR1=1/M75 (MF)	FRANK ALLA ML1/F31 (HC)	KAREN RADTKE PK3=1/S48 (MF)	DON DAWES ML1=4/E30 (MF)
MARIO CASTILLO AG (MF)	GEORGE IRRIZARY SG (MF)		

A MONTHLY LIST THAT INCLUDES ALL SPECIAL SYSTEM MODULES & OPTIONS IS SENT TO THE FOLLOWING PEOPLE:

SUE STEVENS PK1/P84 (HC)

THE "CATEGORY" CODE IS AS FOLLOWS:

A = ANALOG-DIGITAL-ANALOG	N = PULSE HEIGHT ANALYSIS EQUIPMENT
B = MISCELLANEOUS	P = PAPER TAPE EQUIPMENT
C = CARD HANDLING EQUIPMENT	Q = SYSTEM SOFTWARE
D = DATA HANDLING EQUIPMENT	R = ROTATING MAGNETIC MEMORIES
E = COMPUTERS	S = SPARE PARTS
J = COURSES	
K = INTERNAL COMPUTER OPTIONS	T = MAGNETIC TAPE EQUIPMENT
L = LINE PRINTERS AND TYPEWRITERS	V = VISUAL READOUT (DISPLAYS)
M = MEMORIES (NON-ROTATING)	X = X-Y PLOTTERS
	Z = DIAGNOSTIC SOFTWARE

THERE SHOULD BE AN ENTRY IN EVERY COLUMN FOR EACH ITEM, PLEASE EXAMINE THOSE ITEMS FOR WHICH YOU ARE LISTED AS DESIGN OR PRODUCTION ENGINEER AND SUPPLY THE MISSING INFORMATION TO DICK BEST OR JUNE PAYNE (X2273).

GLOSSARY OF INITIALS

3

AAA=A, ADELMAN MR
 AAM=ALEC MUZAR SSCAN
 AB=A AL BARON ML
 ABC=A ALEX CAMPBELL PK
 ABW=ANDY WHITE PK
 AC=A, COHAN MR
 ACF=ARTHUR FILEZ MR
 ADL=A AL DELUCA ML
 ADP=A ALICE PETERS ML
 AEH=A AL HPLENIUS ML
 AEK=A ARNIE KORELITZ ML
 AEW=A ART WILLIAMS ML
 AF=A ALAN FRANTZ MR
 AG=A ABE GERSHNOW ML
 AH=A AL HIRSCH WM
 AHM=A AL MARSH ML
 AHS=A AL SHIMER MR
 AJ=A A, JOHNSON MR
 AJB=TONY BAUBLIS ML
 AJD=A AL DELLICICCHI MR
 AJF=A A, FARINELLI WM
 AJM=JOE MARTIN ML
 AK=A, KARLSBERG ML
 AKI=A KAVIA KANIEL MR
 AL=A AL LARKE ML
 ALA=A AL ANDERSON ML
 ALB=A AL BURNES ML
 ALM=A ALFRED HOPEI GE
 ALV=A ABE LEV SSCAL
 AM=A ALAN MOWBRAY ML
 AP=A AL PETERS MV
 AR=A, RICKETTS ML
 ARR=A AL RYDER ML
 AS=A AL SLIZ ML
 ASB=A AL BROWN ML5-5
 ASC=A AL CAREY ML
 AT=A, TITCOMB MR
 ATT=A G, ATTERBURY MR
 AW=A ALAN WALLACK MR
 AZ=A ART ZACCHIA ML
 BALL=CHRIS BALL PK
 BB=BILL BRUCKERT MR
 BC=BRIAN CROXON ML
 BD=B, DELAGI ML
 BDF=BRUCE PILGATE MR
 BDW=BARRY WEEKS MR
 BE=BOB EDWARDS SSCAL
 BECK=BOB BECK MR
 BES=BOB STEWART ML
 BF=BETH FERGOSH ML
 BFB=B, BAILLIE ML
 BG=BOB GRAY ML
 BH=BEV HALLMAN SSCAN
 BJH=BILL HUNSICKER ML
 BJM=BOB MCPADDEN MR
 BL=BILL LA PRADE ML
 BLC=BERNIE LACROUTE ML

BLE=BOB EGGERT SSCAL
 BLOOM=ELBERT BLOOM MR
 BLR=BARNEY LOITER PK
 BM=BOB MAC LEOD PK
 BMA=BBRIAN MANSEY ML
 BMM=BOB MULLIN WM
 BMP=BOB MC PHERSON SSUK
 BMW=BILL WEISKE PK
 BN=BERNARD NOLAN ML
 BOG=BERNIE GEAGHAN MR
 BP=B, POULIOT MR
 BPF=B, FITZGERALD ML
 BQ=BOB QUINN MR
 BR=DAVE BROWN ML5-2
 BRH=BRUCE HANSEN ML
 BRR=BILL ROBINSON PK
 BS=B, SIPILA ML
 BSD=BRAD DEWEY MR
 BSL=BBRYAN LOCKE MR
 BV=B, VACHON ML
 BVC=BILL VAN GURP DV
 BWH=BERNIE HALL ML
 CAER, CADY PK
 CAR=CARL RALSTON MR
 CARN=JANICE CARNES ML
 CAY=CHUCK YOUSE ML
 CB=A, CAMPBELL DV
 CBF=CHUCK BICKOFF ML
 CC=CHUCK COBB PK
 CER=CHARLES RONEY SSCAL
 CFM=CHARLES MEAD ML
 CH=D, CHACE ML
 CHI=CHAD CHI ML
 CHIN=DERRICK CHIN MR
 CJS=CRS STEPHENSON SSUK
 CLER, CLAYTON ML
 CM=CHRIS MICHEL SSRU
 CMR=BUZ BROOKS PK
 CMD=CHUCK DEWEY SV
 CN=CLAIRBORNE NEAL ML
 CP=CLAUDE PROTEAU MR
 CPM=CHARLES MERRILL ML
 CPN=CH NAYEDONSKY ML
 CR=CHARLES ROMEO MD
 CRB=CHUCK BLASI ML
 CS=CHARLES SCHNARE ML
 CUSJ, CUDMORE ML
 CV=C, VALENTINE PK
 CW=CHRIS WELLENS ML
 CYR=JOHN CYR MR
 CZ=A, CZAJKOWSKI MR
 DA=DAVE ADAMS ML
 DAC=DAVE CANE ML
 DAL=DON LEWINE MR
 DAO=DEREK OLOHAM MR
 DAS=D, STACKPOLE ML
 DB=DICK BRIGGS ML

DBN=DENNIS BROWN SSUK
 DC=DAVE CARLSON PK
 DCB=DWIGHT BAKER MR
 OCF=DENNIS FIELD ML
 DD=DICK DEVLIN MR
 DDA=DICK DAVIS GA
 DER=DAN BOWSER ML
 DEC=DON CROWTHER ML
 DEG=DAVE GINZLER ML
 DES=DOUG STELL ML
 DF=DICK FALT PK
 DFP=D, PAVLOCK ML
 DG=D, GROSS MR
 DH=D, HOPKINS PK
 DHA=DON HARDY ML
 DHO=DAN D'URSO MR
 DHK=D, KUKULINSKY ML
 DI=D, IVES ML
 DJA=D, ANDERSON MR
 DJD=D, DI GIROLAMO MR
 DJS=DICK SMITH ML
 DKC=DAVE CRABBE MR
 DL=DEMETRIOS LIGNOS ML
 DLM=DAVE MURRAY SSCAN
 DLN=DAVE NELSON ML
 DLR=DOUG ROTHENBERG ML
 DLW=DON WEAVER ML
 DM=D, MURPHY ML
 DMC=DAVE MCCLURE MR
 DMO=DAN DADDIECO ML
 DML=D, LITWINETZ MR
 DMP=DAVE PEASE MR
 DMT=DAVE TONGEL MR
 DN=DAVE NEVALA ML
 DO=D, O'CONNOR ML
 DOANE=R, DOANE MR
 DOV=DAVID VEINOT ML
 DP=DICK PETERSON ML
 DPR=DAVE RODGERS ML
 DPS=DAVID STRAND SSCAL
 DR=R, DIETER ML
 DRD=DAVE DUTTON ML
 DRES=D, DRESLINSKI PK
 DREW=JIM DREW ML
 DRI=DANIEL RIORDAN PK
 DRM=DAN MUTNANSKY ML
 DRS=DON STREET MR
 DS=DAVE SAARI ML
 DSD=DANA SAFFORD ML
 DSL=DAVE LESLIE PK
 DSR=DON REINKE ML
 DSS=DAVE SYMMES ML
 DTF=DOUGLAS FORSBERG PK
 DTS=DAN SULLIVAN ML
 DV=D, VONADA ML
 DW=DAVE WIENS SSCAN
 DWB=DAVE BUCKNAM ML

DWS=D, SMELSER ML
 DY=DON YOUNG SA
 DZ=D, ZERESKI ML
 EAV=ED VRABLIK ML
 EAS=ED SIEGMANN MR
 EB=ED BRUCKERT ML
 EC=ED CORELL ML
 ED=ED DONI MR
 EDS=ED STEINBERGER ML
 EG=E, GIANETTO ML
 EH=ED HOPEY ML
 EIA=ENRICO ANCONA ML
 EJS=ED SHANLEY ML
 ELB=ELINOR BURNS PK
 ELC=ED CONVERSE ML
 ELIA=R ELIA-SHAOUL ML
 ELK=E, KENNEY ML
 ELL=KEN ELLSON ML
 ELS=ED STELTZER ML
 EM=ED MARTELLO ML
 EN=ED NEUMYER MR
 EPC=ED CHAMBERS ML
 FR=E, REED ML
 ERK=ED KING MR
 ERP=ED PERMON ML
 ERS=ERNIE STRANGE PK
 ES=ELMER SIMMONS ML
 ESS=EMERY SPRINGER PK
 ET=ED TOBAJA SG
 EW=ED WARGO MR
 EWB=ERNIE BAUER MR
 EWS=ED SAPP PK
 EY=ED YEE, PK

GLOSSARY OF INITIALS CONTINUED

FAF, AUMANN PK
 FCH=CARY HOBSON ML
 FDF=FRED DOLL MR
 FDD=DAN DEKNIS ML
 FEF=FRANK ELIA ML
 FF=FRANK FORTIN MR
 FK=FRANK KERWIN MR
 FL=FRANK LOYA ML
 FM=FRANK MOLLER MR
 FMS=F, SCUVA LA
 FP=FRANKO PREVID MR
 FS=FRANK STRAIGHT ML
 FSB=FLOYD BENSON MR
 FSM=FRANCIS MOZYSKI PK
 FSS=FREDERICK SMITH MR
 FW=FRANK WILHELM MR
 FXS=FELIX SCHMITT SSMU
 FZ=FRANK ZERESKI ML
 GB=GERRY BUTLER SSCAL
 GBH=G HARRINGTON ML
 GC=GARY COLE MR
 GD=JACK DELBROCCO ML
 GGG=GERRY GANONG MR
 GEF=GEO FRIEND ML
 GEG=GERRY GAGNON ML
 GES=GUNTER SCHNEIDER ML
 GF=G, FORD ML
 GFS=GEO STROIS MR
 GG=GORDON GRAHAM ML
 GH=GEORGE HITZ ML
 GHL=GEO LORD ML
 GHP=GEO PARTRIDGE PK
 GJH=GERRY HORNIK PK
 GL=GLEN LEAFLOOR SSCAN
 GLA=GINGER ABRAMS ML
 GM=GARY MILLER ML
 GMC=GARY CERVENKA SSCAL
 GO=GEOFF GADES SSUK
 GOH=GREG HELTON MN
 GPG, POTTER ML
 GPA=GUS PASQUANTONIO MR
 GPAP=GARY PAPAZIAN ML
 GPB=G, P, BUDIANSKY MR
 GSG, SAVIERS ML
 GT=GEO THISSELL MR
 GWD=G, DULANEY MR
 HAH, ADLEMAN PK
 HAY=RANDY HAYNES SSCAL
 HD=HARRY DRAB ML
 HF=HEINZ FINDERISEN ML
 HK=HANK KREJCI ML
 HL=HERVE LAVOIE MR
 HLD=H LA DUKE MR
 HRL=HAROLD LONG ML
 HS=H, SHEPHERD ML
 HWM=WAYNE MAGARIAN PK
 IB=I, BELLETTIERE ML
 IR=ISAAC RAGWAR ML
 JA=JEGA ARULPRAGASAM ML
 JAM=JAY MACKRO ML
 JAT=JOHN TERCYAK MR
 JB=JOHN BLOEM ML
 JBD=JIM DAVIS JR ML
 JBH=JOHN HOLE ML
 JBJ=JOHN BROBEL ML
 JBP=JIM PLUNKETT MR
 JCB=JOHN CLARKE ML
 JCB=JOEL BERMAN PK
 JCH=JOHN MANTON ML
 JCY=JOHN CHECKLEY SSUK
 JDN=JOHN DRASHER MR
 JDA=JOHN ALLEN MR
 JDD=JIM DOYLE PK
 JDL=JOHN LEARSON ML
 JDM=JOHN DI MACK ML
 JE=J, ELSBREE MR
 JEB=JOHN BUZYNSKI ML
 JEH=JOHN HOLMAN PK
 JEN=JUDY NICHOLS PK
 JER=JOHN ROBERTS ML
 JES=JOHN SUDDUTH PK
 JEW=JOHN WDNKKA ML
 JFB=JIM BEATTY ML
 JERN=JOHN BYRON WF
 JG=J, GRADY ML
 JGN=JOHN GORMAN SSUK
 JH=JOHN R HESS ML
 JHH=JOHN HACKENBERG MR
 JHR=JOHN HRONES MR
 JJG=JIM GANNON ML
 JJJ=J, LARKIN PK
 JK=JOHN KIRK ML
 JL=JESSE LIPCON MR
 JLB=JERRY HOLMES ML
 JLP=JACKIE PAKARINEN MR
 JJM=JIM MURPHY ML
 JME=J, MELVIN JR ML
 JMB=JIM BARCLAY ML
 JMC=JOHN MCINTYRE ML
 JMR=JOE RINALDIS ML
 JMW=JIM WALLS ML
 JO=J, O'LOUGHLIN ML
 JP=JOHN PRATT PK
 JPD=JIM DIMAURO ML
 JPS=JIM STARKS PK
 JR=JENNY RYAN ML
 JRB=JOE BITTO ML
 JRC=JOHN CARLSON PK
 JRP=JIM PROVIDENT MR
 JRS=JOHN SOFIO ML
 JS=J, SULLIVAN PK
 JSL=JUD LEONARD MR
 JSM=JOE MANGIAPICO ML
 JSS=JOHN SIMONS SSCAN
 JTN=JAY NICHOLS PK
 JV=JACK VALENTINE ML
 JVJ=JOHN VROBEL ML
 JVL=JOHN LEVY ML
 JWK=JACK WILLIAMS ML
 JWC=JACK COLE ML
 JZ=JOE ZEH ML
 KA=KEN ADAMETZ ML
 KAR=KEN RAINA ML
 KATO=TAKASHI KATO SSJN
 KB=KEN BRABITZ SSCAL
 KC=KEN CLEVELAND ML
 KDG=KEN GULICK ML
 KE=ALLAN KENT MR
 KF=KARL FREY ML
 KG=KENT GRIGGS ML
 KH=KEN HEDBERG PK
 KK=KARL KOISTINEN PK1
 KM=KEN MCNAUGHTON WM
 KO=ALAN KOTOK MR
 KQ=KEN QUINN ML
 KR=ED KRAMER ML
 KR=KEN BIDDLE PK
 KS=KEN SARGENT ML
 KSA=K SRIVASTAVA ML
 KSB=KEN BANKER ML
 KU=VICTOR KU MR
 LAW=ROGER LAWSON ML
 LAU=CHI LAU MR
 LBH=LEN HUGHES ML
 LC=LARRY CONDON ML
 LCG=L, C, GARDNER MR
 LD=LENNY DIONNE ML
 LEC=L, CLEGHORN SSCAL
 LF=LARRY FAHEY ML
 LG=LORRIN GALE ML
 LHL, HALIO ML
 LHC=LARRY CONLEY ML
 LJC=LOUIS CARPENITO MR
 LJP=LUTHER FORMAN MR
 LK=LOU KLOTZ ML
 LN=L, NARHI ML
 LO=LINDA OLSEN PK
 LT=LEN TURNER ML
 LU=LEN UMINA MR
 LW=LARRY WADE ML
 MA=M, ARSENAULT ML
 MAX=MAX CANGIANO ML
 MB=MARIE DONELLY ML
 MC=J, MC NAMARA ML
 MDC=M, CONROY MR
 MDL=MIKE LEIS ML
 MDH=MIKE MORGANSTERN ML
 MEC=MARY ELLEN COREY MR
 MEL=M, E LEWANDOWSKI ML
 MES=MIKE SANDERSON ML
 MH=MARTIN HALL SSUK
 MI=JIM MILTON ML
 MJS=MARTY SCHWARTZ MR
 MK=MIKE KOULOPOULOS ML
 ML=MIKE LAWRENCE MR
 MM=JOE MC MULLIN MR
 MMH=MIKE MENSCH PK
 MOLIS=R, MOLIS ML
 MOOR=ROD MOORE ML
 MORO=STEVE MORO ML
 MORRIS=IRA MORRIS ML
 MP=MIKE POLIVICK PK1
 MR=MARK ROBERTS MR
 MS=M, SAMALE PK
 MSB=MIKE BUJNOWSKI PK
 MT=MIKE TITELBAUM ML
 MVA=MIKE AUGERI MR
 MW=MEL WOOLSEY ML
 MWS=MARK STECKLAIR ML
 NB=NOULAN BOWKER SSCAN
 NF=N, FIELD ML
 NJH=NEIL HACKLER ML
 NR=NELSON ROY ML
 NSL=NEIL SLAVIN ML
 NSR=N, S RAMACHANDRAN PK
 NT=NATHAN TEICHHOLTZ ML
 NW=NICK WELLS ML
 OF=OWEN FISK SSCAN
 OM=OLIVER MOBISSON MR
 ORR=TOM ORR ML

GLOSSARY OF INITIALS CONTINUED

5

PAG#PHIL GOLDMAN ML
 PAD#PHIL DESPO PK
 PAJ#P; JENKINS ML
 PAK#PAM KUKLA PK
 PAR#PAUL REY ML
 PC#PETER CHRISTY SSUK
 PCO#PHIL CARRILLO SSCAN
 PD#P; DURANT ML
 PDL#PETE LAWRENCE ML
 PDM#PETER MARTIN MR
 PDR#PAUL DI RICO PK1
 PETERS#AL PETERS MV
 PFG#PETE CONKLIN MR
 PFH#PAUL HANNAN MR
 PG#PAUL GARDNER ML
 PGA#PHIL ARNOLD ML
 PGH#PHIL GRUMBACH SSMU
 PH#PHIL HOLMES PK
 PJ#P; JANSON ML
 PJD#DESGROSEILLIERS MR
 PJM#PATRICK MANNING MR
 PK#KOTSCHENREUTHER ML
 PKR#PETER REINECKE ML
 PM#PETE MC LEAN ML
 PMC#P; MC CARTHY ML
 PMG#PAUL GUGLIELMI MR
 PMJ#PETE MASUCCI ML
 PNP#PAUL NELSON ML
 PNH#PETER HELLER ML
 POT#DAVE POTTER ML
 PP#PAUL PREO MR
 PR#P; REISSER SO
 PRO#P DOWNER ML
 PRS#PAUL SEGUIN WM
 PS#P SCRIVEN WA
 PSD#PAUL DUBROFF MR
 PTJ#PETER JANCOURTZ PK
 PV#P VAN ROEKENS ML
 PW#PHIL WILSON MR
 PWD#PETER DUKE PK
 PWK#PAUL KELLEY MR
 PWN#PETER HEANS PK
 RAA#BOB ARMSTRONG ML
 RAC#BOB CORNIER ML
 RAG#BOB GIGGI ML
 RAP#RICH POWERS ML
 RAR#ROBERT RAND ML
 RAS#SAM SAMPSON PK
 RBR#RAY BALDWIN ML
 RBG#BOB GETTYS ML
 RBH#R HURLEY SV
 RBP#BOB PRATT ML
 RBR#BOB REGAN ML
 RCR#RON COHEN MR
 RCR#BOB RICHMOND MR
 RDR#ROGER DOW ML
 RDA#DICK ANGEL ML
 RDB#BOB BATTERSBY PK
 RDG#RUTH GREEN MR
 RDH#RAY HARRINGTON ML
 RE#BOB REID MR
 REDG#RAY DELGIUDICE ML
 REH#R HESSELTINE WM
 REJ#BOB JOHNSON MR
 REL#RICH LEWIS ML
 REN#RICH, NEUBAUER MP
 REP#BOB PAYNE ML
 RF#ROBERT FITCH MR
 RFB#RAY BOUCHER ML
 RFC#BOB CAMELIO ML
 RFG#DICK GONZALES ML
 RFL#R, LARY ML
 RG#ROGER GAGNE ML
 RGM#DICK MORRIS ML
 RGR#RON GINGER MR
 RH#BOB HAMEL ML
 RHA#BOB ALLEN ML
 RHM#BOB MEESE ML
 RHW#BOB WOLFF ML
 RHZ#RICH HARTZ ML
 RI#RUSS IKNAIAN MR
 RJA#RAY ARSENAULT PK
 RJB#R JOHN BARDONE ML
 RJC#RICK CASABONA ML
 RJH#RON HAM ML
 RJM#ROY YOFFA MR
 RJN#DICK NIXON PK
 RJS#RON SETERA MR
 RJW#ROBERT WOLF ML
 RK#BOB KIRK ML
 RL#R, LISEE ML
 RLB#DICK BOUDROIT ML
 RLD#RATAN DHAR MR
 RLM#RUSS MOORE PK
 RLOM#ROY LOMICKA ML
 RLP#RALPH PLATZ ML
 RLS#RICHARD SIMON ML
 RMR#R MAY ML
 RMC#BOB MC CLURE ML
 RMD#R, MAC DONALD ML
 RME#RON MELANSON MR
 RMK#RUSS KRUGER PK
 RMM#R, MERRILL ML
 RMO#MARK OLSEN MR
 RMS#BOB SMITH ML
 RMT#RITA TANNER MR
 RNM#RICHESON ML
 RNT#BOB THORLEY PK
 ROTT#ROB ROTTMAYER ML
 RP#BOB PEYTON ML
 RPC#RICK CORBEN MR
 RPI#DICK PUCCI ML
 RPT#BOB POULIOT MR
 RRR#R, REED PK
 RRB#DICK BENNETT ML
 RRC#RON CARTER DV
 RS#R, SAVELL ML
 RSG#RAY GRUDA ML
 RSH#RAY SHOOD MR
 RTS#RICK TESTA ML
 RTB#DICK BARRY ML
 RVN#ROB VAN NAARDEN MR
 RW#REG WETHERALL PK
 RWG#ROY GUSTAFSON ML
 RWI#RAY IMBLUM SSCAL
 SA#J, ST AMOUR ML
 SAS#SHARON SMITH ML
 SC#STEVE CARTER ML
 SCJ#SCOTT JOHNSON ML
 SDS#SAS DURVASULA ML
 SERG#W, SERGEANT ML
 SG#STEVE GROSS ML
 SI#SUREN ITRUKULLA ML
 SJ#STEVE JENKINS ML
 SK#S, KOZIOL PK
 SKJS; JACKSON PK
 SL#STEVE LAZENOWICH MR
 SMS#S, MIKULSKI ML
 SMZ#SULTAN ZIA MR
 SNT#S;N, TEICHER ML
 SPRY#BILL SPRY PK
 SR#STEVE ROTHMAN ML
 SRH#STEVE HOLMES MR
 SS#SERGE SHAMMAS ML
 ST#J, STEFANOWICZ PK
 STP#S;T, POMFRET MR
 SU#P, SULLIVAN MR
 SW#J, SWANSON ML
 SW#STAN SCHULTZ PK
 SZ#S ZNAMIEROWSKI ML
 TA#TONY ARRICHI ML
 TB#TOM BARNETT PK
 TF#TOM FREISS PK
 TFF#TOM FAVA ML
 TH#TOM MCLEOD MR
 TH#TOM HOLMES PK
 TING#GEO TING HS
 TJB#TOM BILOTTA ML
 TK#TOM KNIGHT MR
 TK#P#TED KAPLAN PK
 TLK#TED KOPPI PK
 TM#TOM MIGNEAULT ML
 TMS#TOM STAMBAUGH ML
 TN#TOM NORTHRUP ML
 TO#TOM OLSEN PK
 TP#TOM PITMAN ML
 TPF#TOM FOLAN MR
 TPW#TOM WITOWSKI ML
 TS#TOM STOCKEGRAND ML
 TU#TOM UPTON ML
 TWE#TOM EGGERS MR
 TZ#TED ZAJDEL PK
 UR#UWE RICHERT SO
 VB#VINCENT BASTIANI ML
 VDB#V ROAEN ML
 VM#VAIDAS MONGIRDAS PK
 WA#BILL ANGEL ML
 WAH#BILL HENEY PK
 WB#BILL BLAKE ML
 WBE#BILL ERICSON MR
 WCG#BILL COATES ML
 WD#WALT DUNHAM ML
 WDH#BILL HAMILTON ML
 WDS#DON SCOTT PK
 WE#N, WELLS ML
 WEK#WALT KNAPP ML
 WEM#WALTER MANTER ML
 WFW#BILL WALSH MR
 WGW#WARREN HAMLIN MR
 WH#DON WHITE ML
 WHA#BILL ANGELL ML
 WHB#BILL BERNSTEIN ML
 WHM#WM MUNSON ML
 WHW#BILL WISE PK
 WJH#BILL HAZEN ML
 WJS#BILL SCHAUWEKER ML
 WJSH#BILL SMITH WF
 WK#W KERAUSCH SO
 WLA#BILL AVERY ML
 WLD#WILLIE DASH ML
 WL#BILL LONG PK
 WLS#BILL SIPILA ML
 WM#BILL MINOR ML
 WMK#W MACKENZIE PK
 WMM#WM, MAGUIRE MR
 WOB#WILL O'BRIEN PK
 WP#WALT PARKER ML
 WRD#BILL DEMMER ML
 WRH#BOB HALL ML
 WRHS#BILL HUGHES PK
 WRS#WILLIS SMITH ML
 WS#WALKER SLOAN ML
 WU#DELMORE WU SV
 WV#WALT VIGNAULT ML
 WW#BILL WALTON MR
 WWO#BILL OWENS ML
 WY#YUAN WU ML
 YK#YUNKAP KWANKAM ML

NAME SORTED GLOSSARY

ABRAMS GINGER=GLA ML
 ADAMETE KEN=KA ML
 ADAMS DAVE=DA ML
 ADELMAN A,=AA MR
 ADLEMAN H,=HA PK
 ALLEN BOB=RAA ML
 ALLEN JOHN=JDA MR
 ANCONA ENRICO=ZIA ML
 ANDERSON AL=ALA ML
 ANDERSON D,=DJA MR
 ANGEL BILL=WA ML
 ANGEL DICK=ADA ML
 ANGELL BILL=WAH ML
 ARMSTRONG BOB=RAA ML
 ARNOLD PHIL=PGA ML
 ARRIGHI TONY=TA ML
 ARSENAULT M,=MA ML
 ARSENAULT RAY=RAJ PK
 ARULPRACASAM JEGA=JA ML
 ATTERBURY G,=ATT MR
 AUGER MIKE=MVA MR
 AUMANN F,=FA PK
 AVERY BILL=VLA ML
 BAILLIE B,=BFB ML
 BAKER DWIGHT=DCB MR
 BALDWIN RAY=RB ML
 BALL CHRIS=BALL PK
 BANKER KEN=KSB ML
 BARCLAY JIM=JMB ML
 BARNETT TOM=TB PK
 BARRON AL=AB ML
 BARRY DICK=RTB ML
 BASTIANI VINCENT=VB ML
 BATTERSBY BOB=BRB PK
 BAUBLIS TONY=AJB ML
 BAUER ERNIE=EWB MR
 BEATTY JIM=JFB ML
 BECK BOB=BECK MR
 BELLETTIERE J,=IB ML
 BENNETT DICK=RRB ML
 BENSON FLOYD=FSB MR
 BERMAN JOEL=JOB PK
 BERNSTEIN BILL=WHB ML
 BICKOFF CHUCK=CBF ML
 BIDDLE KEN=KRB PK
 BILOTTA TOM=JOB ML
 BITTO JOE=JRB ML
 BLAKE BILL=WB ML
 BLASI CHUCK=CRB ML
 BLOEM JOHN=JB ML
 BLOOM ELPERT=BLOOM MR
 BOAEN V=VDB ML
 BOUCHER RAY=RFB ML
 Boudroit DICK=RLB ML
 BOWKER NOULAN=NB SSCAN
 BOWSER DAN=DEB ML
 BRABITZ KEN=KB SSCAL
 BRIGGS DICK=DB ML
 BROBEL JOHN=JBJ ML
 BROOKS BUZ=CMB PK
 BROWN AL=ASB MLS=5
 BROWN DAVE=BR MLS=2
 BROWN DENNIS=DBN SSUK
 BRUCKERT BILL=BB MR
 BRUCKERT ED=EB ML
 BUCKNAM DAVE=DWB ML
 BUDIANSKY G,P,=GPB MR
 BUJNOWSKI MIKE=MSB PK
 BURNES AL=ALB ML
 BURNS ELINOR=ELB PK
 BUTLER GERRY=GB SSCAL
 BUZYNSKI JOHN=JEB ML
 BYRON JOHN=JFBN WF
 CADY R,=CA PK
 CAMELIO BOB=RFC ML
 CAMPBELL A,=CB OV
 CAMPBELL ALEX=ABC PK
 CANE DAVE=DAC ML
 CANGIANO MAX=MAX ML
 CAREY AL=ASC ML
 CARLSON DAVE=DC PK
 CARLSON JOHN=JRC PK
 CARNES JANICE=CARN ML
 CARPENITO LOUIS=LJC MR
 CARRILLO PHIL=PCO SSCAN
 CARTER RON=RCO OV
 CARTER STEVE=SC ML
 CASABONA RICK=RJC ML
 CERVENKA GARY=GMC SSCAL
 CHACE O,=CH ML
 CHAMBERS ED=EPC ML
 CHECKLEY JOHN=JCY SSUK
 CHI CHAD=CHI ML
 CHIN DERRICK=CHIN MR
 CHRISTY PETER=PC SSUK
 CLARKE JOHN=JC ML
 CLAYTON R,=CL ML
 CLEGHORN L,=LEC SSCAL
 CLEVELAND KEN=KC ML
 COATES BILL=WC ML
 COBB CHUCK=CC PK
 COHAN A,=AC MR
 COHEN RON=RC MR
 COLE GARY=GC MR
 COLE JACK=JWC ML
 CONDON LARRY=LC ML
 CONKLIN PETE=PPC MR
 CONLEY LARRY=LHC ML
 CONROY M,=MDC MR
 CONVERSE ED=ELC ML
 CORBEN RICK=RPC MR
 CORELL ED=EC ML
 COREY MARY=ELLEN=MEC MR
 CORMIER BOB=RAC ML
 CRABBE DAVE=DKC MR
 CROWTHER DON=DEC ML
 CROXON BRIAN=BC ML
 CUDMORE J,=CU ML
 CYR JOHN=CJR MR
 CZAJKOWSKI A,=CZ MR
 DIURSO DAN=DHO MR
 DADDIECO DAN=DMD ML
 DASH WILLIE=WLD ML
 DAVIS DICK=DDA GA
 DAVIS JR JIM=JBD ML
 DEKNIS DAN=DD ML
 DELAGI B,=BD ML
 DELBROCCO JACK=GD ML
 DELGIUDICE RAY=REDG ML
 DELLICICCHI AL=AJD MR
 DELUCA AL=ADL ML
 DENNER BILL=HDD ML
 DESGROSEILLIENS=PJD MR
 DESPO PHIL=PAD PK
 DEVLIN DICK=DD MR
 DEWEY BRAD=BSD MR
 DEWEY CHUCK=CMD SV
 DHAR RATAN=RDL MR
 DI GIROLAMO D,=DJD MR
 DI MACK JOHN=JDM ML
 DI RICO PAUL=POR PK1
 DIETER R,=DR ML
 DIMAURO JIM=JPD ML
 DONNE LENNY=LD ML
 DOANE R,=DOANE MR
 DOLL FRED=FD MR
 DONNELLY MARIE=MDD ML
 DONI ED=ED MR
 DOW ROGER=RD ML
 DOWNER P,=PD ML
 DOYLE JIM=JDD PK
 DRAB HARRY=HD ML
 DRASHER JOHN=JD MR
 DRESLINSKI D,=DRES PK
 DREW JIM=DREW ML
 DUBROFF PAUL=PSD MR
 DUKE PETER=PWD PK
 DULANEY G,=GWD MR
 DUNHAM WALT=WD ML
 DURANT P,=PD ML
 DURVASULA SAS=SD ML
 DUTTON DAVE=DRD ML
 EDWARDS BOB=BE SSCAL
 EGGERS TOM=TWE MR
 EGGERT BOB=BLE SSCAL
 ELIA FRANK=FE ML
 ELIA-SHAOUL R=ELIA ML
 ELLSON KEN=ELL ML
 ELSBREE J,=JE MR
 ERICSON BILL=HBE MR
 FAHEY LARRY=LF ML
 FALT DICK=DF PK
 FARINELLI A,=AJF WM
 FAVA TOM=TFF ML
 FIELD DENNIS=DCF ML
 FIELD N,=NF ML
 FILGATE BRUCE=BDF MR
 FILE ARTHUR=ACF MR
 FINDEISEN HEINZ=HF ML
 FISK OWEN=OF SSCAN
 FITCH ROBERT=RF MR
 FITZGERALD B,=BFF ML
 FOLAN TOM=TFP MR
 FORD G,=GF ML
 FORGOSH BETH=BF ML
 FORMAN LUTHER=LJF MR
 FORSBERG DOUGLAS=DTF PK
 FORTIN FRANK=FF MR
 FRANTZ ALAN=AF MR
 FREISS TOM=TF PK
 FREY KARL=KF ML
 FRIEND GEO=GFE ML
 GAGNE ROGER=RG ML
 GAGNON GERRY=GEG ML
 GALE LORRIN=LG ML
 GANNON JIM=JGG ML
 GANONG GERRY=GOG MR
 GARDNER L,C,=LGG MR
 GARDNER PAUL=PG ML
 GEAGHAN BERNIE=BOG MR
 GERSHLOW ABE=AG ML
 GETTYS BOB=RRG ML
 GIANETTO E,=EG ML
 GIGGI BOB=RBG ML
 GINGER RON=RGR MR
 GINZLER DAVE=DEG ML
 GOLDMAN PHIL=PAG ML

NAME SORTED GLOSSARY CONTINUED

7

GONZALES DICKERFG ML
 GORMAN JOHN=JGN SSUK
 GRADY J.=JG ML
 GRAHAM GORDON=GG ML
 GRAY BOB=BG ML
 GREEN RUTH=RDG MR
 GRIGGS KENT=KG ML
 GROSS D.=DG MR
 GROSS STEVE=SG ML
 GRUDA RAY=RSO ML
 GRUMBACH PHIL=PGH SSMU
 GUGLIELMI PAUL=PMG MR
 GULICK KEN=KGG ML
 GUSTAFSON ROY=RWG ML
 HACKENBERG JOHN=JHH MR
 HACKLER NEIL=NJH ML
 HALIO L.=LH ML
 HALL BERNIE=BNH ML
 HALL BOB=HRH ML
 HALL MARTIN=MH SSUK
 HALLMAN BEV=RH SSCAN
 HAM RON=RJH ML
 HAMEL BOB=BRH ML
 HAMILTON BILL=BDH ML
 HAMLIN WARREN=WHH MR
 HANNAN PAUL=PHH MR
 HANSEN BRUCE=BRH ML
 HARDY DON=DHA ML
 HARRINGTON G=GBH ML
 HARRINGTON RAY=RDH ML
 HARTE RICH=RHZ ML
 HAYNES RANDY=HAY SSCAL
 HAZEN BILL=WJH ML
 HEDBERG KEN=KH PK
 HELENJUS AL=AEH ML
 HELLER PETER=PNH ML
 HELTON GREG=GOH MN
 HENEY BILL=WAH PK
 HESSELTINE R=REH WM
 HIRSCH AL=AH WM
 HITZ GEORGE=GH ML
 HOBSON GARY=PGH ML
 HOLMAN JOHN=JH PK
 HOLMES JERRY=JLH ML
 HOLMES PHIL=PH PK
 HOLMES STEVE=SRH MR
 HOLMES TOM=TH PK
 HOLZ JOHN=JH ML
 HOPEY ED=EH ML
 HOPKINS D.=DH PK
 HORNIK GERRY=GJH PK
 HORNES JOHN=JHR MR
 HUGHES BILL=WRHS PK
 HUGHES LEN=LGH ML
 HUNSICKER BILL=BJH ML
 HURLEY R=RBH SV
 IKNAIAN RUSS=RI MR
 IMBLUM RAY=RWI SSCAL
 IRUKULLA SUREN=SI ML
 IVES D.=DI ML
 JACKSON S.=SKJ PK
 JANCOURT PETER=PTJ PK
 JANSON P.=PJ ML
 JENKINS P.=PAJ ML
 JENKINS STEVE=JSJ ML
 JOHN BARDONE R=RJB ML
 JOHNSON A.=AJ MR
 JOHNSON BOB=REJ MR
 JOHNSON SCOTT=SCJ ML
 KANIEL AKAVIA=AKI MR
 KAPLAN TED=TKAP PK
 KARLSBERG A.=AK ML
 KATO TAKASHI=KATO SSJN
 KELLEY PAUL=PK ML
 KENNEY E.=ELK ML
 KENT ALLAN=KE MR
 KERAUSCH W=WK SO
 KERWIN FRED=FK MR
 KING ED=ERK MR
 KIRK BOB=K ML
 KIRK JOHN=JK ML
 KLOTZ LOU=LK ML
 KNAPP WALTER=KNK ML
 KNIGHT TOM=TK MR
 KOISTINEN KARL=KK PK1
 KOPPI TED=TLK PK
 KORELITZ ARNIE=AEK ML
 KOTOK ALAN=KO MR
 KOTSCHENREUTHER=PK ML
 KOULOPOULOS MIKE=MK ML
 KOZIOL S.=SK PK
 KRAMER ED=EK ML
 KREJCI HANK=HK ML
 KRUGER RUSS=RMK PK
 KU VICTOR=KU MR
 KUKLA PA=PAK PK
 KUKULINSKY D.=DK ML
 KWANKAM YUNKAP=YK ML
 LA DUKE H=LD ML
 LA PRADE BILL=BL ML
 LACROUTE BERNIE=BLG ML
 LARKE AL=AL ML
 LARKIN J.=JL PK
 LARY R.=RL ML
 LAU CHI=LAU MR
 LAVOIE HERVE=HL MR
 LAWRENCE MIKE=ML MR
 LAWRENCE PETE=PDL ML
 LAWSON ROGER=LAW ML
 LAZEROWICH STEVE=SL MR
 LEAFLOOR GLEN=GL SSCAN
 LEARSON JOHN=JDL ML
 LETS MIKE=ML ML
 LEONARD JUD=JSL MR
 LESLIE DAVE=DSL PK
 LEV ABE=ALV SSCAL
 LEVY JOHN=JVL ML
 LEWANDOWSKI M=E=ML ML
 LEWINE DON=DAL MR
 LEWIS RICH=REL ML
 LIGNOS DEMETRIOS=DL ML
 LIPCON JESSE=JL MR
 LISEE R.=RL ML
 LITWINETZ D.=DML MR
 LOCKE BRYAN=BSL MR
 LOITER BARNEY=BLR PK
 LOMICKA ROY=RLOH ML
 LONG BILL=LWL PK
 LONG HAROLD=HRL ML
 LORD GEO=GHL ML
 LOYA FRANK=FL ML
 MAC DONALD R.=RMO ML
 MAC LEOD BOB=BM PK
 MACKENZIE W=WMK PK
 MACKRO JAY=JAM ML
 MAGARIAN WAYNE=WHM PK
 MAGUIRE WM.=WMM MR
 MANGIAFICO JOE=JSM ML
 MANNING PATRICK=PJM MR
 MANSER BRIAN=BMA ML
 MANTER WALTER=WEM ML
 MANTON JOHN=JCM ML
 MARSH AL=AM ML
 MARTELLO ED=EM ML
 MARTIN JOE=AJM ML
 MARTIN PETER=PDM MR
 MASUCCI PETE=PMI ML
 MAY R=RM ML
 MC CARTHY P.=PMC ML
 MC CLURE BOB=HMC ML
 MC LEAN PETE=PM ML
 MC MULLIN JOE=MM MR
 MC NAMARA J.=MC ML
 MC PHERSON BOB=BMP SSUK
 MCCLURE DAVE=DMC MR
 MCFADDEN BOB=BJM MR
 MCINTYRE JOHN=JMC ML
 MCLEOD TOM=THM MR
 MCNAUGHTON KEN=KMM WM
 HEAD CHARLES=CPH ML
 MEANS PETER=PMH PK
 MEESE BOB=BRH ML
 MELANSON RON=RML MR
 MELVIN JR J.=JM ML
 MENSH MIKE=MMH PK
 MERRILL CHARLES=CPH ML
 MERRILL R.=RMM ML
 MICHEL CHRIS=CM SSRU
 MIGNEAULT TOM=TM ML
 MIKULSKI S.=SM ML
 MILLER GARY=GM ML
 MILTON JIM=MI ML
 MINOR BILL=MM ML
 MOBISSON OLIVER=OM MR
 MOFFA ROY=RJM MR
 MOLIS R.=MOLIS ML
 MOLLER FRANK=FM MR
 MONGIRDAS VAIDAS=VM PK
 MOORE ROD=MOOR ML
 MOORE RUSS=RML PK
 MORESI ALFRED=ALM GE
 MORGANSTERN MIKE=MDM ML
 MORO STEVE=MORO ML
 MORRIS DICK=RMH ML
 MORRIS IRA=MORRIS ML
 MOWBRAY ALAN=AM ML
 MOZYNSKI FRANCIS=FSM PK
 MULLIN BOB=BMM WM
 MUNSON WM=WHM ML
 MURPHY D.=DM ML
 MURPHY JIM=JMM ML
 MURRAY DAVE=DLM SSCAN
 MUTNANSKY DAN=DRM ML
 MUZAR ALEC=AAM SSCAN
 NARHI L.=LN ML
 NAVEDONSKY CH=CPN ML
 NEAL CLAIRBORNE=CN ML
 NELSON DAVE=DLN ML
 NELSON PAUL=PN ML
 NEUBAUER RICH.=REN MP
 NEUMYER ED=EN MR
 NEVALA DAVE=DN ML
 NICHOLS JAY=JTN PK
 NICHOLS JUDY=JEN PK
 NIXON DICK=RJN PK
 NOLAN BERNARD=BN ML
 NORTHROP TOM=TN ML

NAME SORTED GLOSSARY CONTINUED

8

O'BRIEN WILL=WOB PK
 O'CONNOR D,=DOO ML
 O'LOUGHLIN J,=JO ML
 OADES GEOFF=GO SSUK
 OLDHAM DEREK=DAO MR
 OLSEN LINDA=LO PK
 OLSEN MARK=ROMO MR
 OLSEN TOM=TO PK
 ORR TOM=ORR ML
 OWENS BILL=HWO ML
 PAKARINEN JACKIE=JLP MR
 PAPAZIAN GARY=GPAP ML
 PARKER WALT=WFP ML
 PARTIDGE GEO=GHP PK
 PASQUANTONIO GUS=GPA MR
 PAVLOCK D,=DPP ML
 PAYNE BOB=REP ML
 PEASE DAVE=DMP MR
 PERMON ED=ERP ML
 PETERS AL=AP MV
 PETERS AL=PETERS MV
 PETERS ALICE=ADP ML
 PETERSON DICK=DP ML
 PEYTON BOB=RP ML
 PITMAN TOM=TP ML
 PLATZ RALPH=PLP ML
 PLUNKETT JIM=JBP MR
 POLIVICK MIKE=MP PK1
 POMFRET S, T,=STP MR
 POTTER DAVE=PT ML
 POTTER G,=GP ML
 POULIOT B,=BP MR
 POULIOT BOB=RPY MR
 POWERS RICH=RAP ML
 PRATT BOB=RPB ML
 PRATT JOHN=JP PK
 PREG PAUL=PP MR
 PREVID FRANKO=FP MR
 PROTEAU CLAUDE=CP MR
 PROVIDENT JIM=JRP MR
 PUCCI DICK=RPI ML
 QUINN BOB=RQ MR
 QUINN KEN=RQ ML
 R HESS JOHN=JH ML
 RAGWAR ISAAC=IR ML
 RAJNA KEN=KAR ML
 RALSTON CARL=CAR MR
 RAMACHANDRAN M, S=NSR PK
 RAND ROBERT=RAR ML
 REED E,=ER ML
 REED R,=RR PK
 REGAN BOB=RRB ML
 REID BOB=RE MR
 REINECKE PETER=PKR ML
 REINKE DON=DSR ML
 REISSER P,=PR SO
 REY PAUL=PAR ML
 RICHERT UWE=UR SO
 RICHESON MORN ML
 RICHMOND BOB=ROR MR
 RICKETS A,=AR ML
 RINALDIS JOE=JMR ML
 RIORDAN DANIEL=DRI PK
 ROBERTS JOHN=JER ML
 ROBERTS MARK=MR MR
 ROBINSON BILL=BRR PK
 RODGERS DAVE=DPR ML
 ROMEO CHARLES=CR MO
 RONEY CHARLES=CER SSCAL
 ROTHENBERG DOUG=DOR ML
 ROTHMAN STEVE=SR ML
 ROTTMAYER ROB=ROTT ML
 ROY NELSON=NR ML
 RYAN JENNY=JR ML
 RYDER AL=ARR ML
 SAARI DAVE=DS ML
 SAFFORD DANA=DSO ML
 SAMALE M,=MS PK
 SAMPSON SAM=RAS PK
 SANDERSON MIKE=MES ML
 SAPP ED=ESW PK
 SARGENT KEN=KS ML
 SAVELL R,=RS ML
 SAVIERS G,=GS ML
 SCHAUWEKER BILL=WJS ML
 SCHMITT FELIX=FXS SSMU
 SCHNAHE CHARLES=CS ML
 SCHNEIDER GUNTER=GES ML
 SCHULTZ STAN=SWS PK
 SCHWARTZ MARTY=MJS MR
 SCOTT DON=WDS PK
 SCRIVEN P=PS WA
 SEGUIN PAUL=PRS WM
 SERGEANT W,=SERG ML
 SETERA RON=RJS MR
 SHAMMAS SERGE=SS ML
 SHANLEY ED=EJS ML
 SHEPHERD H,=HS ML
 SHIMER AL=SHS MR
 SHOOP RAY=RSR MR
 SIEGMANN ED=EAS MR
 SIMMONS ELMER=ES ML
 SIMON RICHARD=RLS ML
 SIMONS JOHN=JSS SSCAN
 SIPILA B,=BS ML
 SIPILA BILL=WLS ML
 SIRUIS GEO=GFS MR
 SLAVIN NEIL=NSL ML
 SLIZ AL=AS ML
 SLOAN WALKER=WS ML
 SMELSER D,=DWS ML
 SMITH BILL=WJSH WF
 SMITH BOB=RMS ML
 SMITH DICK=DJS ML
 SMITH FREDERICK=FSS MR
 SMITH SHARON=SAS ML
 SMITH WILLIS=WRS ML
 SOPPIO JOHN=JRS ML
 SOUVA F,=FMS LA
 SPRINGER EMERY=ESS PK
 SPRY BILL=SPRY PK
 SRIVASTAVA KAKSA ML
 ST AMOUR J,=SA ML
 STACKPOLE D,=DAS ML
 STAMBAUGH TOM=TMS ML
 STARKS JIM=JPS PK
 STECKLAIR MARK=MWS ML
 STEFANOWICZ J,=ST PK
 STEINBERGER ED=EDS ML
 STELL DOUG=DES ML
 STELTZER ED=EELS ML
 STEPHENSON CRS=CJS SSUK
 STEWART BOB=BES ML
 STOCKEBRAND TOM=TS ML
 STRAIGHT FRED=FS ML
 STRAND DAVID=DPS SSCAL
 STRANGE ERNIE=ERS PK
 STREET DON=DRS MR
 SUDDUTH JOHN=JES PK
 SULLIVAN DAN=DTS ML
 SULLIVAN J,=JS PK
 SULLIVAN P,=SU MR
 SWANSON J,=SW ML
 SYMMES DAVE=DSS ML
 TANNER RITA=RMT MR
 TEICHER S, N,=SNT ML
 TEICHHOLTZ NATHAN=NT ML
 TERCYAK JOHN=JAT MR
 TESTA DICK=RT ML
 THISSELL GEO=GT MR
 THORLEY BOB=RT PK
 TING GEO=TING MS
 TITCOMB A,=AT MR
 TITELBAUM MIKE=MT ML
 TOBAJA ED=ET SG
 TONGEL DAVE=DMT MR
 TURNER LEN=LT ML
 UMINA LEN=LU MR
 UPTON TOM=TU ML
 VACHON B,=BV ML
 VALENTINE C,=CV PK
 VALENTINE JACK=JV ML
 VAN GURP BILL=RVG DV
 VAN NAARDEN ROB=RVN MR
 VAN ROEKENS P=PV ML
 VEINOT DAVID=DOV ML
 VIGNAULT WALT=VW ML
 VONADA D,=DOV ML
 VRABLIK ED=EAV ML
 VROBEL JOHN=JVJ ML
 WADE LARRY=LW ML
 WALLACK ALAN=AW MR
 WALLS JIM=JMW ML
 WALSH BILL=WFW MR
 WALTON BILL=WW MR
 WARGO ED=EW MR
 WEAVER DON=DLW ML
 WEEKS BARRY=BDW MR
 WEISKE BILL=BW ML
 WELLENS CHRIS=CW ML
 WELLS N,=NE ML
 WELLS NICK=NW ML
 WETHERALL REG=RW PK
 WHITE ANDY=AW PK
 WHITE DON=WH ML
 WIENS DAVE=DW SSCAN
 WILHELM FRED=FW MR
 WILLIAMS ART=AEW ML
 WILLIAMS JACK=JW ML
 WILSON PHIL=PW MR
 WISE BILL=WHW PK
 WITOWSKI TOM=TPW ML
 WOLF ROBERT=RJW ML
 WOLFF BOB=RRW ML
 WONKKA JOHN=JEW ML
 WOOLSEY MEL=MW ML
 WU DELMORE=WU SV
 WU YUAN=YW ML
 YEE, ED=YEY PK
 YOUNG DON=DY SA
 YOUSE CHUCK=CAY ML
 ZACCHIA ART=AZ ML
 ZAJDEL TED=TE PK
 ZEH JOE=ZE ML
 ZERESKI D,=DZ ML
 ZERESKI FRANK=FZ ML
 ZIA SULTAN=SMZ MR
 ZNAMIEROWSKI S=SZ ML

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	9
10	EAS				6	K	1	AUTO MULTIPLY & DIVIDE	
1040=A	EAS	KE			6	9/72	E	1040-SA, RP10=A, RP02=A, TU10C=EE, CR10=FA, LSP10=LA, DK10, DC10=AA, 2 DC10=B, 115V 60HZ	
1040=B	EAS	KE			6	9/72	E	1040-SB, RP10=B, RP02=B, TU10C=EJ, CR10=FB, LSP10=LB, DK10, DC10=AB, DC10=B, 230V 50HZ	
1040=DA	EAS				6	3/73	E	1040-A + MD10=GA (64K 1,8 USEC MEM), 115V 60HZ	
1040=DB	EAS				6	3/73	E	1040-B + MD10=GB (64K 1,8 USEC MEM), 230V 50HZ	
1040=FA	EAS				6	3/73	E	1040-A + 4 ME10 (64K 1 USEC MEM), 115V 60HZ	
1040=FB	EAS				6	3/73	E	1040-B + 4 ME10 (64K 1 USEC MEM), 230V 50HZ	
1040=GA	EAS				2	8/72	E	1040-A + MF10=C (64K 1 USEC MEM), 115V 60HZ	
1040=GB	EAS				2	8/72	E	1040-B + MF10=C (64K 1 USEC MEM), 230V 50HZ	
1040=HA	EAS				3	3/74	E	1040-A + 2 32K MEM, 115V 60HZ	
1040=HB	EAS				3	3/74	E	1040-B + 2 32K MEM, 230V 50HZ	
1040=JA	EAS				6	3/73	E	1040-A + 4 ME10 (64K 1 USEC MEM), 115V 60HZ	
1040=JB	EAS				6	3/73	E	1040-B + 4 ME10 (64K 1 USEC MEM), 230V 50HZ	
1040=SA	EAS	KE			3	10/72	E	KA10=A + QHSYS=10	
1040=SB	EAS	KE			3	10/72	E	KA10=C + QHSYS=10	
1050=A	EAS	KE			6	8/72	E	KA10=A, 4ME10 RM10=GA RP02=GA TM10=GA DK10 CR10=DA LP10=CA 32 LINES DC10 OR DC60=A, 115V 60HZ	
1050=B	EAS	KE			6	8/72	E	KA10=C 4ME10 RM10=GB RP02=GB TM10=GB DK10 CR10=DB LP10=CB 32 LINES 115V 60HZ	
1055=A	EAS	KE					E	2KA10 5ME10 RM10=GA RM10=BA RP03=GA TU40=GA DC10 CR10=DA LP10=CA 32 LINES DC10 OR DC60=A, 115V 60HZ	
1055=B	EAS	KE			6	8/72	E	2KA10 5ME10 RM10=GB RM10=BB RP03=GB TU40=GB DC10 CR10=DB LP10=CB 32 LINES DC10 OR DC60=A, 230V 50HZ	
1060=A	EAS				3	8/72	E	KI10 RP03=CA TU40=CA CR10=EA LP10=EA DK10 QHSYS=10 DC10=AA 2 DC10=B 115V60HZ	
1060=B	EAS				3	8/72	E	KI10 RP03=CB TU40=CB CR10=EB LP10=EB DK10 QHSYS=10 DC10=AB 2 DC10=B 230V50HZ	
1060=GA	EAS				2	1/72	E	1060-A + MF10=C 64K 1 USEC MEM, 115V 60HZ	
1060=FA	FW				3	9/75	E	KI10,DL10=AA,MC10=H,DF10=A,DK10,TOPS=10 MONITOR, 120V 60HZ	
1060=FB	FW				3	9/75	E	KI10,DL10=AB,MC10=H,DF10=A,DK10,TOPS=10 MONITOR, 240V 50HZ	
1060=GB	EAS				2	8/72	E	1060-B + MF10=C 64K 1 USEC MEM, 230V 50HZ	
1060=HA	EAS				3	3/74	E	1060-A + 2 32K MEM, 115V 60HZ	
1060=HB	EAS				3	3/74	E	1060-B + 2 32K MEM, 230V 50HZ	
1060=JA	EAS				6	3/73	E	1060-A + 4 ME10 64K 1 USEC MEM, 115V 60HZ	
1060=JB	EAS				6	3/73	E	1060-B + 4 ME10 64K 1 USEC MEM, 230V 50HZ	
1060=S	EAS	KE			6	6/74	E	KI10 + QHSYS=10	
1060=XA	FW				3	9/75	E	KI10,DL10=AA,MC10=H,DX10=A,DK10,TOPS=10 MONITOR, 120V 60HZ	
1060=XB	FW				3	9/75	E	KI10,DL10=AB,MC10=H,DX10=A,DK10,TOPS=10 MONITOR, 240V 50HZ	
1066=FA	FW				3	9/75	E	1060=FA + KI10, 120V 60HZ	
1066=FB	FW				3	9/75	E	1060=FB + KI10, 240V 50HZ	
1066=XA	FW				3	9/75	E	1060=XA + KI10, 120V 60HZ	
1066=XB	FW				3	9/75	E	1060=XB + KI10, 240V 50HZ	
1070=A	EAS	KE			6	8/72	E	1060-S 6ME10 RM10=GA RM10=BA RP03=GA TU40=GA TU40=A CR10=EA DK10 LP10=CA 32 LINES DC10 OR DC60=A, 115V 60HZ	
1070=B	EAS	KE			6	8/72	E	1060-S 6ME10 RM10=GB RM10=BB RP03=GB TU40=GB TU40=B CR10=EB DK10 LP10=CB 32 LINES DC10 OR DC60=A, 230V 50HZ	
1077=A	EAS	KE			6	8/72	E	2 KI10 8ME10 RM10=GA RM10=BA RP03=GA TU40=GA 2TU40=A DK10 CR10=EA LP10=CA 32 LINES DC10 OR DC60=A, 115V 60HZ	
1077=B	EAS	KE			6	8/72	E	2 KI10 8ME10 RM10=GB RM10=BB RP03=GB TU40=GB 2TU40=B DK10 CR10=EB LP10=CB 32 LINES DC10 OR DC60=A, 230V 50HZ	
1080	ATT					9/75	E	KL10=AA OR KL10=AB BASED SYSTEM; GENERIC NAME	
1080=FC	FW				3	9/75	E	KL10=AA,DL10=AA,2 MC10=H, DF10=CA,TOPS=10 MONITOR, 120V 60HZ	
1080=FD	FW				3	9/75	E	KL10=AB, DL10=AB,2 MC10=H,DF10=CB,TOPS=10 MONITOR, 240V 50HZ	
1080=XA	FW				3	9/75	E	KL10=AA,DL10=AA,2 MC10=H, DX10=A,TOPS=10 MONITOR, 120V 60HZ	
1080=XB	FW				3	9/75	E	KL10=AB,DL10=AB,2 MC10=H,DX10=A,TOPS=10 MONITOR, 240V 50HZ	
11/03=AA		MT			2	4/75	E	KD11=F, BA11=MA, DLV11, 115V	
11/03=AB		MT			2	4/75	E	KD11=F, BA11=MB, DLV11, 230V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGH	MFGH AREA	STATUS NO/YR	CATE- GORY	USED ON	DESCRIPTION
11/03-BA		MT			2	4/75 E	•	KD11-J, BA11-MA, DLV11, (LS11), 115V
11/03-BB		MT			2	4/75 E	•	KD11-J, BA11-MB, DLV11, (LS11), 230V
11/03-CA		MT			2	6/75 E	•	4K RAM CONFIG: KD11-L, BA11-MA, DLV11, 115V
11/03-CB		MT			2	6/75 E	•	4K RAM CONFIG: KD11-L, BA11-MB, DLV11, 230V
11/03-DA		MT			2	6/75 E	•	4K CORE CONFIG: KD11-M, BA11-MA, DLV11, 115V
11/03-DB		MT			2	6/75 E	•	4K CORE CONFIG: KD11-M, BA11-MB, DLV11, 230V
11/03-EA		REL			2	11/75 E	•	KD11-F, BA11-MA, 115V
11/03-EB		REL			2	11/75 E	•	KD11-F, BA11-MB, 230V
11/03-FA		REL			2	11/75 E	•	KD11-J, BA11-MA, 115V
11/03-FB		REL			2	11/75 E	•	KD11-J, BA11-MB, 230V
11/03-GA		REL			2	11/75 E	•	KD11-L, BA11-MA, 115V
11/03-GB		REL			2	11/75 E	•	KD11-L, BA11-MB, 230V
11/03-HA		REL			2	11/75 E	•	KD11-M, BA11-MA, 115V
11/03-HB		REL			2	11/75 E	•	KD11-M, BA11-MB, 230V
11/04	JRS	RAA			2	11/74 E	•	KD11-D, KY11-LA, M9301-YA, M9302
11/04-AA	JRS	RAA			2	10/75 E	•	11/04, MS11-EP 4K MOS, DD11-C 4 SLOT, BA11-LC, 115V, OEM
11/04-AB	JRS	RAA			2	10/75 E	•	11/04, MS11-EP 4K MOS, DD11-C 4 SLOT, RA11-LD, 230V, OEM
11/04-AC	JRS	RAA			2	10/75 E	•	11/04, MS11-EP 4K MOS, DD11-D 9 SLOT, RA11-LC, 115V, OEM
11/04-AD	JRS	RAA			2	10/75 E	•	11/04, MS11-EP 4K MOS, DD11-D 9 SLOT, BA11-LD, 230V, OEM
11/04-BA	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-C 4 SLOT, RA11-LC, 115V, OEM
11/04-BB	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-C 4 SLOT, RA11-LD, 230V, OEM
11/04-BC	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-D 9 SLOT, RA11-LC, 115V, OEM
11/04-BD	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-D 9 SLOT, RA11-LD, 230V, OEM
11/04-BH	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-D 9 SLOT, RA11-KH, 115V, OEM
11/04-BJ	JRS	RAA			2	6/75 E	•	11/04, MS11-FP 8K MOS, DD11-D 9 SLOT, BA11-KJ, 230V, OEM
11/04-DA	JRS	RAA			2	11/75 E	•	11/04, MS11-JP (16K MOS), DD11-C (4 SLOT), BA11-LE, 115V, OEM
11/04-DB	JRS	RAA			2	11/75 E	•	11/04, MS11-JP (16K MOS), DD11-C (4 SLOT), BA11-LF, 230V, OEM
11/04-DC	JRS	RAA			2	11/75 E	•	11/04, MS11-JP 16K MOS, DD11-D 9 SLOT, BA11-LC, 115V, OEM
11/04-DD	JRS	RAA			2	11/75 E	•	11/04, MS11-JP 16K MOS, DD11-D 9 SLOT, BA11-LD, 230V, OEM
11/04-FC	JRS	RAA			2	11/75 E	•	11/04, MM11-CP 8K CORE, DD11-D 9 SLOT, BA11-LA, 115V, OEM
11/04-FD	JRS	RAA			2	11/75 E	•	11/04, MM11-CP 8K CORE, DD11-D 9 SLOT, BA11-LB, 230V, OEM
11/04-HC	JRS	RAA			2	11/75 E	•	11/04, MM11-CP 16K CORE, DD11-D 9 SLOT, BA11-LA, 115V, OEM
11/04-HD	JRS	RAA			2	11/75 E	•	11/04, MM11-CP 16K CORE, DD11-D 9 SLOT, BA11-LB, 230V, OEM
11/04-LC	JRS	RAA			2	11/75 E	•	11/04-DC + MS11-JP, 115V
11/04-LD	JRS	RAA			2	11/75 E	•	11/04-DD + MS11-JP, 230V
11/04-MC	JRS	RAA			2	11/75 E	•	11/04-HC + MM11-CP, 115V
11/04-MD	JRS	RAA			2	11/75 E	•	11/04-HD + MM11-CP, 230V
11/05-FA	RT	TU			2	10/72 E	UC15	11/05-KA W UC15 FRONT PANEL (KY11-JF), 115V
11/05-FB	RT	TU			2	10/72 E	UC15	11/05-KB W UC15 FRONT PANEL (KY11-JF), 230V
11/05-FE	RT	TU			2	10/72 E	UC15	11/05-LA W UC15 FRONT PANEL (KY11-JF), 115V
11/05-FF	RT	TU			2	10/72 E	UC15	11/05-LB W UC15 FRONT PANEL (KY11-JF), 230V
11/05-HA	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-K, CONFIG 1, KY11-JA, 115V, OEM
11/05-HB	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-K, CONFIG 1, KY11-JA, 230V, OEM
11/05-JA	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-L, CONFIG 1, KY11-JA, 115V, OEM
11/05-JB	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-L, CONFIG 1, KY11-JA, 230V, OEM
11/05-KA	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-K, CONFIG 2, KY11-JA, 115V, OEM
11/05-KB	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-K, CONFIG 2, KY11-JA, 230V, OEM
11/05-LA	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-L, CONFIG 2, KY11-JA, 115V, OEM
11/05-LB	RT	TU			5	2/75 E	•	KD11-B, PS, MM11-L, CONFIG 2, KY11-JA, 230V, OEM
11/05-MA	RT	TU			2	8/72 E	VT40	KD11-B, MM11-K, PS, VT40 CONFIG 3, KY11-JC, 115V
11/05-MB	RT	TU			2	8/72 E	VT40	KD11-B, MM11-K, PS, VT40 CONFIG 3, KY11-JC, 230V
11/05-NC	RT	TU			5	2/75 E	•	KD11-B, BA11-DD 10.5 INCH BOX, MM11-L, KY11-JD, 115V OEM
11/05-ND	RT	TU			5	2/75 E	•	KD11-B, BA11-DD 10.5 INCH BOX, MM11-L, KY11-JD, 230V OEM
11/05-NE	RT	TU			6	2/75 E	•	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 115V OEM
11/05-NF	RT	TU			6	2/75 E	•	KD11-B, BA11-DB 10.5" BOX, 2 MM11-L, KY11-JD, 230V OEM
11/05-PA	CA	TU			2	9/72 E	VT40	KD11-B, MM11-L, PS, VT40 CONFIG 3, KY11-JC, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	11
11/05-PB	RT	TU			2	9/72 E	VT40	KD11-B, MM11-L, PS, VT40 CONFIG 3, KY11-JC, 230V	
11/05-SC	RT	TU			5	2/75 E	-	KD11-B, BA11-KH 10.5 INCH BOX, MM11-U, KY11-JA, CONFIG 5, 115V OEM	
11/05-SD	RT	TU			5	2/75 E	-	KD11-B, BA11-KJ 10.5 INCH BOX, MM11-U, KY11-JA, CONFIG 5, 230V OFM	
11/05-XC	RT	TU			3	8/75 E	-	KD11-B, BA11-KH, MM11-U, MM11-S, KY11-JA, 115V OEM	
11/05-XD	RT	TU			3	8/75 E	-	KD11-B, BA11-KJ, MM11-U, MM11-S, KY11-JA, 230V OEM	
11/05-YC	RT	TU			3	8/75 E	-	KD11-B, BA11-KH, MF11-U, MM11-U, KY11-JA, 115V OEM	
11/05-YD	RT	TU			3	8/75 E	-	KD11-B, BA11-KJ, MF11-U, MM11-U, KY11-JA, 230V OEM	
11/05-WU	RT	TU			3	3/73 E	W,U,	2(11/05-LA, LP11, TA11-AA, BA11-ES, DP11-DA), H960-CA, 115V 60HZ	
11/05-WV	RT	TU			3	3/73 E	W,U,	2(11/05-LA, LP11, BA11-ES, DP11-DA), H960-CA, 115V 60HZ	
11/10-AC	DLR	CPN			5	2/75 E	-	11/05-LA (8K), 115V	
11/10-AD	DLR	CPN			5	2/75 E	-	11/05-LB (8K), 230V	
11/10-BC	DLR	CPN			5	2/75 E	-	11/05-LA (8K), TABLE TOP, 115V	
11/10-BD	DLR	CPN			5	2/75 E	-	11/05-LB (8K), TABLE TOP, 230V	
11/10-CA	DLR	CPN			6	8/75 E	-	11/05-LA (8K), LT33-DC, H950 TALL CAB, 115V 60HZ	
11/10-CB	DLR	CPN			6	8/75 E	-	11/05-LB (8K), LT33-DD, H950 TALL CAB, 230V 50HZ	
11/10-CE	DLR	CPN			6	8/75 E	-	11/05-LA (8K), LA30-CA, PC11, H950 TALL CAB, 115V 60HZ	
11/10-CF	DLR	CPN			6	8/75 E	-	11/05-LB (8K), LA30-CD, PC11-A, H950 TALL CAB, 230V 50HZ	
11/10-CJ	DLR	CPN			6	8/75 E	-	11/05-LA (8K), H950 TALL CAB, 115V	
11/10-CK	DLR	CPN			6	8/75 E	-	11/05-LB (8K), H950 TALL CAB, 230V	
11/10-CP	DLR	CPN			6	2/75 E	-	11/05-LA (8K), LA30-CA, TA11-AA, BM792-YH, QJ180-AN, 115V	
11/10-CR	DLR	CPN			6	2/75 E	-	11/05-LB (8K), LA30-CD, TA11-AB, BM792-YH, QJ180-AN, 230V	
11/10-DK	CA	MOLIS			6	3/74 E	-	11/10-CA, RC11, RS64-A, TC11, TU56, BM792-YB, 115V 60HZ	
11/10-DL	CA	MOLIS			6	3/74 E	-	11/10-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ	
11/10-DM	CA	MOLIS			6	3/74 E	-	11/10-DK, LA30-CA, NO LT33, 115V 60HZ	
11/10-DN	CA	MOLIS			6	3/74 E	-	11/10-DL, LA30-CD, NO LT33, 230V 50HZ	
11/10-EA	CA	MOLIS			6	3/74 E	-	11/10-CA, RF11, RS11, BM792-YB, PC11, 115V 60HZ	
11/10-EB	CA	MOLIS			6	3/74 E	-	11/10-CB, RF11, RS11-A, BM792-YB, PC11, 230V 50HZ	
11/10-EC	CA	MOLIS			6	3/74 E	-	11/10-CE, RF11, RS11, BM792-YB, 115V 60HZ	
11/10-ED	CA	MOLIS			6	3/74 E	-	11/10-CF, RF11, RS11-A, BM792-YB, 230V 50HZ	
11/10-EE	CA	MOLIS			6	3/74 E	-	11/10-CE, RK11-CA, RK05-AA, BM792-YB, ME11-LA, 115V 60HZ	
11/10-EF	CA	MOLIS			6	3/74 E	-	11/10-CF, RK11-CD, RK05-BB, BM792-YB, ME11-LB, 230V 50HZ	
11/10-NC	DLR	RAR			5	2/75 E	-	KD11-B, BA11-DC 10.5 INCH BOX, MM11-L, KY11-JE, CONFIG 4, 115V	
11/10-ND	DLR	RAR			5	2/75 E	-	KD11-B, BA11-DD 10.5 INCH BOX, MM11-L, KY11-JE, CONFIG 4, 230V	
11/10-NE	DLR	RAR			6	2/75 E	-	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 115V	
11/10-NF	DLR	RAR			6	2/75 E	-	KD11-B, BA11-DA 10.5" BOX, 2 MM11-L, KY11-JD, 230V	
11/10-NH		JSS		SSCAN	3	4/75 E	-	11/10-NC W BATTERY BACKUP INPUT	
11/10-SC	DLR	RAR			5	2/75 E	-	KD11-B, BA11-KH 10.5 INCH BOX, MM11-U, KY11-JE, CONFIG 5, 115V	
11/10-SD	DLR	RAR			5	2/75 E	-	KD11-B, BA11-KJ 10.5 INCH BOX, MM11-U, KY11-JE, CONFIG 5, 230V	
11/10-XC	SNT	JRS			3	11/75 E	-	KD11-B, BA11-KH, MM11-U, MM11-S, KY11-JE, 115V	
11/10-XD	SNT	JRS			3	11/75 E	-	KD11-B, BA11-KJ, MM11-U, MM11-S, KY11-JE, 230V	
11/10-YC	SNT	JRS			3	9/75 E	-	KD11-B, 4-SLOT BACKPLANE, MF11-U, MM11-U, BA11-KE, 115V	
11/10-YD	SNT	JRS			3	9/75 E	-	KD11-B, 4-SLOT BACKPLANE, MF11-U, MM11-U, BA11-KF, 230V	
11/15-AA	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-E, RM, 115V, OEM	
11/15-AB	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-F, RM, 230V, OEM	
11/15-BA	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-E, TT, 115V, OEM	
11/15-BB	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-F, TT, 230V, OEM	
11/15-CA	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-E, CAB, 115V, OEM	
11/15-CB	SCJ	JRC			3	4/72 E	-	KC11 PROC, BA11-CS, H720-F, CAB, 230V, OEM	
11/15-CC	EAS	KE			3	4/73 E	DC44, 75	KC11 BA11-CS KF11-A MM11-F KW11-L 115V 60HZ	
11/15-CD	EAS	KE			3	4/73 E	DC44, 75	KC11 BA11-CS KF11-A MM11-F KW11-L 230V 50HZ	
11/20-AA	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, RACK MOUNTABLE (RM) 115V 60HZ	
11/20-AB	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, RACK MOUNTABLE (RM) 230V 50HZ	
11/20-BA	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, TABLE TOP (TT) W COVER 115V 60HZ	
11/20-BB	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, TABLE TOP (TT) W COVER 230V 50HZ	
11/20-CA	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, CABINET MOUNTED (CAB) 115V 60HZ	
11/20-CB	SCJ	JRC			3	E	-	PDP11-20, 4K, KL11-A, LT33-DC, CABINET MOUNTED (CAB) 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/20-CC	SCJ	JRC			2 3/72	E	-	11/20-AA IN SHORT CAB H957
11/20-CD	SCJ	JRC			2 3/72	E	-	11/20-AB IN SHORT CAB H957
11/20-CE	SCJ	JRC			3 3/72	E	SYS 3	11/20-PA + MM11-F, PC11, LA30-PA, LC11-A, H950 TALL CAB, 115V 60HZ
11/20-CF	SCJ	JRC			3 3/72	E	SYS 3	11/20-PB + MM11-F, PC11, LA30-PB, LC11-A, H950 TALL CAB, 230V 50HZ
11/20-CG	SCJ	JRC			2 3/72	E	-	11/20-PA + MM11-F, PC11, LA30-PA, H957 SHORT CAB, 115V 60HZ
11/20-CH	SCJ	JRC			2 3/72	E	-	11/20-PB + MM11-F, PC11, LA30-PB, H957 SHORT CAB, 230V 50HZ
11/20-DA	SCJ	JRC			3	E		4K PDP11-20 RM, OEM, 115V 60HZ
11/20-DB	SCJ	JRC			3	E		4K PDP11-20 RM, OEM, 230V 50HZ
11/20-EA	SCJ	JRC			3	E		4K PDP11-20 TT, OEM, 115V 60HZ
11/20-EB	SCJ	JRC			3	E		4K PDP11-20 TT, OEM, 230V 50HZ
11/20-FA	SCJ	JRC			3	E		4K PDP11-20 CAB, OEM, 115V 60HZ
11/20-FB	SCJ	JRC			3	E		4K PDP11-20 CAB, OEM, 230V 50HZ
11/20-HA	SCJ	JRC			3	E		4K PDP11-20 RM, OEM, NO LT33 NO KL11, 115V
11/20-HB	SCJ	JRC			3	E		4K PDP11-20 RM, OEM, NO LT33 NO KL11, 230V
11/20-JA	SCJ	JRC			3	E		4K PDP11-20 TT, OEM, NO LT33 OR KL11 115V,
11/20-JB	SCJ	JRC			3	E		4K PDP11-20 TT, OEM, NO LT33 OR KL11, 230V
11/20-KA	SCJ	JRC			3	E		4K PDP11-20 CAB OEM NO LT33 OR KL11, 115V
11/20-KB	SCJ	JRC			3	E		4K PDP11-20 CAB OEM NO LT33 OR KL11, 230V
11/20-MA	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-AA
11/20-MB	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-AB
11/20-MC	SNT	AW			4 1/72	E	LAB 11	11/20-MA 230V 60HZ
11/20-MD	SNT	AW			4 1/72	E	LAB 11	11/20-MA 100V 50HZ
11/20-NA	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-CA
11/20-NB	SNT	AW			4 1/72	E	LAB 11	GREEN 11/20-CB
11/20-NC	SNT	AW			4 1/72	E	LAB 11	11/20-NA 230V 60HZ
11/20-ND	SNT	AW			4 1/72	E	LAB 11	11/20-NA 100V 50HZ
11/20-PA	SCJ	JRC			3 3/72	E	-	KA11 PROC, PS, BA11-CS, KY11-A, 115V
11/20-PB	SCJ	JRC			3 3/72	E	-	KA11 PROC, PS, BA11-CS, KY11-A, 230V
11/20-RA	SNT	AW			3 4/72	E	LAB11	GREEN 11/20-PA W KY11-AA, 115V 60HZ
11/20-RB	SNT	AW			3 4/72	E	LAB11	GREEN 11/20-PB W KY11-AA, 230V 50HZ
11/21-CA	SCJ	JRC			6 10/72	E	SYS 1	11/20-PA, ME11-LA, LT33-DC, H960-CA, 115V 60HZ
11/21-CB	SCJ	JRC			6 10/72	E	SYS 1	11/20-PB, ME11-LB, LT33-DD, H960-CB, 230V 50HZ
11/21-CE	SCJ	JRC			6 10/72	E	SYS 2	11/20-PA, ME11-LA, PC11, LA30-PA, LC11-A, H960-CA, 115V 60HZ
11/21-CF	SCJ	JRC			6 10/72	E	SYS 2	11/20-PB, ME11-LB, PC11, LA30-PB, LC11-A, H960-CB, 230V 50HZ
11/21-DA	SCJ	JRC			6 10/72	E	-	DOS #1 11/21-CA + RF11, RS11, TC11, TU56, BM792-YB, 115V 60HZ
11/21-DB	SCJ	JRC			6 10/72	E	-	11/21-CB + RF11, RS11-A, TC11, TU56, BM792-YB, 230V 50HZ
11/21-DC	SCJ	JRC			6 10/72	E	-	11/21-DA + LC11-A, LA30-PA, NO LT33, 115V 60HZ
11/21-DD	SCJ	JRC			6 10/72	E	-	11/21-DB, LC11-A, LA30-PB, NO LT33, 230V 50HZ
11/21-DE	SCJ	JRC			6 10/72	E	-	11/21-CA, RF11, RS11, TM11-A, TU10-EA, MR11-DB, (9 TR) 115V 60HZ
11/21-DF	SCJ	JRC			6 10/72	E	-	11/21-CB, RF11, RS11-A, TM11-B, TU10-ED, MR11-DB, (9TR) 230V 50HZ
11/21-DG	SCJ	JRC			6 10/72	E	-	11/21-CA, RF11, RS11, TM11-A, TU10-FA, MR11-DB (7 TR) 230V 50HZ
11/21-DH	SCJ	JRC			6 10/72	E	-	11/21-CB, RF11, RS11-A, TM11-B, TU10-FD, MR11-DB (7 TR) 230V 50HZ
11/21-DK	SCJ	JRC			6 10/72	E	-	11/21-CA, RC11, RS64-A, TC11, TU56, BM 92-YB, 115V 60HZ
11/21-DL	SCJ	JRC			6 10/72	E	-	11/21-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ
11/21-DM	SCJ	JRC			6 10/72	E	-	11/21-DK, LC11-A, LA30-PA, NO LT33, 115V 60HZ
11/21-DN	SCJ	JRC			6 10/72	E	-	11/21-DL, LC11-A, LA30-PB, NO LT33, 230V 50HZ
11/21-DP	SCJ	JRC			6 10/72	E	-	11/21-CA, MM11-L, RK11-CA, RK05-AA, TC11, TU56, BM792-YB, 115V 60HZ
11/21-DR	SCJ	JRC			6 10/72	E	-	11/21-CB, MM11-L, RK11-CB, RK05-BB, TC11, TU56, BM792-YB, 230V 50HZ
11/21-DS	SCJ	JRC			6 10/72	E	-	11/21-DP, LC11-A, LA30-PA, NO LT33, 115V 60HZ
11/21-DT	SCJ	JRC			6 10/72	E	-	11/21-DR, LC11-A, LA30-PB, NO LT33, 230V 50HZ
11/21-DU	SCJ	JRC			6 10/72	E	11/21-CA, MM11-L, RK11-CA, RK05-AA, TM11-A, TU10-EA, MR11-DB (9TR) 115V 60HZ	
11/21-DV	SCJ	JRC			6 10/72	E	11/21-CB, MM11-L, RK11-CB, RK05-BB, TM11-B, TU10-ED, MR11-DB (9TR) 230V 50HZ	
11/21-DW	SCJ	JRC			6 10/72	E	11/21-CA, MM11-L, RK11-CA, RK05-AA, TM11-A, TU10-FA, MR11-DB (7TR) 115V 60HZ	
11/21-DY	SCJ	JRC			6 10/72	E	11/21-CB, MM11-L, RK11-CB, RK05-BB, TM11-B, TU10-FD, MR11-DB (7TR) 230V 50HZ	
11/21-EA	SCJ	JRC			6 10/72	E	-	11/21-CA, RF11, RS11, BM792-YB, DD11-A, PC11, 115V 60HZ
11/21-EB	SCJ	JRC			6 10/72	E	-	11/21-CB, RF11, RS11-A, BM792-YB, DD11-A, PC11, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	13
11/21-EC	SCJ	JRC			6 10/72	E	-	11/21-EA, LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/21-ED	SCJ	JRC			6 10/72	E	-	11/21-FB, LC11-A, LA30-PD, NO LT33, 230V 50HZ	
11/21-EE	SCJ	JRC			6 10/72	E	-	11/21-CE, RK11-CA, RK05-AA, BM792-YB, MM11-L, DD11-A, 115V 60HZ	
11/21-EF	SCJ	JRC			6 10/72	E	-	11/21-CF, RK11-CD, RK05-BB, BM792-YB, MM11-L, DD11-A, 230V 50HZ	
11/21-NA	SCJ	JRC			6 10/72	E	LAB 11	11/20-RA, ME11-LA, H960-CC, 115V	
11/21-NB	SCJ	JRC			6 10/72	E	LAB 11	11/20-RB, ME11-LB, H960-CC, 230V	
11/21-PA	SCJ	JRC			6 10/72	E	-	BATCH: 11/20-PA, ME11-LA, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, DD11-A, BM792-YB, H960-CA, LC11-A, LA30-PA, PC11, QJ250, 115V 60HZ	
11/21-PB	SCJ	JRC			6 10/72	E	-	BATCH: 11/20-PB, ME11-LB, MM11-L, RK11-CR, RK05-BB, CR11-A, KW11-L, DD11-A, BM792-YB, H960-CB, LC11-A, LA30-PD, PC11-A, QJ250, 230V 50HZ	
11/21-PC	SCJ	JRC			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TC11, TU56	
11/21-PD	SCJ	JRC			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TC11, TU56	
11/21-PE	SCJ	JRC			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TM11-A, TU10-EA	
11/21-PF	SCJ	JRC			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TM11-B, TU10-FD	
11/21-PH	SCJ	JRC			6 10/72	E	-	11/21-PA W NO LA30, LC11, PC11, BUT KL11, LT33-DC, TM11-A, TU10-FA	
11/21-PJ	SCJ	JRC			6 10/72	E	-	11/21-PB W NO LA30, LC11, PC11, BUT KL11, LT33-DD, TM11-B, TU10-FD	
11/21-PK	SCJ	JRC			6 10/72	E	-	11/20-PA + ME11-LA, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, BM792-YB, LA30-PA, LC11-A, TC11, TU56, 115V 60HZ	
11/21-PL	SCJ	JRC			6 10/72	E	-	11/20-PB + ME11-LB, MM11-L, RK11-CB, RK05-BB, CR11-A, KW11-L, BM792-YB, LA30-PD, LC11-A, TC11, TU56, 230V 50HZ	
11/21-RA	SCJ	JRC			6 10/72	E	-	RSTS=11 11/21-CA, KW11-L, BM792-YB, BA11-ES, H720-E, DD11-A, 2 MM11-L, RK11-CA, 2 RK05-AA, PR11, 115V 60HZ	
11/21-RB	SCJ	JRC			6 10/72	E	-	RSTS=11 11/21-CB, KW11-L, BM792-YB, BA11-ES, H720-F, DD11-A, 2 MM11-L, RK11-CB, 2 RK05-BB, PR11-A, 230V 50HZ	
11/21-RC	SCJ	JRC			6 10/72	E	-	11/21-RA, RC11, RS64-A, TC11, TU56, ONLY 1 RK05, NO PR11 115V 60HZ	
11/21-RD	SCJ	JRC			6 10/72	E	-	11/21-RB, RC11, RS64-B, TC11, TU56, ONLY 1 RK05, NO PR11, 230V 50HZ	
11/21-RE	SCJ	JRC			6 10/72	E	-	11/21-RA RF11 RS11 TC11 TU56 NO RK11, NO RK05, NO PC11, 115V 60HZ	
11/21-RF	SCJ	JRC			6 10/72	E	-	11/21-RB RF11 RS11-A TC11 TU56, NO RK11, NO RK05 NO PC11, 230V 50HZ	
11/34-KK	JRS	PAA			2 11/75	E	-	KD11-E, MF11-WP, BA11-FC, H960-CA, H7420-A, 3 H744, H745, H754, H7857, M9301-YB, 115V	
11/34-KL	JRS	PAA			2 11/75	E	-	KD11-E, MF11-WP, BA11-FC, H960-CB, H7420-B, 3 H744, H745, H754, H7857, M9301-YB, 230V	
11/35-AA	RT	LC			3 12/73	E	-	KD11-A, RA11-FC, MF11-U, PS, 115V 60HZ OEM	
11/35-AB	RT	LC			3 12/73	E	-	KD11-A, BA11-FC, MF11-U, PS, 230V 50HZ OEM	
11/35-AC	RT	LC			3 7/73	E	-	KD11-A, RA11-DA, RACK MOUNTABLE, 115V	
11/35-AD	RT	LC			3 7/73	E	-	KD11-A, BA11-DB, RACK MOUNTABLE, 230V	
11/35-AE	RT	LC			3 12/73	E	-	KD11-A, RA11-FC, MF11-UP, PS, 115V 60HZ OEM	
11/35-AF	RT	LC			3 12/73	E	-	KD11-A, RA11-FC, MF11-UP, PS, 230V 50HZ OEM	
11/35-AH	RT	LC			3 4/73	E	-	KD11-A, RA11-DA, DD11-A, RACK MOUNTABLE, 115V 60HZ	
11/35-AJ	RT	LC			3 4/73	E	-	KD11-A, RA11-DB, DD11-A, RACK MOUNTABLE, 230V 50HZ	
11/35-FA	RT	LC			3 11/73	E	-	KD11-A, BA11-FC, MF11-UP, H960-CA, PS, 115V OEM	
11/35-FB	RT	LC			3 11/73	E	-	KD11-A, RA11-FC, MF11-UP, H960-CB, PS, 230V OEM	
11/35-FC	RT	LC			3 11/73	E	-	11/35-FA, MM11-UP, 115V OEM	
11/35-FD	RT	LC			3 11/73	E	-	11/35-FB, MM11-UP, 230V OEM	
11/35-FE	RT	LC			3 11/73	E	-	11/35-FA, MM11-UP, MF11-UP, KT11-D, 115V OEM	
11/35-FF	RT	LC			3 11/73	E	-	11/35-FB, MM11-UP, MF11-UP, KT11-D, 230V OEM	
11/35-FH	RT	LC			3 11/73	E	-	KD11-A, BA11-FC, MF11-U, KT11-D, H960-CA, PS, 115V OEM	
11/35-FK	RT	LC			3 11/73	E	-	KD11-A, RA11-FC, MF11-U, KT11-D, H960-CB, 230V OEM	
11/35-FL	RT	LC			3 11/73	E	-	11/35-FH, MM11-U, 115V OEM	
11/35-FM	RT	LC			3 11/73	E	-	11/35-FK, MM11-U, 230V OEM	
11/35-FN	RT	LC			3 11/73	E	-	11/35-FH, MM11-U, MF11-U, 115V OEM	
11/35-PP	RT	LC			3 11/73	E	-	11/35-FK, MM11-U, MF11-U, 230V OEM	
11/35-PR	RT	LC			3 11/73	E	-	11/35-FH, 2 MM11-U, MF11-U, 115V OEM	
11/35-PS	RT	LC			3 11/73	E	-	11/35-FK, 2 MM11-U, MF11-U, 230V OEM	
11/35-PT	RT	LC			3 11/73	E	-	11/35-FA, 2 MM11-UP, MF11-UP, KT11-D, 115V OEM	
11/35-FU	RT	LC			3 11/73	E	-	11/35-FB, 2 MM11-UP, MF11-UP, KT11-D, 230V OFM	
11/35-RT	JA	LC			5 6/73	E	-	KD11-A, BA11-DA, MF11-L, 115V, OEM	
11/35-JB	RT	LC			5 6/73	E	-	KD11-A, RA11-DB, MF11-L, 230V, OEM	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
11/35=JC	RT	LC			5 6/73	E	-	KD11=A, RA11=QA, MM11=S, 115V, OEM
11/35=JD	RT	LC			5 6/73	E	-	KD11=A, RA11=QB, MM11=S, 230V, OEM
11/35=JE	RT	LC			5 11/73	E	-	KD11=A, RA11=QA, ME11=LA, 115V, OEM
11/35=JF	RT	LC			5 11/73	E	-	KD11=A, RA11=QB, ME11=LB, 230V, OEM
11/35=JH	RT	LC			6 2/74	E	-	KD11=A, RA11=QA, MF11=U, 115V, OEM
11/35=JK	RT	LC			6 2/74	E	-	KD11=A, BA11=QB, MF11=U, 230V, OEM
11/35=JL	RT	LC			6 2/74	E	-	KD11=A, BA11=QA, MF11=U, KT11=O, 115V, OEM
11/35=JM	RT	LC			6 2/74	E	-	KD11=A, BA11=QB, MF11=U, KT11=O, 230V, OEM
11/35=SC	RT	JRS			3 6/74	E	-	KD11=A, BA11=KH, MF11=U, 115V
11/35=SD	JA	JRS			3 6/74	E	-	KD11=A, BA11=KJ, MF11=U, 230V
11/35=SE	JA	JRS			3 6/74	E	-	KD11=A, BA11=KH, MF11=UP, 115V
11/35=SF	JA	JRS			3 6/74	E	-	KD11=A, BA11=KJ, MF11=UP, 230V
11/40=AC	JA	LC			5 1/75	E	-	KD11=A, MF11=L, BA11=FC, PS, 115V
11/40=AD	RT	LC			5 1/75	E	-	KD11=A, MF11=L, BA11=FC, PS, 230V
11/40=AE	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=LP, PS, 115V
11/40=AF	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=LP, PS, 230V
11/40=AH	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=U, PS, 115V
11/40=AJ	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=U, PS, 230V
11/40=AK	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=UP, PS, 115V
11/40=AL	RT	LC			5 1/75	E	-	KD11=A, BA11=FC, MF11=UP, PS, 230V
11/40=AM	RT	LC			3 12/74	E	-	11/40=AH, MM11=U, 115V
11/40=AN	RT	LC			3 12/74	E	-	11/40=AJ, MM11=U, 230V
11/40=AP	RT	LC			2 10/74	E	KL10	11/40=AK, MM11=UP, 115V
11/40=AR	RT	LC			2 10/74	E	KL10	11/40=AL, MM11=UP, 230V
11/40=BA	RT	LC			3 11/73	E	-	11/40=AH, DL11=A, LT33=DC, H960=CA, 115V 60HZ
11/40=BB	RT	LC			3 11/73	E	-	11/40=AJ, DL11=A, LT33=DD, H960=CB, 230V 50HZ
11/40=BC	RT	LC			3 11/73	E	-	11/40=AH, DL11=A, LA36=CA, H960=CA, 115V 60HZ
11/40=BD	RT	LC			3 11/73	E	-	11/40=AJ, DL11=A, LA36=CB, H960=CB, 230V 50HZ
11/40=BE	RT	LC			3 11/73	E	-	11/40=AH, DL11=A, VT05B=AA, H960=CA, 115V 60HZ
11/40=BF	RT	LC			3 11/73	E	-	11/40=AJ, DL11=A, VT05B=AD, H960=CB, 230V 50HZ
11/40=BH	RT	LC			3 11/73	E	-	11/40=AK, DL11=A, LT33=DC, H960=CA, 115V 60HZ
11/40=BJ	RT	LC			3 11/73	E	-	11/40=AL, DL11=A, LT33=DD, H960=CB, 230V 50HZ
11/40=BK	RT	LC			3 11/73	E	-	11/40=AK, DL11=A, LA36=CA, H960=CA, 115V 60HZ
11/40=BL	RT	LC			3 11/73	E	-	11/40=AL, DL11=A, LA36=CB, H960=CB, 230V 50HZ
11/40=BM	RT	LC			3 11/73	E	-	11/40=AK, DL11=A, VT05B=AA, H960=CA, 115V 60HZ
11/40=BN	RT	LC			3 11/73	E	-	11/40=AL, DL11=A, VT05B=AD, H960=CB, 230V 50HZ
11/40=BP	RT	LC			3 12/74	E	-	11/40=AH, MM11=U, LA36=CA, DL11=A, H960=CA, 115V 60HZ
11/40=BR	RT	LC			3 12/74	E	-	11/40=AJ, MM11=U, LA36=CB, DL11=A, H960=CB, 230V 50HZ
11/40=BS	RT	LC			3 12/74	E	-	11/40=AK, MM11=UP, LA36=CA, DL11=A, H960=CA, 115V 60HZ
11/40=BT	RT	LC			3 12/74	E	-	11/40=AL, MM11=UP, LA36=CB, DL11=A, H960=CB, 230V 50HZ
11/40=CA	RT	LC			5 6/73	E	-	KD11=A, BA11=FC, MF11=L, LT33=DC, DL11=A, H960=CA TALL CAB, 115V60HZ
11/40=CB	RT	LC			5 6/73	E	-	KD11=A, BA11=FC, MF11=L, LT33=DD, DL11=A, H960=CB TALL CAB, 230V50HZ
11/40=CC	RT	LC			3 3/73	E	-	KD11=A, BA11=FC, MF11=L, LT33=DC, DL11=A, H957 SHORT CAB, 115V 60HZ
11/40=CD	RT	LC			3 3/73	E	-	KD11=A, BA11=FC, MF11=L, LT33=DD, DL11=A, H957 SHORT CAB, 230V 50HZ
11/40=CE	RT	LC			4 2/73	E	-	KD11=A, BA11=FC, MF11=L, PC11, LA36=PA LC11=A DD11=A TALL CAB, 115V60HZ
11/40=CF	RT	LC			4 2/73	E	-	KD11=A, BA11=FC MF11=L PC11=A LA36=PD LC11=A DD11=A TALL CAB 230V50HZ
11/40=CH	RT	LC			4 9/74	E	-	KD11=A, BA11=FC, MF11=L, H960=CA TALL CAB (W 861-C), 115V
11/40=CJ	RT	LC			4 9/74	E	-	KD11=A, BA11=FC, MF11=L, H960=CB TALL CAB (W 861-B), 230V
11/40=CP	RT	LC			6 9/74	E	-	KD11=A BA11=FC MF11=L TA11=AA LA36=PA DD11=A BM792-YH QJ180-AN CAB 115V60HZ
11/40=CR	RT	LC			6 9/74	E	-	KD11=A BA11=FC MF11=L TA11=AB LA36=PD DD11=A BM792-YH QJ180-AN CAB 230V50HZ
11/40=CS	RT	LC			3 4/73	E	DS500	KD11=A, BA11=FC, MF11=L, H967=HA SHORT CAB, 115V
11/40=CT	RT	LC			3 4/73	E	DS500	KD11=A, BA11=FC, MF11=L, H967=HB SHORT CAB, 230V
11/40=CU	RT	LC			3 8/73	E	GT44	11/40=AH 2 RK05-AA RK11=O LA36=CA BM792-YB H967-KA H967-KC VT11 115V60
11/40=CV	RT	LC			3 8/73	E	GT44	11/40=AJ 2 RK05-BB RK11=D LA36=CD BM792-YB H967-KB H967-KD VT11 230V50
11/40=DA	RT	LC			6 3/74	E	-	DOS 1 11/40=CA + RF11, RS11, TC11, TU56, BM792-YB, 115V 60HZ
11/40=DB	RT	LC			6 3/74	E	-	11/40=CB + RF11, RS11=A, TC11, TU56, BM792-YB, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- NO/YR	GROUP	USED ON	DESCRIPTION	15
11/40-DC	RT	LC			6	3/74	E		11/40-DA + LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/40-DD	RT	LC			6	3/74	E		11/40-DB, LC11-A, LA30-PD, NO LT33, 230V 50HZ	
11/40-DE	RT	LC			6	10/72	E		11/40-CA, RF11, RS11, TM11-A, TU10-EA, MR11-DB, (9 TR) 115V 60HZ	
11/40-DF	RT	LC			6	10/72	F		11/40-CB, RF11, RS11-A, TM11-B, TU10-ED, MR11-DB, (9TR) 230V 50HZ	
11/40-DH	RT	LC			6	10/72	E		11/40-CA, RF11, RS11, TM11-A, TU10-FA, MR11-DB (7 TR) 230V 50HZ	
11/40-DJ	RT	LC			6	10/72	E		11/40-CB, RF11, RS11-A, TM11-B, TU10-FD, MR11-DB (7 TR) 230V 50HZ	
11/40-DK	RT	LC			6	3/74	E		11/40-CA, RC11, RS64-A, TC11, TU56, BM792-YB, 115V 60HZ	
11/40-DM	RT	LC			6	3/74	E		11/40-CB, RC11, RS64-B, TC11, TU56, BM792-YB, 230V 50HZ	
11/40-DN	RT	LC			6	3/74	E		11/40-DK, LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/40-DP	RT	LC			6	3/74	F		11/40-DL, LC11-A, LA30-PD, NO LT33, 230V 50HZ	
11/40-DR	RT	LC			6	3/74	E		11/40-CA, MM11-L, RK11-CA, RK05-AA, TC11 TU56 BM792-YB 115V60HZ	
11/40-DS	RT	LC			6	3/74	E		11/40-CB, MM11-L, RK11-CB, RK05-BB, TC11 TU56 BM792-YB 230V50HZ	
11/40-DT	RT	LC			6	3/74	F		11/40-DP, LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/40-DU	RT	LC			6	3/74	F		11/40-DR, LC11-A, LA30-PD, NO LT33, 230V 50HZ	
11/40-DV	RT	LC			6	10/72	E	11/40-CA	MM11-L RK11-CA RK05-AA TM11-A TU10-EA MR11-DB (9TR) 115V60HZ	
11/40-DW	RT	LC			6	10/72	E	11/40-CB	MM11-L RK11-CB RK05-BB TM11-B TU10-ED MR11-DB (9TR) 230V50HZ	
11/40-DX	RT	LC			6	10/72	E	11/40-CA	MM11-L RK11-CA RK05-AA TM11-A TU10-FA MR11-DB (7TR) 115V60HZ	
11/40-DY	RT	LC			6	10/72	E	11/40-CB	MM11-L RK11-CB RK05-BB TM11-B TU10-FD MR11-DB (7TR) 230V50HZ	
11/40-EA	RT	LC			6	3/74	E		11/40-CA RF11, RS11, BM792-YB, DD11-A, PC11, 115V 60HZ	
11/40-EB	RT	LC			6	3/74	E		11/40-CB, RF11, RS11-A, BM792-YB, DD11-A, PC11, 230V 50HZ	
11/40-EC	RT	LC			6	3/74	E		11/40-EA, LC11-A, LA30-PA, NO LT33, 115V 60HZ	
11/40-ED	RT	LC			6	3/74	E		11/40-EB, LC11-A, LA30-PD, NO LT33, 230V 50HZ	
11/40-EE	RT	LC			6	3/74	E		11/40-CE, RK11-CA, RK05-AA, BM792-YB, MM11-L, DD11-A, 115V 60HZ	
11/40-EF	RT	LC			6	3/74	E		11/40-CF, RK11-CD, RK05-BB, BM792-YB, MM11-L, DD11-A, 230V 50HZ	
11/40-EH	RT	LC			6	3/74	E		11/40-DE W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EJ	RT	LC			6	3/74	E		11/40-DF W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EK	RT	LC			6	3/74	E		11/40-DH W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EL	RT	LC			6	3/74	E		11/40-DJ W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EM	RT	LC			6	3/74	E		11/40-DU W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-EN	RT	LC			6	3/74	E		11/40-DV W LA30-PD INSTEAD OF LT33, 230V 50HZ	
11/40-EP	RT	LC			6	3/74	E		11/40-DW W LA30-PA INSTEAD OF LT33, 115V 60HZ	
11/40-ER	RT	LC			6	3/74	E		11/40-DY W LA30-PD INSTEAD OF LT33 230V 50HZ	
11/40-FA	RT	LC			3	3/74	E		OEM 11/40-CA, 115V 60HZ	
11/40-FB	RT	LC			3	3/74	E		OEM 11/40-CB, 230V 50HZ	
11/40-FE	RT	LC			3	3/74	E		OEM 11/40-CE, 115V 60HZ	
11/40-FF	RT	LC			3	3/74	E		OEM 11/40-CF, 230V 50HZ	
11/40-FH	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-LP, PS, H960-CA, 115V	
11/40-FJ	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-LP, PS, H960-CB, 230V	
11/40-FK	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-U, PS, H960-CA, 115V	
11/40-FL	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-U, PS, H960-CB, 230V	
11/40-FM	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-UP, PS, H960-CA, 115V	
11/40-FN	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-UP, PS, H960-CB, 230V	
11/40-FP	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-L, PS, H957, 861-C, 115V	
11/40-FQ	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-L, PS, H957, 861-B, 230V	
11/40-FR	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-LP, PS, H957, 861-C, 115V	
11/40-FS	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-LP, PS, H957, 861-B, 230V	
11/40-FT	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-U, PS, H957, 861-C, 115V	
11/40-FU	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-U, PS, H957, 861-B, 230V	
11/40-FV	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-UP, PS, H957, 861-C, 115V	
11/40-FW	RT	LC			3	9/74	E		KD11-A, BA11-FC, MF11-UP, PS, H957, 861-B, 230V	
11/40-FX	RT	LC			6	9/74	E	11/40	LT33-DF INSTEAD OF LA30-PA & LC11-A, 115V 60HZ	
11/40-FY	RT	LC			6	9/74	E	11/40	LT33-DD INSTEAD OF LA30-PD & LC11-A, 230V 50HZ	
11/40-FZ	RT	LC			6	9/74	E	11/40	MF11-LP INSTEAD OF MF11-L (CONVERTS BK 11/40 TO RK PARITY 11/40)	
11/40-GA	RT	LC			6	9/74	E	11/40	MF11-LP & MM11-LP INSTEAD OF MF11-L & MM11-L (PARITY CONVERSION)	
11/40-GB	RT	LC			6	9/74	F	11/40	MF11-LP + 2 MM11-LP INSTEAD OF MF11-L + 2 MM11-L PARITY CONVERSION	
11/40-GC	RT	LC			6	3/74	F		WATCH! KD11-A, BA11-FC, MF11-L, MM11-L, LC11-A, LA30-PA, PC11,	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE MO/YR	CATEGORY	USED ON	DESCRIPTION	16
11/40-PB	RT	LC			6	3/74	E	RK11-CA, RK05-AA, KW11-L, CR11, H960-CA, DD11-A, BM792-YB, QJ250, 115V 60HZ		
11/40-PC	RT	LC			6	10/72	E	BATCH: KD11-A, BA11-FC, MF11-L, MM11-L, LC11-A, LA30-PD, PC11-A, RK11-CB, RK05-BB, KW11-L, CR11-A, H960-CB, DD11-A, BM792-YB, QJ250, 230V50HZ		
11/40-PD	RT	LC			6	10/72	E	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TC11, TU56		
11/40-PE	RT	LC			6	10/72	E	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TC11, TU56		
11/40-PF	RT	LC			6	10/72	E	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TM11-A, TU10-EA		
11/40-PH	RT	LC			6	10/72	E	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TM11-B, TU10-ED		
11/40-PJ	RT	LC			6	10/72	E	11/40-PA W NO LA30, LC11, PC11, BUT LT33-DC, TM11-A, TU10-FA		
11/40-PK	RT	LC			6	3/74	E	11/40-PB W NO LA30, LC11, PC11, BUT LT33-DD, TM11-B, TU10-FD		
11/40-PL	RT	LC			6	3/74	E	11/40-CA, MF11-L, MM11-L, RK11-CA, RK05-AA, CR11, KW11-L, BM792-YB, LA30-PA, LC11-A, TC11, TU56, NO LT33, NO DL11, 115V 60HZ		
11/40-PM	RT	LC			6	3/74	E	11/40-CB, MF11-L, MM11-L, RK11-CB, RK05-BB, CR11-A, KW11-L, BM792-YB, LA30-PD, LC11-A, TC11, TU56, NO LT33, NO DL11, 230V 50HZ		
11/40-PN	RT	LC			6	3/74	E	11/40-PA W TC11, TU56 INSTEAD OF PC11, 115V 60HZ		
11/40-PP	RT	LC			6	3/74	E	11/40-PB W TC11, TU56 INSTEAD OF PC11, 230V 50HZ		
11/40-PR	RT	LC			6	3/74	E	11/40-PA W TM11-A, TU10-EA INSTEAD OF PC11, 115V 60HZ		
11/40-PS	RT	LC			6	3/74	E	11/40-PB W TM11-B, TU10-ED INSTEAD OF PC11, 230V 50HZ		
11/40-PT	RT	LC			6	3/74	E	11/40-PA W TM11-A, TU10-FA INSTEAD OF PC11, 115V 60HZ		
11/40-RA	RT	LC			6	10/74	E	11/40-PB W TM11-B, TU10-FD INSTEAD OF PC11, 230V 50HZ		
11/40-RB	RT	LC			6	10/74	E	RSTS-11: KD11-A, BA11-FC, MF11-L, 2 MM11-L, LC11-A, LA30-PA, PR11, RK11-CA, 2 RK05-AA, KW11-L, H960-CA, DD11-A, BM792-YB, QJ400, 115V 60HZ		
11/40-RC	RT	LC			6	10/74	E	RSTS-11: KD11-A, BA11-FC, MF11-L, 2 MM11-L, LC11-A, LA30-PD, PR11-A, RK11-CB, 2 RK05-BB, KW11-L, H960-CB, DD11-A, BM792-YB, QJ400, 230V 50HZ		
11/40-RD	RT	LC			6	10/74	E	11/40-RA, RC11, RS64-A, TC11, TU56, ONLY 1 RK05, NO PR11, 115V 60HZ		
11/40-RE	RT	LC			6	10/74	E	11/40-RB, RC11, RS64-B, TC11, TU56, ONLY 1 RK05, NO PR11, 230V 50HZ		
11/40-RF	RT	LC			6	10/74	E	11/40-RA RF11 RS11 TC11 TU56 NO RK11, NO RK05, NO PR11, 115V60HZ		
11/40-RH	RT	LC			6	10/74	E	11/40-RB RF11 RS11-A TC11 TU56 NO RK11, NO RK05 NO PR11, 230V 50HZ		
11/40-RJ	RT	LC			6	10/74	E	11/40-RA W TC11, TU56, RC11, RS64-A, ONLY 1 RK05, 115V 60HZ		
11/40-RK	RT	LC			6	10/74	E	11/40-RB W TC11, TU56, RC11, RS64-B, ONLY 1 RK05, 230V 50HZ		
11/40-RL	RT	LC			6	10/74	E	11/40-RA W TC11, TU56, RF11, RS11, NO PR11, RK11, RK05, 115V60HZ		
11/40-RM	RT	LC			6	10/74	E	11/40-RB W TC11, TU56, RF11, RS11-A, NO PR11, RK11, RK05, 230V50HZ		
11/40-RN	RT	LC			6	10/74	E	11/40-RA W PC11 INSTEAD OF PR11, 115V 60HZ		
11/40-RP	RT	LC			6	10/74	E	11/40-RB W PC11-A INSTEAD OF PR11, 230V 50HZ		
11/40-RR	RT	LC			6	10/74	E	11/40-RA W TM11-A, TU10-EA INSTEAD OF PR11, 115V 60HZ		
11/40-RS	RT	LC			6	10/74	E	11/40-RB W TM11-B, TU10-ED INSTEAD OF PR11, 230V 50HZ		
11/40-RT	RT	LC			6	10/74	E	11/40-RA W TM11-A, TU10-FA INSTEAD OF PR11, 115V 60HZ		
11/40-RU	RT	LC			6	10/74	E	11/40-RB W TM11-B, TU10-FD INSTEAD OF PR11, 230V 50HZ		
11/40-RV	RT	LC			6	10/74	E	11/40-RA W RF11, RS11, TM11-A, TU10-EA, NO PR11, RK11, RK05 115V60HZ		
11/40-RW	RT	LC			6	10/74	E	11/40-RB W RF11, RS11-A, TM11-B, TU10-ED, NO PR11 RK11 RK05 230V50HZ		
11/40-RY	RT	LC			6	10/74	E	11/40-RA W RF11, RS11, TM11-A, TU10-FA, NO PR11, RK11, RK05 115V60HZ		
11/40-SA	RT	LC			6	10/74	E	11/40-RB W RF11, RS11-A, TM11-B, TU10-FD, NO PR11 RK11 RK05 230V50HZ		
11/40-SB	RT	LC			6	10/74	E	11/40-BG, KW11-L, MM11-U, RK11-DE, RK05-AA, 3 DD11-B, MR11-DB, QJ400-AE 115V60HZ		
11/40-SC	RT	LC			6	10/74	E	11/40-BD, KW11-L, MM11-U, RK11-DJ, RK05-BB, 3 DD11-B, MR11-DB, QJ400-AE 230V50HZ		
11/40-SD	RT	LC			6	10/74	E	11/40-BK, KW11-L, KE11-E, MF11-UP, MM11-UP, KT11-D, RK11-DE, RK05-AA		
11/40-SE	RT	LC			6	10/74	E	DM11-AA, BA11-ES, H720-E, 3 DD11-A, MR11-DB, OR430-AE, 115V 60HZ		
11/40-SF	RT	LC			6	10/74	E	11/40-BL, KW11-L, KE11-E, MF11-UP, MM11-UP, KT11-D, RK11-DJ, RK05-BB		
11/40-SG	RT	LC			6	10/74	E	DM11-AC, BA11-ES, H720-F, 3 DD11-A, MR11-DB, OR430-AE, 230V 50HZ		
11/40-SH	RT	LC			6	9/74	E	11/40 VT05-AA INSTEAD OF LA30-PA & LC11-A, 115V 60HZ		
11/40-SI	RT	LC			6	9/74	E	11/40 VT05-AD INSTEAD OF LA30-PD & LC11-A, 230V 50HZ		
11/45-AA	RT	VDB		WM	2	11/75	E	KB11-D, MF11-UP, MM11-UP, KW11-L, KT11-CD, DL11-A, BMB73-YB		
11/45-AB	RT	VDB		WM	2	11/75	E	2 H7420-A, H960-CD, 115V		
11/45-AC	RT	RFB			3	3/74	E	11/45-AA EXCEPT 2 H7420-B, H960-CE, 230V		
11/45-AD	RT	RFB			3	3/74	E	KB11-A, PS, MF11-L, MM11-L, CAB, 115V		
11/45-AE	RT	RFB			3	3/74	E	KB11-A, PS, MF11-L, MM11-L, CAB, 230V		
11/45-AF	RT	RFB			3	3/74	E	KB11-A, PS, MF11-LP, MM11-LP, CAB, 115V		
11/45-AG	RT	RFB			3	3/74	E	KB11-A, PS, MF11-LP, MM11-LP, CAB, 230V		

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION	17
11/45-AH	RT	RFR			5	1/75 E	•	KB11-A, PS, MF11-U, DL11-A, TALL CAB, 115V	
11/45-AJ	RT	RFR			5	1/75 F	•	KB11-A, PS, MF11-U, DL11-A, TALL CAB, 230V	
11/45-AK	RT	RFR			5	1/75 F	•	KB11-A, PS, MF11-UP, DL11-A, TALL CAB, 115V	
11/45-AL	RT	RFR			5	1/75 F	•	KB11-A, PS, MF11-UP, DL11-A, TALL CAB, 230V	
11/45-BA	RT	RFR			3	1/74 E	•	11/45-CA, MF11-U, DL11-A, LT33-DC, 115V 60HZ	
11/45-BB	RT	RFR			3	1/74 E	•	11/45-CB, MF11-U, DL11-A, LT33-DD, 230V 50HZ	
11/45-BH	RT	RFR			3	1/74 E	•	11/45-CA, MF11-UP, DL11-A, LT33-DC, 115V 60HZ	
11/45-BJ	RT	RFR			3	1/74 E	•	11/45-CB, MF11-UP, DL11-A, LT33-DD, 230V 50HZ	
11/45-BW	RT	RFR			5	1/75 E	•	11/45-AK, MM11-UP, KT11-C, KW11-L, B4873-YB, LA36-CA, 115V	
11/45-BY	RT	RFR			5	1/75 E	•	11/45-AL, MM11-UP, KT11-C, KW11-L, B4873-YB, LA36-CB, 230V	
11/45-CA	RT	RFR			6	7/72 E	•	KB11-A + CAB, 115V	
11/45-CB	RT	RFR			6	7/72 E	•	KB11-A + CAB, 230V	
11/45-CC	RT	RFR			6	11/73 E	•	KB11-A, MF11-LP, MM11-LP, LA30-CA, CAB, 115V 67HZ	
11/45-CD	RT	RFR			6	11/73 E	•	KB11-A, MF11-LP, MM11-LP, LA30-CD, CAB, 230V 50HZ	
11/45-CE	RT	RFR			6	11/73 E	•	KB11-A, MF11-LP, MM11-LP, VT05B-AA, CAB, 115V 60HZ	
11/45-CF	RT	RFR			6	11/73 E	•	KB11-A, MF11-LP, MM11-LP, VT05B-AD, CAB, 230V 50HZ	
11/45-CH	RT	RFR			6	11/73 E	•	KB11-A, MF11-L, MM11-L, LA30-CA, CAB, 115V 60HZ	
11/45-CJ	RT	RFR			6	11/73 E	•	KB11-A, MF11-L, MM11-L, LA30-CD, CAB, 230V 50HZ	
11/45-CK	RT	RFR			6	11/73 E	•	KB11-A, MF11-L, MM11-L, VT05B-AA, 115V 60HZ	
11/45-CL	RT	RFR			6	11/73 E	•	KB11-A, MF11-L, MM11-L, VT05B-AD, 230V 50HZ	
11/45-CM	RT	RFR			6	11/73 E	•	11/45-CC W AUTO LOADER, CLOCK, PWR FAIL, 115V 60HZ	
11/45-CN	RT	RFR			6	11/73 E	•	11/45-CD W AUTO LOADER, CLOCK, PWR FAIL, 230V 50HZ	
11/45-CP	RT	RFR			6	11/73 E	•	11/45-CM, MF11-LP, MM11-LP, KT11-C, 115V 60HZ	
11/45-CR	RT	RFR			6	11/73 E	•	11/45-CN, MF11-LP, MM11-LP, KT11-C, 230V 50HZ	
11/45-CS	RT	RFR			3	4/73 E	DS500	KB11-A, MF11-LP, MM11-LP, H967-HA, 115V	
11/45-CT	RT	RFR			3	4/73 E	DS500	KB11-A, MF11-LP, MM11-SP, H967-HB, 230V	
11/45-CU	RT	RFR			6	1/75 E	•	KB11-A, MF11-UP, MR11-DB, KW11-L, LA36-CA, CAB, 115V 60HZ	
11/45-CV	RT	RFR			6	1/75 E	•	KB11-A, MF11-UP, MR11-DB, KW11-L, LA36-CB, CAB, 230V 50HZ	
11/45-CW	RT	RFR			6	1/75 E	•	KB11-A MF11-UP MM11-UP KT11-C MR11-DB KW11-L LA36-CA CAB 115V60HZ	
11/45-CY	RT	RFR			6	1/75 E	•	KB11-A MF11-UP MM11-UP KT11-C MR11-DB KW11-L LA36-CB CAB, 230V 50HZ	
11/45-DA	RT	RFR			6	11/73 E	DOS1	11/45-CC, RF11, RS11, TC11, TU56, MR11-DB, QJ220-AC	
11/45-DB	RT	RFR			6	11/73 E	DOS1	11/45-CD, RF11, RS11-A, TC11, TU56, MR11-DB, QJ220-AC	
11/45-DS	RT	RFR			6	11/73 E	DOS1	11/45-CC, RK11-CA, RK05-AA, TC11, TU56, MR11-DB, QJ220-AC	
11/45-DT	RT	RFR			6	11/73 E	DOS1	11/45-CD, RK11-CB, RK05-BB, TC11, TU56, MR11-DB, QJ220-AC	
11/45-DU	RT	RFR			6	11/73 E	DOS1	11/45-DS, TM11-A, TU10-EA, QJ220-AD, NO TC11, TU56, QJ220-AC	
11/45-DV	RT	RFR			6	11/73 E	DOS1	11/45-DT, TM11-B, TU10-ED, QJ220-AD, NO TC11, TU56, QJ220-AC	
11/45-DW	RT	VDR		WM	2	11/75 E	•	11/45-AA + LA36-CE, 115V 60HZ	
11/45-DY	RT	VDR		WM	2	11/75 E	•	11/45-AB + LA36-CJ, 230V 50HZ	
11/45-FA	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, 115V, OEM	
11/45-FB	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, 230V, OEM	
11/45-FC	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, LA30-CA, 115V 60HZ, OEM	
11/45-FD	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, LA30-CD, 230V 50HZ, OEM	
11/45-FE	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, VT05B-AE, 115V 60HZ, OEM	
11/45-FF	RT	RFR			6	4/73 E	•	KB11-A, MM11-S, CAB, VT05B-AJ, 230V 50HZ, OEM	
11/45-FH	RT	RFR			6	11/75 E	•	KB11-A, MF11-UP, LA36-CA, CAB, 115V 60HZ OEM	
11/45-FJ	RT	RFR			6	11/75 E	•	KB11-A, MF11-UP, LA36-CB, CAB, 230V 50HZ OEM	
11/45-FK	RT	RFR			6	11/75 E	•	KB11-A, MF11-U, LA36-CA, CAB, 115V 60HZ, OEM	
11/45-FL	RT	RFR			6	11/75 E	•	KB11-A, MF11-U, LA36-CB, CAB, 230V 50HZ OEM	
11/45-FM	RT	RFR			6	11/75 E	•	OEM 11/45-CC W 24K MEM & MEM MANAGEMENT, 115V 60HZ	
11/45-FN	RT	RFR			6	11/75 E	•	OEM 11/45-CD W 24K MEM & MEM MANAGEMENT, 230V 50HZ	
11/45-FP	RT	RFR			6	11/75 E	•	OEM 11/45-FM W NO PARITY, 115V 67HZ	
11/45-FR	RT	RFR			6	11/75 E	•	OEM 11/45-FN W NO PARITY, 230V 50HZ	
11/45-FS	RT	RFR			6	11/75 E	•	11/45-FH, MM11-UP, KT11-C, 115V 60HZ OEM	
11/45-FT	RT	RFR			6	11/75 E	•	11/45-FJ, MM11-UP, KT11-C, 230V 50HZ OEM	
11/45-FU	RT	RFR			6	11/75 E	•	11/45-FK, MM11-U, KT11-C, 115V 67HZ OEM	
11/45-FV	RT	RFR			6	11/75 E	•	11/45-FL, MM11-U, KT11-C, 230V 50HZ OEM	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/45-GA	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, LA30-CA, 115V 60HZ OEM
11/45-GB	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, LA30-CD, 230V 50HZ OEM
11/45-GC	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, VT05B-AA, 115V 60HZ OEM
11/45-GD	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, VT05B-AD, 230V 50HZ OEM
11/45-GE	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, LA30-CA, 115V 60HZ OEM
11/45-GF	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, LA30-CD, 230V 50HZ OEM
11/45-GH	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, VT05B-AA, 115V 60HZ OEM
11/45-GJ	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 2 MS11-BB, VT05B-AD, 230V 50HZ OEM
11/45-GK	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, LA30-CA, 115V 60HZ OEM
11/45-GL	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, LA30-CD, 230V 50HZ OEM
11/45-GM	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, VT05B-AA, 115V 60HZ OEM
11/45-GN	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, VT05B-AD, 230V 50HZ OEM
11/45-GP	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, LA30-CA, 115V 60HZ OEM
11/45-GR	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, LA30-CD, 230V 50HZ OEM
11/45-GS	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, VT05B-AA, 115V 60HZ OEM
11/45-GT	RT	RFB			6 4/73	E	-	KB11-A, MS11-BC, 4 MS11-BB, VT05B-AD, 230V 50HZ OEM
11/45-MA	RT	RFB			6 11/73	E	RSX11-DI	11/45-CC MF11-LP KT11-C RK11-CA RK05-AA TC11 TU56 MR11-DB KW11-L QJ580-AC
11/45-MB	RT	RFB			6 11/73	E	RSX11-DI	11/45-CD MF11-LP KT11-C RK11-CB RK05-BB TC11 TU56 MR11-DB KW11-L QJ580-AC
11/45-MC	RT	RFB	RSX11-DI		6 11/73	E	11/45-CC	MF11-LP KT11-C RF11 RS11 TM11-A TU10-EA MR11-DB KW11-L H960-DA QJ580-AD
11/45-MD	RT	RFB	RSX11-DI		6 11/73	E	11/45-CD	MF11-LP KT11-C RF11 RS11-A TM11-B TU10-ED MR11-DB KW11-L H960-DB QJ580-AD
11/45-MH	RT	RFB	RSX11-DI		6 11/73	E	11/45-MC	MM11-LP, RK11-CA, RK05-AA, CR11, LP11-JA, DD11-A, NO RF11, RS11
11/45-MJ	RT	RFB	RSX11-DI		6 11/73	E	11/45-MD	MM11-LP, RK11-CB, RK05-BB, CR11-A, LP11-JB, DD11-A, NO RF11, RS11
11/45-MM	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #1, 115V 60HZ
11/45-MN	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #1, 230V 50HZ
11/45-MP	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #2, 115V 60HZ
11/45-MR	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #2, 230V 50HZ
11/45-MU	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #3, 115V 60HZ
11/45-MV	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #3, 230V 50HZ
11/45-MW	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #4, 115V 60HZ
11/45-MY	RT	RFB			6 11/73	E	-	RSX11D REAL TIME #4, 230V 50HZ
11/45-NA	RT	RFB			6 1/75	E	-	RSX11D SYS 1: 11/45-CW, RK11-DE, TM11-EA, QJ580-AD, 115V 60HZ
11/45-NB	RT	RFB			6 1/75	E	-	RSX11D SYS 1: 11/45-CY, RK11-DJ, TM11-ED, QJ580-AD, 230V 50HZ
11/45-NC	RT	RFB			6 1/75	E	RSX11D	SYS 2: 11/45-CW MF11-UP RK11-DE TM11-EA H960-DA QJ580-AD 115V60HZ
11/45-ND	RT	RFB			6 1/75	E	RSX11D	SYS 2: 11/45-CY MF11-UP RK11-DJ TM11-ED H960-DB QJ580-AD 230V50HZ
11/45-NE	RT	RFB			6 1/75	E	RSX11D	SYS 3: 11/45-CW, MF11-UP, MM11-UP, RP11-CE, TM11-EA, CR11, LP11-JA, DD11-B, H960-DA, QJ580-AD 115V 60HZ
11/45-NF	RT	RFB			6 1/75	E	RSX11D	SYS 3: 11/45-CY, MF11-UP, MM11-UP, RP11-CJ, TM11-ED, CR11-A, LP11-JB, DD11-B, H960-DB, QJ580-AD, 230V 50HZ
11/45-NH	RT	RFB			6 1/75	E	RSX11D	SYS 4: 11/45-CW MF11-UP RK11-DE RK05-AA, QJ580-AE, 115V60HZ
11/45-NJ	RT	RFB			6 1/75	E	RSX11D	SYS 4: 11/45-CY MF11-UP RK11-DJ RK05-BB QJ580-AE 230V 50HZ
11/45-PA	RT	RFB			6 11/73	E	BATCH	11/45-CC, MF11-LP, RK11-CA, RK05-AA, TM11-A, TU10-EA, CR11, LP11-JA, KW11-P, MR11-DB, DD11-A, QJ250-AD
11/45-PB	RT	RFB			6 11/73	E	BATCH	11/45-CD, RK11-CB, RK05-BB, TM11-B, TU10-ED, CR11-A, LP11-JB, KW11-P, MR11-DB, DD11-A, QJ250-AD
11/45-PC	RT	RFB			6 11/73	E	BATCH	11/45-PA, MF11-LP, FP11-B, RP11-CA, RP05-AS, H960-DA, NO RK11, RK05
11/45-PD	RT	RFB			6 11/73	E	BATCH	11/45-PB, MF11-LP, FP11-B, RP11-CB, RP05-BS, H960-DB, NO RK11, RK05
11/45-PH	RT	RFB			6 11/73	E	-	BATCH #1, 115V 60HZ
11/45-PJ	RT	RFB			6 11/73	E	-	BATCH #1, 230V 50HZ
11/45-PK	RT	RFB			6 11/73	E	-	BATCH #2, 115V 60HZ
11/45-PL	RT	RFB			6 11/73	E	-	BATCH #2, 230V 50HZ
11/45-PM	RT	RFB			6 11/73	E	-	BATCH #3, 115V 60HZ
11/45-PN	RT	RFB			6 11/73	E	-	BATCH #3, 230V 50HZ
11/45-PS	RT	RFB			6 1/75	E	-	BATCH/DOS SYS 1: 11/45-CU, RK11-DE, TM11-EA, QJ250-AD, 115V 60HZ
11/45-PT	RT	RFB			6 1/75	E	-	BATCH/DOS SYS 1: 11/45-CV, RK11-DJ, TM11-ED, QJ250-AD, 230V 50HZ
11/45-PU	RT	RFB			6 1/75	E	-	BATCH/DOS SYS 2: 11/45-CU, RF11-AA, TC11-CA, QJ250-AC, 115V 60HZ
11/45-PV	RT	RFB			6 1/75	E	-	BATCH/DOS SYS 2: 11/45-CV, RF11-AB, TC11-CB, QJ250-AC, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	19
11/45-RA	RT	RFR			6	11/73 E	RSTS/45; 11/45-CC, MF11-LP, MM11-LP, KT11-C, RF11, RS11, RK11-CA, RK25-AA, TC11, TU56, MR11-DB, KW11-P, H960-DA, DD11-A, QJ430-AC		
11/45-RB	RT	RFR			6	11/73 E	RSTS/45; 11/45-CD, MF11-LP, MM11-LP, KT11-C, RF11, RS11-A, RK11-CB, RK25-BB, TC11, TU56, MR11-DB, KW11-P, H960-DB, DD11-A, QJ430-AC		
11/45-RC	RT	RFR			6	11/73 E	RSTS/45; 11/45-RA, TM11-A, TU10-EA, TU10-ED, QJ430-AD, NO TC11, TU56, QJ430-AC		
11/45-RD	RT	RFR			6	11/73 F	RSTS/45; 11/45-RR, TM11-B, TU10-ED, QJ430-AD, NO TC11, TU56, QJ430-AC		
11/45-RE	RT	RFR			6	11/73 E	RSTS/45; 11/45-CC, MF11-LP, MM11-LP, KT11-C, FP11-B, RP11-CA RP03-AS, TM11-A, TU10-EA, MR11-DB, KW11-P, H960-DA, DD11-A, QJ430-AD		
11/45-RF	RT	RFR			6	11/73 E	RSTS/45; 11/45-CD, MF11-LP, MM11-LP, KT11-C, FP11-B, RP11-CB RP03-BS, TM11-B, TU10-ED, MR11-DB, KW11-P, H960-DB, DD11-A, QJ430-AD		
11/45-RH	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #1, 115V 60HZ		
11/45-RJ	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #1, 230V 50HZ		
11/45-RK	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #2, 115V 60HZ		
11/45-RL	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #2, 230V 50HZ		
11/45-RM	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #3, 115V 60HZ		
11/45-RN	RT	RFR			6	11/73 E	- RSTS, TIME SHARE #3, 230V 50HZ		
11/45-RP	RT	RFR			3	11/73 E	RSTS/E #1; 11/45-CW MF11-UP RF11-AA RK11-DE TC11-GA H960-DA QR430-AC 115V60HZ		
11/45-RR	RT	RFR			3	11/73 E	RSTS/E #1; 11/45-CY MF11-UP RF11-AB RK11-DJ TC11-GB H960-DB QR430-AC 230V50HZ		
11/45-RS	RT	RFR			3	11/73 E	RSTS/E #2; 11/45-CW MF11-UP RF11-AA RK11-DE TM11-EA H960-DA QR430-AD 115V60HZ		
11/45-RT	RT	RFR			3	11/73 E	RSTS/E #2; 11/45-CY MF11-UP RF11-AB RK11-DJ TM11-ED H960-DB QR430-AD 230V50HZ		
11/45-RU	RT	RFR			3	11/73 E	RSTS/E #3; 11/45-CW MF11-UP RP11-CE FP11-B TM11-EA H960-DA QR430-AD 115V60HZ		
11/45-RV	RT	RFR			3	11/73 E	RSTS/E #3; 11/45-CY MF11-UP RP11-CJ FP11-B TM11-ED H960-DB QR430-AD 230V50HZ		
11/45-SC	RT	RFR			6	10/74 E	11/45-CW, DL11-A, RK11-DE, RK05-AA, H960-DA, DH11-AA, QR430-AE, 115V 60HZ		
11/45-SD	RT	RFR			6	10/74 E	11/45-CY, DL11-A, RK11-DJ, RK05-BB, H960-DB, DH11-AC, QR430-AE, 230V 50HZ		
11/45-UA	RT	RFR			6	2/75 E	- KB11-A, MF11-LP, MM11-LP, CAB, UPGRADE FROM 11/20, 115V 60HZ		
11/45-UB	RT	RFR			6	2/75 E	- KB11-A, MF11-LP, MM11-LP, CAB, UPGRADE FROM 11/20, 230V 50HZ		
11/45-UC	RT	RFR			6	2/75 E	- KB11-A, MF11-L, MM11-L, CAB, UPGRADE FROM 11/20, 115V 60HZ		
11/45-UD	RT	RFR			6	2/75 E	- KB11-A, MF11-L, MM11-L, CAB, UPGRADE FROM 11/20, 230V 50HZ		
11/50-AA	RT	RFR			5	1/75 E	- KB11-A, MS11-BC, 4 MS11-BR (16K MOS MEM), DL11-A, PS, TALL CAB, 115V		
11/50-AJ	RT	RFR			5	1/75 E	- KB11-A, MS11-BC, 4 MS11-BR (16K MOS MEM), DL11-A, PS, TALL CAB, 230V		
11/50-AK	RT	RFR			5	1/75 E	- KB11-A, MS11-BC, 4 MS11-BT (16K PARITY MOS MEM), DL11-A, PS, TALL CAB, 115V		
11/50-AL	RT	RFR			5	1/75 E	- KB11-A, MS11-BC, 4 MS11-BT (16K PARITY MOS MEM), DL11-A, PS, TALL CAB, 230V		
11/50-BS	RT	RFR			6	11/75 E	- KB11-A, MS11-BC, MS11-BD, 8 MS11-BT, PS, TALL CAB, BM873-YB, KW11-L, KT11-C, DL11-A, LA36-CA, 115V 60HZ		
11/50-BT	RT	RFR			6	11/75 E	- 11/50-BS EXCEPT LA36-CB, 230V 50HZ		
11/50-BW	RT	RFR			6	11/75 E	- KB11-A, MS11-BC, 4 MS11-BT, MF11-UP, PS, TALL CAB, BM873-YB, KW11-L, KT11-C, DL11-A, LA36-CA, 115V 60HZ		
11/50-BY	RT	RFR			6	11/75 E	- 11/50-BW EXCEPT LA36-CB, 230V 50HZ		
11/50-CA	RT	RFR			3	9/74 E	- KB11-A, DL11-A, PS, CAB, 115V		
11/50-CB	RT	RFR			3	9/74 E	- KB11-A, DL11-A, PS, CAB, 230V		
11/50-CC	RT	RFR			6	11/73 E	- KB11-A, MS11-BC, 4 MS11-BT, LA30-CA, CAB, 115V 60HZ		
11/50-CD	RT	RFR			6	11/73 E	- KB11-A, MS11-BC, 4 MS11-BT, LA30-CD, CAB, 230V 50HZ		
11/50-CE	RT	RFR			6	11/73 E	- KB11-A, MS11-BC, 4 MS11-BT, VT059-AA, CAB, 115V 60HZ		
11/50-CF	RT	RFR			6	11/73 E	- KB11-A, MS11-BC, 4 MS11-BT, VT059-AD, CAB, 230V 50HZ		
11/50-CM	RT	RFR			6	11/73 E	- 11/50-CC W AUTO LOADER, CLOCK, PWR FAIL, 115V 60HZ		
11/50-CN	RT	RFR			6	11/73 E	- 11/50-CD W AUTO LOADER, CLOCK, PWR FAIL, 230V 50HZ		
11/50-CP	RT	RFR			6	11/73 E	- 11/50-CM + 16K CORE, 115V 60HZ		
11/50-CR	RT	RFR			6	11/73 E	- 11/50-CN + 16K CORE, 230V 50HZ		
11/50-CS	RT	RFR			3	4/79 E	DS500 KB11-A, MS11-BC, 4 MS11-BP, H967-HC, 115V		
11/50-CT	RT	RFR			3	4/79 E	DS500 KB11-A, MS11-BC, 4 MS11-BP, H967-HB, 230V		
11/50-CU	RT	RFR			6	1/75 E	- KB11-A, MS11-BC, 4 MS11-BT, MR11-DB, KW11-L, LA36-CA, CAB, 115V 60HZ		
11/50-CV	RT	RFR			6	1/75 E	- KB11-A, MS11-BC, 4 MS11-BT, MR11-DB, KW11-L, LA36-CB, CAB, 230V 50HZ		
11/50-CW	RT	RFR			6	1/75 E	KB11-A MS11-BC 4 MS11-BT MF11-UP KT11-C MR11-DB KW11-L LA36-CA CAB 115V 60HZ		
11/50-CY	RT	RFR			6	1/75 E	KB11-A MS11-BC 4 MS11-BT MF11-UP KT11-C MR11-DB KW11-L LA36-CB CAB 230V 50HZ		
11/50-DA	RT	RFR			6	3/74 E	DOS; 11/45-DC W 11/50-CC INSTEAD OF 11/45-CC		
11/50-DB	RT	RFR			6	3/74 E	DOS; 11/45-DD W 11/50-CD INSTEAD OF 11/45-CD		

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/50=DS	RT	RFB			6 3/74	E	DOS 11/45=DS W 11/50=CC	INSTEAD OF 11/45=CC
11/50=DT	RT	RFB			6 3/74	E	DOS 11/45=DT W 11/50=CD	INSTEAD OF 11/45=CD
11/50=DU	RT	RFB			6 3/74	E	DOS 11/45=DU W 11/50=CC	INSTEAD OF 11/45=CC
11/50=DV	RT	RFB			6 3/74	E	DOS 11/45=DV W 11/50=CD	INSTEAD OF 11/45=CD
11/50=PH	RT	RFB			6 11/73	E	-	OEM 11/50=CC EXCEPT LA36-CA, 115V 60HZ
11/50=PJ	RT	RFB			6 11/73	E	-	OEM 11/50=CD EXCEPT LA36-CB, 230V 50HZ
11/50=PK	RT	RFB			6 11/73	E	-	OEM 11/50=CC EXCEPT LA36-CA, NO PARITY, 115V 60HZ
11/50=PL	RT	RFB			6 11/73	E	-	OEM 11/50=CD EXCEPT LA36-CB, NO PARITY, 230V 50HZ
11/50=PM	RT	RFB			6 11/73	E	-	OEM 11/50=CC + 8K CORE MEM & MEM MANAGEMENT, 115V 60HZ
11/50=PN	RT	RFB			6 11/73	E	-	OEM 11/50=CD + 8K CORE MEM & MEM MANAGEMENT, 230V 50HZ
11/50=PP	RT	RFB			6 11/73	E	-	OEM 11/50=PM W NO PARITY, 115V 60HZ
11/50=PR	RT	RFB			6 11/73	E	-	OEM 11/50=PN W NO PARITY, 230V 50HZ
11/50=PS	RT	RFB			6 1/73	E	-	11/50=PH, MF11=UP, KT11=C, 115V 60HZ OEM
11/50=PT	RT	RFB			6 1/73	E	-	11/50=PJ, MF11=UP, KT11=C, 230V 50HZ OEM
11/50=PU	RT	RFB			6 1/73	E	-	11/50=PK, MF11=U, KT11=C, 115V 60HZ OEM
11/50=PV	RT	RFB			6 1/73	E	-	11/50=PL, MF11=U, KT11=C, 230V 50HZ OEM
11/50=ME	RT	RFB			6 11/73	E	RSX11-DI	11/50=CC, MF11=LP, KT11=C, RK11=CA, RK05=AA, TM11=A, TU10=EA, MR11=OB, KW11=L, QJ500=AD
11/50=MF	RT	RFB			6 11/73	E	RSX11-DI	11/50=CD, MF11=LP, KT11=C, RK11=CB, RK05=BB, TM11=B, TU10=ED, MR11=OB, KW11=L, QJ500=AD
11/50=MH	RT	RFB			6 11/73	E	RSX11-DI	11/45=MH W 11/50=CC INSTEAD OF 11/45=CC & NO H960=DA
11/50=MJ	RT	RFB			6 11/73	E	RSX11-DI	11/45=MJ W 11/50=CD INSTEAD OF 11/45=CD & NO H960=DB
11/50=MK	RT	RFB			6 11/73	E	RSX11-DI	11/50=CC, 2 MF11=LP, MM11=LP, KT11=C, RP11=CA, RP03=AS, TM11=A, TU10=EA, CD11=EA, LP11=RA, MR11=OB, KW11=L, H960=DA, QJ500=AD
11/50=ML	RT	RFB			6 11/73	E	RSX11-DI	11/50=CD, 2 MF11=LP, MM11=LP, KT11=C, RP11=CB, RP03=BS, TM11=B, TU10=EB, CD11=EB, LP11=RB, MR11=OB, KW11=L, H960=DB, QJ500=AD
11/50=MM	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #1, 115V 60HZ
11/50=MN	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #1, 230V 50HZ
11/50=MP	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #2, 115V 60HZ
11/50=MR	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #2, 230V 50HZ
11/50=MU	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #3, 115V 60HZ
11/50=MV	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #3, 230V 50HZ
11/50=MW	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #4, 115V 60HZ
11/50=MY	RT	RFB			6 11/73	E	-	RSX110 REAL TIME #4, 230V 50HZ
11/50=NA	RT	RFB			6 1/73	E	RSX110 SYS 1	11/50=CH, RK11=DE, TM11=EA, QJ500=AD, 115V 60HZ
11/50=NB	RT	RFB			6 1/73	E	RSX110 SYS 1	11/50=CYC, RK11=DJ, TM11=EB, QJ500=AD, 230V 50HZ
11/50=NC	RT	RFB			6 1/73	E	RSX110 SYS 2	11/50=CH, MF11=UP, RK11=DE, TM11=EA, H960=DA, QJ500=AD, 115V 60HZ
11/50=ND	RT	RFB			6 1/73	E	RSX110 SYS 2	11/50=CY, MF11=UP, RK11=DJ, TM11=EA, H960=DB, QJ500=AD, 230V 50HZ
11/50=NE	RT	RFB			6 1/73	E	RSX110 SYS 3	11/50=CH, MF11=UP, MM11=UP, RP11=CE, TM11=EA, CR11, LP11=JA, DD11=0, H960=DA, QJ500=AD, 115V 60HZ
11/50=NF	RT	RFB			6 1/73	E	RSX110 SYS 3	11/50=CY, MF11=UP, MM11=UP, RP11=CJ, TM11=ED, CR11=A, LP11=JB, DD11=0, H960=DB, QJ500=AD, 230V 50HZ
11/50=NH	RT	RFB			6 1/73	E	RSX110 SYS 4	11/50=CH, MF11=UP, RK11=DE, RK05=AA, QJ500=AE, 115V 60HZ
11/50=NJ	RT	RFB			6 1/73	E	RSX110 SYS 4	11/50=CY, MF11=UP, RK11=DJ, RK05=BB, QJ500=AE, 230V 50HZ
11/50=PA	RT	RFB			6 11/73	E	BATCH	11/45=PA W 11/50=CC INSTEAD OF 11/45=CC
11/50=PB	RT	RFB			6 11/73	E	BATCH	11/45=PB W 11/50=CD INSTEAD OF 11/45=CD
11/50=PC	RT	RFB			6 11/73	E	BATCH	11/45=PC W 11/50=CC INSTEAD OF 11/45=CC & NO H960=DA
11/50=PD	RT	RFB			6 11/73	E	BATCH	11/45=PD W 11/50=CD INSTEAD OF 11/45=CD & NO H960=DB
11/50=PE	RT	RFB			6 11/73	E	BATCH	11/50=CC, MS11=0D, 2 MS11=0P, FP11=0, RP11=CA, RP03=AS, TM11=A, TU10=EA, CD11=EA, LP11=RA, MR11=OB, KW11=L, DD11=A, QJ250=AD
11/50=PF	RT	RFB			6 11/73	E	BATCH	11/50=CD, MS11=0D, 2 MS11=0P, FP11=0, RP11=CB, RP03=BS, TM11=B, TU10=ED, CD11=EB, LP11=RB, MR11=OB, KW11=P, DD11=A, QJ250=AD
11/50=PH	RT	RFB			6 11/73	E	-	BATCH #1, 115V 60HZ
11/50=PJ	RT	RFB			6 11/73	E	-	BATCH #1, 230V 50HZ
11/50=PK	RT	RFB			6 11/73	E	-	BATCH #2, 115V 60HZ
11/50=PL	RT	RFB			6 11/73	E	-	BATCH #2, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/50-PM	RT	RFR			6 11/73	E	-	BATCH #3, 115V 60HZ
11/50-PN	RT	RFR			6 11/73	E	-	BATCH #3, 230V 50HZ
11/50-PP	RT	RFR			6 11/73	E	-	BATCH #4, 115V 60HZ
11/50-PR	RT	RFR			6 11/73	E	-	BATCH #4, 230V 50HZ
11/50-PS	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 11 11/50-CU, RK11-DE, TM11-EA, QJ250-AD, 115V 60HZ
11/50-PT	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 11 11/50-CV, RK11-DJ, TM11-ED, QJ250-AD, 230V 50HZ
11/50-PU	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 21 11/50-CU, RF11-AA, TC11-GA, QJ250-AC, 115V 60HZ
11/50-PV	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 21 11/50-CV, RF11-AB, TC11-GB, QJ250-AC, 230V 50HZ
11/50-PW	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 31 11/50-CU, MS11-BD, 2 MS11-BT, FP11-B, RP11-CE, TM11-EA, CD11-EA, LP11-RA, DD11-B, QJ250-AD, 115V 60HZ
11/50-PY	RT	RFR			6 1/75	E	-	BATCH/DOS SYS 31 11/50-CV, MS11-BD, 2 MS11-BT, FP11-B, RP11-CJ, TM11-ED CD11-EB, LP11-RB, DD11-B, QJ250-AD, 230V 50HZ
11/50-RA	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RA W 11/50-CC INSTEAD OF 11/45-CC
11/50-RB	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RB W 11/50-CD INSTEAD OF 11/45-CD
11/50-RC	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RC W 11/50-CC INSTEAD OF 11/45-CC
11/50-RD	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RD W 11/50-CD INSTEAD OF 11/45-CD
11/50-RE	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RE W 11/50-CC INSTEAD OF 11/45-CC
11/50-RF	RT	RFR			6 11/73	E	-	RSTS/501 11/45-RF W 11/50-CD INSTEAD OF 11/45-CD
11/50-RH	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #1, 115V 60HZ
11/50-RJ	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #1, 230V 50HZ
11/50-RK	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #2, 115V 60HZ
11/50-RL	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #2, 230V 50HZ
11/50-RM	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #3, 115V 60HZ
11/50-RN	RT	RFR			6 11/73	E	-	RSTS, TIME SHARE #3, 230V 50HZ
11/50-RP	RT	RFR			6 1/75	E	-	RSTS/E #1 11/50-CW MF11-UP RF11-AA RK11-DE TC11-GA H960-DA QR430-AC 115V60H
11/50-RR	RT	RFR			6 1/75	E	-	RSTS/E #1 11/50-CY MF11-UP RF11-AB RK11-DJ TC11-GB H960-DB QR430-AC 230V50H
11/50-RS	RT	RFR			6 1/75	E	-	RSTS/E #21 11/50-CW MF11-UP RF11-AA RK11-DE TM11-EA H960-DA QR430-AD 115V60H
11/50-RT	RT	RFR			6 1/75	E	-	RSTS/E #21 11/50-CY MF11-UP RF11-AB RK11-DJ TM11-ED H960-DB QR430-AD 230V50H
11/50-RU	RT	RFR			6 1/75	E	-	RSTS/E #31 11/50-CW MF11-UP RF11-CE FP11-B TM11-EA H960-DA QR430-AD 115V60HZ
11/50-RV	RT	RFR			6 1/75	E	-	RSTS/E #31 11/50-CY MF11-UP RP11-CJ FP11-B TM11-ED H960-DB QR430-AD 230V50HZ
11/50-UA	RT	RFR			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BP, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/50-UB	RT	RFR			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BP, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/50-UC	RT	RFR			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BM, CAB, UPGRADE FROM 11/20, 115V 60HZ
11/50-UD	RT	RFR			6 2/75	E	-	KB11-A, MS11-BC, 4 MS11-BM, CAB, UPGRADE FROM 11/20, 230V 50HZ
11/55-BA	RT	VDR		WM	2 11/75	E	-	11/55-CA + LA36-CE, 115V 60HZ
11/55-BB	RT	VDR		WM	2 11/75	E	-	11/55-CB + LA36-CJ, 230V 50HZ
11/55-BC	RT	VDR		WM	2 11/75	E	-	11/55-CC + LA36-CE, 115V 60HZ
11/55-BD	RT	VDR		WM	2 11/75	E	-	11/55-CD + LA36-CJ, 230V 50HZ
11/55-CA	RT	VDR		WM	2 11/75	E	-	KB11-D, 2 MS11-CC, 8 MS11-AP, KW11-L, KT11-CD, DL11-A, 8M873-YB, 2 H7420-A, H960-CD, 115V
11/55-CB	RT	VDR		WM	2 11/75	E	-	11/55-CA EXCEPT 2 H7420-B, H960-CE, 230V
11/55-CC	RT	VDR		WM	2 11/75	E	-	KB11-D, MS11-CC, 4 MS11-AP, MF11-UP, KW11-L, KT11-CD, DL11-A, 8M873-YB, 2 H7420-A, H960-CD, 115V
11/55-CD	RT	VDR		WM	2 11/75	E	-	11/55-CC EXCEPT 2 H7420-B, H960-CE, 230V
11/70-CA	RT	TU			3 11/75	E	-	KB11-B, M9301-YC, KW11-L, DL11-A, MJ11-AA, 2 H950, 115V 50/60HZ (3 PHASE)
11/70-CB	RT	TU			3 11/75	E	-	KB11-B, M9301-YC, KW11-L, DL11-A, MJ11-AB, 2 H950, 230V 50/60HZ (3 PHASE)
11/70-DA	RT	TU			3 11/75	E	-	11/70-CA + LA36-CE + MJ11-AE, 115V 60HZ
11/70-DB	RT	TU			3 11/75	E	-	11/70-CB + LA36-CF + MJ11-AE, 230V 60HZ
11/70-DC	RT	TU			3 11/75	E	-	11/70-CA + LA36-CH + MJ11-AE, 115V 50HZ
11/70-DD	RT	TU			3 11/75	E	-	11/70-CB + LA36-CJ + MJ11-AE, 230V 50HZ
11/70-EA	RT	TU			3 11/75	E	-	11/70-DA, BA11-KE, RK11J-DE, RK05J-AA, 115V 60HZ
11/70-EB	RT	TU			3 11/75	E	-	11/70-DB, BA11-KF, RK11J-DF, RK05J-AB, 230V 60HZ
11/70-EC	RT	TU			3 11/75	E	-	11/70-DC, BA11-KE, RK11J-DH, RK05J-BA, 115V 50HZ
11/70-ED	RT	TU			3 11/75	E	-	11/70-DD, BA11-KF, RK11J-DJ, RK05J-BB, 230V 50HZ
11/70-EA	RT	TU			3 11/75	E	-	11/70-DA + RWP24-AA + TWU16-EA, 115V 60HZ
11/70-FB	RT	TU			3 11/75	E	-	11/70-DB + RWP24-AA + TWU16-FB, 230V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11/70=FC	RT	TU			3 11/75	E	•	11/70=DC + RWP04=AB + THU16=EC, 115V 50HZ
11/70=FD	RT	TU			3 11/75	E	•	11/70=DD + RWP04=AB + THU16=ED, 230V 50HZ
11/70=FE	RT	TU			3 11/75	E	•	11/70=DA, RWP04=BA, THU16=EA, 115V 60HZ
11/70=FF	RT	TU			3 11/75	E	•	11/70=DB, RWP04=BA, THU16=EB, 230V 60HZ
11/70=PH	RT	TU			3 11/75	E	•	11/70=DC, RWP04=BB, THU16=EC, 115V 50HZ
11/70=PJ	RT	TU			3 11/75	E	•	11/70=DD, RWP04=BB, THU16=ED, 230V 50HZ
11/70=PK	RT	TU			3 11/75	E	•	11/70=DA, RWP04=CA, THU16=EA, 115V 60HZ
11/70=PL	RT	TU			3 11/75	E	•	11/70=DB, RWP04=CA, THU16=EB, 230V 60HZ
11/70=PM	RT	TU			3 11/75	E	•	11/70=DC, RWP04=CB, THU16=EC, 115V 50HZ
11/70=PN	RT	TU			3 11/75	E	•	11/70=DD, RWP04=CB, THU16=ED, 230V 50HZ
11/70=GA	RT	TU			3 11/75	E	•	11/70=EA + RWS04=BA + THU16=EA, 115V 60HZ
11/70=GB	RT	TU			3 11/75	E	•	11/70=EB + RWS04=BB + THU16=EB, 230V 60HZ
11/70=GC	RT	TU			3 11/75	E	•	11/70=EC + RWS04=BC + THU16=EC, 115V 50HZ
11/70=GD	RT	TU			3 11/75	E	•	11/70=ED + RWS04=BD + THU16=ED, 230V 50HZ
11/70=HA	RT	TU			3 11/75	E	•	11/70=FA + RWS04=BA, 115V 60HZ
11/70=HB	RT	TU			3 11/75	E	•	11/70=FB + RWS04=BB, 230V 60HZ
11/70=HC	RT	TU			3 11/75	E	•	11/70=FC + RWS04=BC, 115V 50HZ
11/70=HD	RT	TU			3 11/75	E	•	11/70=FD + RWS04=BD, 230V 50HZ
11/70=HE	RT	TU			3 11/75	E	•	11/70=FE, RWS04=BA, 115V 60HZ
11/70=HF	RT	TU			3 11/75	E	•	11/70=FF, RWS04=BB, 230V 60HZ
11/70=HH	RT	TU			3 11/75	E	•	11/70=PH, RWS04=BC, 115V 50HZ
11/70=HJ	RT	TU			3 11/75	E	•	11/70=PJ, RWS04=BD, 230V 50HZ
11/70=HK	RT	TU			3 11/75	E	•	11/70=FK, RWS04=BA, 115V 60HZ
11/70=HL	RT	TU			3 11/75	E	•	11/70=PL, RWS04=BB, 230V 60HZ
11/70=HM	RT	TU			3 11/75	E	•	11/70=PM, RWS04=BC, 115V 50HZ
11/70=HN	RT	TU			3 11/75	E	•	11/70=PN, RWS04=BD, 230V 50HZ
11/70=MA	RT	TU			5 11/75	E	•	KB11=C, M9301=YC, KW11=L, DL11=A, MJ11=AA, 2 H950, 115V 50/60HZ (3 PHASE)
11/70=MB	RT	TU			5 11/75	E	•	KB11=C, M9301=YC, KW11=L, DL11=A, MJ11=AB, 2 H950, 230V 50/60HZ (3 PHASE)
11/70=ME	RT	TU			2 11/75	E	•	KB11=C, M9301=YC, KW11=L, DL11=A, MJ11=AA, H9506-A, 861=D, 115V 3 PHASE
11/70=MF	RT	TU			2 11/75	E	•	KB11=C, M9301=YC, KW11=L, DL11=A, MJ11=AB, H9506-A, 861=E, 230V 3 PHASE
11/70=NA	RT	TU			3 11/75	E	•	11/70=MA + LA36=CE + MJ11=AE, 115V 60HZ
11/70=NB	RT	TU			3 11/75	E	•	11/70=MB + LA36=CF + MJ11=AE, 230V 60HZ
11/70=NC	RT	TU			3 11/75	E	•	11/70=MA + LA36=CH + MJ11=AE, 115V 50HZ
11/70=ND	RT	TU			3 11/75	E	•	11/70=MB + LA36=CJ + MJ11=AE, 230V 50HZ
11/70=PA	RT	TU			3 11/75	E	•	11/70=NA, BA11=KE, RK11J=DE, RK05J=AA, 115V 60HZ
11/70=PB	RT	TU			3 11/75	E	•	11/70=NB, BA11=KF, RK11J=DF, RK05J=AB, 230V 60HZ
11/70=PC	RT	TU			3 11/75	E	•	11/70=NC, BA11=KE, RK11J=DH, RK05J=BA, 115V 50HZ
11/70=PD	RT	TU			3 11/75	E	•	11/70=ND, BA11=KF, RK11J=DJ, RK05J=BB, 230V 50HZ
11/70=RA	RT	TU			3 11/75	E	•	11/70=NA + RWP04=AA + THU16=EA, 115V 60HZ
11/70=RB	RT	TU			3 11/75	E	•	11/70=NB + RWP04=AA + THU16=EB, 230V 60HZ
11/70=RC	RT	TU			3 11/75	E	•	11/70=NC + RWP04=AB + THU16=EC, 115V 50HZ
11/70=RD	RT	TU			3 11/75	E	•	11/70=ND + RWP04=AB + THU16=ED, 230V 50HZ
11/70=RE	RT	TU			3 11/75	E	•	11/70=NA, RWP04=BA, THU16=EA, 115V 60HZ
11/70=RF	RT	TU			3 11/75	E	•	11/70=NB, RWP04=BA, THU16=EB, 230V 60HZ
11/70=RH	RT	TU			3 11/75	E	•	11/70=NC, RWP04=BB, THU16=EC, 115V 50HZ
11/70=RJ	RT	TU			3 11/75	E	•	11/70=ND, RWP04=BB, THU16=ED, 230V 50HZ
11/70=RK	RT	TU			3 11/75	E	•	11/70=NA, RWP04=CA, THU16=EA, 115V 60HZ
11/70=RL	RT	TU			3 11/75	E	•	11/70=NB, RWP04=CA, THU16=EB, 230V 60HZ
11/70=RM	RT	TU			3 11/75	E	•	11/70=NC, RWP04=CB, THU16=EC, 115V 50HZ
11/70=RN	RT	TU			3 11/75	E	•	11/70=ND, RWP04=CB, THU16=ED, 230V 50HZ
11/70=SA	RT	TU			3 11/75	E	•	11/70=RA + RWS04=BA, 115V 60HZ
11/70=SB	RT	TU			3 11/75	E	•	11/70=RB + RWS04=BB, 230V 60HZ
11/70=SC	RT	TU			3 11/75	E	•	11/70=RC + RWS04=BC, 115V 50HZ
11/70=SD	RT	TU			3 11/75	E	•	11/70=RD + RWS04=BD, 230V 50HZ
11/70=UA	RT	TU			3 11/75	E	•	11/70=CA, MJ11=AE, 115V 50/60 HZ (3 PHASE)
11/70=UB	RT	TU			3 11/75	E	•	11/70=CB, MJ11=AR, 230V 50/60 HZ (3 PHASE)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
11/70=UC	RT	TU			3	11/75 E	•	11/70=MA, MJ11=AE, 115V 50/60 HZ (3 PHASE)
11/70=UD	RT	TU			3	11/75 E	•	11/70=MB, MJ11=AE, 230V 50/60 HZ (3 PHASE)
11/77=FE	RT	TU			3	11/75 E	•	11/70=DA, 11/70=FE, TWU16=EA, 115V 60HZ
11/77=FF	RT	TU			3	11/75 E	•	11/70=DB, 11/70=FF, TWU16=EB, 230V 60HZ
11/77=PH	RT	TU			3	11/75 E	•	11/70=DC, 11/70=PH, TWU16=EC, 115V 50HZ
11/77=PF	RT	TU			3	11/75 E	•	11/70=DD, 11/70=PF, TWU16=ED, 230V 50HZ
11/77=RE	RT	TU			3	11/75 E	•	11/70=NA, 11/70=RE, TWU16=EA, 115V 60HZ
11/77=RF	RT	TU			3	11/75 E	•	11/70=NB, 11/70=RF, TWU16=EB, 230V 60HZ
11/77=RH	RT	TU			3	11/75 E	•	11/70=NC, 11/70=RH, TWU16=EC, 115V 50HZ
11/77=RJ	RT	TU			3	12/75 E	•	11/70=ND, 11/70=RJ, TWU16=ED, 230V 50HZ
11A05	SNT	MT			6	6/75 E	•	RENAMED 11/04
11001=DA	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11, LP11=JA, DD11=B, 115V 60HZ
11001=DB	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11=A, LP11=JB, DD11=B, 230V 50HZ
11001=DC	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11, LP11=KA, DD11=B, 115V 60HZ
11001=DD	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11=A, LP11=KB, DD11=B, 230V 50HZ
11001=DE	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11, LS11=A, DD11=B, 115V 60HZ
11001=DF	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, CR11=A, LS11=B, DD11=B, 230V 50HZ
11001=DG	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, LS11=A, DD11=B, 115V 60HZ
11001=DH	VR	DPR		COM	2	10/74 B	110XX	DU11=DA, KG11=A, LS11=B, DD11=B, 230V 50HZ
11003=DA	VR	DPR		COM	2	10/74 B	110XX	DX11=BA, BM873=YX, 115V 60HZ
11003=DB	VR	DPR		COM	2	10/74 B	110XX	DX11=BB, BM873=YX, 230V 50HZ
11010=AA	VR	JMC		COM	3	2/75 E	•	11/10=NC, TA11=AA, LA36=CA, BM873=YB, 2 DD11=B, KG11=A, DU11=DA, CR11, H957, 861=C, QJD60=AN RCS=CORE 2780, 115V 60HZ
11010=AB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=AA
11010=AC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=AA
11010=AD	VR	JMC		COM	3	2/75 E	•	11010=AA EXCEPT 11/10=ND, TA11=A3, LA36=CB, CR11=A, 861=B, 230V 50HZ
11010=BA	VR	JMC		COM	3	2/75 E	•	11/10=SC, TA11=AA, RK11=D, RK05=AA, LA36=CA, BM873=YB, DD11=B, KG11=A, DU11=DA, H957=AA, 861=C, QJD64=AN & =AE RCS DOS=2780, 115V 60HZ
11010=BB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=BA
11010=BC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=BA
11010=BD	VR	JMC		COM	3	2/75 E	•	11010=BA EXCEPT 11/10=SD, TA11=AB, RK05=BB, LA36=CB, 861=B, 230V50HZ
11010=CA	VR	JMC		COM	3	2/75 E	•	11010=BA W ONE MORE DD11=B, 115V 60HZ
11010=CB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=CA
11010=CC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=CA
11010=CD	VR	JMC		COM	3	2/75 E	•	11010=BD W ONE MORE DD11=B, 230V 50HZ
11010=DA	VR	JMC		COM	3	2/75 E	•	11010=AA EXCEPT QJD62=AN RCS HASP, 115V 60HZ
11010=DB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=DA
11010=DC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=DA
11010=DD	VR	JMC		COM	3	2/75 E	•	11010=AD EXCEPT QJD62=AN RCS HASP, 230V 50HZ
11010=KA	VR	JMC		COM	3	2/75 E	•	11/10=NC, TA11=AB, LA36=CA, BM873=YB, DD11=B, H950=AA, 861=C, QJD10=JZ & =DZ CORE COMM SYS BASE, 115V 60HZ
11010=KB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=KA
11010=KC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=KA
11010=KD	VR	JMC		COM	3	2/75 E	•	11010=KA EXCEPT 11/10=ND, TA11=AB, LA36=CB, 861=B, 230V 50HZ
11010=LA	VR	JMC		COM	3	2/75 E	•	11/10=SC, TA11=AA, RK11=D, RK05=AA, LA36=CA, BM873=YB, DD11=B H950=AA, 861=C, QJD14=JZ & =DZ DOS, 115V 60HZ
11010=LB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=LA
11010=LC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=LA
11010=LD	VR	JMC		COM	3	2/75 E	•	11010=LA EXCEPT 11/10=SD, TA11=AB, RK05=BB, LA36=CB, 861=B, 230V50HZ
11010=MA	VR	JMC		COM	3	2/75 E	•	11010=KA EXCEPT QJD14=AN DECCOM FRONT END SYS BASE, 115V 60HZ
11010=MB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=MA
11010=MC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=MA
11010=MD	VR	JMC		COM	3	2/75 E	•	11010=KD EXCEPT QJD14=AN DECCOM FRONT END SYS BASE, 230V 50HZ
11010=NA	VR	JMC		COM	3	2/75 E	•	11010=LA EXCEPT QJD03=AN RT=11 F/B OP SYS, 115V 60HZ
11010=NB	VR	JMC		COM	3	2/75 E	•	230V 60HZ 11010=NA
11010=NC	VR	JMC		COM	3	2/75 E	•	115V 50HZ 11010=NA

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	24
11010-ND	VB	JMC		COM	3	2/75	-	11010-LD EXCEPT QJ003-AN RT-11 F/B OP SYS, 230V 50HZ	
11010-PA	VB	JMC		COM	3	2/75	E	11010-LA EXCEPT QJ250-AE DOS/BATCH W FORTRAN, 115V 60HZ	
11010-PB	VB	JMC		COM	3	2/75	E	230V 60HZ 11010-PA	
11010-PC	VB	JMC		COM	3	2/75	E	115V 50HZ 11010-PA	
11010-PD	VB	JMC		COM	3	2/75	E	11010-LD EXCEPT QJ250-AE DOS/BATCH W FORTRAN, 230V 50HZ	
11010-UA	VB	JMC		COM	3	2/75	E	11010-LA EXCEPT QJ620-AE RSX-11M, 115V 60HZ	
11010-UB	VB	JMC		COM	3	2/75	E	230V 60HZ 11010-UA	
11010-UC	VB	JMC		COM	3	2/75	E	115V 50HZ 11010-UA	
11010-UD	VB	JMC		COM	3	2/75	E	11010-LD EXCEPT QJ620-AE RSX-11M, 230V 50HZ	
11040-AA	VB	JMC		COM	2	8/74	E	CORE/2780 16KP KD11-A LA36 KW11 BM873 TA11 CR LP DU11 KG11 TALL CAB 115V60HZ	
11040-AD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-AA	
11040-BA	VB	JMC		COM	2	8/74	E	DQS/2780 16KP KD11-A LA36 KW11 BM873 TA11 RK05 DU11 KG11 2 TALL CAB 115V60HZ	
11040-BD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-BA	
11040-BE	VB	JMC		COM	3	1/75	E	11040-BA W 32KP, 115V 60HZ	
11040-BJ	VB	JMC		COM	3	1/75	E	11040-BD W 32KP, 230V 50HZ	
11040-CA	VB	JMC		COM	2	8/74	E	DQS/2780 11040-BA + LP11, 115V 60HZ	
11040-CD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-CA	
11040-CE	VB	JMC		COM	3	1/75	E	11040-BE + LP11, 115V 60HZ	
11040-CJ	VB	JMC		COM	3	1/75	E	11040-BJ + LP11, 230V 50HZ	
11040-DA	VB	JMC		COM	2	8/74	E	CORE/HASP 11040-AA W QJD62-AN IN PLACE OF QJD60-AN	
11040-DD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-DA	
11040-EA	VB	JMC		COM	2	8/74	E	RSX-11D/2780 48KP KD11-A LA36/KW/873 2RK DU/KG11 KT/KE11 2 TALL CAB 115V60HZ	
11040-ED	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-EA	
11040-EE	VB	JMC		COM	3	1/75	E	11040-EA W 64KP, 115V 60HZ	
11040-EJ	VB	JMC		COM	3	1/75	E	11040-ED W 64KP, 230V 50HZ	
11040-FA	VB	JMC		COM	2	8/74	E	RSX-11D/2780 48KP KD11-A LA36/KW/873 2RK LP DU/KG11 KT/KE11 2 TAL CAB 115/60	
11040-FD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-FA	
11040-FE	VB	JMC		COM	3	1/75	E	11040-FA W 64KP, 115V 60HZ	
11040-FJ	VB	JMC		COM	3	1/75	E	11040-FD W 64KP, 230V 50HZ	
11040-HA	VB	JMC		COM	2	8/74	E	RSTS/2780 11040-FA, NO LP11, QR430 & QPD10-AE IN PLACE OF QJ580 QPD70, 115V6	
11040-HD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-HA	
11040-HE	VB	JMC		COM	3	1/75	E	11040-HA W 64KP, 115V 60HZ	
11040-HJ	VB	JMC		COM	3	1/75	E	11040-HD W 64KP, 230V 50HZ	
11040-JA	VB	JMC		COM	2	8/74	E	RSTS/2780 48KP KD11-A LA36/KW/873 2 RK LP11 DU/KG11 KT/KE11 2 TAL CAB 115V60	
11040-JD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-JA	
11040-JE	VB	JMC		COM	3	1/75	E	11040-JA W 64KP, 115V 60HZ	
11040-JJ	VB	JMC		COM	3	1/75	E	11040-JD W 64KP, 230V 50HZ	
11040-KA	VB	JMC		COM	2	8/74	E	CORE/CSB 16KP LA36/KW/873 TA11 QJD10-JE -DZ TALL CAB 115V 60HZ	
11040-KD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-KA	
11040-LA	VB	JMC		COM	2	8/74	E	DQS/CSB 16KP KD11-A LA36/KW/873 TA11 RK QJD14-JE -DZ 2 TALL CAB 115V 60HZ	
11040-LD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-LA	
11040-LE	VB	JMC		COM	3	1/75	E	11040-LA W 28KP, 115V 60HZ	
11040-LJ	VB	JMC		COM	3	1/75	E	11040-LD W 28KP, 230V 50HZ	
11040-MA	VB	JMC		COM	2	8/74	E	CORE/F3B 16KP KD11-A LA36/KW/873 TA11 DX11 QJD40-AN 2 TALL CAB 115V 60HZ	
11040-MD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-MA	
11040-ME	VB	JMC		COM	3	1/75	E	11040-MA W 28KP, 115V 60HZ	
11040-MJ	VB	JMC		COM	3	1/75	E	11040-MD W 28KP, 230V 50HZ	
11040-NA	VB	JMC		COM	2	8/74	E	RT11 16KP KD11-A LA36/KW/873 2 RK05 QJ300-AE 2 TALL CAB 115V 60HZ	
11040-ND	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-NA	
11040-NE	VB	JMC		COM	3	1/75	E	11040-NA W 28KP, 115V 60HZ	
11040-NJ	VB	JMC		COM	3	1/75	E	11040-ND W 28KP, 230V 50HZ	
11040-PA	VB	JMC		COM	2	8/74	E	DQS/BATCH 16KP KD11-A LA36/KW/873 2 RK QJ250-AE 2 TAL CAB 115V 60HZ	
11040-PD	VB	JMC		COM	2	8/74	E	230V 50HZ 11040-PA	
11040-PE	VB	JMC		COM	3	1/75	E	11040-PA W 28KP, 115V 60HZ	
11040-PJ	VB	JMC		COM	3	1/75	E	11040-PD W 28KP, 230V 50HZ	
11040-RA	VB	JMC		COM	2	8/74	E	RSTS/E 48KP KD11-A LA36/KW/873 2 RK KY11 KE11 DR430-AE 2 TALL CAB 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGC AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	25
11040-RD	VB	JMC		COM	2	8/74 E	-	230V 50HZ 11040-RA	
11040-RE	VR	JMC		COM	3	1/75 E	-	11040-RA W 64KP, 115V 60HZ	
11040-RJ	VR	JMC		COM	3	1/75 E	-	11040-RD W 64KP, 230V 50HZ	
11040-SA	VR	JMC		COM	2	8/74 E	RSX-11D	48KP KD11-A LA36/KW/873 2 RK KT/KE11 QJ580-AE 2 TALL CAB 115V 60HZ	
11040-SD	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11040-SA	
11040-SE	VR	JMC		COM	3	1/75 E	-	11040-SA W 64KP, 115V 60HZ	
11040-SJ	VR	JMC		COM	3	1/75 E	-	11040-SD W 64KP, 230V 50HZ	
11040-UA	VR	JMC		COM	2	8/74 E	RSX-11M	16KP LA36/KW/873 2 RK QJ620-AE 2 TALL CAB 115V 60HZ	
11040-UD	VB	JMC		COM	2	8/74 E	-	230V 50HZ 11040-UA	
11040-UE	VB	JMC		COM	3	1/75 E	-	11040-UA W 32KP, 115V 60HZ	
11040-UJ	VR	JMC		COM	3	1/75 E	-	11040-UB W 32KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSX-11D/2780	16KM/32KP KB11-A LA36/KW/873 2RK DU/KG/KT11 3 TAL CAB 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSX-11D/2780	11050-EA W LP11, 15V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSTS/2780	11050-EA W QR430/QPD10-AE IN PLACE OF QJ580/QJD70-AE 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSTS/2780	11050-EA W LP11, 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	CORE/CSB	16KM KB11-A LA36/KW/873 TA11 TALL CAB QJD10-DZ -JZ 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/16KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/16KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	CORE/FSB	16KM KB11-A LA36/KW/873 TA11 DX11 2 TALL CAB QJD40-AN 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/16KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/16KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSTS/E	16KM/32KP KB11-A LA36/KW/873 2RK KT11 2 TALL CAB QR430-AE 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSX-11D	11050-EA W QJ580-AE IN PLACE OF QR430-AE 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11050-EE	VB	JMC		COM	3	1/75 E	-	11050-EA W 16KM/48KP, 115V 60HZ	
11050-EJ	VR	JMC		COM	3	1/75 E	-	11050-ED W 16KM/48KP, 230V 50HZ	
11050-EA	VR	JMC		COM	2	8/74 E	RSX-11M	16KM KB11-A LA36/KW/873 2RK05 2 TALL CAB QJ620-AE 115V 60HZ	
11050-ED	VR	JMC		COM	2	8/74 E	-	230V 50HZ 11050-EA	
11E05-BA	RS	FE		IPG	3	11/73 E	IND11-BA	11E05-NE W INDUSTRIAL CONSOLE, 115V 60HZ OEM	
11E05-BB	RS	FE		IPG	3	11/73 E	IND11-BB	11E05-NF W INDUSTRIAL CONSOLE, 230V 50HZ OEM	
11E05-NE	DLR	RAR			6	2/75 E	11/05-NC	MM11-L RK05-AA RK11-D TA11-AA LA36-CA BM873-YA DD11-B H960-CA 115V60 OEM	
11E05-NF	DLR	RAR			6	2/75 E	11/05-ND	MM11-L RK05-BB RK11-D TA11-AB LA36-CB BM873-YA DD11-B H960-CB 230V50 OEM	
11E05-NH	DLR	RAR			6	2/75 E	11/05-NE	MM11-L RK05-AB RK11-D TA11-AB LA36-CB BM873-YA DD11-B H960-CB 230V60 OEM	
11E05-NJ	DLR	RAR			6	2/75 E	11/05-NC	MM11-L RK05-BA RK11-D TA11-AA LA36-CA BM873-YA DD11-B H960-CA 115V50 OEM	
11E05-SE	DLR	RAR			5	2/75 E	-	11/05-8C RK05-AA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 60 OEM	
11E05-SF	DLR	RAR			5	2/75 E	-	11/05-8D RK05-BB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 115V 60 OEM	
11E05-SH	DLR	RAR			5	2/75 E	-	11/05-8D RK05-AB RK11-D TA11-AB LA36-CB BM792-YB H960-CA 230V 60 OEM	
11E05-SJ	DLR	RAR			5	2/75 E	-	11/05-8C RK05-BA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 50 OEM	
11E10-NE	DLR	RAR			6	2/75 E	11/10-NC	MM11-L RK05-AA RK11-D TA11-AA LA36-CA BM792-YB DD11-B H960-CA 115V60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	26
11E10-NF	DLR	RAR			6	2/75 E	11/10-ND	MM11-L RK05-BB RK11-D TA11-AB LA30-CD BM792-YB DD11-B H960-CB 230V50HZ	
11E10-NH	DLR	RAR			6	2/75 E	11/10-ND	MM11-L RK05-AB RK11-D TA11-AB LA30-CC BM792-YB DD11-B H960-CB 230V50HZ	
11E10-NJ	DLR	RAR			6	2/75 E	11/10-ND	MM11-L RK05-BA RK11-D TA11-AA LA30-CC BM792-YB DD11-B H960-CA 115V50HZ	
11E10-SE	DLR	RAR			5	2/75 E	.	11/10-SC RK05-AA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 60HZ	
11E10-SF	DLR	RAR			5	2/75 E	.	11/10-SD RK05-BB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 230V 50HZ	
11E10-SH	DLR	RAR			5	2/75 E	.	11/10-SD RK05-AB RK11-D TA11-AB LA36-CB BM792-YB H960-CB 230V 60HZ	
11E10-SJ	DLR	RAR			5	2/75 E	.	11/10-SC RK05-BA RK11-D TA11-AA LA36-CA BM792-YB H960-CA 115V 50HZ	
11F05-AA	RT	TU			3	11/75 E	.	11/05-SC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F05-AB	RT	TU			3	11/75 E	.	11/05-SD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F05-AD	RT	TU			3	11/75 E	.	11/05-SC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11F05-BA	RT	TU			3	11/75 E	.	11/05-XC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F05-BB	RT	TU			3	11/75 E	.	11/05-XD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F05-BD	RT	TU			3	11/75 E	.	11/05-XC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11F05-CA	RT	TU			3	11/75 E	.	11/05-XC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F05-CB	RT	TU			3	11/75 E	.	11/05-XD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F05-CD	RT	TU			3	11/75 E	.	11/05-XC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11F10-AA	RT	TU			3	11/75 E	.	11/05-SC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F10-AB	RT	TU			3	11/75 E	.	11/05-SD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F10-AD	RT	TU			3	11/75 E	.	11/05-SC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11F10-BA	RT	TU			3	11/75 E	.	11/05-XC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F10-BB	RT	TU			3	11/75 E	.	11/05-XD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F10-BD	RT	TU			3	11/75 E	.	11/05-XC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11F10-CA	RT	TU			3	11/75 E	.	11/05-XC, RX11-BA, BM792-YL, H967-CA, LA36-CE, 115V 60HZ	
11F10-CB	RT	TU			3	11/75 E	.	11/05-XD, RX11-BD, BM792-YL, H967-CB, LA36-CJ, 230V 50HZ	
11F10-CD	RT	TU			3	11/75 E	.	11/05-XC, RX11-BC, BM792-YL, H967-CA, LA36-CH, 115V 50HZ	
11L03-AA	AW				3	11/75 E	DECLAB	11/03-AI 11V03-AA, MSV11-B, DRV11, 115V 60HZ	
11L03-AB	AW				3	11/75 E	DECLAB	11/03-AI 11V03-AB, MSV11-B, DRV11, 230V 50HZ	
11L03-EA	AW				3	11/75 E	DECLAB	11/03-EI 11V03-EA, MSV11-B, DRV11, 115V 60HZ	
11L03-EB	AW				3	11/75 E	DECLAB	11/03-EI 11V03-EB, MSV11-B, DRV11, 230V 50HZ	
11L10-AA	AW	ERK			3	12/73 E	.	11E10-NE, NP11, KL11, QJ005-AE, 115V 60HZ	
11L10-AB	AW	ERK			3	12/73 E	.	11E10-NF, NP11, KL11, QJ005-AE, 230V 50HZ	
11L10-BA	AW	ERK			3	12/73 E	.	11/10, 16K, DECRYPTER, TA11-AA, RK05-AA, AR11, 115V 60HZ	
11L10-BB	AW	FRK			3	12/73 E	.	11/10, 16K, DECRYPTER, TA11-AB, RK05-BB, AR11, 230V 50HZ	
11L10-BC	AW	FRK			3	12/73 E	.	11/10, 16K, LY33-DD, AR11, 115V 60HZ	
11L10-BD	AW	ERK			3	12/73 E	.	11/10, 16K, LY33-DD, AR11, 230V 50HZ	
11L10-BE	AW	ERK			3	12/73 E	.	11/10, 16K, DECRYPTER, TA11-AA, AR11, 115V 60HZ	
11L10-BF	AW	ERK			3	12/73 E	.	11/10, 16K, DECRYPTER, TA11-AB, AR11, 230V 50HZ	
11L10-BH	AW	ERK			3	12/73 E	.	11/10 16K DECRYPTER TA11-AA LPS11-SA LPSKW LPSDR=A LPSAD=12, 115V 60HZ	
11L10-BJ	AW	ERK			3	12/73 E	.	11/10 16K DECRYPTER TA11-AB LPS11-SB LPSKW LPSDR=A LPSAD=12, 230V 50HZ	
11L10-BK	AW	ERK			3	12/75 E	.	11E10, 16K, DECRYPTER, RK05-AA, LPS11-SA, LPSKW, LPSDR=A, LPSAD=12, 2 LPSAG, 115V 60HZ	
11L10-BL	AW	ERK			3	12/75 E	.	11E10, 16K, DECRYPTER, RK05-BB, LPS11-SB, LPSKW, LPSDR=A, LPSAD=12, 2 LPSAG, 230V 50HZ	
11L10-GC	AW	EK			3	6/75 E	.	11/10-SC, RX11-BA LA36-DA AR11-KT BM792-YL H967-KN DD11-B, 115V 60HZ	
11L10-GD	AW	EK			3	6/75 E	.	11/10-SD, RX11-BD LA36-DB AR11-KT BM792-YL H967-KN DD11-B, 230V 50HZ	
11L10-HC	AW	EK			3	6/75 E	.	11L10-GC, LPS11-SA, LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW NO AR11, NO DD11, 115V60	
11L10-HD	AW	EK			3	6/75 E	.	11L10-GD, LPS11-SB, LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW NO AR11, NO DD11, 230V50	
11L10-KC	AW				3	10/75 E	.	11T10-AA, MM11-F, AR11-KT, QJ003-AE RT=11, QJ940-AE LA=11, 115V60HZ	
11L10-KD	AW				3	10/75 E	.	11T10-AB, MM11-F, AR11-KT, QJ003-AE RT=11, QJ940-AE LA=11, 230V 50HZ	
11L10-LC	AW				3	10/75 E	.	11L10-KC, LPS11-SA, LPSAD=12, LPSAM, 4 LPSAG, LPSKW, LPSDR=A, 115V 60HZ	
11L10-LD	AW				3	10/75 E	.	11L10-KD, LPS11-SA, LPSAD=12, LPSAM, 4 LPSAG, LPSKW, LPSDR=A, 230V 50HZ	
11L40-AA	AW	ERK			3	12/73 E	.	11/40-CU VR14-LC LPS11-SA LPSAD=12 2 LPSAG LPSKW LPSDR=A 115V60HZ	
11L40-AB	AW	FRK			3	12/73 E	.	11/40-CV VR14-LC LPS11-SB LPSAD=12 2 LPSAG LPSKW LPSDR=A 230V50HZ	
11L40-CA	AW	FRK			3	4/75 E	.	11/40-AH, LA36-CA, TA11-AA, KW11-L, BM073-YA, H960-CA, AR11, DD11-B, QJ180-AN CAPS=11, QJ942-AN AR=11, 115V	
11L40-CB	AW	ERK			3	4/75 E	.	11L40-CA EXCEPT 11/40-AJ, LA36-CB, TA11-AB, H960-CB, 230V	
11L40-EA	AW	FRK			3	6/75 E	.	DECLAB 11/40-RT 11/40-BK, KW11-L, BM073-YB, TA11-AA, DD11-B, AR11-KT, QJ180-AN CAPS=11, QJ982-AN AR=11, 120V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE-MO/YR	CATE-GORY	USED ON	DESCRIPTION	27
11L40=EB	AW	ERK			3	6/75	E	-	11L40=EA EXCEPT 11/40=BL, TA11=AB, 240V 50HZ	
11L40=EC	AW	ERK			3	6/75	E	-	DECLAB 11/40=DI 11/40=BK, BM873=YB, DD11=B, RX11=BA, AR11=KT QJ003=AY RT=11, 120V 60HZ	
11L40=ED	AW	ERK			3	6/75	E	-	DECLAB 11/40=DI 11/40=BL, BM873=YB, DD11=B, RX11=BB, AR11=KT, QJ003=AY RT=11, 240V 50HZ	
11L40=EE	AW	ERK			3	6/75	E	-	DECLAB 11/40=HI 11/40=BK, BM873=YB, DD11=B, RX11=BA, LPS11=SA LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW, QJ003=A3 RT=11, 120V 60HZ	
11L40=EF	AW	ERK			3	6/75	E	-	11L40=EE EXCEPT 11/40=BL, RX11=BB, LPS11=SB, 240V 50HZ	
11L40=EH	AW				3	10/75	E	-	DECLAB 11/40=MI 11/40=AA, LPS11=SA, LPSAD=12, LPSKW, LPSDR=A, 4 LPSAG, LPSAM, QJ620=AE RSX=11M, 115V 60HZ	
11L40=EJ	AW				3	10/75	E	-	11L40=EA EXCEPT 11/40=AB, LPS11=SB, 230V 50HZ	
11L45=CA	AW	ERK			3	4/75	E	-	11/45=AH LA36=CA TA11=AA KW11=L BM873=YA AR11 CAPS=11 & LA11, 115V	
11L45=CB	AW	ERK			3	4/75	E	-	11/45=AJ LA36=CB TA11=AB KW11=L BM873=YA AR11 CAPS=11 & LA11, 230V	
11L45=DC	AW	ERK			3	4/75	E	-	DECLAB 11/45=DI 11/45=AK, MM11=JP, MF11=UP, LA36=CA, KT11=C, RK11=DE, RK05=AA, KW11=L, BM873=YA, VT11=AA, LPS11=SA, QJ580=AE RSX11=D, LPS OPTIONS: H960=DH, H970=FA, LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW, 115V 60HZ	
11L45=DD	AW	ERK			3	4/75	E	11L45=DC EXCEPT	11/45=AL LA36=CB RK11=DJ RK05=BB VT11=AB LPS11=SB H960=DJ 230V 50HZ	
11L45=EA	AW	ERK			3	6/75	E	-	DECLAB 11/45=RT 11/45=BW, RK11=DE, RK05=AA, VT11=AA, LPS11=SA, QJ003=AE, QJ940=AE, 11L45=DC LPS OPTIONS, 120V, 60HZ	
11L45=EB	AW	ERK			3	6/75	E	11L45=EA EXCEPT	11/45=BY, RK11=DJ, RK05=BB, VT11=AB, H960=DJ, LPS11=SB, 240V 50HZ	
11L45=EC	AW	ERK			3	6/75	E	-	DECLAB 11/45=DI 11/45=BW, MF11=UR, RK11=DE, RK05=AA, H960=DH, LPS11=SA, QJ580=AE, LPS OPTIONS: LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW, 115V 60HZ	
11L45=ED	AW	ERK			3	6/75	E	-	11L45=EC EXCEPT 11/45=BY, RK11=DJ, RK05=BB, H960=DJ, LPS11=SB, 230V 50HZ	
11L45=EE	AW	ERK			3	6/75	E	-	DECLAB 11/45=M, 11/45=BN, RK11=DE, RK05=AA, LPS11=SA, LPSAD=12, 2 LPSAG, LPSDR=A, LPSKW, QJ620=AE, 115V 60HZ	
11L45=EF	AW	ERK			3	6/75	E	-	11L45=EE EXCEPT 11/45=BY, RK11=DJ, RK05=BB, LPS11=SB, 230V 50HZ	
11L45=EH	AW	ERK			3	6/75	E	DECLAB	11/45=CAPS: 11/45=BN, TA11=AA, DD11=B, AR11=LT, QJ180=AN, QJ942=AN, 115V 60	
11L45=EJ	AW	ERK			3	6/75	E	-	11L45=EH EXCEPT 11/45=BY, TA11=AB, 230V 50HZ	
11L45=MA	AW	ERK			3	11/74	E	-	DECLAB 11/45=MI 11/45=AH, MM11=U, LA36=CA, KT11=C, RK11=DE, VT11=AA, KW11=L, BM873=YA, LPS11=SA, QJ620=AE RSX=11, 11L45=D LPS OPTIONS, 115V 60HZ	
11L45=MB	AW	ERK			3	11/74	E	11L45=MA EXCEPT	11/45=AJ LA36=CB RK11=DJ RK05=BB VT11=AB LPS11=SB H970=FB 230V 50HZ	
11L45=MC	AW	ERK			3	11/74	E	-	DECLAB 11/45=MP 11L45=MA EXCEPT 11/45=AK, MM11=UP (PARITY) 115V 60HZ	
11L45=MD	AW	FRK			3	11/74	E	-	DECLAB 11/45=MP 11L45=MA EXCEPT 11/45=AL, MM11=UP (PARITY) 230V 50HZ	
11L45=RA	AW	FRK			3	11/74	E	DECLAB	11/45=RT 11/45=AH, LA36=CA, RK11=DE, RK05=AA, KW11=L, BM873=YA, VT11=AA, LPS11=SA, QJ003=AB RT=11, QJ940=AE LA=11, 11L45=D LPS OPTIONS, 115V 60HZ	
11L45=RB	AW	ERK			3	11/74	E	11L45=RA EXCEPT	11/45=AJ LA36=CB RK11=DJ RK05=BB VT11=AB LPS11=SB, 230V 50HZ	
11L45=RC	AW	ERK			3	11/74	E	-	DECLAB 11/45=RTPI 11L45=RA EXCEPT 11/45=AK (PARITY), 115V 60HZ	
11L45=RD	AW	ERK			3	11/74	E	-	DECLAB 11/45=RTPI 11L45=RB EXCEPT 11/45=AL (PARITY), 230V 50HZ	
11L70=EA	AW	ERK			3	6/75	E	DECLAB	11/70=DI 11/70=EA, LPS11=SA, 11L45=EC LPS OPTIONS, QJ580=AE, 115V 60HZ	
11L70=EB	AW	ERK			3	6/75	E	-	11L70=EA EXCEPT 11/70=ED, LPS11=SB, 230V 50HZ	
11R20=AA		JRC			3	12/71	E	-	RUGGED 11=20 RACK MOUNTABLE 115V	
11R20=AB		JRC			3	12/71	E	-	RUGGED 11=20 RACK MOUNTABLE 230V	
11R20=LA		JRC			3	12/71	E	-	11R20=AA WITH NO CONSOLE	
11R20=LB		JRC			3	12/71	E	-	11R20=AB WITH NO CONSOLE	
11T05=AA	DLR	RAR			3	6/75	E	-	11/05=SC 2 RK05=AA RK11=D LA36=CA BM792=YB H960=CA 115V 60HZ, OEM	
11T05=AB	DLR	RAR			3	6/75	E	-	11/05=SD 2 RK05=BB RK11=D LA36=CB BM792=YB H960=CB 230V 50HZ, OEM	
11T05=AC	DLR	RAR			3	6/75	E	-	11/05=SD 2 RK05=AB RK11=D LA36=CB BM792=YB H960=CB 230V 60HZ, OEM	
11T05=AD	DLR	RAR			3	6/75	E	-	11/05=SC 2 RK05=BA RK11=D LA36=CA BM792=YB H960=CA 115V 50HZ, OEM	
11T05=BA	RT	TU			3	11/75	E	-	11/05=XE, RK11J=DE, RK05J=AA, BM873=YA, LA36=CE, 115V 60HZ	
11T05=BB	RT	TU			3	11/75	E	-	11/05=XD, RK11J=DJ, RK05J=BB, BM873=YA, LA36=CJ, 230V 50HZ	
11T05=BC	RT	TU			3	11/75	E	-	11/05=XD, RK11J=DF, RK05H=AB, BM873=YA, LA36=CF, 230V 60HZ	
11T05=BD	RT	TU			3	11/75	E	-	11/05=XE, RK11J=DE, RK05J=BA, BM873=YA, LA36=CE, 115V 50HZ	
11T05=CA	RT	TU			3	11/75	E	-	11/05=YC, RK11J=OH, RK05J=AA, BM873=YA, LA36=CH, 115V 60HZ	
11T05=CB	RT	TU			3	11/75	E	-	11/05=YD, RK11J=DJ, RK05J=BB, BM873=YA, LA36=CJ, 230V 50HZ	
11T05=CC	RT	TU			3	11/75	E	-	11/05=YD, RK11J=DF, RK05H=AB, BM873=YA, LA36=CF, 230V 60HZ	

MODEL NO	ENG HGR	DESIGN ENCH	PROD ENCH	MFGH AREA	STATUS	DATE= MO/YR	USED ON	DESCRIPTION	20
11705=CD	RT	TU			3	11/75	E	11/05=YC, RK11J=DH, RK05J=BA, BM873=YA, LA36=CH, 115V 50HZ	
11710=AA	DLR	RAR			3	6/75	F	11/10=SC, 2 RK05=AA, RK11=D, LA36=CA, BM792=YB, H960=CA, 115V 60HZ	
11710=AB	DLR	RAR			3	6/75	E	11/10=SD, 2 RK05=BB, RK11=D, LA36=CB, BM792=YB, H960=CB, 230V 50HZ	
11710=AC	DLR	RAR			3	6/75	E	11/10=SO, 2 RK05=AB, RK11=D, LA36=CB, BM792=YB, H960=CB, 230V 60HZ	
11710=AD	DLR	RAR			3	6/75	E	11/10=SC, 2 RK05=BA, RK11=D, LA36=CA, BM792=YB, H960=CA, 115V 50HZ	
11710=BA	RT	TU			3	11/75	E	11/05=XC, RK11J=DE, RK05J=AA, BM873=YA, LA36=CE, 115V 60HZ	
11710=BB	RT	TU			3	11/75	E	11/05=XD, RK11J=DJ, RK05J=BB, BM873=YA, LA36=CJ, 230V 50HZ	
11710=BC	RT	TU			3	11/75	E	11/05=XD, RK11J=DF, RK05H=AB, BM873=YA, LA36=CF, 230V 60HZ	
11710=BD	RT	TU			3	11/75	E	11/05=XC, RK11J=DH, RK05J=BA, BM873=YA, LA36=CH, 115V 50HZ	
11710=CA	RT	TU			3	11/75	E	11/05=YC, RK11J=DE, RK05J=AA, BM873=YA, LA36=CE, 115V 60HZ	
11710=CB	RT	TU			3	11/75	E	11/05=YD, RK11J=DJ, RK05J=BB, BM873=YA, LA36=CJ, 230V 50HZ	
11710=CC	RT	TU			3	11/75	E	11/05=YD, RK11J=DF, RK05H=AB, BM873=YA, LA36=CF, 230V 60HZ	
11710=CD	RT	TU			3	11/75	E	11/05=YC, RK11J=DH, RK05J=BA, BM873=YA, LA36=CH, 115V 50HZ	
11734=AA	JRS	RAA			2	10/75	E	11/34=DM, MS11=JP, 2 RK05=AA, RK11=D, LA36=CE, H960=CA, 115V 60HZ	
11734=AB	JRS	RAA			2	10/75	E	11/34=DN, MS11=JP, 2 RK05=BB, RK11=D, LA36=CJ, H960=CB, 230V 50HZ	
11734=AC	JRS	RAA			2	10/75	E	11/34=DN, MS11=JP, 2 RK05=AB, RK11=D, LA36=CF, H960=CA, 230V 60HZ	
11734=AD	JRS	RAA			2	10/75	E	11/34=DM, MS11=JP, 2 RK05=BA, RK11=D, LA36=CH, H960=CA, 115V 50HZ	
11734=BA	JRS	RAA			2	10/75	E	11/34=HM, MM11=DP, 2 RK05=AA, RK11=D, LA36=CE, H960=CA, 115V 60HZ OEM	
11734=BB	JRS	RAA			2	10/75	E	11/34=HN, MM11=DP, 2 RK05=BB, RK11=D, LA36=CJ, H960=CB, 230V 50HZ	
11734=BC	JRS	RAA			2	10/75	E	11/34=HN, MM11=DP, 2 RK05=AB, RK11=D, LA36=CF, H960=CB, 230V 60HZ	
11734=BD	JRS	RAA			2	10/75	E	11/39=HM, MM11=DP, 2 RK05=BA, RK11=D, LA36=CH, H960=CA, 115V 50HZ	
11734=CA	JRS	RAA			2	10/75	E	11/34=AA, QJ003=AE RT11, 115V 60HZ	
11734=CB	JRS	RAA			2	10/75	E	11/34=AB, QJ003=AE RT11, 230V 50HZ	
11734=DA	JRS	RAA			2	10/75	E	11/34=AA, QJ003=AE RT11, QJ921=AE MULTI=USER BASIC, 115V 60HZ	
11734=DB	JRS	RAA			2	10/75	E	11/34=AB, QJ003=AE RT11, QJ921=AE MULTI=USER BASIC, 230V 50HZ	
11734=EA	JRS	RAA			2	10/75	E	11/34=AA, QJ620=AE RSX=11S & M, 115V 60HZ	
11734=EB	JRS	RAA			2	10/75	E	11/34=AB, QJ620=AE RSX=11S & M, 230V 50HZ	
11734=FA	JRS	RAA			2	10/75	E	11/34=AA, QR430=AE RSTS=E, 115V 60HZ	
11734=FB	JRS	RAA			2	10/75	E	11/34=AB, QR430=AE RSTS=E, 230V 50HZ	
11734=HA	JRS	RBA			2	10/75	E	11/34=BA, QJ003=AE RT11, 115V 60HZ	
11734=HB	JRS	RAA			2	10/75	F	11/34=BB, QJ003=AE RT11, 230V 50HZ	
11734=JA	JRS	RAA			2	10/75	E	11/34=BA, QJ003=AE RT11, QJ921=AE MULTI=USER BASIC, 115V 60HZ	
11734=JB	JRS	RAA			2	10/75	E	11/34=BB, QJ003=AE RT11, QJ921=AE MULTI=USER BASIC, 230V 50HZ	
11734=KA	JRS	RAA			2	10/75	E	11/34=BA, QJ620=AE RSX=11S & M, 115V 60HZ	
11734=KB	JRS	RAA			2	10/75	E	11/34=BB, QJ620=AE RSX=11S & M, 230V 50HZ	
11734=LA	JRS	RAA			2	10/75	E	11/34=BA, QR430=AE RSTS=E, 115V 60HZ	
11734=LB	JRS	RAA			2	10/75	E	11/34=BB, QR430=AE RSTS=E, 230V 50HZ	
11735=AA	RT	LC			3	8/75	E	OEM 11740=AA, 115V 60HZ	
11735=AB	RT	LC			3	8/75	E	OEM 11740=AB, 240V 50HZ	
11735=AC	RT	LC			3	8/75	E	OEM 11740=AC, 240V 60HZ	
11735=AD	RT	LC			3	8/75	E	OEM 11740=AD, 120V 50HZ	
11740=AA	RT	LC			3	8/75	E	11/40=AK, MM11=UP, KT11=D, DD11=B, LA36=CA, RK11=DE, RK05=AA, BM873=YA, KW11=L, 120V 60HZ	
11740=AB	RT	LC			3	8/75	E	11740=AA EXCEPT 11/40=AL, LA36=CB, RK11=DJ, RK05=BB, 240V 50HZ	
11740=AC	RT	LC			3	8/75	E	11740=AA EXCEPT 11/40=AL, LA36=CB, RK11=DF, RK05=AB, 240V 60HZ	
11740=AD	RT	LC			3	8/75	E	11740=AA EXCEPT RK11=DH, RK05=BA, 120V 50HZ	
11755=BA	RT	VDR		WM	2	11/75	E	11/55=BA, FP11=C, RK11J=DE, RK05J=AA, 115V 60HZ	
11755=BB	RT	VDR		WM	2	11/75	E	11/55=BB, FP11=C, RK11J=DJ, RK05J=BB, 230V 50HZ	
11755=BC	RT	VDR		WM	2	11/75	E	11/55=BC, FP11=C, RK11J=DE, RK05J=AA, 115V 60HZ	
11755=BD	RT	VDR		WM	2	11/75	E	11/55=BD, FP11=C, RK11J=DJ, RK05J=BB, 230V 50HZ	
11V03=AA	SNT	MEL			2	10/75	E	11/03=AA, MSV11=B, REV11=A, RXV11=BA, VT52=AA, H984=BA, QJ003, 115V 60HZ	
11V03=AC	SNT	MEL			2	10/75	E	11/03=AA, MSV11=B, REV11=A, RXV11=BC, VT52=AC, H984=BA, QJ003, 115V 60HZ	
11V03=AD	SNT	MEL			2	10/75	E	11/03=AB, MSV11=B, REV11=A, RXV11=BD, VT52=AB, H984=BB, QJ003, 230V 50HZ	
11V03=EA	SNT	MEL			2	10/75	E	11/03=AA, MSV11=B, REV11=A, RXV11=BA, LA36=DE, H984=BA, QJ003, 115V 60HZ	
11V03=EC	SNT	MEL			2	10/75	E	11/03=AA, MSV11=B, REV11=A, RXV11=BC, LA36=DH, H984=BA, QJ003, 115V 50HZ	
11V03=ED	SNT	MEL			2	10/75	E	11/03=AB, MSV11=B, REV11=A, RXV11=BD, LA36=DJ, H984=BB, QJ003, 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
11W03-AA	VB	DR			3 8/75	E	KD11-F, 3 MSV11-B, 2 DLV11, M5911, H9270-A, H780, SUITCASE 17 X 21 X 7.5	
11W40-BS		DV			3 6/75	E		11/40-BS W 2BK PARITY, LA36-CA, RFI SHIELDING, 115V 60HZ
11W45-AH	VB				3 4/74	E		11/45-AH W 861-C POWER CONTROL IN PLACE OF 861-A
120		JDL		TPL	6	D	1	SEQUENCE BREAK SYSTEM
121-A		JDL			6	M	1	MEMORY CONTROL (1 PROCESSOR)
121-B		JDL			6	M	1	MEMORY CONTROL (2 PROCESSORS)
121-C		JDL			6	M	1	MEMORY CONTROL (3 PROCESSORS)
121-D		JDL			6	M	1	MEMORY CONTROL (4 PROCESORS)
123		JDL		TPL	6	D	1	HIGH SPEED DATA CHANNEL
125		JDL			6	K	4	REAL TIME OPTION
126		JDL			6	K	4	REAL TIME OPTION FOXBORO
127		JDL			6	K	4	DEVICE SELECTOR EXTENSION
128		JDL			6	K	4	INF COLLECTOR EX
129		JDL		TPL	6	D	5	DATA CHANNEL MULTIPLEXER
131		JDL		TPL	6	D	1	DATA CONTROL
132		JDL		TPL	6	D	4	CLOCK MULTIPLEXER
133		JDL		TPL	6	D	4	DATA INTERRUPT MULTIPLEXER
134		JDL			6	M	135	4K MEMORY EXPANDS PDP4-C TO 8K
135		JDL			6	M	4, 16	8K MEMORY FOR PDP4-C
137		RG			6	A	5	A/D CONVERTER 11 BIT4
138-A		RG			6	A	1, 4, 7	ADC GENERAL PURPOSE
138-B		RG			6	A	1, 4, 7	FASTER 138
138-C		RG			6	A	1, 4, 7	138 WITH 11 BITS, 45 USEC
138-D		RG			6	A	5, 8	138-B WHICH CONNECTS TO PDP5/8
138-E		RG			6	A	1, 4, 7, AA03	25 USEC F/C 138 (11BITS)
138-F		RG			6	A	1, 4, 7, 8, 9	35 USEC F/C 138 (12 BITS, CAB)
139-A		RG			6	A	1, 4, 7	MULTIPLEXER CONTROL UP TO 64 CHANNELS
139-B		RG			6	A	1, 4, 7	MULTIPLEXER CONTROL 16CH
139-D		RG			6	A	5, 8	139-A WITH PDP5/8 INTERFACE
139-E		RG			6	A	1, 4, 7, AA03	MX CONTROL UP TO 64 CH
139-F		RG			6	A	1, 4, 7, 8, 9	139-A IN 138-F CAB
14/30-A	JM	AR			5 2/75	E	-	14/30-B W 4K X 12 CORE (MM8-E) & DC14-F
14/30-B	JM	AR			3 9/73	E	-	14/30-C W PROCESSOR, I/O CONT & I/O MUX MODULES
14/30-C	JM	AR			3 9/73	B	-	BASIC PDP14/30 MOUNTING PANEL ASSEMBLY W I/O CONNECTORS
14/35-A	JM	AR			5 2/75	E	-	14/30-B W 8K X 12 CORE (MM8-EJ) & DC14-F
140		JDL		TPL	6	D	1	RELAY BUFFER
141					6	A	1/142	HIGH SPEED MX CONTROL
142-B		RG			6	A	1, 4, 7	HIGH SPEED 8 BIT DAC
143		JDL			6	K	4	16 CHANNEL PRIORITY INTERRUPT
145					6	A	138	INPUT MX (2 CHANNELS)
146		JDL			6	M	4	PARITY OPTION
147		JDL			6	M	149-A	4K MEMORY
148		JDL			6	M	7	MEMORY EXTENSION CONTROL20
148-B		JDL			6	M	7-A	MEMORY EXTENSION CONTROL
149-A		JDL			6	M	7, 148	4K MEMORY W SPACE FOR 8K
149-B		JDL			6	M	7, 148	8K MEMORY (147 + 149-A)
15/73-A	EW	FD			3 2/74	E	-	16K BASIC PT SYSI KP15, ME15-EA, LA36-CA, PC15, KE15, KW15
15/73-B	EW	FD			3 2/74	E	-	16K BASIC PT SYSI KP15, ME15-EB, LA36-CD, PC15-A, KE15, KW15
15/75-A	EW	FD			3 2/74	E	-	16K DECTAPE SYSI KP15 ME15-EA LA36-CA PC15 KE15 KW15 TC15 TU56 115V60HZ
15/75-B	EW	FD			3 2/74	E	-	16K DECTAPE SYSI KP15 ME15-EB LA36-CD PC15-A KE15 KW15 TC15 TU56 230V50HZ
15/76-CE	EW	FD			3 8/74	E	-	15/76-DE + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CF	EW	FD			3 8/74	E	-	15/76-DF + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ
15/76-CK	EW	FD			3 8/74	E	-	15/76-DK + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CL	EW	FD			3 8/74	E	-	15/76-DL + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ
15/76-CP	EW	FD			3 8/74	E	-	15/76-DE + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ
15/76-CR	EW	FD			3 8/74	E	-	15/76-DF + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	30
15/76-CS	EW	FD			3	8/74	E	15/76-MK + ME15-F, LA36-CA IN PLACE OF LA30, 115V 60HZ	
15/76-GT	EW	FD			3	8/74	E	15/76-ML + ME15-F, LA36-CB IN PLACE OF LA30, 230V 50HZ	
15/76-DA	EW	FD			6	8/74	E	KP15 ME15-EA LA30-CA PC15 KE15 KW15 TC15 TU56 RK15-FA 115V 60HZ	
15/76-DB	EW	FD			6	8/74	E	KP15 ME15-EB LA30-CD PC15-A KE15 KW15 TC15 TU56 RK15-FD 230V 50HZ	
15/76-DC	EW	FD			6	8/74	E	15/76-DA W RK15-FE IN PLACE OF RK15-FA, 115V 60HZ	
15/76-DD	EW	FD			6	8/74	E	15/76-DB W RK15-FJ IN PLACE OF RK15-FD, 230V 50HZ	
15/76-DE	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC15, TU56, RK15-HE, 115V 60HZ	
15/76-DF	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC15, TU56, RK15-HF, 230V 50HZ	
15/76-DK	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC15, TU56, RK15-HK, 115V 60HZ	
15/76-DL	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC15, TU56, RK15-HL, 230V 50HZ	
15/76-MA	EW	FD			6	8/74	E	KP15 ME15-EA LA30-CA PC15 KE15 KW15 TC59 TU10-EE RK15-FA, 115V 60HZ	
15/76-MB	EW	FD			6	8/74	E	KP15 ME15-EB LA30-CD PC15-A KE15 KW15 TC59-D TU10-EJ RK15-FD, 230V 50HZ	
15/76-MC	EW	FD			6	9/74	E	15/76-MA W RK15-FE IN PLACE OF RK15-FA, 115V 60HZ	
15/76-MD	EW	FD			6	9/74	E	15/76-MB W RK15-FJ IN PLACE OF RK15-FD, 230V 50HZ	
15/76-ME	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC59-D, TU10, RK15-HE, 115V 60HZ	
15/76-MF	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC59-D, TU10, RK15-HF, 230V 50HZ	
15/76-MK	EW	FD		WM	3	2/74	E	KP15, ME15-EA, LA30-CA, PC15, KE15, KW15, TC59-D, TU10, RK15-HK, 115V 60HZ	
15/76-ML	EW	FD		WM	3	2/74	E	KP15, ME15-EB, LA30-CD, PC15-A, KE15, KW15, TC59-D, TU10, RK15-HL, 230V 50HZ	
15/77-A	EW	FD			3	2/74	E	16K DEC DISK SYS: 15/75-A + ME15-B, RP15, RS09, KM15, KT15, KA15, LT15	
15/77-B	EW	FD			3	2/74	E	16K DEC DISK SYS: 15/75-B + ME15-B, RP15, RS09-A, KM15, KT15, KA15, LT15-A	
15/78-AA	EW	FD			3	9/74	E	15/73-A + ME15-B, LA36-CA IN PLACE OF LA30, 115V 60HZ	
15/78-AB	EW	FD			3	9/74	E	15/73-B + ME15-B, LA36-CB IN PLACE OF LA30, 230V 50HZ	
15/78-BA	EW	FD			3	9/74	E	15/73-A + ME15-B, LA36-CA IN PLACE OF LA30, 115V 60HZ	
15/78-BB	EW	FD			3	9/74	E	15/73-B + ME15-B, LA36-CB IN PLACE OF LA30, 230V 50HZ	
15/79-A	EW	FD			3	2/74	E	16K DISK PACK SYS: 15/73-A + TC59-D, TU10-EE, FP15, RP15-A, RP02-A	
15/79-B	EW	FD			3	2/74	E	16K DISK PACK SYS: 15/73-B + TC59-E, TU10-EJ, FP15, RP15-B, RP02-B	
151	MI				6		K	5 REAL TIME OPTION FOXBORO	
152		JDL			6		K	1 REAL TIME CLOCK	
153		JDL			6		K	5 AUTO MULTIPLY & DIVIDE	
154		JDL			6		M	5 MEMORY EXTENSION CONTROL	
155		JDL			6		M	4 4K MEMORY	
156-A	MI				5		K	5 REAL TIME CLOCK	
156-B	MI				5		K	5 REAL TIME CLOCK FOXBORO	
157		JDL			6		T	5 57-A INTERFACE	
157-B		RY			6		T	8 57-A INTERFACE	
158		JDL			6		T	1 I/O SELECTION FOR 57-A	
16		JDL			6		M	4 MEMORY EXTENSION CONTROL	
161-A		MW			6		M	6, 10 4 K 5 USEC MEMORY	
161-B		MW			6		M	6, 10 8 K 5 USEC MEMORY	
161-C		MW			6		M	6, 10 12 K 5 USEC MEMORY	
161-D		MW			6		M	6, 10 16 K 5 USEC MEMORY	
162		ATT			6		M	6, 10 FLIP FLOP MEMORY	
163-C		JS			6		M	6, 10 16 K 2 USEC MEMORY	
164		JS			6		M	6 16K 1,5 USEC MEMORY	
165-A		SM			5		D	166 COMPUTER INTERCOM W INTERRUPT CONT	
165-B		SM			5		D	8 COMPUTER INTERCOM W INTERRUPT CONT	
167		KE			6		R	6 DRUM PROCESSOR	
168					6		K	6 CP PARITY OPTION	
169		SU			6		M	163 PARITY OPTION	
17		JDL			6		M	16 4K MEMORY FOR PDP4-B	
170-A		JDL			6		M	171 4 K MEMORY W SPACE FOR 16 K	
170-B		JDL			6		M	171 8 K MEMORY W SPACE FOR 16 K	
170-C		JDL			6		M	171 12 K MEMORY W SPACE FOR 16 K	
170-D		JDL			6		M	171 16 K MEMORY	
171		JDL			6		M	1 MEMORY EXTENSION CONTROL	
172		JDL			6		K	7 AUTO PRIORITY INTERRUPT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
172=B		JDL			6	K	7=A	AUTO PRIORITY INTERRUPT
173		JDL		TPL	6	D	7	DATA INTERRUPT MULTIPLEXER
173=E		JDL		TPL	6	D	7	EXPANDED 173
174		JDL		TPL	6	D	7	DATA CONTROL
175		JDL		TPL	6	D	7, 7A	INFORMATION COLLECTOR EX (7CH 18 BIT)
176		JDL			6	M	7	PARITY OPTION
177		JDL			6	K	7	EAE
177=B		JDL			6	K	7=A	EAE
18		JDL			6	K	4	EAE
180=A		RG			6	A	1,4,7	12 BIT DAC
180=B		PG			6	A	1,4,7	13 BIT DAC
180=D		PG			6	A	4,7	12 BIT DAC
182	MI				5	K	8	EAE
183	MI				5	M	8	MEMORY EXTENSION CONTROL
184=A		JDL		TPL	5	M	183	4 K 12 BIT MEMORY MODULE
184=B		JDL		TPL	5	M	183	4 K 13 BIT MEMORY MODULE
187		JS			6	M	6	EXTRA MEMORY-PROCESSOR ACCESS
188	MI				5	M	8	PARITY OPTION (1ST 4 K ONLY)
189		JDL		TPL	5	A	8	12 BIT DAC IN PDP8
19		JDL		TPL	6	D	1	HIGH SPEED CHANNEL CONTROL
194					6	D	6	DIGITAL OUTPUT CONTROL
195		JDL		TPL	6	D	7/7	INTERPROCESSOR BUFFER
196=A		JDL		TPL	3	D	8/8	INTERPROCESSOR BUFFER (12 BIT)
196=B		JDL		TPL	3	D	8/7	INTERPROCESSOR BUFFER (12 BIT)
196=C		JDL		TPL	3	D	8/5	INTERPROCESSOR BUFFER (12 BIT)
197		JDL			6	K	7	MEM INCREMENT LOGIC
236		KE			6	R	167	DRUM CONTROL FOR 4 DRUM
237		KE			6	R	236	DRUM MEMORY
24=E		BV			3	R	4	SERIAL DRUM 32K FLYING HEAD
24=F		BV			3	R	4	SERIAL DRUM 65K FLYING HEAD
24=G		BV			3	R	4	SERIAL DRUM 131K FLYING HEAD
250=A		BV			3	R	5	SERIAL DRUM 8K 12 BITS
250=B		BV			3	R	5	SERIAL DRUM 16K 12 BITS
250=C		BV			3	R	5	SERIAL DRUM 32K 12 BITS
250=D		BV			3	R	5	SERIAL DRUM 65K 12 BITS
250=E		BV			3	R	5	SERIAL DRUM 131K 12 BITS
250=F		BV			3	R	5	SERIAL DRUM 196K 12 BITS
250=G		BV			3	R	5	SERIAL DRUM 262K 12 BITS
251=A		BV			3	R	8, 8/I	SERIAL DRUM 8K 12 BITS
251=B		BV			3	R	8, 8/I	SERIAL DRUM 16K 12 BITS
251=C		BV			3	R	8, 8/I	SERIAL DRUM 32K 12 BITS
251=D		BV			3	R	8, 8/I	SERIAL DRUM 65K 12 BITS
251=E		BV			3	R	8, 8/I	SERIAL DRUM 131K 12 BITS
251=F		BV			3	R	8, 8/I	SERIAL DRUM 196K 12 BITS
251=G		BV			3	R	8, 8/I	SERIAL DRUM 262K 12 BITS
270		DI			6	R	6	CONTROL, DATA PRODUCTS 502 DISK
30		JDL				V		TABLE TOP 16-INCH DISPLAY
30=D		JDL			6	V	4, 7, 9	POINT PLOTTING 16-INCH DISPLAY
30=G		JDL			6	V	4, 7, 9	30=D + 33 SYMBOL GENERATOR
30=N	MI				6	V	5, 8	POINT PLOTTING 16-INCH DISPLAY
338		BR		TPL	6	V	8	16-INCH BUFFERED DISPLAY
338=I		LH			3	V		338 & PDP8/I
339		YI		TPL	6	V	9	338 MODIFIED & VL09
34=A		JDL			6	V	4	DISPLAY FOR TEK 503 SCOPE
34=B		JDL		TPL	6	V	5	DISPLAY FOR TEK 503 SCOPE
34=C		JDL			6	V	1	DISPLAY FOR TEK 503 SCOPE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
34=D		JDL		TPL	6	V	8, 8/S	DISPLAY FOR TEK 503 SCOPE
34=E		JDL			6	V	7=A	DISPLAY FOR TEK 503 SCOPE
34=F		JDL			6	V	7=A	DISPLAY FOR TEK 503 SCOPE
34=H		MI			6	V	KD09=A	DISPLAY FOR TEK 503 SCOPE
34=HL		MI			6	V	KD09=C	DISPLAY MODULES FOR TEK 503
340		JJL			6	3/74 V	1, 4, 7	INCREMENTAL DISPLAY
340=B		DG			6	3/74 V	6, 10	INCREMENTAL DISPLAY
340=C		JJL			6	3/74 V	9 WITH DA09-B	340 WITH POP9 INTERFACE
341=A		WL			6	D	4	DIRECT DATA CHANNEL
341=B		WL			6	D	1	DIRECT DATA CHANNEL
341=C		WL			6	D	7	DIRECT DATA CHANNEL
342		JJL			6	3/74 V	340	CHARACTER GENERATOR, 64 CHAR
342=A		JDL		TPL	6	3/74 V	340, 342	CHARACTER GENERATOR, 2ND 64 CHAR
342=B		DG			6	3/74 V	340=B	CHARACTER GENERATOR
343		LH			6	3/74 V	ANY DISPLAY	SLAVE DISPLAY
344		DG			6	3/74 V	6, 10	INTERFACE FOR 340
345		DG			6	3/74 V	6, 10	340=B, 370 LIGHT PEN & 344
346		DG			6	3/74 V	6, 10	340=B, 342=B, 370 & 344
347=A		JJL			6	V	340/4	SUBROUTINE OPTION
347=B		JJL			6	V	340/1	SUBROUTINE OPTION
347=C		JJL			6	3/74 V	340/7	SUBROUTINE OPTION
347=D		JJL			6	3/74 V	340=C	SUBROUTINE OPTION
348		DG			6	3/74 V	6, 10	INTERFACE FOR 30
350	MI				5	1/72 X	1, 4	INCREMENTAL PLOTTER & CONTROL (SEE 560, 563, 564, 565, 566)
350=B		MI		TPL	6	4/74 X	5, 8	PLOTTER & PLOTTER CONT (SEE 563, 564, 565, 566)
350=C		MI			5	1/72 X	9, DW15	INCREMENTAL PLOTTER & CONTROL (SEE 560, 563, 564, 565, 566)
354		JDL			6	X	4, 7	INCREMENTAL PLOTTER & CONTROL
370		HL			5	V	340	PHOTOMULTIPLIER LIGHT PEN
370=A		HL			5	V	34	PHOTOMULTIPLIER LIGHT PEN
370=C		DC			2	11/71 V	VT07	370 W VT27 BRACKET
374		HL			5	6/71 V	ANY DISPLAY	LIGHT PEN W AMPLIFIER
374=A		HL			5	6/71 V	ANY DISPLAY	LIGHT PEN WITHOUT AMPLIFIER
374=B		HL			3	5/71 V	VR14	374 LIGHT PEN W AMPLIFER & VR14 MTNG HARDWARE
376	JH	CV		CSS	3	5/74 V	ANY DISPLAY (VB15)	ICC LP303 LIGHT PEN
390		RS			6	K	6	MEM CYCLE COUNTER
421=A		JDL			6	C	1, 4	CARD READER (200 CPM)
421=B		JDL			6	C	1, 4	CARD READER (800 CPM)
425	MI				6	P	444, 750	PT READER (DIGITRONICS 2500)
426	MI				6	P	444	PT READER (DIGITRONICS 3500)
427		JDL			6	P	75, 701	PT PUNCH (TELETYPE BRPE11)
437		JDL			6	P	1	PT READER & CONTROL
444=A		JDL			6	P	4	PT READER & CONTROL
444=B		JDL			6	P	7	PT READER & CONTROL
444=C		JDL			6	P	1	PT READER & CONTROL
461=A		KE			6	C	6, 10	CARD READER 200 CPM BURROUGHS
461=B		KE			6	C	6, 10	CARD READER 800 CPM BURROUGHS
50		JDL			6	T	51, 52, 54, 57, 57=A	POTTER MAG TAPE TRANSPORT
51		JDL			6	T	1	PROGRAMMED MAG TAPE CONTROL
510		JDL			6	T	1	AUTOMATIC MAG TAPE CONTROL
516		DG			6	T	6	MAG TAPE CONTROL
52		JDL			6	T	1	AUTOMATIC MAG TAPE CONTROL
520		MI			6	T	57=A	50 TRANSPORT INTERFACE
521		MI			6	T	57=A	570 TRANSPORT INTERFACE
522=A		MI			6	T	57=A	IBM TRANSPORT INTERFACE
54		JDL			6	T	4	PROGRAMMED MAG TAPE CONTROL
545		MI			6	3/74 T	57=A	DATAMEG 2020 DEC MODIFIED

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	33
550		JDL			6	T	1, 4	CONTROL FOR 4 555 OR TU55	
550=A		JDL			6	T	1, 7, 7=A	CONTROL FOR 4 TU55	
551		DG			6	T	6	DECTAPE CONTROL, 555 OR TU55	
552		JDL			6	T	5, 8	DECTAPE CONTROL FOR 555 OR TU55 (NOT MIXED)	
555=A		JDL			6	T	550, 551, 552=A	DECTAPE DUAL TRANSPORT	
555=B		JDL			6	T	550, 551, 552=A	DESK MOUNT 555=A	
560		JDL		TPL	6	3/74 X	350	CALCOMP PLOTTER & CONT, 12" 12K STEPS/MIN	
563		JDL		TPL	6	3/74 X	350=B, 350=C	CALCOMP 563 PLOTTER & CONT, 31" WIDE 12K STEP/MIN	.01" STEP
564		JDL		TPL	6	3/74 X	350=B, 350=C	CALCOMP 564 PLOTTER & CONT, 31" WIDE 12K STEP/MIN	.005" STEP
565		JDL		TPL	6	3/74 X	350=B, 350=C	CALCOMP 565 PLOTTER & CONT, 12" WIDE 12K STEP/MIN	.01" STEP
566		JDL		TPL	6	3/74 X	350=B, 350=C	CALCOMP 565 PLOTTER & CONT, 12" WIDE 12K STEP/MIN	.005" STEP
57		JDL			6	T	4	AUTOMATIC MAG TAPE CONTROL	
57=A		JDL			6	T	1, 4, 5	AUTOMATIC MAG TAPE CONTROL	
570		JDL			6	T	516, 521	MAG TAPE TRANSPORT, MIDWESTERN	
580		MI			6	3/74 T	5, 8	545 TRANSPORT & CONTROL	
610		JDL			6	L	1	TYPEWRITER & CONTROL	
611		JDL			6	L	1	SPARE TYPEWRITER	
612		JDL			6	L	1	SPARE KSR20	
613		CL			6	L	LINC	ASR33 & CONTROL	
626		KE			6	L	166	CONSOLE TYPEWRITER & CONTROL	
630		JDL		TPL	6	D		DATA COMMUNICATION SYSTEM	
630=A		KE			6	D	6	HALF DUPLEX 630	
630=B		KE			6	D	6	FULL DUPLEX 630	
631		JDL		TPL	6	D	630	DATA LINE INTERFACE	
631=A		JDL		TPL	6	D	630	DATA LINE INTERFACE 60MA 120V	
632		JDL		TPL	6	D	630	SEND-RECEIVE GROUP	
633		JDL		TPL	6	D	630	FLAG SCANNER	
634		JDL		TPL	6	D	630	BASIC CONTROL	
635		JDL		TPL	6	D	630	DCS OPTIONS	
636		JDL		TPL	6	D		CHAR SYNC MODEM INTERFACE	
637		JDL		TPL	6	3/74 D	7	BIT SYNC MODEM INTERFACE	
637=B		JDL		TPL	6	D	8	MODEM INTERFACE (NOW DP01=A)	
644		JDL			6	L	1, 4	LINE PRINTER 300 LPM	
646=C		KE			6	L	6, 10	LINE PRINTER 1000LPM	
646=V		KE			6	L	6	ANELEX, VENDOR SUPPLIED	
647=A		JDL			6	L	7	LINE PRINTER 300 LPM	
647=B		JDL			6	L	7	LINE PRINTER 600 LPM	
647=C		JDL			6	L	7	LINE PRINTER 1000LPM	
647=D		MI			6	3/74 L	9	LINE PRINTER 300 LPM	
647=E		MI			6	3/74 L	9	LINE PRINTER 600 LPM	
648	MI				6	3/74 L	5	ASR33 & CONTROL	
649		JDL			6	L	7	KSR33 & CONTROL	
649=B		JDL			6	L	7=A	KSR33 & CONTROL	
65		JDL			6	L	4	PRINTER-KEYBOARD & CONTROL	
680		JDL		TPL	6	D	8	DATA COMMUNICATION SYSTEM	
681		JDL		TPL	6	D	8	DATA LINE INTERFACE	
682		JDL		TPL	6	D	685	LOCAL TELETYPE CONNECTOR PANEL	
683		JDL		TPL	6	D	685	LONG LINE TELETYPE MTNG PANEL UP TO 32 LINES	
684		JDL		TPL	6	D	683	MATRIX PATCH PANEL 32 DUPLEX LINES	
685		JDL		TPL	6	D	681	LINE MODULE MTNG PANEL UP TO 64 LINES	
686		JDL		TPL	6	D	685	ADDITIONAL LINE SAMPLING CLOCK	
687		JDL		TPL	6	D	683	MONITOR PANEL 32 DUPLEX LINES	
688		JDL		TPL	6	D	687	LINE TERMINATOR PANEL	
689=AC		MI			3	D	689=AF, 689=AG	AUTOMATIC CALLING UNIT (ALSO CALLED 689=ACU)	
689=AF		MI			6	D	685	DATA=SET DATA & CONT MTG PANEL (ALSO CALLED 689=ADF)	
689=AG		MI			6	D	DC08=A	689=AF MODIFIED FOR + BUS	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
689=LM		MI			6	D	689=AG	MODEM INTERFACE TO BELL 183
689=MA		MI			6	D	689=MP	EIA MODEM INTERFACE (ALSO CALLED 689=MIA)
689=MC		MI			6	D	689=AF	DATA=SET DATA & CONT MODULES (ALSO CALLED 689=MIC)
689=MP		MI			6	D	689	DATA=SET DATA ONLY MOUNTING PANEL
75=A		JDL			6	P	5	PAPER TAPE PUNCH & CONTROL
75=B		JDL			6	P	4	PAPER TAPE PUNCH & CONTROL
75=C		JDL			6	P	1	PAPER TAPE PUNCH & CONTROL
75=D		JDL			6	P	7	PAPER TAPE PUNCH & CONTROL
75=E		JDL			5	P	8	PAPER TAPE PUNCH & CONTROL
75=F		JDL			5	P	5	PAPER TAPE PUNCH & CONTROL
75=H		JDL			5	P	8	PAPER TAPE PUNCH & CONTROL
75=J		JDL			6	P	7=A	PAPER TAPE PUNCH & CONTROL
750=A		JDL			6	P	5	PT READER (300 CHAR/SEC)
750=B		JDL			6	P	5	PORTABLE HIGH SPEED PTR & CONTROL
750=C		JDL			6	P	8	PT READER (3000 CHAR/SEC) & CONTROL
76		JDL			6	P	4	FLEXOWRITER & CONTROL
760		DI			6	P	6	PAPER TAPE READER
761		DI			6	P	6	PAPER TAPE PUNCH
8		JDL		TPL	6	E	.	LOGIC FOR PDP8
8A100=AC	JC	JK			2	11/74 E	.	H9300=AA, MS8=AA 1K RAM, 115V 60HZ, OEM
8A100=AD	JC	JK			2	11/74 E	.	H9300=AB, MS8=AA 1K RAM, 230V 50HZ, OEM
8A100=AE	JC	JK			2	11/74 E	.	H9300=AA, MS8=AB 2K RAM, 115V 60HZ, OEM
8A100=AF	JC	JK			2	11/74 E	.	H9300=AB, MS8=AB 2K RAM, 230V 50HZ, OEM
8A100=AH	JC	JK			2	11/74 E	.	H9300=AA, MS8=AC 3K RAM, 115V 60HZ, OEM
8A100=AJ	JC	JK			2	11/74 E	.	H9300=AB, MS8=AC 3K RAM, 230V 50HZ, OEM
8A100=AK	JC	JK			2	11/74 E	.	H9300=AA, MS8=AD 4K RAM, 115V 60HZ, OEM
8A100=AL	JC	JK			2	11/74 E	.	H9300=AB, MS8=AD 4K RAM, 230V 50HZ, OEM
8A100=FA	JG	JK			2	2/75 E	.	H9300=AA, MR8=FB 1K PROM, 115V 60HZ
8A100=FB	JG	JK			2	1/75 E	.	H9300=AB, MR8=FB 1K PROM, 230V 50HZ
8A200=AK	JC	JK			6	9/75 E	.	H9300=AA, MS8=BA (4K), 115V, OEM
8A200=AL	JC	JK			6	9/75 E	.	H9300=AB, MS8=BA, (4K), 230V, OEM
8A300=AK	JC	JK			2	11/74 E	.	H9300=AA, MS8=BA 4K RAM, 115V 60HZ
8A300=AL	JC	JK			2	11/74 E	.	H9300=AB, MS8=BA 4K RAM, 230V 50HZ
8A300=BM	JC	JK			2	11/74 E	.	H9300=AA, MS8=BB 8K RAM, KM8=AA, 115V 60HZ
8A300=BN	JC	JK			2	11/74 E	.	H9300=AB, MS8=BB 8K RAM, KM8=AA, 230V 50HZ
8A300=EM	JC	JK			2	11/74 E	.	H9300=AA, MS8=BB 8K RAM, KM8=E, 115V 60HZ
8A300=EN	JC	JK			2	11/74 E	.	H9300=AB, MS8=BB 8K RAM, KM8=E, 230V 50HZ
8A300=JK	JC	JK			2	11/74 E	.	8A300=AK + DKC8=AA, 115V 60HZ
8A300=JL	JC	JK			2	11/74 E	.	8A300=AL + DKC8=AA, 230V 50HZ
8A400=BM	JC	JK			5	9/75 E	.	H9300=BA, MM8=AA (8K), KM8=AA, 115V, OEM
8A400=BN	JC	JK			5	9/75 E	.	H9300=BB, MM8=AA (8K), KM8=AA, 230V, OEM
8A400=BP	JC	JK			5	9/75 E	.	H9300=BA, MM8=AB (16K), KM8=AA, 115V, OEM
8A400=BR	JC	JK			5	9/75 E	.	H9300=BB, MM8=AB (16K), KM8=AA, 230V, OEM
8A400=EM	JC	JK			5	9/75 E	.	H9300=BA, MM8=AA (8K), KM8=E, 115V, OEM
8A400=EN	JC	JK			5	9/75 E	.	H9300=BB, MM8=AA (8K), KM8=E, 230V, OEM
8A400=EP	JC	JK			5	9/75 E	.	H9300=BA, MM8=AB (16K), KM8=E, 115V, OEM
8A400=ER	JC	JK			5	9/75 E	.	H9300=BB, MM8=AB (16K), KM8=E, 230V, OEM
8A420=BM	JC	PG			2	9/75 E	.	BAB=CA, KKB=A, MM8=AA, KM8=AA, 115V 60HZ OEM
8A420=BN	JC	PG			2	9/75 E	.	BAB=CB, KKB=A, MM8=AA, KM8=AA, 230V 50HZ OEM
8A420=BP	JC	PG			2	9/75 E	.	BAB=CA, KKB=A, MM8=AB, KM8=AA, 115V 60HZ OEM
8A420=BR	JC	PG			2	9/75 E	.	BAB=CB, KKB=A, MM8=AB, KM8=AA, 230V 50HZ OEM
8A420=CM	JC	PG			2	9/75 E	.	BAB=CA, KKB=A, MM8=AA, KM8=AA, DKC8=AA, 115V 60HZ
8A420=CN	JC	PG			2	9/75 E	.	BAB=CB, KKB=A, MM8=AA, KM8=AA, DKC8=AA, 230V 50HZ
8A420=CP	JC	PG			2	9/75 E	.	BAB=CA, KKB=A, MM8=AB, KM8=AA, DKC8=AA, 115V 60HZ
8A420=CR	JC	PG			2	9/75 E	.	BAB=CB, KKB=A, MM8=AB, KM8=AA, DKC8=AA, 230V 50HZ
8A420=DM	JC	PG			2	9/75 E	.	BAB=CA, KKB=A, MM8=AA, KM8=AA, DKC8=AA, KC8=AA, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
8A420-DN	JC	PG			2	9/75	E	BAB-CB, KK8-A, MM8-AA, KM8-AA, DKC8-AA, KCB-AA, 230V 50HZ
8A420-OP	JC	PG			2	9/75	E	BAB-CA, KK8-A, MM8-AB, KM8-AA, DKC8-AA, KCB-AA, 115V 60HZ
8A420-OR	JC	PG			2	9/75	F	BAB-CB, KK8-A, MM8-AB, KM8-AA, DKC8-AA, KCB-AA, 230V 50HZ
8A500-BM	JC	JK			5	9/75	E	H9300-BA, MM8-AA 8K CORE, KM8-AA, 115V 60HZ
8A500-BN	JC	JK			5	9/75	E	H9300-BB, MM8-AA 8K CORE, KM8-AA, 230V 50HZ
8A500-BP	JC	JK			5	9/75	E	H9300-BA, MM8-AB 16K CORE, KM8-AA, 115V 60HZ
8A500-BR	JC	JK			5	9/75	E	H9300-BB, MM8-AB 16K CORE, KM8-AA, 230V 50HZ
8A500-CH	JC	JK			5	9/75	E	H9300-BA, MM8-AA 8K CORE, KM8-AA, DKC8-AA, 115V 60HZ
8A500-CN	JC	JK			5	9/75	E	H9300-BB, MM8-AA 8K CORE, KM8-AA, DKC8-AA, 230V 50HZ
8A500-CP	JC	JK			5	9/75	E	H9300-BA, MM8-AB 16K CORE, KM8-AA, DKC8-AA, 115V 60HZ
8A500-CR	JC	JK			5	9/75	E	H9300-BB, MM8-AB 16K CORE, KM8-AA, DKC8-AA, 230V 50HZ
8A500-EH	JC	JK			5	9/75	E	H9300-BA, MM8-AA 8K CORE, KM8-E, 115V 60HZ
8A500-EN	JC	JK			5	9/75	E	H9300-BB, MM8-AA 8K CORE, KM8-E, 230V 50HZ
8A500-EP	JC	JK			5	9/75	E	H9300-BA, MM8-AB 16K CORE, KM8-E, 115V 60HZ
8A500-ER	JC	JK			5	9/75	E	H9300-BB, MM8-AB 16K CORE, KM8-E, 230V 50HZ
8A500-HM	JC	JK			5	9/75	E	H9300-BA, MM8-AA 8K CORE, KM8-E, DKC8-AA, KCB-AA, 115V 60HZ
8A500-HN	JC	JK			5	9/75	E	H9300-BB, MM8-AA 8K CORE, KM8-E, DKC8-AA, KCB-AA, 230V 50HZ
8A500-HP	JC	JK			5	9/75	E	H9300-BA, MM8-AB 16K CORE, KM8-E, DKC8-AA, KCB-AA, 115V 60HZ
8A500-HR	JC	JK			5	9/75	E	H9300-BB, MM8-AB 16K CORE, KM8-E, DKC8-AA, KCB-AA, 230V 50HZ
8A500-LM	JC	JK			5	9/75	E	H9300-BA, MM8-AA 8K CORE, KM8-AB, DKC8-AA, 115V 60HZ
8A500-LN	JC	JK			5	9/75	E	H9300-BB, MM8-AA 8K CORE, KM8-AB, DKC8-AA, 230V 50HZ
8A500-LP	JC	JK			5	9/75	E	H9300-BA, MM8-AB 16K CORE, KM8-AB, DKC8-AA, 115V 60HZ
8A500-LR	JC	JK			5	9/75	E	H9300-BB, MM8-AB 16K CORE, KM8-AB, DKC8-AA, 230V 50HZ
8A800-PM	JC	PG			2	9/75	E	8A400-BM, FPP8-A, 115V 60HZ
8A800-PN	JC	PG			2	9/75	E	8A400-BN, FPP8-A, 230V 50HZ
8A800-PP	JC	PG			2	9/75	E	8A400-BP, FPP8-A, 115V 60HZ
8A800-PR	JC	PG			2	9/75	E	8A400-BR, FPP8-A, 230V 50HZ
8A800-RM	JC	PG			2	9/75	E	8A400-BM, FPP8-A, DKC8-AA, 115V 60HZ
8A800-RN	JC	PG			2	9/75	E	8A400-BN, FPP8-A, DKC8-AA, 230V 50HZ
8A800-RP	JC	PG			2	9/75	E	8A400-BP, FPP8-A, DKC8-AA, 115V 60HZ
8A800-RR	JC	PG			2	9/75	E	8A400-BR, FPP8-A, DKC8-AA, 230V 50HZ
8A820-PM	JC	PG			2	9/75	E	8A420-BM, FPP8-A, 115V 60HZ
8A820-PN	JC	PG			2	9/75	E	8A420-BN, FPP8-A, 230V 50HZ
8A820-PP	JC	PG			2	9/75	E	8A420-BP, FPP8-A, 115V 60HZ
8A820-PR	JC	PG			2	9/75	E	8A420-BR, FPP8-A, 230V 50HZ
8A820-RM	JC	PG			2	9/75	E	8A420-CH, FPP8-A, 115V 60HZ
8A820-RN	JC	PG			2	9/75	E	8A420-CN, FPP8-A, 230V 50HZ
8A820-RP	JC	PG			2	9/75	E	8A420-CP, FPP8-A, 115V 60HZ
8A820-RR	JC	PG			2	9/75	E	8A420-CR, FPP8-A, 230V 50HZ
8A820-SM	JC	PG			2	9/75	E	8A420-DM, FPP8-A, 115V 60HZ
8A820-SN	JC	PG			2	9/75	E	8A420-DN, FPP8-A, 230V 50HZ
8A820-SP	JC	PG			2	9/75	E	8A420-OP, FPP8-A, 115V 60HZ
8A820-SR	JC	PG			2	9/75	E	8A420-OR, FPP8-A, 230V 50HZ
8-I	JDL			TPL	5		E	LOGIC FOR PDP8-I
8-L	JDL			TPL	5		E	LOGIC FOR PDP8-L
8-M	JDL			TPL	6		E	MEMORY WING FOR PDP8
8-P	JDL			TPL	6		E	PROCESSOR WING FOR PDP8
8-S	JDL			TPL	6		E	LOGIC FOR PDP8-S
AD=DC10-AA	KE				3	1/75	D	10 REFURBISHED DC10-AA
AD=DC10-B	KE				3	1/75	D	10 DC10-A REFURBISHED DC10-B
AD=DC10-E	KE				3	1/75	D	10 DC10-A REFURBISHED DC10-E
AD=DC10-FA	KE				3	1/75	D	10 DC10-A REFURBISHED DC10-FA
AD=DF10-A	KE				3	1/75	D	10 REFURBISHED DF10-A
AD=DS10-A	KU				3	1/75	D	10 REFURBISHED DS10-A

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
A0=KA10=A		KE			3	1/75 K	10	REFURBISHED KA10=A
A0=ME10		SU			3	1/75 M	10	REFURBISHED ME10
A0=MA10		SU			3	1/75 M	10	REFURBISHED MA10
A0=RP10=A		WFW			3	1/75 R	DF10	REFURBISHED RP10=A
A0=RP10=CA		WFW			3	1/75 R	DF10	REFURBISHED RP10=CA
A0=TM10=A		JS			3	1/75 T	10	REFURBISHED TM10=A
A0=TM10=B		JS			3	1/75 T	DF10	REFURBISHED TM10=B
A1=DC10=AA		KE			3	1/75 D	10	UNREFURBISHED DC10=AA
A1=DC10=B		KE			3	1/75 D	DC10=A	UNREFURBISHED DC10=B
A1=DC10=E		KE			3	1/75 D	DC10=A	UNREFURBISHED DC10=E
A1=DC10=FA		KE			3	1/75 D	DC10=A	UNREFURBISHED DC10=FA
A1=DF10=A		KE			3	1/75 D	10	UNREFURBISHED DF10=A
A1=DS10=A		KU			3	1/75 D	10	UNREFURBISHED DS10=A
A1=KA10=A		KE			3	1/75 K	10	UNREFURBISHED KA10=A
A1=ME10		SU			3	1/75 M	10	UNREFURBISHED ME10
A1=MA10		SU			3	1/75 M	10	UNREFURBISHED MA10
A1=RP10=A		WFW			3	1/75 R	DF10	UNREFURBISHED RP10=A
A1=RP10=CA		WFW			3	1/75 R	DF10	UNREFURBISHED RP10=CA
A1=TM10=A		JS			3	1/75 T	10	UNREFURBISHED TM10=A
A1=TM10=B		JS			3	1/75 T	DF10	UNREFURBISHED TM10=B
AA01=A		RG			3	A	7, 9, AA04	SINGLE 12-BIT DAC
AA01=B		RG			3	A	7, 9, AA04	2 12-BIT DACS
AA01=C		RG			3	A	7, 9, AA04	3 12-BIT DACS
AA02		RG			6	A	AA01	OP AMP
AA03=A		RG			6	A	8, 8/S, 8/I	138-E OR 139-E TO PDP8, NO MX EXT
AA03=B		RG			6	A	8, 8/S, 8/I	138-E OR 139-E TO PDP8, MX EXT
AA04		RG			3	A	8, 8/S, 8/I	AA01=A TO PDP8
AA05=AA MI				TPL	3	A	8, 8/S, 8/I	64 CH DAC CONT (24 DACS) 60 HZ
AA05=AB MI				TPL	3	A	8, 8/S, 8/I	64 CH DAC CONT (24 DACS) 50 HZ
AA05=BA MI				TPL	3	A	9, DW15	64 CH DAC CONT (24 DACS) 60 HZ
AA05=BB MI				TPL	3	A	9, DW15	64 CH DAC CONT (24 DACS) 50 HZ
AA05=CA MI				TPL	3	A	8 NEG	AA05=AA IN H950 CAB
AA05=CB MI				TPL	3	A	8 NEG	50 HZ AA05=CA
AA05=DA MI				TPL	3	A	9	AA05=BA IN H950 CAB
AA05=DB MI				TPL	3	A	9	50 HZ AA05=DA
AA06		BV		CSS	6	A	8, 9	64 CH 8 BIT DAC CONTROL
AA07				TPL	4	A	AA05	AA05 EXPANSION (CH 25-64)
AA07=C MI				TPL	3	A	AA05=C, AA05=D	AA07 FOR AA05=C & AA05=D W CAB
AA09		REL			3	3/74 A	9	DAC CONTROL WITH SPACE FOR 16 CH (AAC2)
AA09=B		RF			3	3/72 A	9	DAC CONTROL WITH SPACE FOR 32 CH (AAC3)
AA11=A		RG			3	3/71 A	AA11-U	DISPLAY CONT FOR VT01 W SPACE FOR 2 MORE A614 DACS
AA11=B		RG			3	3/71 A	AA11-U	DISPLAY CONT FOR RM503 W SPACE FOR 2 MORE A614 DACS
AA11=C		RG			3	3/71 A	AA11-U	DISPLAY CONT FOR VR14 W SPACE FOR 2 MORE A614 DACS
AA11=DA		RG			3	3/71 A	11	DAC CONT W SPACE FOR 4 12-BIT A614 +/-10V DACS, 115V
AA11=DB		RG			3	3/71 A	11	DAC CONT W SPACE FOR 4 12-BIT A614 +/-10V DACS, 230V
AA11=E		AW			4	1/72 A	AA11-U	DISPLAY CONT FOR VR20
AA11=FA	SNT	AW			4	1/72 A	AA11-E	OUTPUT PANEL FOR H945 IN LAB=11
AA15=A		PDM			3	A	15	DAC CONTROL WITH SPACE FOR 16 CH (AAC2)
AA15=B		RF			3	2/72 A	15	DAC CONTROL W SPACE FOR 32 CH (AAC3)
AA30=AN		AS		IPG	3	3/71 A	8 NEG	12 BIT DAC CONTROL, SP FOR 6 DACS (8A614), 115V
AA30=AP		AS		IPG	3	3/71 A	8 POS	12 BIT DAC CONT, SP FOR 6 DACS (8A614), 115V
AA30=BN		AS		IPG	3	3/71 A	8 NEG	12 BIT DAC CONTROL, SP FOR 6 DACS (8A614), 230V
AA30=BP		AS		IPG	3	3/71 A	8 POS	12 BIT DAC CONT, SP FOR 6 DACS (8A614), 230V
AAQ2		PDM			6	3/73 A	AA09, AA15=A	MODULE SET FOR 1 CH, 12 BIT SINGLE BUF 0 TO +10V
AAQ3		RF			3	2/72 A	AA09=B, AA15=B	MODULE SET FOR 1 CH, 12 BIT DOUBLE BUF +10 TO -10V
AA311=HA		AW		CSS	6	2/75 A	11	INTERFACE TO ANALOGIC AN7200 DAC SYS, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
AAS11=HB		ABW		CSS	6	2/75 A	11	INTERFACE TO ANALOGIC AN7200 DAC SYS, 230V
AC01=A		RG		IPG	4	A	8,8/S,8/I	S&H CONTROL W SPACE FOR 8 AH02
AC01=B		RG		IPG	4	A	9, DW15	S&H CONTROL W SPACE FOR 8 AH02
AC02=AN		PRD			3	4/72 A	R NEG	16 CH S&H CONT W SPACE FOR 16 A461 OR A405
AC02=AP		PRD			3	4/72 A	R POS	16 CH S&H CONT W SPACE FOR 16 A461 OR A405
AC11=A		JFH		CSS	6	2/75 A	11	NPR INTERFACE FOR PRESTON 14 BIT + SIGN QMAD=1 ADC
AC11=B	ESS	NSR		CSS	6	2/75 A	11	AC11=A + PROGRAMMABLE AUTOMATIC WRAP-AROUND
ACT11		RM			3	10/72 E	11	AUTOMATIC COMPUTER TEST SYSTEM
ACT11=M		RM			3	10/72 E	ACT11	MOTHER STATION INTERFACE
ACT11=X		PM			3	10/72 E	ACT11	BUS SELECTOR
ACT15		FA			2	R	9, 9/L, 15	AUTOMATIC COMPUTER TEST SYS
AD01=AN	SNT				5	2/72 A	R NEG	10 BIT ADC WITH 32 CH MUX, SWITCHED GAIN
AD01=AP	SNT				5	2/72 A	R POS	10 BIT ADC W 32 CH MUX, SWITCHED GAIN
AD01=DA	SNT				5	2/72 A	11	10 BIT ADC W 32 CH MUX, SWITCHED GAIN, 115V
AD01=DB	SNT				5	2/72 A	11	10 BIT ADC W 32 CH MUX, SWITCHED GAIN, 230V
AD01=FA	SNT	AW			4	1/72 A	AD01=D	COMPLEX INPUT PANEL FOR H945 IN LAB=11
AD01=FB	SNT	AW			4	1/72 A	AD01=A, AD01=D	SIMPLE INPUT PANEL FOR H945 IN LAB=11
AD01=FC	SNT	AW			2	5/72 A	AD01=A	SIMPLE INPUT PANEL FOR H945 & AD01=A (W 8/E)
AD02=AN		RG		IPG	3	1/72 A	R NEG	UNIPOLAR 12-BIT ADC W CONT FOR 512 CH, SP FOR 32 CH & S&H, SW GAIN
AD02=AP		RG		IPG	3	1/72 A	R POS	UNIPOLAR 12-BIT ADC W CONT FOR 512 CH, SP FOR 32 CH & S&H, SW GAIN
AD02=AR		RG		IPG	3	1/72 A	R NEG	BIPOLAR 12-BIT ADC, 512 CH CONT, SP 32CH & S&H, SW GAIN
AD02=AS		RG		IPG	3	1/72 A	R NEG	BIPOLAR 12-BIT ADC, 512 CH CONT, SP 32CH & S&H, SW GAIN
AD02=DA		RG		IPG	3	1/72 A	11	UNIPOLAR 12-BIT ADC, 128 CH CONT, SP 32 CH & S&H, SW GAIN, 115V
AD02=DB		RG		IPG	3	1/72 A	11	UNIPOLAR 12-BIT ADC, 128 CH CONT, SP 32 CH & S&H, SW GAIN, 230V
AD02=DC		RG		IPG	3	1/72 A	11	BIPOLAR 12-BIT ADC, 128 CH CONT, SP 32CH & S&H, SW GAIN, 115V
AD02=DD		RG		IPG	3	1/72 A	11	BIPOLAR 12-BIT ADC, 128 CH CONT, SP 32CH & S&H, SW GAIN, 230V
AD08=A		RG			5	A	8,8/S,8/I	10 BIT ADC 1 USEC/BIT
AD08=B		RG			5	A	8,8/S,8/I	AD08=A PLUS 16 CH MUX
AD08=C		RG			3	3/74 A	8,8/S,8/I	AD08=A WITH 22-IN SLIDE
AD09=B		RG		IPG	6	10/72 A	9	10 BIT ADC + 16 CH MUX
AD10=A		RBH		CSS	6	10/72 A	10	WIDE RANGE MUX ADC (SEL)
AD10=B		RBH		CSS	6	10/72 A	AD10=A	64 CH MUX EXPANSION
AD10=C		RBH		CSS	3	A	AD10=A	DUAL CH MODS
AD11=AA		RG		IPG	3	1/72 A	11	12-BIT + SIGN ADC W 128 CH CONT, SP 32CH & S&H, SW GAIN, 115V
AD11=AB		RG		IPG	3	1/72 A	11	12-BIT + SIGN ADC W 128 CH CONT, SP 32CH & S&H, SW GAIN, 230V
AD12	SNT	RI			5	A	12	10 BIT A/D WITH SAMPLE & HOLD, 16 CH, 20 USEC
AD12=M	SNT	RI			6	5/72 A	AD12	CONT FOR 128 CH, INCLUDES 32 CH W PREAMPS
AD12=S	SNT	RI			6	5/72 A	AD12=M	AD12=M EXPANDER, INCLUDES 32 CH W PREAMPS
AD15		MORO		IPG	5	A	15, AM01=A	13 BIT A/D, S&H, 128 MUX CONT, SP FOR 32 CH, 115V
AD8=A	AW	GFS			2	2/75 A	8/E	10-BIT A/D CONVERTER W S&H, 16 CH MUX, SINGLE ENDED (AD08)
AD8=B	AW	GFS			2	2/75 A	8/E	AD8=A + M322 DISTRIBUTION PANEL, BC08R=8
AD8=EA	SNT	GPR			5	2/72 A	8/E	10 BIT A/D CONVERTER W SAMPLE & HOLD, 1 CH
AD8=ES	SNT	GPR			5	2/72 A	8/E (LAB 8/E)	AD8=EA + AM8=EO
ADC1=8		RG			6	A	R NEG	ADC1=A & ADC8
ADC1=9		RG			6	3/74 A	9	ADC1=A & ADC9
ADC1=A		RG			6	3/74 A		6=12 BIT ADC, RACK MTD
ADC1=B		RG			6	3/74 A		TABLE TOP ADC1
ADC8		RG			5	A	8 NEG, ADC1, AMX1, CMX1	MODULE SET FOR PDP8 INTERFACE
ADC81=A		RG		IPG	6	10/72 A	8 NEG	ADC1=A, ADC8 & AH03=A
ADC81=B		RG		IPG	6	10/72 A	8 NEG	ADC1=A, ADC8 & AH03=D
ADC9		RG			5	A	AD01, AMX1, CMX1	MODULE SET FOR PDP9 INTERFACE
ADF11		RG		IPG	3	4/72 A	11	12 BIT + SIGN A/D, HIGH SPEED, CONT FOR 512 CH, SP FOR 64 (A124)
ADF11=S	JEH	JYN		CSS	3	9/74 A	11	MODIFIED ADF11 W PROGRAMMABLE CLOCK
ADF15=CA		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 32 CH 115V
ADF15=CB		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 32 CH 230V
ADF15=DA		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, S&H, PROG GAIN, SP FOR 64 CH 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	38
ADP15-DB		RG		IPG	3	A	15	11 BIT BIPOLAR A/D, 38H, PROG GAIN, SP FOR 64 CH 230V	
ADH11-CA	JEH	JTN		CSS	3	10/74	A	11	INTERFACE & CONT FOR A/D SUBSYSTEMS, UP TO 256 CHANNEL 120V
ADH11-CB	JEH	JTN		CSS	3	10/74	A	11	INTERFACE & CONT FOR A/D SUBSYSTEMS, UP TO 256 CHANNEL, 240V
ADH11-DA	JEH	JTN		CSS	3	10/74	A	ADH11-C	32 CHANNEL DIFF INPUT SUBSYSTEM, 120V
ADH11-DB	JEH	JTN		CSS	3	10/74	A	ADH11-C	32 CHANNEL DIFF INPUT SUBSYSTEM, 240V
ADJ11	JEH	BMW		CSS	3	10/75	A	11	INTERFACE TO COMPUTER LAB LAB218 & MUX810
ADS11-BA	JEH	ABW		CSS	6	2/75	A	11	INTERFACE TO ANALOGIC AN5800 ADC MUX SYS, 115V
ADS11-BB	JEH	ABW		CSS	6	2/75	A	11	INTERFACE TO ANALOGIC AN5800 ADC MUX SYS, 230V
ADS15-A	GT	CP	BFB		6	11/73	Q	15	RENAMED QM005
ADU01	JM	AKI		IPG	3	11/73	A	UDC	8 CH SOLID STATE FLYING CAP 12-BIT ADC, PROG GAIN 1.5 HZ BW BIPOLAR
ADU01-YA	JM	RG		IPG	3	5/73	A	UDC	ADU01 W 60HZ BANDWIDTH, SINGLE ENDED
AF01-AA		RG			5		A	8,8/S,8/I	6-12 BIT ADC TO 64 CH RACK MTD
AF01-AB		RG			5		A	8,8/S,8/I	TABLE TOP AF01-A
AF01-AC		RG			5		A	8,8/S,8/I	AF01-AA WITH 22-IN SLIDE
AF01-BA		RG			5		A	9, DW15	6-12 BIT ADC TO 64 CH RACK MTD
AF01-BB		RG			5		A	9, DW15	TABLE TOP AF01-B
AF01-C		RV		CSS	3		A	10	AF01-AA ON PDP-10
AF02-A		RG		IPG			A	8 NEG	ADC1/8, AM08 & AM02-A, -B
AF02-B		RG		IPG			A	9, DW15	ADC1/9, AM09 & AM02-A, -B
AF03-A		RG		IPG	6	3/71	A	8 NEG	ADC1/8, AM08 & AM03-A, -B
AF03-B		RG		IPG	6	3/71	A	9, DW15	ADC1/9, AM09 & AM03-A, -B
AF04-A		DB		IPG	3	10/72	A	8 NEG	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-AN		DB		IPG	3		A	8 NEG	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-AP		DB		IPG	3		A	8 POS	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-B		DB		IPG	3	10/72	A	9	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-BN		DB		IPG	3		A	9	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-BP		DB		IPG	3		A	15	DEC INTFC & VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-C		DB		IPG	3		A	10	VIDAR IDVM 1000 CH MX CONT, SPACE FOR 200 CH
AF04-S		DB		IPG	3	10/72	A	AF04-A, -B, -C =X	VIDAR 10 CH LOW LEVEL SW MOD
AF04-X		DB		IPG	3	10/72	A	AF04-A, -B, -C	200 CH EXPANSION CABINET
AF05-C		RV		CSS	3		A	10	AUTO-RANGING ADC
AF06-A	SNT	JL			4		A	8	SYS INTERFACE CDP 60 HZ
AF06-AB	SNT	JL			4		A	8	SYS INTERFACE CDP 50 HZ
AF07	SNT	JL			4		A	AF06	AF17, H303, R107, W640
AF08-A	SNT	JL			4		A	AF07	A/D MODULE SET WITH A211
AF08-B	SNT	JL			4		A	AF07	A/D MODULE SET WITH A210
AF08-K	SNT	JL			4	2/72	A	AF08-A, -B	CONNECTOR KIT
AF09-A		DMT		IPG	3		A	9	HI-SPEED 6 MODE LAB ACQ SYS
AF16	SNT	JL			4		A	AF06	CONT FOR 8 AF17
AF17	SNT	JL			4		A	AF16	CONT FOR 8 H300 OR H301
AFC	RS	MORO		IPG			A		FLYING CAPACITOR SCANNER SERIES NAME
AFC11	RS	MORO		IPG	5	9/71	A	11	MASTER FILE: AM07-A, BF01, H704-C, SPACE FOR AM11
AFC15-A		PDM			3	1/72	A	BD15	FLYING CAP SCAN: CAB, H704-C, AM05-P, SP FOR 4 AM07-B, 115V
AFC15-B		PDM			3	1/72	A	RD15	FLYING CAP SCAN: CAB, H704-H, AM05-P, SP FOR 4 AM07-B, 230V
AFC8-NA	RS	MORO		IPG	5	5/71	A	8 NEG	FLYING CAP SCAN IS AM04-N, AM05-N, AM07-A, BF01, H704-C 115V
AFC8-NB	RS	MORO		IPG	5	5/71	A	8 NEG	FLYING CAP SCAN IS AM04-N, AM05-N, AM07-A, BF01, H704-H 230V
AFC8-PA	RS	MORO		IPG	5	5/71	A	8 POS	FLYING CAP SCAN IS AM04-P, AM05-P, AM07-A, BF01, H704-C 115V
AFC8-PB	RS	MORO		IPG	5	5/71	A	8 POS	FLYING CAP SCAN IS AM04-P, AM05-P, AM07-A, BF01, H704-H 230V
AFC8-XA	RS	MORO		IPG	6	9/72	A	AFC8, AFC11	AFC8 EXP FILE, BF01, AM07-A, SP FOR 5 AM07-B, SHORT CABLE
AFC8-XB	RS	MORO		IPG	6	9/72	A	AFC8, AFC11	AFC8 EXP FILE, BF01, AM07-A, SP FOR 5 AM07-B, LONG CABLE
AG01		RD		IPG	3		A	ADC1, ADC81, AM03	DIFF AMP WITH SWITCHED GAIN
AG02		RD		IPG	3		A	8 POS, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG02-BN		RB		IPG	3		A	9, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG02-BP		RB		IPG	3		A	15, ADC1, ADC81, AM03	DIFF AMP WITH PROGRAMMED GAIN
AG03		RV		IPG	3		A	AF01 OR AF02	DIFF AMP MANIFOLD
AG04		JL			4		A	AF06	AMP WITH PROGRAMMED GAIN

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
AG05		RG		IPG	3 12/71	A	8 POS, ADC1, ADC81, AM03	EXTRA WIDE BANDWIDTH AG01
AG06	SNT	GFS			3 3/73	A	AIP12=A, =B	REMOTE DIFF AMP, GAIN 100 OR 1000, +/- 10V OUTPUT
AG12	SNT	RI			5	A	AM12	16 PREAMPS
AG12=A	SNT	RI			3	A	AD12, 1ST 8 CHANNELS	PREAMP/KNOB INPUTS FOR A/D CHANNELS 0-7
AGL2		AW			5	A	LINC/8, CLINICAL LAB 12	24 PREAMPS FOR CLIN CHEM
AH01		RG		IPG	6	A	138-E, 139-E	S&H BETWEEN 138-E AND 139-E
AH02		RG		IPG	5	A	AD08, ADC1, ADC81, AC01, AF01	S&H FOR AMX1, CMX1
AH03=A		RG		IPG	3	A	ADC1, AF01	+/- 10V INPUT AMP, A200-YA
AH03=B		RG		IPG	3	A	ADC1, AA01, AF01	0/+10V AMP, A200-YB
AH03=C		RG		IPG	3	A	ADC1, AF01	0/+10V INPUT AMP, A200-YC
AH03=D		RG		IPG	3	A	ADC1, AF01	+/-5V INPUT AMP, A200-YD
AH03=E		RG		IPG	3	A	ADC1, AF01	0/+5V INPUT AMP, A200-YE
AH03=F		RG		IPG	3	A	ADC1, AF01	0/+5V INPUT AMP, A200-YF
AH03=H		RG		IPG	3	A	AA01	0/+10V OUTPUT AMP, A207-YH
AH03=J		RG		IPG	3	A	AA01	+/-10V OUTPUT AMP, A207-YJ
AH03=K		RG		IPG	3	A	AA01	+/-5V OUTPUT AMP, A207-YK
AH03=L		RG		IPG	3	A	AD08	+/-10V INPUT AMP, A207-YL
AH03=M		RG		IPG	3	A	AD08	0/+10V INPUT AMP, A207-YM
AH03=N		RG		IPG	3	A	AD08	0/+10V INPUT AMP, A207-YN
AH03=P		RG		IPG	3	A	AD08	0/+5V INPUT AMP, A207-YP
AH03=R		RG		IPG	3	A	AD08	0/+5V INPUT AMP, A207-YR
AH03=S		RG		IPG	3	A	AD08	+/-5V INPUT AMP, A207-YS
AH04	SNT				3 1/72	A	AD01	SAMPLE & HOLD
AH05	SNT				3 1/72	A	AD01	ADDED SIGN OPTION (+/-10V IN)
AH05=A		AW			3 3/74	A	AD01 IN RAD=8	ADDED SIGN OPTION (0 TO +10V IN)
AIP12=A	SNT	JL			5 2/72	A	8 POS	ANALYTICAL INSTRUMENTATION PACKAGE 115V
AIP12=B	SNT	JL			5 2/72	A	8 POS	ANALYTICAL INSTRUMENTATION PACKAGE 230V
AIP12=C	SNT	JL			3 1/72	A	AIP12	15 BIT A/D (IN PLACE OF STD 12) (MODULE)
AIP12=D	SNT	JL			3 1/72	A	AIP12	8 DIGIT BCD INPUT (MODULE SET)
AIP12=E	SNT	JL			3 1/72	A	AIP12	4 EXTRA ANALOG INPUTS (MODULE SET)
AIP12=H	SNT	JL			3 11/71	A	AIP12	HALL PROBE INTERFACE
AM01=A		MORO		IPG	5	A	AD15	EXPANDER FOR 32 CH (SP FOR 8 BA124)
AM02=A		RG			3	A	AM08, AM09	HI LEVEL MUX, SPACE FOR 128 CH (32 A122)
AM02=B		RG			3	A	AM08, AM09	HI LEVEL MUX, SPACE FOR 256 CH (64 A122)
AM03=A		RG		TPL	6 3/71	A	AM08, AM09, AG01	LOW LEVEL DIFF MX SPACE 64 CH (32 A111)
AM03=B		RG		TPL	6 3/71	A	AM08, AM09, AG01	LOW LEVEL DIFF MX SPACE 128 CH (64 A111)
AM04=N	RS	MORO		IPG	4	A	8 NEG, BF01	2048 CH FLYING CAP CONT,
AM04=P	RS	MORO		IPG	4	A	8 POS, BF01	2048 CH FLYING CAP CONT
AM04=B	RS	MORO		IPG	4	A	15, BF01	2048 CH FLYING CAP CONT
AM05=N	RS	MORO		IPG	4	A	8 NEG, BF01, AM04=N	FLYING CAP ADC
AM05=P	RS	MORO		IPG	4	A	8 POS, BF01, AM04=P, BD15	FLYING CAP ADC
AM07=A	RS	MORO		IPG	4	A	AM04, AM05, BF01	RELAY SYS UNIT, SP FOR 32 CH W A219
AM07=B	RS	MORO		IPG	4	A	AM04, AM05, BF01	RELAY SYS UNIT, SP FOR 32 CH W G73R
AM08		RG			5	A	8, DW08=A	CONT FOR AM02 & AM03, 1024 CH
AM09		RG			6 3/74	A	9, DW15	CONT FOR AM02 & AM03, 1024 CH
AM11=CE	RS	MORO		IPG	3	A	11, AFC11	CONT & 12 BIT + SIGN ADC 10MV TO 10V FOR AFC11
AM12	SNT	GPR			5	A	AD12	INTERNAL A/D MPX EXPANSION
AM8=EA	SNT	GPB			5 2/72	A	B/E, AD8=EA	8 CH MUX & PREAMPS
AM8=EC	SNT	GPB			5 2/72	A	AM8=EA	4 POTS & INPUTS IN H945-AA
AM8=ED	SNT	GPB			5 2/72	A	AM8=EA	2 X 8 CH CONNECTOR IN H945-AA
AML2		LG			5	A	LINC/8	INTERNAL A/D MUX EXP
AMT		CU			6 6/73	B	4, 7, 9, 15	AUTOMATIC MODULE TESTER
AMX1=A		RG			3	A		64 CH MX RACK MTD
AMX1=B		RG			3	A		TABLE TOP AMX1=A
AMX2		RG		IPG	3 2/72	A	AD02, AD11	SP FOR 128 CH MUX
APT11	EH	TU			3 8/73	A	11	AUTOMATED PRODUCT TEST (RSTS BASED 11 + MANY G5088)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	MO/YR	CATE-GORY	USED ON	DESCRIPTION	40
AR11	AW	JL			2	8/74	A	DD11	16 CH 10 BIT A/D, S&H, SCOPE CONT, REAL TIME CLOCK (H7809)	
AR11=KY	AW	RI			3	1/79	A	DD11	AR11, BC28R-B, H322, KIT	
ATR80=RS		DEG		IPG	6	9/72	A	AF03-A, AF04-A, AFC8, AFC11	UNIF TEMP REF W SPACE FOR 32 THERMOCOUPLES	
ATR80=WS		DEG		IPG	6	9/72	A	AF03-A, AF04-A, AFC8, AFC11	ATR80=RS WIRED TO MUX & WITH RTD BRIDGE	
AX08		SG		TPL	6	6/73	A	8, 8/I	4 CH S&H ADC, 3P, 3L, SCOPE LOGIC	
AX08=B		SG		TPL	6	6/73	A	8, 8/I	AX08 WITH 22-IN SLIDE	
AX08=XC		SG		TPL	6	6/73	A	AX08, AX08=B	2ND-5TH A-INPUTS, SETS OF 4	
AX08=XM		SG		TPL	6	6/73	A	AX08, AX08=B	1ST ADDED A-INPUTS, SET OF 4	
AX08=XP		SG		TPL	6	6/73	A	AX08, AX08=B	EXPANSION REGISTERS OF AX08	
AX09		CB		CSS	6		A	9, 9/L	4 CH S&H ADC, P&L, SCOPE LOGIC	
BA08		JDL		TPL	5		B	8/L	PERIPHERAL EXPANDER	
BA09		FA			6	3/74	B	9	PERIPHERAL EXPANDER	
BA10		KE			5		B	10	WIRED CAB FOR CR10, LP10, XY10	
BA11=BA	CA	JO			2	9/72	B	11/35	HEX BOARD EXPANSION BOX W PS & SLIDES, 115V	
BA11=BB	CA	JO			2	9/72	B	11/35	HEX BOARD EXPANSION BOX W PS & SLIDES, 230V	
BA11=CC		DN			2		B	11/20	PDP11 BASIC BOX W PWR SUPPLY, COVER	
BA11=CS		DN			4		B	11/20	PDP11 BASIC BOX W PWR SUPPLY, SLIDES	
BA11=DA		JO			4	1/74	B	11/35, 11/05=N, 11/10=N	11/35 BASIC BOX W PS & SLIDES, 115V	
BA11=DB		JO			4	1/74	B	11/35, 11/05=N, 11/10=N	11/35 BASIC BOX W PS & SLIDES, 230V	
BA11=EC		DN			3		B	11/20	PDP11 EXPANDER BOX, COVER	
BA11=ES		DN			3		B	11/20	PDP11 EXPANDER BOX, SLIDES	
BA11=FA	BD	WM			4	3/72	B	11/45	11/45 BASIC FILE	
BA11=FB	BD	WM			4	3/72	B	11	11/40 EXPANSION FILE	
BA11=FC	BD	WM			4	10/72	B	11/40	11/40 BASIC FILE	
BA11=FD	BD	WM			3	2/73	B	11	FIELD INSTALLED EXP FILE W PS, H742=A, 3 H744, 2 H745 115V	
BA11=FE	BD	WM			3	3/73	B	11	FIELD INSTALLED EXP FILE W PS, H742=B, 3 H744, 2 H745, 230V	
BA11=FF	RK	CARN			3	11/74	B	11	BA11=FF + 861=A (115V 2 PHASE)	
BA11=FH		WM			3	4/74	B	11	FIELD INSTALLED EXP FILE W H742=A, 3 H744, H745, H754, 115V	
BA11=FJ		WM			3	4/74	B	11	FIELD INSTALLED EXP FILE W H742=B, 3 H744, H745, H754, 230V	
BA11=JA		HL			4	4/73	A	11/05	STRONG COVER FOR TABLE TOP 11/05	
BA11=KE	RFG	WRH			3	2/75	B	11	10,5" EXPANDER BOX W H765=A, 115V	
BA11=KF	RFG	WRH			3	2/75	B	11	10,5" EXPANDER BOX W H765=B, 230V	
BA11=KH	RFG	WRH			3	2/75	B	11/05=S, 11/10=S, 11/35=S	BA11=KE W NO FRONT PANEL OR BC11A, 115V	
BA11=KJ	RFG	WRH			3	2/75	B	11/05=S, 11/10=S, 11/35=S	BA11=KF W NO FRONT PANEL OR BC11A, 230V	
BA11=LA	RFG	JMW			2	10/75	B	KD11-C, =0	5,25" BOX W H777-AA PS, 115V	
BA11=LB	RFG	JMW			2	10/75	B	KD11-C, =0	5,25" BOX W H777-AB PS, 230V	
BA11=LC	RFG	JMW			2	10/75	B	KD11-C, =0	5,25" BOX W H777-BA PS, 115V	
BA11=LD	RFG	JMW			2	10/75	B	KD11-C, =0	5,25" BOX W H777-BB PS, 230V	
BA11=MA	MT	AC			5	9/75	B	11/03	BA11-MC 3,5" BOX W H9270=A & H780=E, 115V	
BA11=MB	MT	AC			5	9/75	B	11/03	BA11-MC 3,5" BOX W H9270=A & H780=F, 230V	
BA11=MC	MT	AC			5	9/75	B	11/03	3,5" BOX W NO POWER SUPPLY	
BA11=ME	MT	AC			2	9/75	B	11/03	3,5" EXPANSION BOX W H9270=A, H780=E, 115V	
BA11=MF	MT	AC			2	9/75	B	11/03	3,5" EXPANSION BOX W H9270=A, H780=F, 230V	
BA12	SNT	RI			5		B	12	PERIPHERAL EXPANDER	
BA124	RS	MORO			3		A	AD15-C, =0, AD01-A, AD01=A, =0	A124 4 CH FET MUX SINGLE ENDED + H850	
BA125	RS	FE			3	12/73	A	AD01-A, AD01=D	A125 4 CH FET MUX, OPEN W NO PWR, + H850	
BA14		AR			5		B	14	ACCESSORY BOX	
BA15		FA			4		B	15	PANEL FOR VP15, LT15, PC15, MR15	
BA150	RS	MORO		IPG	4	3/71	A	AM07-A, =8	A150, FOR AFC'S, 8 CH FLYING CAP MUX	
BA151	RS	MORO		IPG	4	5/72	A	AM07-A, =8	A151, BLOCK SELECT	
BA224	SNT	JL			4	6/71	A	AIP12	A224 DIFF AMP, +/-2V IN, +/-10V OUT	
BA224=YA	SNT	JL			5	2/72	A	AIP12	A224-YA, +/-5V IN, +/-10V OUT	
BA224=YB	SNT	JL			5	2/72	A	AIP12	A224-YB, +/-10V IN, +/-10V OUT	
BA224=YC	SNT	JL			5	2/72	A	AIP12	A224-YC, +/-1V IN, +/-10V OUT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BA226	SNT	JL			5 2/72	A	AIP12	A226 UNIPOLAR AMP, 2V IN, +/-10V OUT
BA226-YA	SNT	JL			5 2/72	A	AIP12	A226-YA, 5v IN, +/-10v OUT
BA226-YB	SNT	JL			5 2/72	A	AIP12	A226-YB, 10V IN, +/-10V OUT
BA226-YC	SNT	JL			5 2/72	A	AIP12	A226-YC, 1V IN, +/-10V OUT
BA233		RG			5 1/72	A	BA633	A233 FOR UDC, PADDLE BOARD, 0 TO +10V
BA234		RG			5 1/72	A	BA633	A234 FOR UDC, PADDLE BOARD, +1 TO +5V
BA235		RG			5 1/72	A	BA633	A235 FOR UDC, PADDLE BOARD, +4 TO +22MA
BA236		RG			5 2/72	A	BA633	A236 FOR UDC, PADDLE BOARD, +10 TO +50MA
BA408	AW	JL			2 11/73	A	LPS11-S	8 CH SWITCHED GAIN MUX, CHANGES LPSAM TO LPSAM-SC
BA614		RG		IPG	2	B	AA50, AA11	A614 12 BIT D/A BIPOLAR
BA633		RG			3 5/74	A	DD01, DD02	A633, 4 10-BIT DACS FOR UDC W MARKING STRIP
BA8-AA		PG			4	B	R/E	PDP8-E BOX, 1 BUS, H724 POWER, SLIDES, 115V, BC08H-3F
BA8-AB		PG			4	B	R/E	PDP8-E BOX, 1 BUS, H724 POWER, SLIDES, 230V, BC08H-3F
BA8-BA		PG			4	B	R/E	PDP8-E BOX, 1 BUS, H724 POWER, COVER, 115V, BC08H-3F
BA8-BB		PG			4	B	R/E	PDP8-E BOX, 1 BUS, H724 POWER, COVER, 230V, BC08H-3F
BA8-CA	JC	PG			2 9/75	B	R/A	20-SLOT OMNIBUS, 10.5 X 21", 2 G8018 REGULATORS, 115V 60HZ
BA8-CB	JC	PG			2 9/75	B	R/A	20-SLOT OMNIBUS, 10.5 X 21", 2 G8018 REGULATORS, 230V 50HZ
BA903	RS	MORO		IPG	4 3/74	A	BA150	A903 FOR AFC'S, PADDLE BOARD, 0 TO 10V
BA904	RS	MORO		IPG	4 3/74	A	BA150	A904 FOR AFC'S, PADDLE BOARD, 0 TO 100V
BA905	RS	MORO		IPG	4 3/74	A	BA150	A905 FOR AFC'S, PADDLE BOARD, 0 TO 50MA
BAJ11-ES	CA				3 6/72	B	11R20	SYSTEM TESTED BA11-ES
BAR11-CS		KH			3 1/72	B	11R20	RUGGED PDP11 BASIC BOX, SLIDES
BAR11-EC		KH			3 1/72	B	11R20	RUGGED PDP11 EXPANDER BOX, SLIDES
BB08-N		LN			5	B	8 NEG	BUS INTERFACE WITH 24 UNWIRED SLOTS
BB08-P		LN			5	B	8 POS	BUS INTERFACE WITH 24 UNWIRED SLOTS
BB11		PJ			3	B	11	SYS UNIT FOR BUS INTERFACE WITH 18 UNWIRED SLOTS, SLOTTED BLOCKS
BB11-A	RJM	SZ			3 1/73	B	BB11-F, -H, -K, SU	FOR BUS INTERFACE W 18 UNWIRED SLOTS, NON-SLOTTED BLOCKS
BB11-B	RJM	RF			3 9/74	B	11	DOUBLE SYS UNIT FOR BUS INTERFACE, 48 UNWIRED SLOTS, SLOTTED BLOCKS
BB11-D	RJM	RF			3 8/74	B	11	DMA INTERFACE W 1 UNWIRED QUAD SLOT
BB11-F	RJM	RF			5 11/72	B	11	BUS INTERFACE, SP FOR 3 WORDS IN, 1 WORD OUT, 4 INTERRUPTS
BB11-H	RJM	RF			5 11/72	B	11	BUS INTERFACE, SP FOR 4 WORDS IN, 4 WORDS OUT, 4 INPUT INTERRUPTS
BB11-K	RJM	RF			5 11/72	B	11	BUS INTERFACE, SPACE FOR 8 WORDS IN, 0 WORDS OUT
BB11-M	RJM	RF			5 5/73	B	11	SPC INTRFC, SP FOR M1621, 23, M1801, 1/D INT, 3 SPC EXCEPT DR11-B, DL11
BB15		FA			5 3/74	B	15	CHASSIS FOR KA15, MP15, PROTECT & RELOCATE
BB714		AR			6 4/73	B	14	714 POWER SUPPLY
BBR11		KH			3 3/74	B	11R20	RUGGED B911
BC01A-25		JDL		TPL	5	B	8/1, 8/L, DC02	M850 TO EIA RS232-B, 25 FT MALE
BC01B-25		MI			5	R	DC08-F	M853 TO EIA RS232-B, 25 FT MALE
BC01C-XX		MI			5	R	DC08-B, PDP8, PT08	G857 TO EIA RS 232-B, XX FT MALE
BC01D-XX		DI			2	R	RP01, RP02	2 M854 TO AMPHENOL 201311-1 XX FT
BC01E-XX		KE			4	B	DC08-B	G857 TO EIA RS 232-B FEMALE, XX FT
BC01F-XX		MI			5	B	PA63 TO PP67-C =D (PUNCH)	M979 TO AMPHENOL PLUG 5738240
BC01H-XX		MI			5	B	PA63 TO PR68-D (READER)	M978 TO AMPHENOL 5738240, 24 PINS
BC01J-XX		STP			2	R	9/1, 8/L, 12, DC02	M850 TO EIA RS232-B FEMALE, XX FT
BC01K-XX	SNT	AW			5 9/74	B	VCB-E TO VR12	CABLE FROM M869 (M856) TO VR12, XX FT
BC01L-XX	SNT	AW			3 1/73	B	VCB-E TO VR03	CABLE FROM M869 TO TEK 602, 604 XX FT
BC01M-XX		JW			3 1/72	R	DC04-CN, -CP	RC01A-XX FOR RECEIVE ONLY
BC01N-04		PDM			3 1/72	R	AD15, AA15	M908 TO M929-C, TWISTED PAIR, 4 FT
BC01P-04		PDM			3 1/72	B	AD15, AA15	M908 TO M929-D, TWISTED PAIR, 4 FT
BC01R-XX	VB	WRS			5 8/74	B	DC11-U	M970 + BC05C-XX OR M9700, 25 COND TO RS232-C, XX FT
BC01S-XX		VB			5 8/74	B	MANY	MATE-N-LOK EXTENSION CORD (9 WIRES) XX FT
BC01V-25		RBR			5 9/74	B	R/E	M856 TO RS232-C MALE, 15 CONDUCTOR, 25 FT
BC01W-25	VB	RMS			5 7/74	B	DP8-EB, DQ11	BELL 303 SERIES MODEM CABLE (M856 TO BUNRDY MD12MXP17TC)
BC01X-25		AK			3 8/74	B	DC10-B, -E	15 BARE WIRES TO RS232 MALE, DATA SET, 25FT
BC01Y-25		AK			3 8/74	B	DC10-B, -E	15 BARE WIRES TO RS232 MALE, AGU, 25 FT
BC02A-XX		BP			3	B		W011-W011 RIBBON, XX FT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	42
BC02B-XX		BP			3	B		W011-W021 RIBBON, XX FT	
BC02E-XX		BP			3	B		W011-W028 RIBBON, XX FT	
BC02F-XX		BP			3	B		W018-W023 RIBBON, XX FT	
BC02H-XX		BP			3	B		W018-W027 RIBBON, XX FT	
BC02J-XX		BP			3	B		W020-W029 RIBBON, XX FT	
BC02K-XX		BP			3	B		W020-W023 RIBBON, XX FT	
BC02L-XX		BP			3	B		W021-W021 RIBBON, XX FT	
BC02M-XX		BP			3	B		W021-W022 RIBBON, XX FT	
BC02N-XX		BP			3	B		W021-W028 RIBBON, XX FT	
BC02P-XX		BP			3	B		W022-W022 RIBBON, XX FT	
BC02S-XX		BP			3	B		W023-W023 RIBBON, XX FT	
BC02T-XX		BP			3	B		W023-W027 RIBBON, XX FT	
BC02U-XX		BP			3	B		W024-W024 RIBBON, XX FT	
BC02W-XX		BP			3	B		W028-W028 RIBBON, XX FT	
BC02X-XX		BP			3	B		M908-M908 DUAL RIBBON, XX FT	
BC03A-XX		BP			3	B		W011-W011 FLAT COAX, XX FT	
BC03B-XX		BP			3	B		W011-W021 FLAT COAX, XX FT, 7005820	
BC03C-XX		BP			3	B		W021-W021 FLAT COAX, XX FT	
BC03D-XX		BP			3	B		W021-W022 FLAT COAX, XX FT	
BC03E-XX		BP			3	B		W031-W031 MYLAR, XX FT, 7405552	
BC03F-XX		BP			3	B		W033-W033 MYLAR, XX FT, 7405553	
BC03H-XX		BP			3	B		M901-M901 DUAL MYLAR, XX FT	
BC03J-XX		BP			3	B		W021-W028 FLAT COAX, XX FT	
BC03L-XX	BPF	ORR			3	B	8/E, 11	H856 TO RS232-C MALE FOR PANEL MOUNT, 15 CONDUCTORS, XX FT	
BC03M-XX	BPF	ORR			3	B	8/E, 11	RS232-C FEMALE BOTH ENDS, NULL MODEM, XX FT	
BC03N-AD	VB	RMS			3	B	DMC11-M	BNC TO BNC COAX, 100FT	
BC03P-XX	VB	JEP			3	B	DE11	RS232 FEMALE BOTH ENDS, NULL MODEM CABLE, XXFT	
BC03R-XX		ORR			2	B	LPP01	1211664 BOTH ENDS (3M 50-PIN) FLAT UL 50 WIRE CABLE, XXFT	
BC04A-XX		BP			3	B		W011 RIBBON, ONE BOARD ONLY, XX FT	
BC04B-XX		BP			3	B		W018 RIBBON, ONE BOARD ONLY, XX FT	
BC04C-XX		BP			3	B		W020 RIBBON, ONE BOARD ONLY, XX FT	
BC04D-XX		BP			3	B		W021 RIBBON, ONE BOARD ONLY, XX FT	
BC04E-XX		BP			3	B		W022 RIBBON, ONE BOARD ONLY, XX FT	
BC04F-XX		BP			3	B	4/71	W023 RIBBON, ONE BOARD ONLY, XX FT	
BC04H-XX		BP			3	B		W024 RIBBON, ONE BOARD ONLY, XX FT	
BC04J-XX		BP			3	B		W027 RIBBON, ONE BOARD ONLY, XX FT	
BC04K-XX		BP			3	B		W028 RIBBON, ONE BOARD ONLY, XX FT	
BC04L-XX		BP			3	B		W011 COAX, ONE BOARD ONLY, XX FT	
BC04M-XX		BP			3	B		W021 COAX, ONE BOARD ONLY, XX FT	
BC04N-XX		BP			3	B		W022 COAX, ONE BOARD ONLY, XX FT	
BC04P-XX		BP			3	B		M904 DUAL COAX, ONE BOARD ONLY, XX FT	
BC04R-XX		BP			3	B	KSR33 OR 35 FOR 8/E, 11, 15	MATE-N=LOK TO 4 RINGS, XXFT (7006593)	
BC04S-XX		BP			3	B	ASR33 OR 35 FOR 8/E, 11, 15	MATE-N=LOK TO 6 RINGS, XX FT (7006594)	
BC04T-XX		BP			3	B		M901 DUAL MYLAR SHIELDED 1 BOARD ONLY XX FT	
BC04U-XX		BP			3	B		M903 DUAL MYLAR, ONE BOARD ONLY, XX FT	
BC04W-XX		BP			3	B		M908 DUAL RIBBON, ONE BOARD ONLY, XX FT	
BC04X-XX		MI		TPL	3	B	555, TU55, TU56	W032 TO MICRODOT COAX, ONE BOARD ONLY, XX FT	
BC04Y-XX		MI		TPL	3	B	TU56	M923 TO MICRODOT COAX, ONE BOARD ONLY, XX FT	
BC04Z-XX		BP			3	B	INTERFACE KITS	H856 TO 3M CABLE ONE END ONLY XX FT, 7007036	
BC05A-XX		MI		TPL	3	B	555, TU55, TU56	7405152-1, W032 TO W032, XX FT, 7005142	
BC05B-04		MI		TPL	3	B	TU56	7006412, M923 TO M923 RIBBON, 4 FT	
BC05C-XX		RMS			3	B	DP8-EA, DS10, DS11	H856 TO RS232-C MALE, 25 COND, XX FT	
BC05D-XX		BP			3	B	EIA EXTENSION CORD	RS232 MALE TO RS232 FEMALE, 25 COND, XXFT	
BC05E-XX				SSMU	3	B	SWITCH BOX & CABLE FOR GERMAN MODEM, G857-YA TO CINCH DB51226-1		
BC05F-XX		RF			3	B	DF11-A, DF11-K, LA30-S	MATE-N=LOK MALE-MALE 7-5 5-7 3-2 2-3, XXFT	
BC05H-XX		JC			3	B	8/M, 11/05	115V 3 WIRE GROUNDED 7AMP LINE CORD TO H400-A	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BC05J-XX		JC			5 7/72	B	8/M, 11/05	230V 3 WIRE GROUNDED 4AMP LINE CORD TO H400-B
BC05L-XX	RP	MDL			3 10/72	B	TU40, RX01	H855 TO H855 3M NOT SHIELDED MIRROR CONNECTIONS, 3 IN
BC05M-XX	JC	RBR			3 9/73	B	KLB-JA, KLB-E	H856 TO MATE-N-LOK, 6 WIRES, XX FT (7000360-XX)
BC05N-10	CA	AW			3 3/74	B	LPSVC	LPSVC TO VR14, VR20, 10 FT
BC05P-10	CA	AW			3 3/74	B	LPSVC	LPSVC TO TEX 601, 603, 604, 611, 613, 10 FT
BC05R-10	CA	AW			5 1/74	B	LPSVC	LPSVC TO TEX 503, 10 FT
BC05S-10	CA	AW			3 3/74	B	LPSVC	LPSVC TO SCOPES W 3 BNC CONNECTIONS, 10 FT
BC05T-XX	CA	CRB			3 8/74	B	11/35	115V 3 WIRE GROUNDED 12 AMP LINE CORD TO H400-C
BC05U-XX	CA	CRB			3 8/74	B	11/35	230V 3 WIRE GROUNDED 7 AMP LINE CORD TO H400-D
BC05V-XX	MI	JDL			3 5/73	B	VT20	BC05F SHIELDED, 70-09365-XX, XX FT
BC05W-XX	RJM	CYR			3 3/74	B	M7341, KC341	12-11664 TO 12-11664 50 COND 3M SHIELDED, XXFT
BC05X-XX	RJM	LJP			3 3/74	B	BC05F-XX	MATE-N-LOK MALE TO FEMALE, PINS 2, 3, 5, 7, XXFT
BC05Y-08	RJM	CYP			3 4/74	B	KC341	DC POWER CABLE, 45V, 15V, GND, G772 TO FASTONS
BC05Z-25	VB	RMS			3 8/75	B	DMC11-DA	H856 TO V35 CABLE, 25FT
BC06A-XX		JW			6 8/74	B	LPC8-A, LPC11-A	M908 TO PHOTON 713-100
BC06B-XX		JW			3 11/72	B	LPC8-B, LPC11-B	M908 TO PHOTON 713-200
BC06C-XX		JW			3 11/72	B	LPC8-C, LPC11-C	M908 TO PHOTON 7000
BC06D-XX		JW			3 11/72	B	LPC8-D, LPC11-D	M908 TO PHOTON PACESETTER
BC06E-XX		JW			3 11/72	B	LPC8-E, LPC11-E	M908 TO HARRIS INTERTYPE
BC06F-XX		JW			6 8/74	B	LPC8-F, LPC11-F	M908 TO COMPSTAR 191
BC06J-XX		JW			3 4/74	B	LPC01, LPD11, LPD8	M908 TO M908, 15 SHIELDED TW PR, XXFT
BC06R-XX	GS	WD			3 3/74	B	MASS BUS DEVICES	H855 TO H855, 3M SHIELDED W DRAIN WIRE, 40 COND, XXFT
BC06S-XX	GS	WD			3 4/74	B	MASS BUS DEVICES	1211591 TO 1211591, 80 TWISTED PAIR, XXFT
BC06T-XX	MI	YM			3 6/75	B	VT20-LV	M908 TO M908, 15 SHIELDED TWISTED PAIR, XX FT
BC06U-50	MI	TH			3 6/75	B	VT20-B, C, M	70-09933 REPLACEMENT, M908 TO M908, 15 SHIELDED TW PR, 50 FT
BC07A-XX	RJM	SZ			3 10/73	B	CAT	H856 ONE END ONLY, 20 TWISTED PAIR, XXFT, M1801 CONNECTIONS
BC07B-XX	RJM	SZ			3 10/73	B	CAT	H856 ONE END ONLY, 11 TWISTED PAIR, XXFT, M1801 J1 CONNECTIONS
BC07C-XX	RJM	SZ			3 10/73	B	CAT	H856 ONE END ONLY, 11 TWISTED PAIR, XXFT, M1801 J2 CONNECTIONS
BC07D-XX	RJM	SZ			3 10/73	B	CAT	H856 ONE END ONLY, 2 20-CONDUCTOR RIBBONS, XXFT
BC07K-XX	AW	RI			2 10/74	B	VR14	
BC07L-XX	AW	RI			2 10/74	B	TEK 613	
BC08A-XX		JDL		TPL	3	B	8/I, P8/L + BUS	M903 TO M903, DUAL SHIELDED MYLAR XX FT
BC08B-XX		JDL		TPL	3	B	8/I, P8/L + BUS	M904 TO M904 FLAT COAX, XX FT
BC08C-XX		JDL		TPL	3	B	8/I + BUS	M903 TO 2 M031 SHIELDED MYLAR, XX FT
BC08D-XX		JDL		TPL	3	B	8/I + BUS	M904 TO 2 M011 FLAT COAX, XX FT
BC08E-XX		JDL		TPL	3	B	8, 8/I	M031 TO M031 FLAT SHIELDED MYLAR, XX FT
BC08F-XX		PJ			3	B	FIRST ON PC11 (TO PC25)	M903 TO M925 FLAT SHIELDED MYLAR, XX FT
BC08H-XX		PG			5 4/71	B	8/E	INTERNAL BUS EXP, M936 TO M937, XX FT
BC08J-XX		PG			5 4/71	B	8/E	H856 TO M953, 40 COND 3M, XX FT
BC08K-XX		PG			5 4/71	B	8/E	M955 TO H856, 18 SIG, 2 10 OHM, 40 COND 3M, XX FT
BC08L-XX		PG			5 4/71	B	8/E	M954 TO 2 H856, 36 SIG, 4 10 OHM, XX FT
BC08M-08M		PG			5 9/71	B	8/E	H807 & M901 TO 2 MYLAR CABLES TO M901 & H807, 11 IN
BC08N-XX		MDM			5 9/71	B	TU10, 8 POS BUS, ETC	M904 TO M904 DUAL ROUND COAX, XX FT
BC08P-XX		MDM			5 9/71	B	TU10, 8 POS BUS, ETC	M904 TO 2 M021 DUAL ROUND COAX, XX FT
BC08R-XX		PG			5 5/72	B	8/E	H856 TO H856 3M SHIELDED, MIRROR CONNECTIONS, XXFT
BC08S-XX	SNT	AW			5 1/73	B	DR8-E	H856 TO H856 3M SHIELDED STRAIGHT CONNECTIONS XXFT
BC08T-71		RMS			2 3/72	B	KLB-M	H856 TO H856, 12 WIRES, MIRROR CONNECTION, 1 FT
BC08U-XX		DA			6 8/73	B	RC8-E	M994 TO H856, 36 SIG, 3M NOT SHIELDED, XXFT
BC08V-1K	JC	DA			3 12/72	B	H8513, H8514	H807 TO M922, 2 MYLAR, 1FT 9 IN
BC08W-XX	JC	TP			5 8/75	R	KLB-A	50 PIN BERG TO 4 25-PIN M9232 FEMALE, 37 WIRES, XXFT
BC08X-XX	JC	TP			3 8/75	R	KLB-A	50-PIN BERG TO 4 8-PIN MATE-N-LOK, 16 WIRES, XXFT
BC08Y-XX	JC	TP			3 8/75	R	KLB-A	50-PIN BERG TO 50-PIN BERG, 50 WIRES, XXFT
BC08Z-XX	JC	LN			3 8/75	B	KLB-A	50-PIN BERG TO 1 R9232 & 3 MATE/N-LOK
BC09A-XX		MI			5	B	9	I/O BUS M350 TO H350, XX FT, 7805313
BC09B-XX		FA			5	B	9/I, DWH9-A, DWH9-B	I/O BUS 2 M912 TO 2 M912, XX FT
BC09C-XX		FA			5	B	15, 9	I/O BUS 4 H850 TO 2 M912, XX FT

MODEL NO	ENG MGR	DESIGN ENGR	PROJ ENGR	MFRG AREA	STATUS MO/YR	DATE-CATEGORY	USED ON	DESCRIPTION
BC10A=XX		KE			5	B	10	I/O BUS W051 EA END ROUND COAX OR W055+W056 EA END FLAT COAX XXFT
BC10B=XX		KE			5	B	10	MARGINAL CHECK CABLE, XX FT
BC10C=XX		RW			4	B	10	DISK CABLE H352 TO BURROUGHS, XX FT
BC10D=XX		KE			5	B	10	MEM BUS H351 TO 4 W028, XX FT
BC10E=XX		KE			3	B	10	1036 TO 2 W028 COAX, I/O BUS, XX FT
BC10H=XX		KE			5	B	1/73	10 MEM BUS
BC10J=XX		ATT			5	B	5/72	10 MEM BUS
BC10K=XX		ATT			5	B	3/72	10 MEM BUS
BC10L=XX		JS			5	B	3/72	10
BC10P=XX	EAS	AJ			3	B	3/73	RH10 TO DF10
BC10V=XX		KE			3	B	4/72	VT09 TO DC10
BC11A=XX		POT			3	B		11
BC11B=XX		POT			2	B	9/71	RUGGED 11
BC11C=XX		POT			2	B	9/71	RUGGED 11 TO NON-RUGGED 11
BC11D=XX		POT			2	B	9/71	RUGGED 11 INTERNAL
BC11E=XX	VB	WRS			5	B	1/74	DF11-BA, DF11-BB
BC11F=XX	BD	KA			3	B	8/73	DT11-M
BC11J=XX		FS			3	B	3/72	DR11-F TO DR11-A
BC11K=25		PJ			2	B	3/72	DR11-C
BC11L=20	AW	JL			3	B	6/74	AR11
BC11M=XX	AW	RI			3	B	9/74	DR11-K
BC11N=XX	RPG	WM			3	B	8/75	11
BC11P=XX	RPG	WM			3	B	8/75	11
BC11R=XX	RPG	WM			3	B	8/75	11
BC11S=XX	RT	LC			3	B	8/75	11
BC12A=XX	SNT	RI			5	B		LA100
BC14A=XX		AR			5	B	2/75	12
BC14B=XX		AR			2	B		14
BC14C=10		AR			5	B	4/71	14, 8/L, 8/I, + BUS
BC14D=XX	JM	AR			3	B	3/73	14
BC14E=XX	JM	AR			3	B	3/73	DC14
BC14F=XX	JM	AR			5	B	2/75	OMC0-E, SMC01
BC14H=XX	JM	AR			5	B	2/75	14/30, H912
BC14J=XX	JM	AR			5	B	2/75	DA14-E, KA8-E
BC14K=XX	JM	AR			5	B	2/75	14, KL8
BC14L=XX	RS	GEG			3	B	2/75	DA14-EL, 8/L, 8/I
BC14M=XX	JM	GEG			3	B	7/74	DC14-E
BC20A=XX	JC	PG			5	B	1/74	14/30 TO MODEM
BC20B=XX	JC	PG			5	B	1/74	8/M, 8/F
BC20C=XX	ATT	SV			3	B	2/75	8/M, 8/F
BC20D=XX	SC	CHIN			3	B	2/75	MA20, KL10
BC40C=XX	MORO	MORO			5	B	4/71	MG10
BC40D=06	RRC	RR			3	B	3/72	DD01, DD02
BC40H=1J	RS	RG			3	B	2/75	UDC
BC40J=XX	RS	RG			2	B	8/75	CABLE CONNECTOR ASSEMBLY KIT, H007, PARTS, 6FT CABLE
BC40K=1J	RS	KDG			3	B	2/75	H0030 TO 34 TERMINAL STRIP, TWISTED PAIR, 20"
BC41A=XX	MORO	MORO			5	B		1211425 (DBL MOD) TO RT ANGLE RS232, 25 WIRES, XXFT
BC70A=XX	RJM	EN			3	B	11/73	ANALOG CABLE IN BC40H, 1' 8"
BC70B=XX	RJM	EN			3	B	11/73	M945 TO M946 DOUBLE MYLAR, XX FT
BC70C=25	RJM	LJF			3	B	7/74	PDM70
BC90C=04	RS	MORO			5	B		1211374 TO 1205806 RS232, 25 COND, XXFT
BC90A=25		GO		IPG	3	B		1211374 ONE END ONLY, 44 COND, XXFT
BC90A=25		JEH		SSUK	3	B		1211374 TO RIGHT ANGLE MALE RS232, 25 COND, 25'
BC90A=25				SSUK	3	B		2 H007 TO 34 KULKA 670A TERMINALS, 4 FT
BC99B=25		JEH		SSUK	3	B		LA36, VT50
BC99C=25		JEH		SSUK	3	B		D TYPE GPO MODEM CONNECTOR, 25FT CABLE TO BARRIER ON PC BD
								PT08DA, DP01A, DC08LD, DC11, ETC
								D-TYPE GPO MODEM CONNECTOR, 25 FT,
								12 CKT BARRIER ASSEMBLY MOLDED IN 15 FT FROM CONN TO FLY LEADS
								PT08DA, DP01AA MODIFIED, DP01A (SELECT SD=BY), DC08LD
								BC99A W W023
								BC99A WITH W023

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BC99D-25		JEH		SSUK	3	B	PDP11	BC99A W SIDE (TOP CLAMP) FOR PDP11
BC99E-25		JEH		SSUK	3	B	PDP15	BC99A W W023 FOR PDP15
BC99F-25		JEH		SSUK	3	B	PDP8/E	BC99A W END FOR PDP8/E
BCL2A-XX		AH			6	3/74 B	H305, AGL2	8 CH TRUNK CABLE XX FT
BCL2B-XX		AH			6	3/74 B	H304 H305	SINGLE CH DATA CABLE, XX FT
BCV1A-XX	MT	TPW			2	8/75 B	LS111	M9400-YD TO M9401, 2 BC05L-XX CABLES, XXFT
BCV1B-XX	MT	TPW			2	8/75 B	LS111	M9400-YE TO M9401, 2 BC05L-XX CABLES, XXFT
BCV1C-XX	VB	DR			2	11/75 B	11M03	12X1591 BOTH ENDS, 2 UL 40 WIRE PLAT CABLES, 36 SIG, 40 GND, XXFT
BD01		DEG		IPG	6	10/72 B	8/S	16 CH MUX, DU PONT
BD02		DEG		IPG	6	10/72 B	8/S	FLOW METER INTERFACE, DU PONT
BD03		JTN		CSS	6	2/75 B	11	BELL SPECIAL; BIN-ASCII-BIN CONV
BD04		JTN		CSS	6	2/75 B	11	BELL SPECIAL; DISK INTERRUPT & ALARM + MOD TO RF11
BD04-D		JTN		CSS	6	2/75 B	11	BELL SPECIAL; BD04 WITH SPC SLOT
BD05-A		JTN		CSS	6	2/75 B	11	BELL SPECIAL; UNIMPLEMENTED 20 CHANNEL BOX
BD05-B		JTN		CSS	6	2/75 B	11	BELL SPEC; IMPLEMENTD 20 CH BOX; NEEDS 2P BD05-CB -DB -EB -FB &/OR -GB
BD05-CA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL TESTED SPARE Y019
BD05-CB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y019 ORDERED WITH BD05-B
BD05-DA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y049
BD05-DB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y049 ORDERED WITH BD05-B
BD05-EA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y067
BD05-EB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y067 ORDERED WITH BD05-B
BD05-FA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y149
BD05-FB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y149 ORDERED WITH BD05-B
BD05-HA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y163-YH
BD05-HB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y163-YH ORDERED WITH BD05-B
BD05-JA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y163-YJ
BD05-JB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y163-YJ ORDERED WITH BD05-B
BD05-KA		JTN		CSS	6	2/75 B	BD05-A	BELL SPECIAL; TESTED SPARE Y163-YK
BD05-KB		JTN		CSS	6	2/75 B	BD05-B	BELL SPECIAL; Y163-YK ORDERED WITH BD05-B
BD15-A		PDM			4	4/71 B	15	CONT & CAB FOR AFC15 11 BITS + SIGN & UDC15, 115V
BD15-B		PDM			4	4/71 B	15	CONT & CAB FOR AFC15 11 BITS + SIGN & UDC15, 230V
BD15-C		PDM			4	4/71 B	15	BD15-A WITH NO ADC
BD15-D		PDM			4	4/71 B	15	BD15-B WITH NO ADC
BD50-AA		JDL		TPL	4	2/72 B	8 POS BUS	VT05 OR LA30 INTERFACE, 115V
BD50-AB		JDL		TPL	4	2/72 B	8 POS BUS	VT05 OR LA30 INTERFACE, 230V
BD50-BA		JDL		TPL	4	2/72 B	8 NEG BUS	VT05 OR LA30 INTERFACE, 115V
BD50-BB		JDL		TPL	4	2/72 B	8 NEG BUS	VT05 OR LA30 INTERFACE, 230V
BD50-CA		JDL		TPL	4	2/72 B	9	VT05 OR LA30 INTERFACE, 115V
BD50-CB		JDL		TPL	4	2/72 B	9	VT05 OR LA30 INTERFACE, 230V
BD50-HA		JDL		TPL	4	2/72 B		2ND CHANNEL
BD50-HB		JDL		TPL	4	2/72 B		2ND CHANNEL
BE14		AR			5	12/71 B	14/L	MEMORY & I/O ACCESSORY PANEL
BE8-A		PG			5	6/71 B	8/E	M919 BUS WITH 2 M935 JUMPERS
BF01	RS	AS		IPG	5		AM04, AM05, AM07	MING HARDWARE FOR AFC/8
BF02	RS	AS		IPG	5		DD01, DD02	MING HARDWARE FOR UDC/8
BF14-F		CH			6	8/71 B	14	STORAGE BOX FOR 32 FLIP FLOPS
BF14-H		CH			6	8/71 B	14	STORAGE BOX FOR 16 FLIP FLOPS
BF14-M		AR			5	5/72 B	14	16 BIT STORAGE
BJ11-A		KH			3	8/72 B	-	SYSTEM TESTED 11/05 CHASSIS, CONFIG 2
BJ11-B		KH			3	8/72 B	-	SYSTEM TESTED M7260 + M7261
BK022		AR			6	8/75 B	14	K022 2 INPUT AND/OR EXPANDER- DUAL STORAGE MOD TO PDP14
BK272		AR			6	1/72 B	BA14	K272 1 BIT RETENTIVE MEMORY
BK274		AR			6	8/75 B	14	K274 DUAL RETENTIVE MEM, REPLACES BK272
BK302		AR			6	8/75 B	BA14	K302 DUAL TIMER
BL01-A	DE	HRL			4	7/73 B	ALL SYSTEMS	AC LINE MONITOR, 115V
BL01-B	DE	HRL			4	7/73 B	ALL SYSTEMS	AC LINE MONITOR, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BM08=C		JDL		TPL	5	B	B/L	MTNG BOX W COVER FOR MCB=LA, =LB & MMB=LA, =LB
BM08=S		JDL		TPL	5	B	B/L	MTNG BOX W SLIDES FOR MCB=LA, =LB & MMB=LA, =LB
BM681	RS	MORO		IPG	3	11/73	B	M681 16 ISOLATED SOLID STATE RELAY DRIVERS
BM684	RS	FE		IPG	5		B	M684 12 BIT FF RELAY DRIVER
BM685	RS	FE		IPG	4		B	M685 16 BIT FF RELAY DRIVER
BM686	RS	FE		IPG	5		B	M686 12 BIT SS RELAY DRIVER
BM687	RS	FE		IPG	4		B	M687 16 BIT SS RELAY DRIVER
BM792=YA	JRC	SCJ		FS	3		M	DD11 PAPER TAPE LOADER ROM
BM792=YB	JRC	SCJ		FS	3	8/71	M	DD11 DISK LOADER ROM
BM792=YC	JRC	SCJ		FS	3	10/71	M	DD11 CARD READER BOOTSTRAP ROM
BM792=YD	JRC	SCJ		TYP	3	1/74	B	VT20 M792=YK HARDWARE RIM
BM792=YH	JRC	SCJ		FS	3	1/73	M	DD11 TA11 BOOTSTRAP LOADER
BM792=YJ	JRC	SCJ		CSS	3	4/73	M	DD11 BELL SPECIAL TM11 LOADER
BM792=YL	RP	DRM			2	6/73	M	DD11 RX11 FLOPPY DISK LOADER
BM802	RS	FE		IPG	5		B	DD01, DD02 M802 12 BIT LATCHING RELAY OUTPUT
BM803	RS	FE		IPG	4		B	DD01, DD02 M803 16 BIT LATCHING RELAY OUTPUT
BM804	RS	FE		IPG	5		B	DD01, DD02 M804 12 BIT FF RELAY OUTPUT
BM805	RS	FE		IPG	4		B	DD01, DD02 M805 16 BIT FF RELAY OUTPUT
BM806	RS	FE		IPG	5		B	DD01, DD02 M806 12 BIT SS RELAY OUTPUT
BM807	RS	FE		IPG	4		B	DD01, DD02 M807 16 BIT SS RELAY OUTPUT
BM812=IA	MI	JDL			4	10/74	B	B/I, 12 MTNG BOX FOR MMB=E, MMB=EJ, SLIDES, 115V
BM812=IB	MI	JDL			4	10/74	B	B/I, 12 MTNG BOX FOR MMB=E, MMB=EJ, SLIDES, 230V
BM873=YA	VB	DR			4	5/74	M	DD11 RESTART/LOADER, REPLACES BM792=YA, =YB, =YH & MR11=DB, 128 WORDS
BM873=YB	RS	SI			3	9/74	M	11 RESTART/RELOADER, 256 WORDS (MAGBUS DEVICES)
BM873=YC	VR	RMS			3	11/73	M	DD11 BM873=YA + DU11 HANDLER, 256 WORDS
BM873=YD	ATT	RMO			2	2/73	M	DD11 KL10 ROM DECTAPE BOOTSTRAP LOADER (M873-YD)
BM8=LA		SG		TPL	3	7/71	B	B/L MTNG BOX FOR MMB=E, MMB=EJ, SLIDES, 115V
BM8=LB		SG		TPL	3	7/71	B	B/L MTNG BOX FOR MMB=E, MMB=EJ, SLIDES, 230V
BM8=LC		SG		TPL	3	7/71	B	B/L MTNG BOX FOR MMB=E, MMB=EJ, COVER, 115V
BM8=LD		SG		TPL	3	7/71	B	B/L MTNG BOX FOR MMB=E, MMB=EJ, COVER, 230V
BMK=LK		DCB			4		B	X602 BASIC MODULE KIT FOR LAB-K
BMK=LL		DCB			4		B	X510 BASIC MODULE KIT FOR K-SERIES LOGIC LAB
BN50A=7F	YS	MDM			2	9/74	B	VT50 EIA MODULE TO RS232, 7.6M (DATA ONLY)
BN50B=04	YS	MDM			2	9/74	B	VT50 20MA CURRENT LOOP CABLE TO MATE=N=LOK, 4M
BN50C=LL		KE			2	9/74	B	VT50 20MA CURRENT LOOP TO 2B3B PLUG, LL METERS
BN52A=7F	YS	RPI			2	9/75	B	VT52 EIA MODULE TO RS232, 7.6M
BN52B=04	YS	RPI			2	9/75	B	VT52 20MA CURRENT LOOP CABLE TO MATE=N=LOCK, 4M
BN52C=LL	YS	RPI			2	9/75	B	VT52 20MA CURRENT LOOP TO 2B3B PLUG, LL METERS
BS015=A		CP	BFB		6	3/74	B	15 BOSS-15, RENAMED QM050
BS01A=25		LH			2		B	VT15, VT04 CABLE SET, VT15 TO VT04, 25 FT
BS10A=XX		KE			5		B	10 CABLE SET, 2 BC10=AA + BC10B=SS, XX FT
BS10H=XX		KE			3	8/73	B	10 CABLE SET, 2 BC10H=XX + BC10B=XX, XX FT
BT11=A	BE	RHI		SSCAL	3	1/74	B	11 TONE ALERT, SETS ALARM AT SET ADDRESS, MANUAL CLEAR
BT11=A		ABW		CSS	6	2/73	E	CDC 6000/7000 PDP11 REMOTE BATCH TERM TO SIMULATE CDC200
BT14=A		LF			5	2/73	B	14 INTERROGATOR BOX, TESTS INPUTS & OUTPUTS
BV04		LH			5	3/72	B	VT04 374, VJ01, LK35 MOUNTING
BW400	RS	FE		IPG	5		B	BW730=3, BW740=3, BM684=7, BM802=7
BW402	RS	FE		IPG	5		B	BW730=3, BW740=3, BM684=7, BM802=7
BW403	RS	FE		IPG	5		B	BM684=7
BW406	RS	FE		IPG	3	11/73	B	BM730=3 BW740=3 BM684=7 BM802=7
BW410	RS	MORO		IPG	3	2/73	B	BW740=743
BW730	RS	FE		IPG	6	8/72	B	DD01, DD02 W400 PADDLE BOARD W A/C INPUT CONDITIONING
BW731	RS	FE		IPG	6	2/73	B	DD01, DD02 W730 12 BIT CONTACT SENSE, SEE BW740
BW732	RS	FE		IPG	6	8/72	B	DD01, DD02 W731 16 BIT CONTACT SENSE
BW733	RS	FE		IPG	6	2/73	B	DD01, DD02 W732 12 BIT CONTACT INTERRUPT, SEE BW742
BW734	RS	FE		IPG	4	9/71	B	DD01, DD02 W733 16 BIT CONTACT INTERRUPT
								W734 GENERAL PURPOSE COUNTER

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
BW740		MORO			4 8/72 B		DD01, DD02	W740 12 BIT SOLID STATE CONTACT SENSE
BW741		MORO			4 2/73 B		DD01, DD02	W741 16 BIT SOLID STATE CONTACT SENSE
BW742		MORO			4 8/72 B		DD01, DD02	W742 12 BIT SOLID STATE CONTACT INTERRUPT
BW743		MORO			4 2/73 B		DD01, DD02	W743 16 BIT SOLID STATE CONTACT INTERRUPT
BX14=DA		AR			5 1/72 B		14	INPUT BOX UP TO 32 AC INPUTS
BX14=DD		AR			5 1/72 B		14	INPUT BOX UP TO 32 DC INPUTS
BX14=SA		AR			4 1/72 B		14	SCHMITT INPUT BOX, UP TO 32 AC INPUTS
BY14=DA		AR			5 1/72 B		14	OUTPUT BOX UP TO 16 AC OUTPUTS
BY14=DD		AR			5 1/72 B		14	OUTPUT BOX UP TO 16 DC OUTPUTS
BY14=SA		AR			3 5/72 B		14	IMPROVED OUTPUT BOX, UP TO 16 AC OUTPUTS
CA01=B		BV		CSS	3	C	9	IBM 526 INTERFACE
CA11=A		JEH		SSUK	3 4/71 D		11	CAMAC BRANCH HIGHWAY INTERFACE
CA11=B	BV	GO		SSUK	2 5/72 D		CA11=A	NPR CONTROL FOR CA11=A
CA11=C	BV	PR		SSMU	3 5/72 D		11	NPR BRANCH HIGHWAY INTERFACE
CA11=E		WK		SSMU	3 4/74 C		11	CAMAC SINGLE CRATE CONTROLLER
CA11=EA	PR	FXS		SSMU	3 6/75 D		11	CAMAC SINGLE CRATE CONTROLLER PREPARED TO CONNECT CA11=F
CA11=F	PR	FXS		SSMU	3 6/75 D		CA11=EA	CAMAC SINGLE CRATE DMA CONTROLLER, 4 X M1, 4 X LIST
CA15=A		EW		CSS	3 4/71 D		15	PROGRAMMED & DMA CAMAC BRANCH HIGHWAY INTERFACE
CA15=B		GO		SSUK	3 1/72 D		15	PROGRAMMED ONLY CAMAC BRANCH HIGHWAY INTERFACE
CB11=AA	VB	DES			5 3/73 D		11	CAB, PS, 1 CB11=PA, SPACE FOR 16 CB11=DA &/OR CB11=S, 115V
CB11=AB	VB	DES			5 3/73 D		11	CAB, PS, 1 CB11=PA, SPACE FOR 16 CB11=DA &/OR CB11=S, 230V
CB11=AC	VB	DES			5 3/73 D		11	CB11-AA + DB11, 115V
CB11=AD	VB	DES			5 3/73 D		11	CB11-AB + DB11, 230V
CB11=AE	VB	DES			5 3/73 D		11	CB11-AA + 2ND CB11=PA, 2 DB11, 115V
CB11=AF	VB	DES			5 3/73 D		11	CB11-AB + 2ND CB11=PA, 2 DB11, 230V
CB11=BA	VB	DES			4 3/73 D		11	CAB, PS, CB11=PC, SPACE FOR 16 CB11=DA &/OR CB11=S, 115V
CB11=BB	VB	DES			4 3/73 D		11	CAB, PS, CB11=PC, SPACE FOR 16 CB11=DA &/OR CB11=S, 230V
CB11=BC	VB	DES			4 3/73 D		11	CB11=BA + DB11, 115V
CB11=BD	VB	DES			4 3/73 D		11	CB11=BB + DB11, 230V
CB11=BE	VB	DES			4 3/73 D		11	CB11=BA + 2ND CB11=PC, 2 DB11, 115V
CB11=BF	VB	DES			4 3/73 D		11	CB11=BB + 2ND CB11=PC, 2 DB11, 230V
CB11=CA	VB	DES			3 3/73 E		-	11/10=CA, CB11=PC, PS, 115V 60HZ
CB11=CB	VB	DES			3 3/73 E		-	11/10=CB, CB11=PC, PS, 230V 50HZ
CB11=CE	VB	DES			3 3/73 E		-	11/40=CA, CB11=PC, PS, 115V 60HZ
CB11=CF	VB	DES			3 3/73 E		-	11/40=CB, CB11=PC, PS, 230V 50HZ
CB11=CG	VB	DES			3 3/73 E		-	11/45=CH, MF11=L, MM11=L, CB11=PC, PS, 115V 60HZ
CB11=CH	VB	DES			3 3/73 E		-	11/45=CJ, MF11=L, MM11=L, CB11=PC, PS, 230V 50HZ
CB11=DA	VB	DES			5 3/73 D		CB11=A, -B	32 POINT RELAY DISTRIBUTOR MODULE
CB11=EX	VB	DES			5 3/73 D		CB11=P	HEX EXTENDER CARD
CB11=HA	VR	DES			5 3/73 D		CB11=A, -B	16 POINT INPUT INTERRUPT MODULE
CB11=PA	VB	DES			5 3/73 D		CB11=A, -B	5 BLOCK TELPLANT TERMINATION PANEL, PS, 115V
CB11=PB	VB	DES			3 3/73 D		CB11=A, -B	5 BLOCK TELPLANT TERMINATION PANEL, PS, 230V
CB11=PC	VB	DES			4 3/73 D		CB11=A, -B	6 BLOCK TELPLANT TERMINATION PANEL, PS, 115V
CB11=PD	VB	DES			3 3/73 D		CB11=A, -B	6 BLOCK TELPLANT TERMINATION PANEL, PS, 230V
CB11=SA	VB	DES			5 3/73 D		CB11=A, -B	64 POINT INPUT SCAN MODULE
CB11=SB	VB	DES			5 3/73 D		CB11=A, -B	64 POINT INPUT SCAN MODULE W DIODE PROTECTION
CB11=W	VB	DES			5 2/75 B		=	WEPCU CABLE (5V FROM W744 TO RING LUGS)
CC01		AW			5 4/71 C		CLINICAL LAB-12	CLINICAL LAB OPTION PANEL
CC02=A		AW			4 4/71 C		12	4 CHANNELS & CONT FOR ROBOT CHEMIST
CC02=B		AW			4 4/71 C		CC02-A	4 CHANNEL EXPANSION FOR ROBOT CHEMIST
CC02=C		AW			4 4/71 C		CC01	ONE CH & CONT FOR ROBOT CHEMIST
CC02=D		AW			4 4/71 C		CC01	ONE CH EXPANSION FOR ROBOT CHEMIST
CC03=A		AW			5 4/71 C		CC01	MODULE SET FOR 1 CH COULTER S
CC03=B		AW			5 4/71 C		CC03-A	2ND CH COULTER S

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MPGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	49
CL8=PJ	JC	GHL			3 11/75	E	-	CL8=MJ, FPP8=A, 230V 50HZ	
CM03=C		MI	JDL	TPL	3	C	804 (8)	OPTICAL MARK CR & CONT 280 CPM GEN DES 60 HZ	
CM03=CA		MI	JDL	TPL	3	C	804 (8)	OPTICAL MARK CR & CONT 280 CPM GEN DES 50 HZ	
CM11	RT	LC			3 5/71	C	DD11	40 COL OPTICAL MARK CR & CONT 280 CPM GEN DES 60 HZ	
CM11=A	RT	LC			3 5/71	C	DD11	40 COL OPTICAL MARK CR & CONT 280 CPM GEN DES 50 HZ	
CM11=FA	RT	LC			3 5/73	C	DD11	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 60HZ	
CM11=FB	RT	LC			3 5/73	C	DD11	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 50HZ	
CM12		AW			6 10/74	C	BA12	40 COL MARK SENSE CR & CONT 200 CPM GEN DESIGN 60 HZ	
CM12=A		AW			6 10/74	C	BA12	40 COL MARK SENSE CR & CONT 200 CPM GEN DESIGN 50 HZ	
CM12=B		AW			6 10/74	C	BA12 WITH ECG#BA12=0001B	80 COL OPTICAL MARK CR & CONT HP 60 HZ	
CM12=C		AW			4 2/71	C	BA12 WITH ECG#BA12=0001B	80 COL OPTICAL MARK CR & CONT HP 50 HZ	
CM12=FA		AW			3 3/73	C	8 POS	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 60HZ	
CM12=FB		AW			3 3/73	C	8 POS	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 50HZ	
CM8=E		LT			6 4/73	C	8/E	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES (M843) 60 HZ	
CM8=EA		LT			6 4/73	C	8/E	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DES (M843) 50 HZ	
CM8=FA		LT			2 3/72	C	8/E	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 60HZ	
CM8=FB		LT			2 3/72	C	8/E	80 COL OPTICAL MARK CR & CONT 285 CPM DOCUMENTATION OM200 50HZ	
CM8=I		MI			5	C	8/I	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 60 HZ	
CM8=IA		MI			5	C	8/I	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 50 HZ	
CM8=L		MI			5	C	BA00	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 60 HZ	
CM8=LA		MI			5	C	BA00	40 COL OPTICAL MARK CR & CONT 200 CPM GEN DESIGN 50 HZ	
CM91					2 2/75	E	-	SEE DMS1=B	
CMS11	ESS	BRR			3 12/74	C	11	INTERFACE TO HP7261A OPTICAL MARK SENSE CR, OUTPUT HOPPER SELECT	
CMS11=A	DH	TLK		CSS	3 9/75	C	11	CM11 CONT + TRUE DATA 800 MARK/HOLE SENSE CR 600/300CPM, ANY POWER	
CMS11=HC	JH	ABW		CSS	3 3/75	C	11	CM11 CONT + DOCUMENTATION TM300 MARK/HOLE SENSE CR, 300CPM, 115V 60HZ	
CMS11=HD	JH	ABW		CSS	3 3/75	C	11	CM11 CONT + DOCUMENTATION TM300 MARK/HOLE SENSE CR, 300CPM, 230V 50HZ	
CMS11=JC	JH	ABW		CSS	3 3/75	C	11	CM11 CONT + DOCUMENTATION TM600 MARK/HOLE SENSE CR, 600CPM, 115V 60HZ	
CMS11=JD	JH	ABW		CSS	3 3/75	C	11	CM11 CONT + DOCUMENTATION TM600 MARK/HOLE SENSE CR, 600CPM, 230V 50HZ	
CMT		CU			3	B	7, 9, 15	COMPLEX MODULE TESTER	
CMX1=A		RG			5	A		ADC1 PLUS 64 CH MX RACK MTD	
CMX1=B		RG			5	A		TABLE TOP CMX1-A	
CP08=N		RM		CSS	3 3/72	C	8 NEG	DATA PRODUCTS SPEEDPUNCH-120 100 CPM PUNCH & CONT	
CP08=P		BM		CSS	3 3/72	C	8 POS	DATA PRODUCTS SPEEDPUNCH-120 100 CPM PUNCH & CONT	
CP10=A					5	C	BA10	MD 6011 300 CPM CARD PUNCH & CONT 60 HZ	
CP10=B					5	C	BA10	MD 6011 300 CPM CARD PUNCH & CONT 50 HZ	
CP10=DA	JEH	PWD		CSS	3 6/75	C	BA10	DOCUMENTATION P100 100CPM PUNCH & CONT, 115V 60HZ	
CP10=DB	JEH	PWD		CSS	3 6/75	C	BA10	DOCUMENTATION P100 100CPM PUNCH & CONT, 230V 50HZ	
CP11=UP	BE			SSCAL	3 5/73	C	11	PUNCH INTERFACE FOR UNIVAC 1710 CARD RDR/PUNCH	
CP15=A		DY		CSS	2 3/71	C	15	MD6011 CARD PUNCH & CONT 60 HZ	
CP15=B		DY		CSS	2 3/71	C	15	MD6011 CARD PUNCH & CONT 50 HZ	
CP20=E		BE		SSCAL	3 11/71	C	15	CONT FOR DATA PROD 120 PUNCH	
CR01=A		MI			6	C	5	CARD READER & CONT 100 CPM NCR	
CR01=B		MI			6	C	7	CARD READER & CONT 100 CPM NCR	
CR01=C		MI			6	C	6	CARD READER & CONT 100 CPM NCR	
CR01=E		MI			6	C	9	CARD READER & CONT 100 CPM NCR	
CR02=A		JDL			6	C	7	CARD READER & CONT 200 CPM BURROUGHS	
CR02=B		JDL			5	C	9	CARD READER & CONT 200 CPM BURROUGHS	
CR03=B		FA			5	C	9	CARD READER & CONT 200 CPM GEN DESIGN	
CR03=C					5	C	804 (8)	CARD READER & CONT 200 CPM GEN DESIGN	
CR03=D		ST		CSS	3	C	10	CARD READER & CONT 200 CPM GEN DESIGN	
CR04=A	EAS	BB			5 6/72	C	8 8/E 8/I 11	285 CPM TABLE TOP READER DOCUMENTATION M200, GDI INTFC, 115V 60HZ	
CR04=B	EAS	BB			5 6/72	C	8 8/E 8/I 11	285 CPM TABLE TOP READER DOCUMENTATION M200, GDI INTFC, 230V 50HZ	
CR04=C	EAS	BB			5 6/72	C	10	285 CPM TABLE TOP READER DOCUMENTATION M200, 10 INTFC, 115V 60HZ	
CR04=D	EAS	BB			5 6/72	C	10	285 CPM TABLE TOP READER DOCUMENTATION M200, 10 INTFC, 230V 50HZ	
CR04=E	EAS	BB			5 6/72	C	10 11 12 15	1000 CPM TABLE TOP READER, DOCUMENTATION M1000, 115V 60HZ	
CR04=F	EAS	BB			5 6/72	C	10 11 12 15	1000 CPM TABLE TOP READER, DOCUMENTATION M1000, 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	98
CR04-H	EAS	BB			5 6/72	C	10, 11, 15	1200 CPM CONSOLE READER, DOCUMENTATION M1200, 115V 60HZ	
CR04-J	EAS	BB			5 6/72	C	10, 11, 15	1200 CPM CONSOLE READER, DOCUMENTATION M1200, 230V 50HZ	
CR10-A	EAS	KE			6 2/72	C	BA10	1000 CPM READER & CONT SOROBAN 60 HZ	
CR10-B	EAS	KE			6 2/72	C	BA10	800 CPM READER & CONT SOROBAN 50 HZ	
CR10-DA	EAS	BB			5 2/72	C	BA10	CR04-E 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 115V 60HZ	
CR10-DB	EAS	BB			5 2/72	C	BA10	CR04-F 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 230V 50HZ	
CR10-EA	EAS	BB			5 2/72	C	BA10	CR04-H 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 115V, 60HZ	
CR10-EB	EAS	BB			5 2/72	C	BA10	CR04-J 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 230V 50HZ	
CR10-FA	EAS	BB			5 2/72	C	BA10	CR04-C 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 115V 60HZ	
CR10-FB	EAS	BB			5 2/72	C	BA10	CR04-D 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 230V 50HZ	
CR10-UA	EAS	BB			- 8/71	C	CR10-A	CR10-EA (W TRADE-IN OF CR10-A)	
CR10-UB	EAS	BB			- 8/71	C	CR10-B	CR10-EB (W TRADE-IN OF CR10-B)	
CR11	RT	LC			4 2/72	C	DD11	CR04-A 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 115V 60HZ	
CR11-A	RT	LC			4 2/72	C	DD11	CR04-B 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 230V 50HZ	
CR11-BA	JH	ABW		CSS	3 4/75	C	11	CR11 CONT + DOCUMENTATION M600L CR, 600 CPM, 115V 60HZ	
CR11-BB	JH	ABW		CSS	3 4/75	C	11	CR11 CONT + DOCUMENTATION M600L CR, 600 CPM, 230V 50HZ	
CR11-CA	ABW	HWM		CSS	3 11/79	C	11	CR11 CONT + TRUE DATA 200, 200 CPM, 60HZ	
CR11-CB	ABW	HWM		CSS	3 11/79	C	11	CR11 CONT + TRUE DATA 200, 200 CPM, 50HZ	
CR12	SNT	AW			5	C	BA12	CARD READER & CONT 200 CPM GEN DESIGN 60 HZ	
CR12-A	SNT	AW			5	C	BA12	CARD READER & CONT 200 CPM GEN DESIGN 50 HZ	
CR12-FA	SNT	AW			3 12/71	C	12	CR04-A 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 115V 60HZ	
CR12-FB	SNT	AW			3 12/71	C	12	CR04-B 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 230V 50 HZ	
CR15-A		BV		CSS	3 3/71	C	15	1000 CPM READER & CONT, SOROBAN, 60HZ	
CR15-B		BV		CSS	3 3/71	C	15	800 CPM READER & CONT, SOROBAN, 50HZ	
CR15-DA		AA			3 1/72	C	15	CR04-E 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 115V 60HZ	
CR15-DB		AA			3 1/72	C	15	CR04-F 1000 CPM TABLE TOP READER & CONT DOCUMENTATION M1000, 230V 50HZ	
CR15-EA		AA			3 1/72	C	15	CR04-H 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 115V 60HZ	
CR15-EB		AA			3 1/72	C	15	CR04-J 1200 CPM CONSOLE READER & CONT DOCUMENTATION M1200, 230V 50HZ	
CR15-FA		AA			3 1/72	C	15	CR04-C 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 115V 60HZ	
CR15-FB		AA			3 1/72	C	15	CR04-D 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 230V 50HZ	
CR8-FA		JK			4 1/72	C	8/E	CR04-A 285 CPM TABLE TOP READER & CONT (M843) DOCUMENTATION M200 115V 60HZ	
CR8-FB		JK			4 1/72	C	8/E	CR04-B 285 CPM TABLE TOP READER & CONT (M843) DOCUMENTATION M200 230V 50HZ	
CR8-I		JDL		TPL	5	C	8/I	CR + CONT 200 CPM GEN DESIGN 60 HZ	
CR8-IA		JDL		TPL	5	C	8/I	CR & CONT 200 CPM GEN DESIGN 50 HZ	
CR8/I-FA		BB			4 1/72	C	8/I	CR04-A 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 115V, 60HZ	
CR8/I-FB		BB			4 1/72	C	8/I	CR04-B 285 CPM TABLE TOP READER & CONT DOCUMENTATION M280, 230V, 50HZ	
CR8-L		JDL		TPL	5	C	RA08	CR & CONT 200 CPM GEN DESIGN 60 HZ	
CR8-LA		JDL		TPL	5	C	BA08	CR & CONT 200 CPM GEN DESIGN 50 HZ	
CS11	FA			CSS	- 8/75	D	11	COMMUNICATION LINE SWITCHING SYSTEM SERIES NAME	
CS11-DA	FA	SPRY		CSS	3 9/75	D	DP11	PROG SWI 8 MODEMS TO 2 GROUPS OF 8, DATA & CLOCKING ONLY	
CS11-DB	FA	SPRY		CSS	3 9/75	D	CS11-DA	INPUT MODULE	
CS11-MA	FA	SPRY		CSS	3 8/75	D	DL11, DP11, DQ11	CS11-MB IN PANEL, SPACE FOR 4 MORE	
CS11-MB	FA	SPRY		CSS	3 8/75	D	CS11-MA	4 MAN SWITCHES FOR 20MA LINES TO EITHER OF 2 DEVICES (4 2X1)	
CS11-MC	FA	SPRY		CSS	3 8/75	D	DL11, DP11, DQ11	CS11-MD IN PANEL, SPACE FOR 6 MORE	
CS11-MD	FA	SPRY		CSS	3 8/75	D	CS11-MC	ONE MAN SW FOR 20MA LINES TO EITHER OF 2 DEVICES (2X1)	
CS11-PA	FA	TF		CSS	3 8/75	D	DH11, DJ11, DV11	PROG SWI 1 OF 2 COMMUNICATION MUX TO DIST PANEL (2X1)	
CS11-PB	FA	TF		CSS	3 9/75	D	DH11, DJ11, DV11	PROG SWI 2 COMM MUX TO 2 DIST PANELS (2X2)	
CS11-PC	FA	TF		CSS	3 8/75	D	DH11, DJ11, DV11	2 CS11-PA IN ONE PANEL	
CS11-PD	FA	TF		CSS	3 9/75	D	DH11, DJ11, DV11	2 CS11-PB IN ONE PANEL	
CSC11-AA	OF	AAM		SSCAN	3 12/74	D	11	COMPACT SYSTEM CONTROLLER M911 W 32 SLOTS X-BUS, 2 BLANK M911, M7829 11 TO X-BUS INTRFC, 2 W7401 TERM, BC11A-00, M7400-D, BC05H 115V	
CSC11-AB	OF	AAM		SSCAN	3 12/74	D	11	CSC11-AB EXCEPT BC08J, 230V	
CSC8-AA	OF	AAM		SSCAN	3 12/74	D	8/E	CSC8-XA + M5945 & M8361 X-BUS TO OMNIBUS, BC08R-05, 2 W7401, 115V	
CSC8-AB	OF	AAM		SSCAN	3 12/74	D	8/E	CSC8-AA EXCEPT CSC8-XB	
CSC8-BA	OF	AAM		SSCAN	3 12/74	E	-	2 M911 W 20 SLOTS OMNIBUS, 12 SLOTS X-BUS, M8300, 2 M8320, M8330, M8349, KL0-J, M5945, M8361, BC08R-02, 2 W7401, M7400-D, BC05H, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	91
CSC8=BB	OP	AAM		SSCAN	3 12/74	E		CSC8=BA EXCEPT BC05J, 230V	
CSC8=XA	OP	AAM		SSCAN	3 12/74	D		CSC11=AA, CSC8=AA CSC EXPANSION: M911 32-SLOT X-BUS, 2 BLANK M911 M740=0, BC05M, BC08H-F3, 115V	
CSC8=XB	OP	AAM		SSCAN	3 12/74	D		CSC11=AB, CSC8=AB CSC8=XA EXCEPT BC05J, 230V	
CTS11=JA	ABW	WDS		CSS	6 2/75	C	11	CARD TERM CONT FOR DECISION DATA 9610 RDR/PUNCH	
CTS11=JB	ABW	WDS		CSS	6 2/75	C	11	CARD TERM CONT, DECISION DATA 8010 RDR/PUNCH, ASCII, 8-BIT HOLLERITH	
CTS11=JC	ABW	WDS		CSS	3 1/75	C	11	CARD TERM CONT FOR DECISION DATA 8010 RDR/PUNCH ASCII & BINARY	
CTS11=KA	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9610 KYBD PRINTING RDR/PU & CTS11=JA CONT, 115V 60HZ	
CTS11=KB	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9610 KYBD PRINTING RDR/PU & CTS11=JA CONT, 230V 50HZ	
CTS11=KC	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9645 PRINTING RDR/PU & CTS11=JA CONT, 115V 60HZ	
CTS11=KD	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9645 PRINTING RDR/PU & CTS11=JA CONT, 230V 50HZ	
CTS11=KE	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9635 RDR/PU & CTS11=JA CONT, 115V 60HZ	
CTS11=KF	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 9635 RDR/PU & CTS11=JA CONT, 230V 50HZ	
CTS11=KH	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11=JB CONT, 115V 60HZ	
CTS11=KJ	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11=JB CONT, 230V 50HZ	
CTS11=KK	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11=JB CONT, 115V 60HZ	
CTS11=KL	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11=JB CONT, 230V 50HZ	
CTS11=KM	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11=JB CONT, 115V 60HZ	
CTS11=KN	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11=JB CONT, 230V 50HZ	
CTS11=KP	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11=JC CONT, 115V 60HZ	
CTS11=KR	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8010 KYBD, PRINTING RDR/PU & CTS11=JC CONT, 230V 50HZ	
CTS11=KS	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11=JC CONT, 115V 60HZ	
CTS11=KT	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8045 PRINTING RDR/PU & CTS11=JC CONT, 230V 50HZ	
CTS11=KU	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11=JC CONT, 115V 60HZ	
CTS11=KV	ABW	WDS		CSS	3 5/73	C	11	DECISION DATA 8035 RDR/PU & CTS11=JC CONT, 230V 50HZ	
CTS8=KA	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9610 KYBD PRINTING RDR/PU CONT, 115V 60HZ	
CTS8=KB	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9610 KYBD PRINTING RDR/PU CONT, 230V 50HZ	
CTS8=KC	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9645 PRINTING RDR/PU CONT, 115V 60HZ	
CTS8=KD	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9645 PRINTING RDR/PU & CTS11=JA CONT, 230V 50HZ	
CTS8=KE	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9635 RDR/PU CONT, 115V 60HZ	
CTS8=KF	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 9635 RDR/PU CONT, 230V 50HZ	
CTS8=KH	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8010 KYBD, PRINTING RDR/PU CONT, 115V 60HZ	
CTS8=KJ	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8010 KYBD, PRINTING RDR/PU CONT, 230V 50HZ	
CTS8=KK	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8045 PRINTING RDR/PU CONT, 115V 60HZ	
CTS8=KL	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8045 PRINTING RDR/PU CONT, 230V 50HZ	
CTS8=KM	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8035 RDR/PU CONT, 115V 60HZ	
CTS8=KN	ABW	WDS		CSS	3 5/73	C	8/E	DECISION DATA 8035 RDR/PU CONT, 230V 50HZ	
CU=4					4 9/72	B		GM11 (GAMMA 11) POLAROID CU-4 CAMERA	
DA07		MI		TPL	2	D	7	ADAPTER FOR PDP9 I/O BUS	
DA09=A		MI			5	D	9	ADAPTER FOR PDP7 I/O	
DA10		DI			5	D	10	PDP8, 9, 15 INTERFACE	
DA10=F	FP	DMT		DAS	2 6/73	D	10	PDP10 TO PDP11 I/O INTERFACE	
DA11=A		FA		CSS	6 2/75	D	11	DMA INTERPROCESSOR BUFFER (2 DR11=B + LOGIC)	
DA11=AL	FA	ERS		CSS	3 10/74	D	11	DMA INTERPROCESSOR BUFFER W DIFFERENTIAL DRIVE FOR LONG LINES	
DA11=BA	JEH	FA		CSS	3 9/72	D	11	DMA INTERPROCESSOR BUFFER W 25FT CABLES (2 M7229 + 2 BC08R=25)	
DA11=BB	JEH	FA		CSS	3 9/72	D	11	DMA INTERPROCESSOR BUFFER W 30FT CABLES (2 M7229 + 2 BC08R=30)	
DA11=BC	JEH	FA		CSS	3 9/72	D	11	DMA INTERPROCESSOR BUFFER W 100FT CABLES (2 M7229 + 2 BC08R=100)	
DA11=BD	JEH	FA		CSS	3 1/73	D	11	DMA INTERPROCESSOR LINK: DA11=BA + 2 DR11=B	
DA11=BE	JEH	FA		CSS	3 1/73	D	11	DMA INTERPROCESSOR LINK: DA11=BB + 2 DR11=B	
DA11=BF	JEH	FA		CSS	3 1/73	D	11	DMA INTERPROCESSOR LINK: DA11=BC + 2 DR11=B	
DA11=BG	PR	UR		SSMU	3 6/75	D	11	DA11=BA	
DA11=BH	PR	UR		SSMU	3 6/75	D	11	DA11=BB W WATCHDOG & INTERRUPT	
DA11=BI	PR	UR		SSMU	3 6/75	D	11	DA11=BC W LINK	
DA11=BJ	GB	HAY		SSCAL	3 8/75	D	11	DA11=BF W DIFFERENTIAL CABLE DRIVERS & RECEIVERS	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGC AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
DA11=C	FA	CC		CSS	6 2/75	D	11	PROG TRANSFER INTERPROCESSOR BUFFER (2 DR11=C)
DA11=D		BHW		CSS	6 2/75	D	11	PROG TRANSFER INTERPROCESSOR BUFFER W COMMON CORE WINDOW
DA11=E		JFH		CSS	6 2/75	D	11	PROG TRANSFER INTERPROCESSOR BUFFER (2 DR11=A + LOGIC)
DA11=F	JEH	FA		CSS	6 2/75	D	11	PROG TRANSFER INTERPROC BUFFER W COMMON CORE WINDOW IN SYS UNIT
DA11=H	DH	BHW		CSS	3 10/75	D	11	INTERBUS WINDOW + RR-INTERRUPT SWITCH
DA14=A		AR			5 3/71	D	KA14	PDP14=L INTERFACE TO 8/I
DA14=B		AR			5 3/71	D	KA14	PDP14=L INTERFACE TO 8/E, 8/L, 12
DA14=C		AR			3 3/72	D	KA14	PDP14=L INTERFACE TO 11
DA14=E	JM	AR			5 2/75	D	14/30, 14/35	14/30 INTERFACE TO + I/O BUS, PDP8/E
DA14=EL	JM	AR			5 2/75	D	14/30, 14/35	14/30 INTERFACE TO + I/O BUS, PDP8/L, 8/I
DA14=I		AR			5	D	14	8/I + BUS INTERFACE
DA14=L		AR			5	D	14	8/E, 8/L & 12 BUS INTERFACE
DA15=C	AP	FA		CSS	3 7/71	D	15 & 10 I/O & MEM BUSES	ALLOWS 15 TO ACCESS 10 CORE
DA15=E	AP	FA		CSS	6 2/75	D	MX15, I/O BUSES	ALLOWS 2 15'S TO USE 1 MX15 WITH NO CONFLICT
DA15=X	EAV	AJB			3 8/75	D	15	PDP15 TO PDP11 INTERPROCESSOR BUFFER; DR15=B, DR11=B, 2 M7229, 2 BCMBR
DA16=F		RBR			3 6/72	D	16M	I/O CONT FOR PDP11 PERIPHERALS (M623)
DA25=A		RV		CSS	3	D	8/I,	PDP8/I MEM TO PDP10 MEM INTF, 8/I SECTION
DA25=B		RV		CSS	2	D	9	PDP9 MEM TO PDP10 MEM INTF, 9 SECTION
DA25=C		RV		CSS	3	D	10	8/I, 9, 15 MEM TO PDP10 MEM INTF, 10 SECTION
DA25=D		RV		CSS	2	D	15	PDP15 MEM TO PDP10 MEM INTF, 15 SECTION
DA26=CA		PH		CSS	6 2/75	D	10 I/O BUS	CONTROL UNIT & LINE MX, 4 CH OUT OF 16 POS
DA26=CB		PH		CSS	6 2/75	D	DA26-CA	SERIAL ASYNC TRANS & RECEIVE UNIT
DA27=C	JEH	FA		CSS	3 7/72	D	10 I/O & MEM BUS, DA NEG BUS	INTERPROC BUF, 10 TO DA NEG BUS
DA27=CF	JEH	FA		CSS	3 7/72	D	11, DA NEG BUS	INTERPROC BUF, 11 TO DA NEG BUS
DA28=A	FP	DJA		DAS	3 7/72	D	8 POS & DA POS BUS	INTERPROC BUF, 8 POS TO DA POS BUS
DA28=AY	FP	DJA		DAS	3 1/75	D	8 POS & DA POS BUS	DA28-A MODIFIED FOR USE WITH DA28-Y
DA28=C	FP	DJA		DAS	3 7/72	D	10 I/O, MEM/MUX BUS, DA POS BUS	INTERPROC BUF, 10 TO DA POS BUS
DA28=CY	FP	DJA		DAS	3 1/75	D	10 I/O, MEM/MUX BUS, DA POS BUS	DA28-C MODIFIED FOR USE WITH DA28-Y
DA28=E	FP	DJA		DAS	6 9/75	D	15, DA POS BUS	INTERPROC BUF, 15 TO DA POS BUS
DA28=F	FP	DJA		DAS	3 7/72	D	11, DA POS BUS	INTERPROC BUF, 11 TO DA POS BUS
DA28=FY	FP	DJA		DAS	3 1/75	D	11 & DA POS BUS	DA28-F MODIFIED FOR USE WITH DA28-Y
DA28=H	FP	DJA		DAS	3 9/75	D	11, DA POS BUS, UC15, XM15-B	DA28-F W 16/18 BITS DATA ON UNIBUS
DA28=X	FP	DJA		DAS	3 2/73	D	DA28-C	4 PORT DA BUS EXPANDER
DA28=XY	FP	DJA		DAS	3 1/75	D	DA28-CY	DA28-X MODIFIED FOR USE WITH DA28-Y
DA28=Y	FP	DJA		DAS	2 6/73	D	DA28-CY	BUS EXTENDER (DA28-YM + DA28-YS)
DA28=YM	FP	DJA		DAS	3 1/75	D	DA28-CY	36 PARALLEL TO 12 SERIAL MASTER BUS EXTENDER
DA28=YS	FP	DJA		DAS	3 1/75	D	DA28-YM	12 SERIAL TO 36 PARALLEL SLAVE BUS EXTENDER
DA28=Z	FP	DJA		DAS	3 2/73	D	DA POS BUS	INTERPROC BUF, TEMPO I
DA30=F		DH		SSCAN	2 4/74	D	11	8 BIT PARALLEL FULL DUPLEX 10-30KHZ INTERPROCES BUFFER, M7842
DAS	FP			DAS		D	10	DECSYSTEM 10 ADVANCED SYSTEMS OPTIONS
DAS11=UA	MH	MH		SSUK	3 1/73	D	11	UNIVAC 1106/1100 INTERFACE, ESI & ISI MODES
DAS20=BC	FP	DJA		DAS	3 2/75	V	ASYN ASCII	VT20=BC W MODIFIED KEY CAPS, 115V
DAS20=BD	FP	DJA		DAS	3 2/75	V	ASYN ASCII	VT20=BD W MODIFIED KEY CAPS, 230V
DAS33=A	FP	DMT		DAS	2 1/75	D	10 MEM BUS	BUFFERED DATA CHANNEL, 115V
DAS33=B	FP	DMT		DAS	2 1/75	D	10 MEM BUS	BUFFERED DATA CHANNEL, 230V
DAS33=LP	FP	DMT		DAS	2 1/75	D	DAS33=A, =B	LOCAL CONTROL PANEL
DAS34	FP	DMT		DAS	2 7/74	D	10 MEM BUS	DATA LINK MANUAL REMOTE SWITCH
DAS44=DA	FP	PSD		DAS	6 9/75	D	10	DQ76=DA EXCEPT TYPESET SOFTWARE
DAS72=AA	FP	PSD		DAS	3 10/74	E	10	8K PDP8=CA, DP8=EA, LS8=FA, CR8=FA, DDCMP, 115V 60HZ
DAS72=AB	FP	PSD		DAS	3 10/74	E	10	8K PDP8=CB, DP8=EA, LS8=FB, CR8=FB, DDCMP, 230V 50HZ
DAS72=BC	FP	PSD		DAS	3 10/74	E	10	8K PDP8=CA, DP8=EA, LE8=VA, CR8=FA, DDCMP, 115V 60HZ
DAS72=BD	FP	PSD		DAS	3 10/74	E	10	8K PDP8=CB, DP8=EA, LE8=VB, CR8=FB, DDCMP, 230V 50HZ
DAS72=CC	FP	PSD		DAS	3 10/74	E	10	8K PKP8=CA, DP8=EA, LE8=WA, CR8=FA, DDCMP, 115V 60HZ
DAS72=CD	FP	PSD		DAS	3 10/74	E	10	8K PDP8=CB, DP8=EA, LE8=WB, CR8=FB, DDCMP, 230V 50HZ
DAS72=L	FP	PSD		DAS	3 10/74	D	10	DAS72=A, =B, =C
DAS72=MA	FP	PSD		DAS	3 10/74	E	10	8K PKP8=CA, DP8=EA, LS8=EA, DDCMP, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	93
DAS72=MB	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CB, DP8=EA, LS8=EB, DDCMP, 230V 50HZ	
DAS72=NC	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CA, DP8=EA, LE8=VA, DDCMP, 115V 60HZ	
DAS72=ND	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CB, DP8=EA, LS8=VB, DDCMP, 230V 50HZ	
DAS72=OC	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CA, DP8=EA, LS8=WA, DDCMP, 115V 60HZ	
DAS72=OD	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CB, DP8=EA, LS8=WB, DDCMP, 230V 50HZ	
DAS72=PA	FP	PSD		DAS	3 10/74	E	14	8K PDP8E=CA, DP8=EA, CR8=FA, DDCMP, 115V 60HZ	
DAS72=PB	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CB, DP8=EA, CR8=FB, DDCMP, 230V 50HZ	
DAS72=QA	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CA, DP8=EA, DDCMP, 115V 60HZ	
DAS72=QB	FP	PSD		DAS	3 10/74	E	10	8K PDP8E=CB, DP8=EA, DDCMP, 230V 50HZ	
DAS75=AA	FP	PSD		DAS	3 10/74	E	10	BASIC SYNC COMM SYS; DL10=AA KD11=A MF11=LP KY11=D DL11=A KH11=L, KG11=A DD11=B DS11=A BA11=FC H742=A H744 H745 H956, 8 H7110 W CABLES, 115V	
DAS75=AB	FP	PSD		DAS	3 10/74	E	10	DAS75=AA EXCEPT DL10=AB, 861=B, 230V	
DAS75=BA	FP	PSD		DAS	3 10/74	E	DAS75=AA	GROUP SYNC COMM SYS; DAS75=AA EXCEPT DL10=C, NO DL10=AA, 115	
DAS75=DA	FP	PSD		DAS	3 10/74	E	DAS75=AB	GROUP SYNC COMM SYS; DAS75=AB EXCEPT DL10=C, NO DL10=AB, 230	
DAS75=EA	FP	PSD		DAS	3 10/74	D	DAS75=A, =D	8 H7110 MODEM CONT W BC01R-25 CABLES	
DAS75=EB	FP	PSD		DAS	3 10/74	D	DAS75=A, =D	ONE M7110 W BC01W=25 CABLE	
DAS75=NP	FP	PSD		DAS	3 2/75	D	DAS75=A	SAME AS DC75=NP; MM11=F + QMD01	
DAS78=AA	FP	PSD		DAS	3 10/74	E	10	BISYNC COMM SYS; DL10=AA KD11=A MF11=UP KY11=D DL11=A KH11=L KG11=A, DD11=B DQ11=AA =BA BA11=FC H742=A 3 H744 H745 H754 H956, 861=C, 115V	
DAS78=AB	FP	PSD		DAS	3 10/74	E	10	DAS78=AA EXCEPT DL10=AB, 861=B, 230V	
DAS78=BA	FP	PSD		DAS	3 10/74	E	DAS78=AA	GRP BISYNC SYS; DAS78=AA DL10=C DQ11=AA =BA NO DL10=AA, 115V	
DAS78=DA	FP	PSD		DAS	3 10/74	E	DAS78=AB	GROUP BISYNC SYS; DAS78=AB W DL10=C, NO DL10=AB, 230V	
DAS78=EA	FP	PSD		DAS	3 11/74	D	DAS78=DA	BISYNC LINE EXP GROUP; DQ11=AA, =BA, 861=C, H742=A, H744, H745, BA11=FB, H956, 115V	
DAS78=EB	FP	PSD		DAS	3 11/74	D	DAS78=DA	DAS78=EA EXCEPT 861=B, H742=B, 230V	
DAS78=F	FP	PSD		DAS	3 10/74	D	DAS78=D	DQ11=DA (NPR SYNC LINE CONT UP TO 10K BAUD, EIA)	
DAS78=G	FP	PSD		DAS	3 10/74	D	DAS78=D	DQ11=EA (NPR SYNC LINE CONT UP TO 50K BAUD, CURRENT MODE)	
DAS79=AA	FP	PSD		DAS	3 10/74	E	10	DAS78=AA HARDWARE W CDC6000 SOFTWARE COMPATIBILITY, 115V	
DAS79=AB	FP	PSD		DAS	3 10/74	E	10	DAS78=AB HARDWARE W CDC6000 SOFTWARE COMPATIBILITY, 230V	
DAS79=DA	FP	PSD		DAS	3 10/74	E	DAS79=AA	DAS78=DA W CDC6000 SOFTWARE COMPATIBILITY, 115V	
DAS79=DB	FP	PSD		DAS	3 10/74	E	DAS79=AB	DAS78=DB W CDC6000 SOFTWARE COMPATIBILITY, 230V	
DAS80=AA	FP	PSD		DAS	6 8/75	E	10	REMOTE BATCH; KD11=A, MF11=UP, KY11=D, DL11=A, KH11=L, KG11=A, LA36=CA, DQ11=AA, =BA, BA11=FC, H742=A, 3 H744, H745, H754, H956, 861=C, 115V 60HZ	
DAS80=AB	FP	PSD		DAS	6 8/75	E	10	DAS80=AA EXCEPT H742=B, 861=B, LY33=AB, 230V	
DAS80=CA	FP	PSD		DAS	6 8/75	C	DAS80=AA	CR11, 115V 60HZ	
DAS80=CB	FP	PSD		DAS	6 8/75	C	DAS80=AB	CR11=A, 230V 50HZ	
DAS80=F	FP	PSD		DAS	6 8/75	D	DAS80=A	DQ11=DA	
DAS80=G	FP	PSD		DAS	6 8/75	D	DAS80=A	DQ11=EA	
DAS80=LA	FP	PSD		DAS	6 8/75	L	DAS80=AA	LP11=VA, 115V 60HZ	
DAS80=LB	FP	PSD		DAS	6 8/75	L	DAS80=AB	LP11=VD, 230V 50HZ	
DAS80=LC	FP	PSD		DAS	6 8/75	L	DAS80=AA	LP11=WA, 115V 60HZ	
DAS80=LD	FP	PSD		DAS	6 8/75	L	DAS80=AB	LP11=WD, 230V 50HZ	
DAS81=AA	FP	PSD		DAS	6 8/75	E	10	REMOTE CONCENTRATOR; DAS80=AA + H744, KG11=A, LA36=CC, DH11=AA, DM11=BB, H956, H742=A, H745, BA11=FB, 115V	
DAS81=AB	FP	PSD		DAS	6 8/75	E	10	DAS81=AA EXCEPT 861=B, H742=B; DH11=AC, LY33=AB, 230V 50HZ	
DAS81=EA	FP	PSD		DAS	6 8/75	D	DAS81=AA	ASYNCH 16-LINE GROUP; DH11=AA, BA11=FB, H742=A, 3 H744, H745, 861=C, H956, 115V	
DAS81=EB	FP	PSD		DAS	6 8/75	D	DAS81=AB	DAS81=EA EXCEPT H742=B, 861=B, 230V	
DAS81=EC	FP	PSD		DAS	6 8/75	D	DAS81=EA	ASYNCH 16 LINE EXPANSION; DH11=AA, 115V	
DAS81=ED	FP	PSD		DAS	6 8/75	D	DAS81=EB	DH11=AC, DM11=BB, 230V	
DAS81=FA	FP	PSD		DAS	6 8/75	D	DAS81=A, =E	ASYNCH 204A LINE GROUP; 2 DM11=DA	
DAS81=FB	FP	PSD		DAS	6 8/75	D	DAS81=A, =E	8-LINE LOCAL ASYNCH EIA GROUP; 2 DM11=DB	
DAS81=FC	FP	PSD		DAS	6 8/75	D	DAS81=A, =E	8-LINE MODEM CONT GROUP; 2 DH11=DC	
DAS81=FD	FP	PSD		DAS	6 8/75	D	DAS81=A, =E	8-LINE INTEGRAL MODEM GROUP; 8 DF11=BB, FULL DUPLEX	
DAS81=FE	FP	PSD		DAS	6 8/75	D	DAS81=A	2-LINE GROUP; INTEGRAL ORIGINATE MODEMS, 2 DF11=BA	
DAS81=H	FP	PSD		DAS	6 8/75	D	DAS81=A	DAS80=F	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS	CATE- MO/YR	GATE- GORY	USED ON	DESCRIPTION
DAS81-J	FP	PSD		DAS	6	8/75	D	DAS81-A	DAS80-G
DAS82-AA	FP	PSD		DAS	6	8/75	E	10	DAS81-AA REMOTE CONCENTRATOR W BATCH, 115V 60HZ
DAS82-AB	FP	PSD		DAS	6	8/75	E	10	DAS81-AB REMOTE CONCENTRATOR W BATCH, 230V 50HZ
DAS82-CA	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-CA, 115V 60HZ
DAS82-CB	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-CB, 230V 50HZ
DAS82-EA	FP	PSD		DAS	6	8/75	D	DAS82-AA	DAS81-EA, 115 60HZ
DAS82-EB	FP	PSD		DAS	6	8/75	D	DAS82-AB	DAS81-EB, 230V 50HZ
DAS82-EC	FP	PSD		DAS	6	8/75	D	DAS82-EA	DAS81-EC, 115V 60HZ
DAS82-ED	FP	PSD		DAS	6	8/75	D	DAS82-EB	DAS81-ED, 230V 50HZ
DAS82-FA	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	ASYNC 20MA LINE GROUP: 8 DF11-F
DAS82-FB	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	LOCAL ASYNC EXP GROUP: 8(DF11-A, H312, BC01R-25)
DAS82-FC	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	MODEM INTERFACE/CONTROL GROUP: 8(DF11-A, BC01R-25)
DAS82-FD	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	DAS81-FD
DAS82-FE	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	DAS81-FE
DAS82-FF	FP	PSD		DAS	6	8/75	D	DAS82-A, -E	DN11-AA, 2 DN11-DA
DAS82-H	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-F
DAS82-J	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-G
DAS82-LA	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-LA, 115V 60HZ
DAS82-LB	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-LB, 230V 50HZ
DAS82-LC	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-LC, 115V 60HZ
DAS82-LD	FP	PSD		DAS	6	8/75	D	DAS82-A	DAS80-LD, 230V 50HZ
DAS85-AA	FP	PSD		DAS	6	8/75	E	10	DDCMP COMM SYS: DAS78-AA EXCEPT DDCMP COMM SYS SOFTWARE, 115V
DAS85-AB	FP	PSD		DAS	6	8/75	E	10	DDCMP COMM SYS: DAS78-AB EXCEPT DDCMP COMM SYS SOFTWARE, 230V
DAS85-DA	FP	PSD		DAS	6	8/75	E	10	DDCMP COMM SYS GROUP: DAS78-DA EXCEPT DDCMP COMM SYS SOFTWARE, 115V
DAS85-DB	FP	PSD		DAS	6	8/75	E	10	DDCMP COMM SYS GROUP: DAS78-DB EXCEPT DDCMP COMM SYS SOFTWARE, 230V
DAS85-EA	FP	PSD		DAS	6	8/75	E	DAS85-DA	DAS78-EA, 115V
DAS85-EB	FP	PSD		DAS	6	8/75	E	DAS85-DB	DAS78-EB, 230V
DAS85-F	FP	PSD		DAS	6	8/75	D	DAS85-D, -E	NPR SYNC LINE CONT UNIT: DQ11-DA, BC01R-25
DAS85-G	FP	PSD		DAS	6	8/75	D	DAS85-D, -E	NPR SYNC LINE CONT UNIT: DQ11-EA, BC01W-25
DB01		MI			6		D	7	BUFFER ADDRESS CONTROL
DB08-A		FA			5		D	DB08-A, DB98-A	INPUT/OUTPUT DATA BUFFER
DB08-S		AB			5		D	8/S	DATA BREAK OPTION
DB09		FA			5		D	DB98-A, DB99-A	INPUT/OUTPUT DATA BUFFER
DB10-B		CV		CSS	3	1/72	D	10 I/O & MEM BUSES	INTERPROCESSOR BUFFER
DB11-A		VB			5	2/72	D	11	UNIBUS REPEATER
DB11-B		VB			4	4/71	D	11	DB11-A WITH DISABLE SWITCH
DB11-C		JTN		CSS	2	10/73	D	11	GENERAL PURPOSE TTL INPUT/OUTPUT
DB11-H	MI	AJM			3	8/73	D	11	PATCH PANEL FOR SWAPPING PERIPHERALS
DB11-R	MI	TM		TYP	2	4/74	D	11	DUAL UNIBUS & PERIPHERAL CONT W RELAY SELECTED OUTPUTS
DB12-N	SNT	RI			5	1/73	D	BA12	DATA BUFFER MODULE SET NEG OUT
DB12-P	SNT	RI			5	1/73	D	BA12	DATA BUFFER MODULE SET POS OUT
DB14-A		AR			6	8/71	D	8/L, 8/I + BUS	INTERPROCESSOR BUFFER CONT SPACE FOR 6 CH
DB14-B		AR			6	8/71	D	DB14-A	MODULE SET PER CHANNEL
DB14-C		AR			6	1/72	D	DB14-A	FLAG STATUS REGISTER
DB14-D		AR			6	1/72	D	DB14-A	PROGRAMMED SELECTOR REGISTER
DB16-A		RBR			5	8/71	D	16	GENERAL PURPOSE INTERFACE M7311
DB16-B		RBR			5	8/71	D	16	OUTPUT INTERFACE M7314
DB16-C		RBR			5	8/71	D	16	INPUT INTERFACE M7317
DB811-EC	PR	UR		SSMU	3	6/75	D	8/E, 11	8/E TO 11 DMA INTERPROCESSOR BUFFER (1/2 DB8-EC, 1/2 DA11-B)
DB88		FA		CSS	3		D	8, 8/I	8/8 INTERFACE 3-CYCLE
DB8-EA		LN			3	1/72	D	8/E	INTERPROCESSOR BUFFER, 8/E TO 8/E, BC08R-XX
DB8-EB		LN			3	1/72	D	8/E	INTERPROCESSOR BUFFER, 8/E TO BC08J-25
DB8-EC	PR	RGH		SSMU	3	6/75	D	8/E	8/E TO 8/E ONE CYCLE DATA BREAK INTERPROCESSOR BUFFER
DB8-S		JDL			6	3/74	D	8/S	DATA BREAK
DB97-A		FA			5		D	9, 7	9/7 INTERPROCESSOR BUFFER
DB98-A		FA			5		D	9, 8	9/8 INTERPROCESSOR BUFFER

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	55
DB99=A		FA			5	D	9	9/9 INTERPROCESSOR BUFFER	
DB911	GB	DPS		SSCAL	3	4/73 D	DB99	INTERFACE BETWEEN 2 DB11-B & DB99	
DC01-AA		DH		CSS	6	8/74 D	8 POS	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)	
DC01-AB		RV		CSS	6	8/74 D	8 POS	8 TTY SCANNER HALF DUPLEX	
DC01-AC		JUL		CSS	6	7/71 D	8 POS	8 ASYN SCAN FULL DUPLEX EIA 3 CYCLE	
DC01-AL	RW	JUL		LVP	6	8/74 D	DC01-AA	FULL DUPLEX LINE UNIT	
DC01-BB		RW		CSS	3	D	9	8 TTY LINE SCANNER 1/2 DUPLEX ECHO	
DC01-CA		ST		CSS	3	D	15	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)	
DC01-EB		RW		CSS	3	D	15	8 TTY LINE SCANNER HALF DUPLEX ECHO & LOGIC	
DC01-EC		ST		CSS	3	D	15	8 LINE ASYN SCAN FULL DUPLEX EIA 3 CYCLE	
DC01-ED		RW		LVP	3	7/71 D	15	8 LINE ASYN SCAN, HALF DUPLEX ECHO TTY OR EIA SEP SPEEDS	
DC01-FA	DH	BMW		CSS	6	7/74 D	11	8 LINE SCANNER FULL DUPLEX (TTY &/OR EIA)	
DC01-FD	DH	RMW			3	7/74 D	11	IMPROVED DC01-FA	
DC01-FJ	FA	RLM			3	7/74 D	11	32 LINE SCANNER, FULL DUPLEX, CAN USE ANY DF11 INTERFACE	
DC02-A		MI			5	D	BA08	BUFFERED ASYN LINE INTERFACE 4 CHANNELS	
DC02-D	SNT	MI			5	D	DC02-A, DC02-E	MODULE SET FOR 1 LINE	
DC02-DA	SNT	MI			5	D	DC02-A	VARIABLE SPEED OPTION	
DC02-E	SNT	MI			5	D	BA12	BUFFERED ASYN LINE INTERFACE 4 CHANNELS	
DC02-FA		MI			5	D	8 POS	BUF ASYN LINE INTERFACE, UP TO 8 CH, 32 MAX, 2 RC CLOCKS	
DC02-FB		MI			5	D	8 POS	BUF ASYN LINE INTERFACE, UP TO 8 CH, 32 MAX, 2 XTAL CLOCKS	
DC02-FC		MI			5	D	8 POS	BUF ASYN LINE INTERFACE UP TO 8 CH 32 MAX, 1RC, 2 XTAL CLK	
DC02-G		MI			5	D	DC02-F	MODULE SET FOR 1 LINE	
DC03-A		JUL		CSS	6	D	DC03-A	64 CH TELEGRAPH LINE ADAPTER	
DC04-A		RI			6	4/73 D	12, 8 POS BUS	DUAL 6-BIT BUFFERED RECEIVER	
DC04-AA		RI			6	4/73 D	12, 8 POS BUS	DC04-A & AMPEX 750 TAPE RECORDER W PS	
DC04-AB		RI			6	4/73 D	12, 8 POS BUS	DC04-A & SONY 355 TAPE RECORDER W PS	
DC04-CN		JDL			5	4/73 D	8 NEG	ASYN 6 BIT RECEIVER CONT, W 2 CH, SP FOR 6 MORE	
DC04-CP		JDL			5	4/73 D	8 POS	ASYN 6 BIT RECEIVER CONT W 2 CH, SP FOR 6 MORE	
DC04-DN		JDL			5	4/73 D	DC04-CN	MODULE SET FOR 2 LINES	
DC04-DP		JDL			5	4/73 D	DC04-CP	MODULE SET FOR 2 LINES	
DC08-A		MI			6	4/73 D	DL8-I	SERIAL LINE MUX 128 LINES	
DC08-B		MI			6	4/73 D	DC08-A	LOCAL TTY OR MODEM CONT PANEL	
DC08-BA				SSUK	6	4/73 D	DC08-A	DC08-A ADAPTER, SPACE FOR 16 GPO MODEM LINES	
DC08-BB				SSUK	6	4/73 D	DC08-BA	MODULE SET FOR 1 LINE	
DC08-C		MI			6	4/73 D	DC08-A	TELEGRAPH CONVERTER PANEL, SP FOR 32 LINES	
DC08-CM		MI			5	8/71 D	DC08-CS	MODULE SET FOR 2 LINES	
DC08-CS		MI			5	8/71 D	DC08-A	SOLID STATE TELEG CONV, SP FOR 32 LINES	
DC08-CT		SWS			3	2/73 D	DC08-CS	SPECIAL BLOCK FOR LOCAL TTY PROVIDING KEYBOARD POWER SUPPLY	
DC08-D		MI			5	D	DC08-C	LINE TERMINATOR PANEL	
DC08-EB		MI			5	D	DC08-CB	LINE CURRENT ADJUST & METER PANEL	
DC08-ED				SSUK	6	4/73 D	DC08-CB, DC08-D	INTF FOR 8 FULL DUPLEX GPO TELEGRAPH LINES	
DC08-F		MI			6	4/73 D	DC08-B	MODEM INTERFACE CONT MUX, 64 CHANNELS	
DC08-FE		MI			6	4/73 D	DC08-F, DC08-A	32 CH EXTENSION FOR DC08-F	
DC08-FF		MI			6	4/73 D	DC08-FE, DC08-A	32 CH EXTENSION FOR DC08-FE	
DC08-FX		MI			6	4/73 D	DC08-A	MODIFIED DC08-F	
DC08-G		MI			6	4/73 D	DC08-F	MODULE SET FOR DC08-F	
DC08-H		MI			6	4/73 D	8	DIAL OUT MUX FOR 18 LINES	
DC08-J		MI			5	D	DC08-H	MODULE SET FOR DC08-H	
DC08-LA				SSUK	6	8/74 D	DC02-B, -D, DC08-F, -H, 689-LM, -AC, DC18-B	SPACE FOR UP TO 32 G787 GPO BARRIER MODULES	
DC08-LB				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-F	
DC08-LC				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-H	
DC08-LD				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH 689-LM	
DC08-LE				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH 689-AC	
DC08-LF				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC18-B	
DC08-LG				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC08-B	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	96
DC08=LH				SSUK	6	8/74 D	DC08-LA	MODULE SET FOR 1 LINE WITH DC02=0	
DC08=PM	JEH			CSS	6	8/74 D	DC08=PN, =PP, =PX	MODULE SET PER LINE	
DC08=PN	JEH			CSS	6	8/74 D	8 NEG	16 CH SYNC EIA LINE CONT, SP FOR 4 CH	
DC08=PP	JEH			CSS	6	8/74 D	8 POS	16 CH SYNC EIA LINE CONT, SP FOR 4 CH	
DC08=PX	JEH			CSS	6	8/74 D	DC08=PN, =PP	EXPANSION W SPACE FOR 6 CH	
DC08=R		JJL		CSS	6	8/74 D	8/I, 8/I MEMORY PORT	CYCLIC CHECK	
DC08=S		JJL		CSS	6	8/74 D	8 POS	SYNC LINE MUX UP TO 10 DC08-T	
DC08=T		JJL		CSS	6	8/74 D	DC08-S	SYNC LINE UNIT BELL 201	
DC08=U		JJL		CSS	6	8/74 D	DC08-T	SYNC LINE UNIT BELL 301	
DC08=Y		MI			6	4/73 D	DC08-A	LINE SAMPLING CLOCK (MODULE SET)	
DC10		KE			6	11/75 D	10	DATA LINE SCANNER- SERIES NAME	
DC10=AA		KE			6	11/75 D	10	CONTROL UNIT 60 HZ	
DC10=AB		KE			6	11/75 D	10	CONTROL UNIT 50 HZ	
DC10=B		KE			6	11/75 D	DC10-A	8-LINE GROUP	
DC10=C		KE			6	11/75 D	DC10-A	8-LINE TELEGRAPH RELAY ASSY	
DC10=DA		KE			6	11/75 D	DC10-A	TELEGRAPH POWER SUPPLY, 60 HZ	
DC10=DB		KE			6	11/75 D	DC10-A	TELEGRAPH POWER SUPPLY, 50 HZ	
DC10=E		KE			6	11/75 D	DC10-A	EXPANDED DATA SET CONTROL	
DC10=FA		KE			6	11/75 D	DC10-A	EXPANDER CABINET 60 HZ	
DC10=FB		KE			6	11/75 D	DC10-A	EXPANDER CABINET 50 HZ	
DC10=H	RBH	RBH		SSCAL	3	1/73 D	DC10-A	8-LINE GROUP FOR IBM 2741	
DC10=PP		RJS			3	1/73 D	DC10-A	PATCH PANEL	
DC10=S	JEH	PC		SSUK	3	1/73 D	DC10-A	EXPANDED DATA SET CONT, UK, CCITT V24, HALF OR FULL DUPLEX	
DC11=AA		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 300, 150, 134.5, 110 BAUD	
DC11=AB		VB			5	2/72 D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 1800, 1200, 300, 110 BAUD	
DC11=AC		VB			5	2/72 D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 1200, 600, 150, 110 BAUD	
DC11=AD		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 90, 110, 134.5, 150 BAUD	
DC11=AE		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 75, 110, 134.5, 150 BAUD	
DC11=AF		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 600, 1200, 1800, 2400 BAUD	
DC11=AG		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 134.5, 150, 300, 1200 BAUD	
DC11=AH		VB			5	D	11	BUF ASYNC LINE CONT, SP FOR 2 CH, 110, 134.5, 1200 1800 BAUD	
DC11=AX		VB			3	3/71 D	11	BUF ASYNC LINE CONT, SP 2 CH, 110, 134.5, 150 + 1 CUSTOMER SPEC BAUD	
DC11=BA		VB			5	3/71 D	DC11-A	LOGIC MODULE SET FOR 1 CHANNEL	
DC11=DA		VB			4	6/71 D	DC11-A	DC11=BA + DF11-A + BC01R=25	
DC14=A	JM	AR			5	2/75 D	14	ASYNC LINE CONT, ERROR CORRECTING 14-BIT WORDS	
DC14=B	JM	AR			6	2/75 D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-A	
DC14=BA	JM				3	2/75 D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-A	
DC14=BE	JM				3	2/75 D	8/E	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8332) TO DC14-E	
DC14=C	JM	AR			6	2/75 D	DC14-A, DC14-E	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-A	
DA14=CA	JM	AR			3	2/75 D	DC14-A, DC14-E	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-A	
DC14=CE	JM				3	2/75 D	DC14=BE, =DE	ASYNC LINE CONT, ERROR CORR 14-BIT WORDS (M8333) TO DC14-E	
DC14=D	JM	AR			6	2/75 D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-A	
DC14=DA	JM	AR			3	2/75 D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-A	
DC14=DE	JM				3	2/75 D	11	MASTER ASYNC LINE CONT FOR UP TO 12 LINES (M8334) TO DC14-E	
DC14=E	JM	AR			5	2/75 D	14/30, 14/35	ASYNC LINE CONT, ERROR CORR 14 BIT WORDS (M7481) 211.2 KBAUD	
DC14=F	JM	AR			5	2/75 D	14/30, 14/35	ASYNC LINE CONT, 2 8- TO 12-BIT WORDS EIA, (M7483) 9.6 KBAUD	
DC14=FM	JM	GEG			2	1/75 D	14/30, 14/35	DC14-F FOR ACOUSTIC COUPLER	
DC14=LA		AR			3	1/72 D	14/L	DC14-A FOR POP14-L	
DC15=A		FA			2	D	15	CONT FOR 32 KL11'S	
DC15=R	RBH	RJS			2	1/73 D	DA15-S	CONVERTS TTL TO RS232 SPEC	
DC15=S	RBH	RJS			3	D	15	CONT FOR 4 SYNCHRONOUS MODEMS	
DC16=A		RBR			4	8/71 D	16	SERIAL INTERFACE M7313	
DC16=B		RBR			3	3/72 D	DC16-A	DUAL SERIAL INTERFACE ADAPTER (M7333)	
DC44=AA	FW	WG			3	6/72 E	10	TYPESET SUBSYSTEM; DL10-AA + 11/15=CC + KW11-L, 115V 60HZ	
DC44=AB	FW	WG			3	6/72 E	10	TYPESET SUBSYSTEM; DL10-AB + 11/15=CD + KW11-L, 230V 50HZ	
DC44=BA	FW	WG			3	6/72 E	10	TYPESET SUBSYSTEM; DL10=C + 11/15=CC + KW11-L, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DC44-BB	FW	WG			3 6/72 E		10	TYPESSET SUBSYSTEM; DL10-C + 11/15-CD + KW11-L, 230V 50HZ
DC68-A		KE			6 10/72 D		DC68	680-I PACKAGE FOR POPD18
DC70		KU				E		SERIES NAME FOR REMOTE TERMINALS
DC71-AA		KU			6 10/72 E		10	PDF8-ID MP8-I CR8/I-FA KW8-I-A DP81-AA LP88-JC MC8-IB 115V 60HZ
DC71-AB		KU			6 10/72 E		10	PDF8-ID MP8-I CR8/I-FB KW8-I-A DP81-AA LP88-JD MC8-IB 230V 50HZ
DC71-BA		KU			6 10/72 E		10	PDF8-ID MP8-I CR8/I-FA KW8-I-A DP81-AA LP88-KC MC8-IB 115V 60HZ
DC71-BB		KU			6 10/72 E		10	PDF8-ID MP8-I CR8/I-FB KW8-I-A DP81-AA LP88-KD MC8-IB 230V 50HZ
DC71-D		KU			3 3/72 D		(10)	DC71-A, -B 8 LINES, DW88-B + DC82-FC + 8 DC82-G
DC71-E		KU			3 3/72 D		(10)	DC71-D 8 LINE EXPANSION = DC82-FC + 8 DC82-G
DC72-AA	EAS	KE			5 4/73 E		10	8K PKP8E-CA, DP8-E, LS8-EA, CR8-FA +, 115V 60HZ
DC72-AB	EAS	KE			5 4/73 E		10	8K POP8E-CB, DP8-E, LS8-EB, CR8-FB +, 230V 50HZ
DC72-BC	RLD	KE			5 8/74 E		10	8K POP8E-CA, DP8-E, LS8-VA, CR8-FA +, 115V 60HZ
DC72-BD	RLD	KE			5 8/74 E		10	8K POP8E-CB, DP8-E, LS8-VD, CR8-FB +, 230V 50HZ
DC72-CC	RLD	KE			5 8/74 E		10	8K POP8E-CA, DP8-E, LS8-WA, CR8-FA +, 115V 60HZ
DC72-CD	RLD	KE			5 8/74 E		10	8K POP8E-CB, DP8-E, LS8-WD, CR8-FB +, 230V 50HZ
DC72-LA	EAS	KE			5 4/73 D		DC72-A, -B, -C	8-LINE TTY PKG (8 KLS, B88-AA, SOFTWARE), 115V
DC72-LB	EAS	KE			5 4/73 D		DC72-A, -B, -C	8-LINE TTY PKG (8 KLS, B88-AB, SOFTWARE), 230V
DC72-LC	EAS	KE			5 4/73 D		DC72-A, -B, -C, -LA, -LB	8-LINE TTY PKG (8 KLS, SOFTWARE)
DC75-AA	EAS	KE			5 4/73 E		10	SYNC COMM SYS = DL10-AA + 11/15-CC + DS11-A + 8 DS11-BA
DC75-AB	EAS	KE			5 4/73 E		10	SYNC COMM SYS = DL10-AB + 11/15-CD + DS11-A + 8 DS11-BA
DC75-AC	EAS	KE			2 11/74 E		10	11/40 BASED DC75-AA, 115V
DC75-AD	EAS	KE			2 11/74 E		10	11/40 BASED DC75-AB, 230V
DC75-DA	EAS	KE			5 4/73 E		DC75-A	DC75 EXP; DL10-C + 11/15-CA + DS11-A + 8 DS11-BA
DC75-DB	EAS	KE			5 4/73 E		DC75-B	DC75 EXP; DL10-C + 11/15-CB + DS11-A + 8 DS11-BA
DC75-DC	EAS	KE			2 11/74 E		DC75-AA, -AC	11/40 BASED DC75-DA
DC75-DD	EAS	KE			2 11/74 E		DC75-AB, -AD	11/40 BASED DC75-DB
DC75-E	EAS	KE			5 4/73 D		(10)	DC75-A, -B, -DA, -DB 8 LINE EXP; 8 DS11-BA
DC75-NP	RLD	KE			3 11/74 D		DC75-A	MH11-F + QH021
DC75-NR	RLD	KE			3 11/74 D		DC75-A	MH11-F + QH022
DC75-UA	EAS	KE			3 3/72 D		DS10	DC75-AA (W TRADE-IN OF DS10)
DC75-UB	EAS	KE			3 3/72 D		DS10	DC75-AB (W TRADE-IN OF DS10)
DC75-VA	EAS	KE			3 3/72 D		2 DS10	DC75-AA (W TRADE-IN OF 2 DS10)
DC75-VB	EAS	KE			3 3/72 E		2 DS10	DC75-AB (W TRADE-IN OF 2 DS10)
DC76-AA	EAS	KE			3 2/74 E		10	ASYN COMM SYS; DL10-AA, POP11/40, DM11, DM11-BB, ETC, 115V 60HZ
DC76-AB	EAS	KE			3 2/74 E		10	ASYN COMM SYS; DL10-AB, POP11/40, DM11, DM11-BB, ETC, 230V 50HZ
DC76-DA	EAS	KE			3 2/74 E		DC76-A, DC75-A	DC76 EXP; DC76-AA EXCEPT DL10-C IN PLACE OF DL10-AA, 115V
DC76-DB	EAS	KE			3 2/74 E		DC76-A, DC75-A	DC76 EXP; DC76-AB EXCEPT DL10-C IN PLACE OF DL10-AB, 230V
DC76-EA	EAS	KE			3 2/74 D		DC76-A, -D	ADDITIONAL 16 LINES W/O INTERFACE, W/O CAB, 115V
DC76-EB	EAS	KE			3 2/74 D		DC76-A, -D	ADDITIONAL 16 LINES W/O INTERFACE, W/O CAB, 230V
DC76-EC	EAS	KE			3 2/74 D		DC76-A, -D	CAB, 16 MORE LINES W/O INTERFACE, SP FOR 3 MORE DC76-EA 115V
DC76-ED	EAS	KE			3 2/74 D		DC76-A, -D	CAB, 16 MORE LINES W/O INTERFACE, SP FOR 3 MORE DC76-EA 230V
DC76-FA	EAS	KE			3 2/74 D		DC76-A, -D, -E	20MA ACTIVE INTERFACES FOR 8 LINES
DC76-FB	EAS	KE			3 2/74 D		DC76-A, -D, -E	EIA/CCITT LOCAL INTERFACES FOR 8 LINES (DATA ONLY)
DC76-FC	EAS	KE			3 2/74 D		DC76-A, -D, -E	EIA/CCITT MODEM INTERFACES FOR 8 LINES
DC76-FD	EAS	KE			3 2/74 D		DC76-A, -D, -E	ANSWER ONLY, AUTO ANSWER INTEGRAL MODEMS FOR 8 LINES
DC76-H	EAS	KE			3 2/74 D		DC76-A, -D, -E	FUTURE SERIES ACU CONTROL
DD01-AN		AKI			5	D	A NEG, BF02	CONTROL FOR UNIV DIG CONT, SP FOR 4 12 BIT WORDS
DD01-AP		AKI			5	D	8 POS, BF02	CONTROL FOR UNIV DIG CONT, SP FOR 4 12 BIT WORDS
DD01-D		AKI			4 10/71	D	11	CONTROL FOR UNIV DIG CONT, SP FOR 1 16-BIT WORD
DD02		AKI			5	D	DD01-A, -D, BF02	SYSTEM UNIT, SPACE FOR 4 12 OR 16 BIT I/O WORDS
DD11-A	RT	LC			5	D	11	MOUNT FOR 4 QUAD CARD CONTROLS
DD11-B	RT	LC			4 3/73	D	11	DD11-A W ETCH BACK PANEL, DIFF PWR CONNECTION
DD11-C	SNT	JRS			3 4/75	D	11	DD11 FOR HEX SPC (MS11-E, -F, -H), 4 SLOTS (2 HEX, 2 QUADS)
DD11-CF	JRS	RTB			3 4/75	D	11 (BA11-F BOX)	DD11-C W BA11-F POWER HARNESS
DD11-CK	JRS	RTB			3 4/75	D	11 (BA11-L OR -K BOX)	DD11-C W BA11-L & -K POWER HARNESS
DD11-D	SNT	JRS			3 4/75	D	11	9 SLOT DD11-C (7 HEX, 2 QUADS)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	98
DD11=DF	JRS	RTB			3 4/75	D	11 (BA11-F BOX)	DD11=D W BA11=F POWER HARNESS	
DD11=DK	JRS	RTB			3 4/75	D	11 (BA11-L OR =K BOX)	DD11=D W BA11=L & =K POWER HARNESS	
DD11=P	JRS	RTB			3 8/75	B	11/39	9-SLOT DD11=D W 2 SLOTS DEDICATED TO KD11=E	
DD11=PP	JRS	RTB			3 8/75	B	11/39	DD11=P W BA11=F POWER HARNESS	
DD11=PK	JRS	RTB			3 4/75	D	11	DD11-P W BA11=L & =K POWER HARNESS	
DD14=A	AR	AR			3 2/75	D	11	PREWIRED SYSTEM UNIT FOR 4 DC11=C OR DC11=D	
DDR11=A		KH			3 3/74	D	11	RUGGED DD11-A	
DE11=A	VB				6 8/72	D	KL11	EIA CONVERTER, RS232C FEMALE	
DE11=B	VB				6 8/72	D	KL11	EIA CONVERTER, RS232C MALE	
DF01=A		DR			3 8/72	D	EIA	DATA COUPLER, MODEM ACOUSTIC, MAGNETIC & DIRECT, 115V	
DF10=A		KE			3 8/74	D	10	DATA CHANNEL, 256 K ADDRESS RANGE, 60HZ	
DF10=B		KE			3 8/74	D	10	DATA CHANNEL, 256 K ADDRESS RANGE, 30HZ	
DF10=CA	FP	RJS		DAS	3 10/73	D	10	DATA CHANNEL, 4,419K ADDRESS RANGE, 60HZ	
DF10=CB	FP	RJS		DAS	3 10/73	D	10	DATA CHANNEL, 4,419K ADDRESS RANGE, 30HZ	
DF11=A	VB	DR			3 3/72	D	DC11-A DP11-AA DN11-A LA30-S	EIA/CCITT TERMINAL MODULE SET (M594)	
DF11=BA	VB	MC			3 8/72	D	DC11-A	INTEGRAL MODEM (113A EQUIVALENT) MODULE (M586)	
DF11=BB	VB	MC			3 8/72	D	DC11-A	INTEGRAL MODEM (113B EQUIVALENT) MODULE (M587)	
DF11=F	VB	DR			3 6/71	D	DC11-A	ACTIVE 20 MA CURRENT LOOP TERMINAL MODULE SET	
DF11=G	VB	DR			3 3/72	D	DC11-A	CURRENT SWITCH TERM MOD SET FOR 301 OR 303	
DF11=K	VB	MC			3 3/72	D	LA30-S DC11-A	PASSIVE OPTICAL COUPLED 20-MA TERMINAL MODULE SET (M598)	
DF32		GS			6 2/71	R	8 NEG	32K 12 BIT + PARITY DEC DISK & CONT 60 HR	
DF32=A		GS			6 2/71	R	8 NEG	32K 12 BIT + PARITY DEC DISK & CONT 30HZ	
DF32=B		GS			6 2/71	R	8 NEG	19-INCH DF32 FOR M950	
DF32=C		GS			6 2/71	R	8 NEG	19-INCH DF32-A FOR M950	
DF32=DN		JK			3 5	R	8 NEG	32K 12 BIT + PARITY DEC DISK & CONT, 60HZ	
DF32=DP		JK			3 5	R	8 POS	32K 12 BIT + PARITY DEC DISK & CONT 60HZ	
DF32=DTA		REDD		TE	3 4/75	R	DF32-D	TIMING TRACK WRITER	
DF32=EN		JK			3 5	R	8 NEG	32K 12 BIT + PARITY DEC DISK & CONT 30HZ	
DF32=EP		JK			3 5	R	8 POS	32K 12 BIT + PARITY DEC DISK & CONT 30HZ	
DF32=ETA		REDD		TE	3 4/75	R	DF32	TIMING TRACK WRITER	
DFC11=A	VB				3 10/74	D	DP11-AA, DU11, DG11-AA	EIA/CCITT MODULE W CLOCK RECOVERY (M9942)	
DFMA		GS			3 5	R	ALL DF32 & DS32	DISK MECHANICAL ASSEMBLY	
DFMA=D		GS			3 6/71	D	DF32=D & DS32=D	DISK MECHANICAL ASSEMBLY	
DFR11=A		KH			2 4/71	D	DCR11-A	RUGGED DF11-A	
DF811=A		HAY		SSCAL	3 9/75	D	SAME AS DFK1	DF11-A W DIFFERENTIAL DRIVE & RECEIVE	
DF811=H	JRH	SPRY		CSS	3 6/75	D	DC11-A, DPE1-AA	MIL STD 188C TERMINAL MODULE SET (M5941)	
DF811=HA	DJN			CSS	2 9/75	D	DQ11	PRIVATE WIRE INTEGRAL MODEM, 1 MEGABAUD	
DF811=HB	DJN			CSS	2 9/75	D	DQ11	PRIVATE WIRE INTEGRAL MODEM, 300 KBAUD	
DF811=HC	DJN			CSS	2 9/75	D	DQ11	PRIVATE WIRE INTEGRAL MODEM, 240,3 KBAUD	
DF811=HD	DJN			CSS	2 9/75	D	DQ11	PRIVATE WIRE INTEGRAL MODEM, 56 KBAUD	
DF811=HE	DJN			CSS	2 9/75	D	DQ11	PRIVATE WIRE INTEGRAL MODEM, 100 KBAUD	
DH11=AA	VB	MC			3 7/73	D	11	16 LINE MUX DIST PANEL & 115V PS PROG LINE SPEEDS	
DH11=AB	VB	MC			3 7/73	D	11	DH11-AA W NO DIST PANEL & NO PS	
DH11=AC	VB	MC			3 7/73	D	11	230V DH11-AA	
DH11=AD	VB	MC			3 9/74	D	11	16 LINE MUX, EIA, MODEM CONT, H317=B DIST PANEL	
DH11=AE	VB	MC			3 9/74	D	11	16 LINE MUX, EIA, H317=B DIST PANEL	
DH8=EA	SG	JG		TYP	3 10/75	D	8/E	8A500=BM, 4 KLB=A, 2 DB8=EA, 115V 60HZ	
DH8=EB	SG	JG		TYP	3 10/75	D	8/E	8A500=BN, 4 KLB=A, 2 DB8=EA, 230V 30HZ	
DH811=A	RJN	TH		CSS	2 12/75	D	DH11	START/STOP MOD FOR DH11	
DH811=B	RJN	TH		CSS	2 11/75	D	DH11	ORING LOGIC FOR 1 PAIR DH11-AE	
DHW11=AB	MI	JG		TPL	2 8/74	D	11	DH11=AB W 1,5 STOP BITS (FOR WIRE SERVICE)	
DI420	ATT	KU			2 4/75	D	KL10, KI10 I/O BUS	ALLOWS KL10 TO USE KI10 I/O BUS	
DJ11=AA	VB	VB			3 7/73	D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, EIA	
DJ11=AB	VB	VB			3 7/73	D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, TTL	
DJ11=AC	VB	VB			3 7/73	D	11	16 LINE ASYNC CHAR BUF MUX, LIMITED PROG CONT, TTL	
DJ11=BB	FA	SPRY		CSS	3 1/75	D	DJ11-AA	16-LINE MODEM MUX MODULE SET	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DJ11=NA		JTN		CSS	6 7/73	D	11	HALF DUPLEX SYNC COMM, REPLACED BY DCS11=A
DJS11=A	JEH	ABW		CSS	2 6/72	D	11	32 LINE CHAR BUF MUX, SINGLE BAUD RATE
DJS11=B	JEH	ABW		CSS	2 11/72	D	11	32 LINE CHAR BUF MUX, DUAL BAUD RATE
DK01=A		RG		IPC	4	D	AF08	4X LINE FREQ INTERRUPT
DK10		JS			5	D	10	PROGRAMMABLE REAL TIME CLOCK
DK8=EA	JC	ADL			5 10/71	D	8/E	REAL TIME CLOCK, LINE FREQUENCY
DK8=EC	JC	ADL			5 2/72	D	8/E	REAL TIME CLOCK, CRYSTAL
DK8=EF	SNT	AW			5 2/72	D	DK8=EP, DK8=ES	SCHMITT CONT & INPUT JACKS FOR M945-AA
DK8=EP	SNT	AW			5 2/72	D	8/E	PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITTS
DK8=ES	SNT	AW			5 2/72	D	8/E (LAB 8/E)	DK8=EP + DK8=EP
DKC8=AA	JC	LN			3 1/73	D	8/A	OPTION BOARD #11 SLU, XTAL CLOCK, GP PAR I/O, KCS=AA CONT (M8316)
DKS8=EJ	JH	MS		CSS	6 2/73	D	8/E	INTERFACE TO CLIMET CLOCK (HRS, MIN, SEC, JULIEN CAL, BCD)
DKS8=EK	JH	MS		CSS	3 4/74	D	8/E	CLOCK (HRS, MIN, SEC, JULIEN CAL, BCD)
DL10		TWE				D	10	DATA LINK (PDP11 TO PDP10 MEM) SERIES NAME
DL10=AA		TWE			4 9/71	D	10 I/O & MEM BUS, 4 11 UNIBUSES	CONTROL UNIT 115V 60HZ
DL10=AB		TWE			4 9/71	D	10 I/O & MEM BUS, 4 11 UNIBUSES	CONTROL UNIT 230V 50HZ
DL10=B		TWF			4 9/71	D	DL10-AA, -AB	2ND PDP11 I/O BUS PORT
DL10=C		TWE			4 9/71	D	DL10-AA, -AB	ADDITIONAL PDP11 UNIBUS PORT
DL11=A	VB				3 6/72	D	DD11 KA11 KB11 KC11 KD11-B MM11-M -S	8 BIT NO PAR ASYNC DATA CONT 20 MA
DL11=B	VB				3 6/72	D	DITTO	EIA ASYNC CONT, 8 LEVEL, NO PARITY
DL11=C	VB				3 6/72	D	DITTO	DL11-A, 9-B BIT, PARITY CHOICE
DL11=D	VB				3 6/72	D	DITTO	DL11-B, 9-B BIT, PARITY CHOICE
DL11=E	VB				3 1/73	D	DITTO	EIA ASYNC DATASET CONT
DL11=W	SNT	RBP			2 11/73	D	11	DL11=A THRU DL11-D W KW11=L LINE FREQ CLOCK (M7856)
DL14=A		VDS			5 2/73	D	KA14, PDP14-P	TRANSMISSION MONITORING INTERFACE (MAP OPTION)
DL8=I		MI			5	D	8/I	DATA LINE INTERFACE
DLV11	MT	CYR			2 2/73	D	11V05	SERIAL LINE UNIT, M7940
DM01		JDL		TPL	5	D	8, 8/I	DATA CHANNEL MULTIPLEXER
DM02		DM		CSS	6	D	7	PROGRAMMED DATA INTERFACE 36 BITS
DM03		DM		CSS	6	D	8	AUTO DATA INTERFACE 36 BITS
DM04		JDL		TPL	5 6/71	D	8 POS	DATA BREAK MULTIPLEXER
DM09=A		MI			5	D	9	DIR MEM ACCESS MUX ADAPTER
DM09=L		JE			3 1/72	D	9/L	DIR MEM ACCESS MUX ADAPTER
DM10		JJL		CSS	3 7/71	D	10	8 CHANNEL DIRECT MEMORY ACCESS
DM10=B		JJL		CSS	3 6/73	D	DF10, DM10	ONE WORD BUFFER
DM11=AA	VB				5 3/72	D	11	16 LINE MUX, DIST PANEL & 115V PS, CUSTOMER BAUD RATE
DM11=AB	VB				5 3/72	D	11	DM11-AA W NO DISTRIBUTION PANEL & NO PS
DM11=AC	VB				5 3/72	D	11	230V DM11-AA
DM11=BB	RL				5 3/72	D	DM11-AA, -AC, DM11-AA, -AC	16 LINE MODEM CONT MUX MODULE SET
DM11=CA	DH			CSS	3 9/71	D	DM11-AA, -AC, DM11-AA, -AC	TELEX CONT MODULE SET
DM11=DA	VB				5 3/72	D	DM11-AA, -AC, DM11-AA, -AC	4 TTY LINE MODULE SET
DM11=DB	VB				5 3/72	D	DM11-AA, -AC, DM11-AA, -AC	4 LINE EIA MODULE SET
DM11=DC	VB				5 3/72	D	DM11-AA, -AC, DM11-AA, -AC	4 LINE EIA CONTROL SIGNAL MODULE SET
DM11=DD	VB				5 2/72	D	DM11-AA DIST PANEL	4 MIL 1088 LINE MODULE SET
DM11=DR	JEH	ORS		CSS	3 6/74	D	DM11	4 LINE TRI-STATE EIA MODULE SET (M5943)
DM11=DS	JEH	ORS		CSS	3 6/74	D	DM11	4 LINE TRI-STATE EIA DATA & CONT LINE MODULE SET (M5943-YA)
DM12	SNT	RI			5 1/73	D	KF12	3 CH DATA BREAK MUX
DMA10=C	RBH	DMT			3 8/72	D	10 I/O & MEM BUS	DMA I/O MUX (10 BUSES TO "INTERNAL BUS") USED W DA10=P
DMA10=P	RBH	DMT			3 8/72	D	11 "INTERNAL BUS"	ALLOWS 11 TO USE PDP10 MEMORY
DMA20	ATT	KU			2 4/73	D	KL10, KI10 MEM BUS	ALLOWS KL10 TO USE KI10 MEM (4 MEM BUSES)
DMC11=AD	VB	RL			3 11/73	E	11	MICROPROCESSOR W DDCMP CONTROL ROM (M8200-YA)
DMC11=DA	VB	RL			3 11/73	D	DMC11=A	EIA/V39 LINE UNIT (M8201)
DMC11=MD	VB	RL			3 11/73	D	DMC11=A	56 KBAUD INTEGRAL MODEM LINE UNIT (M8202-YD)
DMS1=AA	JBH	GHL			2 1/73	E	-	CLASSIC 11 CL8=FA, 09/8, QFE09=AY, LOGO, 115V 60HZ
DMS1=AC	JBH	GHL			2 1/73	E	-	CLASSIC 11 CL8=FC, 09/8, QFE09=AY, LOGO, 115V 50HZ
DMS1=AD	JBH	GHL			2 1/73	E	-	CLASSIC 11 CL8=FD, 09/8, QFE09=AY, LOGO, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DMS1-BA	JBH	GHL			6 9/75	E	•	CMS11 CL8-EA, QF015-AY, QF006-AY, QF008-AY, LOGO, 115V 60HZ
DMS1-BC	JBH	GHL			6 9/75	E	•	CMS11 CL8-EC, QF015-AY, QF006-AY, QF008-AY, LOGO, 115V 50HZ
DMS1-BD	JBH	GHL			6 9/75	E	•	CMS11 CL8-ED, QF015-AY, QF006-AY, QF008-AY, LOGO, 230V 50HZ
DMS1-CA	RS	JFB			2 2/75	E	•	CL8-EA, QFE09-AY OS/8, 115V 60HZ
DMS1-CC	RS	JFB			2 2/75	E	•	CL8-EC, QFE09-AY OS/8, 115V 50HZ
DMS1-CD	RS	JFB			2 2/75	E	•	CL8-ED, QFE09-AY OS/8, 230V 50HZ
DMS1-DA	JBH	GHL			3 4/75	E	•	CMS11 CL8-EA, QF015-AY, LOGO, 115V 60HZ
DMS1-DC	JBH	GHL			3 4/75	E	•	CMS11 CL8-EC, QF015-AY, LOGO, 115V 50HZ
DMS1-DD	JBH	GHL			3 4/75	E	•	CMS11 CL8-ED, QF015-AY, LOGO, 230V 50HZ
DMS1-EA	JBH	GHL			2 6/75	E	•	CMS11 CL8-FA, QF015-AY, QF006-AY, QF008-AY, LOGO, 115V 60HZ
DMS1-EC	JRH	GHL			2 6/75	E	•	CMS11 CL8-FC, QF015-AY, QF006-AY, QF008-AY, LOGO, 115V, 50HZ
DMS1-ED	JRH	GHL			2 6/75	E	•	CMS11 CL8-FD, QF015-AY, QF006-AY, QF008-AY, LOGO, 230V 50HZ
DMS1-FA	JRH	GHL			2 6/75	E	•	CLASSIC1 CL8-HA, QFE09-AY, QF310-AY, LOGO, 115V 60HZ
DMS1-FC	JRH	GHL			2 6/75	E	•	CLASSIC1 CL8-HC, QFE09-AY, QF310-AY, LOGO, 115V 50HZ
DMS1-FD	JRH	GHL			2 6/75	E	•	CLASSIC1 CL8-HD, QFE09-AY, QF310-AY, LOGO, 230V 50HZ
DMS1-HA	JRH	GHL			2 9/75	E	•	CLASSIC1 CL8-PE, VT52-AA, QF008-AY, 115V 60HZ
DMS1-HC	JRH	GHL			2 9/75	E	•	CLASSIC1 CL8-PH, VT52-AC, QF008-AY, 115V 50HZ
DMS1-HD	JRH	GHL			2 9/75	E	•	CLASSIC1 CL8-PJ, VT52-AB, QF008-AY, 230V 50HZ
DMS1-JA	JRH	GHL			2 9/75	E	•	CMS11 CL8-PE, VT52-AA, QF008-AY, 115V 60HZ
DMS1-JC	JRH	GHL			2 9/75	E	•	CMS11 CL8-PH, VT52-AC, QF008-AY, 115V 50HZ
DMS1-JD	JRH	GHL			2 9/75	E	•	CMS11 CL8-PJ, VT52-AB, QF008-AY, 230V 50HZ
DMS4-AA	SNT				2 11/75	E	•	CLASSIC 41 CL11-AA, QJ921-AY, 2 QJ003-SZ, 115V 60HZ
DMS4-AC	SNT				2 11/75	E	•	CLASSIC 41 CL11-AC, QJ921-AY, 2 QJ003-SZ, 115V 50HZ
DMS4-AD	SNT				2 11/75	E	•	CLASSIC 41 CL11-AD, QJ921-AY, 2 QJ003-SZ, 230V 50HZ
DN11-AA	VB				5 3/72	D	11	AUTO DIAL CONT, SP FOR 4 CH TO 801 ACU
DN11-AB	VB				3 1/72	D	11	AUTO DIAL CONT FOR DC PULSING BELL 1180AA, SP FOR X CH
DN11-BA	VB				2 3/71	D	DN11-A	MODULE SET FOR 1 CHANNEL
DN11-DA	VB				3 3/72	D	DN11-A	DN11-BA + BC01R-25
DN80-AA	FP	PD		DAS	3 8/75	E	10	REMOTE BATCH: 11/40-AK, KG11-A, KW11-L, DD11-B, M9301, CR11, LP11-VA, LA36-CC, 120V 60HZ
DN80-AB	FP	PD		DAS	3 8/75	E	10	DN80-AA EXCEPT 11/40-AL, CR11-A, LT33-CD, 240V 50HZ
DN80-CA	FP	PD		DAS	3 8/75	D	DN80-AA, DN82-AA	CR11 CARD READER & CONTROL, 120V 60HZ
DN80-CB	FP	PD		DAS	3 8/75	D	DN80-AB, DN82-AB	CR11-A CARD READER & CONTROL, 240V 50HZ
DN80-LA	FP	PD		DAS	3 8/75	D	DN80-AA, DN82-AA	LP11-VA, 120V 60HZ
DN80-LB	FP	PD		DAS	3 8/75	D	DN80-AB, DN82-AB	LP11-VB, 240V 50HZ
DN80-LC	FP	PD		DAS	3 8/75	D	DN80-AA, DN82-AA	LP11-WA, 120V 60HZ
DN80-LD	FP	PD		DAS	3 8/75	D	DN80-AB, DN82-AB	LP11-WB, 240V 50HZ
DN81-AA	FP	PD		DAS	3 8/75	E	10	REMOTE DDCMP CONCENTRATOR: 11/40-AK, KG11-A, KW11-L, DD11-B, M9301, LA36-CC, DH11-AA, DM11-BB, QG11-DA, H960-CA, 120V 60HZ
DN81-AB	FP	PD		DAS	3 8/75	E	10	DN81-AA EXCEPT 11/40-AL, LT33-CD, DH11-AC, H960-CB, 240V 50HZ
DN81-BA	FP	PD		DAS	3 8/75	D	10	REMOTE DDCMP CONCENTRATOR: DN81-AA EXCEPT NO H960-CA, 120V 60HZ
DN81-BB	FP	PD		DAS	3 8/75	D	10	REMOTE DDCMP CONCENTRATOR: DN81-AB EXCEPT NO H960-CB, 240V 50HZ
DN81-EA	FP	PD		DAS	3 8/75	D	DN81-AA, 82-AA	ASYNC LINE CAB EXP: DH11-AC, DM11-BB, H960-CA, H742-A,3 H744, H745, 120V 60HZ
DN81-EB	FP	PD		DAS	3 8/75	D	DN81-AB, 82-AB	DN81-EA EXCEPT DH11-AC, H960-CB, H742-B, 240V 50HZ
DN81-EC	FP	PD		DAS	3 8/75	D	DN81-AA, -EA, DN82-AA	ASYNC LINE GROUP (DDCMP): DH11-AA, DM11-BB
DN81-ED	FP	PD		DAS	3 8/75	D	DN81-AA, -EA, DN82-AA	ASYNC LINE GROUP (DDCMP): DH11-AC, DM11-BB
DN81-FA	FP	PD		DAS	3 8/75	D	DN81-A, DN81-E, DN82-A	ASYNC 20 MA LINE GROUP: 2 DM11-DA
DN81-FB	FP	PD		DAS	3 8/75	D	DN81-A, DN81-E, DN82-A	LOCAL EIA GROUP: 2 DM11-DB
DN81-FC	FP	PD		DAS	3 8/75	D	DN81-A, DN81-E, DN82-A	EIA MODEM GROUP: 2 DM11-DC
DN81-FD	FP	PD		DAS	3 8/75	D	DN81-A, -E, DN82-A	AUTO ANSWR ASYNC MODEM GROUP: 8 DF11-AB
DN81-FE	FP	PD		DAS	3 8/75	D	DN81-A, -E, DN82-A	ORIGINATE MODEM GROUP: 2 DF11-BA
DN81-FF	FP	PD		DAS	3 8/75	D	DN81-A, -E, DN82-A	AUTO DIAL 801 ACU: DN11-AA, 2 DN11-DA
DN81-FG	FP	PD		DAS	3 8/75	D	DN81-A, -E, DN82-A	801 ACU INTERFACE: DN11-DA
DN81-H	FP	PD		DAS	3 8/75	D	DN80-A, 81-A, 82-A	NPR SYNC CONT, EIA: QG11-DA FOR 1-8 DH11-AA, DM11-BB
DN81-J	FP	PD		DAS	3 8/75	D	DN80-A, 81-A, 82-A	DN81-H EXCEPT BELL 303 INTERFACE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION	61
DN82-AA	FP	PD		DAS	3	8/75 E	10	REMOTE BATCH CONCENTRATOR; DN81-AA, CR11, LP11-VA, 120V 60HZ	
DN82-AB	FP	PD		DAS	3	8/75 E	10	REMOTE BATCH CONCENTRATOR; DN81-AB, CR11-A, LP11-VD, 240V 50HZ	
DN83-A	FP	PD		DAS	3	8/75 D	DC72, DN80-F, 81-H, 85	SYNC NULL MODEM LOCAL EIA; M4050, H312-A, TERMINAL CLK	
DN83-B	FP	PD		DAS	3	8/75 D	DN81-H	SYNC NULL MODEM LOCAL EIA; 2 M4050, H312-A, 2 BC01R-25, DUAL TERM CLK	
DN87-AA	FP	PD		DAS	3	8/75 E	10	BASIC SYNC/ASYNC DDCMP FRONT END; 11/40-AK, DL10-AA, KG11-A, KW11-L, 120V	
DN87-AB	FP	PD		DAS	3	8/75 E	10	BASIC SYNC/ASYNC DDCMP FRONT END; 11/40-AL, DL11-AB, KG11-A, KW11-L, 240V	
DN87-DA	FP	PD		DAS	3	8/75 D	DC72, 76, DAS85, DN87-AA	SYNC/ASYNC CONT; DN87-AA, DL10-C, NO DL10, 120V 60HZ	
DN87-DB	FP	PD		DAS	3	8/75 D	DC72, 76, DAS85, DN87-AB	SYNC/ASYNC CONT; DN87-AB, DL10-C, NO DL10, 240V 50HZ	
DN87-EA	FP	PD		DAS	3	8/75 D	DN87-AA, -EA	NPR SYNC LINE CAB EXP; H960-CA, BA11-FB, DQ11-DA, H742-A, 3 H744, H745, 120V 60HZ	
DN87-EB	FP	PD		DAS	3	8/75 D	DN87-AB, -EB	DN87-EA EXCEPT H960-CB, H742-B, 240V 50HZ	
DN87-EC	FP	PD		DAS	3	8/75 D	DN87-AA, -DA	ASYNC LINE CONT EXP CAB; DM11-AA, DM11-BB, H960-CA, BA11-FB, H742-A, 3 H744, H745, 120V 60HZ	
DN87-ED	FP	PD		DAS	3	8/75 D	DN87-AB, -DB	DN87-EC EXCEPT DM11-AC, H742-B, 240V 50HZ	
DN87-EE	FP	PD		DAS	3	8/75 D	DN87-AA, -DA, -EC	ASYNC LINE CONT EXP; DM11-AA, DM11-BB, 120V 60HZ	
DN87-EF	FP	PD		DAS	3	8/75 D	DN87-AB, -DB, -ED	ASYNC LINE CONT EXP; DM11-AC, DM11-BB, 240V 50HZ	
DN87-EG	FP	PD		DAS	3	8/75 D	DN87-A, EA, EB, DA, DB	NPR SYNC LINE CONT EXP; DQ11-DA	
DN87-FA	FP	PD		DAS	3	8/75 D	DN87-A, DA, DB, EC, ED, EE, EF	8 LINE 20 MA INTERFACE; 2 DM11-DA	
DN87-FB	FP	PD		DAS	3	8/75 D	DN87-A, DA, DB, EC, ED, EE, EF	8 LINE EIA DATA ONLY INTERFACE; 2 DM11-DB	
DN87-PA	FP	PD		DAS	3	8/75 E	DN87-AA, -DA, -DE	PHOTOCOMP CONT; H960-CA, LPD11-AA, TYPSET SFTWR, 115V60	
DN87-PB	FP	PD		DAS	3	8/75 E	DN87-AB, -DB, -DF	PHOTOCOMP CONT; H960-CB, LPD11-AB, TYPSET SFTWR, 230V50	
DN87-PC	FP	PD		DAS	3	8/75 E	DN87-PA	DN87-AA W NO H960-CA CAB, 115V 60HZ	
DN87-PD	FP	PD		DAS	3	8/75 E	DN87-PB	DN87-AB W NO H960-CB CAB, 230V 50HZ	
DNC02-FA					6	1/73 D	-	SINGLE 2 AXIS CONT FOR FUJITSU EHPM, 115V 60 HZ	
DNC02-SA					6	1/73 D	-	SINGLE 2 AXIS CONT FOR SLO SYN, 115V 60 HZ	
DNC03-FA					6	1/73 D	-	SINGLE 3 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ	
DNC03-SA					6	1/73 D	-	SINGLE 3 AXIS CONT FOR SLO SYN, 115V 60 HZ	
DNC22-FA					6	1/73 D	-	TWO 2 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ	
DNC22-SA					6	1/73 D	-	TWO 2 AXIS CONT FOR SLO SYN, 115V 60HZ	
DNC33-FA					6	1/73 D	-	TWO 3 AXIS CONT FOR FUJITSU EHPM, 115V 60HZ	
DNC33-SA					6	1/73 D	-	TWO 3 AXIS CONT FOR SLO SYN, 115V 60HZ	
DQC-16	RBR				3	9/72 B	16	MAINTENANCE MANUAL & DRAWING SET	
DQC16-A	RBR				3	3/74 B	16/M	MAINTENANCE MANUAL & DRAWING SET	
DP01-AA	MI				5	D	88/S, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 201	
DP01-AB	JJL			CSS	3	D	8, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 301	
DP01-AC	JJL			CSS	3	D	8, 8/I NEG	BIT SYNC MODEM INTERFACE BELL 303	
DP01-BB	JJL			CSS	3	D	9	BIT SYNC MODEM INTERFACE BELL 301	
DP01-BC	JJL			CSS	3	D	9	BIT SYNC MODEM INTERFACE BELL 303	
DP01-BD				SSUK	2	D	9, 9/L	BIT SYNC MODEM INTERFACE IBM 3977	
DP01-BH	JJL			CSS	3	3/72 D	9, 9/L	BIT SYNC MODEM INTERFACE BELL 201 ON DCH	
DP01-BJ	JJL			CSS	3	7/71 D	9, 9/L	BIT SYNC MODEM INTERFACE BELL 301 ON DCH	
DP01-BK	JJL			CSS	3	3/72 D	9, 9/L	BIT SYNC MODEM INTERFACE BELL 303 ON DCH	
DP01-CA	JJL			CSS	6	D	10	SEE DS10-A	
DP01-DB	JJL			CSS	6	D	7	BIT SYNC MODEM INTERFACE BELL 301	
DP01-DC	JJL			CSS	6	D	7	BIT SYNC MODEM INTERFACE BELL 303	
DP01-E	MI				5	D	DP01-AA THRU DC	MODULE SET FOR XOR BUF	
DP02-A	JJL			CSS	3	D	8	AUTO DIAL MUX SPACE FOR 4 CHANNELS	
DP03	JJL			CSS	3	D	DP02-A	MODULE SET FOR 1 CHANNEL IN DP02	
DP04-CA				SSUK	3	D	480/I	8 GPO LINE FILTER PANEL	
DP05-AA				CSS	6	2/75 D	8 PQS	BIT SYNC MODEM INTERFACE BELL 201	
DP09-A	DB				3	D	9	BIT SYNC MODEM INTERFACE BELL 201	
DP11-AA	VB	RL			5	3/72 D	11	DOUBLE BUF SYNC LINE CONT, WITH 1 CH, NO CLOCK	
DP11-CA	VB	RL			5	2/72 D	DP11-AA	EXPANDER TO 12 BITS MODULE	
DP11-DA	VB	RL			5	2/72 D	11	DP11-AA + DF11-A + BC01R-25 FOR 201 MODEM	
DP11-DC	VB	RL			5	2/72 D	DP11-AA	DP11-AA + DF11-A + BC01U-25 FOR 303 MODEM	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	42
DP11=KA	VB	RL			5 2/72	D	DP11-AA	CLOCK; FREQUENCY CUSTOMER SPECIFIED	
DP12=A	SNT	RI			5 3/71	D	12	TTY INTERFACE MODULE SET	
DP12=B	SNT	RI			5 3/71	D	12	BIT SYNC MODEM INTERFACE EIA XTAL	
DP15=A		PR		SSMU	5 9/72	D	15	SYNCHRONOUS MODEM INTERFACE	
DP8=EA	JC	RBR			5 7/74	D	8/E	BIT SYNC MODEM INTERFACE BELL 201 (M839, M866, BC89C-25)	
DP8=EB	JC	RBR			5 7/74	D	8/E	BIT SYNC MODEM INTERFACE BELL 301/303 (M839, M866, BC81W-25)	
DQ11-AA	VB	RL			5 7/74	D	11	DBL BUF SYNC LINE CONT, DMA, UP TO 16 BITS/CHAR	
DQ11-AB	VB	RL			5 7/74	D	DQ11-AA	BCC (BLOCK CHECK CHAR, LRC OR CRC) UP TO 16 BITS	
DQ11-BA	VB	RL			5 7/74	D	DQ11-AA	MODEM CONTROL (M7815)	
DQ11-BB	VB	RL			5 9/74	D	DQ11-AB	CHAR RECOGNITION & SEQUENCE CONTROL	
DQ11-DA	VB	RL			5 7/74	D	11	DQ11-AA + DQ11-BA + DF11-A (EIA UP TO 10 KB)	
DQ11-DD	VB	RL			2 11/74	D	11	DQ11-AA + DQ11-BA + DQ11-AB + DF11-A (EIA TO 10 KB)	
DQ11-DE	VB	RL			2 11/74	D	11	DQ11-AA + DQ11-BA + DQ11-AB + DQ11-BB + DF11-A (EIA)	
DQ11-EA	VB	RL			5 7/74	D	11	DQ11-AA + DQ11-BA + DF11-G (BELL 301/303 TO 250 KB)	
DQ11-ED	VB	RL			2 11/74	D	11	DQ11-AA + DQ11-BA + DQ11-AB + DF11-G (301/303)	
DQ11-EE	VB	RL			2 11/74	D	11	DQ11-AA + DQ11-BA + DQ11-AB + DQ11-BB + DF11-G (301/303)	
DQ11-KA	VB	RL			5 7/74	D	DQ11-AA	CRYSTAL CLOCK (M405)	
DQS11-A	JEH	JTN		CSS	6 8/74	D	11	DBL BUF RISYNC ARG'I CONT, HALF DUPLEX, SYNC LINE CONT, DMA	
DQS11-AA	FA	SPRY		CSS	3 9/74	D	11	DQS11-A W EIA INTERFACE	
DQS11-AB	FA	SPRY		CSS	3 9/74	D	11	DQS11-A W 301/303 INTERFACE	
DQS11-B	JEH	JTN		CSS	6 8/74	D	11	DBL BUF RISYNC ENCODIC CONT, HALF DUPLEX SYNC LINE CONT, DMA	
DQS11-BA	FA	SPRY		CSS	3 9/74	D	11	DQS11-B W EIA INTERFACE	
DQS11-BB	FA	SPRY		CSS	3 9/74	D	11	DQS11-B W 301/303 INTERFACE	
DQS11-C	JEH	SPRY		CSS	3 8/72	D	11	DBL BUF FULL DUPLEX SYNC LINE CONT, DMA	
DQS11-D	MH	PC		SSUK	3 1/73	D	11	DUAL SERIAL SYNCHRONOUS DMA LINE INTERFACE	
DQS11-E	MH	PC		SSUK	3 4/74	D	11	DUAL SYNCHRONOUS LINE INTERFACE W ANSI HDLC PROTOCOL	
DQS11-F	FA	KB		SSCAL	6 12/75	D	11	DQS11-D W MODS FOR NAVY (WIRE WRAPPED BOARDS, REPLACED BY DQS11-H)	
DQS11-H	FA	KB		SSCAL	3 11/75	D	11	DQS11-D W MODIFICATIONS FOR NAVY (PC BOARDS - REPLACES DQS11-F)	
DQS11-LA	RJN	TH		CSS	2 11/75	D	DQ11-DA	ORING LOGIC FOR 3 PAIR OF DQ11-DA, MIL188C OUTPUT	
DR07=NA	JEH	MS		CSS	3 11/72	D	8 NEG	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 115V	
DR07=NB	JEH	MS		CSS	3 11/72	D	8 NEG	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 230V	
DR07=PA	JEH	MS		CSS	3 11/72	D	8 POS	CONT W 6 SPDP 100VA RELAYS, SP FOR 30 MORE, 115V	
DR07=PB	JEH	MS		CSS	3 11/72	D	8 POS	CONT W 6 SPDT 100VA RELAYS, SP FOR 30 MORE, 230V	
DR07=R	JEH	MS		CSS	3 11/72	D	DR07-NA -NB -PA -PB	6 SPDT 100VA RELAYS FOR DR07-N, -P EXPANSION (M868)	
DR09=A		MI			5	D	9	10 BIT RELAY BUFFER	
DR11=A	RT	LC			5 2/72	D	DD11, KA11	PROGRAMMED DEVICE INTERFACE	
DR11=B	RT	LC			5 2/72	D	DD11	DIR MEM ACCESS DEVICE INTERFACE	
DR11=BD	BE	HAY		SSCAL	3 11/75	D	DD11	DIR MEM ACCESS INTERFACE W DIFFERENTIAL SIGNALS (M5947)	
DR11=C	RT	LC			4 3/72	D	DD11	PROGRAMMED DEVICE INTERFACE (M7868)	
DR11=F	BD	RLP			4 1/72	D	DR11-A	INPUT/OUTPUT PANEL FOR H945 IN LAB-11	
DR11=K	AW	RI			3 1/75	D	DD11	GENERAL PURPOSE DIGITAL I/O INTERFACE	
DR11=KT	AW	RI			3 1/75	D	DD11	DR11-K, 2 BC88R-8, H322, KIT	
DR11=L	RJM	RF			3 8/75	D	DD11	2=WORD INPUT (M7864, H8613)	
DR11=M	RJM	RF			3 8/75	D	DD11	2=WORD OUTPUT (M7865, H8613)	
DR12	SNT	RI			5	D	12	6 BIT RELAY BUFFER	
DR12=X	SNT	RI			5 3/71	D	12, 8 POS	6 BIT RELAY BUFFER W SPACE FOR 6 MORE BITS	
DR12=XM	SNT	RI			5 3/71	D	DR12-X	6 ADDITIONAL BITS FOR DR12=X	
DR15=B	EAV	AJB			3 8/75	D	15	SINGLE CYCLE DATA CHANNEL INTERFACE	
DR15=C	BD	BC			5 5/73	D	15 I/O BUS, DR11-C, UNIBUS	PDP15 CONT FOR PDP11 PROC & PERIPHERALS	
DR15=D		DPS		SSCAL	3 12/73	D	15 I/O BUS, DR11-C, UNIBUS	DR15-C W AUTO RESTART	
DR8=EA	SNT	AW			5 2/72	D	8/E	12 BIT BUFFERED DIGITAL I/O (M863)	
DR8=EB	SNT	AW			5 2/72	D	DR8=EA	PATCH PANEL FOR USE IN H945	
DR8=EC	SNT	AW			5 2/72	D	8/E (LAB 8/E)	DR8=EA + DR8=EB	
DR8=ED	RJM	LAU			3 8/75	D	8/E	2=WORD INPUT (M8363, H8613)	
DR80		DEG			=	D	8 FAMILY	DIGITAL OUTPUT SUBSYSTEM	
DR80=CN		DEG		IPG	6 10/72	D	8 NEG	CONT: LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 72 OUTPUTS	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	63
DR80=CP		DEG		IPG	6 10/72	D	8 POS	CONTI LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 72 OUTPUTS	
DR80=CX		DEG		IPG	6 10/72	D	DR80=CN, DR80=CP	CONTROL EXPANDER, SPACE FOR 84 OUTPUTS	
DR80=FF		DEG		IPG	6 10/72	D	DR80=CN, =CP, =CX	12 LEVEL OUTPUTS, 55V & 250 MA MAX	
DR80=MR		DEG		IPG	6 10/72	D	DR80=CN, DR80=CP, DR80=CX	12 MOMENTARY CONTACT OUTPUTS, 100VA MAX	
DR80=SR		DEG		IPG	3	D	DR80=CN, DR80=CP, DR80=CX	12 SUSTAINED CONTACT OUTPUTS, 100VA MAX	
DR80=SS		DEG		IPG	3	D	DR80=CN, DR80=CP, DR80=CX	12 SINGLE SHOT OUTPUTS, 55V & 250MA MAX	
DR90		DEG		IPG	6 10/72	D	9, 15	DIGITAL OUTPUT SUBSYSTEM	
DR90=CN		DEG		IPG	6 10/72	D	9	CONTI LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 54 CH	
DR90=CP		DEG		IPG	6 10/72	D	15	CONTI LEVEL, PULSE OR RELAY OUTPUTS, SPACE FOR 54 CH	
DR90=CX		DEG		IPG	6 10/72	D	DR90=CN, =CP	CONTROL EXPANDER, SPACE FOR 90 CH	
DR90=FF		DEG		IPG	6 10/72	D	DR90=CN, =CP, =CX	18 LEVEL OUTPUTS, 55V & 250 MA MAX	
DR90=MR		DEG		IPG	6 10/72	D	DR90=CN, =CP, =CX	18 MOMENTARY CONTACT OUTPUTS, 100VA MAX	
DR90=SR		DEG		IPG	6 10/72	D	DR90=CN, =CP, =CX	18 SUSTAINED CONTACT OUTPUTS, 100VA MAX	
DR90=SS		DEG		IPG	6 10/72	D	DR90=CN, =CP, =CX	18 SINGLE SHOT OUTPUTS, 55V & 250 MA MAX	
DRHCD=AA	BE	BLE		SSCAL	2 4/74	D	MASSBUS	DUAL PORT INTERFACE TO CDC 6000, CYBER 72, 73, 74, 115V	
DRHCD=AB	BE	BLE		SSCAL	2 4/74	D	MASSBUS	DUAL PORT INTERFACE TO CDC 6000, CYBER 72, 73, 74, 230V	
DRHCS=AA	BE	BLE		SSCAL	2 7/74	D	MASSBUS	DUAL PORT CDC6000 CHANNEL SIMULATOR, 115V	
DRHCS=AB	BE	BLE		SSCAL	2 7/74	D	MASSBUS	DUAL PORT CDC6000 CHANNEL SIMULATOR, 230V	
DRR11=A		KH			3 1/72	D	DRR11=A, KAR11	RUGGED DR11-A	
DRR11=B		KH			2 4/71	D	11R20	RUGGED DR11-B	
DRS11=A	DTF	CH		CSS	3 8/75	D	11	48 CHANNEL OUTPUT MODULE, TTL	
DRS11=B	DTF	CH		CSS	3 8/75	D	11	48 CHANNEL OUTPUT MODULE, OPEN COLLECTOR OUTPUT	
DRS11-XA	DTF	CH		CSS	3 8/75	D	DRS11=A, =B	48 OPTICALLY ISOLATED DC DRIVERS, 100MA 50V	
DRS8=EA	JFH	GO		SSUK	3 5/73	D	8/E	48 CHANNEL OUTPUT MODULE	
DRV11	MT	CYR			3 10/75	D	11/03	16 BIT PARALLEL LINE UNIT, M7941	
DRV11=B	RJM	RF			2 10/75	D	11/03	DIR MEM ACCESS 16-BIT PARALLEL GEN PURPOSE INTERFACE (M7950)	
DS03=C		RW		CSS	3	D	10	CONTACT SCANNER (CIU=10)	
DS04=A		RW		CSS	6	D	8, 8/S, 8/I	PULSE INPUT DETECTOR (PID=8)	
DS04=B		RW		CSS	6	D	9	PULSE INPUT DETECTOR (PID=9)	
DS10=A		KU			4	D	10	SYNC MODEM INTERFACE BELL 201 OR 205 (WAS DP01-CA) CAB, 60HZ	
DS10=B		KU			4	D	10	50 HZ DS10=A	
DS10=C		KU			4	D	10	60 HZ DS10=A WITH NO CAB	
DS10=D		KU			4	D	10	50 HZ DS10=A WITH NO CAB	
DS11		KU			2	D	11	16 LINE MULTIPLEXED SYNCHRONOUS LINE UNIT SERIES NAME	
DS11=A		KU			2 8/71	D	DS11	POP10 STYLE CAB & PS W DS11 16CH CONTROL	
DS11=BA		KU			2 8/71	D	DS11-A	ONE LINE MODULE SET FOR 201 MODEM (M7110+BC01R-25)	
DS11=BB		KU			2 8/71	D	DS11-A	ONE LINE MODULE SET FOR 303 MODEM (M7110+BC01U-25)	
DS310=AA	BPF				3 11/75	E	-	CL0=CE, QF310=AY COS310, 115V 60HZ	
DS310=AB	BPF				3 11/75	E	-	CL0=CJ, QF310=AY COS310, 230V 50HZ	
DS310=AC	BPF				6 11/75	E	-	OEM DS310-AA, 115V 60HZ	
DS310=AD	BPF				6 11/75	E	-	OEM DS310-AB, 230V 50HZ	
DS310=BA	BPF				3 11/75	E	-	CL0=CE, QF310=0E COS310 LICENSE ONLY, 115V 60HZ	
DS310=BB	BPF				3 11/75	E	-	CL0=CJ, QF310=0E COS310 LICENSE ONLY, 230V 50HZ	
DS310=BC	BPF				6 11/75	E	-	OEM DS310-BA, 115V 60HZ	
DS310=BD	BPF				6 11/75	E	-	OEM DS310-BB, 230V 50HZ	
DS310=CA	BPF				3 11/75	E	-	CL0=HE, QF310=AY COS310, 115V 60HZ	
DS310=CB	BPF				3 11/75	E	-	CL0=HJ, QF310=AY COS310, 230V 50HZ	
DS310=CC	BPF				6 11/75	E	-	OEM DS310-CA, 115V 60HZ	
DS310=CD	BPF				6 11/75	E	-	OEM DS310-CB, 230V 50HZ	
DS310=DA	BPF				3 11/75	E	-	CL0=HE, QF310=0E COS310 LICENSE ONLY, 115V 60HZ	
DS310=DB	BPF				3 11/75	E	-	CL0=HJ, QF310=0E COS310 LICENSE ONLY, 230V 50HZ	
DS310=DC	BPF				6 11/75	E	-	OEM DS310-DA, 115V 60HZ	
DS310=DD	BPF				6 11/75	E	-	OEM DS310-DB, 230V 50HZ	
DS310=EA	BPF				3 11/75	E	-	CL0=LE, VT52-AA, QF310=AY COS310, 115V 60HZ	
DS310=EB	BPF				3 11/75	E	-	CL0=LJ, VT52-AB, QF310=AY COS310, 230V 50HZ	
DS310=FA	BPF				3 11/75	E	-	CL0=LE, VT52-AA, QF310=AY COS310, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE-MO/YR	CATEGORY	USED ON	DESCRIPTION
DS310-FB		BPF			3	11/75	E	-	CL8-LJ, VT52-AB, QF310-AY COS310, 230V 50HZ
DS310-HA		BPF			3	11/75	E	-	CL8-ME, VT52-AA, QF310-AY COS310, 115V 60HZ
DS310-HB		BPF			3	11/75	E	-	CL8-MJ, VT52-AB, QF310-AY COS310, 230V 50HZ
DS310-JA		BPF			3	11/75	E	-	CL8-ME, VT52-AA, QF310-AY COS310, 115V 60HZ
DS310-JB		BPF			3	11/75	E	-	CL8-MJ, VT52-AB, QF310-AY COS310, 230V 50HZ
DS32		GS			6	2/71	R	DF32	SLAVE DISK, 32K 12 BITS + PARITY, 60 HZ
DS320-AA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT05B-AA, LS8-FA, QF300-B, 115V60HZ
DS320-AB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT05B-AD, LS8-EB, QF300-B, 230V50HZ
DS320-BA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PA, LS8-EA, QF300-B, 115V60HZ
DS320-BB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PD, LS8-EA, QF300-B, 230V 50HZ
DS320-CA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT05B-AA, LE8-JA, QF300-B, 115V 60HZ
DS320-CB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, VT05B-AD, LE8-JB, QF300-B, 230V 50HZ
DS320-DB		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PA, LE8-JA, QF300-B, 115V 60HZ
DS320-UA		BALL			6	1/75	E	-	8K 8/E, T08-EM, T08-ER, LA30-PD, LE8-JB, QF300-B, 230V 50HZ
DS320-UB		BALL			6	1/75	E	-	UPGRADES DS320-AA TO DS330-AA
DS320-VA		BALL			6	1/75	E	-	UPGRADES DS320-AB TO DS330-AB
DS320-VB		BALL			6	1/75	E	-	UPGRADES DS320-AA TO DS340-AA
DS320-VB		BALL			6	1/75	E	-	UPGRADES DS320-AB TO DS340-AB
DS32-A		GS			6	2/71	R	DF32-A	50 HZ DS32
DS32-B		GS			6	2/71	R	DF32, DF32-B	19-INCH DS32
DS32-C		GS			6	2/71	R	DF32-A, DF32-C	19-INCH DS32-A
DS32-D		JK			5	6/71	R	DF32-DN, DF32-DP	32K 12 BIT + PARITY DEC DISK, 60HZ
DS32-E		JK			5	6/71	R	DF32-EN, DF32-EP	32K 12 BIT + PARITY DEC DISK, 50HZ
DS32-F		MI	JDL		6	2/71	R	NONE	OEM DF32-D
DS32-H		MI	JDL		6	2/71	R	NONE	OEM DF32-E
DS330-AA		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT05B-AA, LS8-EA, QF300-B, 115V 60HZ
DS330-AB		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT05B-AD, LS8-EB, QF300-B, 230V 50HZ
DS330-BA		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, LA30-PA, LS8-EA, QF300-B, 115V 60HZ
DS330-BB		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-ED, LA30-PD, LS8-EB, QF300-B, 230V 50HZ
DS330-CA		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, VT05B-AA, LE8-JA, QF300-B, 115V 60HZ
DS330-CB		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-ED, VT05B-AD, LE8-JB, QF300-B, 230V 50HZ
DS330-DA		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-EA, LA30-PA, LE8-JA, QF300-B, 115V 60HZ
DS330-DB		BPF			6	1/75	E	-	8K 8/E, T08-EM, RK8-ED, LA30-PD, LE8-JB, QF300-B, 230V 50HZ
DS330-UA		BPF			6	1/75	E	-	UPGRADES DS330-AA TO DS340-AA
DS330-UB		BPF			6	1/75	E	-	UPGRADES DS330-AB TO DS340-AB
DS340-AA		BPF			6	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LS8-EA, QF300-B, 115V 60HZ
DS340-AB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LS8-EB, QF300-B, 230V 50HZ
DS340-BA		BPF			6	1/75	E	-	8K 8/E, RK8-FA, RK05-AA, LA30-PA, LS8-EA, QF300-B, 115V 60HZ
DS340-BB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LS8-EB, QF300-B, 230V 50HZ
DS340-CA		BPF			6	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LE8-JA, QF300-B, 115V 60HZ
DS340-CB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LE8-JB, QF300-B, 230V 50HZ
DS340-DA		BPF			6	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, LA30-PA, LE8-JA, QF300-B, 115V 60HZ
DS340-DB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LE8-JB, QF300-B, 230V 50HZ
DS340-EA		BPF			6	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, LE8-VA, QF300-B, 115V 60HZ
DS340-EB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, LE8-VD, QF300-B, 230V 50HZ
DS340-FA		BPF			6	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, LA30-PA, LE8-VA, QF300-B, 115V 60HZ
DS340-FB		BPF			6	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, LA30-PD, LE8-VD, QF300-B, 230V 50HZ
DS340-HA		BPF			3	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, VT05B-AA, QF300-B, 115V 60HZ
DS340-HB		BPF			3	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, VT05B-AD, QF300-B, 230V 50HZ
DS340-HC		BPF			3	1/75	E	-	OEM DS340-HA, 115V 60HZ
DS340-HD		BPF			3	1/75	E	-	OEM DS340-HB, 230V 50HZ
DS340-JA		BPF			3	1/75	E	-	8K 8/E, RK8-EA, RK05-AA, LA36-CA, QF300-B, 115V 60HZ
DS340-JB		BPF			3	1/75	E	-	8K 8/E, RK8-ED, RK05-BB, LA36-CB, QF300-B, 230V 50HZ
DS340-JC		BPF			3	1/75	E	-	OEM DS340-JA, 115V 60HZ
DS340-JD		BPF			3	1/75	E	-	OEM DS340-JB, 230V 50HZ
DS340-KA		BPF			3	1/75	E	-	16K 8/E, RK8-EA, RK05-AA, VT05B-AA, QF300-B, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION
DS340=KB		BPF			3	1/75 E	-	16K 8/E, RK8=ED, RK85=BB, VT85B=AD, QF380=8, 230V 50HZ
DS340=KC		BPF			3	1/75 E	-	OEM DS340=KA, 115V 60HZ
DS340=KD		BPF			3	1/75 E	-	OEM DS340=KB, 230V 50HZ
DS340=LA		BPF			3	1/75 E	-	16K 8/E, RK8=EA, RK85=AA, LA36=CA, QF380=8, 115V 60HZ
DS340=LB		BPF			3	1/75 E	-	16K 8/E, RK8=ED, RK85=BB, LA36=CB, QF380=8, 230V 50HZ
DS340=LC		BPF			3	1/75 E	-	OEM DS340=LA, 115V 60HZ
DS340=LD		BPF			3	1/75 E	-	OEM DS340=LB, 230V 50HZ
DS352=AA		BPF			3	8/75 E	-	11/10, RX11=AA, SS, 120V 60HZ
DS352=AB		BPF			3	8/75 E	-	11/10, RX11=AD, SS, 240V 50HZ
DS352=AC		BPF			3	8/75 E	-	OEM DS352=AA, 120V 60HZ
DS352=AD		BPF			3	8/75 E	-	OEM DS352=AB, 240V 50HZ
DS352=BA		BPF			3	11/75 E	-	11/10, RX11=AA, 120V 60HZ
DS352=BB		BPF			3	11/75 E	-	11/10, RX11=AD, 240V 50HZ
DS352=BC		BPF			3	11/75 E	-	OEM DS352=BA, 120V 60HZ
DS352=BD		BPF			3	11/75 E	-	OEM DS352=BB, 240V 50HZ
DS354=AA		BPF			3	8/75 E	-	11/10, RK11=D, RK85=AA, SS, 120V 60HZ
DS354=AB		BPF			3	8/75 E	-	11/10, RK11=D, RK85=BB, SS, 240V 50HZ
DS354=AC		BPF			3	8/75 E	-	OEM DS354=AA, 120V 60HZ
DS354=AD		BPF			3	8/75 E	-	OEM DS354=AB, 240V 50HZ
DS354=BA		BPF			3	8/75 E	-	11/10, RK11=D, RK85=AA, 120V 60HZ
DS354=BB		BPF			3	8/75 E	-	11/10, RK11=D, RK85=BB, 240V 50HZ
DS354=BC		BPF			3	8/75 E	-	OEM DS354=BA, 120V 60HZ
DS354=BD		BPF			3	8/75 E	-	OEM DS354=BB, 240V 50HZ
DS354=CA		BPF			3	8/75 E	-	11/40, RK11=D, RK85=AA, SS, 120V 60HZ
DS354=CB		BPF			3	8/75 E	-	11/40, RK11=D, RK85=BB, SS, 240V 50HZ
DS354=CC		BPF			3	8/75 E	-	OEM DS354=CA, 120V 60HZ
DS354=CD		BPF			3	8/75 E	-	OEM DS354=CB, 240V 50HZ
DS354=HA		BPF			3	8/75 E	-	11/40, RK11=D, RK85=AA, 120V 60HZ
DS354=HB		BPF			3	8/75 E	-	11/40, RK11=D, RK85=BB, 240V 50HZ
DS354=HC		BPF			3	8/75 E	-	OEM DS354=HA, 120V 60HZ
DS354=HD		BPF			3	8/75 E	-	OEM DS354=HB, 240V 50HZ
DS356=AA		BPF			3	8/75 E	-	11/10, RP11=EA, RPR82=AM, SS, 120V 60HZ
DS356=AB		BPF			3	8/75 E	-	11/10, RP11=EB, RPR82=BM, SS, 240V 50HZ
DS356=AC		BPF			3	8/75 E	-	OEM DS356=AA, 120V 60HZ
DS356=AD		BPF			3	8/75 E	-	OEM DS356=AB, 240V 50HZ
DS356=BA		BPF			3	8/75 E	-	11/10, RP11=EA, RPR82=AM, 120V 60HZ
DS356=BB		BPF			3	8/75 E	-	11/10, RP11=EB, RPR82=BM, 240V 50HZ
DS356=BC		BPF			3	8/75 E	-	OEM DS356=BA, 120V 60HZ
DS356=BD		BPF			3	8/75 E	-	OEM DS356=BB, 240V 50HZ
DS356=CA		BPF			3	8/75 E	-	11/40, RP11=EA, RPR82=AM, SS, 120V 60HZ
DS356=CB		BPF			3	8/75 E	-	11/40, RP11=EB, RPR82=BM, SS, 240V 50HZ
DS356=CC		BPF			3	8/75 E	-	OEM DS356=CA, 120V 60HZ
DS356=CD		BPF			3	8/75 E	-	OEM DS356=CB, 240V 50HZ
DS356=HA		BPF			3	8/75 E	-	11/40, RP11=EA, RPR82=AM, 120V 60HZ
DS356=HB		BPF			3	8/75 E	-	11/40, RP11=EB, RPR82=BM, 240V 50HZ
DS356=HC		BPF			3	8/75 E	-	OEM DS356=HA, 120V 60HZ
DS356=HD		BPF			3	8/75 E	-	OEM DS356=HB, 240V 50HZ
DS3CA=AA		BPF			3	6/74 D	DS340	OP8=EA, OK8=EA, KG8=EA
DS3CB=AA		BPF			6	9/75 D	DS310	OP8=EA, KG8=EA
DC3CB=AE		BPF			3	9/75 D	DS3XX	OP8=EA, KGI=EA, QF311=AE COS 310/2700
DC3CB=AY		BPF			3	9/75 D	DS3XX	OP8=EA, KG8=EA, QF311=AY COS 310/2700
DC3CB=DE		BPF			3	9/75 D	DS3XX	OP8=EA, KG8=EA, QF311=DE COS 310/2700
DS3D1=AA		BPF			3	10/73 V	DS340	VT85B=AA, KL8=JA, BC85M=1F, QF380=DE, 115V 60HZ
DS3D1=AB		BPF			3	10/73 V	DS340	VT85B=AD, KL8=JA, BC85M=1F, QF380=DE, 230V 50HZ
DS3D2=AA		BPF			3	10/73 V	DS340	VT85B=AA, KL8=JA, BC85M=1F, 115V 60HZ
DS3D2=AB		BPF			3	10/73 V	DS340	VT85B=AD, KL8=JA, BC85M=1F, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	DATE-GORY	USED ON	DESCRIPTION
DS3D3-AA		BPF			6	1/75 D	DS340	LA30-CA, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 115V, 60HZ
DS3D3-AB		BPF			6	1/75 D	DS340	LA30-CD, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 230V, 50HZ
DS3D3-BA		BPF			3	1/75 D	DS340	LA36-CA, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 115V 60HZ
DS3D3-BB		BPF			3	1/75 D	DS340	LA36-CB, KL8-JA, COS 300 MULTI-TERMINAL SOFTWARE, 230V 50HZ
DS3D4-AA		BPF			6	1/75 D	DS340	LA30-CD, KL8-JA, 115V, 60HZ
DS3D4-AB		BPF			6	1/75 D	DS340	LA30-CD, KL8-JA, 230V, 50HZ
DS3D4-BA		BPF			3	1/75 D	DS340	LA36-CA, KL8-JA, 115V 60HZ
DS3D4-BB		BPF			3	1/75 D	DS340	LA36-CB, KL8-JA, 230V 50HZ
DS3D5-AA		BPF			6	11/75 D	DS3XX, DS3XX	LA35-CA, KL8-JA, BC05M-1F, 115V
DS3D5-AB		BPF			6	11/75 D	DS3XX, DS3XX	LA35-CB, KL8-JA, BC05M-1F, 230V
DS3D5-BA		BPF			3	12/75 L	ASYNC	ASCII UP TO 300 BAUD LA35-CE, KL8-JA, BC05M-1F, 115V 60HZ
DS3D5-BB		BPF			3	12/75 L	ASYNC	ASCII UP TO 300 BAUD LA35-CJ, KL8-JA, BC05M-1F, 230V 50HZ
DS3D6-AA		BPF			3	12/75 L	ASYNC	ASCII UP TO 300 BAUD LA35-CE, DL11-A, 115V 60HZ
DS3D6-AB		BPF			3	12/75 L	ASYNC	ASCII UP TO 300 BAUD LA35-CJ, DL11-A, 230V 50HZ
DS3M-AA		BPF			3	8/75 L	DS350	PROD ADDON EXPANDS 350 TO 40KBYTES, 120V 60HZ
DS3M-AB		BPF			3	8/75 L	DS350	PROD ADDON EXPANDS 350 TO 40KBYTES, 240V 50HZ
DS3RK-EA		BPF			3	8/75 R	DS310	RK8-E, RK05-AA, H967-HK, 120V 60HZ
DS3RK-ED		BPF			3	8/75 R	DS310	RK8-E, RK05-BB, H967-HL, 240V 50HZ
DS3RX-BA		BPF			3	6/75 D	DS300	RX8-BA W DS300 BEZEL, 115V 60HZ
DS3RX-BD		BPF			3	6/75 D	DS300	RX8-BD W DS300 BEZEL, 230V 50HZ
DS3TH-EA		BPF			3	3/74 D	DS340	TM8-EA 9TR MAGTAPE W SOFTWARE, 115V 60HZ
DS3TH-ED		BPF			3	3/74 T	DS340	TM8-ED 9TR MAGTAPE W SOFTWARE, 230V 50HZ
DS500-AA		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/40 CAB, 120V
DS500-AB		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/40 CAB, 240V
DS500-BA		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/45 CAB, 120V
DS500-BB		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/45 CAB, 240V
DS500-CA		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/50 CAB, 120V
DS500-CB		BPF			3	8/75 B	DS5XX	BUSINESS PRODUCTS BASIC 11/50 CAB, 240V
DS500-VT		BPF			6	1/75 V		EXCHANGE VT050-A FOR LA30-C
DS520-AA		BPF			6	1/75 E		11/15-AA, KY11-C, KP11-A, KF11-A, KW11-L, DD11-A, ME11-LA, MM11-L, M792-YF, DL11-C, CR11, LS11-A, VT050-AA, RK11, RK05-AA, H968, H967, QJ520-AE
DS520-AB		BPF			6	1/75 E		11/15-AB, KY11-C, KP11-A, KF11-A, KW11-L, DD11-A, ME11-LA, MM11-L, M792-YF, DL11-C, CR11-A, LS11-B, VT050-AD, RK11, RK05-BB, H968 H967 QJ520-AE
DS530-AA		BPF			6	1/75 E		11/40 SYSTEM WITH MF11-UP, BM073, LA30, 115V 60HZ
DS530-AB		BPF			6	1/75 E		11/40 SYSTEM WITH MF11-UP, BM073, LA30, 230V 50HZ
DS530-BA		BPF			3	9/74 E		SAME AS DS530-AA BUT WITH LA36, 115V 60HZ
DS530-BB		BPF			3	9/74 E		SAME AS DS530-AB BUT WITH LA36, 230V 50HZ
DS530-CA		BPF			3	1/75 E		11/40 SYSTEM W 56K BYTE MEM, LA30-CA, 115V 60HZ
DS530-CB		BPF			3	1/75 E		11/40 SYSTEM W 56K BYTE MEM, LA36-CB, 230V 50HZ
DS530-CC		BPF			3	1/75 E		OEM DS530-CA, 115V 60HZ
DS530-CD		BPF			3	1/75 E		OEM DS530-CB, 230V 50HZ
DS535-AA		BPF			6	10/74 E		11/40 W DS5MF-UP, KW11-L, KT11-D, KE11-E, RK11-D, 2 RK05-AA, 2 DD11, 4 DL11-A, LA30-CA, QR430-AE, 115V 60HZ
DS535-AB		BPF			6	10/74 E		DS535-AA EXCEPT RK05-BB, LA30-CD, 230V 50HZ
DS535-BA		BPF			6	10/74 E		DS535-AA EXCEPT QR430-CE (115V 60HZ)
DS535-BB		BPF			6	10/74 E		DS535-AA EXCEPT RK05-BB, LA30-CD, QR430-CE, 230V 50HZ
DS535-CA		BPF			6	1/75 E		SAME AS DS535-AA BUT WITH LA36, 115V 60HZ
DS535-CB		BPF			6	1/75 E		SAME AS DS535-AB BUT WITH LA36, 230V 50HZ
DS535-CC		BPF			6	8/75 E		OEM DS535-CA, 115V 60HZ
DS535-CD		BPF			6	8/75 E		OEM DS535-CB, 230V 50HZ
DS535-DA		BPF			6	1/75 E		SAME AS DS535-BA BUT WITH LA36, 115V 60HZ
DS535-DB		BPF			6	1/75 E		SAME AS DS535-BB BUT WITH LA36, 230V 50HZ
DS535-DC		BPF			6	8/75 E		OEM DS535-DA, 115V 60HZ
DS535-DD		BPF			6	8/75 E		OEM DS535-DB, 230V 50HZ
DS535-EA		BPF			3	8/75 E		DS530-CA + KT11-D, KE11-E, DS5RE, 120V 60HZ
DS535-EB		BPF			3	8/75 E		DS530-CB + KT11-D, KE11-E, DS5RE, 240V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
DS535-EC		RPF			3 8/75 E			OEM DS535-EA, 120V 60HZ
DS535-ED		RPF			3 8/75 E			OEM DS535-EB, 240V 50HZ
DS53X-XA		RPF			6 9/74 E			11/40-CS PLUS OPTIONS FOR DS500, 115V 60HZ
DS53X-XB		RPF			6 9/74 E			11/40-CT PLUS OPTIONS FOR DS500, 230V 50HZ
DS540-AA		RPF			6 10/74 E			11/40 SYSTEM WITH MEM MANAGE, MF11-UP, BM873, LA30, 115V 60HZ
DS540-AB		RPF			6 10/74 E			11/40 SYSTEM WITH MEM MANAGE, MF11-UP, BM873, LA30, 230V 50HZ
DS540-BA		RPF			6 1/75 E			SAME AS DS540-AA BUT WITH LA36, 115V 60HZ
DS540-BB		RPF			6 1/75 E			SAME AS DS540-AB BUT WITH LA36, 230V 50HZ
DS540-CA		RPF			3 1/75 E			11/40 SYSTEM W 64K BYTE MEM, LA36-CA, 115V 60HZ
DS540-CB		RPF			3 1/75 E			11/40 SYSTEM W 64K BYTE MEM, LA36-CB, 230V 50HZ
DS540-CC		RPF			3 1/75 E			OEM DS540-CA, 115V 60HZ
DS540-CD		RPF			3 1/75 E			OEM DS540-CB, 230V 50HZ
DS54X-XA		RPF			6 9/74 E			11/40-CS PLUS OPTIONS FOR DS500, 115V 60HZ
DS54X-XB		RPF			6 9/74 E			11/40-CT PLUS OPTIONS FOR DS500, 230V 50HZ
DS550-AA		RPF			6 10/74 E			11/45 SYSTEM WITH MF11-UP, BM873, LA30, 115V 60HZ
DS550-AB		RPF			6 10/74 E			11/45 SYSTEM WITH MF11-UP, BM873, LA30, 230V 50HZ
DS550-BA		RPF			6 1/75 E			SAME AS DS550-AA BUT WITH LA36, 115V 60HZ
DS550-BB		RPF			6 1/75 E			SAME AS DS550-AB BUT WITH LA36, 230V 50HZ
DS550-CA		RPF			3 1/75 E			11/45 SYSTEM W 64K BYTE MEM, LA36-CA, 115V 60HZ
DS550-CB		RPF			3 1/75 E			11/45 SYSTEM W 64K BYTE MEM, LA36-CB, 230V 50HZ
DS550-CC		RPF			3 1/75 E			OEM DS550-CA, 115V 60HZ
DS550-CD		RPF			3 1/75 E			OEM DS550-CB, 230V 50HZ
DS55X-XA		RPF			6 9/74 E			11/45-CS FOR DS500, 115V 60HZ
DS55X-XB		RPF			6 9/74 E			11/45-CT FOR DS500, 230V 50HZ
DS560-AA		RPF			6 10/74 E			11/50 SYSTEM WITH BM873, LA30, 115V 60HZ
DS560-AB		RPF			6 10/74 E			11/50 SYSTEM WITH BM873, LA30, 230V 50HZ
DS560-BA		RPF			6 1/75 E			SAME AS DS560-AA BUT WITH LA36, 115V 60HZ
DS560-BB		RPF			6 1/75 E			SAME AS DS560-AB BUT WITH LA36, 230V 50HZ
DS560-CA		RPF			3 1/75 E			11/50 SYSTEM W 32K BYTE MOS & 32K BYTE CORE MEM, LA36-CA, 115V 60HZ
DS560-CB		RPF			3 1/75 E			11/50 SYSTEM W 32K BYTE MOS & 32K BYTE CORE MEM, LA36-CB, 230V 50HZ
DS560-CC		RPF			3 1/75 E			OEM DS560-CA, 115V 60HZ
DS560-CD		RPF			3 1/75 E			OEM DS560-CB, 230V 50HZ
DS56X-XA		RPF			6 9/74 E			11/50-CS FOR DS500, 115V 60HZ
DS56X-XB		RPF			6 9/74 E			11/50-CT FOR DS500, 230V 50HZ
DS570-AA		RPF			3 2/75 E			11/70-DA (128K BYTE MEM, LA36-CA), 115V
DS570-AB		RPF			3 2/75 E			11/70-DB (128K BYTE MEM, LA36-CB), 230V
DS570-AC		RPF			3 2/75 E			OEM DS570-AA, 115V
DS570-AD		RPF			3 2/75 E			OEM DS570-AB, 230V
DS58A-AA		RPF			3 9/74 B	DS500		H967-DH + DS11-A, 115V
DS58A-AB		RPF			3 9/74 B	DS500		H967-DJ + DS11-A, 230V
DS5C1		RPF			3 11/73 D	DS5XX		COMM SUBSYSTEM TYPE 1
DS5C2-A		RPF			6 11/73 D	DS5XX		COMM SUBSYSTEM TYPE 2
DS5C3-AA		RPF			6 8/75 D	DS5XX		LINE UNIT FOR LOCAL LT33-C
DS5C3-AE		RPF			6 8/75 D	DS5XX		LINE UNIT FOR LOCAL LT33-C OR VT05B
DS5C3-AN		RPF			6 8/75 D	DS5XX		LINE UNIT FOR LOCAL 240 CHAR/SEC (2400 BAUD) VT05B
DS5C4-AA		RPF			6 8/75 D	DS5XX		LINE UNIT FOR MODEM, 110 BAUD 11 UNIT CODE
DS5C4-AO		RPF			6 8/75 D	DS5XX		LINE UNIT FOR MODEM, 150 BAUD 10 UNIT CODE
DS5C4-AE		RPF			6 8/75 D	DS5XX		LINE UNIT FOR LA30-E, VT05B VIA MODEM
DS5C4-AZ		RPF			3 11/73 D	DS5XX		LINE UNIT FOR VARIABLE FORMAT VIA MODEM
DS5C4-BA		RPF			3 6/75 D	DS5XX		EIA 112 BAUD LINE UNIT + CABLE
DS5C4-BC		RPF			3 6/75 D	DS5XX		EIA 134.9 BAUD LINE UNIT + CABLE
DS5C4-BE		RPF			3 6/75 D	DS5XX		EIA 300 BAUD LINE UNIT + CABLE
DS5C4-BF		RPF			3 6/75 D	DS5XX		EIA 1200 BAUD LINE UNIT + CABLE
DS5C4-BL		RPF			3 6/75 D	DS5XX		EIA 2400 BAUD LINE UNIT + CABLE
DS5C4-BN		RPF			3 6/75 D	DS5XX		EIA 2400/150 BAUD LINE UNIT + CABLE
DS5C4-BQ		RPF			3 6/75 D	DS5XX		EIA 9600 BAUD LINE UNIT + CABLE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DS5C5=AA		BPF			6	8/75 D	DS5XX	MODEM CONT W 4 LINES
DS5C5=AB		BPF			6	8/75 D	DS5XX	MODEM CONT W 8 LINES
DS5C5=AC		BPF			6	8/75 D	DS5XX	MODEM CONT W 12 LINES
DS5C5=AD		BPF			6	8/75 D	DS5XX	MODEM CONT W 61 LINES
DS5C5=AE		BPF			6	8/75 D	DS5XX	LINE ADAPTER, 4 LINES EIA, NO DATA SET CONT
DS5C5=AF		BPF			6	8/75 D	DS5XX	LINE ADAPTER, 4 LINES 28MA (FOR TTY, LA30, VT05)
DS5C5=AG		BPF			6	8/75 D	DS5XX	LINE ADAPTER, EIA CCITT W CONT, 4 LINES
DS5C5=AZ		BPF			6	8/75 D	DS5XX	DC11 LINE UNIT FOR VARIABLE FORMAT VIA MODEM
DS5C6=AA		BPF			6	8/75 D	DS5XX	COMMUNICATIONS TYPE 2, 60HZ
DS5C6=AB		BPF			6	8/75 D	DS5XX	COMMUNICATIONS TYPE 2, 50HZ
DS5C7=AA		BPF			6	8/75 D	DS5XX	16 LINE MUX EXPANDER, 60HZ
DS5C7=AB		BPF			6	8/75 D	DS5XX	16 LINE MUX EXPANDER, 50HZ
DS5C8=AD		BPF			3	6/75 D	DS5XX	COMM 2 16CH EIA PROG MUX W MODEM CONT (DH11=AD + CAB)
DS5C8=AE		BPF			3	6/75 D	DS5XX	COMM 2 16CH EIA PROG MUX, NO MODEM CONT (DH11=AE + CAB)
DS5CA=AD		BPF			2	7/74 D	DS5XX	CTS500/E 2780 COMM SYS; DU11=DA, KG11=A, DD11=A, QPD10=AD
DS5CA=AE		BPF			2	7/74 D	DS5XX	CTS500/E 2780 COMM SYS; DU11=DA, KG11=A, DD11=A, QPD10=AE
DS5CA=AF		BPF			2	7/74 D	DS5XX	CTS500/E 2780 COMM SYS; DU11=DA, KG11=A, DD11=A, QPD10=AF
DS5CA=AZ		BPF			2	7/74 D	DS5XX	CTS500/E 2780 COMM SYS; DU11=DA, KG11=A, DD11=A, QPD10=AZ
DS5MC=UP		BPF			3	8/74 M	DS500	56K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MD=UP		BPF			3	8/74 M	DS500	64K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MF=UP		BPF			3	8/74 M	DS500	96K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MH=UP		BPF			6	1/75 M	DS500	128K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MH=UR		BPF			3	1/75 M	DS500	128K BYTE MM11=UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)
DS5MJ=AA		BPF			3	2/75 M	DS570	256K BYTE MEM (MJ11=AA, 3 MJ11=AE IN SHORT CAB), 115V
DS5MJ=AD		BPF			3	2/75 M	DS570	256K BYTE MEM (MJ11=AB, 3 MJ11=AE IN SHORT CAB), 230V
DS5MK=UP		BPF			3	8/74 M	DS500	160K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MM=UP		BPF			3	8/74 M	DS500	192K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MM=UR		BPF			3	1/75 M	DS500	192K BYTE MM11=UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)
DS5MP=UP		BPF			3	8/74 M	DS500	224K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MS=UP		BPF			3	1/75 M	DS500	248K BYTE MM11=UP MEMORY (ASSUMES 32K BYTES IN PROCESSOR)
DS5MS=UR		BPF			3	1/75 M	DS500	248K BYTE MM11=UP MEMORY (ASSUMES 64K BYTES IN PROCESSOR)
DS5RA=AA		BPF			3	9/74 R	DS5XX	RH11=AB, RS03=AA, H967=HA (CTRL + 1.5MBYTE RS03 DISK SYS), 115V 60HZ
DS5RA=AD		BPF			3	9/74 R	DS5XX	RH11=AB, RS03=AD, H967=HB (CTRL + 1.5MBYTE RS03 DISK SYS), 230V 50HZ
DS5RA=BA		BPF			3	9/74 R	DS5RA=AA	RS03=AA, H967=HA (ADD=ON RS03), 115V 60HZ
DS5RA=BD		BPF			3	9/74 R	DS5RA=AD	RS03=AD, H967=HB (ADD=ON RS03), 230V 50HZ
DS5RB=AA		BPF			3	9/74 R	DS5XX	RH11=AB, RS04=AA, H967=HA (CTRL + 1MBYTE RS04 DISK SYS), 115V 60HZ
DS5RB=AD		BPF			3	9/74 R	DS5XX	RH11=AB, RS04=AD, H967=HB (CTRL + 1MBYTE RS04 DISK SYS), 230V 50HZ
DS5RB=BA		BPF			3	9/74 R	DS5RB=AA	RS04=AA, H967=HA (ADD=ON RS04), 115V 60HZ
DS5RB=BD		BPF			3	9/74 R	DS5RB=AD	RS04=AD, H967=HB (ADD=ON RS04), 230V 50HZ
DS5RC=AA		BPF			3	9/74 R	DS5XX	RJP04=AA (CTRL + 88MBYTE RP04 DISK SYS), 60HZ
DS5RC=AD		BPF			3	9/74 R	DS5XX	RJP04=AB (CTRL + 88MBYTE RP04 DISK SYS), 50HZ
DS5RC=BA		BPF			3	9/74 R	DS5RC=AA	RP04=AA (ADD=ON RP04), 60HZ
DS5RC=BD		BPF			3	9/74 R	DS5RC=AB	RP04=AB (ADD=ON RP04), 50HZ
DS5RD=AA		BPF			3	2/75 R	DS5XX	RP03=AS, RP11=DA, 115V 60HZ
DS5RD=AD		BPF			3	2/75 R	DS5XX	RP03=BS, RP11=DB, 230V 50HZ
DS5RE=AA		BPF			3	2/75 R	DS5XX	2 RK05=AA, RK11=D, H967=HA, 115V 60HZ
DS5RE=AD		BPF			3	2/75 R	DS5XX	2 RK05=AB, RK11=D, H967=HB, 230V 50HZ
DS5RE=BA		BPF			3	8/75 T	DS350	RK11=D, RK05=AA, 120V 60HZ
DS5RE=BD		BPF			3	8/75 T	DS350	RK11=D, RK05=BB, 240V 50HZ
DS5RF=AA		BPF			3	2/75 R	DS570	1024K BYTE DISK (RH70=AA, RS04=AA IN H967=HA), 115V 60HZ
DS5RF=AD		BPF			3	2/75 R	DS570	1024K BYTE DISK (RH70=AA, RS04=AD IN H967=HB), 230V 50HZ
DS5RH=AA		BPF			3	2/75 R	DS570	88M BYTE DISK (RWP04=AA), 60HZ
DS5RH=AD		BPF			3	2/75 R	DS570	88M BYTE DISK (RWP04=AB), 50HZ
DS5RJ=AA		BPF			3	6/75 M	DS5XX	RPR11=AA, 60HZ
DS5RJ=AB		BPF			3	6/75 M	DS5XX	RPR11=AB, 50HZ
DS5TA=EA		BPF			3	9/74 T	DS5XX	TM11=A + TU10=EA (CTRL + 9 TRK TU10), 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGH	MFGH AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DS5TA=ED		BPF			3 9/74 T	DS5XX	TM11-B + TU10D=ED (CTRL + 9 TRK TU10), 230V 50HZ	
DS5TA=FA		BPF			3 9/74 T	DS5XX	TM11-A + TU10D=FA (CTRL + 7 TRK TU10), 115V 60HZ	
DS5TA=FD		BPF			3 9/74 T	DS5XX	TM11-B + TU10D=FD (CTRL + 7 TRK TU10), 230V 50HZ	
DS5TB=AA		BPF			3 8/75 T	DS5XX	TU16=EA IN H967=HH CAB, 120V 60HZ	
DS5TB=AD		BPF			3 8/75 T	DS5XX	TU16=ED IN H967=HJ CAB, 240V 50HZ	
DS5TB=EA		BPF			3 9/74 T	DS5XX	TJU16=EA IN H967=HH CAB (CTRL + PE TU16), 115V 60HZ	
DS5TB=ED		BPF			3 9/74 T	DS5XX	TJU16=ED IN H967=HJ CAB (CTRL + PE TU16), 230V 50HZ	
DS5TB=EE		BPF			3 9/74 T	DS5TB=EA	TU16=EE IN H967=HH CAB (ADD-ON PE TU16), 115V 60HZ	
DS5TB=EJ		BPF			3 9/74 T	DS5TB=ED	TU16=EJ IN H967=HJ CAB (ADD-ON PE TU16), 230V 50HZ	
DS5TC=EA		BPF			3 2/75 T	DS570	TWU16=EA DUAL DENSITY MAG TAPE IN SHORT CAB, 115V	
DS5TC=ED		BPF			3 2/75 T	DS570	TWU16=ED DUAL DENSITY MAG TAPE IN SHORT CAB, 230V	
DS5TD=MA		BPF			3 4/75 M	DS5XX	TMA11=MA IN H967=HA CAB, 115V	
DS5TD=MB		BPF			3 4/75 M	DS5XX	TMA11=MB IN H967=HB CAB, 230V	
DS5X1=XX		BPF			3 11/73 R	DS5XX	RK11-D FOR DDS500 SYSTEMS	
DS5X2=XA		BPF			3 11/73 R	DS5XX	RK11-D, TM11-A, H967=HA, 115V	
DS5X2=XB		BPF			3 11/73 R	DS5XX	RK11-D, TM11-B, H967=HB, 230V	
DS5X3=XA		BPF			3 11/73 R	DS5XX	RF11, H967=HA, RK11-D FOR DDS500 SYSTEMS, 115V 60HZ	
DS5X3=XB		BPF			3 11/73 R	DS5XX	RF11, H967=HB, RK11-D FOR DDS500 SYSTEMS, 230V 50HZ	
DS5X4=XA		BPF			3 11/73 R	DS5XX	RP11-DA, TM11-A, 115V 60HZ	
DS5X4=XB		BPF			3 11/73 R	DS5XX	RP11-DB, TM11-B, 230V 50HZ	
DS5X5=XA		BPF			3 11/73 R	DS5XX	RF11, H967=HA, RP11-DA, TM11-A, 115V 60HZ	
DS5X5=XB		BPF			3 11/73 R	DS5XX	RF11, H967=HB, RP11-DA, TM11-B, 230V 50HZ	
DS5X6=XA		BPF			3 11/73 R	DS5XX	RF11, H967=HA, RK11-D, TM11-A, 115V 60HZ	
DS5X6=XB		BPF			3 11/73 R	DS5XX	RF11, H967=HB, RK11-D, TM11-B, 230V 50HZ	
DS5XX=AX		BPF			6 10/74 M	DS5XX	STANDARD 32 K BYTE 1 USEC PARITY MEMORY	
DS5XX=BX		BPF			6 10/74 M	DS5XX	48 K BYTE 1 USEC PARITY MEMORY	
DS5XX=CX		BPF			6 10/74 M	DS5XX	56 K BYTE 1 USEC PARITY MEMORY	
DS5XX=DX		BPF			6 10/74 M	DS5XX	64 K BYTE 1 USEC PARITY MEMORY	
DS5XX=EX		BPF			6 10/74 M	DS5XX	80 K BYTE 1 USEC PARITY MEMORY	
DS5XX=FX		BPF			6 10/74 M	DS5XX	96 K BYTE 1 USEC PARITY MEMORY	
DS5XX=GX		BPF			6 10/74 M	DS5XX	112 K BYTE 1 USEC PARITY MEMORY	
DS5XX=HX		BPF			6 10/74 M	DS5XX	128 K BYTE 1 USEC PARITY MEMORY	
DS5XX=JX		BPF			6 10/74 M	DS5XX	144 K BYTE 1 USEC PARITY MEMORY	
DS5XX=KX		BPF			6 10/74 M	DS5XX	160 K BYTE 1 USEC PARITY MEMORY	
DS5XX=LX		BPF			6 10/74 M	DS5XX	176 K BYTE 1 USEC PARITY MEMORY	
DS5XX=MX		BPF			6 10/74 M	DS5XX	192 K BYTE 1 USEC PARITY MEMORY	
DS5XX=NX		BPF			6 10/74 M	DS5XX	208 K BYTE 1 USEC PARITY MEMORY	
DS5XX=PX		BPF			6 10/74 M	DS5XX	224 K BYTE 1 USEC PARITY MEMORY	
DS5XX=QX		BPF			6 10/74 M	DS5XX	240 K BYTE 1 USEC PARITY MEMORY	
DS5XX=RX		BPF			6 10/74 M	DS5XX	248 K BYTE 1 USEC PARITY MEMORY	
DS5XX=XE		BALL			6 10/74 Q	DS5XX	COS SOFTWARE	
DS5XX=XG		BALL			6 10/74 Q	DS5XX	CTS SOFTWARE	
DS5XX=XJ		BALL			6 10/74 Q	DS5XX	CTS/E SOFTWARE	
DS5XX=XL		BALL			6 10/74 Q	DS5XX	CDMS SOFTWARE	
DS5XX=XT		BALL			6 10/74 Q	DS5XX	COS + CDMS SOFTWARE	
DS5XX=XV		BALL			6 10/74 Q	DS5XX	COS + CTS SOFTWARE	
DS5XX=XY		BALL			6 10/74 Q	DS5XX	COS + CTS/E SOFTWARE	
DS80		DEG			6 10/72 D	DS80	8 FAMILY DIGITAL INPUT SUBSYSTEM	
DS80=CI		DEG		IPG	6 10/72 D	DS80-CN, DS80-CP	CONT EXP, LEVEL OR CONTACT INT, SPACE FOR 96 INPUTS	
DS80=CN		DEG		IPG	6 10/72 D	8 NEG	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 96 INPUTS	
DS80=CP		DEG		IPG	6 10/72 D	8 POS	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 96 INPUTS	
DS80=CS		DEG		IPG	6 10/72 D	DS80-CN, DS80-CP	CONT EXP, LEVEL OR CONTACT SENSE, SP FOR 120 INPUTS	
DS80=IA		DEG		IPG	6 10/72 D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 6VDC	
DS80=IB		DEG		IPG	6 10/72 D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 24VDC	
DS80=IC		DEG		IPG	6 10/72 D	DS80-CN, DS80-CP, DS80-CI	LEVEL OR CONTACT INT UNIT, 12 INPUTS, 48VDC	
DS80=SA		DEG		IPG	6 10/72 D	DS80-CN, -CP, -CS, -CI	LEVEL OR CONTACT SENSE UNIT, 12 INPUTS, 6VDC	

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	70
DS80=SB		DEG		IPG	6 10/72	D	DS80-CN, =CP, =CS, =CI	LEVEL OR CONTACT SENSE, 12 INPUTS, 24VDC	
DS80=SC		DEG		IPG	6 10/72	D	DS80-CN, =CP, =CS, =CI	LEVEL OR CONTACT SENSE, 12 INPUTS, 48VDC	
DS90		DEG		IPG	6 10/72	D	9, 15	DIGITAL INPUT SUBSYSTEM	
DS90=CI		DEG		IPG	6 10/72	D	DS90-CN, =CP	CONT EXP, LEVEL OR CONTACT INT, SPACE FOR 80 INPUTS	
DS90=CN		DEG		IPG	6 10/72	D	9	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 80 INPUTS	
DS90=CP		DEG		IPG	6 10/72	D	15	CONT, LEVEL OR CONTACT SENSE AND/OR INT, SP FOR 80 INPUTS	
DS90=CS		DEG		IPG	6 10/72	D	DS90-CN, =CP	CONT EXP, LEVEL OR CONTACT SENSE, SP FOR 112 INPUTS	
DS90=IA		DEG		IPG	6 10/72	D	DS90=CI, =CP, =CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 6VDC	
DS90=IB		DEG		IPG	6 10/72	D	DS90=CN, =CP, =CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 24VDC	
DS90=IC		DEG		IPG	6 10/72	D	DS90=CN, =CP, =CI	LEVEL OR CONTACT INT UNIT, 16 INPUTS, 48VDC	
DS90=SA		DEG		IPG	6 10/72	D	DS90=CN, =CP, =CS, =CI	LEVEL OR CONTACT SENSE UNIT, 12 INPUTS, 6VDC	
DS90=SB		DEG		IPG	6 10/72	D	DS90=CN, =CP, =CS, =CI	LEVEL OR CONTACT SENSE, 16 INPUTS, 24VDC	
DS90=SC		DEG		IPG	6 10/72	D	DS90=CN, =CP, =CS, =CI	LEVEL OR CONTACT SENSE, 16 INPUTS, 48VDC	
DSP11	DTF	CM		CSS	2 8/75	D	DRS11, DSS11	SCREW TERMINAL PANEL	
DSS11=A	DTF	CM		CSS	2 8/75	D	11	48 CHANNEL TTL INPUT MODULE	
DSS11=B	DTF	CM		CSS	2 8/75	D	11	48 CHANNEL 24V INPUT MODULE	
DSS11=XA	DTF	CM		CSS	2 8/75	D	DSS11=A, =B	15-24V CONTACT SENSE	
DSS11=XB	DTF	CM		CSS	2 8/75	D	DSS11=A, =B	40-48V CONTACT SENSE	
DSS11=XC	DTF	CM		CSS	2 8/75	D	DSS11=A, =B	15-24V VOLTAGE SENSE	
DSS11=XD	DTF	CM		CSS	2 8/75	D	DSS11=A, =B	40-48V VOLTAGE SENSE	
DSS11=XX	DTF	CM		CSS	2 8/75	D	DSS11=A, =B	DSS11=X MODULE W NO COMPONENTS	
DSS8=EA	JFH	GO		SSUK	3 3/73	D	8/E	48 CHANNEL INPUT MODULE	
DT01=AN		RV		CSS	3	D	8 NEG	PROGRAMMED I/O BUS SWITCH	
DT01=AP		RV		CSS	3	D	8 POS	PROGRAMMED I/O BUS SWITCH	
DT01=AS		RBH		CSS	3	D	8/S	PROGRAMMED I/O BUS SWITCH	
DT01=BA	JFH	RN		CSS	3	D	9	FASTER DT01-B	
DT01=C	FP	RBH		DAS	3	D	10	PROGRAMMED I/O BUS SWITCH, HEAVY LOAD	
DT01=CC	FP	RBH		DAS	3	D	10	PROGRAMMED I/O BUS SWITCH, STANDARD LOAD	
DT02=C	FP	RJS		DAS	3 3/72	D	10	MANUAL BUS SWITCH, RELAY (FORM C)	
DT02=FA		RMW		CSS	3 3/72	D	11	2 WAY MANUAL RELAY UNIBUS SWITCH (FORM C)	
DT02=FB		RMW		CSS	3 3/72	D	11	3 WAY MANUAL RELAY UNIBUS SWITCH	
DT03=CC	FP	RJS		DAS	3 6/73	D	10 I/O BUS	PROGRAMMABLE CONT, UP TO 8 DT03=CS OR DT05=CS	
DT03=CS	FP	JFH		DAS	3 6/72	D	10 I/O BUS, DT03=CC	MANUAL BUS SWITCH UNIT FOR DUAL 10'S	
DT03=DS	FP	DMT		DAS	3 2/75	D	10 I/O BUS	DT03=CS + K110 P, 1, VECTURING	
DT03=EC		FA		CSS	6 2/75	D	15	PROGRAMMABLE CONT, UP TO 8 DT03=ES	
DT03=ES		FA		CSS	6 2/75	D	15, DT03=EC	BUS SWITCH UNIT FOR DUAL 15'S	
DT03=FA	JFH	FA		CSS	3 6/72	D	11	PROGRAMMABLE DT03=FB; ELECTRONIC UNIBUS SWITCH SECTION (FORM A)	
DT03=FB	JFH	FA		CSS	3 6/72	D	11	ELECTRONIC UNIBUS SWITCH SECTION (FORM A)	
DT03=FM	JFH	RLM		CSS	3 1/73	D	11	2 DT03=FB	
DT03=FP	JFH	RLM		CSS	3 1/73	D	11	2 DT03=FA	
DT03=FR	AP	DRS		CSS	3 8/73	D	11	REMOTE CONTROLLED PAIR OF DT03=FB	
DT03=FS	JFH	FA		CSS	6 2/75	D	11	ELECTRONIC 2-WAY MANUAL UNIBUS SWITCH	
DT04=CS	FP	JFH		DAS	6 2/75	D	10 MEM BUS	MANUAL ELECTRONIC MEM BUS SWITCH	
DT05=CS	FP	RJS		DAS	3 8/72	D	10 MEM BUS	MANUAL OR PROG ELECTRONIC MEM BUS SWITCH, 16-BIT ADDRESS	
DT05=DS	FP	DMT		DAS	3 9/74	D	10 MEM BUS	MANUAL OR PROG ELECTRONIC MEM BUS SWITCH, 22-BIT ADDRESS	
DT05=DP	FP	DMT		DAS	3 9/75	D	DT05=DS	ALLOWS DT05=DS TO BE A K110 MEM BUS SWITCH	
DT11=AA		SR			6 8/73	D	11	PROGRAMMED SINGLE PROC BUS SWITCH 115V	
DT11=AB		SR			6 8/73	D	11	PROGRAMMED SINGLE PROC BUS SWITCH 230V	
DT11=AD		SR			6 8/73	D	DT11-A	DUAL PROCESSOR EXPANSION	
DT11=BA		SR			6 8/73	D	11	DT11-AA + DT11=AD, 115V	
DT11=BB		SR			6 8/73	D	11	DT11=AB + DT11=AD, 230V	
DT11=BC		SR			6 8/73	D	11	DT11=BA + EXTRA PS	
DT11=BD		SR			6 8/73	D	11	DT11=BB + EXTRA PS	
DT11=C		RBH		CSS	3 4/71	D	11	DUAL PROCESSOR PROGRAMMED BUS SWITCH	
DT11=MA	BD	KA			2 1/73	D	11	UNIBUS MATRIX SWITCH, MANUAL, 19" PANEL FOR 2 PROCESSOR SWITCHING	
DT11=MB	BD	KA			2 2/74	D	11	UNIBUS MATRIX SWITCH, MANUAL, 19" PANEL FOR UNIBUS BREAK-IN POINT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	71
DT11=MC	BD	KA			2 2/74	D	11	FULL 30" CAB BUS SWITCH FOR MULTIPLE SYSTEMS COMPLEX, MANUAL	
DT12	SNT	RI			3 3/71	D	8 POS	MANUAL I/O BUS SWITCH	
DT90=A	MI	AJM			2 12/73	D	9-PIN MAT'N/LOCK CABLES	2 4PDT SW, EA W 3 MAT'N/LOCKS, PINS 2 3 9 7	
DT90=B	MI	AJM			2 4/75	R	9-PIN MATE=N-LOCK CABLES	WIRE SERVICE SW W/ SPECIAL CABLE	
DTE20	KU	BB			2 4/75	D	KL10, 11	PDP11 TO KL10 INTERFACE	
DU01-AA		PETERS		CSS	3	D	DU01-AN, =AP, =AX	12 BIT LINE UNIT POS OUTPUT	
DU01-AB		PETERS		CSS	3	D	DU01-AN, =AP, =AX	12 BIT LINE UNIT NEG OUTPUT	
DU01-AC		PETERS		CSS	3	D	DU01-AN, =AP, =AX	12 BIT LINE UNIT POS INPUT	
DU01-AD		PETERS		CSS	3	D	DU01-AN, =AP, =AX	12 BIT LINE UNIT NEG INPUT	
DU01-AN		PETERS		CSS	3	D	8 NEG	CONT W SPACE FOR 10 LINE UNITS	
DU01-AP		PETERS		CSS	3	D	8 POS	CONT W SPACE FOR 10 LINE UNITS	
DU01-AX		PETERS		CSS	3	D	DU01-AN, =AP	EXPANDER PANEL FOR 14 ADDITIONAL LINE UNITS	
DU11-DA	VB	FZ			5 7/74	D	11	SINGLE LINE PROGRAMMABLE SYNCHRONOUS INTERFACE, EIA	
DU11-EA	VB	FZ			5 7/74	D	11	SINGLE LINE PROGRAMMABLE SYNCHRONOUS INTERFACE, 301/303	
DUP11-DA	VB	FZ			3 11/75	D	11	SINGLE LINE PROG SYNC INTERFACE, BIT STUFFING PROTOCOL, EIA (M7867)	
DV08=N	MI	JDL			6 12/75	D	8 NEG	DATA VERIFIER (COMPARES INCOMING DATA W MEM)	
DV11-AA	VB	MC			3 11/75	D	11	SYNC/ASYNC MUX CONT UNIT, 9-SLOT SU, SPACE FOR 2 DV11-B	
DV11-BA	VB	MC			3 11/75	D	DV11-AA	SYNC MODULE SET & DIST PANEL FOR 8 LINES IN DV11-AA	
DVS11-AA	JEH	ABW		CSS	6 2/75	D	11	16 LINE SYNCHRONOUS MULTIPLEXOR, 115V	
DVS11-AB	DLN	ABW		CSS	6 2/75	D	11	16-LINE SYNCHRONOUS MULTIPLEXOR, 230V	
DVS11-BA	DLN	ABW		CSS	6 2/75	D	11	DVS11-AA W ERROR CHECKING, 115V	
DVS11-BB	DLN	ABW		CSS	6 2/75	D	11	DVS11-AB W ERROR CHECKING, 230V	
DVE11-AA	BE	RWI		SSCAL	3 4/75	D	11	16-LINE SYNC MUX, DDCMP PROTOCOL, UP TO 9600 BAUD, 115V	
DVE11-AB	BE	RWI		SSCAL	3 4/75	D	11	16-LINE SYNC MUX, DDCMP PROTOCOL, UP TO 9600 BAUD, 230V	
DW08=A		JDL		TPL	5	D	8/L, 8/I	POS TO NEG I/O BUS CONVERTER	
DW08=B		JDL		TPL	5	D	8, 8/I, 8/S	NEG TO POS I/O BUS CONVERTER	
DW10=A		JJL		CSS	3 1/72	D	10 (GP10=M, =MA)	I/O BUS NEG TO POS CONVERTER	
DW15=A		FA			5	D	15	POS TO NEG I/O BUS CONVERTER	
DW8E=PA	MI	JDL		TPL	6 10/75	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 115V	
DW8E=PB	MI	JDL		TPL	6 10/75	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 230V	
DW8E=PC	MI	JDL			3 10/75	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 8MB12=IA BOX, 115V	
DW84=PD	MI	JDL			3 10/75	D	8 POS	8 POS BUS TO OMNIBUS INTERFACE, 5 SLOTS, 8MB12=IB BOX, 230V	
DW8E=PX	MI	JDL		TPL	3 3/74	D	DW8E-PA, =PB	5 SLOT EXPANDER MODULE SET	
DW8E=NA	MI	JDL		TPL	6 10/75	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 115V	
DW8E=NB	MI	JDL		TPL	6 10/75	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 230V	
DW84=NC	MI	JDL			3 10/75	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 8MB12=IA BOX, 115V	
DW8E=ND	MI	JDL			3 10/75	D	8 NEG	8 NEG BUS TO OMNIBUS INTERFACE, 5 SLOTS, 8MB12=IB BOX, 230V	
DW8E=NX	MI	JDL		TPL	2 10/72	D	DW8E-NA, =NB,	5 SLOT EXPANDER MODULE SET	
DX11-BA	VB	FZ			3 2/74	D	11	IBM 360 MPX/SEL CNNEL TO UNIBUS IN H950, 115V 60HZ	
DX11-BB	VB	FZ			3 2/74	D	11	IBM 360 MPX/SEL CNNEL TO UNIBUS IN H950, 230V 50HZ	
DX11-BC	VB	FZ			3 2/74	D	11	IBM 360 MPX/SEL CHANNEL TO UNIBUS IN H957, 115V 60HZ	
DX11-BD	VB	FZ			3 2/74	D	11	IBM 360 MPX/SEL CHANNEL TO UNIBUS IN H957, 230V 50HZ	
DX11-BE	VB	FZ			3 2/74	D	11	OEM DX11-BA	
DX11-BF	VB	FZ			3 2/74	D	11	OEM DX11-BB	
DX11-BH	VB	FZ			3 2/74	D	11	OEM DX11-BC	
DX11-BJ	VB	FZ			3 2/74	D	11	OEM DX11-BD	
DX11-CA	VB	FZ			3 2/74	D	11	DX11-BA + OJC22-AS, OJC22-AB	
DX11-CB	VB	FZ			3 2/74	D	11	DX11-BB + OJC22-AS, OJC22-AB	
DX11-CC	VB	FZ			3 2/74	D	11	DX11-BC + OJC22-AS, OJC22-AB	
DX11-CD	VB	FZ			3 2/74	D	11	DX11-BD + OJC22-AS, OJC22-AB	
DX28=A		BV		CSS	3	D	8 NEG	INTERFACE TO ELX-8 COMPUTER	
DX30=AA		BV		CSS	3	D	8 NEG	CDC 3200 INTERFACE 24 BITS	
DX30=AB		BV		CSS	3	D	3 NEG	CDC 3600 INTERFACE 48 BITS	
DX30=BA		BV		CSS	2	D	9, 9/L	CDC 3200 INTERFACE 24 BITS	
DX30=BB		BV		CSS	2	D	9, 9/L	CDC 3600 INTERFACE 48 BITS	
DX37=A		CV		CSS	3	D	9, 9/L	MULTI-AD LINK TO IBM 360/50 SELECTOR CHANNEL	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
DX38=AN		CV		CSS	3	D	8 NEG	CONTROL FOR LINK TO IBM 360 SELECTOR CHANNEL
DX38=AP		CV		CSS	3	D	8 POS	CONTROL FOR LINK TO IBM 360 SELECTOR CHANNEL
DX38=K		CV		CSS	3	D	DX38=AN, =AP	INTERFACE TO IBM 360 SELECTOR CHANNEL
DX38=AL		CV		CSS	3	D	DX38=AN, =AP, =K	LONG LINE MODULE SET
DXB01=P	JEH	WF		CSS	6	2/75 D	11	INTERFACE TO BUNKER-RAMO 2200 SERIES DATA DISPLAY SYSTEM
DXF11=AA	DH	SK			3	8/75 E	11	INTERFACE TO NON-DEC PROCESSORS TO UNIBUS, 120V
DXF11=AB	DH	SK			3	8/75 E	11	INTERFACE TO NON-DEC PROCESSORS TO UNIBUS, 240V
								H317-E, H325, H327, BC05W-15
ECO=A		LN			3	B	8 FAMILY	ECO PACKAGE TO CAUSE KRS TO CLEAR FLAG
ECF01=A	SNT	AW			6	1/75 B	8 POS, 12	REDEFINED & RENAMED EQUPL=C1
ECF01=B	SNT	AW			6	1/75 B	8 POS, 12	SEE EQUPL=C1
ECF01=C	AHL	AM			3	8/72 B	8 POS	DIGITAL LOGIC & COMP INTRFC CURRICULUM PKG (ECF01=A W H309=C)
ED101=AA		CFM			3	2/74 E	EDUSYS 1001 11/10=NC, BM792=YA, LT33=DC, DD11=B, H960=CA, QJ901=AB 115V 60HZ	
ED101=AB		CFM			3	2/74 E	EDUSYS 1001 11/10=ND, BM792=YA, LT33=DD, DD11=B, H960=CB, QJ901=AB 230V 50HZ	
ED104=AA		CFM			3	2/74 E	EDUSYS 1001 11/40=BA, DD11=B, BM792=YA, QJ901=AB, 115V 60HZ	
ED104=AB		CFM			3	2/74 E	EDUSYS 1001 11/40=BB, DD11=B, BM792=YA, QJ901=AB, 230V 50HZ	
ED201=AA		CFM			3	2/74 E	EDUSYS 2001 11E10=NE, QJ921=AN, QJ003=AN, 115V 60HZ	
ED201=AB		CFM			3	2/74 E	EDUSYS 2001 11E10=NF, QJ921=AN, QJ003=AN, 230V 50HZ	
ED204=AA		CFM			3	2/74 E	EDUSYS 2001 11/40=BC MR11=OB RK11=OE TA11=AA DD11=B QJ921=AN QJ003=AN 115V	
ED204=AB		CFM			3	2/74 E	EDUSYS 2001 11/40=BD MR11=OB RK11=OJ TA11=AB DD11=B QJ921=AN QJ003=AN 230V	
ED251=AA		CFM			3	2/74 E	EDUSYS 2501 ED201=AA, H960=DA, MF11=U, QJ925=AN, 115V 60HZ	
ED251=AB		CFM			3	2/74 E	EDUSYS 2501 ED201=AB, H960=DB, MF11=U, QJ925=AN, 230V 50HZ	
ED254=AA		CFM			3	2/74 E	EDUSYS 2501 ED204=AA, MM11=U, QJ925=AN, 115V 60HZ	
ED254=AB		CFM			3	2/74 E	EDUSYS 2501 ED204=AB, MM11=U, QJ925=AN, 230V 50HZ	
EDTEC=AA	GPB	RI			3	2/74 E	-	PDP8=AA, KCB=HA, LT33=DC, H960=BC, 115V 60HZ
EDTEC=AB	GPB	RI			3	2/74 E	-	PDP8=AB, KCB=HA, LT33=DD, H960=BD, H722, 230V 50HZ
EDTEC=BA	GPB	RI			3	2/74 E	-	PDP8=AB, MR8=EC, KM8=E, T08=EH, LT33=DC, H960=BC, KCB=HA, 115V 60HZ
EDTEC=BB	GPB	RI			3	2/74 E	-	PDP8=AB, MR8=EC, KM8=E, T08=EH, LT33=DD, H960=BD, H722, KCB=HA 230V 50HZ
EDTEC=CA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, LT33=DC, H960=BC, 115V 60HZ
EDTEC=CB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, LT33=DD, H960=BD, H722, 230V 50HZ
EDTEC=DA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, MM8=E, KP8=E, KAB=E, K08=E, BE8=A, TC08, TU56, LT33=DC, H960=BC, 115V 60HZ
EDTEC=OB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, MM8=E, KP8=E, KAB=E, K08=E, BE8=A, TC08, TU56, LT33=DC, H960=BD, H722, 230V 50HZ
EDTEC=EA	GPB	RI			3	2/74 E	-	PDP8=FA, KCB=HA, MM8=E, KP8=E, KAB=E, K08=E, BE8=A, M18=EG, DK8=EA, RF08, RS08, PL8=AA, DW08=A, H960=BC, 115V 60HZ
EDTEC=EB	GPB	RI			3	2/74 E	-	PDP8=FB, KCB=HA, MM8=E, KP8=E, KAB=E, K08=E, BE8=A, M18=EG, DK8=EA, RF08=A, RS08=A, PL8=AD, DW08=A, H960=BD, H722, 230V 50HZ
EDTEC=FA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, MR8=EC, LC8=E, LA30=PA, T08=EM, H952=HA, LS8=EA, H960=BC, 115V 60HZ
EDTEC=FB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, MR8=EC, LC8=E, LA30=PD, T08=EM, H952=HA, LS8=EB, H960=BD, 230V 50HZ
EDTEC=HA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, MM8=E, LC8=E, LA30=PA, T08=EM, H952=HA, M18=EH, H970=BA, H960=BC, 115V 60HZ
EDTEC=HB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, MM8=E, LC8=E, LA30=PD, T08=EM, H952=HA, M18=EH, H970=BA, H960=BD, 230V 50HZ
EDTEC=JA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, MR8=EC, KAB=E, K08=E, LC8=E, LA30=PA, T08=EM, H952=HA, DF32=D, DS32=D, 2 H960=BC
EDTEC=JB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, MR8=EC, KAB=E, K08=E, LC8=E, LA30=PD, T08=EM, H952=HA, DF32=D, DS32=D, H960=BD
EDTEC=KA	GPB	RI			3	2/74 E	-	PDP8=AE, KCB=HA, MM8=E, KAB=E, K08=E, RF08, RS08, LC8=E, LA30=PA, H952=HA, LS8=EA, H970=BA, DW08=A, PC8=E, H960=BC, 115V 60HZ
EDTEC=KB	GPB	RI			3	2/74 E	-	PDP8=AF, KCB=HA, MM8=E, KAB=E, K08=E, RF08, RS08=A, LC8=E, LA30=PD, H952=HA, LS8=EA, H970=BA, DW08=A, PC8=EB, H960=BD, 230V 50HZ
EDU10		RHM			6	3/74 E	8/E	4K PDP8=E, MIK=EA, KP8=E, EQU8=A SOFTWARE
EDU10=AA		RHM			3	9/72 E	EDUSYS 10 BASIC: PDP8=BA, M18=EF, LT33=DC, QFE10=SB, QFELP=D1, 115V 60HZ	
EDU10=AB		RHM			3	9/72 E	EDUSYS 10 BASIC: PDP8=BB, M18=EF, LT33=DC, QFE10=SB, QFELP=D1, 230V 50HZ	
EDU15=AA		RHM			3	9/72 E	EDUSYS 15 BASIC: PDP8=AA, KM8=E, MR8=EC, T08=EJ, LT33=DC, QFE15=SB 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	73
EDU15-AB		RHM			3 9/72	E	EDUSYS 15 BASIC1 PDP8F-AB, KM8-E, MR8-EC, T08-EJ, LT33-0D, QFE15-SB 230V50HZ		
EDU15-BA		RHM			3 9/72	E	BATCH BASIC1 PDP8F-AA KM8-E MR8-EC CM8-FA T08-EJ LT33-0C QFE15-SB 115V60HZ		
EDU15-BB		RHM			3 9/72	E	BATCH BASIC1 PDP8F-AB KM8-E MR8-EC CM8-FB T08-EJ LT33-0D QFE15-SB 230V50HZ		
EDU20		RHM			6 3/74	E	8/E 8K POP8-E, 4 KL8-E, 4 LT33-0C		
EDU20-CA		RHM			6 1/75	E	4 USER EDUSYS 201 PDP8E-8E KP8-E M18-EF LT33-0C QFE20-SB QFELP-01 115V60HZ		
EDU20-CB		RHM			6 1/75	E	4 USER EDUSYS 201 PDP8E-8F KP8-E M18-EF LT33-0D QFE20-SB QFELP-01 230V50HZ		
EDU20-DA		RHM			6 1/75	E	8 USER EDUSYS 201 PDP8E-8E MM8-E KP8-E M18-EF BE8-A LT33-0C QFE20-SB QFELP-01 115V60HZ		
EDU20-DB		RHM			6 1/75	E	EDU20-DA EXCEPT PDP8E-8F, LT33-0D, 230V 50HZ		
EDU21-CA		RHM			3 9/72	E	4 USER EDUSYS 211 EDU20-DA EXCEPT QFE21-SB INSTEAD OF QFE20-SB, 115V60HZ		
EDU21-CB		RHM			3 9/72	E	4 USER EDUSYS 211 EDU20-DB EXCEPT QFE21-SB INSTEAD OF QFE20-SB, 230V50HZ		
EDU21-DA		RHM			6 1/75	E	8 USER EDUSYS 211 EDU21-CA EXCEPT MM8-EJ INSTEAD OF MM8-E, 115V60HZ		
EDU21-DB		RHM			6 1/75	E	8 USER EDUSYS 211 EDU21-CB EXCEPT MM8-EJ INSTEAD OF MM8-E, 230V50HZ		
EDU25-CA		RHM			6 1/75	E	4 USER EDUSYS 251 PDP8E-AE MM8-E KP8-E M18-EF H960-BC K88-E K08-E BE8-A TC08-HA, TU56 LT33-0C QFE25-SC QFELP-01 115V60HZ		
EDU25-CB		RHM			6 1/75	E	EDU25-CA EXCEPT PDP8E-AF, H960-BD, TC08-4B, LT33-0D, 230V 50HZ		
EDU25-DA		RHM			6 1/75	E	8 USER EDUSYS 251 EDU25-CA W MM8-EJ, BUT NO MM8-E, 115V 60HZ		
EDU25-DB		RHM			6 1/75	E	8 USER EDUSYS 251 EDU25-CB W MM8-EJ, BUT NO MM8-E, 230V 50HZ		
EDU25-SA		RHM			6 1/75	E	EDUSYS 25 SUPER1 PDP8E-AE, KM8-E, KP8-E, MR8-EC, H960-BC, BE8-A, RK8-EA, T08-EH, LT33-0C, QFE25-SC, QFELP-01, 115V 60HZ		
EDU25-SB		RHM			6 1/75	E	EDU25-SA EXCEPT PDP8E-AF, H960-BD, RK8-ED, LT33-0D, 230V 50HZ		
EDU30		RHM			6 3/74	E	8/E EDU10 + DF32-0, CM8-E, K08-E, K88-E		
EDU30-AA		RHM			3 9/72	E	INTERACTIVE EDUSYS 301 PDP8E-AA M18-EF H960-BC K88-E K08-E DF32-0P LT33-0C QFE30-SB QFELP-01 115V60HZ		
EDU30-AB		RHM			3 9/72	E	EDU30-AA EXCEPT PDP8E-AB, H960-BD, DF32-EP, LT33-0D, 230V50HZ		
EDU30-BA		RHM			3 9/72	E	FAST BATCH BASIC EDUSYS 301 EDU30-AA W CM8-FA, 115V60HZ		
EDU30-BB		RHM			3 9/72	E	FAST BATCH BASIC EDUSYS 301 EDU30-AB W CM8-F9, 230V50HZ		
EDU30-I		RHM			6 3/74	E	REPLACED BY EDU30-AA		
EDU30-T		RHM			6 3/74	E	REPLACED BY EDU30-BA		
EDU31-BA		RHM			3 9/72	E	DECTAPE EDUSYS 311 EDU30-BA W TC08-HA, TU56, QFE31-SC, NO DF32, 115V60HZ		
EDU31-BB		RHM			3 9/72	E	DECTAPE EDUSYS 311 EDU30-BB W TC08-HB, TU56, QFE31-SC, NO DF32, 230V50HZ		
EDU40		RHM			6 3/74	E	8/E EDU30 + 4K + 4 KL8-E + 4 LT33-0C		
EDU40-CA		RHM			3 9/72	E	4 USER & BATCH EDUSYS 401 PDP8E-AE KP8-E ME8-EF H960-BC K88-E K08-E CM8-FA DF32-0P LT33-0C QFE40-SB QFELP-01 115V 60HZ		
EDU40-CB		RHM			3 9/72	E	EDU40-CA EXCEPT PDP8E-AF, H960-BD, CM8-F9, DF32-EP, LT33-0D, 230V 50HZ		
EDU40-DA		RHM			3 9/72	E	8 USER & BATCH EDUSYS 401 EDU40-CA W MM8-E, BE8-A, 115V 60HZ		
EDU40-DB		RHM			3 9/72	E	8 USER & BATCH EDUSYS 401 EDU40-CB W MM8-E, BE8-A, 230V 50HZ		
EDU40-DF		RHM			6 3/74	E	REPLACED BY EDU40-CA		
EDU40-PA		RHM			3 9/72	E	ADMIN EDUSYS1 PDP8E-AE MM8-E KP8-E M18-EF H960-BC K88-E K08-E CM8-FA LS8-EA, TC08 2 TU56 LT33-0C QFEDP-SC QFELP-01 115V 60HZ		
EDU40-PB		RHM			3 9/72	E	EDU40-PA EXCEPT PDP8E-AF, H960-BD, CM8-F9, LS8-EB, LT33-0D, 230V 50HZ		
EDU40-T		RHM			6 3/74	E	REPLACED BY EDU41-DA		
EDU41-CA		RHM			3 9/72	E	4 USER EDUSYS 411 EDU40-CA W TC08-HA, TU56, NO DF32, 115V 60HZ		
EDU41-CB		RHM			3 9/72	E	4 USER EDUSYS 411 EDU40-CB W TC08-HB, TU56, NO DF32, 230V 50HZ		
EDU41-DA		RHM			3 9/72	E	8 USER EDUSYS 411 EDU41-CA W MM8-E, BE8-A, 115V 60HZ		
EDU41-DB		RHM			3 9/72	E	8 USER EDUSYS 411 EDU41-CB W MM8-E, BE8-A, 230V 50HZ		
EDU45-CA		RHM			3 9/72	E	4 USER EDUSYS 451 EDU41-DA W QFE40-SC IN PLACE OF QFE40-SB, 115V 60HZ		
EDU45-CB		RHM			3 9/72	E	4 USER EDUSYS 451 EDU41-DB W QFE40-SC IN PLACE OF QFE40-SB, 230V 50HZ		
EDU45-DA		RHM			3 9/72	E	8 USER EDUSYS 451 EDU45-CA W MM8-EJ IN PLACE OF MM8-E, 115V 60HZ		
EDU45-DB		RHM			3 9/72	E	8 USER EDUSYS 451 EDU45-CB W MM8-EJ IN PLACE OF MM8-E, 230V 50HZ		
EDU45-PA		RHM			3 9/72	E	EDP EDUSYS1 PDP8E-AE MM8-E KP8-E M18-EH H960-BC BE8-A CM8-FA LS8-EA RK8-EA T08-EH LT33-0C QFEDP-SC QFELP-01 115V 60HZ		
EDU45-PB		RHM			3 9/72	E	EDU45-PA EXCEPT PDP8E-AF, H960-BD, CM8-F9, LS8-EB, RK8-EB, LT33-0D 230V 50HZ		
EDU50-16		RHM			6 3/74	E	REPLACED BY EDU50-FA		
EDU50-8		RHM			6 3/74	E	REPLACED BY EDU50-DA		
EDU50-CA		RHM			6 1/75	E	4 USER EDUSYS 501 PDP8E-AE MM8-E KP8-E M18-EG DK8-EA H960-BC K88-E K08-E		

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
EDU50-CB	RHM				6	1/75 E	BEB-A, RF08 RS08 PL8-E QFE50-SB QFELP-01 115V 60HZ	
EDU50-DA	RHM				6	1/75 E	EDU50-CA EXCEPT POP8E-AF, H960-BD, RS08-A, PL8-EA, 230V 50HZ	
EDU50-DB	RHM				6	1/75 E	8 USER EDUSYS 501 EDU50-CA + MM8-EJ, NO MM8-E, 115V 60HZ	
EDU50-EA	RHM				6	1/75 E	12 USER EDUSYS 501 EDU50-CB + MM8-EJ, NO MM8-E, 230V 50HZ	
EDU50-EB	RHM				6	1/75 E	12 USER EDUSYS 501 EDU50-CA + MM8-EJ, KDB-E, TC08, TU56, 115V 60HZ	
EDU50-FA	RHM				6	1/75 E	12 USER EDUSYS 501 EDU50-CB + MM8-EJ, KDB-E, TC08, TU56, 230V 50HZ	
EDU50-FB	RHM				6	1/75 E	E16 USER EDUSYS 501 EDU50-EA + MM8-EJ, NO MM8-E, 115V 60HZ	
EDU50-PA	RHM				6	1/75 E	16 USER EDUSYS 501 EDU50-EB + MM8-EJ, NO MM8-E, 230V 50HZ	
EDU50-PB	RHM				6	1/75 E	EDP & TS/8 EDUSYS; POP8E-AE MM8-E KP8-E M18-EG DK8-EA H960-BC KA8-E	
EDU50-SA	RHM				6	1/75 E	CM8-FA L8B-EA RF08 RS08 TC08 TU56 PL8-E QFE50-PB QFEDP-9C QFELP-01 115V 60HZ	
EDU50-SB	RHM				6	1/75 E	EDU50-PA EXCEPT POP8E-AF H960-BD CM8-FB L8B-EB RS08-A PL8-EA 230V 50HZ	
EDU5-AA	RHM				3	9/72 E	SUPER EDUSYS 501 EDU50-EA + MM8-EJ, L8B-EA, RS08, TU56, 115V 60HZ	
EDU5-AB	RHM				3	9/72 E	SUPER EDUSYS 501 EDU50-EB + MM8-EJ, L8B-EB, RS08-A, TU56, 230V 50HZ	
EDU70-AA	RHM				3	9/72 E	EDUSYS 5 SUPERCALCULATOR; POP8F-AA, LT33-DC, QFE05-SR, 115V 60HZ	
EDU70-AB	RHM				3	9/72 E	EDUSYS 5 SUPERCALCULATOR; POP8F-AB, LT33-DD, QFE05-SB, 230V 50HZ	
EDU70-DA	RHM				3	9/72 E	INTERACTIVE BASIC; 11/40-CE RM792-YA QFELP-01 QJE70-S 115V 60HZ	
EDU70-DB	RHM				6	1/75 E	INTERACTIVE BASIC; 11/40-CF RM792-YA QFELP-01 QJE70-S 230V 50HZ	
EDU80-16	RHM				6	3/74 E	8 USER EDUSYS 701 EDU70-AA + MM11-L, 2 DD11-A, 115V 60HZ	
EDU80-8	RHM				6	3/74 E	8 USER EDUSYS 701 EDU70-AB + MM11-L, 2 DD11-A, 230V 50HZ	
EDU80-DA	RHM				3	9/72 E	REPLACED BY EDU80-FA	
EDU80-DB	RHM				3	9/72 E	REPLACED BY EDU80-DA	
EDU80-DC	RHM				3	3/73 E	8 USER RSTS; 11/40-RE, DD11-A, 115V 60HZ	
EDU80-DD	RHM				3	3/73 E	8 USER RSTS; 11/40-RF, DD11-A, 230V 50HZ	
EDU80-FA	RHM				3	9/72 E	EDU80-DA W 28K CORE & 9 TRACK MAGTAPE, 115V 60HZ	
EDU80-FB	RHM				3	9/72 E	EDU80-DB W 28K CORE & 9 TRACK MAGTAPE, 230V 50HZ	
EDU80-FC	RHM				3	3/73 E	16 USER RSTS; 11/40-RE, ME11-LA, 3 DD11-A, DB11-A, 115V 60HZ	
EDU80-FD	RHM				3	3/73 E	16 USER RSTS; 11/40-RF, ME11-LA, 3 DD11-A, DB11-A, 230V 50HZ	
EDU81-DA	RHM				6	1/75 E	EDU80-DC W 16 USERS, 115V 60HZ	
EDU81-DB	RHM				6	1/75 E	EDU80-DD W 16 USERS, 230V 50HZ	
EDU81-DC	RHM				3	3/73 E	8 USER RSTS; 11/40-RC, DD11-A, 115V 60HZ	
EDU81-DD	RHM				3	3/73 E	8 USER RSTS; 11/40-RD, DD11-A, 230V 50HZ	
EDU81-DE	RHM				3	3/73 E	EDU81-DA W PC11 IN PLACE OF PR11, 115V 60HZ	
EDU81-DF	RHM				3	3/73 E	EDU81-DB W PC11-A IN PLACE OF PR11-A, 230V 50HZ	
EDU82-DA	RHM				3	9/72 E	EDU81-DA W DECTAPE IN PLACE OF PAPER TAPE, 115V 60HZ	
EDU82-DB	RHM				3	9/72 E	EDU81-DB W DECTAPE IN PLACE OF PAPER TAPE, 230V 50HZ	
EDU8-A	RHM				6	3/74 B	8 USER MINI RSTS; 11/40-RA, 2 DD11-A, 115V 60HZ	
EDU8-B1	RHM				6	3/74 B	8 USER MINI RSTS; 11/40-RB, 2 DD11-A, 230V 50HZ	
EDU8-B2	RHM				6	3/74 B	8/E, QFELP-01 SOFTWARE & TEXTBOOKS FOR HIGH SCHOOL ED, SYS	
EDU8-B3	RHM				6	3/74 B	EDU10, QFE10-SB EDUSYSTEM 10 (4K) BASIC TAPE & MANUAL	
EDU8-B4	RHM				6	3/74 B	EDU20, QFE20-SB EDUSTYSTEM 20 (8K, 1-5 USER) TAPE & MANUAL	
EDU90-DA	RHM				3	3/73 E	EDU30, QFE30-SB EDUSYSTEM 30 (4K BATCH) BASIC DECK & MANUAL	
EDU90-DB	RHM				3	3/73 E	EDU40, QFE40-SB EDUSYSTEM 40 (SYS 20 + 40) TAPE, DECK, & MANUAL	
EDU90-FA	RHM				3	3/73 E	8 USER 11/45 RSTS, 32K, RS11, TU56, RK05, 115V 60HZ	
EDU90-FB	RHM				3	3/73 E	8 USER 11/45 RSTS, 32K, RS11, TU56, RK05, 230V 50HZ	
EDU90-JA	RHM				3	9/72 E	EDU90-DA FOR 16 USERS, 115V 60HZ	
EDU90-JB	RHM				3	9/72 E	EDU90-DB FOR 16 USERS, 230V 50HZ	
EDU90-JC	RHM				3	9/72 E	32 USER RSTS; 11/45-RA, 2 MF11-LP, MM11-LP, RS11, RK05-AA, 6 DD11-A, DB11-A, H960-DA, 115V 60HZ	
EDU90-JD	RHM				3	9/72 E	EDU90-JA EXCEPT 11/45-RB, RS11-A, RK05-BB, H960-DB, 230V 50HZ	
EDU90-JE	RHM				3	9/72 E	8/E BATCH TERM; POP8E-BE DK8-EA DP8-EA KG8-EA CR8-FA LT33-DC QFEBT-SB 115/60	
EDU90-JF	RHM				3	9/72 E	8/E BATCH TERM; POP8E-BF DK8-EA DP8-EA KG8-EA CR8-FB LT33-DD QFEBT-SB 230/50	
EDU90-JG	RHM				3	9/72 E	11/40 BATCH TERM; 11/40-CA, KW11-L, KG11-A, DP11-DA, CR11, DD11-A, QJC26-AB, 115V 60HZ	
EDU90-JH	RHM				3	9/72 E	EDU90-JA EXCEPT 11/40-CB, CR11-A, 230V 50HZ	
EDU90-JI	RHM				3	9/72 E	COMMUNICATION PACKAGE; KG11-A, DP11-DA, QJC26-AB	
EDU90-JJ	RHM				3	3/73 E	EDUSYS FORTE; EDU25-SA W FPP12-AP, RTPS FORTRAN 4, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
EDUF8-AB		RHM			3	3/73 E		EDUSYS FORTE1 EDU25-5B W FPP12-AP, RTPS FORTRAN 4, 230V 50HZ
EDULP-C1		RHM			3	9/72 E		LOGIC AND INTERFACING LEARNING KIT
EDUR1-AA		RHM			3	3/73 E		8K OS/8 SYSTEM W DECTAPE, 115V 60HZ
EDUR1-AB		RHM			3	3/73 E		8K OS/8 SYSTEM W DECTAPE, 230V 50HZ
EDUR2-AA		RHM			3	3/73 E		EDUR1-AA W 12K MEM, LOADER, LS8, 115V 60HZ
EDUR2-AB		RHM			3	3/73 E		EDUR1-AB W 12K MEM, LOADER, LS8, 230V 50HZ
EDUR7-AA		RHM			3	3/73 E		EDUR1-AA W DECTAPE & DF32-OP, 115V 60HZ
EDUR7-AB		RHM			3	3/73 E		EDUR1-AB W DECTAPE & DF32-EP, 230V 50HZ
EDUR8-AA		RHM			3	3/73 E		EDUR1-AA W 12K, LS8, RF08, RS08, 115V 60HZ
EDUR8-AB		RHM			3	3/73 E		EDUR1-AB W 12K, LS8, RF08, RS08-A, 230V 50HZ
EG11-AA		JBH			3	10/74 B	11	VT11-AA W ENGINEERING GRAPHICS SOFTWARE, 115V
EG11-AB		JBH			3	10/74 B	11	VT11-AB W ENGINEERING GRAPHICS SOFTWARE, 230V
EK-LA36-MM	HJM	JAT			3	8/75 B	LA36	MAINTENANCE MANUAL EK-LA36-MM-001
EM12	SNT	RI			5	3/71 E	12	MEMORY PANEL & MODULES
EP12	SNT	AWRI			5	3/71 E	12	PROCESSOR PANEL & MODULES
ET11-A	MMH	RMK			3	4/75 B	COMM	EXTENDED TEST OPTION
FK11-A		RR			4	6/73 D	11	32 KEYS & LIGHTS
FM11-UB	RT	VDB			3	10/73 B	11/40	H754 & HARNESSSES FOR 2 MF11-U FIELD ADD-ON FOR OLD 11/40
FP11-B	RT	RFB			3	1/72 E	KB11-A	FLOATING POINT (23 + 9 OR 55 + 9) PROCESSOR
FP11-C	ARR	RK			2	11/75 E	11/70	FLOATING POINT PROCESSOR
FP15		ERK			4	5/71 E	15 MEM BUS	FLOATING POINT (27+9 OR 36+18) OR DOUBLE PRECISION PROCESSOR
FP45-CU	RT	VDB		WM	2	11/75 E	KB11-A	FP11-C + 11/45 UPGRADE KIT TO CHANGE KB11-A INTO A KB11-D
FP70-CU	ARR	TN			2	11/75 E	KB11-B	FP11-C + 11/70 UPGRADE KIT TO CHANGE KB11-B INTO A KB11-C
FPP12-AB	SNT	RI			5	1/73 E	8 POS	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12
FPP12-AE	SNT	RI			5	1/73 E	FPP12-AB, -AN, -AP	MODULE SET TO EXPAND TO 60 + 12
FPP12-AN	SNT	RI			5	1/73 E	8 NEG	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12
FPP12-AP	SNT	RI			5	1/73 E	12	FLOATING POINT 24+12 OR DOUBLE PRECISION PROC SP FOR 60+12
FPP12-B	SNT	RI			6	10/72 E	8 POS	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR
FPP12-N	SNT	RI			6	10/72 E	8 NEG	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR
FPP12-P	SNT	RI			6	10/72 E	12	FLOATING POINT (24+12) OR DOUBLE PRECISION PROCESSOR
FSKIT		WOB			3	11/75 B	.	FIELD SERVICE TOOL KIT
GCG10-A	JEH	SPRY		CSS	3	10/72 L		10 I/O + DF17 OR DM17 INTRFC FOR GOULD ELECTROSTATIC PRNTR 4800 W CHAR GEN
GM11-A	AW	REJ		WM	6	10/72 E		GAMMA 11: PDP11 8K RK05-AA AA11-A -DA VT01B-AA NC11-A CU-4 GM11-C 115V 60HZ
GM11-B	AW	REJ		WM	6	10/72 E		GAMMA 11: PDP11 8K RK05-BB AA11-A -DB VT01B-AD NC11-A CU-4 GM11-C 230V 50HZ
GM11-C	AW	REJ		WM	6	3/73 B		GM11-A, GM11-B
GM11-D	AW	REJ		WM	6	3/73 B		GM11-A, GM11-B
GM11-E	AW	REJ		WM	3	4/73 B		11/40 PROC CAB
GM11-F	AW	REJ		WM	3	4/73 B		11 OPTION CAB
GM11-HA	AW	REJ		WM	3	12/73 E		GAMMA 11 COLOR KIT
GM11-HB	AW	REJ		WM	3	12/73 E		GAMMA 11 COLOR KIT
GM11-KA	AW	REJ		WM	3	12/73 B		GAMMA BIO-MEDI: 11/40-BC, KW11-P, AA11-DA, AA11-A, BA614, VT01-A, NC11-A,
GM11-KB	AW	REJ		WM	3	12/73 B		VT01-A
GM11-JA	AW	REJ		WM	3	12/73 B		GAMMA 11 OPTION KIT: AA11-DA AA11-A BA614 VT01-A NC11-A GM11-KB 115V60
GM11-JB	AW	REJ		WM	3	12/73 B		GAMMA 11 OPTION KIT: AA11-DB AA11-A BA614 VT01-A NC11-A GM11-KB 230V50
GM11-LA	AW	REJ		WM	2	2/75 E		11/40-JK, MM11-UP, RK11-D, LA36-CA, H9301-YA, KW11-P, 2 RK05-AA,
GM11-LB	AW	REJ		WM	2	2/75 E		NC11-A, DD11-B, GM11-KA, CU4, KW11-L, KY11-D, H967-AA, H957-RA, DL11-A, AR11, 115V 60HZ
GM11-MA	AW	REJ		WM	2	9/75 E		GM11-LA EXCEPT 11/40-JL, RK05-BB, LA36-CB, H967-AB, 230V 50HZ
GM11-MB	AW	REJ		WM	2	9/75 E		11/10-SC, LA36-CA, KW11-L, KW11-P, H9301-YA, H957-RA, AR11, RK11-D, 2 RK05-AA, H967-AA, NC11-A, GM11-KA, 115V 60HZ
								GM11-MA EXCEPT 11/10-SD, LA36-CB, 2 RK05-BB, H967-AB, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
GP10		KE			5	B	10	GP10=M + GP10=L
GP10=A		KE			5	B	10	GP10=MA + GP10=L
GP10=L		KE			5	B	10	I/O INTERFACE LOGIC
GP10=M		KE			5	B	10	I/O CAB W POWER & POWER CONTROL, 115V 60HZ
GP10=MA		KE			5	B	10	50 HZ GP10=M
GPA01	RJM	DCB		MOD	5	3/72 D	RTM	GENERAL PURPOSE ARITH UNIT MODULE SET, 16 BITS
GPA01=A	RJM	DCB		MOD	5	3/72 D	RTM	12 BIT GPA01
GPA01=B	RJM	DCB		MOD	5	3/72 D	RTM	8 BIT GPA01
GT15=LA		LG			3	5/72 V	15	INTERACTIVE GRAPHICS STATION VT15=A VV15 VT07=0A VL04 115V 60HZ
GT15=LB		LG			3	5/72 V	15	INTERACTIVE GRAPHICS STATION VT15=A VV15 VT07=0B VL04 230V 50HZ
GT15=SA		LG			3	5/72 V	15	INTERACTIVE GRAPHICS STATION VT15=A VV15 VT04=A VL04 115V 60HZ
GT15=SB		LG			3	5/72 V	15	INTERACTIVE GRAPHICS STATION VT15=A VV15 VT04=B VL04 230V 50HZ
GT40		LH			4	8/73 V	ASYNC ASCII UP TO 9600 BAUD	INTERACTIVE GRAPHICS TERMINAL SERIES
GT40=AA		LH			6	8/75 V	DITTO	VT40=AA, 375, VR14=LC, LK40, DL11=E, 115V
GT40=AB		LH			6	8/75 V	DITTO	VT40=AB, 375, VR14=LD, LK40, DL11=E, 230V
GT40=AC		LH			4	8/73 V	DITTO	VT40=AA, 375, VR14=LC, LT33=DC, DL11=E, 115V 60HZ
GT40=AD		LH			4	8/73 V	DITTO	VT40=AB, 375, VR14=LD, LT33=DD, DL11=E, 230V 50HZ
GT40=AE		LH			4	8/73 V	DITTO	VT40=AA, 375, VR14=LC, LA30=CA, DL11=E, 115V 60HZ
GT40=AF		LH			4	8/73 V	DITTO	VT40=AB, 375, VR14=LD, LA30=CD, DL11=E, 230V 50HZ
GT40=AH		LH			3	2/75 V	DITTO	VT40=AA, 375, VR14=LC, LA36=CA, DL11=E, 115V 60HZ
GT40=AJ		LH			3	2/75 V	DITTO	VT40=AB, 375, VR14=LD, LA36=CB, DL11=E, 230V 50HZ
GT40=BA		LH			6	2/75 V	DITTO	VT40=BA, 375, VR14=LC, LK40, DL11=E, 115V
GT40=BB		LH			6	2/75 V	DITTO	VT40=BB, 375, VR14=LD, LK40, DL11=E, 230V
GT40=BC		LH			6	2/75 V	DITTO	VT40=BA, 375, VR14=LC, LT33=DC, DL11=E, 115V 60HZ
GT40=BD		LH			6	2/75 V	DITTO	VT40=BB, 375, VR14=LD, LT33=DD, DL11=E, 230V 50HZ
GT40=BE		LH			6	2/75 V	DITTO	VT40=BA, 375, VR14=LC, LA30=CA, DL11=E, 115V 60HZ
GT40=BF		LH			6	2/75 V	DITTO	VT40=BB, 375, VR14=LD, LA30=CD, DL11=E, 230V 50HZ
GT42=AA		LH			4	8/75 E	GRAPHICS DISP	TERMI 11/10=NC VT11 LK40 DD11 H967=KK DL11=E VR17=LC FOCAL=GT 115V60
GT42=AB		LH			4	8/75 E	GRAPHICS DISP	TERMI 11/10=ND VT11 LK40 DD11 H967=KL DL11=E VR17=LD FOCAL=GT 230V50
GT42=AC		LH			3	2/74 E	.	GRAPHICS DISPLAY TERMINAL GT42=AA, LT33=DC, NO LK40, 115V 60HZ
GT42=AD		LH			3	2/74 E	.	GRAPHICS DISPLAY TERMINAL GT42=AB, LT33=DD, NO LK40, 230V 50HZ
GT42=AE		LH			3	2/74 E	.	GRAPHICS DISPLAY TERMINAL GT42=AA, LA30=CA, NO LK40, 115V 60HZ
GT42=AF		LH			3	2/74 E	.	GRAPHICS DISPLAY TERMINAL GT42=AB, LA30=CD, NO LK40, 230V 50HZ
GT42=AH		LH			4	8/75 E	.	GRAPHICS DISPLAY TERMINAL GT42=AA, LA36=CA, NO LK40, 115V 60HZ
GT42=AJ		LH			4	8/75 E	.	GRAPHICS DISPLAY TERMINAL GT42=AB, LA36=CB, NO LK40, 230V 50HZ
GT44=AA		LH			3	12/73 E	.	GRAPHICS SYSTEMI 11/40=CU, VR17=LC, QJ003=AE, QJ920=AE, 115V 60HZ
GT44=AB		LH			3	1/74 E	.	GRAPHICS SYSTEMI 11/40=CV, VR17=LC, QJ003=AE, QJ920=AE, 230V 50HZ
GT44=BA		LH			3	12/73 E	.	GT44=AA, TU100=EA, 115V 60HZ
GT44=BB		LH			3	12/73 E	.	GT44=AB, TU100=ED, 230V 50HZ
GT44=CA		LH			3	11/75 E	.	GT46=AA, QJ003=AE RT=11, QJ920=AE BASIC/RT=11 (GSA GROUP 66)
GT46=AA		LH			3	11/75 E	.	GRAPHICS SYSTEMI 11T40=AA + VT11=AA, 115V 60HZ
GT46=AB		LH			3	11/75 E	.	GRAPHICS SYSTEMI 11T40=AB + VT11=AB, 230V 50HZ
GT48A=AA		LH			2	11/75 E	.	HIGH SPEED STROKE DISPLAYI VS60=AA, 11/10=SC, DD11=B, DL11=E, H967=KP, 115V 60HZ
GT48A=AB		LH			2	11/75 E	.	HIGH SPEED STROKE DISPLAYI VS60=AB, 11/10=SD, DD11=B, DL11=E, H967=KR, 230V50HZ
GT48A=BA		LH			2	11/75 E	.	GT48A=AA EXCEPT LA36=CE IN PLACE OF LK40=A, 115V 60HZ
GT48A=BB		LH			2	11/75 E	.	GT48A=AB EXCEPT LA36=CJ IN PLACE OF LK40=A, 230V 50HZ
GT48A=CA		LH			2	11/75 E	.	GT48A=AA EXCEPT 2 CONSOLE VS60=CA IN PLACE OF VS60=AA, 115V 60HZ
GT48A=CB		LH			2	11/75 E	.	GT48A=AB EXCEPT 2 CONSOLE VS60=CB IN PLACE OF VS60=AB, 230V 50HZ
GT48A=DA		LH			2	11/75 E	.	GT48A=BA EXCEPT 2 CONSOLE VS60=CA IN PLACE OF VS60=AA, 115V 60HZ
GT48A=DB		LH			2	11/75 E	.	GT48A=BB EXCEPT 2 CONSOLE VS60=CB IN PLACE OF VS60=AB, 230V 50HZ
GT62=AA		LH			2	11/75 E	.	INTERACTIVE GRAPHIC SYSI 11/10=SC, H967=KP, VS60=AA, LK40=A, DL11=E, 120V
GT62=AB		LH			2	11/75 E	.	INTERACTIVE GRAPHIC SYSI 11/10=SD, H967=KR, VS60=AB, LK40=A, DL11=E, 240V
GT62=BA		LH			2	11/75 E	.	GT62=AA EXCEPT LA36=CA IN PLACE OF LK40=A, 120V
GT62=BB		LH			2	11/75 E	.	GT62=AB EXCEPT LA36=CB IN PLACE OF LK40=A, 240V
GT62=CA		LH			2	11/75 E	.	GT62=AA EXCEPT 2 CONSOLE VS60=CA IN PLACE OF VS60=AA
GT62=CB		LH			2	11/75 E	.	GT62=AB EXCEPT 2 CONSOLE VS60=CB IN PLACE OF VS60=AB

MODEL NO.	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	77
GT62-DA	LH	HL			2 11/75	E	-	GT62-BA EXCEPT 2 CONSOLE VS60=CA IN PLACE OF VS60=AA	
GT62-DB	LH	HL			2 11/75	E	-	GT62-BB EXCEPT 2 CONSOLE VS60=CB IN PLACE OF VS60=BA	
HT32		GS			3	R	DF32	HEAD TESTER	
IAA11-AA	RS	FE		IPG	3 9/73	A	UDC11	MULTI-RANGE A/D CONVERTER W SCREW TERMS (A001, A002, BC40C-6)	
IAA11-BA	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 0 TO +10V, SCREW TERMS (A633, A233, BC40C-6)	
IAA11-BB	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR +1 TO +5V, SCREW TERMS (A633, A234, BC40C-6)	
IAA11-BC	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 4 TO 20 MA, SCREW TERMS (A633, A235, BC40C-6)	
IAA11-BD	RS	FE		IPG	3 9/73	A	UDC11	D/A CONVERTER FOR 10 TO 50 MA, SCREW TERMINALS (A633, A236, BC40C-6)	
IAA8-AA	RS	FE		IPG	3 9/73	A	UDC8	MULTI-RANGE A/D CONVERTER W SCREW TERMS (A001, A002, BC40C-6)	
IAA8-BA	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 0 TO +10V, SCREW TERMINALS (A633, A233, BC40C-6)	
IAA8-BB	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR +1 TO +5V, SCREW TERMS (A633, A234, BC40C-6)	
IAA8-BC	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 4 TO 20 MA, SCREW TERMS (A633, A235, BC40C-6)	
IAA8-BD	RS	FE		IPG	3 9/73	A	UDC8	D/A CONVERTER FOR 10 TO 50 MA, SCREW TERMINALS (A633, A236, BC40C-6)	
IAC-IA	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	SPACE FOR 16 INPUTS AC INPUTS	
IAC-IB	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	SPACE FOR 16 INPUTS AC INTERRUPTING INPUTS	
IAC-IC	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	IAC-IA W 15FT CABLE INSTEAD OF 6FT	
IAC-ID	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	IAC-IB W 15FT CABLE INSTEAD OF 6FT	
IAC-0A	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	16 FLIP FLOPS FOR AC OUTPUTS	
IAC-0B	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	16 AC SINGLE SHOTS FOR AC OUTPUTS	
IAC-0C	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	IAC-0A W 15FT CABLE INSTEAD OF 6FT	
IAC-0D	RS	RG		IPG	3 11/75	B	ICS8, ICS11, ICS8-X	IAC-0B W 15FT CABLE INSTEAD OF 6FT	
IAD-IA	RS	RG		IPG	2 2/75	A	ICS8, ICS11, ICS8-X	8 CHANNEL A/D CONVERTER	
ICR11-AA	RS	MOPO		IPG	2 2/75	B	11	11 INTERFACE, MULTIDROP LINE & REMOTE CONT FOR 16 I/O MODULES 115V60	
ICR11-AB	RS	MOPO		IPG	2 2/75	B	11	11 INTERFACE, MULTIDROP LINE & REMOTE CONT FOR 16 I/O MODULES 230V50	
ICR11-BA	RS	MOPO		IPG	2 2/75	B	DMD11 (MULTIDROP)	REMOTE CONT FOR 16 I/O MODULES, 115V	
ICR11-BB	RS	MOPO		IPG	2 2/75	B	DMD11 (MULTIDROP)	REMOTE CONT FOR 16 I/O MODULES, 230V	
ICR11-CA	RS	MOPO		IPG	2 2/75	B	11	ICR11-AA W REMOTE CONT MTD IN PDP14 STYLE BOX, 115V 60HZ	
ICR11-CB	RS	MOPO		IPG	2 2/75	B	11	ICR11-AB W REMOTE CONT MTD IN PDP14 STYLE BOX, 230V 50HZ	
ICS11-MA	RS	RG		IPG	2 2/75	B	11	FILE CONTROL FOR 16 I/O MODULES, 115V 60HZ	
ICS11-MB	RS	RG		IPG	2 2/75	B	11	FILE CONTROL FOR 16 I/O MODULES, 230V 50HZ	
ICS8-MA	RS	RG		IPG	4 2/75	B	8	MASTER FILE CONTROL FOR 16 I/O MODULES, 115V 60HZ	
ICS8-MB	RS	RG		IPG	4 2/75	B	8	MASTER FILE CONTROL FOR 16 I/O MODULES, 230V 50HZ	
ICS8-XA	RS	RG		IPG	4 2/75	B	ICS8-MA, -MB	EXPANDER FILE FOR 16 I/O MODULES, 115V 60HZ	
ICS8-XB	RS	RG		IPG	4 2/75	B	ICS8-MA, -MB	EXPANDER FILE FOR 16 I/O MODULES, 230V 50HZ	
IDA11-AA	RS	FE		IPG	4 2/75	B	UDC11	CONTACT SENSE W ISOLATED PWR & SCREW TERMS (W741, W400, BC40C-6)	
IDA11-AB	RS	FE		IPG	4 2/75	B	UDC11	CONTACT SENSE W HI-LEVEL AC/DC PWR & SCREW TERMS (W741, W410, BC40C-6)	
IDA11-BA	RS	FE		IPG	4 2/75	B	UDC11	CONTACT INTERRUPT W ISOLATED PWR & SCREW TERMS (W743, W400, BC40C-6)	
IDA11-BB	RS	FE		IPG	4 2/75	B	UDC11	CONTACT INTNPT W HI-LEVEL AC/DC PWR, SCREW TERMS (W743, W410, BC40C-6)	
IDA11-CA	RS	FE		IPG	4 2/75	B	UDC11	I/O COUNTER W SCREW TERMINALS (W734, W400, BC40C-6)	
IDA11-DA	RS	FE		IPG	4 2/75	B	UDC11	SOLID STATE AC/DC DRIVER, ISOLATED, SCREW TERMS (M681, W400, BC40C-6)	
IDA11-EA	RS	FE		IPG	4 2/75	B	UDC11	FF DC DRIVER W SOLID STATE COMM & SCREW TERMS (M685, W400, BC40C-6)	
IDA11-FA	RS	FE		IPG	4 2/75	B	UDC11	SS DRIVER W SOLID STATE COMM & SCREW TERMS (M687, W400, BC40C-6)	
IDA11-GA	RS	FE		IPG	4 2/75	B	UDC11	LATCHING RELAY OUTPUT W ISOLATED PWR SCREW TERMS (M803, W400, BC40C-6)	
IDA11-HA	RS	FE		IPG	4 2/75	B	UDC11	FF RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M805, W400, BC40C-6)	
IDA11-JA	RS	FE		IPG	4 2/75	B	UDC11	SS RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M807, W400, BC40C-6)	
IDA8-AA	RS	FE		IPG	4 2/75	B	UDC8	CONTACT SINSE W ISOLATED PWR, SCREW TERMS (W740, W400, BC40C-6)	
IDA8-AB	RS	FE		IPG	4 2/75	B	UDC8	CONTACT SENSE W HI-LEVEL AC/DC PWR, SCREW TERMS (W740, W410, BC40C-6)	
IDA8-BA	RS	FE		IPG	4 2/75	B	UDC8	CONTACT INTERRUPT W ISOLATED PWR, SCREW TERMS (W742, W400, BC40C-6)	
IDA8-BB	RS	FE		IPG	4 2/75	B	UDC8	CONTACT INTNPT W HI-LEVEL AC/DC PWR, SCREW TERMS (W742, W410, BC40C-6)	
IDA8-CA	RS	FE		IPG	4 2/75	B	UDC8	I/O COUNTER W SCREW TERMINALS (W734, W400, BC40C-6)	
IDA8-DA	RS	FE		IPG	4 2/75	B	UDC8	SOLID STATE AC/DC DRIVER, ISOLATED, SCREW TERMS (M681, W400, BC40C-6)	
IDA8-EA	RS	FE		IPG	4 2/75	B	UDC8	FF DC DRIVER W SOLID STATE COMM, SCREW TERMS (M684, W400, BC40C-6)	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
1DA8=FA	RS	FE		IPG	4 2/75	B	UDC8	SS DRIVER W SOLID STATE COMM, SCREW TERMS (M886, W400, BC40C-6)
1DA8=GA	RS	FE		IPG	4 2/75	B	UDC8	LATCH RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M882, W400, BC40C-6)
1DA8=HA	RS	FE		IPG	4 2/75	B	UDC8	FLIP FLOP RELAY OUTPUT W ISOLATED PWR, SCR TMS (M884, W400, BC40C-6)
1DA8=JA	RS	FE		IPG	4 2/75	B	UDC8	SS RELAY OUTPUT W ISOLATED PWR, SCREW TERMS (M886, W400, BC40C-6)
1DA=OA	RS	RG		IPG	4 2/75	A	ICS8, ICS11, ICS8-X	4 CHANNEL D/A CONVERTER, 0 TO +10V, 4 TO 20MA
1DC11=AA	RS	FE		IPG	6 2/75	E	-	IND DATA ACQUISITION BASE SYS: 11/10-AC, UDC11, H964-EA, 115V
1DC11=AB	RS	FE		IPG	6 2/75	E	-	IND DATA ACQUISITION BASE SYS: 11/10-AD, UDC11, H964-EB, 230V
1DC8=AA	RS	FE		IPG	6 10/74	E	-	IND DATA ACQUISITION BASE SYS: PDP8F-AE, UDC8-P, H964-EA, 115V
1DC8=AB	RS	FE		IPG	6 10/74	E	-	IND DATA ACQUISITION BASE SYS: PDP8F-AF, UDC8-P, H964-EB, 230V
1DC8=CA	RS	FE		IPG	6 10/74	E	-	UDC8-AA + TDB-EM, LT33-DC, QF090-AC, 115V 60HZ
1DC8=CB	RS	FE		IPG	6 10/74	E	-	UDC8-AB + TDB-EM, LT33-DD, QF090-AC, 230V 50HZ
1DC8=DA	RS	FE		IPG	6 10/74	E	POP8E-AE MMB-EJ RKB-EA TAB-AA UDC8-P DK8-EA KAB-E H960-BA H964-EA 115V60HZ	
1DC8=DB	RS	FE		IPG	6 10/74	E	POP8E-AF MMB-EJ RKB-ED TAB-AB UDC8-P DK8-EA KAB-E H960-BB H964-EB 230V50HZ	
1DC=IA	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 INPUTS DC CONTACT SENSE
1DC=IB	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 INPUTS DC CONTACT INTERRUPT (W7430)
1DC=IC	RS	NSL		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	I/O COUNTER
1DC=ID	RS	NSL		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16-BIT VOLTAGE SENSE INPUT (W7411)
1DC=IE	RS	NSL		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16-BIT VOLTAGE INTERRUPT (W7431)
1DC=OA	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 OUTPUTS DC FLIP FLOP
1DC=OB	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 OUTPUTS DC SINGLE SHOT
IMP11=A	FA	CC		CSS	3 1/75	D	11	FULL DUPLEX IMP DMA INTERFACE, 115V
IMX=IA	RS	RG		IPG	4 2/75	A	ICS8, ICS11, ICS8-X	16-CHANNEL MUX (NEEDS ICHAD-IA)
IND11=BA	RS	FE		IPG	6 10/74	E	-	11E05=BA, 115V 60HZ
IND11=BB	RS	FE		IPG	6 10/74	E	-	11E05=BB, 230V 50HZ
INDAC=82		HS			6 3/74	Q	8	=SEE QFR82=AB=
IRL=OA	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 OUTPUT RELAY LATCH
IRL=OB	RS	RG		IPG	4 2/75	B	ICS8, ICS11, ICS8-X	16 OUTPUT RELAY FLIP FLOP
ISH=IA	RS	RG		IPG	3 2/75	B	IAO=IA, IMX=IA	MAGNETIC SHIELD (A907)
JAH01=A		TKAP			3 11/73	J	-	INTRODUCTION TO LOGIC COURSE
JAH02=A		TKAP			3 8/75	J	-	PROGRAMMABLE DATA LOGGER COURSE
JAH03=A		TKAP			3 8/75	J	-	INTRO TO MPS MICROCOMPUTER (WAS PDP16/M PROG & MAINT COURSE)
JAH04=A		TKAP			6 1/75	J	-	VT25 & CENTRONICS 101, 101A
JAH05=A		TKAP			6 1/75	J	-	LA30 & PC05 COURSE
JAH06=A		TKAP			6 1/75	J	-	ASR33 & PC05 COURSE
JAH07=A		TKAP			6 1/75	J	-	LINE PRINTER (8 & 11) COURSE
JAH07=B		TKAP			3 1/75	J	-	LS11/LS8 LINE PRINTER CONTROL HARDWARE MAINTENANCE COURSE
JAH08=A		TKAP			3 1/75	J	-	ASR33 TTY HARDWARE MAINTENANCE COURSE
JAH09=A		TKAP			3 1/75	J	-	LA30 DECRYPTER HARDWARE MAINTENANCE COURSE
JAH10=A		TKAP			3 1/75	J	-	LA36 DECRYPTER HARDWARE MAINTENANCE COURSE
JAH11=A		TKAP			3 1/75	J	-	PC04/PC05 HIGH SPEED READER/PUNCH HARDWARE MAINTENANCE COURSE
JAH12=A		TKAP			3 1/75	J	-	LP01/LP02 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH13=A		TKAP			3 1/75	J	-	LP04 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH14=A		TKAP			3 1/75	J	-	LP05 LINE PRINTER HARDWARE MAINTENANCE COURSE
JAH15=A		TKAP			3 1/75	J	-	VT05 ALPHANUMERIC DISPLAY HARDWARE MAINTENANCE COURSE
JAH16=A		TKAP			3 1/75	J	-	VT50/VT51 DISPLAY HARDWARE MAINTENANCE COURSE
JAS01=A		TKAP			3 5/73	J	-	FORTRAN 4 COURSE
JAS02=A		TKAP			6 11/73	J	-	INTRODUCTORY PROGRAMMING COURSE
JAS02=B		TKAP			6 1/75	J	-	INTRO PROGRAM ON THE PDP8 COURSE
JAS03=A		TKAP			3 11/73	J	-	MINICOMPUTERS FOR MANAGERS, COURSE
JAS04=A		TKAP			3 11/73	J	-	INTRODUCTION TO MINICOMPUTERS, COURSE
JAS05=A		TKAP			3 1/75	J	-	PROGRAMMING IN BASIC, COURSE
JAS06=A		TKAP			3 1/75	J	-	ANSI 1974 COBOL COURSE
JAS07=A		TKAP			3 1/75	J	-	COBOL PROGRAMMING TECHNIQUES COURSE
JAS08=A		TKAP			3 8/75	J	-	INTRO TO DATA COMMUNICATIONS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
JAS09-A		TKAP			3 11/75	J	•	PDP-11 NETWORKING IN RSX, COURSE
JAS10-A		TKAP			3 11/75	J	•	INTRODUCTION TO DATA COMMUNICATION (AY CLASS)
JAV01-A		TKAP			3 1/75	J	•	A/V INTRO TO PDP11 COURSE
JAV01-B		TKAP			3 8/75	J	•	INTRO TO PDP11 AUDIO FILM STRIP W PLAYBACK
JAV02-A		TKAP			3 1/75	J	•	ANSI 1974 COBOL VIDEO CASSETTE
JAV03-A		TKAP			3 1/75	J	•	ANSI 1974 COBOL AUDIO FILMSTRIP
JAV04-A		TKAP			3 6/75	J	•	INTRO TO PDP11 VIDEOCASSETTE
JAV05-A		TKAP			3 6/75	J	•	INTRO TO PDP11 AUDIO/FILMSTRIP
JAV51-A		TKAP			3 6/75	J	•	INTRO TO PDP11 A/V WORKBOOKS
JAV52-A		TKAP			3 6/75	J	•	ANSI 1974 COBOL A/V WORKBOOKS
JAV99-A		TKAP			3 6/75	J	•	LABELLE COURIER 16TR AUDIO/VISUAL PLAYBACK UNIT, 115V 60HZ
JBS01-A		TKAP			3 5/73	J	•	COMMERCIAL PROGRAMMING CONCEPTS COURSE
JBS02-A		TKAP			6 1/75	J	•	COS-300 OPERATOR COURSE
JBS03-A		TKAP			6 1/75	J	•	COS-300 MANAGEMENT COURSE
JBS04-A		TKAP			3 5/73	J	•	COMMERCIAL OPERATING SYS-300 COURSE
JBS05-A		TKAP			3 5/73	J	•	MUMPS-11 FOR DATA MANAGEMENT COURSE
JBS06-A		TKAP			6 1/75	J	•	COMMERCIAL OPERATING SYS-500 COURSE
JBS06-B		TKAP			3 5/73	J	•	COMMERCIAL OPERATING SYS-500 COURSE
JBS07-A		TKAP			3 8/75	J	•	COMMERCIAL OPERATING SYSTEM 350 COURSE
JCD01-A		TKAP			3 2/75	J	•	CUSTOM COURSE DEVELOPMENT
JCS01-A		TKAP			3 2/75	J	•	ONE WEEK ON-SITE STANDARD COURSE
JFH01-A		TKAP			6 1/75	J	•	TYPESET-8 DIAGNOSTIC COURSE
JFH02-A		TKAP			6 1/75	J	•	PDP8/E, 8/F, 8/M FAMILY AND INTERFACE COURSE
JFH03-A		TKAP			6 11/73	J	•	PDP8/E, 8/F, 8/M HARDWARE FAMILIARIZATION AND MAINTENANCE COURSE
JFH03-B		TKAP			6 11/75	J	•	PDP8/E, F, M HARDWARE & MAINTENANCE COURSE
JFH04-A		TKAP			6 1/75	J	•	PDP8/E, 8/F, 8/M OPTIONS MAINTENANCE COURSE
JFH05-A		TKAP			6 11/73	J	•	PDP8/E, 8/F, 8/M DECTAPE MAINTENANCE + EAE COURSE
JFH05-B		TKAP			6 1/75	J	•	PDP8/E, 8/F, 8/M DECTAPE MAINTENANCE COURSE
JFH06-A		TKAP			6 1/75	J	•	PDP8/I HARDWARE COURSE
JFH07-A		TKAP			6 1/75	J	•	PDP8/L HARDWARE COURSE
JFH08-A		TKAP			6 11/73	J	•	PDP8/I, 8/L SYSTEMS MAINTENANCE COURSE
JFH09-A		TKAP			6 1/75	J	•	INTERFACING THE PDP8/E, 8/F, 8/M COURSE
JFH10-A		TKAP			6 1/75	J	•	RK8-E PACK MAINTENANCE COURSE
JFH11-A		TKAP			3 3/74	J	•	PDP8/L, 8/I HARDWARE COURSE
JFH12-A		TKAP			3 11/73	J	•	PDP8/I, 8/L SYSTEM MAINTENANCE COURSE
JFH14-A		TKAP			6 1/75	J	•	DF32 DISK MAINTENANCE COURSE
JFH15-A		TKAP			3 1/75	J	•	PDP8 SYSTEM MAINTENANCE COURSE
JFH16-A		TKAP			3 1/75	J	•	RK8E/RK05 HDW MAINT (WAS PDP8-E, 8/F, 8/M OPTION MAINT COURSE)
JFH17-A		TKAP			3 11/75	J	•	PDP8/A SYSTEM HARDWARE FAMILIARIZATION COURSE
JFS01-A		TKAP			6 1/75	J	•	PDP8 PAPER TAPE SOFTWARE (A) COURSE
JFS01-B		TKAP			3 11/75	J	•	PDP8 PAPER TAPE SOFTWARE (S) COURSE
JFS01-C		TKAP			3 1/75	J	•	PDP8 SOFTWARE COURSE
JFS02-A		TKAP			3 1/75	J	•	OS/8 SOFTWARE (A) COURSE
JFS02-B		TKAP			6 11/75	J	•	OS/8 SOFTWARE (S) COURSE
JFS03-A		TKAP			6 11/75	J	•	PROGRAMMING THE PDP8, COURSE
JFS04-A		TKAP			6 1/75	J	•	OS/8 SOFTWARE EXTENSION, COURSE
JFS05-A		TKAP			3 5/73	J	•	PDP8 CASSETTE OPERATING COURSE
JFS06-A		TKAP			3 11/73	J	•	INDUSTRIAL BASIC, COURSE
JFS07-A		TKAP			3 1/75	J	•	RSTS-8 REAL TIME SYSTEM COURSE
JFS08-A		TKAP			3 1/75	J	•	PDP8 FUNDAMENTAL & INSTRUCTION COURSE
JHS01-A		TKAP			6 1/75	J	•	DEC SYSTEM-10 MONITOR COURSE
JHS02-A		TKAP			6 1/75	J	•	DEC SYSTEM-10 TIMESHARING USERS COURSE
JHS02-B		TKAP			6 1/75	J	•	DECSYSTEM-10 TIMESHARING USERS COURSE
JHS03-A		TKAP			3 5/73	J	•	DEC SYSTEM-10 ASSEMBLY LANGUAGE PROGRAM COURSE
JHS04-A		TKAP			3 5/73	J	•	DEC SYSTEM-10 PERFORMANCE ANALYSIS COURSE
JHS05-A		TKAP			3 11/73	J	•	DECSYSTEM-10 ADMINISTRATION COURSE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE-MO/YR	CATEGORY	USED ON	DESCRIPTION
JHS06-A		TKAP			3	1/75	J	-	DECSYSTEM 10 COBOL COURSE
JHS07-A		TKAP			3	1/75	J	-	DECSYSTEM 10 SYSTEM PROGRAMMING COURSE
JHS08-A		TKAP			3	1/75	J	-	DECSYSTEM 10 MONITOR STRUCTURE COURSE
JHS09-A		TKAP			3	1/75	J	-	DECSYSTEM 10 MONITOR INTERNAL COURSE
JHS10-A		TKAP			3	1/75	J	-	DECSYSTEM 10 MONITOR UPDATE COURSE
JHS11-A		TKAP			3	1/75	J	-	DECSYSTEM 10 COBOL FAMILIARIZATION COURSE
JHS12-A		TKAP			3	1/75	J	-	DECSYSTEM 10 ADVANCED COBOL COURSE
JHS13-A		TKAP			3	1/75	J	-	DECSYSTEM 10 DBMS-10 COURSE
JHS14-A		TKAP			3	1/75	J	-	DECSYSTEM 10 OPERATOR COURSE
JJH01-A		TKAP			3	5/73	J	-	POD11/20 HARDWARE COURSE
JJH02-A		TKAP			6	1/75	J	-	KE11 EAE WITH PG11 COURSE
JJH03-A		TKAP			3	5/73	J	-	TC11/TU56 DECTAPE MAINTENANCE COURSE
JJH04-A		TKAP			3	11/73	J	-	RF11/RS11 DISK MAINTENANCE COURSE
JJH05-A		TKAP			3	5/73	J	-	TM11/TU10 MAGTAPE MAINTENANCE COURSE
JJH06-A		TKAP			6	1/75	J	-	RK11-C/RK05 DISK PACK COURSE
JJH06-B		TKAP			3	5/73	J	-	RK11-D, -E/RK05 DISK PACK MAINTENANCE COURSE
JJH07-A		TKAP			6	1/75	J	-	PDP11/20 PROCESSOR DIAGNOSTICS & ADJUSTMENTS COURSE
JJH07-B		TKAP			3	1/75	J	-	RK11-D, -E, RK05 MAINTENANCE COURSE
JJH08-A		TKAP			6	11/74	J	-	INTERFACING THE PDP11 COURSE
JJH08-B		TKAP			3	5/73	J	-	INTERFACING THE PDP11 COURSE
JJH09-A		TKAP			3	5/73	J	-	RC11/RS64 DISK MAINTENANCE COURSE
JJH10-A		TKAP			6	1/75	J	-	POD11/20 HARDWARE SPECIAL COURSE
JJH11-A		TKAP			6	1/75	J	-	OPTIONAL RK11-C EXTENTION, COURSE
JJH12-A		TKAP			6	11/74	J	-	RP11-C, RP03 DISK COURSE
JJH12-B		TKAP			3	11/73	J	-	RP11-C, RP03 DISK COURSE
JJH13-A		TKAP			3	8/75	J	-	LS11 HARDWARE & INTERFACING COURSE
JJH14-A		TKAP			3	8/75	J	-	TJU16/TU16 MAGTAPE FAMILIARIZATION COURSE(WAS RK09 EXTENSION COURSE)
JJH15-A		TKAP			3	8/75	J	-	RJP04/RP04 MOVING HEAD DISK COURSE
JJH16-A		TKAP			3	8/75	J	-	RJS00/RS03, RJS04/RS04 DISK COURSE
JJH17-A		TKAP			3	8/75	J	-	DX11-B SYS 360/370 CHANNEL INTERFACE COURSE
JJH18-A		TKAP			3	8/75	J	-	DU11/DN11 COMM INTERFACE FAMILIARIZATION COURSE
JJS01-A		TKAP			6	1/75	J	-	INTRODUCTION TO THE PDP11, COURSE
JJS02-A		TKAP			6	1/75	J	-	PDP11 PAPER TAPE SOFTWARE (A) COURSE
JJS02-B		TKAP			6	1/75	J	-	PDP11 PAPER TAPE SOFTWARE (S) COURSE
JJS03-A		TKAP			6	1/75	J	-	PROGRAMMING THE PDP11, COURSE
JJS04-A		TKAP			6	11/73	J	-	PDP11 DISK OPERATING SYSTEM (DOS) COURSE
JJS04-B		TKAP			3	5/73	J	-	PDP11 DISK SYSTEM SOFTWARE (DSS) COURSE
JJS04-C		TKAP			3	1/75	J	-	PDP11 DOS-11 ACCELERATED COURSE
JJS05-A		TKAP			6	11/73	J	-	COMTEX-11 2700 ETAP COMM ORIENTED MULTI TERMINAL EXEC COURSE
JJS05-B		TKAP			6	11/73	J	-	COMTEX-11 2840 ETAP COMM ORIENTED MULTI TERMINAL EXEC COURSE
JJS05-C		TKAP			3	11/73	J	-	PDP11 DOS, COMTEX, COURSE
JJS06-A		TKAP			6	1/75	J	-	PDP11 RESOURCE TIMESHARING SYSTEM SOFTWARE COURSE
JJS06-B		TKAP			3	1/75	J	-	RSTS/E USER COURSE
JJS06-C		TKAP			3	11/75	J	-	PDP-11 RSTS/E ADVANCED USER COURSE
JJS06-D		TKAP			3	11/75	J	-	RSTS/E OPERATING SYSTEM COURSE
JJS06-E		TKAP			3	11/75	J	-	RSTS/E SYSTEM PROGRAMMING & ADVANCED USER COURSE
JJS07-A		TKAP			6	1/75	J	-	PDP11 REAL TIME EXECUTIVE SOFTWARE (RSX-11C/9) COURSE
JJS08-A		TKAP			3	5/73	J	-	PDP11 CASSETTE OPERATING SYSTEM COURSE
JJS09-A		TKAP			3	5/73	J	-	PDP11 REAL TIME OPERATING SYSTEM COURSE
JJS09-B		TKAP			3	1/75	J	-	RT-11 STANDARD OPERATING SYSTEM COURSE
JJS09-C		TKAP			3	11/75	J	-	RT-11 ADVANCED USER COURSE
JJS09-D		TKAP			3	11/75	J	-	RT-11 GRAPHICS & LAB PERIPHERALS COURSE
JJS10-A		TKAP			6	11/73	J	-	PDP11 REAL TIME EXECUTIVE (RSX-11A) COURSE
JJS11-A		TKAP			3	5/73	J	-	DOS GRADUATE SCHOOL
JJS12-A		TKAP			6	1/75	J	-	RSTS USER'S COURSE
JJS14-A		TKAP			6	1/75	J	-	RSTS SYSTEM MANAGERS COURSE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
JJS15-A		TKAP			3 11/73	J	•	PDP11 RSTS/E SYSTEM MANAGER, ADVANCED COURSE
JJS16-A		TKAP			6 1/75	J	•	POP11 RSTS/E UPDATE, COURSE
JJS17-A		TKAP			6 1/75	J	•	POP11 DISK OP USERS SYS (DOS) COURSE
JJS18-A		TKAP			3 11/73	J	•	POP11 PAPER TAPE USERS COURSE
JJS19-A		TKAP			3 11/73	J	•	POP11 FUNDAMENTALS & INSTRUCTION, COURSE
JJS20-A		TKAP			3 1/75	J	•	POP11 FUNDAMENTALS & INSTRUCTIONS COURSE
JJS21-A		TKAP			3 1/75	J	•	RSX-11M ADVANCED USER COURSE
JJS22-A		TKAP			3 1/75	J	•	RSX-D/M CONVERSION COURSE
JJS23-A		TKAP			3 1/75	J	•	RSX-11 OPERATOR COURSE
JJS24-A		TKAP			3 1/75	J	•	COROL PROGRAMMING COURSE
JJS25-A		TKAP			3 8/75	J	•	INTRO TO PDP11 (LECTURE)
JJS26-A		TKAP			3 8/75	J	•	RSX11-D MACRO PROGRAMMING COURSE
JJS27-A		TKAP			3 8/75	J	•	RSX11-D FORTRAN PROGRAMMING COURSE
JJS28-A		TKAP			3 8/75	J	•	RSX11-D TERMINAL CONCENTRATOR (TC/D) COURSE
JJS29-A		TKAP			3 8/75	J	•	MACRO-11 COURSE
JJS30-A		TKAP			3 11/75	J	•	DIBOL-11 COURSE
JKH01-A		TKAP			3 8/75	J	•	PDP12 HARDWARE COURSE
JKS01-A		TKAP			3 5/73	J	•	PDP12 SOFTWARE COURSE
JLH01-A		TKAP			3 5/73	J	•	POP14/14L BASIC PROGRAMMING COURSE
JLH02-A		TKAP			3 5/73	J	•	POP14/14L BASIC PROGRAMMING, ADVANCED COURSE
JLH03-A		TKAP			3 11/73	J	•	PDP14/30, -35 SYSTEM & MAINTENANCE COURSE
JLH04-A		TKAP			3 11/73	J	•	POP14-30, -35 COMP BASED PROG COURSE
JMH01-A		TKAP			6 1/75	J	•	PDP15 HARDWARE FAMILIARIZATION COURSE
JMH01-B		TKAP			3 1/75	J	•	PDP15/76 HARDWARE MAINTENANCE COURSE
JMS01-A		TKAP			6 1/75	J	•	PDP15 SYSTEMS SOFTWARE COURSE
JMS02-A		TKAP			6 1/75	J	•	RSX15 COURSE
JMS02-B		TKAP			3 1/75	J	•	RSX-15 * 3, COURSE
JMS03-A		TKAP			3 8/75	J	•	INTRODUCTION TO THE PDP15, COURSE
JMS04-A		TKAP			3 12/75	J	•	DOS-15 COURSE
JNH01-A		TKAP			3 5/73	J	•	POP11/05, 11/10 HARDWARE FAMILIARIZATION COURSE
JNH02-A		TKAP			3 8/75	J	•	POP11/04 HARDWARE FAMIL COURSE (WAS PDP11-05 HDW SPECIAL COURSE)
JPH01-A		TKAP			3 5/73	J	•	POP11/40 HARDWARE FAMILIARIZATION COURSE
JPH01-B		TKAP			3 11/75	J	•	POP-11/35, 11/40 HARDWARE FAMILIARIZATION COURSE
JPH02-A		TKAP			6 1/75	J	•	POP11/40 OPTION MAINTENANCE COURSE
JPH03-A		TKAP			6 1/75	J	•	POP11/40 PROCESSOR DIAGNOSTICS & ADJUSTMENT COURSE
JPH03-B		TKAP			3 1/75	J	•	POP11/40 CPU TROUBLE SHOOTING COURSE
JPH03-C		TKAP			3 12/75	J	•	TROUBLE SHOOTING PROCEDURE & DP11/40 OPTIONS COURSE
JPH04-A		TKAP			3 1/75	J	•	POP11/40 MEMORY HARDWARE FAMILIARIZATION COURSE
JPH05-A		TKAP			3 1/75	J	•	POP11/40 ARITHMETIC OPTION HARDWARE FAMILIARIZATION COURSE
JPH06-A		TKAP			3 1/75	J	•	PDP11 SYSTEMS DIAGNOSIS COURSE
JRH01-A		TKAP			6 1/75	J	•	POP11/45 HARDWARE I COURSE
JRH02-A		TKAP			6 1/75	J	•	POP11/45 HARDWARE II COURSE
JRH03-A		TKAP			6 1/75	J	•	POP11/45 HARDWARE III COURSE
JRH04-A		TKAP			6 1/75	J	•	POP11-45 HARDWARE SPECIAL COURSE
JRH05-A		TKAP			3 1/75	J	•	POP11/45 PROCESSOR MAINTENANCE COURSE
JRH06-A		TKAP			3 1/75	J	•	POP11/45 FLOATING POINT PROCESSOR MAINTENANCE COURSE
JRH07-A		TKAP			3 1/75	J	•	POP11/45 MEMORY MAINTENANCE COURSE
JRH08-A		TKAP			3 8/75	J	•	POP11/45, 11/70 HARDWARE FAMILIARIZATION COURSE
JRS01-A		TKAP			3 5/73	J	•	POP11/40, 11/45 RSX-110 USERS COURSE
JRS02-A		TKAP			3 5/73	J	•	POP11/40, 11/45 RSX-110 ADVANCED USERS COURSE
JST01-A		TKAP			3 6/75	J	•	OEM SALES TRAINING SEMINAR
JTH01-A		TKAP			3 8/75	J	•	POP11/70 PROC HDW MAINT COURSE
KA10-A		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 60 HZ 115V
KA10-B		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 90 HZ 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
KA10=C		KE			5	K	10	PDP10 ARITHMETIC PROCESSOR, 90 MHZ 230V
KA10=P	FP	RJS		DAS	3	4/72 K	KA10-A, -B, -C	POWER FAIL RESTART OPTION
KA10=S	FP	RJS		DAS	3	6/73 K	KA10, K110	STALL ALARM
KA10=UA		KE			=	8/71 K	6	KA10-A (W TRADE-IN OF 166)
KA10=UB		KE			=	8/71 K	6	KA10-B (W TRADE-IN OF 166)
KA10=UC		KE			=	8/71 K	6	KA10-C (W TRADE-IN OF 166)
KA11	JRC	SCJ		FS	5	3/71 K	11/20	16 BIT WORD PROCESSOR
KA11=YA	JRC	SCJ		FS	4	3/72 K	11/20	KA11 W KH11-A OPTION
KA14		AR			5	12/L1 K	PDP14=L	PDP14=L PROCESSOR UNIT
KA15		FA			5	3/71 K	15	AUTO PRIORITY INTERRUPT
KA70=A		JDL			6		7	BOUNDARY REGISTER & CONTROL
KA71=A		JDL			6		7=A	I/O PACKAGE
KA72=B		JDL			6		7=A	DEVICE SELECTOR EXTENSION
KA77=A		JDL			6		7=A	CENTRAL PROC (INCLUDES 140-B)
KAB=E		LT			5	8/71 K	8/E, 8/M	POSITIVE I/O BUS INTERFACE FOR PDP8-E
KAB=EA		LT			5	8/71 K	8/E, 8/M	QEM2 KAB-E
KAB=I		MA			5		8/I	POSITIVE BUS KIT
KAC16		DCR			5	8/71 K	16	GENERAL PURPOSE ARITHMETIC UNIT CONTROL M7300
KAC16=A		DCR			2	3/72 K	16	ARU DECODER (M7331)
KAR11	JRC	SCJ		FS	3	12/73 K	11R20	RUGGED KA11
KAR16		DCR			4	8/71 K	16	GENERAL PURPOSE ARITHMETIC UNIT REGISTERS M7301
KB01=A		JDL			5		8	SERIAL TO PARALLEL BUFFER
KB01=B		JDL			6		7	SERIAL TO PARALLEL BUFFER
KB02=A		JDL			5		8	SIGNAL CONVERTER BUFFER
KB02=B		JDL			6		7	SIGNAL CONVERTER BUFFER
KB03		JDL			6		7	DEVICE SELECTOR EXTENSION
KB11=A	RT	RFB			4	5/73 K	11/45	16 BIT PROCESSOR
KB11=B	ARR	SR			4	11/75 K	11/70	CPU, MEM MGMT, CACHE, MAP, DIAGNOSTIC BOOT, SPACE FOR 4 RH70, 5 SPC
KB11=C	ARR	TN			2	11/75 K	11/70	FP11=C COMPATABLE KB11-B
KB11=D	RT	VDB		WM	2	11/75 E	11/45, 11/55	KB11=A REDESIGNED TO ACCEPT FP11=C
KB16=A		DCB			5	8/71 K	16	TWO WAY BRANCH M7304
KB16=B		FLE			5	8/71 K	16	EIGHT WAY BRANCH M7314
KB8=IA		JDL		TPL	6	8/73 K	8/I	M107, M738 BUS TRANSMITTER, BC08A=15
KB8=IB		JDL		TPL	6	8/73 K	8/I	M737 BUS RECEIVER, BC08A=15
KB8=LA		JDL		TPL	6	8/73 K	BA08	M107, M738 BUS TRANSMITTER, BC08A=15
KB8=LB		JDL		TPL	6	8/73 K	BA08	M737 BUS RECEIVER, BC08A=15
KBH16		DCB			3	8/71 K	16	BUS MONITOR M7322
KB911=A	QH	BNW		CSS	3	10/74 K	KB11-A	VIRTUAL MACHINE EXTENSION (M8117, M8118, M8103=YA)
KB916		DCB			5	12/71 K	16	BUS SENSE (M7304)
KB916=A		DCB			5	12/71 K	16	BUS CONTROL (M7332)
KCP1		JDL			6		5, 8	ADAPTER CONNECTOR
KCP9=A		MI			5		9	PDP9 CENTRAL PROCESSOR
KCP9=C		MI			4		9/L	PDP9=L CENTRAL PROCESSOR
KC11	JRC	SCJ		FS	3	12/73 K	11/15	16 BIT PROC (KA11 W NO PWR FAIL, 1 BR PRIORITY)
KC11=YA	JRC	SCJ			4	3/72 K	11/15	KA11 W KH11-A OPTION
KC15=A		FA			4		15	KEY BOARD CONSOLE
KC15=B		FA			4		15	FLAT CONSOLE
KC341=A	RJM	CYR	WLS	MAY	2	5/74 K	M7341	BENCH-TOP CONSOLE FOR M7341 MICRO-PROCESSOR
KCB=AA	JC	GHL			3	2/75 K	8/A	PROGRAMMER'S CONSOLE
KCB=AB	JC	GHL			3	2/75 K	8/A	REMOTE PROGRAMMER'S CONSOLE
KCB=EA		PG			5	10/71 K	8/E	CONSOLE WITH SWITCHES & LIGHTS
KCB=EB		PG			5	10/71 K	8/E	BLANK FRONT PANEL
KCB=EC		PG			5	10/71 K	8/E	TURN-KEY FRONT PANEL
KCB=ED	SNT	AW			3	1/73 K	8/E	GREEN KCB=EA FOR LAB8-E
KCB=EJ	RS	PE			2	10/73 K	8/E	RED, WHITE & BLUE KCB=EA FOR JPC
KCB=EL		PG			2	3/72 K	8/E	KCB=EA W LEDS (LIGHT EMITTING DIODES)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
KCB=FL	RS	FE			2 10/73	K	8/F	RED, WHITE & BLUE KCB=FL FOR IPG
KCB=FL		PG			4 2/72	K	8/F	KCB=EL W 8/F LOGO
KCB=HA	GPB	RI			3 2/74	K	8/E	MARS PANEL (PC, MA, MD, AG, MQ, STATUS BITS LIGHTS)
KCB=HB	GPB	RI			3 2/74	K	8/E	KEY OPTION= HALTS WHEN MA = SWITCHES
KCB=M		PG			4 2/72	K	8/M	MINIMUM FUNCTION CONSOLE (2 LIGHTS, 2 SWITCHES)
KCB=ML		PG			4 2/72	K	8/M	KCB=EL WITH 8/M LOGO
KD09=A		MI			5	K	9	PDP9 I/O SECTION
KD09=C		MI			4	K	9/L	PDP9=L I/O SECTION
KD11=A	RT	LC			5 7/73	K	11/35, 11/40	16 BIT PROCESSOR
KD11=B	DLR	CPN			5 2/73	K	11/05, 11/10	16 BIT PROCESSOR, M7260 + M7261
KD11=D	SNT	RAA			2 11/74	K	11/04, 11A10	ONE BOARD 11/05 (M7263)
KD11=F	MT				2 2/75	E	11/03	M7264 W 4K MOS RAM
KD11=H	MT				2 2/75	E	11/03	M7264=YA (NO RAM)
KD11=J	MT				2 2/75	E	11/03	KD11=H + MMV11=A (4K CORE MEM)
KD11=L		MT			2 4/75	K	11/03	KD11=F + KEV11
KD11=M		MT			2 4/75	K	11/03	KD11=J + KEV11
KD15		FD			6 6/75	K	15	I/O PROCESSOR
KD15=C		FD			5 6/75	K	PDP15=C	KD15 FOR PDP15=C
KDB=E		LT			5 10/72	K	8/E	DATA BREAK
KDB=L		WH			5	K	8/L	DATA BREAK
KDL2		LG			3	K	LINC/8	LINC TAPE I/O INTERRUPT
KE09=A		MI			5	K	9	EAE
KE09=C		MI			4	K	9/L	PDP9=L EAE
KE10		KE			5	K	10	EXTENDED ORDER CODE
KE11=A	SNT	SR			4	K	11/20, 11/05	EAE, BUS MOUNTED
KE11=B	RT	TU			4 2/75	K	11/05	HEX EAE, UNIBUS MOUNTED KE11=A COMPATIBLE
KE11=E	RT	LC			4 5/73	K	11/35, 11/40	EXPANDED INSTRUCTION SET (MUL, DIV, ASH, ASHC)
KE11=F	RT	LC			4 5/73	K	11/35, 11/40	FLOATING POINT INSTRUCTION SET
KE12	SNT	RI			5	K	12	EAE
KE15		FA			5 6/75	K	15	EXTENDED ARITHMETIC ELEMENT
KE15=C		FD			5 6/75	K	PDP15=C	KE15 FOR PDP15=C
KEB=F	JC	GHL			5 10/72	K	8/E	EXTENDED ARITHMETIC ELEMENT
KEB=I		JDL			5	K	8/I	EAE
KER11=A		KH			3 1/72	K	11R20	RUGGED KE11=A
KEV11	MT				2 2/75	K	KD11=F, =H, =J	EIS/FIS (EAE + FLOATING POINT)(23=083A5=01)
KEV16		DCR			5 8/71	K	16	EVOKE UNITS M7310
KF01		JDL			6	K	7	I/O INTERFACE FOXBORO
KF03		RN		GSS	3	K	15	I/O INTERFACE, FOXBORO
KF09=A		MI			5	K	9	AUTO PRIORITY INTERRUPT
KF09=C		MI			4	K	9/L	AUTO PRIORITY INTERRUPT
KF11=A		CMD			4 8/71	K	KC11	AUTO PRIORITY (4 LEVELS) INTERRUPT (M7218)
KF12=B	SNT	RI			4 6/71	K	12	15 LEVEL AUTO PRIORITY INTERRUPT W PUSH, POP & PUSH JUMP
KF12=C	SNT	RI			3 9/71	K	12	KF12=B PLUS NEW EP12 PANEL
KF15		FA			5 3/71	K	15	POWER FAIL OPTION
KFL16		DCB			5 8/71	K	16	3 FLAG FLIP FLOPS M7306
KG09=A		MI			6	K	ME09=A	PDP9 MEMORY EXTENSION CONTROL
KG09=B		MI			5	K	ME09=B	PDP9 MEMORY EXTENSION CONTROL
KG09=C		MI			4	K	ME09=C	MEMORY EXTENSION CONTROL
KG09=D		JDL		TPL	6 9/71	K	9	MEM EXT CONT TO 64K (NO MP09, KX09)
KG11=A		RL			5 3/72	K	11	XOR & CRC (IBM 16, IBM 12, CCITT)
KG8=EA		RBR			4 5/71	D	8/E	REDUNDANCY CHECK (VRC + LRC OR CRC) (M884)
KH11=A	JRC	SCJ			5 1/72	K	KA11, KC11	SYSTEM EXPANSION (LATENCY REDUCTION)
KI10		KE			3 1/72	K	10	I/O ARITHMETIC PROCESSOR
KI10=A		KE			= 11/73	K	10	DUMMY NUMBER FOR OLD KI10 FLOWS
KI10=M	FW	KE			4 5/72	K	KI10	MEMORY BUS ADAPTER (MA10, MB10, MD10 TO KI10)
KI10=U		KE			= 8/71	K	10	KI10 (W TRADE-IN OF KA10)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
KIT01-AA	RJM	RF			3	5/73 B	ASYN ASC II UP TO 4800 BAUD	8 CH +/-10V A/D CONV, 5MV RESOLUTION, 115V
KIT01-AB	RJM	RF			3	5/73 B	ASYN ASC II UP TO 4800 BAUD	8 CH +/-10V A/D CONV, 5MV RESOLUTION, 230V
KIT11-D	RJM	RF			3	9/74 B	11	DMA INTERFACE W 1 UNWIRED QUAD SLOT
KIT11-DT	RJM	RF			3	9/74 B	KIT11-D	CHECKOUT OPTION, BC08R=01 + DIAGNOSTICS
KIT11-F	RJM	RF			3	11/72 B	11	BB11-F BUS INTRFC W 3 WORDS IN, 1 WORD OUT, 4 INTERRUPTS
KIT11-H	RJM	RF			3	11/72 B	11	BB11-H BUS INTRFC W 4 WORDS IN, 4 WORDS OUT, 4 INTERRUPTS
KIT11-HT	RJM	RF			3	7/73 K	KIT11-H	CHECKOUT OPTION, BC08R=01 + DIAGNOSTICS
KIT11-K	RJM	RF			3	11/72 B	11	BB11-K BUS INTRFC W 8 WORDS IN, 8 WORDS OUT
KIT11-M	RJM	RF			3	11/72 B	11	BB11-M BUS INTRFC FOR M1621, M1623, M1801, SPC EXCEPT DR11-B, DL11
KIT36-A	RJM	PFH			3	8/73 L	-	LA36 POWR MOD 5410805, LOGIC M7722, PRT HD 7009803, PRNTR ASSY 7009696
KIT8A-AC	JC	JK			2	5/74 E	-	KK8-A, MS8-AA 1K RAM
KIT8A-AE	JC	JK			2	5/74 E	-	KK8-A, MS8-AB 2K RAM
KIT8A-AK	JC	JK			2	5/74 E	-	KK8-A, MS8-AD 4K RAM
KIT8A-AM	JC	JK			2	4/73 E	-	KK8-A, KM8-A, MM8-AA 8K CORE
KIT8A-AP	JC	JK			2	4/73 E	-	KK8-A, KM8-A, MM8-AB 16K CORE
KIT8A-AQ	JC	JK			2	4/73 E	-	KK8-A, KM8-E, MM8-AA 8K CORE
KIT8A-AR	JC	JK			2	4/73 E	-	KK8-A, KM8-E, MM8-AB 16K CORE
KIT8A-AS	JC	JK			2	5/74 E	-	KK8-A, MR8-FB 1K PROM
KIT8A-AT	JC	JK			2	4/73 E	-	KK8-A, MS8-BA 4K RAM
KITMP-BE	RJM	EN			3	11/74 E	-	M7341 MICROPROC, 3 INPUT, 4 OUTPUT WORDS, 1K ROM, 2K RAM, MHP02-A
KL11-A	RT	LC			3	10/74 K	11/35, 11/40	PROGRAMMABLE STACK LIMIT REGISTER (M7237)
KK8-A	JC	LK			2	11/74 K	PDP8-A	PROCESSOR (M8315) (1.5 USEC)
KK8-E		GHL			5	1/72 K	B/E	PROCESSOR FOR PDP8-E (1.2 USEC)
KL08	MI	JDL	TPL		3	1/73 K	8	ASYN DATA CONT 110, 150, 300 BAUD MODIFICATION KIT
KL09	MI	JDL			3	9/73 K	9	ASYN DATA CONT 110, 150, 300 BAUD MODIFICATION KIT
KL10-AA	ATT				2	10/74 K	ECL PROC, CACHE, 1080 FRONT END (7010229-1), DTE20, DIA20, DMA20, (1080), 60HZ	
KL10-AB	ATT				2	10/74 E	ECL PROC, CACHE, 1080 FRONT END (7010229-2), DTE20, DIA20, DMA20, (1080), 50HZ	
KL10-BA	ATT				2	4/73 E	-	KL10-AA W CHANNEL CONT, SLOTS FOR 3 DTE20, 8 RH20, 60HZ (1080-M)
KL10-BB	ATT				2	4/73 E	-	KL10-AB W CHANNEL CONT, SLOTS FOR 3 DTE20, 8 RH20, 50HZ (1080-M)
KL10-BC	ATT				2	4/73 E	ECL PROC, CACHE, CH CONT, 20 FE, SLOTS 1/3 DTE20, 8 RH20, DIA20, DMA20, 60HZ	
KL10-BD	ATT				2	4/73 E	-	50 HZ KL10-BC
KL10-CA	ATT				2	4/73 E	ECL PROC, CH CONT, DTE20, 20 FRONT END, SLOTS FOR 3 DTE20, 8 RH20, 60HZ	
KL10-CB	ATT				2	4/73 E	-	50 HZ KL10-CA
KL10-PA	ATT				2	4/73 E	-	ECL PROCESSOR, SLOTS FOR CACHE & CHANNEL CONTROL
KL10-PB	ATT				2	4/73 D	KL10	BUFFER MODULE SET (USED IF NO CACHE)
KL10-PC	ATT				2	4/73 D	KL10	CHANNEL CONTROL (MODULE SET)
KL10-PD	ATT				2	4/73 B	KL10	TERMINATOR MODULE SET (USED IF NO CHANNEL CONTROL)
KL10-PE	ATT				2	4/73 D	KL10	I/O ASSEMBLY FOR 1 DTE20
KL10-PF	RLD	LJC			2	4/73 D	KL10	I/O ASSEMBLY FOR 4 DTE20 & 8 RH20
KL10-PH	ATT				2	4/73 D	KL10	BUS OPTION ASSEMBLY FOR DIA20 & DMA20
KL10-PJ	ATT				2	4/73 B	KL10	POWER SUPPLIES & HARNESS FOR SMALL I/O SECTION
KL10-PK	ATT				2	4/73 B	KL10	POWER SUPPLIES & HARNESS FOR LARGE I/O SECTION W/O BUS ADAPTER
KL10-PL	ATT				2	4/73 B	KL10	POWER SUPPLIED & HARNESS FOR LARGE I/O SECTION
KL10-PM	ATT				2	4/73 B	KL10	UPGRADE KIT KL10-PJ TO KL10-PL (1080 TO 1080-M)
KL10-PN	ATT				2	4/73 B	KL10	UPGRADE KIT KL10-PK TO KL10-PL
KL10-PP	ATT				2	4/73 B	KL10	KL10 TALL CABINET ASSEMBLIES W POWER SUPPLIES, 60HZ
KL10-PR	ATT				2	4/73 B	KL10	KL10 TALL CABINET ASSEMBLIES W POWER SUPPLIES, 50HZ
KL10-PS	ATT				2	4/73 B	KL10	KL10 COLOR & TRIM GROUP, 10 SERIES (BLUE & GRAY) TALL CABINETS
KL10-PT	ATT				2	4/73 B	KL10	KL10 COLOR & TRIM GROUP, 20 SERIES (NOT YET DEFINED) TALL CABS
KL10-PU	ATT				2	4/73 B	KL10	50 HZ DECAL & POWER CORD
KL11-A	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	TELETYPE CONTROL, 110 BAUD (M780)
KL11-B	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	150 BAUD KL11-A (M780-Y8)
KL11-C	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	300 BAUD KL11-A (M780-YC)
KL11-D	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	600 BAUD KL11-A (M780-YO)
KL11-E	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	1200 BAUD SEND & 110 BAUD RECEIVE KL11-A (M780-YE)
KL11-F	JRC	SCJ		FS	6	8/72 K	KA11 OR DD11	2400 BAUD KL11-A (M780-YF)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	85
KL11=S		JTN		CSS	3 3/74	D	11	307 K BAUD TEKTRONIX 4010 SERIES INTERFACE	
KL8=EA	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 110 BAUD, M8650, EIA	
KL8=EB	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 150 BAUD, M8650=YA, EIA	
KL8=EC	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 300 BAUD, M8650=YA, EIA	
KL8=ED	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 600 BAUD, M8650=YA, EIA	
KL8=EE	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 1200 BAUD, M8650=YA, EIA	
KL8=EF	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 150 BAUD REC/1200 BAUD SEND, M8650=YA, EIA	
KL8=EG	JC	RBR			4 6/71	K	8/E	ASYNCH DATA CONT, 150 BAUD REC/2400 BAUD SEND, M8650=YA, EIA	
KL8=F	JC	RBR			4 8/73	K	8/E	DOUBLE BUFFERED KL8=E	
KL8=FA	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EA (M8652)	
KL8=FB	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EB (M8652=YA)	
KL8=FC	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EC (M8652=YA)	
KL8=FD	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=ED (M8652=YA)	
KL8=FE	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EE (M8652=YA)	
KL8=FF	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EF (M8652=YA)	
KL8=FG	JC	RBR			4 10/71	K	8/E	DOUBLE BUFFERED KL8=EG (M8652=YA)	
KL8=PH	JC	RBR			4 10/71	K	8/E	DOUBLE BUF ASYNC CONT 134.5 BAUD 7 BIT (IBM) (M8652=YB)	
KL8=FJ	JC	RBR			4 10/71	K	8/E	DOUBLE BUF ASYNC CONT 1800 BAUD (M8652=YC)	
KL8=FK	JC	RBR			4 10/71	K	8/E	DOUBLE BUF ASYNC CONT 2400 BAUD (M8652=YA)	
KL8=I	MI	JOL		TPL	3 1/75	K	8/E, 8/L, 12	ASYNCH DATA CONT, 110, 150, 300 BAUD MODIFICATION KIT	
KL8=JA	JC	RBR			4 10/73	D	8/E	DBL BUF ASYNC SER CONT 110 TO 9600 BAUD, 20MA OR EIA RDR RUN (M8655)	
KL8=K	MI	JG		TPL	3 1/74	D	8/E	KL8=JA (M8655)	
KL8=KA	MI	JG		TPL	3 1/74	D	8/E	KL8=K (M8655) + BC01V=25 CABLE	
KL8=KB	MI	JG		TPL	3 1/74	D	8/E	KL8=K W 4,439 MHZ XTAL (M8655=YA) FOR 1050 BAUD + BC01V=25	
KL8=KC	MI	JG		TPL	3 1/74	D	8/E, H320	KL8=K W 3,0735 MHZ XTAL (M8655=YB) FOR 66,6 BAUD	
KL8=KD	MI	JG		TPL	3 1/74	D	8/E, H320	KL8=K W 2,621 MHZ XTAL (M8655=YC) FOR 56,86 BAUD	
KL8=M	JC	RBR			2 9/71	K		ANY KL8=E OR KL8=F	
KL8=11=A	JH	JTN			2 8/75	D	11	MODEM CONTROL FOR KL8/F	
KL8=11=B	JH	JTN			2 8/75	D	11	4 INTERFACES, 307 KBAUD TECTRONIX 4010, 115V	
KL8=11=C	CA				3 6/72	K		4 INTERFACES, 307 KBAUD TECTRONIX 4010, 230V	
KL8=11=A		KH			3 1/72	K	KAR11 OR DD11	SYSTEM TESTED KL11=A	
KL8=11=AA		AS			3 2/72	K	KAR11, DD11	RUGGED KL11-A	
KL8=11=B		KH			3 1/72	K	11/07	RUGGED KL11-A (8 FT. CABLE)	
KL8=11=C		KH			3 1/72	K	KAR11, DD11	RUGGED KL11-B	
KL8=11=D		KH			3 1/72	K	KAR11, DD11	RUGGED KL11-C	
KL8=11=E		KH			3 1/72	K	KAR11, DD11	RUGGED KL11-D	
KL8=11=F		KH			3 1/72	K	KAR11, DD11	RUGGED KL11-E	
KL8=16		DCR			3 9/72	K	16/M	RUGGED KL11-F	
KM09=A		MI			5	K	9	LIGHT SWITCH MODULE (M7354)	
KM09=B		MI			5	K	9	HOLD DOWN EQPT CP PANEL	
KM09=C		MI			5	K	9	HOLD DOWN EQPT MEM PANEL	
KM10		HW			5	K	10	HOLD DOWN EQPT I/O PANEL	
KM11=A		JMB			5	K	KA11	FAST ACCUMULATOR	
KM14=A		SZ			3 1/72	K	14	MAINTENANCE MODULE, LIGHTS & SWITCHES	
KM15		JE			5	K	15	SEVERE ENVIRONMENT KIT/STABILIZER	
KM8=AA	JC	LN			3 11/74	K	8/A	MEMORY PROTECT OPTION	
KM8=AB	JC	LN			3 11/74	K	8/A	OPTION BOARD #21MEM EXT & TIME SHARE CONT, BOOTSTRAP, PWR FAIL, RESTART (M8317)	
KM8=E		LN			6 6/72	K	8/E, 8/M	KM8=AA W NO BOOTSTRAP ROMS	
KM8=F		DA			3 1/74	K	8/E	MEMORY EXTENSION & TIME SHARE CONTROL	
KM80=A		CA			5	K	8	TIMING GENERATOR (M8330 REV E OR LATER)	
KM80=B		CA			5	K	8	HOLD DOWN BARS, LONG	
KM80=C		CA			5	K	1, 4, 8	HOLD DOWN BARS, SHORT	
KMP01=A	RJM	AC			3 9/75	K		HOLD DOWN BARS, SHORT	
KMP02=A	RJM	AC			3 9/75	K		PREWIRED SYS UNIT(24 SLOTS) FOR M7341 SERIES MODULES	
KMP03=A	RJM	AC			2 6/74	K		PREWIRED DBL SYS UNIT(54 SLTS)FOR M7341 SERIES MOD9	
								PREWIRED 19 X 105 MTNG PANEL (40 SLOTS) FOR M7341	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGC AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
* KMT		DCB			3	K		SERIES MODULES
KNP16		DCB			4	B	8/L	K SERIES MODULE TESTER
KOR16=A		DCB			4	8/71	16	NO OP MODULE M7321
KOR16=B		DCB			5	8/71	16	16 2-INPUT OR GATES M1183
KP01		RS			5	8/71	16	6 4-INPUT OR GATES M1387
KP09=A		MI			5		6	POWER FAIL DETECT OPTION
KP09=C		MI			5		9	POWER FAIL OPTION W AUTO RESTART
KP10	FP			DAS	4		9/L	POWER FAIL OPTION W AUTO START
KP11=A		CHD			3	3/74	KA10	POWER FAIL & RESTART
KP12	SNT	RI			4	8/71	KC11	POWER FAIL & AUTO RESTART
KP15		FA			5		12	POWER FAIL OPTION W AUTO START
KP15=A		FA			3		15	PROCESSOR AND I/O
KP15=C	FD	FD			2	10/74	15-C	PROC & I/O W SEP MEM BUS FOR EACH
KP70		JDL			6		7=A	PROCESSOR & I/O REPACKAGED
KP8=E		LN			5	10/71	8/E	POWER FAIL OPTION W AUTO RESTART
KP8=I		JDL			5		8/I	POWER FAIL & AUTO RESTART
KP8=L		JDL		TPL	5		8/L	POWER FAIL OP
KR01		JDL		TPL	5		8	POWER FAIL DET OP
KR08		BV		CSS	6		8	AUTO RESTART OPTION
KR09		BV		CSS	6		9	AUTO PROGRAM RECOVERY (ARO=8)
KR19		BG		CSS	6		9, 9/L	AUTO PROGRAM RECOVERY (ARO=9)
KS11		BMW		CSS	6	2/75	11/20	KR09 WITH API
KS15	EW	FD			3	9/74	15	MEM PROTECT & RELOCATE
KSM16		DCB			3	9/72	16/M	MEM MANAGEMENT & API (KM15 + KT15 + KA15 + BB15)
KSR16		DCB			5	8/71	16	SERVICE MODULE (M7335)
KT08		RL			6		8	SUBROUTINE RETURN M7315
KT09		BV		CSS	6		9	TIME SHARE OPTION
KT10		KE			5		10	TIME SHARE OPTION
KT10=A		KE			5		10	TIME SHARING OPTION
KT11=AE		BMW		CSS	3	3/72	KT11-B	PROTECT-RELOCATE OPTION
KT11=B		BMW		CSS	3		KA11	ASSOCIATIVE MEMORY EXPANSION
KT11=C	RT	RFB			4	5/73	11/45	PAGING OPTION (PROTECT & RELOCATE)
KT11=CD	RT	VDB		WM	2	11/75	KB11-D	MEMORY MANAGEMENT (PROTECT & RELOCATE)
KT11=D	RT	LC			3	10/74	11/35, 11/40	MEMORY MANAGEMENT (PROTECT & RELOCATE) FOR KB11-D & FP11-C
KT12	SNT	RI			5	1/73	12	SEGMENTATION (PROTECT & RELOCATE)
KT15		JE			5		15	TIME SHARE OPTION
KT8=I					5	10/72	8/I	MEMORY PROTECT=RELOCATE OPTION
KTM16		DCB			5	8/71	16	TIME SHARE OP
KV15		BM		CSS	3	3/71	15	BUS TERMINATOR M962
KV8		BM		CSS	3		VSB8	ARBITRARY VECTOR DISPLAY CONTROL, HARDWARE ARC GEN
KV8=EN		BM		CSS	3	3/71	8 NEG	ARBITRARY VECTOR DISPLAY CONTROL
KV8=EP		BM		CSS	3	3/71	8 POS	ARBITRARY VECTOR DISPLAY CONTROL, HARDWARE ARC GEN
KV8=I		BM		CSS	5		8/I	ARBITRARY VECTOR DISPLAY CONT, HARDWARE ARC GEN
KV8=IA		BM			5	3/74	8/I	ARBITRARY VECTOR DISPLAY CONTROL
KV8=L		BM		CSS	5		BA88	KV8=I + VT01
KN08		AB			5		8, 8/S	ARBITRARY VECTOR DISPLAY CONTROL
KN09=L		MI			2		KDB9-C	REAL TIME CLOCK
KN11=F	AW				4	1/72	KN11-P	LINE FREQUENCY INTERVAL CLOCK
KN11=L	JRC	SCJ		FS	4		KA11, KB11=A, KC11, KD11=A	FRONT PANEL FOR M945 IN LAB=11
KN11=P	RT	TU			5	2/75	DD11	LINE FREQUENCY INTERVAL CLOCK
KN11=W	JM	DEB			2	4/73	DD11	PROGRAMMABLE INTERVAL CRYSTAL CLOCK
KN11=Y	RS	DEB			3	4/75	DD11	WATCHDOG TIMER
KN12=A	SNT	RI			5		12	KN11-W W 5,25" PANEL FOR SWITCH & HORN
KN12=B	SNT	RI			5	1/73	12	SUPER CLOCK
KN12=C	SNT	RI			5	1/73	12	SIMPLE CLOCK (R-C OSC)
							12	SIMPLE CLOCK (CRYSTAL OSC)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
KW15		FA			5 3/71	K	15	LINE FREQ INTERVAL CLOCK
KW8=EW	ABC	FSM		CSS	3 6/75	K	8/E	ALARM TIMER (M843B)
KW8=IA		JDL		TPL	5	K	8/I	LINE FREQUENCY INTERVAL CLOCK
KW8=IB		JDL		TPL	5	K	8/I	VARIABLE FREQUENCY CLOCK
KW8=IC		JDL		TPL	5	K	8/I	CRYSTAL CLOCK
KW8=ID		JDL		TPL	5	K	8/I	KW8=IA WITH PRESET AND READOUT
KW8=IE		JDL		TPL	5	K	8/I	KW8=IB WITH PRESET AND READOUT
KW8=IF		JDL		TPL	5	K	8/I	KW8=IC WITH PRESET AND READOUT
KW8=LA		JDL		TPL	5	K	BA00	LINE FREQUENCY INTERVAL CLOCK
KW8=LB		JDL		TPL	5	K	BA00	VARIABLE FREQUENCY CLOCK
KW8=LC		JDL		TPL	5	K	BA00	CRYSTAL CLOCK
KW8=LD		JDL		TPL	5	K	BA00	KW8=LA WITH PRESET AND READOUT
KW8=LE		JDL		TPL	5	K	BA00	KW8=LB WITH PRESET AND READOUT
KW8=LF		JDL		TPL	5	K	BA00	KW8=LC WITH PRESET AND READOUT
KWL2		LG			3	K	LINC/0	ONE SECOND INTERRUPT CLOCK
KWR11=L		KH			2 4/71	K	KAR11	RUGGED KW11=L
KX09=A		MI			5	K	ME09=B	MEMORY PROTECT OPTION
KX09=C		MI			4	K	ME09=C	MEMORY PROTECT OPTION
KX8=E	JC	LK			3 7/72	K	8=E	INDEX REGISTER OPTION (M8301)
KY11=A		JMR			4	K	KA11, BA11=CC, BA11=CS	STANDARD 11/20 CONSOLE
KY11=AA	SNT	AH			3 1/73	K	KA11, BA11=CC, =CS	GREEN KY11=A FOR LAB-11
KY11=B		JMR			3 1/72	K	KC11=A	TURN KEY CONSOLE FOR 11/15 (M828)
KY11=C		JMR			3 1/72	K	KC11=A	STANDARD 11/15 CONSOLE
KY11=D	RT	LC			4 10/73	K	KD11=A	11/40 PROGRAMMER & MAINTENANCE CONSOLE
KY11=DJ	RS	FE			2 10/73	K	KD11=A	RED, WHITE & BLUE KY11=D FOR IPG
KY11=DK	ATT	JRP			3 4/75	K	1000 FRONTEND (7010229)	KY11=D W BLASI BLUE & BRIGHT COPEN BLUE KEYS
KY11=E		KH			2	K	KAR11, BAR11	STANDARD 11R20 CONSOLE
KY11=F		KH			3 1/72	K	KA11, KAR11	REMOTE 11R20 CONSOLE
KY11=JA	DLR	CPN			5 7/73	K	KD11=B	11/05 PROGRAMMER CONSOLE
KY11=JB	DLR	CPN			5 7/73	K	KD11=B	11/10 PROGRAMMER CONSOLE
KY11=JC		HL			5 7/73	K	VT40	VT40 CONSOLE
KY11=JD	DLR	CPN			5 7/73	K	KD11=B (11/05)	KY11=JA + HARDWARE FOR 10.5-IN BOX
KY11=JE	DLR	CPN			5 7/73	K	KD11=B (11/10)	KY11=JB + HARDWARE FOR 10.5-IN BOX
KY11=JF	BD	BC			2 10/72	K	KD11=B	KY11=JA FOR UNICHANNEL 15
KY11=JH	BD	BC			2 10/72	K	KD11=B	KY11=JF + HARDWARE FOR 10.5-IN BOX
KY11=JJ	RS	FE			2 10/73	K	KD11=B	INDUSTRIAL PRODUCTS RED, WHITE & BLUE COLORED KY11=JA
KY11=K	RT	LC			5 1/74	K	KD11=A (11/35)	11/35 PROGRAMMER & MAINTENANCE CONSOLE
KY11=LA	SNT	RBP			3 11/75	K	11/04, 11A10	OPERATORS (TURN KEY) CONSOLE
KY11=LB	SNT	RBP			3 11/75	K	11/04, 11A10	PROGRAMMERS CONSOLE
KYJ11=A		JMR			3 6/72	K	KA11, BA11=CC, BA11=CS (11/20)	SYSTEM TESTED KY11=A
KYJ11=JA	SNT	RAA			3 8/72	K	KD11=B (11/05)	SYSTEM TESTED KY11=JA
LA11=PA	EC	AEW			2 8/75	L	11	LA100=PA W CONTROL, 120V 60HZ
LA11=PB	EC	AEW			2 8/75	L	11	LA100=PB W CONTROL, 240V 60HZ
LA11=PC	EC	AEW			2 8/75	L	11	LA100=PC W CONTROL, 115V 50HZ
LA11=PD	EC	AEW			2 8/75	L	11	LA100=PD W CONTROL, 230V 50HZ
LA100=PA	EC	AEW			2 8/75	L	LA11, LA8, LAV11	PARALLEL 100 CH/SEC PRINTER, 120V 60HZ
LA100=PB	EC	AEW			2 8/75	L	LA11, LA8, LAV11	PARALLEL 100 CH/SEC PRINTER, 240V 60HZ
LA100=PC	EC	AEW			2 8/75	L	LA11, LA8, LAV11	PARALLEL 100 CH/SEC PRINTER, 120V 50HZ
LA100=PD	EC	AEW			2 8/75	L	LA11, LA8, LAV11	PARALLEL 100 CH/SEC PRINTER, 240V 50HZ
LA30A=PA	EC	AEW			3 2/72	L	MANY	LA30=PA, NO KEYBOARD
LA30A=PB	EC	AEW			3 2/72	L	MANY	LA30=PB, NO KEYBOARD
LA30A=PC	EC	AEW			3 2/72	L	MANY	LA30=PC, NO KEYBOARD
LA30A=PD	EC	AEW			3 2/72	L	MANY	LA30=PD, NO KEYBOARD
LA30A=PE	EC	AEW			3 2/72	L	MANY	LA30=PE, NO KEYBOARD

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGH	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LA30A=PF	EC	AEW			3 2/72	L	MANY	LA30=PF, NO KEYBOARD
LA30A=PH	EC	AEW			3 2/72	L	MANY	LA30=PH, NO KEYBOARD
LA30A=PJ	EC	AEW			3 2/72	L	MANY	LA30=PJ, NO KEYBOARD
LA30A=SA	EC	AEW			3 2/72	L	MANY	LA30=SA, NO KEYBOARD
LA30A=SB	EC	AEW			3 2/72	L	MANY	LA30=SB, NO KEYBOARD
LA30A=SC	EC	AEW			3 2/72	L	MANY	LA30=SC, NO KEYBOARD
LA30A=SD	EC	AEW			3 2/72	L	MANY	LA30=SD, NO KEYBOARD
LA30A=SE	EC	AEW			3 2/72	L	MANY	LA30=SE, NO KEYBOARD
LA30A=SF	EC	AEW			3 2/72	L	MANY	LA30=SF, NO KEYBOARD
LA30A=SH	EC	AEW			3 2/72	L	MANY	LA30=SH, NO KEYBOARD
LA30A=SJ	EC	AEW			3 2/72	L	MANY	LA30=SJ, NO KEYBOARD
LA30=CA	EC	AEW			3 2/72	L	MANY	LA30=SA + DF11=K (115V 60HZ 20 MA CURRENT LOOP)
LA30=CB	EC	AEW			3 8/72	L	MANY	LA30=SB + DF11=K (230V 60HZ 20 MA CURRENT LOOP)
LA30=CC	EC	AEW			3 8/72	L	MANY	LA30=SC + DF11=K (115V 50HZ 20 MA CURRENT LOOP)
LA30=CD	EC	AEW			3 2/72	L	MANY	LA30=SD + DF11=K (230V 50HZ 20 MA CURRENT LOOP)
LA30=EA	EC	AEW			3 2/72	L	MANY	LA30=SA + DF11=A (115V 60HZ EIA)
LA30=EB	EC	AEW			3 8/72	L	MANY	LA30=SB + DF11=A (230V 60HZ EIA)
LA30=EC	EC	AEW			3 8/72	L	MANY	LA30=SC + DF11=A (115V 50HZ EIA)
LA30=ED	EC	AEW			3 2/72	L	MANY	LA30=SD + DF11=A (230V 50HZ EIA)
LA30=PA	EC	AEW			4 8/71	L	MANY	DEC 30 CHAR/SEC PRINTER & KEYBOARD PARALLEL INFC 115V 60HZ
LA30=PB	EC	AEW			4 8/71	L	MANY	230V 60HZ LA30=PA
LA30=PC	EC	AEW			4 8/71	L	MANY	115V 50HZ LA30=PA
LA30=PD	EC	AEW			4 8/71	L	MANY	230V 50HZ LA30=PA
LA30=PE	EC	AEW			" 8/71	L	MANY	LA30=PA, NO INSTALLATION
LA30=PF	EC	AEW			" 8/71	L	MANY	LA30=PB, NO INSTALLATION
LA30=PH	EC	AEW			" 8/71	L	MANY	LA30=PC, NO INSTALLATION
LA30=PJ	EC	AEW			" 8/71	L	MANY	LA30=PD, NO INSTALLATION
LA30=RA	LG	LH			3 5/72	L	15, 8/L	LC8=L + LA30=PA, 115V 60HZ
LA30=RB	LG	LH			3 5/72	L	15, 8/L	LC8=L + LA30=PD, 230V 50HZ
LA30=SA	EC	AEW			3 2/72	L	MANY	DEC 30 CHAR/SEC PRINTER & KEYBOARD SERIAL INFC 115V 60HZ NEEDS DF11
LA30=SB	EC	AEW			3 2/72	L	MANY	230V 60HZ LA30=SA
LA30=SC	EC	AEW			3 2/72	L	MANY	115V 50HZ LA30=SA
LA30=SD	EC	AEW			3 2/72	L	MANY	230V 50HZ LA30=SA
LA30=SE	EC	AEW			3 2/72	L	MANY	LA30=SA, NO INSTALLATION
LA30=SF	EC	AEW			3 2/72	L	MANY	LA30=SB, NO INSTALLATION
LA30=SH	EC	AEW			3 2/72	L	MANY	LA30=SC, NO INSTALLATION
LA30=SJ	EC	AEW			3 2/72	L	MANY	LA30=SD, NO INSTALLATION
LA30=UA		BALL			3 9/72	E	DS500 SERIES	LA30=PA & LC11=A IN PLACE OF VT05B-AA & DL11-C
LA30=UB		BALL			3 9/72	E	DS500 SERIES	LA30=PD & LC11=A IN PLACE OF VT05B-AD & DL11-C
LA35=CA	EC	JRB			6 11/75	L	MANY	RECEIVE ONLY LA36=CA, 115V 60HZ
LA35=CB	EC	JRB			6 11/75	L	MANY	RECEIVE ONLY LA36=CB, 230V 50HZ
LA35=CC	EC	JRB			6 11/75	L	10	RECEIVE ONLY LA36=CC, 115V 60HZ
LA35=CD	EC	JRB			6 11/75	L	10	RECEIVE ONLY LA36=CD, 230V 50HZ
LA35=CE	EC	JRB			4 11/75	L	MANY	RECEIVE ONLY LA36=CE, 120V 60HZ
LA35=CF	EC	JRB			4 11/75	L	MANY	RECEIVE ONLY LA36=CF, 240V 60HZ
LA35=CH	EC	JRB			4 11/75	L	MANY	RECEIVE ONLY LA36=CH, 120V 50HZ
LA35=CJ	EC	JRB			4 11/75	L	MANY	RECEIVE ONLY LA36=CJ, 240V 50HZ
LA35=CK	EC	JRB			4 11/75	L	10	RECEIVE ONLY LA36=CK, 120V 60HZ
LA35=CL	EC	JRB			4 11/75	L	10	RECEIVE ONLY LA36=CL, 240V 60HZ
LA35=CM	EC	JRB			4 11/75	L	10	RECEIVE ONLY LA36=CM, 120V 50HZ
LA35=CN	EC	JRB			4 11/75	L	10	RECEIVE ONLY LA36=CN, 240V 50HZ
LA35=EE		JFB			3 10/75	L	MANY	LA35=CE + LAXX=LG, 115V 60HZ
LA35=EF		JFB			3 10/75	L	MANY	LA35=CJ + LAXX=LG, 230V 50HZ
LA36	EC	JRB			4 10/74	L	MANY	DEC 30CHAR/SEC 132COL 96CHAR PRINTR & KEYBD,SPACE FOR NUMERIC PAD
LA36=CA	EC	JRB			6 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W MATE=N-LOCK, 115V
LA36=CB	EC	JRB			6 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, W MATE=N-LOCK, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LA36=CC	EC	JRB			6 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, W 203B PLUG, 115V
LA36=CD	EC	JRB			6 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, W 203B PLUG, 230V
LA36=CE	EC	JRB			4 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, MATE=N-LOCK, 120V 60HZ
LA36=CF	EC	JRB			4 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, MATE=N-LOCK, 240V 60HZ
LA36=CH	EC	JRB			4 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, MATE=N-LOCK, 120V 50HZ
LA36=CJ	EC	JRB			4 11/75	L	MANY	20MA CURRENT LOOP LA36, NUMERIC PAD, MATE=N-LOCK, 240V 50HZ
LA36=CK	EC	JRB			4 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, 203B PLUG, 120V 60HZ
LA36=CL	EC	JRB			4 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, 203B PLUG, 240V 60HZ
LA36=CM	EC	JRB			4 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, 203B PLUG, 120V 50HZ
LA36=CN	EC	JRB			4 11/75	L	10	20MA CURRENT LOOP LA36, NUMERIC PAD, 203B PLUG, 240V 50HZ
LA36=DA	EC	JRB			6 11/75	L	MANY	LA36=CA W NO NUMERIC PAD, 115V
LA36=DB	EC	JRB			6 11/75	L	MANY	LA36=CB W NO NUMERIC PAD, 230V
LA36=DC	EC	JRB			6 11/75	L	10	LA36=CC W NO NUMERIC PAD, 115V
LA36=DD	EC	JRB			6 11/75	L	10	LA36=CD W NO NUMERIC PAD, 230V
LA36=DE	EC	JRB			3 11/75	L	MANY	LA36=CE W NO NUMERIC PAD, 120V 60HZ
LA36=DF	EC	JRB			3 11/75	L	MANY	LA36=CF W NO NUMERIC PAD, 240V 60HZ
LA36=DH	EC	JRB			3 11/75	L	MANY	LA36=CH W NO NUMERIC PAD, 120V 50HZ
LA36=DJ	EC	JRB			3 11/75	L	MANY	LA36=CJ W NO NUMERIC PAD, 240V 50HZ
LA36=EE		JFB			3 11/75	L	MANY	LA36=CE + LAXX=KG, 115V 60HZ
LA36=EF		JFB			3 11/75	L	MANY	LA36=CJ + LAXX=KG, 230V 50HZ
LA36K=S1	MI			TPL	3 8/75	L	LA36	DELUX STARTER KIT; 2 BOXES PAPER, 24 RIBBONS, LAXX=KN, LAXX=KA
LA36K=S2	MI			TPL	3 8/75	L	LA36	BASIC STARTER KIT; 1 BOX PAPER, 12 RIBBONS, LAXX=KN, LAXX=KD
LA37=DC	EC	AG			3 8/75	E	PDP10	APL TERMINAL; LA36=DC W APL KEYBOARD, 115V 60HZ
LA37=DD	EC	AG			3 8/75	E	PDP10	APL TERMINAL; LA36=DD W APL KEYBOARD, 230V 50HZ
LA8=FA	EC	CBF			2 8/75	L	8/E	LA100=FA W M0365 CONTROL, BC115=25, 120V60
LA8=PB	EC	CBF			2 8/75	L	8/E	LA100=PB W M0365 CONTROL, BC115=25, 240V60
LA8=PC	EC	CBF			2 8/75	L	8/E	LA100=PC W M0365 CONTROL, BC115=25, 120V50
LA8=PD	EC	CBF			2 8/75	L	8/E	LA100=PD W M0365 CONTROL, BC115=25, 240V50
LAB11=AA	SNT	AW			3 1/73	E	-	ADVANCED PDP11 LAB SYSEM, 115V 60HZ
LAB11=AB	SNT	AW			3 1/73	E	-	DITTO 230V 60HZ
LAB11=AC	SNT	AW			3 1/73	E	-	DITTO 115V 50HZ
LAB11=AD	SNT	AW			3 1/73	E	-	DITTO 230V 50HZ
LAB11=BA	SNT	AW			3 4/72	E	-	PDP11/21 LAB SYSTEM W LA30=PA, 115V 60HZ
LAB11=BB	SNT	AW			3 4/72	E	-	PDP11/21 LAB SYSTEM W LA30=PB, 230V 60HZ
LAB11=BC	SNT	AW			3 4/72	E	-	PDP11/21 LAB SYSTEM W LA30=PC, 115V 50HZ
LAB11=BD	SNT	AW			3 4/72	E	-	PDP11/21 LAB SYSTEM W LA30=PD, 230V 50HZ
LAB8A=AA		AW			3 8/75	E	-	STARTER SYSTEM; 8A500=CM, KCB=AA, RX8=BA, LA36=CA, ADB=8, H967=BA, BC05M=1F, H967=EA, QF015=AY OS/8, 115V 60HZ
LAB8A=AB		AW			3 8/75	E	-	LAB8A=AA EXCEPT 8A500=CN, RX8=BD, LA36=CB, H967=BB, 230V 50HZ
LAB8A=FA		AW			3 8/75	E	-	LAB8A=AA + VCB=E, H323=B, H945, QF009=AY LAB8E OS/8, 115V 60HZ
LAB8A=FB		AW			3 8/75	E	-	LAB8A=AB + VCB=E, H323=B, H945, QF009=AY LAB8E OS/8, 230V 50HZ
LAB8A=DM	AW				3 11/75	E	-	LAB8A=FA EXCEPT 8A420=DM, 115V 60HZ
LAB8A=DN	AW				3 11/75	E	-	LAB8A=FB EXCEPT 8A420=DN, 230V 50HZ
LAB8E=05	SNT	AW			3 6/71	E	-	BASIC PDP8/E LAB SYSTEM
LAB8E=15	SNT	AW			3 6/71	E	-	ADVANCED PDP8/E LAB SYSTEM
LAB8E=BA	AW	ERK			3 12/73	E	-	PDP8E=AE, LT33=DC, ADB=EA, AM8=EA, DK8=ES, VCB=E, H945=AB, H960=BB, 115V60HZ
LAB8E=BB	AW	ERK			3 12/73	E	-	PDP8E=AF, LT33=DD, ADB=EA, AM8=EC, DK8=ES, VCB=E, H945=AB, H960=BB, 230V50HZ
LABF4=RM		AW			3 9/75	E	-	8A820=RM, ADB=8, RX8=BA, LA36=CA, DK8=EP, H967=AA, QF015=AY, QF008=AY, BC05M, 115V60H
LABF4=RN		AW			3 9/75	E	-	LABF4=RM EXCEPT 8A820=RN, RX8=BD, LA36=CB, H967=AB, 230V 50HZ
LAR30=PA	EC				3 10/71	L	11R20	LA30=PA W MIL CONNECTOR
LAR30=PB	EC				3 10/71	L	11R20	LA30=PB W MIL CONNECTOR
LAR30=PC	EC				3 10/71	L	11R20	LA30=PC W MIL CONNECTOR
LAR30=PD	EC				3 10/71	L	11R20	LA30=PD W MIL CONNECTOR
LA930=EA	BH	GL		SSCAN	3 1/73	L	-	LA30=EA W OPTIONAL LEFT MARGIN AT COLUMN 54
LA936=AA	RJM				3 6/75	L	LEASCO	LA36=CA W SPECIAL KEY COLORS, 115V 60HZ
LA936=AB	RJM				3 6/75	L	LEASCO	LA36=CB W SPECIAL KEY COLORS, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LAS36-AC	RJM				3 6/76	L	LEASCO	LA36-DA W SPECIAL KEY COLORS, 115V 60HZ
LAS36-AD	RJM				3 6/75	L	LEASCO	LA36-DB W SPECIAL KEY COLORS, 230V 50HZ
LAV11-PA	EC	AEW			2 9/75	L	LSI11	LA180-PA W M7949 CONT, 120V 60HZ
LAV11-PB	EC	AEW			2 9/75	L	LSI11	LA180-PB W M7949 CONT, 240V 60HZ
LAV11-PC	EC	AEW			2 9/75	L	LSI11	LA180-PC W M7949 CONT, 120V 50HZ
LAV11-PD	EC	AEW			2 9/75	L	LSI11	LA180-PD W M7949 CONT, 240V 50HZ
LAXX-FB	RJM	PP			3 8/75	L	LA36	KIT OF 44 3-INCH FAN BLADES
LAXX-KA	EC	PN			4 2/75	B	LA36	ACCESSORIES KIT: LAXX-KB, -KC & -KD
LAXX-KB	EC	PN			4 2/75	B	LA36	CASTER SET
LAXX-KC	EC	PN			4 2/75	B	LA36	WORK SHELF
LAXX-KD	EC	PN			4 2/75	B	LA36	PAPER BASKET
LAXX-KE		RJM			4 2/75	L	LA36-DA, -DB	NUMERIC PAD (LK03)
LAXX-KF		RJM			4 2/75	L	LA36-DA, -DB	BOX OF 5 10-KEY NUMERIC PADS (LK03)
LAXX-KG	EC	PN			4 2/75	D	LA35, LA36	EIA INTERFACE OPTION W 9' CABLE
LAXX-KH	EC	PN			4 2/75	B	LA35, LA36	DF11 MOUNTING KIT
LAXX-KP	RJM				3 1/75	L	LA35, LA36	KIT OF 5 LAXX-KG EIA INTERFACES
LAXX-KR	RJM				3 1/75	L	LA35, LA36	KIT OF 5 LAXX-KH DF11 MTNG KITS
LAXX-KV	EC	PN			2 8/75	L	LA35, LA36	FORM FEED OPTION
LAXX-KW	EC	PN			2 8/75	L	LA35, LA36	SELECTIVE ADDRESSING
LAXX-KX	EC	PN			2 8/75	L	LA36	ANSWER BACK
LAXX-KY	EC	PN			2 8/75	L	LA36	HT & VT FORMS CONTROL
LAXX-LA	EC	PN			2 8/75	L	LA36, LA35	AUTO LF AFTER CR
LAXX-LB	EC	PN			2 8/75	L	LA35, LA36	EXPANDER OPTIONS MOUNTING KIT
LAXX-LE	RJM				3 9/75	L	LA35, LA36	5 LAXX-KG W HALF/FULL DUPLEX SWITCH
LAXX-LF	RJM				3 8/75	L	LA36-D	KIT OF 5 14-KEY NUMERIC PADS (LK03-A)
LAXX-LG	EC	PN			2 8/75	L	LA35, LA36	EIA HALF/FULL DUPLEX OPTION W MODEM CONT W 9FT CABLE
LAXX-LH	EC	PN			3 9/75	L	LA35, LA36	20MA MAT-N-LOK CABLE ASSEMBLY, 15 FT CABLE
LAXX-LK	EC	PN			3 9/75	L	LA35, LA36	20MA 2030 CABLE ASSEMBLY, 15 FT CABLE
LAXX-LM	EC	PN			3 9/75	D	LA35, LA36	ACOUSTIC COUPLER
LAXX-LN	EC	PN			3 9/75	D	LA35, LA36	COLUMN SCALE & POINTER
LAXX-LP	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-LG
LAXX-LR	EC	PN			3 9/75	O	LA35, LA36	TX MODEM
LAXX-LV	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-KV
LAXX-LW	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-KW
LAXX-LX	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-KX
LAXX-LY	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-KY
LAXX-MA	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-LA
LAXX-MB	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-LB
LAXX-MH		PN			3 9/75	L	LA35, LA36	KIT OF 5 LAXX-LH
LAXX-MM	EC	PN			3 9/75	L	LA35, LA36	KIT OF 5 LAXX-LM
LAXX-MN	EC	PN			3 9/75	L	LA35, LA36	KIT OF 5 LAXX-LN
LAXX-MR	EC	PN			3 9/75	L	LA35, LA36	KIT OF 5 LAXX-LR
LAXX-OK	RJM				2 8/75	L	LA35, LA36	KIT OF 5 LAXX-PK
LAXX-PB		CJS		SSUK	2 1/75	L	LA35, LA36	U, K, / ITALIAN ROM & KEY CAPS
LAXX-PD		CJS		SSUK	2 1/75	L	LA35, LA36	SWEDISH/FINNISH ROM & KEY CAPS
LAXX-PE		CJS		SSUK	2 1/75	L	LA35, LA36	DANISH/NORWEGIAN ROM & KEY CAPS
LAXX-PF		CJS		SSUK	2 1/75	L	LA35, LA36	YUGOSLAVIAN ROM & KEY CAPS
LAXX-PG		CJS		SSUK	2 1/75	L	LA35, LA36	AZERTY (FRENCH) ROM & KEY CAPS
LAXX-PH		CJS		SSUK	2 1/75	L	LA35, LA36	HEBREW ROM & KEY CAPS
LAXX-PJ	KATO			SSJN	2 1/75	L	LA35, LA36	KATA KANA ROM & KEY CAPS
LAXX-PK	EC	RLOM			2 6/75	L	LA35, LA36	APL ROM & KEY CAPS
LAXX-PL	KATO			SSJN	2 1/75	L	LA35, LA36	KOREAN ROM & KEY CAPS
LAXX-PH	KATO			SSJN	2 1/75	L	LA35, LA36	RUSSIAN ROM & KEY CAPS
LC11-A		JMB		FS	3 1/72	K	KA11 OR DD11	PARALLEL CONT FOR LA30-P
LC8-E		JK			3 1/72	L	8/E	PARALLEL CONT FOR LA30-P
LC8-L		JQL		TPL	3 1/72	L	8/L	PARALLEL CONT FOR LA30-P

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION
LCR11=A		JFB			2	10/71	L	KAR11, DDR11	PARALLEL CONT FOR LA30-P
LCS8=A	JH	ABW		CSS	3	6/75	L	8/E	INTERFACE FOR DIABLO HYTYPE 1 MODEL 1200 PRINTER (M8359)
LE8=C	JC	LN			3	9/74	L	8/E	LINE PRINTER CONTROL (M841)
LE8=FA		LN			4		L	8/E	LP01=FA & CONT M841
LE8=FB		LN			4		L	8/E	LP01=FB & CONT M841
LE8=HA		LN			4		L	8/E	LP01=HA & CONT M841
LE8=HB		LN			4		L	8/E	LP01=HB & CONT M841
LE8=JA		LN			4		L	8/E	LP02=JA & CONT M841
LE8=JB		LN			4		L	8/E	LP02=JB & CONT M841
LE8=KA		LN			4		L	8/E	LP02=KA & CONT M841
LE8=KB		LN			4		L	8/E	LP02=KB & CONT M841
LE8=MA	AP	SPRY		CSS	3	2/72	L	8/E	LP03=MA & CONT M841
LE8=MB	AP	SPRY		CSS	3	2/72	L	8/E	LP03=MB & M841 CONT
LE8=QA	AP	SPRY		CSS	3	2/72	L	8/E	LP03=QA & M841 CONT
LE8=QB	AP	SPRY		CSS	3	2/72	L	8/E	LP03=QB & M841 CONT
LE8=RA	AP	SPRY		CSS	3	2/72	L	8/E	LP04=RA & M841 CONT
LE8=RB	AP	SPRY		CSS	3	2/72	L	8/E	LP04=RB & M841 CONT
LE8=SA	AP	SPRY		CSS	3	2/72	L	8/E	LP04=SA & M841 CONT
LE8=SB	AP	SPRY		CSS	3	2/72	L	8/E	LP04=SB & M841 CONT
LE8=VA	JC	LN			3	8/74	L	8/E	LP05=VA & M841 CONT
LE8=VB	JC	LN			3	8/74	L	8/E	LP05=VB & M841 CONT
LE8=VC	JC	LN			3	8/74	L	8/E	LP05=VC & M841 CONT
LE8=VD	JC	LN			3	8/74	L	8/E	LP05=VD & M841 CONT
LE8=VE	JC	LN		CSS	3	8/74	L	8/E	LP05=VE & M841 CONT
LE8=VF	JC	LN		CSS	3	8/74	L	8/E	LP05=VF & M841 CONT
LE8=VH	JC	LN		CSS	3	8/74	L	8/E	LP05=VH & M841 CONT
LE8=VJ	JC	LN		CSS	3	8/74	L	8/E	LP05=VJ & M841 CONT
LE8=WA	JC	LN			3	8/74	L	8/E	LP05=WA & M841 CONT
LE8=WB	JC	LN			3	8/74	L	8/E	LP05=WB & M841 CONT
LE8=WC	JC	LN			3	8/74	L	8/E	LP05=WC & M841 CONT
LE8=WD	JC	LN			3	8/74	L	8/E	LP05=WD & M841 CONT
LE8=WE	JC	LN		CSS	3	8/74	L	8/E	LP05=WE & M841 CONT
LE8=WF	JC	LN		CSS	3	8/74	L	8/E	LP05=WF & M841 CONT
LE8=WH	JC	LN		CSS	3	8/74	L	8/E	LP05=WH & M841 CONT
LE8=WJ	JC	LN		CSS	3	8/74	L	8/E	LP05=WJ & M841 CONT
LE8=YA	JC	LN			3	8/74	L	8/E	LP05=YA & M841 CONT
LE8=YB	JC	LN			3	8/74	L	8/E	LP05=YB & M841 CONT
LE8=YC	JC	LN			3	8/74	L	8/E	LP05=YC & M841 CONT
LE8=YD	JC	LN			3	8/74	L	8/E	LP05=YD & M841 CONT
LE8=YE	JC	LN		CSS	3	8/74	L	8/E	LP05=YE & M841 CONT
LE8=YF	JC	LN		CSS	3	8/74	L	8/E	LP05=YF & M841 CONT
LE8=YH	JC	LN		CSS	3	8/74	L	8/E	LP05=YH & M841 CONT
LE8=YJ	JC	LN		CSS	3	8/74	L	8/E	LP05=YJ & M841 CONT
LE8=ZA	JC	LN			3	8/74	L	8/E	LP05=ZA & M841 CONT
LE8=ZB	JC	LN			3	8/74	L	8/E	LP05=ZB & M841 CONT
LE8=ZC	JC	LN			3	8/74	L	8/E	LP05=ZC & M841 CONT
LE8=ZD	JC	LN			3	8/74	L	8/E	LP05=ZD & M841 CONT
LE8=ZE	JC	LN		CSS	3	8/74	L	8/E	LP05=ZE & M841 CONT
LE8=ZF	JC	LN		CSS	3	8/74	L	8/E	LP05=ZF & M841 CONT
LE8=ZH	JC	LN		CSS	3	8/74	L	8/E	LP05=ZH & M841 CONT
LE8>ZJ	JC	LN		CSS	3	8/74	L	8/E	LP05=ZJ & M841 CONT
LES8=BA	DH	WHW		CSS	3	6/75	L	8/E	M841 CONT + LP05=WA W LEGAL CHARACTER SET, 115V 60HZ
LINC		MI			6		E		CLASSICAL LINC
LINC8		MI			6	3/71	E		LINC + POP8 FUNCTIONS
LK01	EC	PN			6	4/74	L	LA30, VT05, LK35	KEYBOARD (54-89945)
LK01=R	EC	PN			4	4/74	L	LA30, VT05, LK35	LK01 REPLACEMENT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE- MO/YR GORY	USED ON	DESCRIPTION	92
LK02	EC	PN		WF	4	8/74	L LA36	DEC STANDARD ENCODED KEYBOARD	
LK03	EC	PN		WF	4	8/74	L LA36	11 KEY NUMERIC PAD FOR LK02 KEYBOARD	
LK03=A	EC	PN			3	6/75	L LA36	14 KEY NUMERIC PAD FOR LK02 KEYBOARD	
LK04	LH	AA			2	1/75	L LK11=A	16 LIGHTED PUSH BUTTONS IN BOX	
LK11	LH	AA			2	1/75	L DD11	LK04 + CONTROL	
LK35	LH	LH			5	3/71	L VT04	LK01 KEYBOARD + VT04 MTNG HARDWARE	
LK37	LH	LH			2	12/71	L VT07	REMOTE KEYBOARD (LK35 IN A BOX)	
LK40		HL			3	2/75	L VT16	LK35 + 8 MORE KEYS (3010166=1)	
LK40=A	LH	HL			2	8/75	L 11	PDP11 LK01 KEYBOARD	
LK40=B	LH	HL			2	8/75	L 11	PDP11 LK01 KEYBOARD + DL11=A	
LK40		PCO		SSCAN	3	4/75	L M7800=YE	LK40 W EXTERNAL CLOCK	
LP01=FA	EC	AEW			4		L LE8=FA LP08=FA =FC LP11=FA LP12=FA LP15=FA	356LPM 80 COL 64CH DA PR 2310 60HZ	
LP01=FB	EC	AEW			4		L LE8=FB LP08=FB =FD LP11=FB LP12=FB LP15=FB	356LPM 80 COL 64CH DA PR 2310 50HZ	
LP01=HA	EC	AEW			4		L LE8=HA, LP08=HA, =HC, LP11=HA, LP12=HA	253LPM 80 COL 96 CH DA PR 2310 60HZ	
LP01=HB	EC	AEW			4		L LE8=HB, LP08=HB, =HD, LP11=HB, LP12=HB	253LPM 80 COL 96 CH DA PR 2310 50HZ	
LP02=JA	EC	AEW			4		L LE8=JA, LP08=JA, =JC, LP11=JA, LP12=JA	245LPM 132COL 64 CH DA PR 2410 60HZ	
LP02=JB	EC	AEW			4		L LE8=JB, LP08=JB, =JD, LP11=JB, LP12=JB	245LPM 132COL 64 CH DA PR 2410 50HZ	
LP02=KA	EC	AEW			4		L LE8=KA, LP08=KA, =KC, LP11=KA, LP12=KA	173LPM 132COL 96CH DA PR 2410 60HZ	
LP02=KB	EC	AEW			4		L LE8=KB, LP08=KB, =KD, LP11=KB, LP12=KB	173LPM 132COL 96CH DA PR 2410 50HZ	
LP03=MA	ABW	PDR		CSS	3	2/72	L LE8=MA, LP08=MA, =MC, LP11=MA	132 COL 64 CHAR DA PR 2440 700 LPM 60HZ	
LP03=MB	ABW	PDR		CSS	3	2/72	L LE8=MB, LP08=MB, =MO, LP11=MB	132 COL 64 CHAR DA PR 2440 700 LPM 50HZ	
LP03=QA	ABW	PDR		CSS	3	2/72	L LE8=QA, LP08=QA, =QC, LP11=QA	132 COL 96 CHAR DA PR 2440 460 LPM 60HZ	
LP03=QB	ABW	PDR		CSS	3	2/72	L LE8=QB, LP08=QB, =QD, LP11=QB	132 COL 96 CHAR DA PR 2440 460 LPM 50HZ	
LP04=RA	EC	AEW			3	2/72	L LE8=RA, LP08=RA, =RC, LP11=RA	SCI 132 COL 64 CHAR DA PR 2470 1250 LPM 60HZ	
LP04=RB	EC	AEW			3	2/72	L LE8=RB, LP08=RB, =RU, LP11=RB	SCI 132 COL 64 CHAR DA PR 2470 1250 LPM 50HZ	
LP04=RC	EC	AEW			3	8/73	L LP11=RE	EDP 132 COL 64 CHAR DA PR 2470 1250 LPM 60HZ	
LP04=RF	EC	AEW			3	8/73	L LP11=RF	EDP 132 COL 64 CHAR DA PR 2470 1250 LPM 50HZ	
LP04=SA	EC	AEW			3	2/72	L LE8=SA, LP08=SA, =SC, LP11=SA	SCI 132 COL 96 CHAR DA PR 2470 925 LPM 60HZ	
LP04=SB	EC	AEW			3	2/72	L LE8=SB, LP08=SB, =SU, LP11=SB	SCI 132 COL 96 CHAR DA PR 2470 925 LPM 50HZ	
LP04=SE	EC	AEW			3	8/73	L LE8, LP11=SE	EDP 132 COL 96 CHAR DA PR 2470 925 LPM 60HZ	
LP04=SF	EC	AEW			3	8/73	L LE8, LP11=SF	EDP 132 COL 96 CHAR DA PR 2470 925 LPM 50HZ	
LP05=RD	EC	AEW			3	9/75	L LP09	RIBBON DESKEW KIT	
LP05K=ST	MI			TPL	3	8/75	L LP09	LP09 STARTER KIT: 6 RIBBONS, 3 BOXES 14 7/8 PAPER	
LP05=VA	EC	AEW			3	5/74	L LE8, LP08=N, =P, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 115V 60HZ	
LP05=VB	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 230V 60HZ	
LP05=VC	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 115V 50HZ	
LP05=VD	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 64 CHAR PRNTR 300 LPM, 230V 50HZ	
LP05=VE	EC	AEW			3	5/74	L LE8, LP08=N, =P, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 115V 60HZ	
LP05=VF	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 230V 60HZ	
LP05=VH	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 115V 50HZ	
LP05=VJ	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	SCI 132 COL 64 CHAR PRNTR 300 LPM, 230V 50HZ	
LP05=VK	ABW	PDR		CSS	3	5/7	L LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 60HZ	
LP05=VL	ABW	PDR		CSS	3	5/74	L LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 60HZ	
LP05=VM	ABW	PDR		CSS	3	5/74	L LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 50HZ	
LP05=VN	ABW	PDR		CSS	3	5/74	L LP20, M7931	EDP 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 50HZ	
LP05=VP	ABW	PDR		CSS	3	5/74	L LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 60HZ	
LP05=VR	ABW	PDR		CSS	3	5/74	L LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 60HZ	
LP05=VS	ABW	PDR		CSS	3	5/74	L LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 115V 50HZ	
LP05=VT	ABW	PDR		CSS	3	5/74	L LP20, M7931	SCI 132 COL 64 CHAR PRNTR 300 LPM VFU, 230V 50HZ	
LP05=VY	EC	AEW			3	5/74	L LP05=VA, =VE, =VK, =VM	64 CHAR EDP DRUM	
LP05=VZ	EC	AEW			3	5/74	L LP05=VA, =VE, =VK, =VM	64 CHAR SCI DRUM	
LP05=WA	EC	AEW			3	5/74	L LE8, LP08=N, =P, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 115V 60HZ	
LP05=WB	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 230V 60HZ	
LP05=WC	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 115V 50HZ	
LP05=WD	EC	AEW			3	5/74	L LE8, LP08, LP11, LP20	EDP 132 COL 96 CHAR PRNTR 230 LPM, 230V 50HZ	
LP05=WE	EC	AEW			3	5/74	L LE8, LP08=N, =P, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPM, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP05=WF	EC	AEW			3 5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH, 230V 60HZ
LP05=WH	EC	AEW			3 5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH, 115V 50HZ
LP05=WJ	EC	AEW			3 5/74	L	LE8, LP08, LP11, LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH, 230V 60HZ
LP05=WK	ABW	PDR		CSS	3 5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPH VFU, 115V 60HZ
LP05=WL	ABW	PDR		CSS	3 5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPH VFU, 230V 60HZ
LP05=WM	ABW	PDR		CSS	3 5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPH VFU, 115V 50HZ
LP05=WN	ABW	PDR		CSS	3 5/74	L	LP20	EDP 132 COL 96 CHAR PRNTR 230 LPH VFU, 230V 50HZ
LP05=WP	ABW	PDR		CSS	3 5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH VFU, 115V 60HZ
LP05=WR	ABW	PDR		CSS	3 5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH VFU, 230V 60HZ
LP05=WS	ABW	PDR		CSS	3 5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH VFU, 115V 50HZ
LP05=WT	ABW	PDR		CSS	3 5/74	L	LP20	SCI 132 COL 96 CHAR PRNTR 230 LPH VFU, 230V 60HZ
LP05=WY	EC	AEW			3 5/74	L	LP05=WA, =WE, =WK, =WM	96 CHAR EDP DRUM
LP05=WZ	EC	AW			3 5/74	L	LP05=WA, =WE, =WK, =WM	96 CHAR SCI DRUM
LP06=YA	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 120V 60HZ
LP06=YB	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 240V 60HZ
LP06=YC	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 120V 50HZ
LP06=YD	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 240V 50HZ
LP06=YE	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 120V 60HZ
LP06=YF	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 240V 60HZ
LP06=YH	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 120V 50HZ
LP06=YJ	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH LPT, 240V 50HZ
LP06=YK	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 120V 60HZ
LP06=YL	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 240V 60HZ
LP06=YM	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 120V 50HZ
LP06=YN	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 240V 50HZ
LP06=YP	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 120V 60HZ
LP06=YR	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 240V 60HZ
LP06=YS	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 120V 50HZ
LP06=YT	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 64 CHAR DATA PROD 2260 600 LPH, VFU, 240V 50HZ
LP06=ZA	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 120V 60HZ
LP06=ZB	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 240V 60HZ
LP06=ZC	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 120V 50HZ
LP06=ZD	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 240V 50HZ
LP06=ZE	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 120V 60HZ
LP06=ZF	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 240V 60HZ
LP06=ZH	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 120V 50HZ
LP06=ZJ	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH LPT, 240V 50HZ
LP06=ZK	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 120V 60HZ
LP06=ZL	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 240V 60HZ
LP06=ZM	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 120V 50HZ
LP06=ZN	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	EDP 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 240V 50HZ
LP06=ZP	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 120V 60HZ
LP06=ZR	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 240V 60HZ
LP06=ZS	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 120V 50HZ
LP06=ZT	ABW	PDR		CSS	3 8/75	L	LP11,LE8=C	SCI 132 COL 96 CHAR DATA PROD 2260 460 LPH, VFU, 240V 50HZ
LP08=FA	MI	ER		TPL	4	L	8 POS	LP01=FA & LP08=P CONT
LP08=FB	MI	ER		TPL	4	L	8 POS	LP01=FB & LP08=P CONT
LP08=FC	MI	ER		TPL	4	L	8 NEG	LP01=FA & LP08=N CONT
LP08=FD	MI	ER		TPL	4	L	8 NEG	LP01=FB & LP08=N CONT
LP08=HA	MI	ER		TPL	4	L	8 POS	LP01=HA & LP08=P CONT
LP08=HB	MI	ER		TPL	4	L	8 POS	LP01=HB & LP08=P CONT
LP08=HC	MI	ER		TPL	4	L	8 NEG	LP01=HA & LP08=N CONT
LP08=HD	MI	ER		TPL	4	L	8 NEG	LP01=HB & LP08=N CONT
LP08=JA	MI	ER		TPL	4	L	8 POS	LP02=JA & LP08=P CONT
LP08=JB	MI	ER		TPL	4	L	8 POS	LP02=JB & LP08=P CONT
LP08=JC	MI	ER		TPL	4	L	8 NEG	LP02=JA & LP08=N CONT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
LP08-JD	MI	ER		TPL	4	L	8 NEG	LP02-JB & LP08-N CONT	
LP08-KA	MI	ER		TPL	4	L	8 POS	LP02-KA & LP08-P CONT	
LP08-KB	MI	ER		TPL	4	L	8 POS	LP02-KB & LP08-P CONT	
LP08-KC	MI	ER		TPL	4	L	8 NEG	LP02-KA & LP08-N CONT	
LP08-KD	MI	ER		TPL	4	L	8 NEG	LP02-KB & LP08-N CONT	
LP08-LA		AW			6	6/73	L	8 POS	WHITE LP02-JA W VFU & LP08-PF CONT 60HZ
LP08-LB		AW			6	6/73	L	8 POS	WHITE LP02-JB W VFU & LP08-PF CONT 50HZ
LP08-LC		AW			6	6/73	L	8 NEG	WHITE LP02-JA W VFU & LP08-NF CONT 60HZ
LP08-LD		AW			6	6/73	L	8 NEG	WHITE LP02-JB W VFU & LP08-NF CONT 50HZ
LP08-MA	ABW	PDR		CSS	3	2/72	L	8 POS	LP03-MA & LP08-P CONT
LP08-MB	ABW	PDR		CSS	3	2/72	L	8 POS	LP03-MB & LP08-P CONT
LP08-MC	ABW	PDR		CSS	3	2/72	L	8 NEG	LP03-MA & LP08-N CONT
LP08-MD	ABW	PDR		CSS	3	2/72	L	8 NEG	LP03-MB & LP08-N CONT
LP08-N		MI		TPL	4	6/71	L	8 NEG	CONTROL FOR LP01 & LP02
LP08-NF		AW			6	6/73	L	8 NEG	LP08-N W FORM FEED
LP08N-VA	MI	JDL		TPL	3	5/74	L	8 NEG	LP05-VA & LP08-N CONT
LP08N-VE	MI	JDL		TPL	3	5/74	L	8 NEG	LP05-VE & LP08-N CONT
LP08N-WA	MI	JDL		TPL	3	5/74	L	8 NEG	LP05-WA & LP08-N CONT
LP08N-WE	MI	JDL		TPL	3	5/74	L	8 NEG	LP05-WE & LP08-N CONT
LP08-P		MI		TPL	4	6/71	L	8 POS	CONTROL FOR LP01 & LP02
LP08-PF		AW			6	6/73	L	8 POS	LP08-P WITH FORM FEED
LP08P-VA	MI	JDL		TPL	3	5/74	L	8 POS	LP05-VA & LP08-P CONT
LP08P-VE	MI	JDL		TPL	3	5/74	L	8 POS	LP05-VE & LP08-P CONT
LP08P-WA	MI	JDL		TPL	3	5/74	L	8 POS	LP05-WA & LP08-P CONT
LP08P-WE	MI	JDL		TPL	3	5/74	L	8 POS	LP05-WE & LP08-P CONT
LP08-QA	ABW	PDR		CSS	3	2/72	L	8 POS	LP03-QA & LP08-P CONT
LP08-QB	ABW	PDR		CSS	3	2/72	L	8 POS	LP03-QB & LP08-P CONT
LP08-QC	ABW	PDR		CSS	3	2/72	L	8 NEG	LP03-QA & LP08-N CONT
LP08-QD	ABW	PDR		CSS	3	2/72	L	8 NEG	LP03-QB & LP08-N CONT
LP08-RA	ABW	PDR		CSS	3	2/72	L	8 POS	LP04-RA & LP08-P CONT
LP08-RB	ABW	PDR		CSS	3	2/72	L	8 POS	LP04-RB & LP08-P CONT
LP08-RC	ABW	PDR		CSS	3	2/72	L	8 NEG	LP04-RA & LP08-N CONT
LP08-RD	ABW	PDR		CSS	3	2/72	L	8 NEG	LP04-RB & LP08-N CONT
LP08-SA	ABW	PDR		CSS	3	2/72	L	8 POS	LP04-SA & LP08-P CONT
LP08-SB	ABW	PDR		CSS	3	2/72	L	8 POS	LP04-SB & LP08-P CONT
LP08-SC	ABW	PDR		CSS	3	2/72	L	8 NEG	LP04-SA & LP08-N CONT
LP08-SD	ABW	PDR		CSS	3	2/72	L	8 NEG	LP04-SB & LP08-N CONT
LP09-FC		MI		TPL	3		L	9	LP01-FA & CONT
LP09-FD		MI		TPL	3		L	9	LP01-FB & CONT
LP09-HC		MI		TPL	3		L	9	LP01-HA & CONT
LP09-HD		MI		TPL	3		L	9	LP01-HB & CONT
LP09-JC		MI		TPL	3		L	9	LP02-JA & CONT
LP09-JD		MI		TPL	3		L	9	LP02-JB & CONT
LP09-KC		MI		TPL	3		L	9	LP02-KA & CONT
LP09-KD		MI		TPL	3		L	9	LP02-KB & CONT
LP10-AA		KE			6	5/72	L	BA10	300 LPM 64 CHAR MDS4000 & CONT 60 HZ
LP10-AB		KE			6	5/72	L	BA10	300 LPM 64 CHAR MDS4000 & CONT 50 HZ
LP10-CA		KE			6	10/72	L	BA10	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ
LP10-CB		KE			6	10/72	L	BA10	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ
LP10-DA		KE			5		L	BA10	600 LPM 96 CHAR MDS5000 & CONT 60 HZ
LP10-DB		KE			5		L	BA10	600 LPM 96 CHAR MDS5000 & CONT 50 HZ
LP10-EA		KE			5		L	BA10	500 LPM 132 CHAR MDS5000 & CONT 60 HZ
LP10-EB		KE			5		L	BA10	500 LPM 132 CHAR MDS5000 & CONT 50 HZ
LP10-FA	FW	DAO			4	4/74	L	BA10	132COL 64CH EDP DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 60HZ
LP10-FB	FW	DAO			4	4/74	L	BA10	132COL 64CH EDP DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 50HZ
LP10-FC	FW	DAO			4	4/74	L	BA10	132COL 64CH SCT DA PR 2470 1250 LPM VFU STATIC QUICKLATCH, 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP10=FD	FW	DAO			4 4/74	L	BA10 132COL 64CH SCI DA PR 2470 1250	LPH VFU STATIC QUICKLATCH, 50HZ
LP10=FE	FW	DAO			4 4/74	L	LP10/LP20=FA, =FB, =FC, =FD	64 CHAR EDP QUICK CHANGE DRUM
LP10=FF	FW	DAO			4 4/74	L	LP10/LP20=FA, =FB, =FC, =FD	64 CHAR SCI QUICK CHANGE DRUM
LP10=HA	FW	DAO			4 4/74	L	BA10 132COL 96CH EDP DA PR 2470 925	LPH VFU STATIC QUICKLATCH, 60HZ
LP10=HB	FW	DAO			4 4/74	L	BA10 132COL 96CH EDP DA PR 2470 925	LPH VFU STATIC QUICKLATCH, 50HZ
LP10=HC	FW	DAO			4 4/74	L	BA10 132COL 96CH SCI DA PR 2470 925	LPH VFU STATIC QUICKLATCH, 60HZ
LP10=HD	FW	DAO			4 4/74	L	BA10 132COL 96CH SCI DA PR 2470 925	LPH VFU STATIC QUICKLATCH, 50HZ
LP10=HE	FW	DAO			4 4/74	L	LP10/LP20=HA, =HB, =HC, =HD	96 CHAR EDP QUICK CHANGE DRUM
LP10=HF	FW	DAO			4 4/74	L	LP10/LP20=HA, =HB, =HC, =HD	96 CHAR SCI QUICK CHANGE DRUM
LP11	RT	LC			5 7/71	L	DD11	LINE PRINTER CONTROL MODULE & CABLE KIT
LP11=FA	RT	LC			5 7/71	L	DD11	LP01=FA & LP11 CONT
LP11=FB	RT	LC			5 7/71	L	DD11	LP01=FB & LP11 CONT
LP11=HA	RT	LC			5 7/71	L	DD11	LP01=HA & LP11 CONT
LP11=HB	RT	LC			5 7/71	L	DD11	LP01=HB & LP11CONT
LP11=JA	RT	LC			5 7/71	L	DD11	LP02=JA & LP11 CONT
LP11=JB	RT	LC			5 7/71	L	DD11	LP02=JB & LP11 CONT
LP11=KA	RT	LC			5 7/71	L	DD11	LP02=KA & LP11 CONT
LP11=KB	RT	LC			5 7/71	L	DD11	LP02=KB & LP11 CONT
LP11=MA	ABW	PDR		CSS	3 2/72	L	DD11	LP03=MA & LP11 CONT
LP11=MB	ABW	PDR		CSS	3 2/72	L	DD11	LP03=MB & LP11 CONT
LP11=QA	ABW	PDR		CSS	3 2/72	L	DD11	LP03=QA & LP11 CONT
LP11=QB	ABW	PDR		CSS	3 2/72	L	DD11	LP03=QB & LP11 CONT
LP11=RA	RT	LC			5 7/73	L	DD11	LP04=RA & LP11 CONT
LP11=RB	RT	LC			5 7/73	L	DD11	LP04=RB & LP11 CONT
LP11=RE	RT	LC			3 8/73	L	DD11	LP04=RE & LP11 CONT
LP11=RF	RT	LC			3 8/73	L	DD11	LP04=RF & LP11 CONT
LP11=SA	RT	LC			5 7/73	L	DD11	LP04=SA & LP11 CONT
LP11=SB	RT	LC			5 7/73	L	DD11	LP04=SB & LP11 CONT
LP11=SE	RT	LC			3 8/73	L	DD11	LP04=SE & LP11 CONT
LP11=SF	RT	LC			3 8/73	L	DD11	LP04=SF & LP11 CONT
LP11=UA		BALL			3 9/72	L	DS500 SERIES	LP11=JA IN PLACE OF LS11-A
LP11=UB		BALL			3 9/72	L	DS500 SERIES	LP11=JB IN PLACE OF LS11-B
LP11=VA	RT	LC			3 5/74	L	11	LP05=VA & LP11 CONT
LP11=VB	RT	LC			3 5/74	L	11	LP05=VB & LP11 CONT
LP11=VC	RT	LC			3 5/74	L	11	LP05=VC & LP11 CONT
LP11=VD	RT	LC			3 5/74	L	11	LP05=VD & LP11 CONT
LP11=VE	RT	LC			3 5/74	L	11	LP05=VE & LP11 CONT
LP11=VF	RT	LC			3 5/74	L	11	LP05=VF & LP11 CONT
LP11=VH	RT	LC			3 5/74	L	11	LP05=VH & LP11 CONT
LP11=VJ	RT	LC			3 5/74	L	11	LP05=VJ & LP11 CONT
LP11=VK	ABW	PDR		CSS	3 9/74	L	11	LP05=VK & M7931 CONT
LP11=VL	ABW	PDR		CSS	3 9/74	L	11	LP05=VL & M7931 CONT
LP11=VM	ABW	PDR		CSS	3 9/74	L	11	LP05=VM & M7931 CONT
LP11=VN	ABW	PDR		CSS	3 9/74	L	11	LP05=VN & M7931 CONT
LP11=VP	ABW	PDR		CSS	3 9/74	L	11	LP05=VP & M7931 CONT
LP11=VR	ABW	PDR		CSS	3 9/74	L	11	LP05=VR & M7931 CONT
LP11=VS	ABW	PDR		CSS	3 9/74	L	11	LP05=VS & M7931 CONT
LP11=VT	ABW	PDR		CSS	3 9/74	L	11	LP05=VT & M7931 CONT
LP11=WA	RT	LC			3 5/74	L	11	LP05=WA & LP11 CONT
LP11=WB	RT	LC			3 5/74	L	11	LP05=WB & LP11 CONT
LP11=WC	RT	LC			3 5/74	L	11	LP05=WC & LP11 CONT
LP11=WD	RT	LC			3 5/74	L	11	LP05=WD & LP11 CONT
LP11=WE	RT	LC			3 5/74	L	11	LP05=WE & LP11 CONT
LP11=WF	RT	LC			3 5/74	L	11	LP05=WF & LP11 CONT
LP11=WH	RT	LC			3 5/74	L	11	LP05=WH & LP11 CONT
LP11=WJ	RT	LC			3 5/74	L	11	LP05=WJ & LP11 CONT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP11=HK	ABW	PDR		CSS	3 9/74	L	11	LP05=HK & M7931 CONT
LP11=HL	ABW	PDR		CSS	3 9/74	L	11	LP05=HL & M7931 CONT
LP11=HM	ABW	PDR		CSS	3 9/74	L	11	LP05=HM & M7931 CONT
LP11=HN	ABW	PDR		CSS	3 9/74	L	11	LP05=HN & M7931 CONT
LP11=HP	ABW	PDR		CSS	3 9/74	L	11	LP05=HP & M7931 CONT
LP11=HR	ABW	PDR		CSS	3 9/74	L	11	LP05=HR & M7931 CONT
LP11=HS	ABW	PDR		CSS	3 9/74	L	11	LP05=HS & M7931 CONT
LP11=HT	ABW	PDR		CSS	3 9/74	L	11	LP05=HT & M7931 CONT
LP11=YA	ABW	PDR		CSS	3 8/75	L	0011	LP06=YA + LP11 CONT, 120V 60HZ
LP11=YB	ABW	PDR		CSS	3 8/75	L	0011	LP06=YB + LP11 CONT, 240V 60HZ
LP11=YC	ABW	PDR		CSS	3 8/75	L	0011	LP06=YC + LP11 CONT, 120V 50HZ
LP11=YD	ABW	PDR		CSS	3 8/75	L	0011	LP06=YD + LP11 CONT, 240V 50HZ
LP11=YE	ABW	PDR		CSS	3 8/75	L	0011	LP06=YE + LP11 CONT, 120V 60HZ
LP11=YF	ABW	PDR		CSS	3 8/75	L	0011	LP06=YF + LP11 CONT, 240V 60HZ
LP11=YH	ABW	PDR		CSS	3 8/75	L	0011	LP06=YH + LP11 CONT, 120V 50HZ
LP11=YJ	ABW	PDR		CSS	3 8/75	L	0011	LP06=YJ + LP11 CONT, 240V 50HZ
LP11=YK	ABW	PDR		CSS	3 8/75	L	0011	LP06=YK + LP11 CONT, 120V 60HZ
LP11=YL	ABW	PDR		CSS	3 8/75	L	0011	LP06=YL + LP11 CONT, 240V 60HZ
LP11=YM	ABW	PDR		CSS	3 8/75	L	0011	LP06=YM + LP11 CONT, 120V 50HZ
LP11=YN	ABW	PDR		CSS	3 8/75	L	0011	LP06=YN + LP11 CONT, 240V 50HZ
LP11=YP	ABW	PDR		CSS	3 8/75	L	0011	LP06=YP + LP11 CONT, 120V 60HZ
LP11=YR	ABW	PDR		CSS	3 8/75	L	0011	LP06=YR + LP11 CONT, 240V 60HZ
LP11=YS	ABW	PDR		CSS	3 8/75	L	0011	LP06=YS + LP11 CONT, 120V 50HZ
LP11=YT	ABW	PDR		CSS	3 8/75	L	0011	LP06=YT + LP11 CONT, 240V 50HZ
LP11=ZA	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZA + LP11 CONT, 120V 60HZ
LP11=ZB	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZB + LP11 CONT, 240V 60HZ
LP11=ZC	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZC + LP11 CONT, 120V 50HZ
LP11=ZD	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZD + LP11 CONT, 240V 50HZ
LP11=ZE	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZE + LP11 CONT, 120V 60HZ
LP11=ZF	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZF + LP11 CONT, 240V 60HZ
LP11=ZH	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZH + LP11 CONT, 120V 50HZ
LP11=ZJ	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZJ + LP11 CONT, 240V 50HZ
LP11=ZK	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZK + LP11 CONT, 120V 60HZ
LP11=ZL	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZL + LP11 CONT, 240V 60HZ
LP11=ZM	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZM + LP11 CONT, 120V 50HZ
LP11=ZN	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZN + LP11 CONT, 240V 50HZ
LP11=ZP	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZP + LP11 CONT, 120V 60HZ
LP11=ZR	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZR + LP11 CONT, 240V 60HZ
LP11=ZS	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZS + LP11 CONT, 120V 50HZ
LP11=ZT	ABW	PDR		CSS	3 8/75	L	0011	LP06=ZT + LP11 CONT, 240V 50HZ
LP12=AA	SNT	RI			3	L	12	300 LPM 64 CHAR MDS4000 & CONT 60 HZ
LP12=AB	SNT	RI			3 1/72	L	12	300 LPM 64 CHAR MDS4000 & CONT 50 HZ
LP12=CA	SNT	RI			2	L	12	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ
LP12=CB	SNT	RI			2	L	12	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ
LP15=CA	BD	SW			3 4/71	L	BA15	1000 LPM 64 CHAR MDS5000 & CONT 60 HZ
LP15=CB	BD	SW			3 4/71	L	BA15	1000 LPM 64 CHAR MDS5000 & CONT 50 HZ
LP15=FA	BD	SW			3 3/71	L	15	LP01=FA & CONT 60HZ
LP15=FB	BD	SW			3 3/71	L	15	LP01=FB & CONT 50HZ
LP15=HA	BD	SW			3 7/71	L	15	LP01=HA & CONT 60HZ
LP15=HB	BD	SW			3 7/71	L	15	LP01=HB & CONT 50HZ
LP15=JA	BD	SW			3 7/71	L	15	LP02=JA & CONT 60HZ
LP15=JB	BD	SW			3 7/71	L	15	LP02=JB & CONT 50HZ
LP15=KA	BD	SW			3 7/71	L	15	LP02=KA & CONT 60HZ
LP15=KB	BD	SW			3 7/71	L	15	LP02=KB & CONT 50HZ
LP15=RA	BD	SW			3 3/73	L	15	LP04=RA & CONT 60HZ
LP15=RB	BD	SW			3 3/73	L	15	LP04=RB & CONT 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
LP15-SA	80	SW			3 3/73	L	15	LP04-SA & CONT 60HZ
LP15-SB	80	SW			3 3/73	L	15	LP04-SB & CONT 50HZ
LP15-VA	80	SW			3 5/74	L	15	LP05-VA & CONT
LP15-VB	80	SW			3 5/74	L	15	LP05-VB & CONT
LP15-VC	80	SW			3 5/74	L	15	LP05-VC & CONT
LP15-VD	80	SW			3 5/74	L	15	LP05-VD & CONT
LP15-VE	80	SW		CSS	3 5/74	L	15	LP05-VE & CONT
LP15-VF	80	SW		CSS	3 5/74	L	15	LP05-VF & CONT
LP15-VH	80	SW		CSS	3 5/74	L	15	LP05-VH & CONT
LP15-VJ	80	SW		CSS	3 5/74	L	15	LP05-VJ & CONT
LP15-WA	80	SW			3 5/74	L	15	LP05-WA & CONT
LP15-WB	80	SW			3 5/74	L	15	LP05-WB & CONT
LP15-WC	80	SW			3 5/74	L	15	LP05-WC & CONT
LP15-WD	80	SW			3 5/74	L	15	LP05-WD & CONT
LP15-WE	80	SW		CSS	3 5/74	L	15	LP05-WE & CONT
LP15-WF	80	SW		CSS	3 5/74	L	15	LP05-WF & CONT
LP15-WH	80	SW		CSS	3 5/74	L	15	LP05-WH & CONT
LP15-WJ	80	SW		CSS	3 5/74	L	15	LP05-WJ & CONT
LP20-FA	RLD	TK			2 10/75	L	11 (KL10)	132COL 64CH EDP DA PR 2470 HYBRID 1250 LPM VFU STATIC, 60HZ
LP20-FB	RLD	TK			2 10/75	L	11 (KL10)	132COL 64CH EDP DA PR 2470 HYBRID 1250 LPM VFU STATIC, 50HZ
LP20-FC	RLD	TK			2 10/75	L	11 (KL10)	132COL 64CH SCI DA PR 2470 HYBRID 1250 LPM VFU STATIC, 60HZ
LP20-FD	RLD	TK			2 10/75	L	11 (KL10)	132COL 64CH SCI DA PR 2470 HYBRID 1250 LPM VFU STATIC, 50HZ
LP20-HA	RLD	TK			2 10/75	L	11 (KL10)	132COL 96CH EDP DA PR 2470 HYBRID 925 LPM VFU STATIC, 60HZ
LP20-HB	RLD	TK			2 10/75	L	11 (KL10)	132COL 96CH EDP DA PR 2470 HYBRID 925 LPM VFU STATIC, 50HZ
LP20-HC	RLD	TK			2 10/75	L	11 (KL10)	132COL 96CH SCI DA PR 2470 HYBRID 925 LPM VFU STATIC, 60HZ
LP20-HD	RLD	TK			2 10/75	L	11 (KL10)	132COL 96CH SCI DA PR 2470 HYBRID 925 LPM VFU STATIC, 50HZ
LP43-AP		RW		CSS	3 2/72	L	8 POS	INTERFACE TO MDS 4330 CHAIN PRINTER 300 LPM
LPC01-AA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-10 TO -100(115V
LPC01-AB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-10 TO -100, 230V
LPC01-BA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-200, 115V
LPC01-BB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 713-200, 230V
LPC01-CA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 7000, 115V
LPC01-CB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON 7000, 230V
LPC01-DA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON PACESETTER, 115V
LPC01-DB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO PHOTON PACESETTER, 230V
LPC01-EA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO HARRIS INTERTYPE TXT, 115V
LPC01-EB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO HARRIS INTERTYPE TXT, 230V
LPC01-FA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO COMPSTAR 191, 115V
LPC01-FB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO COMPSTAR 191, 230V
LPC01-HA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO MERGENTHALER, 115V
LPC01-HB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO MERGENTHALER, 230V
LPC01-JA	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO VIDEO SETTER, 115V
LPC01-JB	MI	JW			3 4/74	L	LPD11, LPD8	INTERFACE TO VIDEO SETTER, 230V
LPC01-KA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO METRO-SETTER, 115V
LPC01-KB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO METRO-SETTER, 230V
LPC01-LA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO MERGENTHALLER V.I.P., 115V
LPC01-LB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO MERGENTHALLER V.I.P., 230V
LPC01-MA	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO LINOTRON 303, 115V
LPC01-MB	MI	RHZ			3 1/75	L	LPD11, LPD8	INTERFACE TO LINOTRON 303, 230V
LPC02-E	MI	SG			3 10/74	L	LPC11-E, LPC8-E	ON LINE OFF LINE SWITCH FOR HARRIS INTERTYPE TXT
LPC11-AA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-10 TO -100(115V
LPC11-AB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-10 TO -100, 230V
LPC11-BA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-200, 115V
LPC11-BB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 713-200, 230V
LPC11-CA	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 7000, 115V
LPC11-CB	MI	JW			6 9/74	L	11	INTERFACE TO PHOTON 7000, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
LPC11-DA	MI	JW			6	9/74 L	11	INTERFACE TO PHOTON PACESETTER, 115V
LPC11-DB	MI	JW			6	9/74 L	11	INTERFACE TO PHOTON PACESETTER, 230V
LPC11-EA	MI	JW			6	9/74 L	11	INTERFACE TO HARRIS INTERTYPE TXT, 115V
LPC11-EB	MI	JW			6	9/74 L	11	INTERFACE TO HARRIS INTERTYPE TXT, 230V
LPC11-FA	MI	JW			6	9/74 L	11	INTERFACE TO COMPSTAR 191, 115V
LPC11-FB	MI	JW			6	9/74 L	11	INTERFACE TO COMPSTAR 191, 230V
LPC8-AA	MI	JW			6	9/74 L	8 POS	INTERFACE PHOTON 713-10 TO -100, 115V 60HZ
LPC8-AB	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON 713-10 TO -100, 230V 50HZ
LPC8-AC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 713-10 TO -100, 115V 60HZ
LPC8-AD	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 713-10 TO -100, 230V 50HZ
LPC8-BA	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON 713-200, 115V 60HZ
LPC8-BB	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON 713-200, 230V 50HZ
LPC8-BC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 713-200, 115V 60HZ
LPC8-BD	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 713-200, 230V 50HZ
LPC8-CA	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON 7000, 115V 60HZ
LPC8-CB	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON 7000, 230V 50HZ
LPC8-CC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 7000, 115V 60HZ
LPC8-CD	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON 7000, 230V 50HZ
LPC8-DA	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON PACESETTER, 115V 60HZ
LPC8-DB	MI	JW			6	9/74 L	8 POS	INTERFACE TO PHOTON PACESETTER, 230V 50HZ
LPC8-DC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON PACESETTER, 115V 60HZ
LPC8-DD	MI	JW			6	9/74 L	8 NEG	INTERFACE TO PHOTON PACESETTER, 230V 50HZ
LPC8-EA	MI	JW			6	9/74 L	8 POS	INTERFACE TO HARRIS INTERTYPE TXT, 115V 60HZ
LPC8-EB	MI	JW			6	9/74 L	8 POS	INTERFACE TO HARRIS INTERTYPE TXT, 230V 50HZ
LPC8-EC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO HARRIS INTERTYPE TXT, 115V 60HZ
LPC8-ED	MI	JW			6	9/74 L	8 NEG	INTERFACE TO HARRIS INTERTYPE TXT, 230V 50HZ
LPC8-FA	MI	JW			6	9/74 L	8 POS	INTERFACE TO COMPSTAR A1, 115V 60HZ
LPC8-FB	MI	JW			6	9/74 L	8 POS	INTERFACE TO COMPSTAR A1, 230V 50HZ
LPC8-FC	MI	JW			6	9/74 L	8 NEG	INTERFACE TO COMPSTAR A1, 115V 60HZ
LPC8-FD	MI	JW			6	9/74 L	8 NEG	INTERFACE TO COMPSTAR A1, 230V 50HZ
LPC8-HA	MI	JW			6	9/74 L	8 POS	INTERFACE TO MERGENTHALER, 115V 60HZ
LPC11-AA	MI	JW			3	4/74 L	11	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPC11-AB	MI	JW			3	4/74 L	11	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPC8-NA	MI	JW			3	4/74 L	8 NEG	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPC8-NB	MI	JW			3	4/74 L	8 NEG	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPC8-PA	MI	JW			3	4/74 L	8 POS	UNIVERSAL CONTROL FOR LPC01, 115V 60HZ
LPC8-PB	MI	JW			3	4/74 L	8 POS	UNIVERSAL CONTROL FOR LPC01, 230V 50HZ
LPL11	LO	RDB		CSS	3	11/75 L	11	LONG LINE OPTION FOR LP05, UP TO 2000 FT (M5913 + LP05 MOD)
LPL8	LO	RDB		CSS	3	11/75 L	8/E	LONG LINE OPTION FOR LP05, UP TO 2000 FT (M5913 + LP05 MOD)
LPS11-E	AW	AMS			2	11/73 B	LPS11-S	EXP BOX, 48 MORE A/D CH, 8 MORE D/A CONV
LPS11-SA	AW	ERK			3	9/72 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 115V
LPS11-SB	AW	ERK			3	9/72 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 230V
LPS11-SC	AW	ERK			3	9/72 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, RACK MOUNTABLE, 100V
LPS11-SD	AW	ERK			3	9/72 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 115V
LPS11-SE	AW	ERK			3	9/72 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 230V
LPS11-SF	AW	ERK			6	9/73 B	11	LPS MTNG BOX, PS, FRONT PANEL, UNIBUS INTFCE, TABLE TOP, 100V
LPSAD-12	AW	ERK			3	9/72 A	LPS11-S	12 BIT ADC, 8CH, 8 CH MUX, 6 DIGIT LED DISPLAY
LPSAD-15	AW	ERK			3	9/72 A	LPS11-S	15 BIT LPSAD-12
LPSAD-NP	AW	ERK			3	9/72 D	LPS11-S	DMA OPTION TO LPSAD
LPSAG	AW	ERK			3	9/72 A	LPS11-S	4 PREAMPS (A242)
LPSAG-VG	AW	ERK			3	9/72 A	LPS11-S	4 PREAMPS W VARIABLE GAIN (A241)
LPSAM	AW	ERK			3	9/72 A	LPS11-S	8 CH ANALOG MUX (A487)
LPSAM-E	AW	AMS			2	11/73 L	LPS11-E	8 C ANALOG MUX (A487)
LPSDA	AW	AMS			2	11/73 B	LPS11-E	DUAL 12 BIT DAC (A625)
LPSDR	AW	ERK			6	2/79 D	LPS11-S	DIGITAL I/O M7017
LPSDR-A	AW	ERK			2	12/73 D	LPS11-S	DIGITAL I/O W INTERRUPT, M7023

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
LPSKW	AW	ERK			3	9/72 D	LPS11-S	PROGRAMMABLE REAL TIME CLOCK, 2 SCHMITTS, M7016
LPSSH	AW	ERK			3	9/72 A	LPS11	S&H A406
LPSVC	AW	ERK			3	9/72 V	LPS11-S	DISPLAY CONT & 2 DACS
LQP8-E	BPF	ORR			2	11/75 L	8/E	LPP01 CONTROL
LS01-EA	EC	AEW			6	2/74 L	LC8-E, LP08-N, =P	CENTRONICS 101 132 COL 165 CH/SEC 9X7 DOT, 115V60HZ
LS01-EB	EC	AEW			6	2/74 L	LC8-E, LP08-N, =P	CENTRONICS 101 132 COL 165 CH/SEC 9X7 DOT, 230V50HZ
LS01-EC	EC	AEW			6	2/74 L	VT8-EA, VT8-EC	LS01-EA W CABLE 7008859
LS01-ED	EC	AEW			6	1/73 L	VT8-EB, VT8-ED	LS01-EB W CABLE 7008859
LS01-FA	EC	AEW			4	11/74 L	LC8-E, LP08-N, =P	CENTRONICS 101A 132 COL 165 CH/SEC 9X7 DOT, 115V60HZ
LS01-FB	EC	AEW			4	11/74 L	LC8-E, LP08-N, =P	CENTRONICS 101A 132 COL 165 CH/SEC 9X7 DOT, 230V50HZ
LS01-JA	EC	AEW			2	4/73 L	LC8-E, LP08-N, =P	CENTRONICS 101A W JAPANESE CHARACTERS, 100V 60HZ
LS01-JB	EC	AEW			2	4/73 L	LC8-E, LP08-N, =P	CENTRONICS 101A W JAPANESE CHARACTERS, 100V 50HZ
LS01-K-ST	MI			TPL	3	8/75 L	LS01	LS01 CENTRONICS STARTER KIT; 6 RIBBONS, 3 BOXES 14 7/8 PAPER
LS04-A		PH		CSS	6		8, 8/S, 8/I	MONROE 4600 PRINTER CONTROL
LS07-AA		BM		CSS	3		8 POS	FRANKLIN 2016 NUMERIC CONT 16-20 COLUMNS
LS08-NA	MI	JDL		TPL	3	6/72 L	8 NEG	LS01-FA & LP08-N CONT 60HZ
LS08-NB	MI	JDL		TPL	3	6/72 L	8 NEG	LS01-FB & LP08-N CONT 50HZ
LS08-PA	MI	JDL		TPL	3	6/72 L	8 POS	LS01-FA & LP08-P CONT 60HZ
LS08-PB	MI	JDL		TPL	3	6/72 L	8 POS	LS01-FB & LP08-P CONT 50HZ
LS11-A	RT	LC			3	10/72 L	11	LS01-FA & M7250 CONT, 115V 60HZ
LS11-B	RT	LC			3	10/72 L	11	LS01-FB & M7250 CONT, 230V 50HZ
LS11-C		BALL			3	6/73 L	11	LS11-A W CENTRONICS STAND, 115V 60HZ
LS11-D		BALL			3	6/73 L	11	LS11-B W CENTRONICS STAND, 230V 50HZ
LS11-JA	KATO			SSJN	3	1/75 L	11	LS11-A W KATA KANA CHARACTERS, 115V 60HZ
LS11-JB	KATO			SSJN	3	1/75 L	11	LS11-B W KATA KANA CHARACTERS, 230V 50HZ
LS11-LA	KATO			SSJN	3	1/75 L	11	LS11-A W KOREAN CHARACTERS, 115V 60HZ
LS11-LB	KATO			SSJN	3	1/75 L	11	LS11-B W KOREAN CHARACTERS, 230V 50HZ
LS8-EA		JK			6	4/73 L	8/E	LS01-EA W LC8-E CONT, 115V 60HZ
LS8-EB		JK			6	4/73 L	8/E	LS01-EB W LC8-E CONT, 230V 50HZ
LS8-FA	JC	JK			3	4/73 L	8/E	LS01-FA W LC8-E CONT, 115V 60HZ
LS8-FB	JC	JK			3	4/73 L	8/E	LS01-FB W LC8-E CONT, 230V 50HZ
LS8-JA	KATO			SSJN	3	1/75 L	8/E	LS8-FA W KATA KANA CHARACTERS, 115V 60HZ
LS8-JB	KATO			SSJN	3	1/75 L	8/E	LS8-FB W KATA KANA CHARACTERS, 230V 50HZ
LS8-LA	KATO			SSJN	3	1/75 L	8/E	LS8-FA W KOREAN CHARACTERS, 115V 60HZ
LS8-LB	KATO			SSJN	3	1/75 L	8/E	LS8-FB W KOREAN CHARACTERS, 230V 50HZ
LS11	SNT	MT			2	8/75 E		11/03
LSP10-JA	JEH	CV		CSS	3	4/73 L	BA10 CAB	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300510) 60HZ
LSP10-JB	JEH	CV		CSS	3	4/73 L	BA10 CAB	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300510) 50HZ
LSP10-JC	JEH	PWD		CSS	3	6/74 L	BA10	CDC 9362 TRAIN PRINTER & CONT (TRAIN 50300517)
LSP10-LA	RW	BM		LVP	3	7/72 L	BA10 CAB	LP02-LA W CONT, 60HZ
LSP10-LB	RW	BM		LVP	3	7/72 L	BA10 CAB	LP02-LB W CONT, 50 HZ
LSP10-VK	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VK & CONT, 115V 60HZ
LSP10-VL	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VL & CONT, 230V 60HZ
LSP10-VM	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VM & CONT, 115V 50HZ
LSP10-VN	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VN & CONT, 230V 50HZ
LSP10-VP	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VP & CONT, 115V 60HZ
LSP10-VR	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VR & CONT, 230V 60HZ
LSP10-VS	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VS & CONT, 115V 50HZ
LSP10-VT	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-VT & CONT, 230V 50HZ
LSP10-WK	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WK & CONT, 115V 60HZ
LSP10-WL	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WL & CONT, 230V 60HZ
LSP10-WM	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WM & CONT, 115V 50HZ
LSP10-WN	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WN & CONT, 230V 50HZ
LSP10-WP	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WP & CONT, 115V 60HZ
LSP10-WR	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WR & CONT, 230V 60HZ
LSP10-WS	DH	MSB		CSS	3	10/74 L	BA10 CAB	LP05-WS & CONT, 115V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- NO/YR	GATE- GORY	USED ON	DESCRIPTION	180
LSP10=WT	DM	MSB		CSS	3	10/74	L	BA10 CAB	LP05=WT & CONT, 230V 50HZ	
LSP11=AA	JEH	CV		CSS	3	4/73	L	11	CDC 9362 TRAIN PRINTER & CONT (UP TO 128 CHAR), 60HZ	
LSP11=AB	JEH	CV		CSS	3	4/73	L	11	CDC 9362 TRAIN PRINTER & CONT (UP TO 128 CHAR), 50HZ	
LSP11=BC	JH	ABW		CSS	3	2/75	L	11	LP11 CONT + LP05=WA W ENGLISH & CYRILLIC CAP CHARACTERS, 115V 60HZ	
LSP11=BE	JH	ABW		CSS	3	2/75	L	11	LP11 CONT + LP05=VA W MALLIPURE CHARACTER SET, 115V 60HZ	
LSP11=BJ		JGN		SSUK	3	4/75	L	11	LP11 CONT + LP05=VD W BRITISH STD I,S,O, CHARACTERS, 230V 50HZ	
LSP11=BL		JGN		SSUK	3	4/75	L	11	LP11 CONT + LP05=WD W BRITISH STD I,S,O, CHARACTERS, 230V 50HZ	
LSP11=BN	ABW	PDR		CSS	3	11/75	L	11	LP11 CONT + LP05=VD W YUGOSLAVIAN & ENGLISH CHARACTERS, 230V 50HZ	
LSP11=CA	ABW	PDR		CSS	3	11/75	L	11	LP11 CONT + LP04=RE W ARABIC CHARACTERS, 115V 60HZ	
LSP11=JA	ABW	PDR	RW	CSS	6	1/75	L	11	LP11-JA W 8 CH VPU, 136 COL, ZONE SELECT, 60HZ	
LSP11=JB	ABW	PDR	RW	CSS	6	1/75	L	11	LP11-JB W 8 CH VPU, 136 COL, ZONE SELECT, 50HZ	
LSP11=KA	ABW	PDR	RW	CSS	6	1/75	L	11	LP11-KA W 8 CH VPU, 136 COL, ZONE SELECT, 60HZ	
LSP11=KB	ABW	PDR	RW	CSS	6	1/75	L	11	LP11-KB W 8 CH VPU, 136 COL, ZONE SELECT, 50HZ	
LSP11=RA	ABW	PDR	RW	CSS	3	3/73	L	11	LP11-RA W 8 CH VPU, 136 COL, ZONE SELECT, 60HZ	
LSP11=RB	ABW	PDR	RW	CSS	3	3/73	L	11	LP11-RB W 8 CH VPU, 136 COL, ZONE SELECT, 50HZ	
LSP11=SA	ABW	PDR	RW	CSS	3	3/73	L	11	LP11-SA W 8 CH VPU, 136 COL, ZONE SELECT, 60HZ	
LSP11=SB	ABW	PDR	RW	CSS	3	3/73	L	11	LP11-SB W 8 CH VPU, 136 COL, ZONE SELECT, 50HZ	
LSS11=FA	abw	SPRY		CSS	3	3/73	L	11	CENTRONICS 101A W CONT & DIFF SEND/RECEIVE, 115V 60HZ	
LSS11=FB	abw	SPRY		CSS	3	3/73	L	11	CENTRONICS 101A W CONT & DIFF SEND/RECEIVE, 230V 50HZ	
LT08=A		VB			5		L	8	CONTROL W SPACE FOR 5 LT08=B	
LT08=B		VB			5		L	LT08=A	CONTROL FOR ASR33 OR ASR35	
LT08=C		VB			3		L	LT08=A	EIA MODEM INTERFACE	
LT09=A		MI			5		L	9	CONTROL FOR UP TO 5 LT09=B	
LT09=B		MI			5		L	LT09=A	TELETYPE CONTROL	
LT09=C		MI			5		L	LT09=A	EIA MODEM INTERFACE	
LT10=A		RW		CSS	6	7/71	L	10	TELETYPE INTERFACE (SPECIAL)	
LT15=A		FA			4		L	BA15	ONE TTY INTERFACE	
LT19=A		FA			6		D	9	API CONTROL FOR UP TO 5 LT19=B OR =C	
LT19=B		FA			6		D	LT19=A	TELETYPE CONTROL MODULE SET	
LT19=C		FA			6		D	LT19=A	LT19=B PLUS EIA CONVERTERS	
LT19=D		FA			5	6/71	D	9, 9/L, DW15=A	LT19=A W SEPARATE CLOCK PER TRANSMITTER	
LT19=E		FA			5	6/71	D	LT19=D	TELETYPE CONTROL MODULE SET	
LT19=F		FA			5	6/71	D	LT19=D	LT19=E PLUS EIA CONVERTERS	
LT19=HA		FA			5	6/71	D	LT19=F, PT08=F	CABLE SET FOR INTERPROCESSOR BUFFER, 50 FT	
LT19=HB		FA			5	6/71	D	LT19=F, PT08=F	CABLE SET FOR INTERPROCESSOR BUFFER, 100 FT	
LT19=HC		FA			5	6/71	D	LT19=F, PT08=F	CABLE SET FOR INTERPROCESSOR BUFFER, 150 FT	
LT19=HD		FA			5	6/71	D	LT19=F, PT08=F	CABLE SET FOR INTERPROCESSOR BUFFER, 200 FT	
LT19=HE		FA			5	6/71	D	LT19=F, PT08=F	CABLE SET FOR INTERPROCESSOR BUFFER, 250 FT	
LY33=AA		KE			6	4/75	L	10	KSR33 FRICTION FEED 115V 60 HZ	
LY33=AB		KE			6	4/75	L	10	KSR33 FRICTION FEED 230V 50 HZ	
LY33=BA		KE			6	10/72	L	10	ASR33(TY) SPROCKET FEED W XON & XOFF 115V 60 HZ	
LY33=BB		KE			6	10/72	L	10	ASR33(TY) SPROCKET FEED W XON & XOFF 230V 50 HZ	
LY33=BC		KE			6	4/75	L	10	ASR33 FRICTION FEED W XON & XOFF, 115V 60HZ	
LY33=BD		KE			6	4/75	L	10	ASR33 FRICTION FEED W XON & XOFF, 230V 50HZ	
LY33=CA		KE			6	6/72	L	8/I, Y	KSR33 TS DEC MODIFIED 115V 60 HZ, W070	
LY33=CB		KE			6	6/72	L	8/I, Y	KSR33 TS DEC MODIFIED 230V 50 HZ, W070	
LY33=CC		KE			6	4/75	L	8/E, 11, 15	KSR33 DEC MODIFIED 115V 60 HZ NO W070	
LY33=CD		KE			6	4/75	L	8/E, 11, 15	KSR33 TS DEC MODIFIED 230V 50 HZ, NO W070	
LY33=CE		KE			6	4/75	L	8/E, 11, 15	KSR33 TS DEC MODIFIED 100V 50 HZ, NO W070	
LY33=DA		KE			6	6/72	L	8/I, Y	ASR33 TU SYNC READ & PUNCH 115V 60 HZ, W070	
LY33=DB		KE			6	6/72	L	8/I, Y	ASR33 TBP SYNC RD, PU, 230V 50 HZ, W070	
LY33=DC		KE			3	4/75	L	8/E, 11, 15	ASR33 TU SYNC RD, PU, 115V 60 HZ, NO W070	
LY33=DD		KE			3	4/75	L	8/E, 11, 15	ASR33 TBP SYNC RD, PU, 230V 50 HZ, NO W070	
LY33=DE		KE			3	4/75	L	8/E, 11, 15	ASR33 TBP SYNC RD, PU, 100V 50 HZ, NO W070	
LY33=EA		KE			6	4/75	L	8/I, Y	ASR33 TU NON=SYNC RD, PU, 115V 60 HZ, W070	
LY33=EB		KE			6	4/75	L	8/I, Y	ASR33 TBP NON=SYNC RD, PU, 230V 50 HZ, W070	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	101
LY33=HA		KE			6 10/72	L	8/I, Y	LY33=8A W W078	
LY33=HB		KE			6 10/72	L	8/I, Y	LY33=8B W W078	
LY33=HC		KE			6 4/75	L	8/I, Y	LY33=8C W W078	
LY33=HD		KE			6 4/75	L	8/I, Y	LY33=8D W W078	
LY33=MA		WMK			3	L	ASR33	MODIFICATION KIT FOR 8, 8/I, 8/L, 8/S	
LY33=MB		WMK			3	L	ASR33	MODIFICATION KIT FOR 8/E, 11, 15	
LY33=MC		WMK			3	L	KSR33	MODIFICATION KIT FOR 8, 8/I, 8/L, 8/S, 9	
LY33=MD		WMK			3	L	KSR33	MODIFICATION KIT FOR 8/E, 11, 15	
LY33=RA		CRB			6 4/75	L	11R20	ASR33(TU); DEC MODIFIED SHIELDED CABLE MIL CONN 60HZ	
LY33=RB		CRB			6 4/75	L	11R20	ASR33(TB); DEC MODIFIED SHIELDED CABLE MIL CONN 90HZ	
LY33=SB	JC				3	L	LT33=B, -D, -E, -F, -H	SPARE PARTS FOR ASR33	
LY33=ST	JC				3	L	LT33	TOOL KIT FOR MOD 33 TTY	
LY35=AA		KE			6 4/75	L	10	KSR35 DEC MODIFIED 115V 60 HZ	
LY35=AB		KE			6 4/75	L	10	KSR35 DEC MODIFIED 230V 50 HZ	
LY35=CA		KE			6 6/72	L	8/I, Y	KSR35 DEC MODIFIED 115V 60 HZ W078	
LY35=CB		KE			6 6/72	L	8/I, Y	KSR35 DEC MOD 230V 50 HZ W078	
LY35=CC		KE			6 4/75	L	8/E, 11, 15	KSR35 DEC MODIFIED 115V 60 HZ NO W078	
LY35=CD		KE			6 4/75	L	8/E, 11, 15	KSR35 DEC MODIFIED 230V 50 HZ NO W078	
LY35=CE		KE			6 4/75	L	8/E, 11, 15	KSR35 DEC MODIFIED 100V 50 HZ, NO W078	
LY35=DA		KE			6 6/72	L	8/I, Y	ASR35 SYNC RD, PU, 115V 60 HZ, W078	
LY35=DB		KE			6 6/72	L	8/I, Y	ASR35 SYNC RD, PU, 230V 50 HZ, W078	
LY35=DC		KE			3 4/75	L	8/E, 11, 15	ASR35 SYNC RD, PU, 115V 60 HZ, NO W078	
LY35=DD		KE			3 4/75	L	8/E, 11, 15	ASR35 SYNC RD, PU, 230V 50 HZ, NO W078	
LY35=DE		KE			3 4/75	L	8/E, 11, 15	ASR35 SYNC RD, PU, 100V 50HZ, NO W078	
LY35=MC		WMK			3	L	KSR35	MODIFICATION KIT FOR 8, 8/I, 8/L, 8/S, 9	
LY35=MD		WMK			3	L	KSR35	MODIFICATION KIT FOR 8/E, 11, 15	
LY35=ME	JEH	LO		CSS	3 10/73	L	LT35-C	72 COL TO 80 COL CONVERSION	
LY35=RA		CRB			6 4/75	L	11R20	ASR35 DEC MODIFIED SHIELDED CABLE MIL CONN 60HZ	
LY35=RB		CRB			6 4/75	L	11R20	ASR35 DEC MODIFIED SHIELDED CABLE MIL CONN 50HZ	
LY73=AF		ABW		CSS	3 11/72	L	8 POS	IMPROVED INTERFACE FOR IBM 735 SELECTRIC	
LY73=AH		ABW		CSS	3 11/72	L	8 NEG	IMPROVED INTERFACE FOR IBM 735 SELECTRIC	
LU10=CA	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=YK, 115V 60HZ	
LU10=CD	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=YN, 230V 50HZ	
LU10=CE	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=YP, 115V 60HZ	
LU10=CJ	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=YT, 230V 50HZ	
LU10=DA	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=ZK, 115V 60HZ	
LU10=DD	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=ZN, 230V 50HZ	
LU10=DE	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=ZP, 115V 60HZ	
LU10=DJ	DH	EY		CSS	3 11/75	L	10 I/O BUS	LU10 + LP06=ZT, 230V 50HZ	
LV01=AA	EC	AEW			3 10/73	L	LV11, LV12	8.5" VERSATEC PRINT/PLOT 5X7 DOT, 96 CH, 115V	
LV01=AB	EC	AEW			3 10/73	L	LV11, LV12	8.5" VERSATEC PRINT/PLOT 5X7 DOT, 96 CH, 230V	
LV01=BA	EC	AEW			3 10/73	L	LV11, LV12	11" VERSATEC PRINT/PLOT 7X9 DOT, 96 CH, 115V	
LV01=BB	EC	AEW			3 10/73	L	LV11, LV12	11" VERSATEC PRINT/PLOT 7X9 DOT, 96 CH, 230V	
LV10=AA	DH	WAH		CSS	3 6/75	D	10	CONTROLLER FOR VERSATEC PRINTER PLOTTER 115V 60HZ	
LV11	EC	AEW			4 10/73	L	11	CONTROL FOR LV01 ELECTROSTATIC PRINTER/PLOTTER	
LV11=AA	EC	AEW			4 10/73	L	LV11	8.5" LV01=AA PRINT/PLOT W LV11 CONT, 115V	
LV11=AB	EC	AEW			4 10/73	L	LV11	8.5" LV01=AB PRINT/PLOT W LV11 CONT, 230V	
LV11=BA	EC	AEW			4 10/73	L	LV11	11" LV01=BA PRINT/PLOT W LV11 CONT, 115V	
LV11=BB	EC	AEW			4 10/73	L	LV11	11" LV01=BB PRINT/PLOT W LV11 CONT, 230V	
LV12	SNT	AEW			2 12/72	L	8 POS	CONTROL FOR LV01 ELECTROSTATIC PRINTER/PLOTTER	
LV12=AA	SNT	AEW			2 12/72	L	8 POS	8.5" LV01=AA PRINT/PLOT W CONT, 115V	
LV12=AB	SNT	AEW			2 12/72	L	8 POS	8.5" LV01=AB PRINT/PLOT W CONT, 230V	
LV12=BA	SNT	AEW			2 10/72	L	8 POS	11" LV01=BA PRINT/PLOT W CONT, 115V	
LV12=BB	SNT	AEW			2 10/72	L	8 POS	11" LV01=BB PRINT/PLOT W CONT, 230V	
LV311	JH	JTN		CSS	3 6/75	L	11	CONTROL FOR VERSATEC 2000A PRINTER/PLOTTER	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION	
MA10		SU			6	7/72	M	6, 10	16 K 37 BITS 1 USEC MEMORY
MA10=A		SU			6	7/72	M	6, 10	8 K 37 BITS 1 USEC MEMORY
MA11=FA	RJN	RLM		CSS	3	11/75	M	11	2 PORT 16K PARITY MEM W BA11-KE CAB, 115V
MA11=FB	RJN	RLM		CSS	3	11/75	M	11	2 PORT 16K PARITY MEM W BA11-KF CAB, 230V
MA11=FC	RJN	RLM		CSS	3	11/75	M	11	4 PORT 16K PARITY MEM, BA11-KE, 115V
MA11=FD	RJN	RLM		CSS	3	11/75	M	11	4 PORT 16K PARITY MEM, BA11-KF, 230V
MA11=FE	RJN	RLM		CSS	3	11/75	M	11	2 PORT 32K PARITY MEM, BA11-KE, 115V
MA11=FF	RJN	RLM		CSS	3	11/75	M	11	2 PORT 32K PARITY MEM, BA11-KF, 230V
MA11=FH	RJN	RLM		CSS	3	11/75	M	11	4 PORT 32K PARITY MEM, BA11-KE, 115V
MA11=FJ	RJN	RLM		CSS	3	11/75	M	11	4 PORT 32K PARITY MEM, BA11-KF, 230V
MA11=FK	RJN	RLM		CSS	3	11/75	M	MA11-F	16K PARITY EXPANSION MODULE SET
MA11=HA	RJN	RLM		CSS	3	11/75	M	11	2 PORT 48K PARITY MEM, H960-DH, 115V
MA11=HB	RJN	RLM		CSS	3	11/75	M	11	2 PORT 48K PARITY MEM, H960-DJ, 230V
MA11=HC	RJN	RLM		CSS	3	11/75	M	11	4 PORT 48K PARITY MEM, H960-DH, 115V
MA11=HD	RJN	RLM		CSS	3	11/75	M	11	4 PORT 48K PARITY MEM, H960-DJ, 230V
MA11=HE	RJN	RLM		CSS	3	11/75	M	11	2 PORT 64K PARITY MEM, H960-DH, 115V
MA11=HF	RJN	RLM		CSS	3	11/75	M	11	2 PORT 64K PARITY MEM, H960-DJ, 230V
MA11=HH	RJN	RLM		CSS	3	11/75	M	11	4 PORT 64K PARITY MEM, H960-DH, 115V
MA11=HJ	RJN	RLM		CSS	3	11/75	M	11	4 PORT 64K PARITY MEM, H960-DJ, 230V
MA11=HK	RJN	RLM		CSS	3	11/75	M	MA11-H	16K PARITY MEM EXPANSION MODULE SET
MA11=KA	RLM	KK		CSS	3	11/75	M	MA11-F, MA11-H	PROGRAMMABLE PORT CONTROL (M7937)
MA11=KE	RLM	KK		CSS	3	11/75	M	MA11-F, MA11-H	LARGE MANUAL CONTROL PANEL, 115V
MA11=KF	RLM	KK		CSS	3	11/75	M	MA11-F, MA11-H	LARGE MANUAL CONTROL PANEL, 230V
MA11=KH	RLM	KK		CSS	3	11/75	M	MA11-F, MA11-H	SMALL MANUAL CONTROL PANEL
MA11=KK	RLM	KK		CSS	3	11/75	M	MA11-F, MA11-H	JUMPER ADDRESS & CONTROL KIT
MA20=A	ATT	SU			2	4/75	M	KL10	32K 37BIT CORE MEM + CONT, SPACE FOR 3 MA20=E
MA20=AA	ATT	SU			2	4/75	M	KL10	MA20=A + MA20=PA (FOR PRICE LIST) 120V 60HZ
MA20=AB	ATT	SU			2	4/75	M	KL10	MA20=A + MA20=PB (FOR PRICE LIST) 240V 50HZ
MA20=E	ATT	SU			2	4/75	M	MA20-A	32K 37BIT EXPANSION UNIT (4 MA20=M)
MA20=G	ATT	SU			2	4/75	M	KL10	MA20=A + MA20=E (64K MEM & CONT, SPACE FOR 2 MORE MA20=E)
MA20=GA	ATT	SU			2	4/75	M	KL10	MA20=G + MA20=PA (FOR PRICE LIST) 120V 60HZ
MA20=GB	ATT	SU			2	4/75	M	KL10	MA20=G + MA20=PB (FOR PRICE LIST) 240V 50HZ
MA20=H	ATT	SU			2	4/75	M	KL10	MA20=A + 3 MA20=E (128K MEM & CONT)
MA20=HA	ATT	SU			2	4/75	M	KL10	MA20=H + MA20=PA (FOR PRICE LIST) 120V 60HZ
MA20=HB	ATT	SU			2	4/75	M	KL10	MA20=H + MA20=PB (FOR PRICE LIST) 240V 50HZ
MA20=M	ATT	SU			2	11/74	M	MA20-A	16K 19-BIT MODULE SET
MA20=PA	ATT	SU			2	4/75	B	MA20	POWER SUPPLY & HARNESS SET, 60HZ
MA20=PB	ATT	SU			2	4/75	B	MA20	POWER SUPPLY & HARNESS SET, 50HZ
MB10		SU			5		M	6, 10	16 K 37 BITS 1.65 USEC MEMORY
MB20=A	ATT	SU			2	4/75	M	KL10	32K 37BIT CORE MEM + CONTROL, SPACE FOR 3 MB20=E
MB20=E	ATT	SU			2	4/75	M	MB20-A	32K 37BIT EXPANSION (2 MB20=M)
MB20=M	ATT	SU			2	4/75	M	MB20-A, -E	32K 19-BIT MODULE SET
MC08		MI			2		M	8	PDP8 TO MM01 INTERFACE
MC09		MI			5		M	9	CONTROL MEMORY
MC10		SU			5		M	MA10	EXTRA MEMORY PORT
MC10=E		SU			3	1/72	M	ME10	EXTRA MEMORY PORT
MC10=F	ATT	SU			5	2/73	M	MF10	EXTRA MEMORY PORT
MC10=G	ATT	CHIN			2	10/74	M	MG10	PAIR EXTRA MEMORY PORTS
MC11		SKJ		CSS	6	1/75	M	11	2 PORT MEMORY CONTROL, INCLUDES M7801, M7802, M7803
MC11=B	JH	RLM			6	1/75	M		MC11 WITH PARITY
MC12	SNT	RI			5		M	12	4 K 12 BIT MEMORY W EXTENSION CONTROL
MC70=B		MI			5		M	9	8 K 18 BIT 1 USEC MEMORY
MC71=A		MI			4		M	9=L	4 K 18 BIT MEMORY, SPACE FOR 8 K
MC71=B		MI			4		M	MC71-A, MC71-C, MC71-D	4 K EXPANSION, STACK + MODULES
MC71=C		MI			4		M	MC71-A, MC71-D	4 K 18 BIT MEMORY, SPACE FOR 8 K

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
MC71=D		MI			4	M	MC71=A	4 K 18 BIT MEMORY, SPACE FOR 8 K
MC8=E		WL			8/71	M	8/E, 8/M	KM8=E + MM8=E (MEM EXT CONT + 4K MEM)
MC8=EH		WL			2 4/73	M	8/E, 8/M	KM8=E + MM8=EH (MEM EXT CONT + 4K MEM)
MC8=EJ		WL			2 7/72	M	8/E, 8/M	KM8=E + MM8=EJ (MEM EXT CONT + 8K MEM)
MC8=IA		JDL		TPL	5	M	8/I	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8=IB		JDL		TPL	5	M	8/I	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8=LA		JDL		TPL	5	M	8A08, BM08	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8=LB		JDL		TPL	5	M	8A08, BM08	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8=LC		JDL		TPL	5	M	BM08	4K 12 BIT MEMORY W EXTENSION CONTROL
MC8=LD		JDL		TPL	5	M	BM08	4K 13 BIT MEMORY W EXTENSION CONTROL
MC8=S		AB			5	M	8/S	MEMORY EXTENSION CONTROL & 4K MEMORY
MCA20	ATT	SU			2 4/75	M	KL10	CACHE MEMORY
MD10=A		SU			5	M	10	32 K 37 BIT 1.8 USEC MEMORY 60 HZ
MD10=B		SU			5	M	10	32 K 37 BIT 1.8 USEC MEMORY 50 HZ
MD10=E		SU			5	M	MD10=A, MD10=B	32 K 37 BIT EXPANSION UNIT
MD10=GA		SU			6 3/73	M	10	MD10=A + MD10=E (65K)
MD10=GB		SU			6 3/73	M	10	MD10=B + MD10=E (65K)
MD10=RA		SU			3 10/72	M	1040=A	MD10=GA IN PLACE OF 2 ME10
MD10=RB		SU			3 10/72	M	1040=B	MD10=GB IN PLACE OF 2 ME10
ME09=A		MI			6	M	9	MEMORY EXTENSION & PARITY CHASSIS
ME09=B		MI			5	M	9	MEMORY EXTENSION, PARITY, & PROTECT CHASSIS
ME09=C		MI			2	M	9/L	MEMORY EXTENSION PROTECT CHASSIS
ME10	FW	SU			5 5/71	M	10	16 K 37 BIT 1 USEC MEMORY
ME10=X	FW	SU			5 4/72	M	10	ME10 MINUS COSMETICS
ME11=LA		SR			3 1/74	M	11	11/05 BOX + MM11=L, SPACE FOR 2 MORE 115V
ME11=LB		SR			3 1/74	M	11	11/05 BOX + MM11=L, SPACE FOR 2 MORE 230V
ME11=LC					3 4/75	M	11	16K MEM (ME11=LA + MM11=L), 115V
ME11=LD					3 4/75	M	11	16K MEM (ME11=LB + MM11=L), 230V
ME11=LE					3 4/75	M	11	24K MEM (ME11=LA + 2 MM11=L), 115V
ME11=LF					3 4/75	M	11	24K MEM (ME11=LB + 2 MM11=L), 230V
ME15=AA		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 1ST UNIT, 115V
ME15=AB		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 1ST UNIT, 230V
ME15=B		JE			4 12/72	M	ME15=AA, =AB, =C, =D	8K 18 BIT MEM ADD=ON
ME15=C		JE			4 12/72	M	ME15=AA, =AB, =D	8K 18 BIT MEM SP FOR 24K 2ND OR 4TH UNIT
ME15=D		JE			4 12/72	M	15	8K 18 BIT MEM SP FOR 24K 3RD UNIT
ME15=EA	LG	JE			4 12/72	M	15	ME15=AA + ME15=B, 16K MEM 115V 60HZ
ME15=EB	LG	JE			4 12/72	M	15	ME15=AB + ME15=B, 16K MEM 230V 50HZ
ME15=F	LG	JE			4 12/72	M	15	ME15=C + ME15=B, 16K MEM
ME15=H	LG	JE			4 12/72	M	15	ME15=D + ME15=B, 16K MEM
ME15=J	LG	JE			4 12/72	M	ME15=AA, =AB, =C, =D	2 ME15=B, 16K MEM TOTAL
ME8=S		AB			5	M	8/S	MEMORY EXPANSION MOUNTING HARDWARE
MF10=A	FW	SU			5 2/73	M	10 MEM BUS	32K 37 BIT MEM, 1 USEC
MF10=E	FW	SU			5 2/73	M	MF10=A	32K 37 BIT EXPANSION 1 USEC MEM
MF10=G	FW	SU			5 2/73	M	10 MEM BUS	MF10=A + MF10=E 65K 37 BIT 1 USEC MEM
MF10=L		SU			6 11/75	M	10 MEM BUS	2 MF10=G (128K 37 BIT)
MF10=M		SU			5 2/73	M	MF10=A, =E, =G	8K 19 BIT MODULE SET
MF11=L		JO			5 12/74	M	11/35, 8A11=DA, =DB	BACK PLANE, MM11=L, SPACE FOR 2 MORE
MF11=LP	CA	MOOR			5 12/74	M	11	BACK PLANE, PARITY CONT, MM11=LP, SPACE FOR 2 MORE, 1 USEC
MF11=M	CA	MOOR			3 4/73	M	11/40	8K EXPANDABLE MEM; MF11=L + KT11=D SEGMENTATION
MF11=MP	CA	MOOR			3 4/73	M	11/40	8K EXPANDABLE PARITY MEM; MF11=LP + KT11=D SEGMENTATION
MF11=R	CA	MOOR			3 4/73	M	11/40	16K EXPANDABLE MEM; MF11=L + MM11=L + KT11=D SEGMENTATION
MF11=RP	CA	MOOR			3 4/73	M	11/40	16K EXPANDABLE PARITY MEM; MF11=LP + MM11=LP + KT11=D
MF11=S	CA	MOOR			3 4/73	M	11/40	24K EXPANDABLE MEM; MF11=L + 2 MM11=L + KT11=D SEGMENTATION
MF11=SP	CA	MOOR			3 4/73	M	11/40	24K EXPANDABLE PARITY MEM; MF11=LP + 2 MM11=LP + KT11=D
MF11=U	RGM	DWS			5 12/74	M	11	BACK PLANE & 16K MM11=U MEM, SPACE FOR 1 MORE, 1 USEC
MF11=UB	RGM	DWS			5 12/74	M	11	MF11=U + MM11=U, 32K 1 USEC MEMORY

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
MF11=UC	RGM	DWS			3	12/74 M	11	2 MF11=U + 2 MM11=U, 64K 1 USEC MEMORY
MF11=UP	RGM	DWS			5	12/74 M	11	BACK PLANE, PARITY CONT, 16K MM11=UP MEM, SPACE FOR 1 MORE, 1 USEC
MF11=UR	RGM	DWS			5	12/74 M	11	MF11=UP + MM11=UP, 32K 1 USEC PARITY MEMORY
MF11=US	RGM	DWS			3	12/74 M	11	2 MF11=UP + 2 MM11=UP, 64K 1 USEC PARITY MEMORY
MF11=W	RGM	DWS			2	1/74 M	11	MF11=U BACK PLANE & 32K MM11=W MEM, SPACE FOR 1 MORE MM11=U OR =W
MF11=WP	RGM	DWS			2	1/74 M	11	MF11=UP BACK PLANE & 32K MM11=WP MEM SPACE FOR 1 MORE MM11=UP OR =WP
MF15=UA		FD			2	4/75 M	15	BACKPLANE & 32K 18 BIT 18 MIL MEM 1 USEC
MF15=UC		FD			2	4/75 M	15	MF15=UA, BA11=KE, 115V 60HZ
MF15=UD		FD			2	4/75 M	15	MF15=UA, BA11=KF, 230V 50HZ
MF15=UE		FD			2	4/75 M	15	2 MF15=UA, BA11=KE, 115V 60HZ
MF15=UF		FD			2	4/75 M	15	2 MF15=UA, BA11=KF, 230V 50HZ
MF15=UH		FD			2	4/75 M	15, XV100	2ND 32K XV100 MEMORY, FIRST EXPANSION
MF15=UK		FD			2	4/75 M	15, XV100	3RD 32K XV100 MEMORY, SECOND EXPANSION
MF15=UL		FD			2	4/75 M	15	MF15=UC, H960, 115V 60HZ
MF15=UM		FD			2	4/75 M	15	MF15=UD, H960, 230V 50HZ
MG10=A	ATT	CHIN			2	10/74 M	10 MEM BUS	32K 37BIT MEM, CONTROL & CAB, SPACE FOR 96K MORE
MG10=E	ATT	CHIN			2	10/74 M	MG10=A, -G	32K 37BIT EXPANSION (4 MA20=M)
MG10=G	ATT	CHIN			2	10/74 M	10 MEM BUS	64K 37BIT MEM, CONTROL & CAB, SPACE FOR 64K MORE
MG10=H	ATT	CHIN			2	10/74 M	10 MEM BUS	128K 37BIT MEM, CONTROL & CAB
MG10=L	ATT	CHIN			6	11/75 M	10 MEM BUS	2 MG10=H (256K 37 BIT)
M18=E		LT			4	5/71 M	0/E	32 WORD 12 BIT ROM, ALL ZEROS
M18=EA		LT			3	1/72 M	0/E	HIGH/LOW SPEED PAPER TAPE RIM (M847=YA)
M18=EC		LT			3	1/72 M	0/E	TC08 BOOTSTRAP (M847=YC)
M18=ED		LT			3	1/72 M	0/E	RK8 BOOTSTRAP (M847=YD)
M18=EE		LT			2	6/71 M	0/E	TYPSET RIM LOADER (M847=YE)
M18=EF		LT			2	9/71 M	0/E (EDU10, 20, 30, 40)	EDU SYSTEM BOOTSTRAP, LOW SPEED (M847=YF)
M18=EG		LT			2	9/71 M	0/E (EDU50)	EDU SYSTEM BOOTSTRAP, HIGH SPEED (M847=YG)
M18=EH		LT			2	11/71 M	0/E	T08/E BOOTSTRAP (M847=YH)
M18=EJ	BALL	NR			3	3/73 M	0/E	RK8/E BOOTSTRAP (M847=YJ)
M18=EK	EAS	KE			3	3/73 M	0C72	CR8 BOOTSTRAP FOR DC72 (M847=YK)
M18=EL	JC	JK			3	4/73 M	0/E	TU60 BOOTSTRAP (M847=YL)
M18=EM	MI	JOL			3	8/73 M	0/E	TYPSET DECTAPE BOOTSTRAP LOADER (M847=YM)
M18=EN	MI	JOL			3	2/74 M	0/E	TYPSET RK8/E BOOTSTRAP (M847=YN)
M18=EP	JC	LN			2	6/75 M	0/E	RX01 BOOTSTRAP
MJ11=AA	ARR	TN			2	1/75 M	11 MEM BUS	32K 18BIT MEM, CONT & PS, SPACE FOR 3 MJ11=AE OR =BE, 115V
MJ11=AB	ARR	TN			2	1/75 M	11 MEM BUS	32K 18BIT MEM, CONT & PS, SPACE FOR 3 MJ11=AE OR =BE, 230V
MJ11=AC	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AA W CAB + 3 MJ11=AE, 115V
MJ11=AD	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AB W CAB + 3 MJ11=AE, 230V
MJ11=AE	ARR	TN			2	1/75 M	MJ11=AA THRU =AD, =BA THRU =BD	32K 18BIT EXPANSION (2 MJ11=AM)
MJ11=AG	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AA + 3 MJ11=AE, 115V
MJ11=AH	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AB + 3 MJ11=AE, 230V
MJ11=AM	ARR	TN			2	1/75 M	MJ11=AA THRU =AE	16K 18BIT MEM MODULE SET, NO CONT
MJ11=AY	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AA W NO CABLES
MJ11=AZ	ARR	TN			2	1/75 M	11 MEM BUS	MJ11=AB W NO CABLES
MK15=A		FA			4		M	MM15=AA, =AB, =AC, =AD
MK15=B		FA			4		M	MM15=BA, =BB, =BC, =BD
ML11=R	BD	DV			2	8/73 M		MF11=L
ML11=RP	BD	DV			2	8/73 M		MM11=LP
ML11=S	BD	DV			2	8/73 M		MF11=L
ML11=SP	BD	DV			2	8/73 M		MM11=LP
MM09=A		MI			5		M	9
MM09=B		MI			5		M	9
MM09=C		MI			5		M	9
MM11=B	RGM	PD			2	11/75 M	11	4K 16BIT 18MIL MEM, ONE 1" BOARD (G651 + H221=D)
MM11=BP	RGM	PD			2	11/75 M	11	18BIT MM11=B W PARITY CONT (G651 + H221=C)
MM11=C	RGM	PD			2	11/75 M	11	8K 16BIT 18MIL MEM, ONE 1" BOARD (G651 + H221=B)

MODEL NO	ENG MGR	DESIGN ENGR	PROU ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	105
MM11=CP	RGM	PD			2 11/75	M	11	8K 18BIT MM11=C W PARITY CONT (G651 + H221-A)	
MM11=D	RGM	DWS			2 11/75	M	11	16K 16 BIT 18MIL MEM, ONE 1" BOARD	
MM11=DP	RGM	DWS			2 11/75	M	11	16K 18 BIT 18MIL PARITY MEM, ONE 1" BOARD	
MM11=E	RGM	PD			5	M	11	4 K 16 BIT 22 MIL MEMORY, 1,2 USEC	
MM11=EX	RGM	PD			3	M	11	8 K X 16 BIT INTERLEAVED 1,2 USEC MEM	
MM11=F	RGM	PD			4 7/71	M	11	4K 16 BIT 22 MIL MEMORY, 900 NSEC	
MM11=FJ		RPF			3 3/72	M	11/20	MM11=F MODIFIED TO BE 2K BETWEEN 20 & 30K	
MM11=FP	RGM	PD			2 7/71	M	11	4K 18 BIT 22 MIL MEMORY, 900 NSEC	
MM11=FX	RGM	PD			2 5/72	M	11	8K 16 BIT INTERLEAVED 22 MIL MEM, 900 NSEC	
MM11=H	RGM	PD			3 1/72	M	11	1K 16 BIT 22 MIL 1,2 USEC MEM	
MM11=J	RGM	PD			3 1/72	M	11	2K 16 BIT 22 MIL 1,2 USEC MEM	
MM11=K	RGM	PD			4 2/74	M	11/05, ME11=L	4K 16 BIT 18 MIL MEMORY MODULE SET, 890NSEC	
MM11=L	RGM	PD			5 12/74	M	11/05, ME11=L	8K 16 BIT 18 MIL MEM MODULE SET, 900 NSEC	
MM11=LK	CA				3 1/74	M	ME11=L, MF11=L	12K 16 BIT MEM; MM11=L + MM11=K	
MM11=LP	CA	MOOR			5 12/74	M	MF11=LP	8K 16 BIT PARITY (18 BIT) MEM MODULE SET	
MM11=M	RGM	PD			3 12/74	M	11/35, 11/45	4K 16 BIT 18 MIL MEM, 900NS (MM11=K IN SYS UNIT)	
MM11=S	RGM	PD			4 7/72	M	11/35, 11/45	8K 16 BIT 18 MIL MEM, 900NS (MM11=L IN SYS UNIT)	
MM11=SP	RGM	PD			3 12/74	M	11/35, 11/45	8K 18 BIT PARITY & CONT 18 MIL MEM, 900 NSEC	
MM11=U	RGM	DWS			5 12/74	M	MF11=U	16K 16 BIT 1 USEC MEM	
MM11=UP	RGM	DWS			5 12/74	M	MF11=UP	16K 18 BIT PARITY 18 MIL MEM, 1 USEC	
MM11=W	RGM	DWS			2 9/74	M	MF11=U	32K 16 BIT MEMORY	
MM11=WP	RGM	DWS			2 9/74	M	MF11=UP	32K 18 BIT MEMORY	
MM14=A		LD			5 4/73	M	14	MM11=E W PS, 14 INTERFACE	
MM15=AA		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, FRONT	
MM15=AB		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, 1ST BACK	
MM15=AC		HL			5	M	15	4K 18 BIT MEM, SP 8K, 800 NSEC, 2, 3 BACK	
MM15=AD		HL			5	M	MX15	4K 18 BIT MEM, SP 8K, 1,2 USEC	
MM15=BA		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, FRONT	
MM15=BB		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, 1ST BACK	
MM15=BC		HL			5	M	15	4K 19 BIT MEM, SP 8K, 800 NSEC, 2, 3 BACK	
MM15=BD		HL			5	M	MX15	4K 19 BIT MEM, SP 8K, 1,2 USEC	
MM15=CA		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, FRONT	
MM15=CB		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, 1ST BACK	
MM15=CC		HL			5	M	15	8K 18 BIT MEM, 800 NSEC, 2, 3 BACK	
MM15=CD		HL			5	M	MX15	8K 18 BIT MEM, 1,2 USEC	
MM15=DA		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, FRONT	
MM15=DB		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, 1ST BACK	
MM15=DC		HL			5	M	15	8K 19 BIT MEM, 800 NSEC, 2, 3 BACK	
MM15=DD		HL			5	M	MX15	8K 19 BIT MEM, 1,2 USEC	
MM15=EB	LG	HL			3 5/72	M	15	MM15=CB + MM15=CC, 16K TOTAL	
MM15=EC	LG	HL			3 5/72	M	15	2 MM15=CC, 16K TOTAL	
MM8=AA	RGM	WC			3 11/74	M	8/A	8K X 12 MEMORY, G649 + H219=A, 1,5 USEC	
MM8=AB	RGM	WC			2 10/74	M	8/A	16K X 12 MEMORY, G649 + H219=B, 1,5 USEC	
MM8=E		WC			5 9/71	M	8/E	4K 12 BIT MEMORY	
MM8=EH	RGM	WC			2 4/73	M	8/E, 8/M	4K X 12 BIT 18 MIL MEMORY, 1,2 USEC	
MM8=EJ	RGM	WC			5 4/73	M	8/E, 8/M	8K X 12 BIT 18 MIL MEMORY, 1,2 USEC	
MM8=IA		JDL		TPL	5	M	8/I, 12	4K 12 BIT MEMORY	
MM8=IB		JDL		TPL	5	M	8/I, 12	8K 12 BIT MEMORY	
MM8=IC		JDL		TPL	5	M	8/I, 12	4K 13 BIT MEMORY	
MM8=ID		JDL		TPL	5	M	8/I, 12	8K 13 BIT MEMORY	
MM8=IE		JDL		TPL	5	M	MM8=IA	4K 12 BIT MEMORY EXPANSION	
MM8=IF		JDL		TPL	5	M	MM8=IC	4K 13 BIT MEMORY EXPANSION	
MM8=LA		JDL		TPL	5	M	BM08	4K 12 BIT MEMORY	
MM8=LB		JDL		TPL	5	M	BM08	4K 13 BIT MEMORY	
MM8=S		AB			5	M	ME8=S, OMD8=S	4K 13 BIT MEMORY	
MMJ11=F	CA				3 6/72	M	11	SYSTEM TESTED MM11-F	

MODEL NO	ENG MGR	DESIGN ENCR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	186
MMJ11=L		PD			3	8/72 M	11/05, 11/10	SYSTEM TESTED MM11=L	
MMR11=E		KH			3	1/72 M	11R20	1,5 USEC RUGGED MM11=E	
MMR11=EX		KH			3	1/72 M	11R20	RUGGED MM11=EX (8K 16 BIT INTERLEAVED)	
MMV11=A	RGH	PD			2	1/75 M	11V05	4K 16 BIT CORE MEM (G653 + M223)	
MP09=A		MI			6	M	ME09=A	PDP9 PARITY OPTION, 1ST 8 K	
MP09=B		MI			6	M	9	PARITY OPTION, EACH ADDED 8 K	
MP09=C		MI			5	M	ME09=B	PDP9 PARITY OPTION, 1ST 8 K	
MP11=A		EM		CSS	6	1/75 M	11	MEMORY PARITY CONTROL	
MP15		FA			9	3/71 M	15	PARITY CONTROL	
MP8=E		RT			4	M	8/E	PARITY OPTION FOR 32K, PDP8-E	
MP8=I		JDL		TPL	5	M	8/I	PARITY OPTION, 1ST 4K	
MP8=L		JDL		TPL	5	M	8/L	PARITY OPTION, 1ST 4K	
MP=8A100	JC	PG			3	6/75 E	8A100	MAINTENANCE PRINT SET	
MP=8A200	JC	PG			3	6/75 E	8A200	MAINTENANCE PRINT SET	
MP=8A400	JC	PG			3	6/75 E	8A400	MAINTENANCE PRINT SET	
MP=CD20		RMO			3	11/75 C	CD20	MAINTENANCE PRINT SET	
MP=CL8	JC	GHL			3	6/75 E	CL8	MAINTENANCE PRINT SET	
MP=DKC8=AA	JC	LN			3	11/74 R	DKC8-AA	MAINTENANCE PRINT SET	
MP=DR11=L1	RJM				3	11/75 D	DR11=L	MAINTENANCE PRINT SET	
MP=DR11=M1	RJM				3	11/75 D	DR11=M	MAINTENANCE PRINT SET	
MP=DR8=E1	RJM				3	11/75 D	DR8=E	MAINTENANCE PRINT SET	
MP=DS350		BPF			3	10/75 E	DS350	MAINTENANCE PRINT SET	
MP=DS500=M1		BPF			3	10/75 E	DS500	SYSTEM CONFIGURATION PRINT SET	
MP=DS500=M2		BPF			3	10/75 E	DS500	EQUIPMENT DRAWINGS	
MP=KCB=A	JC	GHL			3	11/74 K	KCB=AA, KCB=AB	MAINTENANCE PRINT SET	
MP=KL8=A	JC	LN			3	11/75 D	KL8=A	MAINTENANCE PRINT SET	
MP=KK8=A	JC	LK			3	11/74 K	PDP8=A	MAINTENANCE PRINT SET	
MP=KM8=A	JC	LN			3	11/74 K	KM8=AA, =AB	MAINTENANCE PRINT SET	
MP=LA8	JC	JK			3	11/75 D	LA8=P	MAINTENANCE PRINT SET	
MP=MR8=A	JC	RBR			3	2/75 M	MR8=AA THRU =AD	MAINTENANCE PRINT SET	
MP=MR8=F	JC	DA			3	2/75 M	MR8=FA THRU =FE	MAINTENANCE PRINT SET	
MP=MS8=A	JC	RBR			3	2/75 M	MS8=AA THRU =AJ	MAINTENANCE PRINT SET	
MP=PDP8A	JC	JK			3	2/75 E	PDP8A=AA THRU =AL	MAINTENANCE PRINT SET	
MPS01=A	RJM	LU			3	10/75 E	=	STARTER KIT 1; 8K MPS01 SYSTEM W MDP IN PROM	
MPS01=B	RJM	LU			3	10/75 E	=	STARTER KIT 2; 8K MPS01 SYSTEM W CONTROL PANEL	
MPS01=C	RJM	LU			3	10/75 E	=	16K MPS01 PROCESSOR DEVELOPMENT SYSTEM	
MPS01=D	RJM	LU			3	10/75 E	=	16K MPS01 PROGRAMMING DEVELOPMENT SYSTEM	
MR02	SNT	RI			2	M	8/I, 8/L, 12 MEM BUS	128 WORDS 12 BIT DIODE MEMORY, ALL ZEROS	
MR02=D	SNT	RI			3	M	8/I, 8/L, 12 MEM BUS	RK08 LOADER	
MR11=DB	BD	SNT			2	3/72 M	11/45	BOOTSTRAP LOADER, 64 WORD 16 BIT DIODE ROM (M792=YD+YE)	
MR14		AR		CON	6	1/73 M	14	1K 12 BIT READ ONLY MEMORY	
MR14=A	JM	LF			3	6/75 M	14	1K 12 BIT READ ONLY MEMORY (USES G923)	
MR14=B		AR			6	1/73 M	14	1K BRAID WITH KEEPER	
MR14=C	JM	LF			3	6/75 M	MR14=A	1K BRAID WITH KEEPER (FOR G923)	
MR14=D	JM	LF			6	6/75 M	14	1K 12 BIT ROM, DATA-PAC	
MR14=E	JM	LF			3	1/73 M	MR14=F	1K 12 BIT BRAID WITH KEEPER	
MR14=F	JM	LF			3	1/73 M	14	MR14=D W NO BRAID	
MR14=H	JM	LF			3	1/73 M	14	1K 12 BIT ROM, MTI	
MR14=J	JM	LF			3	1/73 M	MR14=H	1K 12 BIT BRAID W KEEPER	
MR14=K	JM	LF			3	1/73 M	14	MR14=H W NO BRAID	
MR15=A	L4	AA			2	6/72 M	BA15	BOOTSTRAP LOADER (M7012=YA)	
MR16=A		DCB			4	8/71 M	16	CONSTANTS GENERATOR M7307	
MR16=B		DCB			3	8/71 M	16	1K 16 BIT ROM	
MR16=C		DCB			5	9/71 M	16	32X16 DIODE ROM (M792)	
MR16=D		DCB			3	9/72 M	16	24X16 BRAID ROM (M7325)	
MR16=E		DCB			3	9/72 M	16/M	8X256 PROM (PCS16=B + DB16=A)	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	DATE	CATEGORY	USED ON	DESCRIPTION
MR16=F		DCB			3	9/72	M	16/M	16X256 PROM (2 PCS16-B + 1 DM16-A)
MR16=SL		DCB			3	9/72	M	16/M	INTERFACE, ROM SIMULATING & LOADING
MRB73=A	RJM	RJM			3	3/74	M	8/E, M7345	UV PROM LOADER
MRB=AA	JC	RBR			2	11/74	M	8/E	1K BIPOLAR BLASTABLE ROM (M8312-YA)
MRB=AB	JC	RBR			2	11/74	M	8/E	2K BLASTABLE ROM (M8312-YB)
MRB=AC	JC	RBR			2	11/74	M	8/E	3K BLASTABLE ROM (M8312-YC)
MRB=AD	JC	RBR			2	11/74	M	8/E	4K BLASTABLE ROM (M8312-YD)
MRB=AS	JC	RBR			3	10/74	M	MRB=A	BLASTING SERVICE SET-UP CHARGE
MRB=AT	JC	RBR			3	10/74	M	MRB=AS	BLASTING SERVICE
MRB=EA		WC			3	9/71	M	8/E	256 X 12 BIT READ-ONLY MEMORY (M241)
MRB=EC		WC			3	12/71	M	8/E, TDS-E	256 X 12 BIT BRAID ROM, TDS-E HANDLER
MRB=FB	JC	DA			2	1/74	M	8/E	1KX12 CONTENT ALTERABLE ROM + 256X12 RAM (M8349)
MRB=FE	JM	AR			2	1/74	M	VT14, 8/E	4K CONTENT ALTERABLE ROM, 512 WORD RAM
MRB=SL	JC	DA			3	11/73	M	8/E, MR16X MRB=F	INTERFACE, ROM SIMULATING & LOADING
MRV11=AA	MT	WBE			2	2/75	M	11V05	SPACE FOR 4K 16 BIT PROM, (32 MRV11-AC CHIPS) M7942
MRV11=AC	MT	WBE			2	1/75	M	MRV11=AA	512 X 4 MMI6306 CHIP
MS11=AP	WRD	VDB			5	8/75	M	MS11=CC	330NS 4K 18-BIT BIPOLAR MEM MATRIX (M8121-YA)
MS11=BC	RT	RFB			5	1/75	M	11/45	FIRST MOS MEM CONT (1103=1) (M8110, M744, M746)
MS11=BD	RT	RFB			5	1/75	M	11/45	SECOND MOS MEM CONT (1103=1) (M8110, M746)
MS11=BM	RT	RFB			6	11/73	M	MS11=BC, =BD	450NS 4K 18 BIT MOS MEM MATRIX (1103=1)
MS11=BP	RT	RFB			6	11/73	M	MS11=BC, =BD	450NS 4K 18 BIT MOS MEM MATRIX (1103=1)
MS11=BR	RT	RFB			5	1/75	M	MS11=BC, =BD	490NS 4K 18 BIT MOS MEM MATRIX (1103=1)
MS11=BT	RT	RFB			5	1/75	M	MS11=BC, =BD	490NS 4K 18 BIT MOS MEM MATRIX (1103=1)
MS11=CC	RT	RFB			5	1/75	M	11/45	BIPOLAR MEM CONT FOR MS11=AP, MS11=CM, =CP (M8120 OR M8110, 2 M744)
MS11=CM	RT	RFB			6	11/75	M	MS11=CC	1K 18 BIT BIPOLAR MEM MATRIX (INTEL 3206 OR 3207)
MS11=CP	RT	RFB			6	11/75	M	MS11=CC	1K 18 BIT BIPOLAR MEM MATRIX (INTEL 3206 OR 3207)
MS11=E	BC	DAC			2	11/75	M	DD11=C	4K 18 BIT MOS RAM (M7847-YA OR M7848-YA)
MS11=EP	BC	DAC			2	11/75	M	DD11=C	4K 18 BIT MOS RAM (M7847-YB OR M7848-YB)
MS11=F	BC	DAC			2	11/75	M	DD11=C	8K 18 BIT MOS RAM (M7847-YC OR M7848-YC)
MS11=FP	BC	DAC			2	11/75	M	DD11=C	8K 18 BIT MOS RAM (M7847-YD OR M7848-YD)
MS11=H	BC	DAC			2	11/75	M	DD11=C	12K 18 BIT MOS RAM (M7847-YE OR M7848-YE)
MS11=HP	BC	DAC			2	11/75	M	DD11=C	12K 18 BIT MOS RAM (M7847-YF OR M7848-YF)
MS11=J	BC	DAC			2	11/75	M	DD11=C	16K 18 BIT MOS RAM (M7847-YH OR M7848-YH)
MS11=JP	BC	DAC			2	11/75	M	DD11=C	16K 18 BIT MOS RAM (M7847-YJ OR M7848-YJ)
MS16=A		DCB			5	8/71	M	16	TRANSFER REGISTER M7305
MS16=B		DCB			4	8/71	M	16	BYTE REGISTER M7320
MS16=C		DCB			4	8/71	M	16	16X16 SCRATCH PAD MEM M7310
MS16=CA		DCB			3	6/72	M	16/M	16 REGISTER OPTION (M7310 + M7320)
MS16=D		DCB			4	8/71	M	16	16X256 SCRATCH PAD MEM M7319
MS16=E		DCB			3	1/72	M	16	1KX16 MOS RAM 2 USEC (MONOLITHIC)
MSB00=AA	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=LE, 0S/8, 120V 60HZ
MSB00=AC	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=LH, 0S/8, 120V 50HZ
MSB00=AD	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=LJ, 0S/8, 240V 50HZ
MSB00=BA	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=ME, 0S/8, 120V 60HZ
MSB00=BC	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=MH, 0S/8, 120V 50HZ
MSB00=BD	JC	GHL			3	8/75	E		MINI-SYSTEM 81 CL8=MJ, 0S/8, 240V 50HZ
MSB00=CA	JC	GHL			2	9/75	E		CL8=NE, 0F000=AY, 115V 60HZ
MSB00=CC	JC	GHL			2	9/75	E		CL8=NH, 0F000=AY, 115V 50HZ
MSB00=CD	JC	GHL			2	9/75	E		CL8=NJ, 0F000=AY, 230V 50HZ
MSB00=DA	JC	GHL			2	9/75	E		CL8=PE, 0F000=AY, 115V 60HZ
MSB00=DC	JC	GHL			2	9/75	E		CL8=PH, 0F000=AY, 115V 50HZ
MSB00=DD	JC	GHL			2	9/75	E		CL8=PJ, 0F000=AY, 230V 50HZ
MSB=AA	JC	RBR			2	11/74	M	8/E	1K MOS RAM (M8311-YA)
MSB=AB	JC	RBR			2	11/74	M	8/E	2K MOS RAM (M8311-YB)
MSB=AC	JC	RBR			2	11/74	M	8/E	3K MOS RAM (M8311-YC)
MSB=AD	JC	RBR			2	11/74	M	8/E	4K MOS RAM (M8311-YD)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
MS8=BA	JC	GH			2 11/74	M	8/E	4K RAM (M8313=YA)
MSV11=A	MT	WBE			2 1/75	M	11/03	1K 16 BIT MOS RAM, M7943
MSV11=B	MT	WBE			2 1/75	M	11/03	4K 16 BIT MOS RAM, M7944 OR M7945
MX10		AJ			5	M	10	16 BIT MULTIPLEXER
MX10=C	RLD	SRH			3 10/73	M	10	16 OR 22 BIT MULTIPLEXER
MX11=A		SR			6 1/75	M	11 UNIBUS	MEMORY EXTENSION CONTROL
MX15		BG			5	M	15	MEM BUS MULTIPLEXER, W CAB, 3 PORTS
MX15=A		BG			5 4/71	M	MX15	2ND MULTIPLEXER LOGIC
MX15=B	BD	BG			5 5/73	M	11, 15	MEM BUS MUX, 1 PDP15 PORT, 1 UNIBUS PORT, 15 MEM BUS OUTPUT
MX15=C		DPS		SSCAL	3 12/73	M	11, 15	MX15=B W PARITY
MWB=E		RH			2 5/73	M	8/E	256 X 12 BIT READ/WRITE CORE MEMORY
MY12=A		CV		CSS	6 1/75	M	10 MEM BUS	CONTROL FOR 32 BIT AMPEX 16364-R2-64

N1106=SA	RS	JFB			2 4/75	E	.	11/10=SC, H960=CA, H324, QJ640=AE RSX=11S, 115V 60HZ
N1106=SB	RS	JFB			2 4/75	E	.	11/10=SD, H960=CB, H324, QJ640=AE RSX=11S, 230V 50HZ
N1107=SA	RS	JFB			2 4/75	E	.	11/10=SC, H960=CA, ICS11=MA, H324, QJ640=AE RSX=11S, 115V 60HZ
N1107=SB	RS	JFB			2 4/75	E	.	11/10=SD, H960=CB, ICS11=MB, H324, QJ640=AE RSX=11S, 230V 50HZ
N1110=AA	RS	JFB		WM	5 1/75	E	.	11/10=SC H960=CA RK11=D RK05=AA TA11-AA LA36=CA BM873-YA
"						E	.	QJ003=AN RT11, 115V 60HZ
N1110=AB	RS	JFB		WM	5 1/75	E	.	N1110=AA EXCEPT 11/10=SD H960=CB RK05=BB TA11=AB LA36=CB, 230V 50HZ
N1110=AC	RS	JFB		WM	5 1/75	E	.	N1110=AA EXCEPT 11/10=SD H960=CB RK05=AB TA11=AB LA36=CB 230V 60HZ
N1110=AD	RS	JFB		WM	5 1/75	E	.	N1110=AA EXCEPT 11/10=SC H960=CA RK05=BA TA11-AA LA36=CA 115V 50HZ
N1110=CA	RS	JFB		WM	6 1/75	E	.	11/10=NC H960=CA MM11=L RK11=D RK05=AA TA11-AA LA36=CA BM792-YB
"						E	.	DD11=B QJ250=AE DOS/BATCH, 115V 60HZ
N1110=CB	RS	JFB		WM	6 1/75	E	.	N1110=CA EXCEPT 11/10=ND H960=CB RK05=BB, TA11=AB LA36=CB 230V 50HZ
N1110=CC	RS	JFB		WM	6 1/75	E	.	N1110=CA EXCEPT 11/10=ND H960=CB RK05=AB TA11=AB LA36=CB 230V 60HZ
N1110=CD	RS	JFB		WM	6 1/75	E	.	N1110=CA EXCEPT 11/10=NC H960=CA RK05=BA TA11-AA LA36=CA 115V 50HZ
N1110=GA	RS	JFB		WM	6 6/74	E	.	11E10, 24K, DOS & RSX=11B, 115V 60HZ
N1110=GB	RS	JFB		WM	6 6/74	E	.	11E10, 24K, DOS & RSX=11B, 230V 50HZ
N1110=GC	RS	JFB		WM	6 6/74	E	.	N1110=G, 230V 60HZ
N1110=GD	RS	JFB		WM	6 6/74	E	.	N1110=G, 115V 50HZ
N1110=MA	RS	JFB		WM	5 1/75	E	.	11/10=SC H960=CA RK11=D RK05=AA TA11-AA LA36=CA BM873-YA
"						E	.	QJ620=CN RSX=11M, 115V 60HZ
N1110=MB	RS	JFB		WM	5 1/75	E	.	N1110=MA EXCEPT 11/10=SD H960=CB RK05=BB TA11=AB LA36=CB 230V 50HZ
N1110=MC	RS	JFB		WM	5 1/75	E	.	N1110=MA EXCEPT 11/10=SD H960=CB RK05=AB TA11=AB LA36=CB 230V 60HZ
N1110=MD	RS	JFB		WM	5 1/75	E	.	N1110=MA EXCEPT 11/10=SC H960=CA RK05=BA TA11-AA LA36=CA 115V 50HZ
N1111=GA	RS	JFB		WM	6 6/74	E	.	11E10, 24K, UDC, DOS & RSX=11B, 115V 60HZ
N1111=GB	RS	JFB		WM	6 6/74	E	.	11E10, 24K, UDC, DOS & RSX=11B, 230V 50HZ
N1111=GC	RS	JFB		WM	6 6/74	E	.	N1111=G, 230V 60HZ
N1111=GD	RS	JFB		WM	6 6/74	E	.	N1111=G, 115V 50HZ
N1111=MA	RS	JFB		WM	5 1/75	E	.	11/10=SC H960=CA RK11=D RK05=AA TA11-AA LA36=CA BM873-YA
"						E	.	NU110=AA QJ620=CN RSX11=M NCS11=AA, 115V 60HZ
N1111=MB	RS	JFB		WM	5 1/75	E	.	11/10=SD, H960=CB, RK11=D, RK05=BB, TA11=AB, LA36=CB, BM873-YA,
"						E	.	NU110=AC, NSC11=AB, QJ620=CN RSX11=M, 230V 50HZ
N1111=MC	RS	JFB		WM	5 1/75	E	.	11/10=SD, H960=CB, RK11=D, RK05=AB, TA11=AB, LA36=CB, BM873-YA,
"						E	.	NU110=AC, NSC11=AB, QJ620=CN RSX11=M, 230V 60HZ
N1111=MD	RS	JFB		WM	5 1/75	E	.	11/10=SC, H960=CA, RK11=D, RK05=BA, TA11-AA, LA36=CA, BM873-YA,
"						E	.	NU110=AA, NSC11=AA, QJ620=CN RSX11=M, 115V 50HZ
N1117=MA	RS	JFB		WM	2 4/75	E	.	11/10=SC, H960=CA, RK11=D, 2 RK05=AA, LA36=CA, BM873-YA, NCS11=AA,
"						E	.	MM11=U, QJ620=AE RSX11=M, 115V 60HZ
N1117=MB	RS	JFB		WM	2 4/75	E	.	N1117=MA EXCEPT 11/10=SD, RK05=BB, LA36=CB, NCS11=AB, 230V 50HZ
N1117=MC	RS	JFB		WM	2 4/75	E	.	N1117=MA EXCEPT 11/10=SD, RK05=AB, LA36=CB, NCS11=AB, 230V 60HZ
N1117=MD	RS	JFB		WM	2 4/75	E	.	N1117=MA EXCEPT 11/10=SC, RK05=BA, LA36=CA, NCS11=AA, 115V 50HZ
N1117=ME	RS	JFB		WM	2 8/75	E	.	N1117=MA + 9 MONTHS FIELD SERVICE, 115V 60HZ (G.S.A. SYSTEM)
N1140=AA	RS	JFB		WM	6 6/74	E	.	11/40 16K SYS, RT11/FORTRAN, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION	109
N1140=AB	RS	JFB		WM	6	6/74	E	•	11/40 16K SYS, RT11/FORTRAN, 230V 50HZ	
N1140=AC	RS	JFB		WM	6	6/74	E	•	N1140=A, 230V 60HZ	
N1140=AD	RS	JFB		WM	6	6/74	E	•	N1140=A, 115V 50HZ	
N1140=CA	RS	JFB		WM	6	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L RK11=D RK05=AA H961=AA DD11=B	
•							E		BM873=YA H324 QJ250=AE, DOS/BATCH, 115V 60HZ	
N1140=CB	RS	JFB		WM	6	1/75	E	•	N1140=CA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB, 230V 50HZ	
N1140=CC	RS	JFB		WM	6	1/75	E	•	N1140=CA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB 230V 60HZ	
N1140=CD	RS	JFB		WM	6	1/75	E	•	N1140=CA EXCEPT 11/40=AK H900=CA LA36=CA RK05=BA H961=AA, 115V 50HZ	
N1140=MA	RS	JFB		WM	6	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L RK11=D RK05=AA H961=AA DD11=B	
•							E		BM873=YA H324 QJ620=CE, RSX-11M, 115V 60HZ	
N1140=MB	RS	JFB		WM	6	1/75	E	•	N1140=MA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB, 230V 50HZ	
N1140=MC	RS	JFB		WM	6	1/75	E	•	N1140=MA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB, 230V 60HZ	
N1140=MD	RS	JFB		WM	6	1/75	E	•	N1140=MA EXCEPT 11/40=AK H900=CA LA36=CA RK05=BA H961=AA, 115V 50HZ	
N1141=MA	RS	JFB		WM	6	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L RK11=D RK05=AA H961=AA DD11=B	
•							E		BM873=YA H324 NU110=AA QJ620=CE, RSX-11M, UDC, 115V 60HZ	
N1141=MB	RS	JFB		WM	6	1/75	E	•	N1141=MA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB NU110=AC, 230V 50HZ	
N1141=MC	RS	JFB		WM	6	1/75	E	•	N1141=MA EXCEPT 11/40=AL H900=CB LA36=CB RK05=AB H961=AB NU110=AC, 230V 60HZ	
N1141=MD	RS	JFB		WM	6	1/75	E	•	N1141=MA EXCEPT 11/40=AK H900=CB LA36=CA RK05=BA H961=AA NU110=AA, 115V 50HZ	
N1142=CA	RS	JFB		WM	3	2/75	E	•	11/40=BS, KW11=L, RK11=DE, RK05=AA, DD11=B, BM873=YA, H324, QJ250=AE DOS/BATCH, 115V 60HZ	
•							E			
N1142=CB	RS	JFB		WM	3	2/75	E	•	N1142=CA EXCEPT 11/40=BT, RK11=DJ, RK05=BB, LA36=CB, 230V 50HZ	
N1142=CC	RS	JFB		WM	3	2/75	E	•	N1142=CA EXCEPT 11/40=BT, RK11=DF, RK05=AB, LA36=CB, 230V 60HZ	
N1142=CD	RS	JFB		WM	3	2/75	E	•	N1142=CA EXCEPT 11/40=BS, RK11=DH, RK05=BA, LA36=CA, 115V 50HZ	
N1142=DA	RS	JFB		WM	3	6/74	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L MM11=UP MF11=UP KT11=D	
•							E		RK11=DE, RK05=AA DD11=B BM873=YA H324 KE11=E QJ580=AE RSX=11D 115V 60	
N1142=DB	RS	JFB		WM	3	6/74	E	•	N1142=DA EXCEPT H900=CB LA36=CB RK11=DJ RK05=BB 230V 50HZ	
N1142=DC	RS	JFB		WM	3	6/74	E	•	N1142=DA EXCEPT H900=CB LA36=CB RK11=DF RK05=AB 230V 60HZ	
N1142=DD	RS	JFB		WM	3	6/74	E	•	N1142=DA EXCEPT H900=CA LA36=CA RK11=DH RK05=BA 115V 50HZ	
N1142=DX	RS	JFB		WM	3	10/74	E	•	N1142=DA WITHOUT PARITY	
N1142=DY	RS	JFB		WM	3	10/74	E	•	N1142=DB WITHOUT PARITY	
N1142=EA	RS	JFB		WM	6	11/74	E	•	11/40 48K PARITY SYS; RSTS=E, 115V 60HZ	
N1142=EB	RS	JFB		WM	6	11/74	E	•	11/40 48K PARITY SYS; RSTS=E, 230V 50HZ	
N1142=EC	RS	JFB		WM	6	11/74	E	•	N1142=D, 230V 60HZ	
N1142=ED	RS	JFB		WM	6	11/74	E	•	N1142=D, 115V 50HZ	
N1142=MA	RS	JFB		WM	5	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L MM11=UP KT11=D RK11=DE	
•							E		RK05=AA DD11=B BM873=YA H324 QJ620=CE, RSX11M, 115V 60HZ	
N1142=MB	RS	JFB		WM	5	1/75	E	•	N1142=MA EXCEPT H900=CB LA36=CB RK11=DJ RK05=BB 230V 50HZ	
N1142=MC	RS	JFB		WM	5	1/75	E	•	N1142=MA EXCEPT H900=CB LA36=CB RK11=DF RK05=AB 230V 60HZ	
N1142=MD	RS	JFB		WM	5	1/75	E	•	N1142=MA EXCEPT H900=CA LA36=CA RK11=DH RK05=BA 115V 50HZ	
N1142=TA	RS	JFB		WM	6	10/74	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L MM11=UP MF11=UP KT11=D RK11=D RK05=AA	
•							E		H961=AA BM873=YA H324 H900=DA DB11=A KE11=E QR430=AE RSTS/E, 115V 60HZ	
N1142=TB	RS	JFB		WM	6	10/74	E	•	N1142=TA EXCEPT 11/40=AL H900=CB LA36=CB RK05=BB H961=AB H900=DB, 230V 50HZ	
N1143=DA	RS	JFB		WM	5	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L MM11=UP MF11=UP KT11=D RK11=DE	
•							E		RK05=AA DD11=B BM873=YA H324 NCS11=AA KE11=E QJ580=AE RSX=11D, UDC, 115V 60	
N1143=DB	RS	JFB		WM	5	1/75	E	•	N1143=DA EXCEPT 11/40=AL H900=CB LA36=CB RK11=DJ RK05=BB NCS11=AB, 230V 50HZ	
N1143=DC	RS	JFB		WM	5	1/75	E	•	N1143=DA EXCEPT 11/40=AL H900=CB LA36=CB RK11=DF RK05=AB NCS11=AB, 230V 60HZ	
N1143=DD	RS	JFB		WM	5	1/75	E	•	N1143=DA EXCEPT 11/40=AK H900=CA LA36=CA RK11=DH RK05=BA NCS11=AA, 115V 50HZ	
N1143=MA	RS	JFB		WM	5	1/75	E	•	11/40-AK H900=CA DL11=A LA36=CA KW11=L MM11=UP KT11=D RK11=DE	
•							E		RK05=AA DD11=B BM873=YA H324 NCS11=AA QJ620=CE, RSX=11M, 115V 60HZ	
N1143=MB	RS	JFB		WM	5	1/75	E	•	N1143=MA EXCEPT 11/40=AL H900=CB LA36=CB RK11=DJ RK05=BB NCS11=AB, 230V 50HZ	
N1143=MC	RS	JFB		WM	5	1/75	E	•	N1143=MA EXCEPT 11/40=AL H900=CB LA36=CB RK11=DF RK05=AB NCS11=AB, 230V 60HZ	
N1143=MD	RS	JFB		WM	5	1/75	E	•	N1143=MA EXCEPT 11/40=AK H900=CA LA36=CA RK11=DH RK05=BA NCS11=AA, 115V 50HZ	
N1143=ME	RS	JFB		WM	3	8/75	E	•	N1143=MA + 9 MONTHS FIELD SERVICE, 115V 60HZ (G.S.A. SYSTEM)	
N1146=DA	RS	JFB		WM	3	2/75	E	•	N1142=DA, MM11=UP, 115V 60HZ	
N1146=DB	RS	JFB		WM	3	2/75	E	•	N1142=DB, MM11=UP, 230V 50HZ	
N1146=DC	RS	JFB		WM	3	2/75	E	•	N1142=DC, MM11=UP, 230V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	110
N1146=DD	RS	JFB		WM	3	2/75 E	.	N1142=DD, MM11=UP, 115V 50HZ	
N1146=TA	RS	JFB		WM	3	2/75 E	.	N1146=DA W QR430=AE RSTS INSTEAD OF QJ580=AC RSX=110, 115V 60HZ	
N1146=TB	RS	JFB		WM	3	2/75 E	.	N1146=DB W QR430=AE RSTS INSTEAD OF QJ580=AC RSX=110, 230V 50HZ	
N1146=TC	RS	JFB		WM	3	2/75 E	.	N1146=DC W QR430=AE RSTS INSTEAD OF QJ580=AC RSX=110, 230V 60HZ	
N1146=TD	RS	JFB		WM	3	2/75 E	.	N1146=DD W QR430=AE RSTS INSTEAD OF QJ580=AC RSX=110, 115V 50HZ	
N1147=DA	RS	JFB		WM	3	2/75 E	.	N1143=DA, MM11=UP, 115V 60HZ	
N1147=DB	RS	JFB		WM	3	2/75 E	.	N1143=DB, MM11=UP, 230V 50HZ	
N1147=DC	RS	JFB		WM	3	2/75 E	.	N1143=DC, MM11=UP, 230V 60HZ	
N1147=DD	RS	JFB		WM	3	2/75 E	.	N1143=DD, MM11=UP, 115V 50HZ	
N1147=DE	RS	JFB		WM	3	8/75 E	.	N1147=DA + 9 MONTHS FIELD SERVICE, 115V 60HZ (G,S,A, SYSTEM)	
N1152=CA	RS	JFB		WM	6	1/75 E	.	11/50=CA LA36=CA MS11=BC 4 MS11=BT KW11=L BM873=YA H324 FP11=B H960=DH DD11=B DB11=A RK11=D RK05=AA H961=AA QJ250=AE, DCS/BATCH, 115V 60HZ	
N1152=CB	RS	JFB		WM	6	1/75 E	.	N1152=CA EXCEPT 11/50=CB LA36=CB H960=DK RK05=BB H961=AB, 230V 50HZ	
N1152=CC	RS	JFB		WM	6	1/75 E	.	N1152=CA EXCEPT 11/50=CB LA36=CB H960=DK RK05=BB H961=AB, 230V 60HZ	
N1152=CD	RS	JFB		WM	6	1/75 E	.	N1152=CA EXCEPT 11/50=CA LA36=CA H960=DH RK05=BA H961=AA, 115V 50HZ	
N1152=DA	RS	JFB		WM	6	1/75 E	.	11/50=CA LA36=CA MS11=BC 2 MS11=BT KW11=L BM873=YA H324 MF11=UP MM11=UP	
N1152=DB	RS	JFB		WM	6	1/75 E	.	E KT11=C FP11=B H960=DH DD11=B DB11=A RK11=D RK05=AA H961=AA QJ580=AE RSX=110, 115V 60	
N1152=DC	RS	JFB		WM	6	1/75 E	.	N1152=DA EXCEPT 11/50=CB LA36=CB H960=DK RK05=BB H961=AB, 230V 50HZ	
N1152=DD	RS	JFB		WM	6	1/75 E	.	N1152=DA EXCEPT 11/50=CB LA36=CB H960=DK RK05=BB H961=AB, 230V 60HZ	
N1152=MA	RS	JFB		WM	3	2/75 E	.	N1152=DA EXCEPT 11/50=CA LA36=CA H960=DH RK05=BA H961=AA, 115V 50HZ	
N1152=MB	RS	JFB		WM	3	2/75 E	.	11/50=BY, H324, RK11=DE, RK05=AA, QJ620=AE RSX=11M, 115V 60HZ	
N1152=MC	RS	JFB		WM	3	2/75 E	.	11/50=BY, H324, RK11=DJ, RK05=BB, QJ620=AE RSX=11M, 230V 50HZ	
N1152=MD	RS	JFB		WM	3	2/75 E	.	11/50=BY, H324, RK11=DF, RK05=AB, QJ620=AE RSX=11M, 230V 60HZ	
N1152=TA	RS	JFB		WM	6	10/74 E	.	11/50=BY, H324, RK11=DH, RK05=BA, QJ620=AE RSX=11M, 115V 50HZ	
N1152=TB	RS	JFB		WM	6	10/74 E	.	11/50=CA MS11=BC MS11=BT LA36=CA KW11=L BM873=YA H324 MF11=UP MM11=UP KT11=C	
N1153=DA	RS	JFB		WM	6	1/75 E	.	FP11=B H960=DA DD11=B DB11=A RK11=D RK05=AA H961=AA QR430=AE RSTS/E 115V 60	
N1153=DB	RS	JFB		WM	6	1/75 E	.	N1152=TA EXCEPT 11/50=CB LA36=CB H960=DB RK05=BB H961=AB, 230V 50HZ	
N1153=DC	RS	JFB		WM	6	1/75 E	.	11/45=CA LA36=CA KW11=L BM873=YA H324 MF11=UP MM11=UP KT11=C FP11=B H960=DA	
N1153=DD	RS	JFB		WM	6	1/75 E	.	DD11=B DB11=A RK11=D RK05=AA H961=AA NCS11=AA QJ580=AE, RSX=110, UDC, 115V 60	
N1153=DE	RS	JFB		WM	3	8/75 E	.	N1153=DA EXCEPT 11/45=CB LA36=CB H960=DB RK05=BB H961=AB NCS11=AB, 230V 50HZ	
N1153=MA	RS	JFB		WM	3	2/75 E	.	N1153=DA EXCEPT 11/45=CA LA36=CA H960=DA RK05=BA H961=AA NCS11=AA, 115V 50HZ	
N1153=MB	RS	JFB		WM	3	2/75 E	.	-	
N1153=MC	RS	JFB		WM	3	2/75 E	.	N1153=DA + 9 MONTHS FIELD SERVICE, 115V 60HZ (G,S,A, SYSTEM)	
N1153=MD	RS	JFB		WM	3	2/75 E	.	N1152=MA, NCS11=AA, 115V 60HZ	
N1154=DA	RS	JFB		WM	3	2/75 E	.	N1152=MB, NCS11=AB, 230V 50HZ	
N1154=DB	RS	JFB		WM	3	2/75 E	.	N1152=MC, NCS11=AB, 230V 60HZ	
N1154=DC	RS	JFB		WM	3	2/75 E	.	N1152=MD, NCS11=AA, 115V 50HZ	
N1154=DD	RS	JFB		WM	3	2/75 E	.	11/50=BY, MF11=UR, H324, DD11=B, H960=DC, RK11=DE, RK05=AA,	
N1154=DE	RS	JFB		WM	3	2/75 E	.	QJ580=AE RSX=110, 115V 60HZ	
N1154=TA	RS	JFB		WM	3	2/75 E	.	N1154=DA EXCEPT 11/50=BY, H960=DD, RK11=DJ, RK05=BB, 230V 50HZ	
N1154=TB	RS	JFB		WM	3	2/75 E	.	N1154=DA EXCEPT 11/50=BY, H960=DD, RK11=DF, RK05=AB, 230V 60HZ	
N1154=TC	RS	JFB		WM	3	2/75 E	.	N1154=DA EXCEPT 11/50=BY, H960=DD, RK11=DF, RK05=AB, 230V 50HZ	
N1154=TD	RS	JFB		WM	3	2/75 E	.	N1154=DA W QR430=AE RSTS INSTEAD OF QJ580=AE RSX=110, 115V 60HZ	
N1154=TE	RS	JFB		WM	3	2/75 E	.	N1154=DB W QR430=AE RSTS INSTEAD OF QJ580=AE RSX=110, 230V 50HZ	
N1154=TF	RS	JFB		WM	3	2/75 E	.	N1154=DC W QR430=AE RSTS INSTEAD OF QJ580=AE RSX=110, 230V 60HZ	
N1154=TF	RS	JFB		WM	3	2/75 E	.	N1154=DD W QR430=AE RSTS INSTEAD OF QJ580=AE RSX=110, 115V 50HZ	
N1154=TD	RS	JFB		WM	3	2/75 E	.	N1154=DA, NCS11=AA, 115V 60HZ	
N1154=TD	RS	JFB		WM	3	2/75 E	.	N1154=DB, NCS11=AB, 230V 50HZ	
N1154=TD	RS	JFB		WM	3	2/75 E	.	N1154=DC, NCS11=AB, 230V 60HZ	
N1154=TD	RS	JFB		WM	3	2/75 E	.	N1154=DD, NCS11=AA, 115V 50HZ	
N1155=DA	RS	JFB		WM	3	2/75 E	.	1150=BS, MF11=UR, H324, RK11=DE, RK05=AA, FP11=B, H960=DC, QJ580=AE	
N1155=DB	RS	JFB		WM	3	2/75 E	.	RSX=110, QP100=AE FORTRAN 4, 115V 60HZ	
N1155=DC	RS	JFB		WM	3	2/75 E	.	N1156=DA EXCEPT 11/50=BT, RK11=DJ, RK05=BB, H960=DD, 230V 50HZ	
N1155=DD	RS	JFB		WM	3	2/75 E	.	N1156=DA EXCEPT 11/50=BT, RK11=DF, RK05=AB, H960=DD, 230V 60HZ	
N801=BA	RS	JFB		WM	5	1/75 E	.	N1156=DA EXCEPT 11/50=BS, RK11=DH, RK05=BA, H960=DC, 115V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGH	MFRG AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION
N801=BB	RS	JFB		WM	5 1/75 E			8F, 8K, UDC + IND=BASIC, 230V 50HZ
N801=BC	RS	JFB		WM	5 1/75 E			N801-B, 230V 60HZ
N801=BD	RS	JFB		WM	5 1/75 E			N801-B, 115V 50HZ
N801=SA	RS	JFB		WM	5 1/75 E			N801-XA + RTS, 115V 60HZ
N801=SB	RS	JFB		WM	5 1/75 E			N801-XB + RTS, 230V 50HZ
N801=SC	RS	JFB		WM	5 1/75 E			M801-XC + RTS, 230V 60HZ
N801=SD	RS	JFB		WM	5 1/75 E			N801-XD + RTS, 115V 50HZ
N801=XA	RS	JFB		WM	5 1/75 E			8E, 8K, OS8, 115V 60HZ
N801=XB	RS	JFB		WM	5 1/75 E			N801-X, 230V 50HZ
N801=XC	RS	JFB		WM	5 1/75 E			N801-X, 230V 60HZ
N801=XD	RS	JFB		WM	5 1/75 E			N801-X, 115V 50HZ
N810=CA	RS	JFB		WM	5 1/75 E			8E, 16K + OS8, 115V 60HZ
N810=CB	RS	JFB		WM	5 1/75 E			8E, 16K + OS8, 230V 50HZ
N810=CC	RS	JFB		WM	5 1/75 E			8E, 16K + OS8, 230V 60HZ
N810=CD	RS	JFB		WM	5 1/75 E			8E, 16K + OS8, 115V 50HZ
N810=CE	RS	JFB		WM	5 1/75 E			8E, 8K + OS8, 115V 60HZ
N810=CF	RS	JFB		WM	5 1/75 E			8E, 8K + OS8, 230V 50HZ
N810=CH	RS	JFB		WM	5 1/75 E			8E, 8K + OS8, 230V 60HZ
N810=CJ	RS	JFB		WM	5 1/75 E			8E, 8K + OS8, 115V 50HZ
N810=SA	RS	JFB		WM	5 1/75 E			N810-CA + RTS, 115V 60HZ
N810=SB	RS	JFB		WM	5 1/75 E			N810-CB + RTS, 230V 50HZ
N810=SC	RS	JFB		WM	5 1/75 E			N810-CC + RTS, 230V 60HZ
N810=SD	RS	JFB		WM	5 1/75 E			N810-CD + RTS, 115V 50HZ
N811=BA	RS	JFB		WM	6 1/75 E			8E, 16K, UDC + IND=BASIC, 115V 60HZ
N811=BB	RS	JFB		WM	6 1/75 E			8E, 16K, UDC + IND=BASIC, 230V 50HZ
N811=BC	RS	JFB		WM	6 1/75 E			N811-B, 230V 60HZ
N811=BD	RS	JFB		WM	6 1/75 E			N811-B, 115V 50HZ
N842=CA	RS	JFB			2 4/75 E			8A500=CP, RX8=BA, H967=BA, KC8=AA, LA36=CA, QF015=AY OS8, 115V 60HZ
N842=CB	RS	JFB			2 4/75 E			8A500=CR, RX8=BD, H967=BB, KC8=AA, LA36=CB, QF015=AY OS8, 230V 50HZ
N843=BA		JFB			3 6/75 E			8A500=CP, RX8=BA, KA8=E, LA36=CA, KC8=AA, ICS8=MA, H967=BA, QF091=AY, 115V60
N843=BB		JFB			3 6/75 E			8A500=CR, RX8=BD, KA8=E, LA36=CB, KC8=AA, ICS8=MB, H967=BB, QF091=AY, 230V50
N851=XA	RS	JFB			2 4/75 E			8A500=CP, NCS8=AA, KA8=E, KC8=AA, 115V 60HZ
N851=XB	RS	JFB			2 4/75 E			8A500=CR, NCS8=AB, KA8=E, KC8=AA, 230V 50HZ
N854=CA	RS	JFB			2 4/75 E			8A500=CP, TAB=AA, RK8=EA, H960=CA, KC8=AA, LA36=CA, QF015=AE OS8, 115V60
N854=CB	RS	JFB			2 4/75 E			8A500=CR, TAB=AB, RK8=ED, H960=CB, KC8=AA, LA36=CB, QF015=AE OS8, 230V50
N855=BA	RS	JFB			2 4/75 E			8A500=CP, TAB=AA, RK8=EA, LA36=CA, H960=CA, KC8=AA, KA8=E, NCS8=AA, QF091=AE, 115V60
N855=BB	RS	JFB			2 4/75 E			8A500=CR, TAB=AB, RK8=ED, LA36=CB, H960=CB, KC8=AA, KA8=E, NCS8=AB, QF091=AE, 230V50
N856=CA	RS	JFB			2 4/75 E			8A500=CP, RX8=BA, RK8=EA, LA36=CA, H960=CA, KC8=AA, QF015=AE OS8, 115V 60HZ
N856=CB	RS	JFB			2 4/75 E			8A500=CR, RX8=BD, RK8=ED, LA36=CB, H960=CB, KC8=AA, QF015=AE OS8, 230V 50HZ
N857=BA	RS	JFB			2 4/75 E			8A500=CP, RX8=BA, RX8=EA, LA36=CA, H960=CA, KC8=AA, KA8=E, NCS8=AA, QF091=AE, 115V60
N857=BB	RS	JFB			2 4/75 E			8A500=CR, RX8=BD, RX8=ED, LA36=CB, H960=CB, KC8=AA, KA8=E, NCS8=AB, QF091=AE, 230V50
NAC=IA	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=IA + 16 H1501=A, 6 FT CABLE
NAC=IB	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=IB + 16 H1501=A, 6 FT CABLE
NAC=IC	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=IC + 16 H1501=A, 15FT CABLE
NAC=ID	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=ID + 16 H1501=A, 15FT CABLE
NAC=OA	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=OA + 16 H1601=A, 6FT CABLE
NAC=OB	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=OB + 16 H1601=A, 6FT CABLE
NAC=OC	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=OC + 16 H1601=A, 15FT CABLE
NAC=OD	RS	JFB		WM	3 11/75 B			ICS8, ICS8=X, ICS11 IAC=OD + 16 H1601=A, 15FT CABLE
NAD=IA	RS	JFB		WM	4 2/75 B			ICS8, ICS8=X, ICS11 IAD=IA + BC40K=1J
NC11=AA	AW	REJ		WF	3 11/75 N		11	INTERFACE TO GAMMA CAMERA, 115V
NC11=AB	AW	REJ		WF	3 11/75 N		11	INTERFACE TO GAMMA CAMERA, 230V
NC111=AA	RS	JFB			3 9/74 D		NC111=HA	LOCAL LINE UNIT FOR 10 CHAR/SEC LT33
NC111=AE	RS	JFB			3 9/74 D		NC111=HA	LOCAL LINE UNIT FOR 30 CHAR/SEC LA30, VT05
NC111=AG	RS	JFB			3 9/74 D		NC111=HA	LOCAL LINE UNIT FOR RT02
NC111=AN	RS	JFB			3 9/74 D		NC111=HA	LOCAL LINE UNIT FOR 240 CHAR/SEC VT05

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	112
NC111=BE	RS	JFB			3 9/74	D	NC111=HA	REMOTE LINE UNIT FOR RT02, VT05, LA30	
NC111=HA	RS	JFB			3 9/74	D	11	COMMUNICATIONS SUBSYSTEM TYPE 1 (DL11 SERIES)	
NC112=AX	RS	JFB			3 9/74	D	NC112=HB	LOCAL LINE UNIT	
NC112=BX	RS	JFB			3 9/74	D	NC112=HB	REMOTE LINE UNIT	
NC112=HB	RS	JFB			3 9/74	D	11	COMMUNICATIONS SUBSYSTEM TYPE 2 (DH11 SERIES)	
NCS11=AA	RS	JFB		WM	4 2/75	B	11	ICS11=MA, H964=FA, H964=P, 115V 60HZ	
NCS11=AB	RS	JFB		WM	4 2/75	B	11	ICS11=MB, H964=FB, H964=P, 230V 50HZ	
NCS11=BA	RS	JFB		WM	4 2/75	B	11	ICS11=MA, H964=FA, H964=P, H009, 115V 60HZ	
NCS11=BB	RS	JFB		WM	4 2/75	B	11	ICS11=MB, H964=FB, H964=P, H009, 230V 50HZ	
NCS8=AA	RS	JFB		WM	4 2/75	B	8	ICS8=MA, H964=FA, H964=P, 115V 60HZ	
NCS8=AB	RS	JFB		WM	4 2/75	B	8	ICS8=MB, H964=FB, H964=P, 230V 50HZ	
NCS8=BA	RS	JFB		WM	4 2/75	B	8	ICS8=MA, H964=FA, H964=P, H009, 115V 60HZ	
NCS8=BB	RS	JFB		WM	4 2/75	B	8	ICS8=MB, H964=FB, H964=P, H009, 230V 50HZ	
NDA=OA	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDA=OA + BC40K=1J	
NDC=IA	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=IA + BC40H=1J	
NDC=IB	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=IB + BC40H=1J	
NDC=IC	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=IC + BC40H=1J	
NDC=ID	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=ID + BC40H=1J	
NDC=IE	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=IE + BC40H=1J	
NDC=OA	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=OA + BC40H=1J	
NDC=OB	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IDC=OB + BC40H=1J	
NE11=A	RS	JFB			3 8/75	B	N11XX	SYS EXP CAB) PLACES UPPER CORE (96K=124K) OUTSIDE DB11=A	
NF01					6	N	8, 9	2 MHZ TOP DIGITIZER & BUFFER	
NF02					6	N	8, 9	10 MHZ TOP DIGITIZER & BUFFER	
NF11					6	N	NF01, NF02	BUFFER OVERFLOW DETECTOR	
NF12					6	N	NF01, NF02	DEAD TIME CONTROL	
NF13					6	N	NF01, NF02	SYNCHRONOUS TRIGGER OUTPUT	
NF14					6	N	NF02	SOURCE ID INPUT	
NF21					6	N	NF01, NF02	SYNC START MASTER CLOCK	
NF22					6	N	NF01	8 MHZ OSC, CONTROL & PRESCALER	
NF31					6	N	NF01, NF02	2 MORE LEVELS OF BUFFERING	
NF32					6	N	NF01, NF02	4 MORE LEVELS OF BUFFERING	
NH14=A		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04=A WITH API	
NH14=B		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04=A WITH API	
NH14=C		CV		CSS	6 7/71	N	9, DW15	REPACKAGED NH04=C WITH API	
NK01=A		CV		CSS	6 7/71	N	8	ADC TRANSFERS 1 12-BIT WORD TO ACC	
NK01=B		CV		CSS	6 7/71	N	8	NK01=A + INCREMENT MODE	
NK01=C		CV		CSS	6 7/71	N	8	NK01-B + LIST MODE	
NK04=A		CV		CSS	6 7/71	N	8	2 ADC TRANSFERS 1 12-BIT WORD FROM EACH	
NK04=B		CV		CSS	6 7/71	N	8	NK04=A + INCREMENT MODE	
NK04=C		CV		CSS	6 7/71	N	8	NK04-B + LIST MODE	
NMX=IA	RS	JFB		WM	4 2/75	B	ICS8, ICS8=X, ICS11	IMX=IA + BC40K=1J	
NN01=A		EW		CSS	3	N	8 POS	ADC TRANSFERS 1 12-BIT WORD TO ACC W VR01=A CONT	
NN01=B		EW		CSS	3 7/71	N	8 POS	NN01=A WITH NO VR01=A CONT	
NP02=OP		CV		CSS	3	N	NP02=LA, =LB, =LM, =LN	DISPLAY PANEL	
NP02=LA		CV		CSS	3	N	15	2 ADC DEPENDENT/INDEPENDENT LIST MODE ONLY	
NP02=LB		CV		CSS	3	N	15	2ND NP02=LA	
NP02=LM		CV		CSS	3	N	9	NEG BUS NP02=LA	
NP02=LN		CV		CSS	3	N	9	NEG BUS NP02=LB	
NP11=A		JTN		CSS	3 6/75	N	11	PHA INTERFACE, MEM INCR & LIST MODE	
NP11=M		RW		CSS	3	N	11	PHA INTERFACE, MEM INCR MODE	
NP11=LM		PR		SSMU	3 3/72	N	11	PHA INTERFACE, MEM INCR, LIST, MULTISCALER MODES	
NP15		RW			3 3/74	N	15	NP02=LA IN PDP15 CAB	
NP8=EA		OF		SSCAC	3 11/71	N	8/E	PHA INTFC, MEM INCR, 2 WORD PAIR, ACC MODE	
NPC11=A	ESS	BRR		CSS	2 1/75	N	DD11	INTERFACE TO PACKARD SCINTILLATION CTR 3380	
NPC11=B	ESS	BRR		CSS	2 1/75	N	DD11	INTERFACE TO PACKARD SCINTILLATION CTR 3214 & 3320	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION	113
NPC11=C	ESS	BRR		CSS	2	1/75 N	NPC11=A, =B	TESTER	
NRL=OA	RS	JFB		WM	4	2/75 B	ICS8, ICS8=X, ICS11	IRL=OA + BC48H=1J	
NRL=OB	RS	JFB		WM	4	2/75 B	ICS8, ICS8=X, ICS11	IRL=OB + BC48H=1J	
NU110=AA		JFB			3	3/74 B	11	UDC TYPE 1 BOTTOM ENTRY; H964=AA, UDC11, H964=MA, 115V	
NU110=AB		JFB			6	5/74 B	11	UDC TYPE 1 TOP ENTRY; H964=AA, UDC11, H964=MA, H964=P, 115V	
NU110=AC		JFB			3	3/74 B	11	UDC TYPE 1 BOTTOM ENTRY; H964=AB, UDC11, H964=MA, 230V	
NU110=AD		JFB			6	5/74 B	11	UDC TYPE 1 TOP ENTRY; H964=AB, UDC11, H964=MA, H964=P, 230V	
NU110=BA		JFB			6	5/74 B	11	UDC TYPE 2 BOTTOM ENTRY; H964=CA, UDC11, 115V	
NU110=BB		JFB			3	3/74 B	11	UDC TYPE 2 TOP ENTRY; H964=CB, UDC11, 115V	
NU110=BC		JFB			6	5/74 B	11	UDC TYPE 2 BOTTOM ENTRY; H964=CC, UDC11, 230V	
NU110=BD		JFB			3	3/74 B	11	UDC TYPE 2 TOP ENTRY; H964=CD, UDC11, 230V	
NU800=AA		JFB			3	3/74 B	8 POS	UDC TYPE 1 BOTTOM ENTRY; H964=AA, UDC8=PA, H964=MA, 115V	
NU800=AB		JFB			6	5/74 B	8 POS	UDC TYPE 1 TOP ENTRY; H964=AA, UDC8=PA, H964=MA, H964=P 115V	
NU800=AC		JFB			3	3/74 B	8 POS	UDC TYPE 1 BOTTOM ENTRY; H964=AB, UDC8=PA, H964=MA, 230V	
NU800=AD		JFB			6	5/74 B	8 POS	UDC TYPE 1 TOP ENTRY; H964=AA, UDC8=PA, H964=MA, H964=P 230V	
OM08=S		JDL		TPL	5	B	8/S	OPTION MOUNTING HARDWARE	
OMN18=US	JC	DW			2	1/74 B	8/A, 8/E, 8/M	OMNIBUS SPEC	
OS/8=10					3	3/72 E	-	8K 8/E, TDB=EM, LA30, OS/8 (QFS8=B)	
OS/8=20					3	3/72 E	-	12K 8/E, TDB=EM, LSB=EA, VT05, OS/8 (QFS8=B)	
OS/8=30					3	3/72 E	-	16K 8/E, TDB=EM, TU56, LEB=F, VT05, OS/8 (QFS8=B)	
OS/8=70					3	3/72 E	-	8K 8/E, TDB=EM, RF08, RS08, LSB=EA, VT05, OS/8 (QFS8=B)	
OS/8=80					3	3/72 E	-	12K 8/E, TDB=EM, DF32=EP, DS32=D, LA30, OS/8 (QFS8=B)	
OS/8=90					3	3/72 E	-	16K 8/E, TDB=EM, RKB=A, LEB=F, VT05, OS/8 (QFS8=B)	
PA60=A	MI	RFC			5	P	8 NEG	PT CONTROL FOR 2 PA61=A DRIVERS	
PA60=B	MI	RFC			4	P	8 NEG	PA60=A CONTROL EXTENSION FOR 2 PA61=A	
PA60=C	MI	RFC			4	P	PR68=A	NON-TAPE TAPE ALLOTMENT	
PA61=A	MI	RFC			5	P	PA60=A, PA60=B	DRIVER FOR 4 READERS & 4 PUNCHES	
PA611=AA	MI	RFC			3	1/72 P	11	PA611=R + PS & MTNG HDW 115V 60HZ	
PA611=AB	MI	RFC			3	1/72 P	11	PA611=R + PS & MTNG HDW 230V 50HZ	
PA611=BA	MI	RFC			3	1/72 P	11	PA611=P + PS & MTNG HDW 115V 60HZ	
PA611=BB	MI	RFC			3	1/72 P	11	PA611=P + PS & MTNG HDW 230V 50HZ	
PA611=CA	MI	RFC			3	1/72 P	11	PA611=R + PA611=P + PS & MTNG HDW 115V 60HZ	
PA611=CB	MI	RFC			3	1/72 P	11	PA611=R + PA611=P + PS & MTNG HDW 230V 50HZ	
PA611=CC	FP	DMT		DAS	3	6/73 P	11	PA611=CA W PA611=RC INSTEAD OF PA611=R	
PA611=DA	MI	RFC			3	1/72 P	11	2 PA611=R + 2 PA611=P + CAB + PS & MTNG HDW 115V 60HZ	
PA611=DB	MI	RFC			3	1/72 P	11	2 PA611=R + 2 PA611=P + CAB + PS & MTNG HDW 230V 50HZ	
PA611=DC	FP	DMT		DAS	3	5/73 P	11	PA611=DA W 2 PA611=RC INSTEAD OF 2 PA611=R	
PA611=EA	MI	RFC			3	1/72 P	11	4 PA611=R + 4 PA611=P + CAB + PS & MTNG HDW 115V 60HZ	
PA611=EB	MI	RFC			3	1/72 P	11	4 PA611=R + 4 PA611=P + CAB + PS & MTNG HDW 230V 50HZ	
PA611=P	MI	RFC			6	4/74 P	11	2 CH PUNCH CONT FOR 6 OR 8-LEVEL PUNCH	
PA611=R	MI	RFC			6	4/74 P	11	2 CH PR68 READER CONT	
PA611=RC	RBH	DMT			3	5/73 P	11	PA611=R MODIFIED FOR TTY=CX READERS	
PA62	MI	RFC			3	P	8 NEG	DUAL COMPUTER I/O SWITCH	
PA63	MI	RFC			5	P	8 POS	16 CHANNEL MUX FOR TYPESETTING	
PA68=A	MI	RFC			5	P	8, 8/1, 8/S NEG	READER & PUNCH CONTROL	
PA68=B	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PP67=A & PA68=A CONTROL	
PA68=BA	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PP67-AA & PA68=A CONTROL	
PA68=C	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PP67-B & PA68=A CONTROL	
PA68=CA	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PP67=BA & PA68=A CONTROL	
PA68=D	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PR68=A, PP67=A & PA68=A CONTROL	
PA68=DA	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PR68=A, PP67-AA & PA68=A CONTROL	
PA68=E	MI	RFC			6	4/75 P	8, 8/1, 8/S NEG	PR68=A, PP67-B & PA68=A CONTROL	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PA68=EA	MI	RFC			6 4/75	P	8, 8/1, 8/S NEG	PR68=A, PP67=BA & PA68=A CONTROL
PA68=F	MI	RFC			5	P	8 POS	READER & PUNCH CONTROL
PA68=H	MI	RFC			6 4/75	P	8 POS	PP67=C & PA68=F CONTROL
PA68=HA	MI	RFC			6 4/75	P	8 POS	PP67=CA & PA68=F CONTROL
PA68=J	MI	RFC			6 4/75	P	8 POS	PP67=D & PA68=F CONTROL
PA68=JA	MI	RFC			6 4/75	P	8 POS	PP67=DA & PA68=F CONTROL
PA68=K	MI	RFC			6 4/75	P	8 POS	PR68=B, PP67=C & PA68=F CONTROL
PA68=KA	MI	RFC			6 4/75	P	8 POS	PR68=B, PP67=CA & PA68=F CONTROL
PA68=L	MI	RFC			6 4/75	P	8 POS	PR68=B, PP67=D & PA68=F CONTROL
PA68=LA	MI	RFC			6 4/75	P	8 POS	PR68=B, PP67=DA & PA68=F CONTROL
PA68=M	MI	RFC			6 4/75	P	8 POS	PR68=B & PA68=F CONTROL
PC01	EC	AEW			5	P	804, 10	SPARE PT READER & PUNCH ASSEMBLY, 60 HZ
PC01=A	EC	AEW			5	P		SPARE PT READER & PUNCH ASSEMBLY, 50 HZ
PC02	EC	AEW			5	P		SPARE PT READER (DEC MFG)
PC03	EC	AEW			5	P		SPARE PT PUNCH (ROYAL MCBEE), 60 HZ
PC03=A	EC	AEW			5	P		SPARE PT PUNCH (ROYAL MCBEE), 50 HZ
PC04=B	EC	AEW			4	P	NEG LOGIC	PT PU, RDR & POWER SUPPLY (NEW PC01), 60 HZ
PC04=BA	EC	AEW			4	P	NEG LOGIC	PT PU, RDR & POWER SUPPLY (NEW PC01=A) 50 HZ
PC04=BB	EC	AEW			4	P	PCB=I	PC04=B FOR PDP8/I, 60 HZ
PC04=BC	EC	AEW			4	P	PCB=IA	PC04=BA FOR PDP8/I, 50 HZ
PC04=BL	EC	AEW			4	P	PCB=L, PCB=E, PCB=EB	PC04=B FOR PDP8/L, 60 HZ
PC04=BM	EC	AEW			4	P	PCB=LA, PCB=EA, =EC	PC04=BA FOR PDP8/L, 50 HZ
PC04=C	EC	AEW			4	P	NEG LOGIC	PT PU, RDR, PS, SCR (NEW PC09), 60 HZ
PC04=CA	EC	AEW			4	P	NEG LOGIC	PT PU, RDR, PS, SCR (NEW PC09=A), 50 HZ
PC04=CL	KE	KE			2	P	10	PT PU, RDR, PS, SCR POS LOGIC, 60HZ
PC04=CM	KE	KE			2	P	10	PT PU, RDR, PS, SCR POS LOGIC, 50HZ
PC04=P	EC	AEW			4	P	NEG LOGIC	PT PUNCH, POWER SUPPLY (NEW PC03), 60 HZ
PC04=PA	EC	AEW			4	P	NEG LOGIC	PT PUNCH, POWER SUPPLY (NEW PC03=A), 50 HZ
PC04=PL	EC	AEW			4	P	PPB=L, PPB=E	PC04=P FOR PDP8/L, 60 HZ
PC04=PM	EC	AEW			4	P	PPB=LA, PPB=EA	PC04=PA FOR PDP8/L, 50 HZ
PC04=R	EC	AEW			2	P	NEG LOGIC	PT READER, POWER SUPPLY (NEW PC02)
PC04=RB	EC	AEW			4	P	PRB=I, PRB=L, PRB=E	PC04=R FOR PDP8/I & PDP8/L
PC05=C	EC	AEW			2	P	POS LOGIC	PT PU, RDR, PS, SCR (FREE STANDING PC04=C), 60 HZ
PC05=CA	EC	AEW			2	P	POS LOGIC	PT PU, RDR, PS, SCR (FREE STANDING PC04=CA), 50 HZ
PC05=CB	EC	AEW	JDL		3	P	POS LOGIC	OEM PC05-C
PC05=CC	EC	AEW	JDL		3	P	POS LOGIC	OEM PC05-CA
PC05=P	EC	AEW			2	P	POS LOGIC	PT PUNCH, POWER SUPPLY (FREE STANDING PC04=P), 60 HZ
PC05=PA	EC	AEW			2	P	POS LOGIC	PT PUNCH, POWER SUPPLY (FREE STANDING PC04=PA), 50 HZ
PC05=PB	EC	AEW	JDL		3	P	POS LOGIC	OEM PC05-P
PC05=PC	EC	AEW	JDL		3	P	POS LOGIC	OEM PC05-PA
PC05=R	EC	AEW			2	P	POS LOGIC	PT READER, POWER SUPPLY (FREE STANDING PC04=R)
PC05=RD	EC	AEW	JDL		3	P	POS LOGIC	OEM PC05-R
PC09	EC	EC			5	P	9	PC01 MODIFIED FOR PDP9
PC09=A	EC	EC			5	P	9	50 HZ PC09
PC09=B	MI	MI			4	P	K09=C	PC09 & MODULES FOR PDP9/L
PC09=C	MI	MI			4	P	K09=C	PC09-A & MODULES FOR PDP9/L
PC10	OG	OG			6 8/72	P	10	PC01 W MOD BUCKETS & SCR CONTROL, 60 HZ
PC10=A	OG	OG			6 8/72	P	10	PC01-A W MOD BUCKETS & SCR CONTROL, 50 HZ
PC11	JRC	SCJ		FS	5 3/72	P	11	PT RDR=PUNCH (PC05=C & CONTROL), 60HZ (M78I)
PC11=A	JRC	SCJ		FS	5 3/72	P	11	PT RDR=PUNCH (PC05=CA & CONTROL) 50HZ (M78I)
PC12	AW	AW			5 3/71	P	BA12	PT RDR=PUNCH (PC05=C & CONTROL), 60 HZ
PC12=A	AW	AW			5 1/72	P	BA12	PT RDR=PUNCH (PC05=CA & CONTROL), 50 HZ
PC15		FA			4	P	BA15=A	PC05=C & CONTROL, 60 HZ
PC15=A		FA			3 1/72	P	BA15=A	PC05=CA & CONTROL, 50 HZ
PC8=E		LN			4	P	8/E	PT READER & PUNCH (PC04=BL & CONT) 60HZ
PC8=EA		LN			4	P	8/E	PT READER & PUNCH (PC04=BM & CONT) 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PCB=EB		LN			3 1/72	P	8/E	TABLE TOP PCB=E
PCB=EC		LN			2 5/71	P	8/E	TABLE TOP PCB=EA
PCB=I		JDL		TPL	5	P	8/I	PAPER TAPE READER & PUNCH (PCB4-BB & CONT)
PCB=IA		JDL		TPL	5	P	8/I	PT READER & PUNCH (PCB4-BC & CONT) 50HZ
PCB=L		JDL		TPL	5	P	8/L	PT READER & PUNCH (PCB4-BL & CONTROL), 60 HZ
PCB=LA		JDL		TPL	5	P	8/L	PT READER & PUNCH (PCB4-BM & CONTROL), 50 HZ
PCAST	MI			TPL	3 8/75	T	PC0	PAPER TAPE STARTER KIT
PCR11		CRB			3 8/71	P	11R20	3 CASES TAPE, 12 TRAYS & COVERS, LABELS
PCR11=A		CRB			3 8/71	P	11R20	PC11 ADAPTED FOR RUGGED 11 (60HZ)
PCR11=C		AS			3 1/72	P	11/07=AA, =BA	PC11=A ADAPTED FOR RUGGED 11 (50HZ)
PCR11=CA		AS			3 1/72	P	11/07=AB, =BB	PCR11 IN H957 CAB (60HZ)
PCS16=A		DCB			3 1/72	K	16	PCR11=A IN H957 CAB (50HZ)
PCS16=B		DCB			3 1/72	K	16	PROGRAM CONTROL SEQUENCER (PCS) CONTROL (M7326)
PCS16=BA		DCB			3 9/72	K	16/M	PCS SEQUENCE CONTROL (M7327) 8X256 PROM
PCS16=BB		DCB			3 9/72	K	16/M	PDP16=M DIAGNOSTIC ROM 0
PCS16=BC		DCB			3 9/72	K	16/M	PDP16=M DIAGNOSTIC ROM 1
PCS16=BD		DCB			3 9/72	K	16/M	PDP16=M DIAGNOSTIC ROM 2
PCS16=BE		DCB			3 9/72	K	16/M	PDP16=M DIAGNOSTIC ROM 3
PCS16=BF		DCB			3 9/72	K	16/M	PDP16=M DIAGNOSTIC ROM 4
PCS16=BG		DCB			3 9/72	K	16/M	PDP16=M ROM SIMULATOR PROGRAM
PCS16=BR		DCB			3 9/72	K	16/M	PDP16=M ROM LOADER PROGRAM
PCS16=C		DCB			3 1/72	K	16	PSP16=M ROM LISTER PROGRAM
PCS16=D		DCB			3 1/72	K	16	PROM ERASE & RELOAD SERVICE
PDL11=AA	AW	REJ		WM	6 11/75	E	16	PCS DECODER (M7328)
								PCS BOOLEAN MUX (M7329)
PDL11=AB	AW	REJ		WM	6 11/75	E		PROGRAMMED DATA LOGGER: 11/10=SC, TA11=AA, AR11, DR11=K, 2 H322,
PDL11=BA	AW	REJ		WM	3 11/75	E		LA36=CA, H907=KM, H716=C, QJ190=AM, QJ180=AM, QJ942=AM, 115V 60HZ
PDL11=BB	AW	REJ		WM	3 11/75	E		PDL11=AA EXCEPT 11/10=SD TA11=AB LA36=CB H967=KN H716=D, 230V 50HZ
PDL11=CA	AW	REJ		WM	3 11/75	E		PDL11=AA EXCEPT MM11=C & RX11=BA IN PLACE OF TA11, 115V 60HZ
PDL11=CB	AW	REJ		WM	3 11/75	E		PDL11=AB EXCEPT MM11=C & RX11=BD IN PLACE OF TA11, 230V 50HZ
PDL11=SA	AW	REJ		WM	2 6/75	B		PDL11=AA W MM11=C, RK11=D, 2 RK05=AA, H967=KN IN PLACE OF TA11, 115V60
PDL11=SI	AW	REJ		WM	2 6/75	B		PDL11=AB W MM11=C, RK11=D, 2 RK05=BB, H967=KN IN PLACE OF TA11, 230V50
PDM70=AA	RJM	EN	WLS	MAY	5 4/75	E		PDL SYSTEM INTEGRATION OF SINGLE INSTRUMENT
								PDL SYSTEM INTEGRATION OF 1 TO 5 INSTRUMENTS
PDM70=AB	RJM	EN	WLS	MAY	5 4/75	E		SERIAL PROGRAMMED DATA MOVER BASIC BOX W PS, MOTHER BOARD,
PDM70=BA	RJM	EN	WLS	MAY	5 4/75	E		KEYBOARD, CLOCK BOARD, 5" HIGH RACK MOUNTABLE, 115V
PDM70=BB	RJM	EN	WLS	MAY	5 4/75	E		PDM70=AA, 230V
PDM70=CA	RJM	EN	WLS	MAY	5 4/75	E		PDM70=AA WITH 32 CHAR BURROUGHS DISPLAY, 115V
PDM70=CB	RJM	EN	WLS	MAY	5 4/75	E		PDM70=AB WITH 32 CHAR BURROUGHS DISPLAY, 230V
PDM70=D	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	PDM70=AA W NO KEYBOARD & PLAIN FRONT BEZEL, 115V
PDM70=E	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	PDM70=AB W NO KEYBOARD & PLAIN FRONT BEZEL, 230V
PDM70=F	RJM	EN	WLS	MAY	5 4/75	A	PDM70=A, =B, =C	32 BIT INPUT (M7381)
PDM70=H	RJM	EN	WLS	MAY	5 4/75	A	PDM70=A, =B, =C	32 BIT OUTPUT (M7382)
PDM70=IN	RJM	EN	WLS	MAY	5 4/75	B	PDM70=A, =B, =C	4 CH ANALOG INPUT (M7383)
PDM70=J	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	2 CH ANALOG OUTPUT (M7384)
PDM70=JR	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	SYSTEM INSTALLATION FEE
PDM70=K	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	BIT SERIAL I/O, EIA OR 20 MA (M7385)
PDM70=L	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	REMOTE SERIAL I/O INTERFACE (M7377)
PDM70=M	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	16 KEY KEYBOARD (M7386)
PDM70=N	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	32 CHARACTER BURROUGHS DISPLAY
PDM70=P	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	GEN PURPOSE CHAR SERIAL I/O (M7388)
PDM70=R	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	64 CHAR PROM READ IN OPTION, M7387
PDM70=SD	RJM	EN	WLS	MAY	5 4/75	D	PDM70=A, =B, =C	PROGRAMMABLE BUS CONTROL
PDP1	JDL				6	E		BUS SERIAL I/O INTERFACE, 20MA
PDP1=D	JDL				6	E		PDM70 FOUNDATION HW MODULE (M7378)
								16 BIT SYSTEM MODULES
								PDP1 WITH MEMORY BUS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PDP10		KE			5	E		36 BIT COMPUTER PDP6 PROGRAMS (USES KA10)
PDP11-03					1/72	E		SEE 11/03
PDP11-05 ST		RAA			8/72	E		KD11-B PROCESSOR, OEM
PDP11-10 ST		RAA			8/72	E		KD11-B PROCESSOR, END USER
PDP11-15		CMD			3/71	E		SEE 11/15-XX
PDP11-20		JO			6/71	E		KA11 PROC, PS, MM11-E, BA11-CS, KY11-A, LY33-D
PDP11-35		JO			7/72	E		KD11-A PROCESSOR, OEM
PDP11-40		JO			7/72	E		KD11-A PROC, IN 11/45 BOX
PDP11-45		CL			4/73	E		HIGH SPEED PDP11 FAMILY MACHINE
PDP12-10 SNT		RI			1/73	E		PDP12-C W AD12, DR12
PDP12-20 SNT		RI			1/73	E		12/10 W VC12, VR14, TC12, TU56, KF12
PDP12-30 SNT		RI			1/73	E		12/20 W MC12, KW12-A
PDP12-40 SNT		RI			1/73	E		12/30 W FPP12
PDP12-A SNT		RI			6	E		PDP12-B W A/D, RELAYS
PDP12-B SNT		RI			6	E		PDP12-C W TAPE, DISPLAY
PDP12-C SNT		RI			6	E		BASIC LINC8/I
PDP14-LP JM		AR			5	E		KA14, BE14 & POWER SUPPLY
PDP14-LK JM		AR			1/72	E		PDP14-LP, BX14, BY14
PDP14-K JM		AR			3	E		PDP14-P, BX14-DA, BY14-DA
PDP14-P JM		AR			3/74	E		12 BIT MACHINE CONTROLLER (PROCESSOR ONLY)
PDP14-PX JM		AR			6/71	E		PDP14-P W EXTRA POWER SUPPLY
PDP15-10		FA			5	E		BASIC PDP15 SYSTEM
PDP15-20		FA			4	E		ADVANCED MONITOR SYSTEM
PDP15-30		FA			4	E		BACKGROUND/FOREGROUND SYSTEM
PDP15-35		FA			3	E		SPECIAL CONFIGURATION FOR REAL TIME EXECUTIVE SYSTEM (RSX)
PDP15-40		FA			4	E		BACKGROUND/FOREGROUND DISK SYSTEM
PDP15-50		FA			3	E		PDP15-40 + BATCH
PDP15-CA FD		FD			10/74	E		BASIC PDP15 REPACKAGED W/ H742-A POWER SUPPLY, 115V
PDP15-CB FD		FD			11/74	E		BASIC PDP15 REPACKAGED W/ H742-B POWER SUPPLY, 230V
PDP16 RJM		OCB			3	E		COMPUTER MADE FROM REGISTER TRANSFER MODULES
PDP16-MA MI		JDL		TPL	3/72	E		PDP16 IN 8/M 12 INCH BOX W PREDEFINED INSTRUCTION SET 115V
PDP16-MB MI		JDL		TPL	3/72	E		PDP16 IN 8/M 12 INCH BOX W PREDEFINED INSTRUCTION SET 230V
PDP16-MC MI		JDL		TPL	6/73	E		PDP16-MA W NO 8/M BOX, 115V
PDP16-MD MI		JDL		TPL	6/73	E		PDP16-MB W NO 8/M BOX, 230V
PDP16-ME MI		JDL		TPL	3	E		PDP16-M W NO 8/M BOX, NO PWR SUPPLY
PDP16-MF MI		JDL		TPL	2	E		PDP16-MA IN 15-INCH 8/M BOX, 115V
PDP16-MH MI		JDL		TPL	2	E		PDP16-MB IN 15-INCH 8/M BOX, 230V
PDP4		JDL			6	E		18 BIT SYSTEM MODULES
PDP5		AB			6	E		12 BIT SYSTEM MODULES
PDP7		JDL			6	E		18 BIT FLIP CHIP MODULES PDP04 CODE
PDP7-A		JDL			6	E		IMPROVED PDP7
PDP8		JDL			5	E		12 BIT FLIP CHIP MODULES PDP5 CODE
PDP8-AA JC		JK			9/75	E		PDP8 CPU, 10 SLOT BACKPLANE, CHASSIS ASSY, H763-A PS, 115V
PDP8-AB JC		JK			9/75	E		PDP8 CPU, 10 SLOT BACKPLANE, CHASSIS ASSY, H763-A PS, 230V
PDP8-AC JC		JK			9/75	E		PDP8-AA + 1K RAM, 115V
PDP8-AD JC		JK			9/75	E		PDP8-AB + 1K RAM, 230V
PDP8-AE JC		JK			9/75	E		PDP8-AA + 2K RAM, 115V
PDP8-AF JC		JK			9/75	E		PDP8-AB + 2K RAM, 230V
PDP8-AH JC		JK			9/75	E		PDP8-AA + 3K RAM, 115V
PDP8-AJ JC		JK			9/75	E		PDP8-AB + 3K RAM, 230V
PDP8-AK JC		JK			9/75	E		PDP8-AA + 4K RAM, 115V
PDP8-AL JC		JK			9/75	E		PDP8-AB + 4K RAM, 230V
PDP8-FA JC		JK			2	E		PDP8-AA + MR8-FB 1K PROM, 115V
PDP8-FB JC		JK			2	E		PDP8-AB + MR8-FB 1K PROM, 230V
PDP8-B		LG			2	E		MIN PDP8, NOS
PDP8-E		JK			4	E		PDP8-I ON BIG CARDS, EXPANDED ORDER CODE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION
PDP8=AA		JK			4	E		4K 8/E RACK MOUNTABLE (RM) 115V
PDP8=AB		JK			4	E		4K 8/E RACK MOUNTABLE (RM) 230V
PDP8=AE		JK			3	9/71 E	.	8K PDP8=AA
PDP8=AF		JK			3	9/71 E	.	8K PDP8=AB
PDP8=AS	JC	JK			3	10/73 E	.	16K PDP8E, RACK MOUNTABLE, KL8=E, KCB=E CONSOLE, 115V
PDP8=AT	JC	JK			3	10/73 E	.	16K PDP8E, RACK MOUNTABLE, KL8=E, KCB=E CONSOLE, 230V
PDP8=BA		JK			4	E		4K 8/E TABLE TOP (TT) 115V
PDP8=BB		JK			4	E		4K 8/E TABLE TOP (TT) 230V
PDP8=BE		JK			3	9/71 E	.	8K 8/E TT 115V
PDP8=BF		JK			3	9/71 E	.	8K 8/E TT 230V
PDP8=BS	JC	JK			3	10/73 E	.	16K PDP8E, TABLE TOP, KL8=E, KCB=E CONSOLE, 115V
PDP8=BT	JC	JK			3	10/73 E	.	16K PDP8E, TABLE TOP, KL8=E, KCB=E CONSOLE, 230V
PDP8=CA		JK			6	6/72 E	.	4K 8/E CABINET MOUNTED (CAB) 115V
PDP8=CB		JK			6	6/72 E	.	4K 8/E CABINET MOUNTED (CAB) 230V
PDP8=CE		JK			6	5/73 E	.	8K 8/E CAB 115V
PDP8=CF		JK			6	5/73 E	.	8K 8/E CAB 230V
PDP8=DA		JK			6	8/71 E	.	4K 8/E RM, OEM, 115V
PDP8=DB		JK			6	8/71 E	.	4K 8/E RM, OEM, 230V
PDP8=DC		JK			4	8/71 E	.	4K 8/E RM, OEM2, 115V
PDP8=DD		JK			4	8/71 E	.	4K 8/E RM, OEM2, 230V
PDP8=DE		JK			3	9/71 E	.	8K 8/E RM, OEM2, 115V
PDP8=DF		JK			3	9/71 E	.	8K 8/E RM, OEM2, 230V
PDP8=DS	JC	JK			3	10/73 E	.	16K PDP8E, RACK MOUNTABLE, KL8=E, KCB=E CONSOLE, 115V OEM
PDP8=DT	JC	JK			3	10/73 E	.	16K PDP8E, RACK MOUNTABLE, KL8=E, KCB=E CONSOLE, 230V OEM
PDP8=EA		JK			6	8/71 E	.	4K 8/E TT, OEM, 115V
PDP8=EB		JK			6	8/71 E	.	4K 8/E TT, OEM, 230V
PDP8=EC		JK			4	8/71 E	.	4K 8/E TT, OEM2, 115V
PDP8=ED		JK			4	8/71 E	.	4K 8/E TT, OEM2, 230V
PDP8=EE		JK			3	9/71 E	.	8K 8/E TT, OEM2, 115V
PDP8=EF		JK			3	9/71 E	.	8K 8/E TT, OEM2, 230V
PDP8=ES	JC	JK			3	11/73 E	.	16K PDP8E, TABLE TOP, KL8=E, KCB=E CONSOLE, 115V OEM
PDP8=ET	JC	JK			3	11/73 E	.	16K PDP8E, TABLE TOP, KL8=E, KCB=E CONSOLE, 230V OEM
PDP8=FA		JK			6	8/71 E	.	4K 8/E CAB, OEM, 115V
PDP8=FB		JK			6	8/71 E	.	4K 8/E CAB, OEM, 230V
PDP8=FC		JK			6	5/73 E	.	4K 8/E CAB, OEM2, 115V
PDP8=FD		JK			6	5/73 E	.	4K 8/E CAB, OEM2, 230V
PDP8=FE		JK			6	5/73 E	.	8K 8/E, CAB, OEM2, 115V
PDP8=FF		JK			6	5/73 E	.	8K 8/E, CAB, OEM2, 230V
PDP8=FH	JC	PG			3	12/73 E	.	4K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 115V, OEM
PDP8=FJ	JC	PG			3	12/73 E	.	4K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 230V, OEM
PDP8=FK	JC	PG			3	12/73 E	.	8K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 115V, OEM
PDP8=FL	JC	PG			3	12/73 E	.	8K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 230V, OEM
PDP8=FS	JC	PG			3	12/73 E	.	16K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 115V, OEM
PDP8=FT	JC	PG			3	12/73 E	.	16K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 230V, OEM
PDP8=HK	JK	PG			3	8/75 E	.	8K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 115V
PDP8=HL	JK	PG			3	8/75 E	.	8K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 230V
PDP8=HS	JK	PG			3	8/75 E	.	16K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 115V
PDP8=HT	JK	PG			3	8/75 E	.	16K PDP8E, RACK MOUNTABLE, KCB=EA CONSOLE, 230V
PDP8=JA		JK			6	5/73 E	.	4K 8/E, RM, KCB=EC, KPB=E, 115V
PDP8=JB		JK			6	5/73 E	.	4K 8/E, RM, KCB=EC, KPB=E, 230V
PDP8=MA		JK			6	5/73 E	.	OEM 4K 8/E, RM, KCB=EC, KPB=E, 115V
PDP8=MB		JK			6	5/73 E	.	OEM 4K 8/E, RM, KCB=EC, KPB=E, 230V
PDP8=MC		JK			6	5/73 E	.	OEM2 4K 8/E, RM, KCB=EC, KPB=E, 115V
PDP8=MD		JK			6	5/73 E	.	OEM2 4K 8/E, RM, KCB=EC, KPB=E, 230V
PDP8=NA	SNT	AW			3	1/72 E	LAB8=E	4K GREEN 8/E W KCB=ED, RM, 115V
PDP8=NB	SNT	AW			3	1/72 E	LAB8=E	4K GREEN 8/E W KCB=ED, RM, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MPGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	118
PDP8E=NE		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KCB=ED, RM, 115V	
PDP8E=NF		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KCB=ED, RM, 230V	
PDP8E=PA	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KCB=ED, TT, 115V	
PDP8E=PB	SNT	AW			3 1/72	E	LAB8-E	4K GREEN 8/E W KCB=ED, TT, 230V	
PDP8E=PE		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KCB=ED, TT, 115V	
PDP8E=PF		GPB			3 12/72	E	LAB8-E	8K GREEN 8/E W KCB=ED, TT, 230V	
PDP8F		PG			4 2/72	E		BASIC PDP8-E IN SHORT BOX W KLB=E, KCB=FL CONSOLE	
PDP8F=AA		PG			6 4/73	E		4K PDP8F RACK MOUNTABLE 115V IN 12" BOX	
PDP8F=AB		PG			6 4/73	E		4K PDP8F RACK MOUNTABLE 230V IN 12" BOX	
PDP8F=AE		PG			6 4/73	E		8K PDP8F RACK MOUNTABLE 115V IN 12" BOX	
PDP8F=AF		PG			6 4/73	E		8K PDP8F RACK MOUNTABLE 230V IN 12" BOX	
PDP8F=AH	JC	PG			3 4/73	E		4K PDP8F, RACK MOUNTABLE, IN 15" BOX, 115V	
PDP8F=AJ	JC	PG			3 4/73	E		4K PDP8F, RACK MOUNTABLE, IN 15" BOX, 230V	
PDP8F=AK	JC	PG			3 4/73	E		8K PDP8F, RACK MOUNTABLE, IN 15" BOX, 115V	
PDP8F=AL	JC	PG			3 4/73	E		8K PDP8F, RACK MOUNTABLE, IN 15" BOX, 230V	
PDP8F=AS	JC	PG			3 3/74	E		16K PDP8F, RACK MOUNTABLE IN 15" BOX, 115V	
PDP8F=AT	JC	PG			3 3/74	E		16K PDP8F, RACK MOUNTABLE IN 15" BOX, 230V	
PDP8F=CA		PG			6 5/73	E		4K PDP8F, CABINET MOUNTED, IN 12" BOX, 115V	
PDP8F=CB		PG			6 5/73	E		4K PDP8F, CABINET MOUNTED, IN 12" BOX, 230V	
PDP8F=CE		PG			6 5/73	E		8K PDP8F, CABINET MOUNTED, IN 12" BOX, 115V	
PDP8F=CF		PG			6 5/73	E		8K PDP8F, CABINET MOUNTED, IN 12" BOX, 230V	
PDP8=I		JDL		TPL	5	E		BASIC PDP8-I, 12 BIT M-SERIES MODULES	
PDP8=IC		JDL		TPL	5	E		PDP8-I IN CABINET	
PDP8=ID		JDL		TPL	5	E		PDP8-I IN H950 CABINET	
PDP8=IP		JDL		TPL	6	E		PDP8-I ON PEDESTAL	
PDP8=L		JDL		TPL	5	E		BASIC PDP8=L, MINIMUM AND COMPACT PDP8-I	
PDP8=LA		JDL		TPL	5	E		8/L W SLIDES, SERVICE, TTY	
PDP8=LB		JDL		TPL	5	E		8/L W SLIDES, SERVICE, NO TTY	
PDP8=LC		JDL		TPL	5	E		8/L W SLIDES, TTY, NO SERVICE	
PDP8=LD		JDL		TPL	5	E		8/L W SLIDES, NO TTY, NO SERVICE	
PDP8=LE		JDL		TPL	5	E		8/L W H950, SERVICE, TTY	
PDP8=LF		JDL		TPL	5	E		8/L W H950, SERVICE, NO TTY	
PDP8=LG		JUL		TPL	5	E		8/L W H950, TTY, NO SERVICE	
PDP8=LH		JDL		TPL	5	E		8/L W H950, NO TTY, NO SERVICE	
PDP8=LJ		JDL		TPL	5	E		8/L W COVER, TTY, SERVICE	
PDP8=LK		JDL		TPL	5	E		8/L W COVER, SERVICE, NO TTY	
PDP8=LL		JDL		TPL	5	E		8/L W COVER, TTY, NO SERVICE	
PDP8=LM		JDL		TPL	5	E		8/L W COVER, NO TTY, NO SERVICE	
PDP8M		PG			4 2/72	E		BASIC PDP8-M, 8/E IN SHORT BOX	
PDP8M=DC		PG			6 4/73	E		4K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 12" BOX, OEM, 115V	
PDP8M=DD		PG			6 4/73	E		4K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 12" BOX, OEM, 230V	
PDP8M=DE		PG			6 4/73	E		8K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 12" BOX, OEM, 115V	
PDP8M=DF		PG			6 4/73	E		8K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 12" BOX, OEM, 230V	
PDP8M=DH	JC	PG			3 4/73	E		4K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 15" BOX, OEM, 115V	
PDP8M=DJ	JC	PG			3 4/73	E		4K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 15" BOX, OEM, 230V	
PDP8M=DK	JC	PG			3 4/73	E		8K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 15" BOX, OEM, 115V	
PDP8M=DL	JC	PG			3 4/73	E		8K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 15" BOX, OEM, 230V	
PDP8M=DS	JC	PG			3 10/73	E		16K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 115V OEM	
PDP8M=DT	JC	PG			3 10/73	E		16K PDP8M, RACK MOUNTABLE, KLB=E, KCB=ML CONSOLE, 230V OEM	
PDP8M=EH	JC	PG			3 12/73	E		4K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 115V OEM	
PDP8M=EJ	JC	PG			3 12/73	E		4K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 230V OEM	
PDP8M=EK	JC	PG			3 12/73	E		8K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 115V OEM	
PDP8M=EL	JC	PG			3 12/73	E		8K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 230V OEM	
PDP8M=ES	JC	PG			3 12/73	E		16K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 115V OEM	
PDP8M=ET	JC	PG			3 12/73	E		16K PDP8M, RACK MOUNTABLE, KCB=ML CONSOLE, 230V OEM	
PDP8M=HC		PG			6 4/73	E		4K PDP8M, RACK MOUNTABLE, KCB=M, 12" BOX, OEM, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
PDP8=MD		PG			6 4/73	E	"	4K PDP8M, RACK MOUNTABLE, KCB=M, 12" BOX, OEM, 230V
PDP8=HE		PG			6 4/73	E	"	8K PDP8M, RACK MOUNTABLE, KCB=M, 12" BOX, OEM, 115V
PDP8=MF		PG			6 4/73	E	"	8K PDP8M, RACK MOUNTABLE, KCB=M, 12" BOX, OEM, 230V
PDP8=MH JC		PG			3 4/73	E	"	4K PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, OEM, 115V
PDP8=MJ JC		PG			3 4/73	E	"	4K PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, OEM, 230V
PDP8=MK JC		PG			3 4/73	E	"	8K PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, OEM, 115V
PDP8=ML JC		PG			3 4/73	E	"	8K PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, OEM, 230V
PDP8=MM JC		PG			3 11/73	E	"	1K PROM PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, 115V OEM
PDP8=MN JC		PG			3 11/73	E	"	1K PROM PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, 230V OEM
PDP8=MP JC		PG			3 11/73	E	"	2K PROM PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, 115V OEM
PDP8=MR JC		PG			3 11/73	E	"	2K PROM PDP8M, RACK MOUNTABLE, KCB=M, 15" BOX, 230V OEM
PDP8=MS JC		PG			3 10/73	E	"	16K PDP8M, RACK MOUNTABLE, KCB=M CONSOLE, 115V OEM
PDP8=MT JC		PG			3 10/73	E	"	16K PDP8M, RACK MOUNTABLE, KCB=M CONSOLE, 230V OEM
PDP8=S		JUL			6	E		12 BIT SERIAL, FLIP CHIP MODULES
PDP9		MI			5	E		18 BIT FLIP CHIP MODULES PDP9 CODE
PDP9=F		MI			5	E		PDP9 W CAB9=A FOR FOXBORO
PDP9=L		MI			5	E		4K PDP9, 1.5 USEC MEMORY
PDP9=T		MI			3	E		TIME SHARING PDP9
PHA15		DD			"	E	15	PDP15-BASED PULSE HEIGHT ANALYSER
PHA8		DD			"	E	8	PDP8, 8/I, 8/L BASED PULSE HEIGHT ANALYSER
PHAE=10		EW			3 6/71	E	"	IS PDP8E=CA + LT33=DC + VC8=E + VR03=A + NN01=A + KA8=E + QFP01=A
PHAE=20		EW			3 6/71	E	"	PHAE=10 + M48=E
PL8=AA JC		PG			6 6/75	L	8/E	LA30=PA + PCB=E, RACK MOUNT, 115V 60HZ
PL8=AB JC		PG			6 6/75	L	8/E	LA30=PB + PCB=EA, RACK MOUNT, 230V 60HZ
PL8=AC JC		PG			6 6/75	L	8/E	LA30=PC + PCB=E, RACK MOUNT, 115V 50HZ
PL8=AD JC		PG			6 6/75	L	8/E	LA30=PD + PCB=EA, RACK MOUNT, 230V 50HZ
PL8=8A JC		PG			6 6/75	L	8/E	LA30=PA + PCB=EB, TABLE TOP, 115V 60HZ
PL8=8B JC		PG			6 6/75	L	8/E	LA30=PB + PCB=EC, TABLE TOP, 230V 60HZ
PL8=8C JC		PG			6 6/75	L	8/E	LA30=PC + PCB=EB, TABLE TOP, 115V 50HZ
PL8=8D JC		PG			6 6/75	L	8/E	LA30=PD + PCB=EC, TABLE TOP, 230V 50HZ
PM301=AA RS		JFB			3 8/75	E	"	POWER MANAGEMENT SYSI HDW + QJ635=AN, 120V 60HZ
PM301=AB RS		JFB			3 8/75	E	"	POWER MANAGEMENT SYSI HDW + QJ635=AN, 240V 50HZ
PM501=AA		JFB			3 8/75	E	"	POWER MANAGEMENT SYSI N1111=MA + QJ630=AN, 115V 60HZ
PM501=AB		JFB			3 8/75	E	"	POWER MANAGEMENT SYSI N1111=MB + QJ630=AN, 230V 50HZ
PM701=AA RS		JFB			3 9/75	E	"	POWER MANAGEMENT SYSI N1143=MA + QJ630=AN, 120V 60HZ
PM701=AB RS		JFB			3 9/75	E	"	POWER MANAGEMENT SYSI N1143=MB + QJ630=AN, 240V 50HZ
PMK01=AA		DZ			3 4/75	B	8/E	PROCESSOR MAINTENANCE KIT W PTR FOR 8/E, 115V
PMK01=AB		DZ			3 4/75	B	8/E	PROCESSOR MAINTENANCE KIT W PTR FOR 8/E, 230V
PMK01=BA		DZ			3 4/75	B	11	PROC MAINTENANCE KIT W PTR FOR 11, 115V
PMK01=BB		DZ			3 4/75	B	11	PROC MAINTENANCE KIT W PTR FOR 11, 230V
PMK01=CA		DZ			3 4/75	B	8/E, 11	PROC MAINTENANCE KIT W PTR FOR 8/E & 11, 115V
PMK01=CB		DZ			3 4/75	B	8/E, 11	PROC MAINTENANCE KIT W PTR FOR 8/E & 11, 230V
PMK02=A		FMS			6 5/73	B	8, 8/I, 8/L, 12	PROC MAINTENANCE KIT W CASSETTE
PMK02=B		FMS			3 10/71	B	8/E	PROC MAINTENANCE KIT W CASSETTE
PMK02=C		FMS			3 10/71	B	11/05, 11/15, 11/20, 11/35	PROC MAINTENANCE KIT W CASSETTE
PMK03	EB	DSO			2 /74	B	11/05	SIGNAL DISPLAY FOR TROUBLE SHOOTING
PMK04		WOB			3 9/75	B	LA30, LA36, VT05, VT50	OFF-LINE TERMINAL TESTER
PM511	RS	JFB			"	E	"	RENAMED PM501
PMT11=AA HRL		EB			3 9/75	E	"	PROGRAMMABLE MODULE TESTER, 115V 60HZ
PMT11=AB HRL		EB			3 9/75	E	"	PROGRAMMABLE MODULE TESTER, 230V 50HZ
PP11=S	RRH	RJS			3 1/73	P	11	INTERFACE TO 6 LEVEL 300 LINES/SEC SOROBAN PUNCH
PP12	SNT	RI			5 3/71	P	PA12	PT PUNCH (PC05=P & CONTROL), 60 HZ
PP12=A	SNT	RI			5 3/71	P	PA12	PT PUNCH (PC05=PA & CONTROL), 50 HZ
PP67=A		MI			5	P	PA61=A, PA68=A	PT PUNCH 6=LEVEL, 60 HZ
PP67=AA		MI			5	P	PA61=A, PA68=A	PT PUNCH 6=LEVEL, 50 HZ
PP67=B		MI			5	P	PA61=A, PA68=A	PT PUNCH 8=LEVEL, 60 HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	120
PP67=BA		MI			5	P	PA61=A, PA68=A	PT PUNCH 8=LEVEL, 50 HZ	
PP67=C		MI			5	P	PA68=F, PA63	PT PUNCH 6=LEVEL, 60 HZ	
PP67=CA		MI			5	P	PA68=F, PA63	PT PUNCH 6=LEVEL, 50 HZ	
PP67=D		MI			5	P	PA68=F	PT PUNCH 8=LEVEL, 60 HZ	
PP67=DA		MI			5	P	PA68=F	PT PUNCH 8=LEVEL, 50 HZ	
PP8=E		LN			4	P	8/E	PT PUNCH (PC04=PL & CONTROL) 60HZ	
PP8=EA		LN			4	P	8/E	PT PUNCH (PC04=PM & CONTROL) 50HZ	
PP8=EB		LN			3	1/72 P	8/E	TABLE TOP PP8=E	
PP8=EC		LN			3	10/72 P	8/E	TABLE BOP PP8=EA	
PP8=EF	BV	PKM		SSMU	3	7/72 P	8 PQS	FACIT 4060 PTP & CONT	
PP8=I		JDL			5	P	8/I	PT PUNCH (PC03 & CONTROL)	
PP8=L		JDL		TPL	5	P	8/L	PT PUNCH (PC04=PL & CONTROL) 60 HZ	
PP8=LA		JDL		TPL	4	P	8/L	PT PUNCH (PC04=PM & CONTROL) 50 HZ	
PPH01		MI			3	9/72 P		HAND PAPER TAPE PUNCH, 8 LEVEL	
PPH01=K		MI			3	9/72 P	PPH01	REFILL KIT FOR PPH01	
PR11		JMB		FS	5	3/72 P	11	PT READER (PC05=R & CONTROL)	
PR12	SNT	RI			5	3/71 P	BA12	PT READER (PC05=R & CONTROL)	
PR68=A	MI	RFC			5	P	PA60=A, PA68=A	PT READER (6=LEVEL & 8=LEVEL)	
PR68=B	MI	RFC			3	12/71 P	PA68=F, PA63	PT READER (6=LEVEL & 8=LEVEL)	
PR68=C	MI	RFC			3	12/71 P	PA60=A, PA68=A	PT READER (6= & 8=LEVEL, PHOTOTRANSISTOR)	
PR68=D	MI	RFC			5	P	PA63	PT READER (6= & 8=LEVEL, PHOTOTRANSISTOR), NTTA	
PR68=DA	MI	RFC			5	P	PA63, PA68=F	PT READER (6= & 8=LEVEL, PHOTOTRANSISTOR)	
PR68=E	MI	RFC			3	9/72 P	PA611=R, PA68=F	PT READER (6 & 8=LEVEL, PHOTOTRANSISTOR, NTTA)	
PR68=F		MI	JDL		3	P	NONE	OEM PR68=D	
PR68=FA		MI	JDL		3	P	NONE	OEM PR68=DA	
PR8=E		LN			4	P	8/E	PT READER (PC04=RB & CONTROL)	
PR8=EB		LN			3	1/72 P	8/E	TABLE TOP PR8=E	
PR8=EF	BV	PKM		SSMU	3	7/72 P	8 PQS	FACIT 4001 PTR & CONT	
PR8=I		JDL			5	P	8/I	PT READER (PC04=RB & CONTROL)	
PR8=L		WH			5	P	8/L	PT READER (PC04=RB & CONTROL)	
PT08					5	D	8, 8/S	TTY INTERFACE FOR ASR33	
PT08=A					5	D	8/S	PT08 IN ASR33 BASE, 12 FT CABLES	
PT08=B					5	D	8/S, 8/I	PT08 IN 19-IN RACK, 6 FT CABLES	
PT08=C					5	D	8/S, 8/I	2 PT08-B ON SINGLE 1943	
PT08=DA				SSUK	3	D	8 NEG	CPO ASYNC MODEM INTERFACE W 1 CLOCK	
PT08=DB				SSUK	3	D	PT08=DA	2 CLOCK OPTION FOR PT08=DA	
PT08=F		MI			4	D	PT08=B, PT08=C	EIA ADAPTER W 25 FT CABLE	
PT08=X		MI			4	D	PT08=B, PT08=C	CRYSTAL CLOCK	
PT11=AA		JEH		SSUK	3	12/71 P	11	TREND RDR & BURPE 11 PUNCH W CONT 115V 60HZ	
PT11=AB		JEH		SSUK	3	12/71 P	11	TREND RDR & BURPE 11 PUNCH W CONT 230V 50HZ	
PT11=BA		JEH		SSUK	3	4/72 P	11	TREND READER & CONT, 115V 60HZ	
PT11=BB		JEH		SSUK	3	4/72 P	11	TREND READER & CONT, 230V 50HZ	
PT11=CA		JEH		SSUK	3	4/72 P	11	BRPE 11 PUNCH & CONT, 115V 60HZ	
PT11=CB		JEH		SSUK	3	4/72 P	11	BRPE 11 PUNCH & CONT, 230V 50HZ	
PT11=DA		JEH		SSUK	3	8/73 P	11	TREND RDR & FACIT PUNCH W CONT, 115V 60HZ	
PT11=DB		JEH		SSUK	3	8/73 P	11	TREND RDR & FACIT PUNCH W CONT, 230V 50HZ	
PT11=EA		JEH		SSUK	3	8/73 P	11	FACIT PUNCH & CONT, 115V 60HZ	
PT11=EB		JEH		SSUK	3	8/73 P	11	FACIT PUNCH & CONT, 230V 50HZ	
PT11=F	BV	PKM		SSMU	3	7/72 P	11	FACIT 4001 PTR, 4070 PTP & CONT	
PT84=AA		JEH		SSUK	3	8/73 P	8/E	TREND RDR & BRPE 11 PUNCH W CONT, 115V 60HZ	
PT8E=AB		JEH		SSUK	3	8/73 P	8/E	TREND RDR & BRPE 11 PUNCH W CONT, 230V 50HZ	
PT8E=BA		JEH		SSUK	3	8/73 P	8/E	TREND READER & CONT, 115V 60HZ	
PT8E=BB		JEH		SSUK	3	8/73 P	8/E	TREND READER & CONT, 230V 50HZ	
PT84=CA		JEH		SSUK	3	8/73 P	8/E	BRPE 11 PUNCH & CONT, 115V 60HZ	
PT8E=CB		JEH		SSUK	3	8/73 P	8/E	BRPE 11 PUNCH & CONT, 230V 50HZ	
PT8E=DA		JEH		SSUK	3	8/73 P	8/E	TREND RDR & FACIT PUNCH W CONT, 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE MO/YR	CATE- GORY	USED ON	DESCRIPTION	121
PT8E=0B		JEH		SSUK	3	8/73	P	8/E	TREND RDR & FACIT PUNCH W CONT, 230V 50HZ	
PT8E=EA		JEH		SSUK	3	8/73	P	8/E	FACIT PUNCH & CONT, 115V 60HZ	
PT8E=EB		JEH		SSUK	3	8/73	P	8/E	FACIT PUNCH & CONT, 230V 50HZ	
PTA8=EE	MI	RFC			2	8/75	E	"	ACE, 115V 60HZ	
PTA8=EF	MI	RFC			2	8/75	E	"	ACE, 230V 60HZ	
PTA8=EH	MI	RFC			2	8/75	E	"	ACE, 115V 50HZ	
PTA8=EJ	MI	RFC			2	8/75	E	"	ACE, 230V 50HZ	
PTB8=EE	MI	RFC			3	2/75	E	"	TABS=81 16K 8/E, BAB=AA, RK8=EA, RK05=AA, TC08=HA, LA36=CA, YU56, KLB=JA, KAB=E, M18=EC, K08=E, 3 SHORT CABS, 115V 60HZ	
PTB8=EF	MI	RFC			3	2/75	E	"	PTB8=EE EXCEPT BAB=AB, RK8=EB, RK05=AB, TC08=HB, LA36=CB, 230V 60HZ	
PTB8=EH	MI	RFC			3	2/75	E	"	PTB8=EE EXCEPT BAB=AA, RK8=EC, RK05=BA, TC08=HA, LA36=CA, 115V 50HZ	
PTB8=EJ	MI	RFC			3	2/75	E	"	PTB8=EE EXCEPT BAB=AB, RK8=ED, RK05=BB, TC08=HB, LA36=CB, 230V 50HZ	
PTE8=EE	MI	RFC			2	8/75	E	"	DECEdit; PYS8=EE * DH8=EA, 115V 60HZ	
PTE8=EF	MI	RFC			2	8/75	E	"	DECEdit; PYS8=EF * DH8=EB, 230V 60HZ	
PTE8=EH	MI	RFC			2	8/75	E	"	DECEdit; PYS8=EH * DH8=EA, 115V 50HZ	
PTE8=EJ	MI	RFC			2	8/75	E	"	DECEdit; PYS8=EJ * DH8=EB, 230V 50HZ	
PTN8=EE	MI	RFC			2	8/75	E	"	ENTRY, 115V 60HZ	
PTN8=EF	MI	RFC			2	8/75	E	"	ENTRY, 230V 60HZ	
PTN8=EH	MI	RFC			2	8/75	E	"	ENTRY, 115V 50HZ	
PTN8=EJ	MI	RFC			2	8/75	E	"	ENTRY, 230V 50HZ	
PTS11-AA	MI	TM			2	4/75	E	"	TYPSET 111 11/45=8W, MF11=US, DB11=A, TMA11=EA, RP11=CA, 2 RP03=AS, DH11=AA, 4 DM11=DA, DD11=B, H960=DM, 115V 60HZ	
PTS11-AB	MI	TM			2	4/75	E	"	PTS11-AA EXCEPT 11/45=8Y TMA11=EB RP11=CB 2 RP03=AS H960=DJ 230V60HZ	
PTS11-AC	MI	TM			2	4/75	E	"	PTS11-AA EXCEPT 11/45=8W TMA11=EC RP11=CA 2 RP03=BS H960=DM 115V50HZ	
PTS11-AD	MI	TM			2	4/75	E	"	PTS11-AA EXCEPT 11/45=8Y TMA11=ED RP11=CB 2 RP03=BS H960=DJ 230V50HZ	
PTS11-8A	MI	TM			2	4/75	E	"	PTS11-AA + RJS03=8A, 115V 60HZ	
PTS11-8B	MI	TM			2	4/75	E	"	PTS11-AB + RJS03=8B, 230V 60HZ	
PTS11-8C	MI	TM			2	4/75	E	"	PTS11-AC + RJS03=8C, 115V 50HZ	
PTS11-8D	MI	TM			2	4/75	E	"	PTS11-AD + RJS03=8D, 230V 50HZ	
PTS8=EE	MI	RFC			3	2/75	E	"	DECSER 8000; 24K 8/E, BAB=AA, RK8=EA, RK05=AA, LA36=CA, KLB=JA, KAB=E, KE8=E, M18=E, DK8=EP, BE8=A, 3 SHORT CABS, 115V 60HZ	
PTS8=EF	MI	RFC			3	2/75	E	"	PTS8=EE EXCEPT BAB=AB, RK8=EB, RK05=AB, LA36=CB, 230V 60HZ	
PTS8=EH	MI	RFC			3	2/75	E	"	PTS8=EE EXCEPT BAB=AA, RK8=EC, RK05=BA, LA36=CA, 115V 50HZ	
PTS8=EJ	MI	RFC			3	2/75	E	"	PTS8=EE EXCEPT BAB=AB, RK8=ED, RK05=BB, LA36=CB, 230V 50HZ	
PTS8=ML					7		E		PDP8=LE & PA68=KA (50 HZ)	
PTW8=EE	MI	RFC			3	2/75	E	"	DECEdit 8000; 16K 8/E, BAB=AA, RK8=EA, H320=A, LA36=CA, KLB=JA, M18=EN, DB8=EA, 2 SHORT CABS, 115V 60HZ	
PTW8=EF	MI	RFC			3	2/75	E	"	PTW8=EE EXCEPT BAB=AB, RK8=EB, H320=B, LA36=CB, 230V 60HZ	
PTW8=EH	MI	RFC			3	2/75	E	"	PTW8=EE EXCEPT BAB=AA, RK8=EC, H320=A, LA36=CA, 115V 50HZ	
PTW8=EJ	MI	RFC			3	2/75	E	"	PTW8=EE EXCEPT BAB=AB, RK8=EB, H320=B, LA36=CB, 230V 50HZ	

Q=SYSTEM SOFTWARE, Z=DIAGNOSTIC SOFTWARE; GENERAL FORM IS QCP99=KD
 ---2ND LETTER (C)I--- JRD (P)I ---1ST VARIATION LETTER (K)I--- ---2ND VARIATION LETTER (D)I---
 A=PDP1 J=PDP11 (ALL) A=APPLICATION 2=MAINT,SERV PLAN A D=LICENSE ONLY A=LINC TAPE J=RP03 DISK PACK
 B=PDP4 K=PDP12 C=COMMERCIAL 3=MAINT,SERV PLAN B E=SOURCE KIT B=PAPERTAPE K=RP04 DISK PACK
 C=PDP5 L=PDP14 U=COMMUN, BINARY UPDATES F=LISTINGS KIT C=DECTAPE N=TU60 CASSETTE
 D=PDP6 M=PDP15 E=EDUCATION 4=MAINT,SERV PLAN B G=PRE-DELIVERY KIT D=9 TRK MTA (TU10) P=9 TRK MTA (TU16)
 E=PDP7 N=PDP16 L=LAB H=UPDATE KIT H=RP03/5 CARTRIDGE 60HZ R=MICRO-FICHE
 F=PDP8 P=PDP11/40 K=SFTWR SUBS 5=MAINT,SERV PLAN B J=START-UP SERVICES F=7 TRACK MAGTAPE S=ROM CHIP
 G=PDP9 (OR HIGHER) R=INDUSTRIAL BINARY & SOURCE UPDATES (J=C=A)/(J=D=A) G=CARDS Y=FLOPPY DISK
 H=PDP10 R=PDP11/45 S=USS 6=MAINT,SERV PLAN C K=SUBSCRIPTION/MAIN- TENANCE PACKAGE H=RP03/5 CARTRIDGE 50HZ Z=NO HARDWARE
 (KA10) (OR HIGHER) T=TYPSETTING 7=LIC,SFTWR,SERV L=LICENSE+INSTALLA- TION, NO SUPPORT
 (K110) S=CROSS P/L V=LSI-11 8=LICENSE, SOFTWARE KIT M=SOURCE + LISTINGS N=SOURCE UPDATE KIT P=SOFTWARE ONLY
 (MLTI=HDHR, DEPNCY) 9=LICENSE, SOFTWARE KIT FOR NON-STANDARD HOWN NO LICENSE, NO SERVICE S=CONSULTING SERVICE U=SPECIAL LICENSE AGREEMENT
 T=PDP10 (KL10) Y=MPS=1 C=LICENSE, SOFTWARE KIT NO SERVICE X=SOFTWARE KIT, SOURCE LIC,, SERVICE Y=SOFTWARE KIT, SOURCE LIC,, NO SERVICE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE MO/YR	GORY	DESCRIPTION
QF001=AB	GT			BFB		5 2/73	Z	8 DEC/X8, POP8 SYSTEM EXERCISER, PAPERTAPE
QF001=AC	GT			BFB		5 2/73	Z	8 DEC/X8, POP8 SYSTEM EXERCISER, DECTAPE
QF001=AY	GT			BFB		5 4/75	Z	8 DEC/X8, POP-8 SYSTEM EXERCISER, FLOPPY DISKETTE
QF001=GZ	GT			BFB		5 4/75	Z	8 DEC/X8, POP-8 SYSTEM EXERCISER, DOCUMENTATION ONLY
QF004				BFB		2 10/72	Q	8 EDUS0, TS8
QF006=AB	GT	JJG		BFB		5 2/73	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,PTP
QF006=AC	GT	JJG		BFB		5 2/73	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,DTA
QF006=AN	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),LIC,SFTWR,SERV,CASET
QF006=AY	GT			BFB		5 6/75	Q	8 OS/8 EXTENSION V3B (BATCH,TECO) FLOPPY OS/8 REQ, LIC, SERVICE
QF006=EC	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),SOURCE,DECTAPE
QF006=EE	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),SOURCE,DECTAPE
QF006=FR	PAK			BFB		5 5/75	Q	8 OS/8 EXTENSION KIT=BATCH, BASIC, TECO, OP SYST, SRCE LST ON MICROF
QF006=FZ	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)SRCE LISTINGS,PAPER
QF006=HB	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)UPDATE KIT,PTP
QF006=HC	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ),UPDATE KIT,DTA
QF006=HN	GT	JJG		BFB		5 4/74	Q	8 OS/8 EXTENSION KIT(BATCH,BASIC,TECO),(OS/8 REQ)UPDATE KIT,CASSETTE
QF006=HY	WV			BFB		5 6/75	Q	8 OS/8 EXT KIT BATCH V3B, BASIC, TECO, UPD FLOPPY
QF007=AN	GT	JJG		BFB		5 2/73	Q	8 CAPS=8, (CASSETTE PROG, SYS), CASSETTE
QF007=EC	GT	JJG		BFB		5 7/74	Q	8 CAPS=8, (CASSETTE PROG, SYS), SOURCES, DECTAPE
QF007=FZ	GT	JJG		BFB		5 7/74	Q	8 CAPS=8, (CASSETTE PROG, SYS),SOURCE LISTINGS,PAPER
QF007=HN		JJG		BFB		5 9/74	Q	8 CAPS=8, (CASSETTE PROG, SYS), UPDATE KIT, CASSETTE
QF008=AB	GT	JJG		BFB		5 3/73	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) PAPERTAPE
QF008=AC	GT	JJG		BFB		5 2/73	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) DECTAPE
QF008=AN	GT	JJG		BFB		5 5/74	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) CASSETTE
QF008=AY	GT			BFB		5 6/75	Q	8 OS/8 FORTRAN 4 V2B, FLOPPY BINARY LICENSE
QF008=HB	GT	JJG		BFB		5 6/74	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, PAPERTAPE
QF008=HC	GT	JJG		BFB		5 6/74	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, DECTAPE
QF008=HN	GT	JJG		BFB		5 6/74	Q	8 OS/8 FORTRAN IV,(OS/8 REQ) UPDATE KIT, CASSETTE
QF008=NC	WV			M8D		2 10/75	Q	8 OS/8 FORTRAN IV SRC UPD DECTAPE SRC LIC, QF008=E REQ
QF009=CB	KR			M8D		5 8/75	Q	8 LAB=8/E MASS STORAGE SYS (OS/8 REQ) PAPERTAPE BIN LIC, NO SERV
QF009=CC	KR			M8D		5 8/75	Q	8 LAB=8/E MASS STORAGE SYS (OS/8 REQ) DECTAPE BIN LIC, NO SERV
QF009=CY	WV			M8D		5 10/75	Q	8 LAB=8/E MASS STORAGE FLOPPY BIN LIC, NO SERV OS/8 REQ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	
QF009-EC	WV		MBD		2	10/75	Q	8	LAB-8/E MASS STORAGE SRC DECTAPE SRC LIC
QF009-EY	WV		MBD		2	10/75	Q	8	LAB-8/E MASS STORAGE SRC FLOPPY SRC LIC
QF009-MC	GT	JJC	BFB		5	12/73	Q	8	LAB8/E MASS STORAGE SOURCE, & LISTINGS, (OS/8 REQ)DECTAPE
QF01-A					6		Q	8/L	QUICKPOINT MAIN PROGRAM 5=68
QF01-B					6		Q	8/L	QUICKPOINT MAIN PROGRAM 8=69
QF01-C					6		Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-B (,30, ,31)
QF01-D					6		Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-B (,32)
QF01-E					6	9/71	Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-D (,33)
QF01-F					6	1/72	Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-E
QF01-G					6	1/72	Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-F
QF01-H					6	1/72	Q	8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-G
QF01-I					4	9/71	Q	8/E, 8/L	QUICKPOINT MAIN PROGRAM, REVISED QF01-H
QF014-AB		JJC	BFB		5	10/73	Q	8	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORT IV REQ)LIC, SFTWR, SERV, PTP
QF014-AC		JJC	BFB		5	10/73	Q	8	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORT IV REQ)LIC, SFTWR, SERV DECTAPE
QF014-EC		JJC	BFB		5	10/73	Q	8	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORT IV REQ)SOURCE, DECTAPE
QF015-AB		JJC	BFB		5	1/74	Q	8	OS/8 OPERATING SYSTEM, PAPERTAPE
QF015-AC		JJC	BFB		5	1/74	Q	8	OS/8 OPERATING SYSTEM, DECTAPE
QF015-AN		JJC	BFB		5	1/74	Q	8	OS/8 OPERATING SYSTEM, CASSETTE
QF015-AY	GT	JJC	BFB		2	2/75	Q	8	OS/8 OPERATING SYSTEM, FLOPPY
QF015-EC	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, SOURCE, DECTAPE
QF015-EE	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, SOURCE, DECPACK
QF015-FR	GT	DMD	BFB		5	12/74	Q	8	OS/8 OPERATING SYSTEM, LISTINGS KIT, MICRO-FICHE
QF015-FZ	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, LISTINGS KIT, PAPER
QF015-HB	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, UPDATE KIT, PAPERTAPE
QF015-HC	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, UPDATE KIT, DECTAPE
QF015-HN	GT	JJC	BFB		5	4/74	Q	8	OS/8 OPERATING SYSTEM, UPDATE KIT, CASSETTE
QF015-HY	WV		BFB		5	5/75	Q	8	OS/8 SYSTEM UPDATE, FLOPPY
QF015-SZ		DMD	BFB		5	1/74	Q	8	OS/8 OPERATING SYSTEM, SFTWR INSTALLATION
QF016-CC		JJC	BFB		5	7/74	Q	8	2780 SIMULATOR, (BINARIES & SOURCES), LIC, SFTWR, NO SERV, DECTAPE
QF02-A					4		Q	QF01-I	POSTPROC, PRATT & WHITNEY A, B & C
QF02-B					4		Q	QF01-I	POSTPROC, WIEDEMAN W CUTLER-HAMMER 902
QF02-C					6	9/71	Q	QF01-A	POSTPROC, JONES & LAMSON DRILL W GE MK2
QF02-D					4		Q	QF01-I	POSTPROC, WIEDEMAN W GE120
QF02-E					4		Q	QF01-I	POSTPROC, CIN DRILL & MILL W ACCROMATIC 220
QF02-F					4		Q	QF01-I	POSTPROC, CLEEREMAN DRILL & MILL W GE120
QF02-G					4		Q	QF01-I	POSTPROC, WHITNEY TURRET PUNCH PRESS W WESTINGHOUSE
QF02-H					4		Q	QF01-I	POSTPROC, BEHRENS TURRET PUNCH PRESS, GE 120-11-500
QF02-I					4		Q	QF01-I	POSTPROC, BURGMASER 2BHT6 TURRET DRILL W GE 120-11
QF02-J					4		Q	QF01-I	POSTPROC, WIEDEMANN A-15 W GE MK2
QF02-K					4		Q	QF01-I	POSTPROC, WIEDEMANN #S-1528 W WARNER & SWASEY CONT
QF02-L					4		Q	QF01-I	POSTPROC, BROWN & SHARPE MODEL A-111B W GE MK2S
QF02-M					4		Q	QF01-I	POSTPROC, BURGMASER 2BHTL W GE 120-11
QF02-N					4		Q	QF01-I	POSTPROC, MOOG MODEL 83-500
QF02-O					4		Q	QF01-I	POSTPROC, WIEDEMAN S-2540 TURRET PUNCH PRESS W GE MC 100
QF02-P					4		Q	QF01-I	POSTPROC, WESTINGHOUSE 20 W BEHRENS TURRET PUNCH PRESS
QF02-Q					4		Q	QF01-I	POSTPROC, PRATT & WHITNEY CONT FOR THEIR 1000 NC JIGBORER
QF02-R					4		Q	QF01-I	POSTPROC, SPERRY RAND UMAC6 W B&S HYDROCUTT MACHINING CENTER
QF02-S					4		Q	QF01-I	POSTPROC, WESTINGHOUSE-22 W BURGMASER 25 CHT ECON 1125 DRILL
QF02-T					4	9/71	Q	QF01-I	POSTPROC, GE MC120 W EXCELLON 1225 QUADRAMATIC DRILL
QF02-U					4	3/71	Q	QF01-I	POSTPROC, GE 7522 W W,A,WHITNEY 636A, 647A
QF02-V					4	3/71	Q	QF01-I	POSTPROC, HOUDAILLE 85790-300 W STRIPPIT 40/30 TURRET PRESS
QF02-W					4	3/71	Q	QF01-I	POSTPROC, HUGHES NC-221-8 W STRIPPIT 36/75 FABRICATOR
QF020-NB	JJC		BFB		2	4/75	Q	8	RTS-8, (W/O OS/8), (OS/8 REQ), SOURCE UPDATE KIT, PAPERTAPE
QF020-NC	JJC		BFB		2	4/75	Q	8	RTS-8, (W/O OS/8), (OS/8 REQ), SOURCE UPDATE KIT, DECTAPE
QF020-NN	JJC		BFB		2	4/75	Q	8	RTS-8, (W/O OS/8), (OS/8 REQ), SOURCE UPDATE KIT, CASSETTE
QF020-SZ	DMD	JJC	BFB		2	10/74	Q	8	RTS-8, (W/O OS/8), SFTWR ORIENTATION SERV

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	124
QF020=XB		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),(OS/8 REQ)SRCE&LISTINGS,SRCE LIC,SFTWR,SUPPORT,PTP	
QF020=XC		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),(OS/8 REQ)SRCE&LISTINGS,SRCE LIC,SFTWR,SUPPORT,DTA	
QF020=XN		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),(OS/8 REQ)SRCE&LISTINGS,SRCE LIC,SFTWR,SUPPORT,CASET	
QF021=XB		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),SOURCE & LISTINGS,SRCE LIC,SFTWR,SUPPORT,PAPERTAPE	
QF021=XC		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),SOURCE & LISTINGS,SRCE LIC,SFTWR,SUPPORT,DECTAPE	
QF021=XN		JJG	BFB		5 3/74	Q	8	RTS-8,(W/O OS/8),SOURCE & LISTINGS,SRCE LIC,SFTWR,SUPPORT,CASSETTE	
QF03=A					4	Q	QF01-I	POSTPROC, SUPERIOR ELECTRIC CONTROL	
QF03=B					4 9/71	Q	QF01-I	POSTPROC CIMX=300 MACHINING CENTER	
QF03=C					4 9/71	Q	QF01-I	POSTPROC, BURGMASER 3BHTL TURRET DRILL W GE 103P	
QF03=D					4	Q	QF01-I	POSTPROC, BROWN & SHARPE HYDROTAPE 234 12 STATION W GE 103P	
QF03=E					4	Q	QF01-I	POSTPROC, CINCINNATI TAPAC4 W DEVLIEG SPIRAMATIC K JIGHIL	
QF03=F					4 3/71	Q	QF01-I	POSTPROC, ACROMATIC 330 W CINTIMATIC SPINDLE OR TURRET DRILL & MILL	
QF03=G					4 9/71	Q	QF01-I	POSTPROC, SIEMENS CONT W HELLER SBR32 BORING MACHINE	
QF03=H					4 9/71	Q	QF01-I	POSTPROC PLESSEY BUNKER RAMO 2210 CONT W MILWAUKEE=MATIC H60	
QF030=PB GT	JJG		BFB		5 4/74	Q	8	DISK SYSTEM MONITOR, SFTWR ONLY, PAPERTAPE	
QF040=CB WV			M8D		5 10/75	Q	8	8K PTS BASIC NO SERV, BIN LIC	
QF05=A					4	Q	DNC02 THRU DNC33	DNC FORGROUND BACKGROUND SFTWR	
QF050=CB WV			M8D		5 10/75	Q	8	8K PTS=8 FORT 2 BIN&MAN NO SERV BIN LIC	
QF060=CB KR			M8D		5 8/75	Q	8	LAB=8/E PAPERTAPE SYSTEM, PAPERTAPE BIN LIC, NO SERV	
QF060=FZ GT	JJG		BFB		5 6/74	Q	8	LAB 8/E PAPERTAPE SYSTEM, LISTINGS	
QF070=CB WV			M8D		5 10/75	Q	8	OS/8 FORTRAN IV TSAR PAPERTAPE BIN LIC, NO SERV	
QF070=CC WV			M8D		5 10/75	Q	8	OS/8 FORTRAN IV TSAR DECTAPE BIN LIC, NO SERV	
QF080=CB	JJG		BFB		5 7/75	Q	8	4K EXTENDED,(PTS=8,08,01,05,0L,)PAPERTAPE NO SERVICE	
QF081=CB	JJG		BFB		5 7/75	Q	8	4K EXTENDED,(PTS=8,0E,0F,0M), PAPERTAPE NO SERVICE	
QF092=AC NW			BFB		5 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, DECTAPE LICENSE	
QF090=AN NW			BFB		5 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, CASSETTE LICENCE	
QF095=AC NW			BFB		5 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, DECTAPE SERVICE	
QF095=AN NW			BFB		5 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, CASSETTE SERVICE	
QF095=AY NW			BFB		5 6/75	Q	8	OS/8 IND BASIC, (W/O OS/8), V3 FLOPPY	
QF095=EC NW			BFB		2 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, SOURCE, DECTAPE	
QF095=FZ NW			BFB		2 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, LISTINGS	
QF095=HC NW			BFB		2 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8, UPDATE DECTAPE	
QF095=HN NW			BFB		2 5/75	Q	8	OS/8 INDUSTRIAL BASIC V03 W/O OS/8 UPDATE, CASSETTE	
QF10=B		GWD			2	Q	GLC=8	GLC=8 VERSION 2 SFTWR	
QF20=A		DM			4 3/71	Q	680=1	COMSYT=8 SFTWR	
QF300=AC DWB			BFB		5 11/73	Q	8	COS 300, LIC, SFTWR, SERV, DECTAPE (TD8E)	
QF300=AE DWB			BFB		5 11/73	Q	8	COS 300, LIC, SFTWR, SERV, RK05 CARTRIDGE (TD8E)	
QF300=HC			BFB		5 7/74	Q	8	COS 300, UPDATE KIT, DECTAPE (TD8E)	
QF300=HE			BFB		5 7/74	Q	8	COS 300, UPDATE KIT, DECPACK (TD8E)	
QF301=AC DWB			BFB		5 11/73	Q	8	COS 300, LIC, SFTWR, SERV, DECTAPE (TC08)	
QF301=HC			BFB		5 7/74	Q	8	COS 300, UPDATE KIT, DECTAPE (TC08)	
QF303=AC RJA			BFB		5 1/74	Q	8	COS 300, MULTI TERMINAL SHARE, LIC, SFTWR, SERV, DECTAPE	
QF303=AE RJA			BFB		5 1/74	Q	8	COS 300, MULTI TERMINAL SHARE, LIC, SFTWR, SERV, DECPACK	
QF303=HC RJA			BFB		5 8/74	Q	8	COS 300, MULTI-TERMINAL SFTWR, UPDATE KIT, DECTAPE	
QF303=HE RJA			BFB		5 8/74	Q	8	COS 300, MULTI-TERMINAL SFTWR, UPDATE KIT, DECPACK	
QF304=AC			BFB		2 1/74	Q	8	COS 300 TMBE MAGTAPE UTILITY, LICENSE, SFTWR, SERV, DECPACK	
QF304=AE			BFB		2 1/74	Q	8	COS 300 TMBE MAGTAPE UTILITY, LICENSE, SFTWR, SERV, RK05 DISKPAK	
QF306=AE RJA	JLH		BFB		5 5/74	Q	8	COS 300, 2780 EMULATOR (RDCP), LICENSE, SFTWR, SUPPORT DECPACK	
QF306=DE RJA	JLH		BFB		2 6/74	Q	8	COS 300, 2780 EMULATOR (RDCP), LICENSE ONLY	
QF310=AE AJA			BFB		5 5/75	Q	8	COS 310 (MOD VER OF COS 300), DECPACK LICENSE, SERVICE	
QF310=AY RJA			BFB		5 1/75	Q	8	COS 310, (MOD, VER OF COS 300), LICENSE, SFTWR, SERVICE, FLOPPY DISK	
QF311=AE RJA			BFB		5 7/75	Q	8	COS 310 2780 RDCP DECPACK RUNS UNDER COS=300, BINARY LICENSE, SERVICE	
QF311=AY RJA			BFB		5 7/75	Q	8	COS 310 2780 RDCP FLOPPY RUNS UNDER COS=300, BINARY LICENSE, SERVICE	
QF400=AC GT	JJG		BFB		6 7/74	Q	8	OS/8 FORTRAN IV COGO=8, DECTAPE	
QF400=EC GT	JJG		BFB		6 7/74	Q	8	OS/8 FORTRAN IV COGO=8, SOURCE, DECTAPE	
QF400=FE GT	JJG		BFB		6 7/74	Q	8	OS/8 FORTRAN IV COGO=8, LISTINGS, PAPER	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	125
QF500-AB			BFB		5	7/74	Q	8	4734X SERIES S/W TOOLS, LIC, SFTWR,SPR SERV ONLY, PTP
QF510-PB			BFB		5	6/74	Q	8	PDP-8E MATH PACKAGE, SFTWR KIT, PAPERTAPE
QF511-PB			BFB		5	6/74	Q	8	PDP-8 FUNCTION & UTILITY KIT, (USABLE WITH BASIC PDP 8/81/12),PTP
QFE01-PZ		REC	BFB		5	7/74	Q	8	EDU TEXTBOOK KIT (FORMERLY EDUG-8), DOCUMENTS
QFE02-PZ		REC	BFB		5	7/74	Q	8	EDU BASIC LEARNING PACKAGE, DOCUMENTS
QFE03-PZ		REC	BFB		5	7/74	Q	8	EDU LEARNING PACKAGE-MATH, DOCUMENTS
QFE04-PZ		REC	BFB		5	7/74	Q	8	EDU LEARNING PACKAGE-EDUTECH, DOCUMENTS
QFE05-CB	RHM		BFB		5	4/75	Q	8	EDU 5 SFTWR, (SUPERCALCULATOR) PAPERTAPE
QFE06-RC	REC		BFB		5	12/74	Q	8	EDU CLASSIC CURRICULUM PACKAGE,SFTWR,NO LIC,,NO SERV,, DECTAPE
QFE06-RE	REC		BFB		2	12/74	Q	8	EDU CLASSIC CURRICULUM PACKAGE,SFTWR,NO LIC,,NO SERV,,DECPACK
QFE06-RN	REC		BFB		2	12/74	Q	8	EDU CLASSIC CURRICULUM PACKAGE,SFTWR,NO LIC,,NO SERV,,CASSETTE
QFE06-RY	REC		BFB		5	12/74	Q	8	EDU CLASSIC CURRICULUM,SFTWR,NO LIC,,NO SERV,, FLOPPY DISK
QFE08-CY	REC		BFB		5	6/75	Q	8	CLASSIC OS/8 FORTRAN IV, FLOPPY BINARY LICENSE
QFE09-CY	REC		BFB		5	6/75	Q	8	CLASSIC OS/8 BASIC, FLOPPY BINARY LICENSE
QFE09-SZ	REC		BFB		5	5/75	Q	8	CLASSIC ORIENTATION SERVICE
QFE10-CB	RHM		BFB		5	4/75	Q	8	EDU 10 SFTWR, (SINGLE-USER BASIC) PAPERTAPE
QFE11-RY	JBH		BFB		5	3/75	Q	8A	CLASSIC STARTER KIT,(CLASSIC OS8) BASIC REQ, SW N/SERV FLOPPY N/LIC
QFE15-CB	RHM		BFB		5	4/75	Q	8	EDU 15 SFTWR,(SINGLE-USER&BATCH BASIC) PAPERTAPE
QFE20-AB		RHM	BFB		5	7/74	Q	8	EDU 20 SFTWR,(MULTI-USER BASIC) PAPERTAPE
QFE20-EC		RHM	BFB		5	6/73	Q	8	EDU 20 SOURCE,(MULTI-USER BASIC) DECTAPE
QFE20-FR	RHM		BFB		5	7/75	Q	8	EDUSYSTEM 20 LISTING ON MICROFICHE
QFE20-FZ		RHM	BFB		5	6/73	Q	8	EDU 20 LISTING PACKAGE,(MULTI-USER BASIC),PAPER
QFE20-HB		RHM	BFB		5	7/74	Q	8	EDU 20 SFTWR,(MULTI-USER BASIC) UPDATE KIT, PAPERTAPE
QFE25-AB		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)PAPERTAPE
QFE25-AC		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)DECTAPE
QFE25-EC		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)SOURCE,DTA
QFE25-FR	RHM		BFB		5	4/75	Q	8	EDU 25, (MULTI-USER BASIC W/PROGRAM STORAGE) LISTINGS, MICROFICHE
QFE25-FZ		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)LISTINGS, PAPER
QFE25-HB		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)UPDATE KIT,PTP
QFE25-HC		RHM	BFB		5	7/74	Q	8	EDU 25 SFTWR,(MULTI-USER BASIC W/PROGRAM STORAGE)UPDATE KIT,DTA
QFE30-CB	RHM		BFB		5	4/75	Q	8	EDU 30 SFTWR, (EXTENDED BATCH BASIC) PAPERTAPE
QFE40-AB		RHM	BFB		5	7/74	Q	8	EDU 40 SFTWR, PAPERTAPE
QFE40-FZ		RHM	MBO		5	9/75	Q	8	EDU 40 PAPER LISTINGS (QFE40-AB REQ) SRC LIC
QFE50-AE		RHM	BFB		2	8/74	Q	8	EDU 50 SFTWR,(FULL TIME SHARE SYS)(TSS/8), LIC,SFTWR,SERV,DECPACK
QFE50-EC		RHM	BFB		2	9/74	Q	8	EDU 50 SFTWR,(FULL TIME SHARE SYS)(TSS/8), SOURCES,DECTAPE
QFE50-EE		RHM	BFB		2	9/74	Q	8	EDU 50 SFTWR,(FULL TIME SHARE SYS)(TSS/8), SOURCES,DECPACK
QFE50-HB		RHM	BFB		2	8/74	Q	8	EDU 50,(FULL TIME SHARE SYS)(TSS/8),UPDATE KIT,PAPERTAPE
QFE50-HC		RHM	BFB		2	8/74	Q	8	EDU 50,(FULL TIME SHARE SYS)(TSS/8),UPDATE KIT,DECTAPE
QFE50-HE		RHM	BFB		2	8/74	Q	8	EDU 50,(FULL TIME SHARE SYS)(TSS/8),UPDATE KIT,DECPACK
QFE96-PZ	CW		BFB		5	3/75	Q	8	CURRICULUM MATERIALS-COMPUTER SCIENCE GROUP
QFE97-PZ	CW		BFB		5	3/75	Q	8	CURRICULUM MATERIALS-BUSINESS STUDIES GROUP
QFE98-PZ	CW		BFB		5	3/75	Q	8	CURRICULUM MATERIALS-GENERAL SCIENCE GROUP
QFE99-PZ	CW		BFB		5	3/75	Q	8	CURRICULUM MATERIALS-METHAMATICS GROUP
QFEA1-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PROGRAM CHEMISTRY/BIOLOGY GRP PKG PT CLSRM
QFEA2-PB	CW		MBO		5	11/75	Q	8	HUNTINGTON II SIM PROGRAMS INDIVIDUAL CHEMISTRY/BIOLOGY GRP PKG PT
QFEAC-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,HARDY IND PKG PT
QFEAD-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,HARDY CLASSROOM PKG PT
QFEAE-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,LOCKEY IND PKG PT
QFEAF-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,LOCKEY CLASSROOM PKG PT
QFEAH-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,MALAR IND PKG PT
QFEAJ-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,MALAR CLASSROOM PKG
QFEAK-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,PH IND PKG PT
QFEAL-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,PH CLASSROOM PKG PT
QFEAN-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,POLUT IND PKG PT
QFEAN-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,POLUT CLASSROOM PKG PT
QFEAF-PB	CW		BFB		5	3/75	Q	8	HUNTINGTON II,SIM PRG,POP IND PKG PT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QFEA0-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, POP CLASSROOM PKG PT
QFEAR-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, STERL IND PKG PT
QFEAS-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, STERL CLASSROOM PKG PT
QFEAT-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, TAG IND PKG PT
QFEAV-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PR, TAG CLASSROOM PKG PT
QFEAW-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, RATS IND PKG PT
QFEAX-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, RATS CLASSROOM PKG PT
QFEB1-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, EARTH SCIENCE, GROUP PKG PT CLSRM
QFEB2-PB	CW		MBO		5 11/75	0	8	HUNTINGTON II SIM PROGRAMS INDIVIDUAL EARTH SCIENCE GRP PKG PT
QFEC1-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, PHYSICS GROUP PT CLSRM
QFEC2-PB	CW		MBO		5 11/75	0	8	HUNTINGTON II SIM PROGRAMS INDIVIDUAL PHYSICS GRP PKG PT
QFECA-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, CHARGE IND, PKG PT
QFECB-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, CHARGE CLASSROOM PKG PT
QFECC-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SCATR IND PKG PT
QFECD-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SCATR CLASSROOM PKG PT
QFECE-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SLITS IND PKG PT
QFECF-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SLITS CLASSROOM PKG PT
QFED1-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SOCIAL STUDIES GROUP PKG PT CLSRM
QFED2-PB	CW		MBO		5 11/75	0	8	HUNTINGTON II SIM PROGRAMS INDIVIDUAL SOCIAL STUDIES GRP PKG PT
QFEDA-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, ELECT 1-2-3 IND PKG PT
QFEDB-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, ELECT 1-2-3 CLASSROOM PKG PT
QFEDC-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, MARKET IND PKG PT
QFEDD-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, MARKET CLASSROOM PKG PT
QFEDE-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, POLICY IND PKG PT
QFEDF-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, POLICY CLASSROOM PKG PT
QFEDH-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, POLSYS IND PKG PT
QFEDK-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, POLSYS CLASSROOM PKG PT
QFEDL-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SAP IND PKG PT
QFEDM-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, SAP CLASSROOM PKG PT
QFEDN-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, USPOP IND PKG PT
QFEDP-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, USPOP CLASSROOM PKG PT
QFEDQ-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, LIMITS IND PKG PT
QFEDR-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, LIMITS CLASSROOM PKG PT
QFEDS-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, BUFLO IND PKG PT
QFEDT-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, BUFLO CLASSROOM PKG PT
QFEDV-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, MASPAR IND PKG PT
QFEDW-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, MASPAR CLASSROOM PKG
QFEE1-PB	CW		BFB		5 3/75	0	8	HUNTINGTON II, SIM PRG, BUSINESS STUDIES GRP PKG PT CLSRM
QFEE2-PB	CW		MBO		5 11/75	0	8	HUNTINGTON II SIM PROGRAMS INDIVIDUAL BUSINESS STUDIES GRP PKG PT
QFL01-AB		DFF	BFB		6 3/74	0	8	RTPS FORTRAN IV SFTWR KIT, PAPERTAPE
QFL01-AC		DFF	BFB		6 3/74	0	8	RTPS FORTRAN IV SFTWR KIT, DECTAPE
QFL02-AB	GT		BFB		2 4/74	0	8	OS/8 BASIC, FORTRAN IV, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, PTP
QFL02-AC	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DTA
QFL02-AE	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DECSTACK
QFL02-AN	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, CASSETTE
QFL02-XC	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 1YR M/U LIC, SFTW, SUPRT, DTA
QFL02-XE	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 1YR M/U LIC, SFTW, SUPRT, DTK
QFL03-AB	GT		BFB		2 4/74	0	8	OS/8 BASIC, FORTRAN IV, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, PTP
QFL03-AC	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DTA
QFL03-AE	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DECSTACK
QFL03-AN	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, CASSETTE
QFL03-XC	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 2YR M/U LIC, SFTW, SUPRT, DTA
QFL03-XE	GT		BFB		2 4/74	0	8	OS/8, BASIC, FORTRAN IV, (LOP ONLY), SRC&BNRY, 2YR M/U LIC, SFTW, SUPRT, DPK
QFL50-AB	GT		BFB		5 10/73	0	8	8K PAMILA/90, LICENSE, SFTWR, SERV, PAPERTAPE
QFL50-EC	GT		BFB		5 10/73	0	8	PAMILA, SOURCE, DECTAPE, REQUIRES QFL50 OR 51, QFL55 OR 56
QFL51-AB	GT		BFB		5 10/73	0	8	16K PAMILA/90, LICENSE, SFTWR, SERV, PAPERTAPE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION
QFL55=AB	GT		BFB		5	10/73	Q	8	8K PAMILA/55, LICENSE, SFTWR, SERV, PAPERTAPE
QFL56=AB	GT		BFB		5	10/73	Q	8	16K PAMILA/55, LICENSE, SFTWR, SERV, PAPERTAPE
QFR01=A		EW			3	6/71	Q	8	PHASE=10, #20 PHASE SFTWR
QFR02=CB		HS	BFB		5	7/74	Q	8	INDAC=8/2, SFTWR, NO SUPPORT, PAPERTAPE
QFR02=FZ		HS	BFB		5	7/74	Q	8	INDAC=8/2, DOCUMENTS & LISTINGS ONLY
QFR02=PB		HS	BFB		5	7/74	Q	8	INDAC=8/2, PAPERTAPES ONLY
QH002=AD	MR	WU		DAS	2	6/73	Q	10	XTCSER FOR QA28=C DEVICE HANDLER, LIC, SFTWR, SERV, 9 TR MTA
QH010					3	12/72	Q	10	TYPESET=10
QH015=CC		FSB			3	3/73	Q	10	1401 SIMULATOR, LICENSE, NO SUPPORT, DECTAPE
QH015=CD		FSB			3	3/73	Q	10	1401 SIMULATOR, LICENSE, NO SUPPORT, 9 TRACK MAGTAPE
QH015=CF		FSB			3	3/73	Q	10	1401 SIMULATOR, LICENSE, NO SUPPORT, 7 TRACK MAGTAPE
QH020=AD					3	7/73	Q	KI10	MCS=10, LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QH020=AF					3	7/73	Q	KI10	MCS=10, LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QH020=XC	BSD		M8D		2	8/75	Q	10	DA=28C HANDLER DECTAPE TOPS=10 REQ, SRC LIC, SERV
QH020=XD	BSD		BFB		2	7/75	Q	10	DA=28C HANDLER 9TR MT TOPS=10 MONITOR REQ, SRC LIC, SERVICE
QH020=XF	BSD		BFB		2	7/75	Q	10	DA=28C HANDLER 7 TR MT TOPS=10 MONITOR REQ, SRC LIC, SERV
QH030					3	11/73	Q	10	LINK=10 OVERLAY SYSTEM
QH050	HLD				3	1/75	Q	10	RP04 SERVICE ROUTINES
QH050=AD	HLD		BFB		5	4/75	Q	10	RP04 SERVICE ROUTINES 9 TRACK MT
QH050=AF	HLD		BFB		5	4/75	Q	10	RP04 SERVICE ROUTINES 7 TRACK MT
QH051	HLD				3	1/75	Q	10	TC10 SERVICE ROUTINES
QH052	HLD				3	1/75	Q	10	G601 SERVICE ROUTINES
QH053	HLD		BFB		3	4/75	Q	10	TU70 SERVICE ROUTINES
QH070	HLD		BFB		5	5/75	Q	10	APL=E SOURCE
QH100	HLD				3	10/74	Q	10	MCS=10 MESSAGE CONTROL SYSTEM
QH101	HLD		BFB		5	5/75	Q	10	DBMS=10 V2 BINARY
QH102	HLD				3	12/74	Q	10	DBMS SOURCE TO DBMS PURCHASERS
QH110=AC		FSB			3	5/74	Q	10	PDP=11 CROSS ASSEMBLER AND LINKER (MACY=11/LNKX=11)
QH111	HLD				3	1/75	Q	10	MACY=11/LNKX=11, SOURCES TO THE PURCHASERS OF BINARIES
QH200		FSB			3	5/74	Q	KI10	SPERAN=10 PERFORMANCE ANALYSIS PKG
QH210		FSB			3	5/74	Q	10	FIMDOL=10 FINANCIAL ANALYSIS PKG
QH220	HLD		BFB		3	3/75	Q	10	MTH MULTI=TERMINAL HANDLER
QH300	HLD				3	1/75	Q	10	ESORT= PERFORMANCE SORT PACKAGE
QH307=CC		FSB			3	5/74	Q	10	COBOL=10
QH400=AD		GLA			5	7/74	Q	10	DECSYSTEM=10 ACCEPTANCE PACKAGE, 9 TRK MTA
QH400=AF		GLA			5	7/74	Q	10	DECSYSTEM=10 ACCEPTANCE PACKAGE, 7 TRK MTA
QH500	HLD		BFB		5	5/75	Q	10	FORTRAN=10 V4 BIN + SRC
QH501	HLD				3	10/74	Q	10	FORTRAN=40
QH502	HLD				3	10/74	Q	10	ALGOL=10
QH503	HLD				3	10/74	Q	10	BASIC=10
QH504	HLD				3	10/74	Q	10	COBOL=10
QH505=XD	HLD		M8D		2	8/75	Q	10	COMPILER PKG V1 9TR MT TOPS=10 REQ, SRC LIC, SERV
QH505=XF	HLD		M8D		2	8/75	Q	10	COMPILER PKG V1 7TR MT TOPS=10 REQ, SRC LIC, SERV
QH510	HLD		BFB		3	4/75	Q	10	CPL=10
QH600	HLD				3	10/74	Q	10	BASIC SYSTEM SFTWR PACKAGE FOR KA10/KI10
QH601		RPC			2	8/73	Q	KI10	601 VIRTUAL MEM RELEASE OF TOPS=10 MONITOR
QH615	HLD		BFB		3	3/75	Q	10	GALAXY=10 BATCH SYSTEM ENHANCEMENTS
QH700	HLD				3	10/74	Q	10	TOTAL SYSTEM SFTWR PACKAGE FOR KA10/KI10
QH861=AF		RPC			6	5/74	Q	10	6,01 MONITOR (VMSE)=-SEE QH601=-
QH901	HLD				3	10/74	Q	10	DBMS-V2 TO PURCHASERS OF V1
QH910	HLD				3	12/74	Q	10	APL=E TO APL=B PURCHASERS
QH911	HLD				3	12/74	Q	10	APL=F TO APL=B PURCHASERS
QHAPL=B					3	12/72	Q	10	APL COMPILER= BASIC VERSION
QHAPL=C					3	11/73	Q	10	APL COMPILER= BASIC VERSION + DOUBLE PRECISION
QHAPL=E					3	12/72	Q	10	APL COMPILER= EXTENDED VERSION
QHAPL=F					3	11/73	Q	10	APL COMPILER= EXTENDED VERSION + DOUBLE PRECISION

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	MO/YR	CATE-GORY	USED ON	DESCRIPTION	128
QHC01=AD	MR	WU		DAS	2	6/73	Q	DC78, DC79	IBM 2780 EMULATOR, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QHC02=LE	PPC	DAL			3	10/73	Q	DC76	DC76 SFTWR LICENSE + INSTALLATION, NO SUPPORT	
QHCAP=RD		FSR			3	5/74	Q	10	CAAP=10 PLAN I, (COLLEGE ADMIN APPL PKG), PROGRAM & DOCUMENTATION ONLY	
QHDIS=10		GBH			6	4/74	Q	10	=SEE QHK01=	
QHK01=KD		DHD			3	12/73	Q	10	SFTWR DISTRIBUTION SERV-MONTHLY DISTRIBUTION, 9 TRACK MAGTAPE	
QHK01=KF		DHD			3	12/73	Q	10	SFTWR DISTRIBUTION SERV-MONTHLY DISTRIBUTION, 7 TRACK MAGTAPE	
QHK02=KD		DHD			3	12/73	Q	10	CUSTOMER MAINT SERV, (SUPPORT, MAINT & QHK01), 9 TRACK MAGTAPE	
QHK02=KF		DHD			3	12/73	Q	10	CUSTOMER MAINT SERV, (SUPPORT, MAINT & QHK01), 7 TRACK MAGTAPE	
QHK03=KD		DHD			3	12/73	Q	10	ON-SITE CONSULT'G & MAINT SRV, (SUPT-MAINT-CONSULT'G & QHK01), 9TR MTA	
QHK03=KF		DHD			3	12/73	Q	10	ON-SITE CONSULT'G & MAINT SRV, (SUPT-MAINT-CONSULT'G & QHK01), 7TR MTA	
QHK10		RQG			3	5/74	Q	10	ADDITIONAL SUBSCRIPTION TO BULLETIN	
QHK12		RQG			3	5/74	Q	10	ADDITIONAL SUBSCRIPTION TO DISPATCH	
QHK14		RQG			3	5/74	Q	10	ADDITIONAL SUBSCRIPTION TO NOTEBOOK UPDATES	
QHK20		RQG			3	5/74	Q	10	SET OF FULLY UPDATED NOTEBOOKS	
QHK30		AF			3	5/74	Q	10	COMPLETE TAPES OF FIELD IMAGE BUNDLED SFTWR	
QHK40		AF			3	5/74	Q	10	SUBSCRIPTION TO ADVANCED INFORMATION TAPE	
QHSRT=10					3	9/72	Q	10	QSORT - HIGH SPEED SORT ROUTINE	
QJ001=AC			BFB		5	3/73	Q	11	DDP2/DCDP DECTAPE DIAGNOSTIC PACKAGE	
QJ001=AE			BFB		5	3/73	Q	11	RKDP DECPACK DIAGNOSTIC PACKAGE	
QJ003=7B	GT		BFB		2	2/75	Q	11	RT=11 PLUS ORIENTATION, SVC PT, PAPERTAPE	
QJ003=7C	GT		BFB		2	2/75	Q	11	RT=11 PLUS ORIENTATION SVC DT, DECTAPE	
QJ003=7E	GT		BFB		2	2/75	Q	11	RT=11 PLUS ORIENTATION SVC RK, DECPACK	
QJ003=7N	GT		BFB		2	2/75	Q	11	RT=11 PLUS ORIENTATION SVC CS, TU60 CASSETTE	
QJ003=AB	GT		BFB		5	7/74	Q	11	RT=11 F/B OPERATING SYS, LIC, SFTWR, SERV, PAPERTAPE	
QJ003=AC	GT	GT	BFB		5	7/74	Q	11	RT=11 F/B OPERATING SYSTEM LICENSED, DECTAPE	
QJ003=AE	GT	GT	BFB		5	6/73	Q	11	RT=11 F/B OPERATING SYSTEM LICENSED, 60HZ DECPACK	
QJ003=AN	GT		BFB		5	7/74	Q	11	RT=11 F/B OPERATING SYS, LICENSE, SFTWR, SERV, CASSETTE	
QJ003=AY	GT		BFB		5	1/75	Q	11	RT=11 F/B OPERATING SYSTEM, LICENSE, SFTWR, SERVICE, FLOPPY	
QJ003=EC	GT		BFB		5	7/74	Q	11	RT=11 F/B OPERATING SYS, SOURCE KIT, DECTAPE	
QJ003=EE	GT		BFB		2	12/73	Q	11	RT=11 F/B OPERATING SYS, SOURCE KIT, DECPACK	
QJ003=EY	GT		BFB		5	1/75	Q	11	RT=11 F/B OPERATING SYSTEM, SOURCES, FLOPPY	
QJ003=FR	GT		BFB		5	1/75	Q	11	RT=11 F/B OPERATING SYSTEM, LISTINGS KIT, MICROFICHE	
QJ003=HR	GT		BFB		5	10/74	Q	11	RT=11 F/B OPERATING SYSTEM, UPDATE KIT, PAPERTAPE	
QJ003=HC	GT		BFB		5	10/74	Q	11	RT=11 F/B OPERATING SYSTEM, UPDATE KIT, DECTAPE	
QJ003=HE	GT		BFB		5	10/74	Q	11	RT=11 F/B OPERATING SYSTEM, UPDATE KIT, DECPACK	
QJ003=HN	GT		BFB		5	10/74	Q	11	RT=11 F/B OPERATING SYSTEM, UPDATE KIT, CASSETTE	
QJ003=HY	GT		BFB		5	5/75	Q	11	RT=11 F/B OPERATING SYS UPDATE V020 FLOPPY	
QJ003=NC	WHM		BFB		5	5/75	Q	11	OPERATING SYSTEM RT=11 V20 SOURCE UPDATE DECTAPE SOURCE LIC NO SER	
QJ003=NE	WHM		BFB		5	5/75	Q	11	OPERATING SYSTEM RT=11 V20 SOURCE UPDATE RK05 CARTRIDGE SRC LIC	
QJ003=NY	WHM		BFB		5	5/75	Q	11	OPERATING SYSTEM RT=11 V20 SOURCE UPDATE FLOPPY SOURCE LIC NO SER	
QJ003=SZ		DMD	BFB		2	1/74	Q	11	RT=11 F/B OPERATING SYSTEM, SFTWR INSTALLATION	
QJ005=AC			BFB		5	7/74	Q	11	PHA=11, (DOS/BATCH REQ) LIC, SFTWR, SERV, DECTAPE	
QJ005=AE			BFB		5	7/74	Q	11	PHA=11, (DOS/BATCH REQ) LIC, SFTWR, SERV, DECPACK	
QJ005=AH			BFB		5	7/74	Q	11	PHA=11, (DOS/BATCH REQ) LIC, SFTWR, SERV, 50HZ DECPACK	
QJ006=AB	GT		BFB		5	7/74	Q	11	FOCAL=11, LIC, SFTWR, SERV, PTP	
QJ006=EC	GT		BFB		5	1/75	Q	11	FOCAL=11/PTS, SOURCE KIT, DECTAPE	
QJ006=FR	PAK		MDD		5	8/75	Q	11	FOCAL=11/PTS LISTINGS MICROFICHE (QJ006-AB REQ) SRC LIC	
QJ006=FZ	GT		BFB		5	8/75	Q	11	FOCAL=11, LISTINGS, PAPER	
QJ006=HB	GT		BFB		5	4/75	Q	11	FOCAL=11/PTS UPDATE, SPR SERV, LIC, (QJ006-AB REQ'D) PT	
QJ007=AB	GT		BFB		5	7/74	Q	11	FOCAL/RT, LIC, SFTWR, SERV, PAPERTAPE	
QJ007=AC	GT		BFB		5	9/74	Q	11	FOCAL/RT, LICENSE, SFTWR, SERV, DECTAPE	
QJ007=AT	GT		BFB		6	6/74	Q	11	FOCAL/RT =SEE QJ007=EC=	
QJ007=EC	GT		BFB		5	6/74	Q	11	FOCAL/RT, SOURCES, DEC-10 FORMAT, DECTAPE	
QJ007=FZ	GT		BFB		3	3/74	Q	11	FOCAL/RT, LISTINGS	
QJ008=CB	GT		MDD		5	9/75	Q	11	FOCAL=GT PAPERTAPE BIN LIC, NO SERV	
QJ008=CC	GT		MDD		5	9/75	Q	11	FOCAL=GT DECTAPE BIN LIC, NO SERV	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ008=EC	GT		BFB		5 5/73	Q	11	FOCAL=GT, SOURCE KIT, DECTAPE (QJ008=A REQ) SRC LIC
QJ008=FE	GT		BFB		5 5/73	Q	11	FOCAL=GT, LISTINGS KIT, PAPER
QJ009=AC	GT		BFB		2 3/73	Q	11	RT=11 PLUS BASIC LICENSED, DECTAPE
QJ009=AE	GT		BFB		2 3/73	Q	11	RT=11 PLUS BASIC LICENSED, 60HZ DECPACK
QJ011=AB	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, PAPERTAPE
QJ011=AC	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, DECTAPE
QJ011=AE	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, DISK PACK
QJ011=AN	GT		BFB		3 11/73	Q	11	BASIC/GT LICENSE, SFTWR, SERV, CASSETTE
QJ030=AT			BFB		6 4/74	Q	11	FORTRAN IV SOURCE DECTAPE AND LISTING PACKAGE
QJ030=AV			BFB		6 4/74	Q	11	FORTRAN IV SOURCE MAGTAPE (9 TR) & LISTING PACKAGE
QJ030=AY			BFB		6 4/74	Q	11	FORTRAN IV SOURCE MAGTAPE (7 TR) & LISTING PACKAGE
QJ035=AC			BFB		5 5/75	Q	11	DOS/BATCH FORT V10=01A+OTS, DECTAPE (QJ252=AC REQ'D)
QJ035=AD			BFB		5 5/75	Q	11	DOS/BATCH FORT V10=01A+OTS, 9TR MTA (QJ252=AC REQ'D)
QJ035=AE			BFB		5 5/75	Q	11	DOS/BATCH FORT V10=01A+OTS, DECPACK (QJ252=AC REQ'D)
QJ035=AF			BFB		5 5/75	Q	11	DOS/BATCH FORT V10=01A+OTS, 7TR MTA (QJ252=AC REQ'D)
QJ035=DZ			BFB		5 11/73	Q	11	DOS/BATCH FORTRAN & OTS, QJ252=DZ UPGRADE
QJ080=BB	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC, SFTWR, NO SERV, <MIN HDW, PAPER
QJ080=BC	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC, SFTWR, NO SERV, <MIN HDW, DECTAPE
QJ080=BN	REN		BFB		6 4/74	Q	11	LPS SIG AVG, LIC, SFTWR, NO SERV, <MIN HDW, CASSETTE
QJ090=CB	GT		MBD		5 9/75	Q	11	PICTURE BOOK/DECSYS=10 PAPERTAPE BIN LIC, NO SERV
QJ090=CC	GT		MBD		5 9/75	Q	11	PICTURE BOOK/DECSYS=10 DECTAPE BIN LIC, NO SERV
QJ091=AB	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DOS LICENSE, SFTWR, NO SERV, PAPERTAPE
QJ091=AC	RMT		BFB		5 7/74	Q	11	PICTURE BOOK/DOS LICENSE, SFTWR, NO SERV, DECTAPE
QJ091=EC	RMT		BFB		5 6/74	Q	11	PICTURE BOOK/DOS, SOURCES, DECTAPE
QJ091=FE	RMT		BFB		5 6/74	Q	11	PICTURE BOOK/DOS, LISTINGS, PAPER
QJ092=CC	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SFTWR, NO SERVICE, DECTAPE
QJ092=CD	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SFTWR, NO SERVICE, 9TRK MT
QJ092=CE	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSTS/E REQ), LICENSE, SFTWR, NO SERVICE, DECPACK
QJ093=CC	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSX=11D REQ), LICENSE, SFTWR, NO SERVICE, DECTAPE
QJ093=CD	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSX=11D REQ), LICENSE, SFTWR, NO SERVICE, 9TRK MT
QJ093=CE	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSX=11D REQ), LICENSE, SFTWR, NO SERVICE, DECPACK
QJ093=CF	GT		BFB		5 12/74	Q	11	PICTURE BOOK, (RSX=11D REQ), LICENSE, SFTWR, NO SERVICE, 7TRK MT
QJ100=AB			BFB		5 10/72	Q	11	PTS=11, (PTP SFTWR), LIC, SFTWR, SERV, PAPERTAPE
QJ101=GZ	PAK		MBD		5 8/75	Q	11	PDP=11 SYSTEM DOCUMENTATION KIT
QJ102=GZ	PAK		MBD		5 9/75	Q	11	PDP=11/45 PROGRAMMING DOCUMENTATION KIT
QJ103=GZ	PAK		MBD		5 9/75	Q	11	PDP=11/70 PROGRAMMING DOCUMENTATION KIT
QJ104=GZ	PAK		MBD		5 9/75	Q	11	PDP=11/05, 10, 35, 40 PROGRAMMING DOCUMENTATION KIT
QJ105=CB	PAK		MBD		5 9/75	Q	11	FPMP=11 STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ106=CB	PAK		MBD		5 9/75	Q	11	PAL=11S STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ107=CB	PAK		MBD		5 9/75	Q	11	EDIT=11 STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ108=CB	PAK		MBD		5 9/75	Q	11	ODY=11 STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ109=CB	PAK		MBD		5 9/75	Q	11	ODY=11X STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ111=CB	PAK		MBD		5 9/75	Q	11	IOX STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ117=CB	PAK		MBD		5 9/75	Q	11	PAL=11A 4K STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ118=CB	PAK		MBD		5 9/75	Q	11	PAL=11A 8K STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ119=CB	PAK		MBD		5 9/75	Q	11	IOXLPT STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ120=CB	PAK		MBD		5 9/75	Q	11	LINK=11S STARTER KIT PAPERTAPE BIN LIC, NO SERV
QJ125=CB		ASB	BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, PAPERTAPE
QJ125=CC		ASB	BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, DECTAPE
QJ125=CD		ASB	BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, 9 TRACK MAGTAPE
QJ125=CF		ASB	BFB		5 5/73	Q	11	ROLLIN UTILITY V07, LIC, SFTWR, NO SERV, 7 TRACK MAGTAPE
QJ125=EC		ASB	BFB		5 5/73	Q	11	ROLLIN UTILITY V07, SOURCE KIT, DECTAPE
QJ150=MB			BFB		5 10/72	Q	11	SINGLE=USER BASIC, SOURCE & LISTINGS, PAPERTAPE
QJ155			BFB		3 10/72	Q	11	8=USER BASIC
QJ165=AB	GT		BFB		4 5/73	Q	11	LPS=11 BASIC, LIC, SFTWR, SERV, PAPER
QJ180=AN	GT		BFB		5 7/74	Q	11	CAPS=11, LICENSE, SFTWR, SERV, CASSETTE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION	130
QJ180=EN	GT		BFB		5	7/74 Q	11	CAPS-11, SOURCE, CASSETTE	
QJ180=SZ		DMD	BFB		2	1/74 Q	11	CAPS-11, SFTWR INSTALLATION	
QJ190=AN	GT		BFB		2	10/74 Q	11	PDL,(PROGRAMABLE DATA LOGGER),(RUNS UNDR CAPS-11),LIC,SFTR,SERV,CSSTE	
QJ190=EN	GT		BFB		2	10/74 Q	11	PDL,(PROGRAMABLE DATA LOGGER),(RUNS UNDER CAPS-11),SOURCES,CSSTE	
QJ190=PE	GT		BFB		2	11/74 Q	11	PDL,(PROGRAMABLE DATA LOGGER),(RUNS UNDER CAPS-11),LISTINGS KIT,PAPER	
QJ230=AB	GT		BFB		6	3/74 Q	11	DQS F4/LPS, LIC, SFTWR, SERV, PAPER TAPE -SEE QJ983-	
QJ230=AC	GT		BFB		6	3/74 Q	11	DQS F4/LPS, LIC, SFTWR, SERV, DECTAPE -SEE QJ983-	
QJ230=AN	GT		BFB		6	3/74 Q	11	DQS F4/LPS, LIC, SFTWR, SERV, CASSETTE -SEE QJ983-	
QJ250=Z2		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN A MAINTENANCE SERV,(SFTWR DISPATCH)	
QJ250=3C		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN B MAINTENANCE SERV,BINARY UPDATES, DECTAPE	
QJ250=3D		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MAGTAPE	
QJ250=3E		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN B MAINTENANCE SERV,BINARY UPDATES, DECPACK	
QJ250=3F		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN B MAINTENANCE SERV,BINARY UPDATES, 7 TRK MAGTAPE	
QJ250=6C		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN C MAINTENANCE SERV,SOURCE & BINARY UPDATES, DTA	
QJ250=6D		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN C MAINTENANCE SERV,SOURCE & BINARY UPDATES,9TR MTA	
QJ250=6E		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN C MAINTENANCE SERV,SOURCE & BINARY UPDATES,DECPCK	
QJ250=6F		DMD	BFB		2	3/74 Q	11	DQS/BATCH PLAN C MAINTENANCE SERV,SOURCE & BINARY UPDATES,7TR MTA	
QJ250=AC		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, DECTAPE LICENSE, SERVICE	
QJ250=AD		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, 9TRK MTA LICENSE, SERVICE	
QJ250=AE		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT C10=01A, DECPACK LICENSE, SERVICE	
QJ250=AF		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, 7TRK MTA LICENSE, SERVICE	
QJ250=AL		PTJ	BFB		6	4/74 Q	11	DQS/BATCH W FORTRAN, SOURCE LISTING PACKAGE	
QJ250=AT		PTJ	BFB		6	4/74 Q	11	DQS/BATCH W FORTRAN, SOURCE PACKAGE, DECTAPE	
QJ250=AV		PTJ	BFB		6	4/74 Q	11	DQS/BATCH W FORTRAN, SOURCE PACKAGE, 9 TR MAGTAPE	
QJ250=AW		PTJ	BFB		6	4/74 Q	11	DQS/BATCH W FORTRAN, SOURCE PACKAGE, DECPACK	
QJ250=AY		PTJ	BFB		6	4/74 Q	11	DQS/BATCH W FORTRAN, SOURCE PACKAGE, 7 TR MAGTAPE	
QJ250=DE		PTJ	BFB		5	11/73 Q	11	DQS/BATCH W FORTRAN, LICENSE ONLY	
QJ250=HB		PTJ	BFB		5	2/74 Q	11	DQS/BATCH W FORTRAN, LICENSE, UPDATE FROM QJ220=A, QJ250=A, PAPER	
QJ250=HC		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORTRAN V10=01A, DECTAPE UPDATE FROM QJ220=A,QJ250A LIC	
QJ250=HD		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, 9TR MTA UPDATE FROM QJ220=A,QJ250=A, LIC	
QJ250=HE		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, DECPACK UPDATE FROM QJ220=A,QJ250=A, LIC	
QJ250=HF		PTJ	BFB		5	5/75 Q	11	DQS/BATCH W FORT V10=01A, 7TR MTA UPDATE FROM QJ220=A,QJ250=A, LIC	
QJ252=3C		PTJ	BFB		2	3/75 Q	11	DQS/BATCH MAINTENANCE SERVICE PLAN B DECTAPE	
QJ252=3D		PTJ	BFB		2	3/75 Q	11	DQS/BATCH MAINTENANCE SERVICE PLAN B 9 TRK MTA (TU10)	
QJ252=3E		PTJ	BFB		2	3/75 Q	11	DQS/BATCH MAINTENANCE SERVICE PLAN B DECTAPE	
QJ252=3F		PTJ	BFB		2	3/75 Q	11	DQS/BATCH MAINTENANCE SERVICE PLAN B 7 TRK MTA	
QJ252=AC		PTJ	BFB		3	5/75 Q	11	DQS/BATCH NO FORT V10=01A DECTAPE LICENSE, SERVICE	
QJ252=AD		PTJ	BFB		3	5/75 Q	11	DQS/BATCH NO FORT V10=01A 9TR MTA LICENSE, SERVICE	
QJ252=AE		PTJ	BFB		3	5/75 Q	11	DQS/BATCH NO FORT V10=01A DECPACK LICENSE, SERVICE	
QJ252=AF		PTJ	BFB		3	5/75 Q	11	DQS/BATCH NO FORT V10=01A 7TR MTA LICENSE, SERVICE	
QJ252=DE		PTJ	BFB		3	11/73 Q	11	DQS/BATCH, NO FORTRAN, LICENSE ONLY	
QJ253=EC		PTJ	BFB		2	4/75 Q	11	DQS/BATCH V10=01A DEV, DR, SRCE, QJ252 OR QJ250=A RE, LIC, DECTAPE	
QJ253=ED		PTJ	BFB		2	4/75 Q	11	DQS/BATCH V10=01A DEV, DR, SRCE, QJ252 OR QJ250=A RE, LIC, 9T TU10	
QJ260=AB		PTJ	BFB		5	4/74 Q	11	RT=11+FORTRAN/RT=11,(QJ220 OR QJ250 REQ),LIC,SFTWR,SERV,PTP	
QJ260=AC		PTJ	BFB		5	4/74 Q	11	RT=11+FORTRAN/RT=11,(QJ220 OR QJ250 REQ),LIC,SFTWR,SERV,DTA	
QJ260=AE		PTJ	BFB		5	4/74 Q	11	RT=11+FORTRAN/RT=11,(QJ220 OR QJ250 REQ),LIC,SFTWR,SERV,DECPACK	
QJ260=AN		PTJ	BFB		5	4/74 Q	11	RT=11+FORTRAN/RT=11,(QJ220 OR QJ250 REQ),LIC,SFTWR,SERV,CASSETTE	
QJ350=AE		DRI	BFB		5	7/75 Q	11	COMMERCIAL OPERATING SYSTEM 350 BINARY DECPACK BINARY LIC SERVICE	
QJ350=AY		DRI	HBD		5	9/75 Q	11	COMMERCIAL OPERATING SYS 350 FLOPPY BIN LIC, SERV	
QJ400=ED			BFB		5	1/75 Q	11	RSYS-11,(V,4B), SOURCE KIT, 9TRK MT	
QJ400=EE			BFB		5	1/75 Q	11	RSYS-11,(V,4B), SOURCE KIT, DECPACK	
QJ400=GZ		PAK	BFB		5	10/75 Q	11	RSYS-11, PRE-DELIVERY KIT	
QJ400=HC			BFB		5	12/74 Q	11	RSYS-11, UPDATE KIT, (V,4A TO 4B), DECTAPE	
QJ400=HD			BFB		5	12/74 Q	11	RSYS-11, UPDATE KIT (V,4A TO 4B), 9 TRK MT	
QJ400=HE			BFB		5	12/74 Q	11	RSYS-11, UPDATE KIT, (V,4A TO 4B), DECPACK	
QJ400=HF			BFB		5	12/74 Q	11	RSYS-11, UPDATE KIT, (V,4A TO 4B), 7 TRK MT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS NO/YR	CATE-GORY	USED ON	DESCRIPTION	131
QJ400-SZ		DMD	BFB		6 8/74 Q		11	RSTS-11, SFTWR ORIENTATION SERV	
QJ425-AB		DFP	BFB		5 7/74 Q		11	RSTS-11 SORT, LICENSE, SFTWR, SERV, PAPERTAPE	
QJ425-AC		DFP	BFB		5 7/74 Q		11	RSTS-11 SORT, LICENSE, SFTWR, SERV, DECTAPE	
QJ425-AD		DFP	BFB		5 7/74 Q		11	RSTS-11 SORT, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJ425-AE		DFP	BFB		5 11/74 Q		11	RSTS-11 SORT, LICENSE, SFTWR, SERV, DECPACK	
QJ425-AF		DFP	BFB		5 7/74 Q		11	RSTS-11 SORT, LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QJ425-HB		DFP	BFB		5 3/74 Q		11	RSTS-11 SORT, UPDATE KIT, PAPERTAPE	
QJ425-HC		DFP	BFB		5 3/74 Q		11	RSTS-11 SORT, UPDATE KIT, DECTAPE	
QJ425-HD		DFP	BFB		5 3/74 Q		11	RSTS-11 SORT, UPDATE KIT, 9 TRK MAGTAPE	
QJ425-HF		DFP	BFB		5 3/74 Q		11	RSTS-11 SORT, UPDATE KIT, 7 TRK MAGTAPE	
QJ425-JZ		DFP	BFB		3 4/74 Q		11	RSTS-11 SORT, START-UP SERV	
QJ430-AB		DFP	BFB		5 4/74 Q		11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, PAPERTAPE	
QJ430-AC		DFP	BFB		5 4/74 Q		11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, DECTAPE	
QJ430-AD		DFP	BFB		5 4/74 Q		11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJ430-AE		DFP	BFB		5 4/74 Q		11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, DECPACK	
QJ430-AF		DFP	BFB		5 4/74 Q		11	RSTS-11 COMMERCIAL EXT, LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QJ430-JZ		DFP	BFB		2 6/73 Q		11	RSTS-11 COMMERCIAL EXT, START-UP SERV	
QJ520-AE	HA		BFB		5 7/74 Q		DS520	COS-520, LIC, SFTWR, SERV, DECPACK	
QJ520-CD	JES		BFB		5 5/75 Q		11	COS-500 9T MTA BIN LIC, NO SERV	
QJ520-CE	JES		BFB		5 5/75 Q		11	COS-500 DECPACK BIN LIC, NO SERV	
QJ520-GZ	PAK		MBO		5 9/75 Q		11	COS-500 DOC KIT NO SERV	
QJ520-HD			BFB		5 11/74 Q		11	COS 520, UPDATE KIT, 9 TRK MTA	
QJ520-HE			BFB		5 11/74 Q		11	COS 520, UPDATE KIT, DECPACK	
QJ550-AB			BFB		5 7/74 Q		11	RSX-11A REAL TIME EXECUTIVE, LIC, SFTWR, SERV, PAPERTAPE	
QJ550-AC			BFB		5 7/74 Q		11	RSX-11A REAL TIME EXECUTIVE, LIC, SFTWR, SERV, DECTAPE	
QJ551-CC	TZ		BFB		2 2/74 Q		11	RSX-11A PLUS FORTRAN, LICENSE, SFTWR, NO SUPPORT, DECTAPE	
QJ560-AB			BFB		5 7/74 Q		11	RSX-11B LIC, SFTWR, SERV, PAPERTAPE	
QJ560-AC			BFB		5 7/74 Q		11	RSX-11B LIC, SFTWR, SERV, DECTAPE	
QJ560-AT		JJM	BFB		6 6/73 Q		11	RSX-11B WITH FORTRAN (SOURCE DECTAPE PACKAGE)	
QJ560-CB			BFB		2 1/74 Q		11	RSX-11B, LICENSE, SFTWR, NO SERV, PAPERTAPE	
QJ560-CC			BFB		2 1/74 Q		11	RSX-11B, LICENSE, SFTWR, NO SERV, DECTAPE	
QJ560-CE			BFB		6 3/74 Q		11	RSX-11B, LICENSE, SFTWR, NO SERV, DECPACK *SEE QJ561-CE*	
QJ560-EC			BFB		5 5/73 Q		11	RSX-11B SOURCE KIT, DECTAPE	
QJ560-HB			BFB		5 5/73 Q		11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, PAPERTAPE	
QJ560-HC			BFB		5 5/73 Q		11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, DECTAPE	
QJ560-HE			BFB		6 3/74 Q		11	RSX-11B V7A, UPDATE FROM RSX-11B V6A, DECPACK *SEE QJ561-HE*	
QJ561-AE			BFB		5 2/74 Q		11	RSX-11B W/DOS, LICENSE, SFTWR, SUPPORT, DECPACK	
QJ561-CE			BFB		5 2/74 Q		11	RSX-11B W/DOS, LICENSE, SFTWR, NO SUPPORT, DECPACK	
QJ561-HE			BFB		2 2/74 Q		11	RSX-11B W/DOS, V7A, UPDATE FROM RSX-11B V6A, DECPACK	
QJ570-AB			BFB		5 7/74 Q		11	RSX-11C LIC, SFTWR, SERV, PAPERTAPE	
QJ570-AT			BFB		6 6/73 Q		11	RSX-11C WITH FORTRAN (SOURCE DECTAPE PACKAGE)	
QJ570-CB			BFB		5 1/74 Q		11	RSX-11C, LICENSE, SFTWR, NO SERV, PAPERTAPE	
QJ570-CC			BFB		2 1/74 Q		11	RSX-11C, LICENSE, SFTWR, NO SERV, DECTAPE	
QJ570-EC			BFB		5 5/73 Q		11	RSX-11C V7A, SOURCE KIT, DECTAPE	
QJ570-HB			BFB		5 7/74 Q		11	RSX-11C V7A UPDATE FROM RSX-11C V6A, PAPERTAPE	
QJ570-HC			BFB		5 5/73 Q		11	RSX-11C V7A UPDATE FROM RSX-11C V6A, DECTAPE	
QJ580-2Z	MW	DMD	BFB		2 6/74 Q		11/40	RSX-11D, PLAN A MAINTENANCE SERV (SFTWR DISPATCH)	
QJ580-3D	MW	DMD	BFB		2 6/74 Q		11/40	RSX-11D, (RK SYS), PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MTA	
QJ580-3E	MW	DMD	BFB		2 6/74 Q		11/40	RSX-11D, (RK SYS), PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK	
QJ580-3F	MW	DMD	BFB		2 6/74 Q		11/40	RSX-11D, (RK SYS), PLAN B MAINTENANCE SERV, BINARY UPDATES, 7 TRK MTA	
QJ580-AD	MW	PV	BFB		5 7/74 Q		11/40	RSX-11D BIN, LIC, & SUPPORT, VERSION 6A 9 TRACK MAGTAPE	
QJ580-AE	MW	PV	BFB		5 7/74 Q		11/40	RSX-11D BIN, LIC, SFTWR, SERV, VERSION 6A DECPACK	
QJ580-AF	MW	PV	BFB		5 7/74 Q		11/40	RSX-11D BIN, LIC, & SUPPORT, VERSION 6A 7 TRACK MAGTAPE	
QJ580-CD	MW	PV	BFB		3 3/73 Q		11/40	RSX-11D BIN, LIC, NO SUPPORT, VERSION 6A 9 TRACK MAGTAPE	
QJ580-CE	MW	PV	BFB		3 8/73 Q		11/40	RSX-11D BIN, LIC, NO SUPPORT, VERSION 6A DECPACK	
QJ580-CF	MW	PV	BFB		3 3/73 Q		11/40	RSX-11D BIN, LIC, NO SUPPORT, VERSION 6A 7 TRACK MAGTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ580-ED	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, SOURCE KIT, 9 TRK MTA
QJ580-EE	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, SOURCE KIT, DECPACK
QJ580-EF	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D SOURCE KIT, 7 TRK MTA
QJ580-FR	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, LISTINGS KIT, MICRO-FICHE
QJ580-GZ	MW	PV	BFB		5 7/74	Q	11/40	RSX-11D PRE-DELIVERY DOCUMENT KIT
QJ580-HD	CN		BFB		2 4/75	Q	11/40	RSX-11D UPDATE FROM VERSION 4-6A, 9 TRACK MAGTAPE
QJ580-HE	CN		BFB		2 4/75	Q	11/40	RSX-11D UPDATE FROM VERSION 4-6A, DECPACK
QJ580-HF	CN		BFB		2 4/75	Q	11/40	RSX-11D UPDATE FROM VERSION 4-6A, 7TRACK MAGTAPE
QJ580-ND	CN		BFB		5 3/75	Q	11/40	RSX-11D VERSION 6A UPDATE SOURCES, (VERSION 4 REQ'D), 9 TRK MTA
QJ580-NE	CN		BFB		5 3/75	Q	11/40	RSX-11D VERSION 6A UPDATE, SOURCES, (VERSION 4 REQ'D) DECPACK
QJ580-NF	CN		BFB		5 3/75	Q	11/40	RSX-11D VERSION 6A UPDATE, SOURCES, (VERSION 4 REQ'D) 7 TRK MTA
QJ580-SZ		DMD	BFB		2 1/74	Q	11/40	RSX-11D, (RK SYS) SFTWR CONSULTING (FIVE DAYS)
QJ583-ED	MW		BFB		5 11/73	Q	11/40	RSX-11D SOURCE, UTILITY, REQUIRES QJ580/6, 9 TR MAGTAPE
QJ583-EE	MW		BFB		5 11/73	Q	11/40	RSX-11D SOURCE, UTILITY, REQUIRES QJ580/6, DISK PACK
QJ583-EF	MW		BFB		5 11/73	Q	11/40	RSX-11D, SOURCE, UTILITY, REQUIRES QJ580/6, 7 TR MAGTAPE
QJ583-FR	MW	DMD	BFB		5 7/74	Q	11/40	RSX-11D, MICRO-FICHE LISTING, UTILITY, REQUIRES QJ580/6
QJ583-ND	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A UTILITIES SOURCE UPDATE, 9TRACK MAGTAPE
QJ583-NE	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A UTILITIES SOURCE UPDATE, DECPACK
QJ583-NF	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A UTILITIES SOURCE UPDATE, 7 TRACK MAGTAPE
QJ583-NR	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A UTILITIES SOURCE UPDATE, MICROFICHE
QJ584-ED	MW		BFB		5 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580, 9 TR MTA
QJ584-EE	MW		BFB		5 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580, DISK PACK
QJ584-EF	MW		BFB		5 11/73	Q	11/40	RSX-11D, SOURCE, FORTRAN COMPILER, REQUIRES QJ580, 7 TR MTA
QJ584-FR	MW	DMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING, FORTRAN COMPILER, QJ580/6 REQ'D, MICRO-FICHE
QJ584-ND	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A SRCE UPDATE FTRN COMPILER, QJ580 REQ, 9TRK MAGTAPE
QJ584-NE	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A SRCE UPDATE FTRN COMPILER, QJ580 REQ, DECPACK
QJ584-NF	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A SRCE UPDATE FTRN COMPILER, QJ580 REQ, 7 TRK MAGTAPE
QJ584-NR	CN		BFB		5 4/75	Q	11/40	RSX-11D V4-6A SRCE UPDATE FTRN COMPILER, QJ580 REQ, MICROFICHE
QJ585-ED	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580 REQ'D), 9 TRK MTA
QJ585-EE	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580 REQ'D), DECPACK
QJ585-EF	MW	PV	BFB		5 5/74	Q	11/40	RSX-11D, SOURCE FORT RUN-TIME & EXEC, (QJ580 REQ'D), 7 TRK MTA
QJ585-FR	MW	DMD	BFB		5 7/74	Q	11/40	RSX-11D, LISTING, FORT RUN-TIME & EXEC QJ580 REQ'D, MICRO-FICHE
QJ585-ND	CN		BFB		5 4/75	Q	11/40	RSX-11D UPDATE V4-6A, SOURCE FORT RUN-TIME&EXEC, (QJ580 REQ'D) 9TR MT
QJ585-NE	CN		BFB		5 4/75	Q	11/40	RSX-11D UPDATE V4-6A, SRCE FORT RUN-TIME&EXEC, (QJ580 REQ'D) DECPACK
QJ585-NF	CN		BFB		5 4/75	Q	11/40	RSX-11D, UPDATE V4-6A, SRCE FORT RUN-TIME&EXEC, (QJ580 REQ'D), 7 TRK MT
QJ591-HB			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V6A, PAPETAPE
QJ591-HC			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V6A, DECTAPE
QJ591-HE			BFB		6 3/74	Q	11	RSX-11B V7A, UPDATE FROM RSX-11C V6A, -SEE QJ592-HE- DECPACK
QJ592-HE			BFB		2 2/74	Q	11	RSX-11B W/DOS, V7A, UPDATE FROM RSX-11C V6A, DECPACK
QJ596-HB			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V7A, PAPETAPE
QJ596-HC			BFB		5 5/73	Q	11	RSX-11B V7A UPDATE FROM RSX-11C V7A, DECTAPE
QJ598-AB		EPC	BFB		6 6/73	Q	11	RSX-11 B/C MAGTAPE HANDLER, PAPETAPE
QJ600			BFB		3 6/72	Q	11	RPGL1 REPORT PROGRAM GENERATOR
QJ620-2Z		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN A MAINTENANCE SERV, SFTWR DISPATCH
QJ620-3C		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK & DTA
QJ620-3E		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECPACK
QJ620-3N		DMD	BFB		2 3/74	Q	11	RSX-11M, PLAN B MAINT, SERV, BINARY UPDATES, DECPACK&CASSETTE
QJ620-AC		BF	BFB		5 12/73	Q	11	RSX-11M, LIC, SFTWR, SERV, (SRCE FOR EXEC), DECPACK & DECTAPE
QJ620-AD	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, SERV, 9 TRK MTA FOR DECPACK
QJ620-AE		BF	BFB		5 12/73	Q	11	RSX-11M, LICENSE, SFTWR, SERV, (SRCE FOR EXEC INCL), DECPACK
QJ620-AN		BF	BFB		5 12/73	Q	11	RSX-11M, LIC, SFTWR, SERV, (SOURCE FOR EXEC,), DECPACK & CASSETTE
QJ620-AY	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, SERV, FLOPPY DISKETTE
QJ620-CC		BF	BFB		5 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D) DCPK & DTA
QJ620-CD	CN		BFB		5 2/75	Q	11	RSX-11M V2, LICENSE, SFTWR KIT NO SERVICE, 9 TRK MTA (TU10)
QJ620-CE		BF	BFB		5 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D) DECPACK
QJ620-CN		BF	BFB		5 12/73	Q	11	RSX-11M, LIC, SFTWR, NO SERV, (SRCE FOR EXEC), (QJ620-A REQ'D), DCPK & CSYE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	133
QJ620=CY	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, NO SERV, FLOPPY DISKETTE	
QJ620=ED	CN		BFB		5 4/75	Q	11	RSX-11M V5 SOURCE 9TRK MTA	
QJ620=EE	CN		BFB		5 4/75	Q	11	RSX-11M V5 SOURCE DECPACK	
QJ620=FR		BF	BFB		5 12/73	Q	11	RSX-11M, EXEC, I/O DVRS, LST, (QJ620=A OR C REQD) MICRO=FICHE	
QJ620=GZ		BF	BFB		2 12/73	Q	11	RSX-11M, PRE-DELIVERY DOCUMENT KIT;	
QJ620=HD	CN		BFB		5 4/75	Q	11	RSX-11M V2 UPDATE KIT 9TRK MTA	
QJ620=HE	CN		BFB		5 4/75	Q	11	RSX-11M V2 UPDATE KIT DECPACK	
QJ621=ED	CN		BFB		5 2/75	Q	11	RSX-11M, SOURCE, UTILITY, (QJ620 REQD), 9 TRK MTA (TU10)	
QJ621=EE		BF	BFB		5 12/73	Q	11	RSX-11M, SOURCE, UTILITY, (QJ620 REQD), DECPACK	
QJ621=FR		BF	BFB		5 12/73	Q	11	RSX-11M, LISTING, UTILITY, (QJ620 REQD), MICRO-FICHE	
QJ621=NE	CN		MBO		5 8/75	Q	11	RSX-11M V2 SRC UTILITY UPDATE FROM V1 DECPACK	
QJ622=ED	CN		BFB		5 4/75	Q	11	RSX-11M V2 SOURCE FORTRAN COMPILER 9TRK MTA	
QJ622=EE		BF	BFB		5 12/73	Q	11	RSX-11M, SOURCE, FORTRAN COMPILER, (QJ620 REQD), DECPACK	
QJ622=FR		BF	BFB		5 12/73	Q	11	RSX-11M, LISTING, FORTRAN COMPILER, (QJ620 REQD), MICRO-FICHE	
QJ622=NE	CN		MBO		5 8/75	Q	11	RSX-11M V2 SRC FORT COMP UPDATE FROM V1 DECPACK	
QJ623=FR	QMD		BFB		5 4/75	Q	11	RSX-11M, EXEC, IO, UTIL, FORT COMP, (QJ620 REQD), LISTINGS ON MICRF	
QJ625=AD	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, SERV, 9TRK MTA FOR RP02, 03, & 04	
QJ625=CD	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, NO SERV, 9TRK MTA FOR RP02, 03, & 04	
QJ625=HD	CN		BFB		5 4/75	Q	11	RSX-11M V2, LIC, UPDATE, 9TRK MTA FOR RP02, 03, & 04	
QJ626=AC	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS DECTAPE BIN LIC, SERV	
QJ626=AD	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS 9TR MT (TU10) BIN LIC, SERV	
QJ626=AE	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS DECPACK BIN LIC, SERV	
QJ626=AN	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS CASSETTE BIN LIC, SERV	
QJ626=AY	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS FLOPPY BIN LIC, SERV	
QJ626=CC	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS DECTAPE BIN LIC, NO SERV	
QJ626=CD	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS 9TRMT(TU10) BIN LIC, NO SERV	
QJ626=CE	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS DECPACK BIN LIC, NO SERV	
QJ626=CN	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS CASSETTE BIN LIC, NO SERV	
QJ626=CY	CN		MBO		5 8/75	Q	11	RSX-11M V2 UPGRADE FROM RSX-11B/C OR DOS FLOPPY BIN LIC, NO SERV	
QJ627=AD	CN		MBO		5 8/75	Q	11	RSX-11M V2 RP02,3&4, UPRD FR RSX-11B/C, DOS 9TRMT(TU10) BIN LIC, SERV	
QJ627=CD	CN		MBO		5 8/75	Q	11	RSX-11M V2 RP02,3&4 UPRD FR RSX-11B/C, DOS 9TRMT(TU10) B LIC, NO SERV	
QJ630=AN		MES	BFB		5 12/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LIC, SWFR, SERV, CSSTE	
QJ630=CN	NW		BFB		2 4/75	Q	11	POWER DEMAND U/O SERVICE BINARIES, CASSETTE	
QJ630=DZ	NW		MBO		5 9/75	Q	11	POWER DEMAND CONTROL LICENSE ONLY	
QJ630=EN		MES	BFB		5 12/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), SOURCES, CASSETTE	
QJ630=FR		MES	BFB		5 1/75	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LISTINGS, FICHE	
QJ630=FZ		MES	BFB		5 15/74	Q	11	POWER DEMAND CONTROL FOR RSX-11M, (RSX-11M REQ), LISTINGS, PAPER	
QJ640=AC	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICENSE, SFTWR, SERVICE, DECTAPE	
QJ640=AD	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICENSE, SFTWR, SERVICE, MT9 (TU10)	
QJ640=AE	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICENSE, SFTWR, SERVICE, DECPACK	
QJ640=AN	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICENSE, SFTWR, SERVICE, CASSETTE	
QJ640=AY	CN		MBO		5 8/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ) FLOPPY BIN LIC, SERV	
QJ640=CC	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICNSE, SFTWR, NO SERVICE, DECTAPE	
QJ640=CD	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICNSE, SFTWR, NO SERVICE, MT9(TU10)	
QJ640=CE	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICNSE, SFTWR, NO SERVICE, DECPACK	
QJ640=CN	CN		BFB		5 1/75	Q	11	RSX-11S, CORE ONLY, (RSX-11M REQ), LICNSE, SFTWR, NO SERVICE, CASSETTE	
QJ640=CY	CN		MBO		5 8/75	Q	11	RSX-11S CORE ONLY (RSX-11M REQ) FLOPPY BIN LIC, NO SERV	
QJ640=GZ	PAK		MBO		5 10/75	Q	11	RSX-11S PREDELIVERY KIT	
QJ680=AD	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, (RSX-11M REQ), LIC, SERV, 9TRK MTA	
QJ680=AE	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, (RSX-11M REQ), LIC, SERV, DECPACK	
QJ680=AF	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, (RSX-11M REQ), LIC, SERV, 7TRK MTA	
QJ680=CD	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, LIC, NO SERV, 9TRK MTA	
QJ680=CE	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, LIC, NO SERV, DECPACK	
QJ680=CF	NT		BFB		5 4/75	Q	11	DECNET-11M BINARIES, LIC, NO SERV, 7TRK MTA	
QJ680=FR	PAK		MBO		5 8/75	Q	11	DECNET-11M LISTINGS MICROFICHE (QJ680=A REQ) SRC LIC	
QJ680=FZ	NT		MBO		5 9/75	Q	11	DECNET-11M PAPER LISTINGS (QJ680=A REQ) SRC LIC	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
QJ680-GZ	NT		BFB		2	4/75	Q	11	DECNET 11M PREDELIVERY KIT (RSX-11M REQ)
QJ680-SE	NT		BFB		2	4/75	Q	11	DECNET 11M INSTALLATION SERVICE (RSX-11M REQ)
QJ690-AD	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, SERV, 9TRK MTA
QJ690-AE	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, SERV, DECKPACK
QJ690-AF	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, SERV, 7TRK MTA
QJ690-CD	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, NO SERV, 9TRK MTA
QJ690-CE	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, NO SERV, DECKPACK
QJ690-CF	NT		BFB		5	4/75	Q	11	DECNET-11S BINARIES, LIC, NO SERV, 7TRK MTA
QJ690-PR	PAK		HBD		5	8/75	Q	11	DECNET-11S LISTINGS MICROFICHE (QJ690-A REQ) SRC LIC
QJ690-FZ	NT		HBD		5	9/75	Q	11	DECNET-11S PAPER LISTINGS (QJ690-A REQ) SRC LIC
QJ690-GZ	NT		BFB		2	4/75	Q	11	DECNET-11S PREDELIVERY KIT
QJ690-SE	NT		BFB		2	4/75	Q	11	DECNET-11S INSTALLATION SERVICE
QJ700-B			BFB		3	9/72	Q	11	COMMERCIAL RSTS, BINARY
QJ700-BQ			BFB		3	9/72	Q	11	QJ700-B, FOURTH OR MORE PURCHASE
QJ700-S			BFB		3	9/72	Q	11	COMMERCIAL RSTS, SOURCE & BINARY
QJ710			BFB		3	6/72	Q	11	CLINICAL LAB
QJ720-AB		JBP	BFB		5	3/74	Q	11	GAMMA-11, SFTWR, LICENSE, SERV, PAPERTAPE
QJ720-EC		JBP	BFB		5	3/74	Q	11	GAMMA-11, SOURCES, (QJ720-A REQ/D), DECTAPE
QJ720-ED		JBP	BFB		5	3/74	Q	11	GAMMA-11, SOURCES, (QJ720-A REQ/D) 9 TRK MTA
QJ720-FZ		JBP	BFB		5	3/74	Q	11	GAMMA-11, LISTINGS, (QJ720-A REQ/D) PAPER
QJ720-HB	JBP		BFB		5	3/75	Q	11	GAMMA-11, V7A UPDATE, BINARY, (QJ720-A REQ/D), PT
QJ721-AB		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), PTP
QJ721-AD		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), 9 TRK MTA
QJ721-AN		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, LICENSE, SFTWR, SERV, (QJ003, QJ920 REQ), CASSETTE
QJ721-EC		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, SOURCES, DECTAPE
QJ721-ED		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, SOURCES, 9 TRK MTA
QJ721-EE		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, SOURCE, RK05 DISK
QJ721-EH		JBP	BFB		2	11/74	Q	11	GAMMA-11 F/B, SOURCES, DECPACK 50HZ
QJ721-FZ		JBP	BFB		5	7/74	Q	11	GAMMA-11 F/B, LISTINGS PKG, PAPER
QJ721-HB		JBP	BFB		2	7/74	Q	11	GAMMA-11 F/B, UPDATE FROM GAMMA-11, PAPERTAPE
QJ721-HN		JBP	BFB		2	7/74	Q	11	GAMMA-11 F/B, UPDATE FROM GAMMA-11, CASSETTE
QJ723-HB	GT		BFB		2	3/75	Q	11	GAMMA-11 F/B, BINARIES, UPDATE, (RT-11&BASIC REQ/D), PAPERTAPE
QJ725-CN		JBP	BFB		5	6/74	Q	11	GAMMA-11, (FOR PICKER CORP(OEM) ONLY), LICENSE, SFTWR, NO SERV, CASSETTE
QJ730-AC	GT		BFB		5	7/74	Q	11	SSP-11, SC[SUBROUTINES, (DOS/BATCH W/F4 REQ), LIC, SFTWR, SERV, DTA
QJ800-AC			BFB		6	2/74	Q	11	MUMPS-11 DATA MANAGEMENT BINARY, DECTAPE
QJ800-AD			BFB		6	2/74	Q	11	MUMPS-11 DATA MANAGEMENT, BINARY, 9 TRK MAGTAPE
QJ800-AF			BFB		6	2/74	Q	11	MUMPS-11 DATA MANAGEMENT, BINARY, 7 TRK MAGTAPE
QJ820-AC	RGR		BFB		5	7/74	Q	11	MUMPS-11 LICENSE, SFTWR, SERV, DECTAPE
QJ820-AD	RGR		BFB		5	7/74	Q	11	MUMPS-11 LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QJ820-AF	RGR		BFB		5	7/74	Q	11	MUMPS-11 LICENSE, SFTWR, SERV, 7 TR MAGTAPE
QJ820-CC	RGR		BFB		5	11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, DECTAPE
QJ820-CD	RGR		BFB		5	11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, 9 TRK MTA
QJ820-CF	RGR		BFB		5	11/74	Q	11	MUMPS-11, LICENSE, SFTWR, NO SERV, 7 TRK MTA
QJ820-EC	RGR		BFB		5	7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, DECTAPE
QJ820-ED	RGR		BFB		5	7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, 9 TR MAGTAPE
QJ820-EF	RGR		BFB		5	7/74	Q	11	MUMPS-11 SOURCE, REQUIRES QJ820-A, 7 TR MAGTAPE
QJ820-FZ	RGR		BFB		5	7/74	Q	11	MUMPS-11 LISTING PACKAGE, REQUIRES QJ820-A
QJ900-AB	GT	ASB	BFB		5	7/74	Q	11	BASIC/PTS, LIC, SFTWR, SERV, PTP
QJ900-EB	GT	ASB	BFB		5	7/74	Q	11	BASIC/PTS, SOURCE, PAPERTAPE
QJ900-FZ	GT	ASB	BFB		5	7/74	Q	11	BASIC/PTS, LISTINGS, PAPER
QJ902-AB	GT	ASB	BFB		2	5/73	Q	11	BASIC/PTS, REAL TIME LPS, PAPERTAPE
QJ902-EB	GT	ASB	BFB		2	8/73	Q	11	BASIC/PTS, REAL-TIME LPS SOURCE, PAPER, QJ902-AB, QJ903-AB REQ/D
QJ903-AB	GT		BFB		5	7/74	Q	11	FORTRAN, DOS REAL-TIME LPS, LIC, SFTWR, SERV, PAPER
QJ903-AC	GT		BFB		5	7/74	Q	11	FORTRAN, DOS REAL-TIME LPS, LIC, SFTWR, SERV, DECTAPE
QJ903-EC	GT		BFB		5	7/74	Q	11	FORTRAN, DOS REAL-TIME LPS, SOURCE, DECTAPE, QJ903-AC REQ/D
QJ905-AB	GT		BFB		5	11/73	Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, PAPERTAPE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	135
QJ905-AC	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, DECTAPE	
QJ905-AE	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, RK05 DISK	
QJ905-AN	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4, LICENSE, SFTWR, SERV, CASSETTE	
QJ905-EC	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 SOURCE, REQUIRES QJ905-A, DECTAPE	
QJ905-EE	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 SOURCE, REQUIRES QJ905-A, RK05 DISK	
QJ905-FZ	GT		BFB		5	11/73 Q	11	FORTRAN/PTS EXT FORTRAN 4 LISTING, REQUIRES QJ905-A	
QJ910-AN	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, CASSETTE	
QJ910-EN	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, SOURCES CASSETTE	
QJ910-FZ	GT	ASB	BFB		3	3/74 Q	11	BASIC CAPS-11, LISTINGS	
QJ915-AB	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, PAPERTAPE	
QJ915-AC	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, DECTAPE	
QJ915-AE	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, RK05 DISK	
QJ915-AN	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4, LIC, SFTWR, SERV, CASSETTE	
QJ915-EC	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ915-A, DECTAPE	
QJ915-EE	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ915-A, RK05 DISK	
QJ915-FZ	GT		BFB		5	11/73 Q	11	FORTRAN/CAPS-11 EXT FORTRAN 4 LISTING, REQUIRES QJ915-A	
QJ920-AB	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ) LICENSE, SFTWR, SERV, PTP	
QJ920-AC	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ) LICENSE, SFTWR, SERV, DECTAPE	
QJ920-AE	GT	ASB	BFB		5	11/73 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ), LICENSE, SFTWR, SERV, DISK PACK	
QJ920-AN	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ) LICENSE, SFTWR, SERV, CASSETTE	
QJ920-AY	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), LICENSE, SFTWR, SERV, FLOPPY	
QJ920-EC	GT	ASB	BFB		5	7/74 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ) SOURCE, DECTAPE	
QJ920-EE	GT	ASB	BFB		5	12/73 Q	11	BASIC/RT-11 OPERATING SYS,(RT-11 REQ) SOURCE, DECPACK	
QJ920-EY	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), SOURCES, FLOPPY	
QJ920-FR	PAK		BFB		5	6/75 Q	11	BASIC RT-11 LISTINGS ON MICROFICHE	
QJ920-HB	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), UPDATE KIT, PAPERTAPE	
QJ920-HC	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), UPDATE KIT, DECTAPE	
QJ920-HE	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), UPDATE KIT, DECPACK	
QJ920-HN	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), UPDATE KIT, CASSETTE	
QJ920-HY	GT	ASB	BFB		5	1/75 Q	11	BASIC/RT-11 OPER SYS,(RT-11 REQ), UPDATE KIT, FLOPPY	
QJ920-NC	WHM		BFB		5	5/75 Q	11	SINGLE USER BASIC RT-11 V18 SRC UPD DT SL SUB&OP SYS RE, SRC LIC	
QJ920-NE	WHM		BFB		5	5/75 Q	11	SINGLE USER BASIC RT-11 V18 SRC UPD OP SL SUB&OP SYS RE, SRC LIC	
QJ920-NY	WHM		BFB		5	5/75 Q	11	SINGLE USER BASIC RT-11 V18 SRC UPD FD SL SUB&OP SYS RE, SRC LIC	
QJ921-AB	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, PAPERTAPE	
QJ921-AC	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, DECTAPE	
QJ921-AE	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, DECPACK	
QJ921-AN	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, LICENSE, SFTWR, SERV, CASSETTE	
QJ921-EC	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, SOURCES, DECTAPE	
QJ921-EE	GT	ASB	BFB		5	7/74 Q	11	MULTI-USER BASIC/RT-11, SOURCES, DECPACK	
QJ921-FR	ASB		BFB		5	4/75 Q	11	MULTI-USER BASIC/RT-11, LISTING, MICROFICHE	
QJ921-FZ	GT	ASB	BFB		2	7/74 Q	11	MULTI-USER BASIC/RT-11, LISTINGS, PAPER	
QJ922-AC	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, DECTAPE	
QJ922-AE	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, DECPACK	
QJ922-AN	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, LICENSE, SFTWR, SERV, CASSETTE	
QJ922-AY	GT		BFB		5	4/75 Q	11	FOCAL/RT-11, LIC, SERV, FLOPPY DISKETTE	
QJ922-EC	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, SOURCE KIT, DECTAPE	
QJ922-EE	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, SOURCE KIT, DECPACK	
QJ922-EY	GT		BFB		5	5/75 Q	11	FOCAL RT-11 SRC FLOPPY SRC LIC, SERV	
QJ922-FR	PAK		MBQ		5	8/75 Q	11	FOCAL/RT-11 LISTINGS MICROFICHE (QJ922-A REQ) SRC LIC	
QJ922-FZ	GT		BFB		5	8/74 Q	11	FOCAL/RT-11, LISTINGS KIT, PAPER	
QJ922-HC	GT		BFB		5	5/75 Q	11	FOCAL RT-11 UPDATE KIT DECTAPE	
QJ922-HE	GT		BFB		5	5/75 Q	11	FOCAL RT-11 UPDATE KIT DECPACK	
QJ922-HN	GT		BFB		5	5/75 Q	11	FOCAL RT-11 UPDATE KIT CASSETTE	
QJ922-HY	GT		BFB		5	5/75 Q	11	FOCAL RT-11 UPDATE KIT FLOPPY	
QJ922-NC	GT		BFB		5	5/75 Q	11	FOCAL RT-11 SRC UPDATE DECTAPE	
QJ922-NE	GT		BFB		5	5/75 Q	11	FOCAL RT-11 SRC UPDATE DECPACK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	134
QJ922-NY	GT		BFB		5	5/75 Q	11	FQCAL RT-11 SRC UPDATE FLOPPY	
QJ925-AB	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, PAPERTAPE	
QJ925-AC	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, DECTAPE	
QJ925-AE	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, RK05 DISK	
QJ925-AN	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4, LICENSE, SFTWR, SERV, CASSETTE	
QJ925-AY	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, LICENSE, SFTWR, SERVICE, FLOPPY	
QJ925-EC	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ925-A, DECTAPE	
QJ925-EE	GT		BFB		5	11/73 Q	11	FORTTRAN/RT-11 EXT FORTRAN 4 SOURCE, REQUIRES QJ925-A, RK05 DISK	
QJ925-EY	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, SOURCES, FLOPPY	
QJ925-FR	PAK		BFB		5	6/75 Q	11	FORTTRAN RT-11 LISTINGS ON MICROFICHE	
QJ925-HB	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, UPDATE KIT, PAPERTAPE	
QJ925-HC	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, UPDATE KIT, DECTAPE	
QJ925-HE	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, UPDATE KIT, DECPACK	
QJ925-HN	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, UPDATE KIT, CASSETTE	
QJ925-HY	GT		BFB		5	1/75 Q	11	FORTTRAN/RT-11 EXT FORTRAN, UPDATE KIT, FLOPPY	
QJ925-NC	GT		BFB		5	2/75 Q	11	FORTTRAN/RT-11 EXT FTRN 4, SOURCE UPDATE KIT, PREREG SW RT-11, DECTAPE	
QJ925-NE	GT		BFB		5	2/75 Q	11	FORTTRAN/RT-11 EXT FTRN 4, SOURCE UPDATE KIT, PREREG SFTWR RT-11, DECPCK	
QJ925-NY	GT		BFB		5	7/75 Q	51	F4/RT-11 EXT SRC UPDATE KIT FLOPPY	
QJ926-AC	GT		BFB		5	7/75 Q	11	RT-11+F4 RT-11 V02B DECTAPE RT-11+ FORT 4 REQ, LIC, SERVICE	
QJ926-AE	GT		BFB		5	1/75 Q	11	RT-11 + FORTRAN, LICENSE, SFTWR, SERVICE, DECPACK	
QJ926-AY	GT		BFB		5	7/75 Q	11	RT-11+F4 RT-11 V02B FLOPPY RT-11+ FORT 4 REQ, LIC, SERVICE	
QJ926-HC	GT		BFB		5	7/75 Q	11	RT-11 + F4 RT-11 V02B UPDATE DECTAPE LIC, SERV	
QJ926-HE	GT		BFB		5	6/75 Q	11	RT-11 V02B UPDATE DECPACK RT-11 & FORTRAN RT-11 REQ, LIC, SERV	
QJ926-HY	GT		BFB		5	7/75 Q	11	RT-11 + F4 RT-11 V02B UPDATE FLOPPY LIC, SERV	
QJ928-GZ	PAK		MBO		5	9/75 Q	11	RT-11, BASIC & FORTRAN DOC KIT NO SERV	
QJ929-AB	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, PAPERTAPE	
QJ929-AC	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, DECTAPE	
QJ929-AE	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, DECPACK	
QJ929-AN	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, LIC, SFTWR, SERV, CASSETTE	
QJ929-EC	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, SOURCE KIT, DECTAPE	
QJ929-EE	GT		BFB		5	8/74 Q	11	FORTTRAN 4/RT-11, LV11 PLOTTING PKG, SOURCE KIT, DECPACK	
QJ930-AB	GT		BFB		5	10/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, PAPERTAPE	
QJ930-AC	GT		BFB		5	10/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, DECTAPE	
QJ930-AE	GT		BFB		5	12/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, DECPACK	
QJ930-AN	GT		BFB		5	10/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) LICENSE, SFTWR, SERV, CASSETTE	
QJ930-EC	GT		BFB		5	10/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) SOURCE, DECTAPE, QJ930-A REQ'D	
QJ930-EE	GT		BFB		5	12/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) SOURCE, DECPACK, QJ930-A REQ'D	
QJ930-EN	GT		BFB		6	10/73 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ) SOURCE, CASSETTE, QJ930-A REQ'D	
QJ930-FZ	GT		BFB		5	10/74 Q	11	LV11 PLOT PKG, (BASIC/RT-11 REQ), LISTINGS, PAPER	
QJ931-AB	GT		BFB		5	10/73 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ) LICENSE, SFTWR, SERV, PAPERTAPE	
QJ931-AC	GT		BFB		5	10/73 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ) LIC, SFTWR, SERV, DECTAPE	
QJ931-AN	GT		BFB		3	10/73 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ) LIC, SFTWR, SERV, CASSETTE	
QJ931-EC	GT		BFB		5	10/73 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ), SOURCE, DECTAPE	
QJ931-EN	GT		BFB		3	10/73 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ), SOURCE, CASSETTE	
QJ931-FZ	GT		BFB		5	10/74 Q	11	LV11 PLOTNG, (DOS/BATCH W/F4 REQ), LISTINGS, PAPER	
QJ940-AB	GT	CAR	BFB		2	11/73 Q	11	LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, PAPERTAPE	
QJ940-AC	GT	CAR	BFB		5	11/73 Q	11	LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, DECTAPE	
QJ940-AE	GT	CAR	BFB		5	3/74 Q	11	LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, DISK PACK	
QJ940-AN	GT	CAR	BFB		5	11/73 Q	11	LAB APPL-11, (RT-11 REQ), LICENSE, SFTWR, SERV, CASSETTE	
QJ940-AY	KR		MBO		5	8/75 Q	11	LAB APPL-11 V3 BIN & SRC FLOPPY (RT-11 REQ) BIN LIC, SERV	
QJ940-FR	GT		MBO		5	9/75 Q	11	LAB APPL-11 MICROFICHE LISTINGS (QJ940-A REQ), SRC LIC	
QJ940-FZ	GT	CAR	BFB		5	3/74 Q	11	LAB APPL-11, (RT-11 REQ), LISTING PACKAGE, REQUIRES QJ940-A	
QJ940-HC	GT	CAR	BFB		5	11/74 Q	11	LAB APPL-11, (RT-11 REQ), UPDATE KIT, DECTAPE	
QJ940-HE	GT	CAR	BFB		5	11/74 Q	11	LAB APPL-11, (RT-11 REQ), UPDATE KIT, DECPACK	
QJ940-HN	GT	CAR	BFB		5	11/74 Q	11	LAB APPL-11, (RT-11 REQ), UPDATE KIT CASSETTE	
QJ940-HY	KR		MBO		5	8/75 Q	11	LAB APPL-11 V3 UPDATE FROM V2 FLOPPY	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
QJ942=AN	GT	CAR	BFB		5 12/73	Q	11	LAB APPL=11, (CAPS=11) LICENSE, SERV, CASSETTE
QJ942=FE	GT	CAR	BFB		5 12/73	Q	11	LAB APPL=11, (CAPS=11), (QJ942=A REQ), LISTINGS
QJ950	GT		BFB		6 3/74	Q	11	FORTTRAN/RT OPERATING SYSTEM -SEE QJ925=
QJ960=AC	GT		BFB		5 8/74	Q	11	RT=11/FORTTRAN = SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,DTA
QJ960=AE	GT		BFB		5 8/74	Q	11	RT=11/FORTTRAN = SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,DECPACK
QJ960=AN	GT		BFB		5 8/74	Q	11	RT=11/FORTTRAN = SCIENTIFIC SUBR,PKG,LIC,SFTWR,SERV,CASSETTE
QJ960=AY	GT		HBD		5 9/75	Q	11	SSP=11 SCI SUBROUTINE PKG FLOPPY RT=11&FORT REQ,BIN LIC, SERV
QJ971=AE	GT		BFB		5 10/74	Q	11	DIBOL=11 + TIME=SHARE OPTIONS,(RT=11 REQ),LICENSE,SFTWR,SERV,DECPACK
QJ971=AY	GT		BFB		5 6/75	Q	11	DIBOL=11&TIME=SHARE OPTIONS FLOPPY LIC, SERVICE
QJD01=CB		DAS	BFB		5 3/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP) LIC, SFTWR, NO SERV, PAPERTAPE
QJD01=CC		DAS	BFB		5 9/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP) LIC, SFTWR, NO SERV, DECTAPE
QJD01=CD		DAS	BFB		5 9/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP), LIC, SFTWR, NO SERV, 9 TR MTA
QJD01=CN		DAS	BFB		5 12/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP), LIC, SFTWR, NO SERV, CASSETTE
QJD01=DE		DAS	BFB		2 3/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP) LICENSE ONLY
QJD01=GZ		DAS	BFB		5 3/73	Q	11	COMTEX ASCII SUPPORT (ITTY TAP) PRE-DELIVERY KIT
QJD02=CB		DAS	BFB		5 3/73	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, PAPERTAPE
QJD02=CC		DAS	BFB		5 9/73	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, DECTAPE
QJD02=CD		DAS	BFB		5 9/73	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR, NO SERV, 9 TR MTA
QJD02=CN		DAS	BFB		5 12/73	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) LIC, SFTWR NO SERV, CASSETTE
QJD02=DE		DAS	BFB		2 3/73	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) LICENSE ONLY
QJD02=GZ		DAS	BFB		5 7/74	Q	11	COMTEX IBM ASYNC SUPPORT (2741 TAP) PRE-DELIVERY KIT
QJD03=CB		DAS	BFB		2 3/73	Q	11	COMTEX SYNC SUPPORT LICENSE & SFTWR KIT, PAPERTAPE
QJD03=CC		DAS	BFB		2 12/73	Q	11	COMTEX SYNC, SUPPORT, LICENSE & SFTWR DECTAPE
QJD03=CD		DAS	BFB		2 12/73	Q	11	COMTEX SYNC, SUPPORT, LICENSE & SFTWR 9 TRK MAGTAPE
QJD03=CN		DAS	BFB		2 12/73	Q	11	COMTEX SYNC, SUPPORT, LICENSE & SFTWR, CASSETTE
QJD03=DE		DAS	BFB		2 3/73	Q	11	COMTEX SYNCHRONOUS SUPPORT, LICENSE ONLY
QJD03=GZ		DAS	BFB		2 3/73	Q	11	COMTEX SYNCHRONOUS SUPPORT PRE-DELIVERY KIT
QJD10=AB		DAS	BFB		5 7/74	Q	11	CORE COMM SYS BASE, LIC,SFTWR,SERV, PAPERTAPE
QJD10=AC		DAS	BFB		5 7/74	Q	11	CORE COMM SYS BASE, LIC,SFTWR,SERV, DECTAPE
QJD10=AD		DAS	BFB		5 7/74	Q	11	CORE COMM SYS BASE, LIC,SFTWR,SERV, 9 TR MAGTAPE
QJD10=AN		DAS	BFB		5 12/73	Q	11	CORE COMM SYS BASE, LIC,SFTWR,SERV CASSETTE
QJD10=DE		DAS	BFB		2 3/73	Q	11	CORE COMM SYS BASE, LICENSE ONLY, FOR EA ADDITIONAL SYS
QJD10=GZ		DAS	BFB		5 7/74	Q	11	CORE COMM SYS BASE, PRE-DELIVERY KIT
QJD10=HB		DAS	BFB		5 1/74	Q	11	CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, PAPERTAPE
QJD10=HC		DAS	BFB		5 1/74	Q	11	CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, DECTAPE
QJD10=HD		DAS	BFB		5 1/74	Q	11	CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, 9 TR MAGTAPE
QJD10=HN		DAS	BFB		5 1/74	Q	11	CORE COMM SYS BASE, UPGRADE FROM QJC20, QJD20, CASSETTE
QJD10=JZ		DAS	BFB		2 3/73	Q	11	CORE COMM SYS BASE, INSTALLATION ONLY, FOR EA ADDITIONAL SYS
QJD10=MN		DAS	BFB		2 11/74	Q	11	CORE COM SYS BASE,SOURCES & LISTINGS, TRAINING, CASSETTE
QJD14=AC		DAS	BFB		5 7/74	Q	11	DOS=COMTEX CSB, LICENSE, SFTWR, SERV, DECTAPE
QJD14=AD		DAS	BFB		5 7/74	Q	11	DOS=COMTEX CSB, LICENSE, SFTWR, SERV, 9 TR MAGTAPE
QJD14=AN		DAS	BFB		2 12/73	Q	11	DOS=COMTEX CSB, LICENSE, SFTWR, SERV, DECPACK & CASSETTE
QJD14=DE		DAS	BFB		3 11/73	Q	11	DOS=COMTEX CSB, LICENSE ONLY
QJD14=GZ		DAS	BFB		5 7/74	Q	11	DOS=COMTEX CSB, PRE DELIVERY KIT
QJD14=HB		DAS	BFB		3 1/74	Q	11	DOS CSB, UPGRADE FROM CORE CSB, PAPERTAPE
QJD14=HC		DAS	BFB		5 1/74	Q	11	DOS CSB, UPGRADE FROM CORE CSB, DECTAPE
QJD14=HD		DAS	BFB		5 1/74	Q	11	DOS CSB, UPGRADE FROM CORE CSB, 9 TRK MAGTAPE
QJD14=HN		DAS	BFB		5 1/74	Q	11	DOS CSB, UPGRADE FROM CORE CSB, CASSETTE
QJD14=JZ		DAS	BFB		3 11/73	Q	11	DOS=COMTEX CSB, WARRANTY & INSTALLATION
QJD14=MN		DAS	BFB		5 11/74	Q	11	DOS CSB, SRC & LIST, TRAIN, CASSETTE (QJD14=DE, JZ REQ)
QJD40=AB		DAS	BFB		5 7/74	Q	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, PAPERTAPE
QJD40=AC		DAS	BFB		5 7/74	Q	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, DECTAPE
QJD40=AD		DAS	BFB		5 7/74	Q	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, 9 TR MAGTAPE
QJD40=AN		DAS	BFB		5 12/73	Q	11	DECCOMM FRONT END SYS BASE, LIC, SFTWR, SERV, CASSETTE
QJD40=DE		DAS	BFB		2 3/73	Q	11	DECCOMM FRONT END SYS BASE, LICENSE ONLY FOR EA ADDITIONAL SYSTEM
QJD40=GZ		DAS	BFB		5 7/74	Q	11	DECCOMM FRONT END SYS BASE, PRE-DELIVERY KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	138
QJD40=JZ		DAS	BFB		2 3/73	Q	11	DECCOMM FRONT END SYS BASE, INSTALLATION ONLY FOR EA ADDITIONAL SYS	
QJD60=AB		ASB	BFB		5 7/74	Q	11	RCS-CORE 2700, LIC, SFTWR, SERV, PAPERTAPE	
QJD60=AC		ASB	BFB		2 9/73	Q	11	RCS-CORE 2700, LIC, SFTWR, SERV, DECTAPE	
QJD60=AD		ASB	BFB		2 9/73	Q	11	RCS-CORE 2700, LIC, SFTWR, SERV, 9 TR MAGTAPE	
QJD60=AN		ASB	BFB		3 12/73	Q	11	RCS-CORE 2700, LIC, SFTWR, SERV CASSETTE	
QJD60=QZ		ASB	BFB		2 3/73	Q	11	RCS-CORE 2700, LICENSE ONLY FOR EA ADDITIONAL SYS	
QJD60=FZ		ASB	BFB		2 11/74	Q	11	RCS-CORE 2700, LISTINGS PKG, PAPER	
QJD60=JZ		ASB	BFB		2 3/73	Q	11	RCS-CORE 2700, INSTALLATION, FOR EA ADDITIONAL SYS	
QJD62=AB		DAS	BFB		5 11/73	Q	11	RCS HASP, LICENSE, SFTWR, SERV, PAPERTAPE	
QJD62=AN		DAS	BFB		5 12/73	Q	11	RCS HASP, LICENSE, SFTWR, SERV, CASSETTE	
QJD62=QZ		DAS	BFB		3 12/73	Q	11	RCS HASP, LICENSE ONLY	
QJD62=FZ		DAS	BFB		2 11/74	Q	11	RCS-HASP, LISTINGS PKG, PAPER	
QJD62=JZ		DAS	BFB		3 11/73	Q	11	RCS HASP, START-UP SERV	
QJD64=AB		ASB	BFB		5 11/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, PAPERTAPE	
QJD64=AC		ASB	BFB		5 11/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, DECTAPE	
QJD64=AD		ASB	BFB		5 11/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QJD64=AN		ASB	BFB		5 12/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), LICENSE, SFTWR SERV, CASSETTE	
QJD64=QZ		ASB	BFB		3 12/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), LICENSE ONLY	
QJD64=JZ		ASB	BFB		3 11/73	Q	11	RCS DOS=2700, (DOS/BATCH REQ), START-UP SERV	
QJD66=AC			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, LICENSE, SFTWR, SERV, DECTAPE	
QJD66=AD			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, LICENSE, SFTWR, SERV, 9 TRK MTA	
QJD66=AE			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, LICENSE, SFTWR, SERV, DECPACK	
QJD66=AF			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, LICENSE, SFTWR, SERV, 7 TRK MTA	
QJD66=QZ			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, LICENSE ONLY	
QJD66=GZ			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, PREDELIVERY KIT	
QJD66=JZ			BFB		2 9/74	Q	11	TERMINAL CONCENTRATOR FOR RSX=110, START-UP SERV	
QJD68=AC		ASB	BFB		5 3/74	Q	11	RSX=11M, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, DTA	
QJD68=AD	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR BINARY ON 9TR MTA (TU=10) BIN LIC, SERVICE	
QJD68=AE	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR BINARY ON DECPACK BIN LIC, SERVICE	
QJD68=AF	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR BINARY ON 7TR MTA BIN LIC, SERVICE	
QJD68=AN		ASB	BFB		5 3/74	Q	11	RSX=11M, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, CASSETTE	
QJD68=EC	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR SRC DECTAPE SRC LIC, SERVICE	
QJD68=ED	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR SRC 9TR MTA (TU=10) SRC LIC, SERVICE	
QJD68=EE	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR SRC DECPACK SRC LIC, SERVICE	
QJD68=EF	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR SRC 7TR MTA SRC LIC, SERVICE	
QJD68=EN	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR SRC CASSETTE SRC LIC, SERVICE	
QJD68=FR	DSK		MBO		5 9/75	Q	11	RSX=11M 2700 EMULATOR LISTINGS MICROFICHE SRC LIC	
QJD68=FZ	ASB		BFB		5 7/75	Q	11	RSX=11M 2700 EMULATOR LISTINGS ON PAPER	
QJE70=AB		RHM	BFB		5 1/74	Q	11	EDU 70, (FORMALLY EDU11-B) SFTWR, BINRY, PAPERTAPE	
QJE70=SB		RHM			6 2/74	Q	11	-SEE QJE70=AB-	
QJE80=EC		RHM	BFB		2 1/74	Q	11	EDU 80, 81, 90, CAI AUTHOR LANGUAGE, (RUNS UNDER RSTS), DECTAPE	
QJL01=A		ELL			5 7/74	Q	LAB11	SIGNAL AVERAGER PROGRAM	
QJL02=A		ELL			5 6/71	Q	LAB11	REAL TIME LAB11 BASIC	
QJL03=CC	GT		BFB		5 5/73	Q	11	GT40 SFTWR, LIC, SFTWR, NO SERV, DECTAPE	
QJL04=AB	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, PTP	
QJL04=AC	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DTA	
QJL04=AE	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QJL04=AN	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QJL04=XC	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), SRC&BNRY, 1 YR M/U LIC, SFTWR, SERV, DTA	
QJL04=XE	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), SRC&BNRY, 1YR M/U LIC, SFTWR, SERV, DCPK	
QJL05=AB	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, PTP	
QJL05=AC	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DTA	
QJL05=AE	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, DECPACK	
QJL05=AN	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, CASSETTE	
QJL05=XC	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), SRC&BNRY, 2 YR M/U LIC, SFTWR, SERV, DTA	
QJL05=XE	GT		BFB		2 4/74	Q	11	RT=11, BASIC, FORTRAN, (LOP ONLY), SRC&BNRY, 2YR M/U LIC, SFTWR, SERV, DCPK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFOR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	
QJS10=BB	JEH	DLN	BFB		3	5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, PAPER
QJS10=BC	JEH	DLN	BFB		3	5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, DECTAPE
QJS10=BD	JEH	DLN	BFB		3	5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, 9 TRACK NREI MAGTAPE
QJS10=BF	JEH	DLN	BFB		3	5/73	Q	11	DOS DRIVER FOR TU66 PHASE ENCODED TAPE, 7 TRACK MAGTAPE
QJS11=BB	JEH	DLN	BFB		3	5/73	Q	11	CONTEX DRIVER FOR TU66 PHASE ENCODED TAPE, PAPER
QJS11=BD	JEH	DLN	BFB		3	5/73	Q	11	CONTEX DRIVER FOR TU66 PHASE ENCODED TAPE, 9 TR PE MAGTAPE
QJS14=BB	JEH	DLN	BFB		3	5/73	Q	11	XY21 GRAPHICS PLOT, FORTRAN CALLABLE, PAPER
QJS20=AB		ELB		CSS	2	1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, PAPERTAPE
QJS20=AC		ELB		CSS	2	1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, DECTAPE
QJS20=AD		ELB		CSS	2	1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, 9TRK MT
QJS20=AF		ELB		CSS	2	1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, 7 TRK MT
QJS20=AN		ELB		CSS	2	1/74	Q	11	PLOT-11, GRAPHIC SUBR, (DOS/BATCH REQ), LIC, SFTWR, SERV, CASSETTE
QJS21=AB		ELB		CSS	2	1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, PAPERTAPE
QJS21=AC		ELB		CSS	2	1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, DECTAPE
QJS21=AD		ELB		CSS	2	1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, 9 TRK MT
QJS21=AF		ELB		CSS	2	1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, 7 TRK MT
QJS21=AN		ELB		CSS	2	1/74	Q	11	FFTR-11, (DOS/BATCH REQ), LIC, SFTWR, SERV, CASSETTE
QJT01=AB			BFB		3	7/74	Q	11	VT20 ENGLISH, LICENSE, SFTWR, SERV, PAPERTAPE
QJT01=AC			BFB		3	7/74	Q	11	VT20 ENGLISH, LICENSE, SFTWR, SERV, DECTAPE
QJT02=AB			BFB		3	7/74	Q	11	VT20 FRENCH, LICENSE, SFTWR, SERV, PAPERTAPE
QJT02=AC			BFB		3	7/74	Q	11	VT20 FRENCH, LICENSE, SFTWR, SERV, DECTAPE
QJT03=AB			BFB		3	7/74	Q	11	VT20 GERMAN, LICENSE, SFTWR, SERV, PAPERTAPE
QJT03=AC			BFB		3	7/74	Q	11	VT20 GERMAN, LICENSE, SFTWR, SERV, DECTAPE
QJT04=AB			BFB		3	7/74	Q	11	VT20 ITALIAN, LICENSE, SFTWR, SERV, PAPERTAPE
QJT04=AC			BFB		3	7/74	Q	11	VT20 ITALIAN, LICENSE, SFTWR, SERV, DECTAPE
QJT05=AB			BFB		3	7/74	Q	11	VT20 NORWEGIAN, LICENSE, SFTWR, SERV, PAPERTAPE
QJT05=AC			BFB		3	7/74	Q	11	VT20 NORWEGIAN, LICENSE, SFTWR, SERV, DECTAPE
QJT06=AB			BFB		3	7/74	Q	11	VT20 SPANISH, LICENSE, SFTWR, SERV, PAPERTAPE
QJT06=AC			BFB		3	7/74	Q	11	VT20 SPANISH, LICENSE, SFTWR, SERV, DECTAPE
QJT07=AB			BFB		3	7/74	Q	11	VT20 SWEDISH, LICENSE, SFTWR, SERV, PAPERTAPE
QJT07=AC			BFB		3	7/74	Q	11	VT20 SWEDISH, LICENSE, SFTWR, SERV, DECTAPE
QJV10=CB	RVN		BFB		3	1/73	Q	11	PAPERTAPE SFTWR, (LSI-11), PAPERTAPE BIN LIC, NO SERV
QK001=AA	GT		BFB		3	2/73	Q	12	DEC/X8, 8 SYS EXERCISER, LINCTAPE
QK006=AA	GT		BFB		3	2/73	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ) LINCTAPE
QK006=EA	GT	DFF	BFB		3	4/74	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ), SOURCE, LINCTAPE
QK006=HA	GT	DFF	BFB		3	4/74	Q	12	OS/8 EXTENSION KIT (BATCH, BASIC, TECO), (OS/8 REQ), UPDATE KIT, LINCTAPE
QK008=AA	GT		BFB		3	2/73	Q	12	OS/8 FORTRAN IV, (OS/8 REQ), LINCTAPE
QK008=EA	WV		M8D		2	10/73	Q	12	OS/12 FORTRAN IV SRC LINCTAPE SRC LIC
QK008=HA	GT	JJG	BFB		3	6/74	Q	12	OS/8 FORTRAN IV, (OS/8 REQ), UPDATE KIT, LINCTAPE
QK008=NA	WV		M8D		2	10/73	Q	12	OS/12 FORTRAN IV SRC UPD LINCTAPE SRC LIC, QK008=EA REQ
QK014=AA	GT	DFF	BFB		3	6/73	Q	12	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORTRAN 4 REQ), LIC, SFTWR, SERV, LINCTAPE
QK014=EA	GT	DFF	BFB		3	6/73	Q	12	OS/8 FORTRAN IV PLOTTER, (OS/8 & FORTRAN IV REQ), SOURCES, LINCTAPE
QK015=AA	GT	DFF	BFB		3	1/74	Q	12	OS/8 OPERATING SYSTEM, LINCTAPE
QK015=EA	GT	DFF	BFB		3	4/74	Q	12	OS/8 OPERATING SYSTEM, SOURCE, LINCTAPE
QK015=HA	GT	DFF	BFB		3	4/74	Q	12	OS/8 OPERATING SYSTEM, UPDATE KIT, LINCTAPE
QK070=CA	WV		M8D		3	10/73	Q	12	OS/8 FORTRAN IV TSAR LINCTAPE BIN LIC, NO SERV, OS/8 REQ
QK225	GT		BFB		6	3/73	Q	12	PDP-12 MASH SFTWR SYSTEM (INCL; IN QK235)
QK235=PA	GT		BFB		3	3/73	Q	12	PDP-12 AIPOS SOURCE PKG, (INTERNAL DESCRIPTIONS), LINCTAPE
QK245=PA	GT		BFB		3	3/73	Q	12	PDP-12 LAP & DIAL, SOUTHWARE KIT, LINCTAPE
QK246=PA	GT		BFB		3	4/74	Q	12	PDP 12 LAP & DIAL MS; SFTWR KIT, LINCTAPE
QK300=AA	DWB	DFF	BFB		3	5/73	Q	12	COS, LIC, SFTWR, SERV, LINCTAPE
QKL01=AC		DFF	BFB		6	3/74	Q	12	RTPS FORTRAN IV SFTWR KIT, LINCTAPE
QKL02=AA	GT		BFB		3	4/74	Q	12	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 1 YR M/U LIC, SFTWR, SUPPORT, LINCTAPE
QKL02=XA	GT		BFB		3	4/74	Q	12	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 1YR M/U LIC, SFTWR, SRV, LCTPE
QKL03=AA	GT		BFB		3	4/74	Q	12	OS/8, BASIC, FORTRAN IV, (LDP ONLY), 2 YR M/U LIC, SFTWR, SUPPORT, LINCTAPE
QKL03=XA	GT		BFB		3	4/74	Q	12	OS/8, BASIC, FORTRAN IV, (LDP ONLY), SRC&BNRY, 2YR M/U LIC, SFTWR, SRV, LCTPE

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	148
QLR01-AB		EDS	BFB		2	1/74 Q	14	INDUSTRIAL 14/38, (143/8) (OS/8 REQ'D), SFTWR, SERV, PAPETAPE	
QLR08-AB		EDS	BFB		3	12/73 Q	14	INDUSTRIAL 14/38, (143/8) SFTWR, SERV, BINARY PAPETAPE	
QM005-GZ EW		CP	BFB		5	9/74 Q	15	ADSS-15, PRE-DELIVERY KIT	
QM015-GZ EW		CP	BFB		5	9/74 Q	15	B/F, (BACKGRND/FOREGRND), PRE-DELIVERY KIT	
QM020-GZ EW		CP	BFB		5	9/74 Q	15	ALGOL-15, PRE-DELIVERY KIT	
QM032-GZ EW		CP	BFB		5	7/74 Q	15	RSX PLUS III PRE-DELIVERY DOCUMENTATION KIT	
QM035-YC EW		JLP	MBO		5	8/75 Q	15	RSX PLUS III BASIC, EXT&GRAPHICS, BIN&SRC, DECTAPE SRC LIC, NO SERV	
QM035-YD EW		JLP	MBO		5	8/75 Q	15	RSX PLUS III BASIC, EXT&GRAPHICS, BIN&SRC, 9TRMT SRC LIC, NO SERV	
QM035-YF EW		JLP	MBO		5	8/75 Q	15	RSX PLUS III BASIC, EXT&GRAPHICS, BIN&SRC, 7TRMT SRC LIC, NO SERV	
QM041-GZ EW		CP	BFB		5	9/74 Q	15	DOS-15, (RF15 SYS), PRE-DELIVERY KIT	
QM041-PC EW		CP	BFB		5	11/74 Q	15	DOS-15, (RF15 SYS), MEDIA ONLY, DECTAPE	
QM041-PD EW		CP	BFB		5	11/74 Q	15	DOS-15, (RF15 SYS), MEDIA ONLY, 9 TRK MTA	
QM041-PF EW		CP	BFB		5	11/74 Q	15	DOS-15, (RF15 SYS), MEDIA ONLY, 7 TRK MTA	
QM042-GZ EW		CP	BFB		5	9/74 Q	15	DOS-15, (RP02 SYS), PRE-DELIVERY KIT	
QM042-PC EW		CP	BFB		5	11/74 Q	15	DOS-15, (RP02 SYS), MEDIA ONLY, DECTAPE	
QM042-PD EW		CP	BFB		5	11/74 Q	15	DOS-15, (RP02 SYS), MEDIA ONLY, 9 TRK MTA	
QM042-PF EW		CP	BFB		5	11/74 Q	15	DOS-15, (RP02 SYS), MEDIA ONLY, 7 TRK MTA	
QM043-GZ EW		CP	BFB		5	9/74 Q	15	DOS-15, (RK05 SYS), PRE-DELIVERY KIT	
QM043-PC EW		CP	BFB		5	11/74 Q	15	DOS-15 (RK05 SYS), MEDIA ONLY, DECTAPE	
QM043-PD EW		CP	BFB		5	11/74 Q	15	DOS-15 (RK05 SYS), MEDIA ONLY, 9 TRK MTA	
QM043-PF EW		CP	BFB		5	11/74 Q	15	DOS-15 (RK05 SYS), MEDIA ONLY, 7 TRK MTA	
QM045-YC EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RF15, DECTAPE SRC LIC, NO SERV	
QM045-YD EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15 BIN & SRC, RF15, 9TR MT SRC LIC, NO SERV	
QM045-YF EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RF15, 7TR MT SRC LIC, NO SERV	
QM046-YC EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15 BIN & SRC, RP02, DECTAPE SRC LIC, NO SERV	
QM046-YD EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RP02, 9TR MT SRC LIC, NO SERV	
QM046-YF EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RP05 7TR MT SRC LIC, NO SERV	
QM047-YC EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RK05, DECTAPE SRC LIC, NO SERV	
QM047-YD EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RK05, 9TR MT SRC LIC, NO SERV	
QM047-YF EW		JLP	MBO		5	8/75 Q	15	DOS/BOSS-15, BIN & SRC, RK05, 7TR MT SRC LIC, NO SERV	
QM050-GZ EW		CP	BFB		5	9/74 Q	15	BOSS-15, PRE-DELIVERY KIT	
QM000-4C		DMD	BFB		5	11/74 Q	15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, DECTAPE	
QM000-4D		DMD	BFB		5	11/74 Q	15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, 9 TRK MTA	
QM000-4F		DMD	BFB		5	11/74 Q	15	MUMPS-15, PLAN B MAINTENANCE SERV SOURCE UPDATES, 7 TRK MTA	
QMK00-2Z		DMD	BFB		5	10/73 Q	9, 15	PLAN A - SFTWR SUBSCRIPTION, SFTWR DISPATCH	
QMK01-3C		DMD	BFB		5	10/73 Q	9, 15	ADSS-PLAN B SFTWR SUBS FOR 15 BINARY, DECTAPE	
QMK01-3Z		DMD	BFB		5	11/73 Q	9, 15	ADSS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK02-3C		DMD	BFB		5	10/73 Q	9, 15	ADSS-PLAN B, SFTWR SUBS FOR 9 OR 15, BINARY DECTAPE	
QMK03-3C		DMD	BFB		5	10/73 Q	9, 15	B/F-ADSS PLAN B SFTWR SUBS FOR 9 OR 15, PAGE MODE, BINARY DECTAPE	
QMK03-3Z		DMD	BFB		5	11/73 Q	15	B/F ADSS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK04-3C		DMD	BFB		5	10/73 Q	9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15 BANK MODE, BINARY DECTAPE	
QMK05-3C		DMD	BFB		5	10/73 Q	9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15, DISK PAGE MODE BIN DECTAPE	
QMK06-3C		DMD	BFB		5	10/73 Q	9, 15	B/F ADSS PLAN B SFTWR SUBS FOR 9 OR 15 W DISK BANK MODE, BIN DECTAPE	
QMK07-3C		DMD	BFB		5	10/73 Q	9, 15	B/F ADSS PLAN B SFTWR SUBS 9 OR 15, RB29 DISK BANK MODE, BIN DECTAPE	
QMK08-3C		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B, SFTWR SUBS FOR 15 W RF MONITOR, BINARY DECTAPE	
QMK08-3D		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, BINARY 9 TR MAGTAPE	
QMK08-3F		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, BINARY 7 TR MAGTAPE	
QMK08-4C		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE DECTAPE	
QMK08-4D		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE 9 TR MAGTAPE	
QMK08-4F		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RF MONITOR, SOURCE, 7 TR MAGTAPE	
QMK09-3C		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY DECTAPE	
QMK09-3D		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY, 9 TR MAGTAPE	
QMK09-3F		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, BINARY 7 TR MAGTAPE	
QMK09-4C		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, SOURCE DECTAPE	
QMK09-4D		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, SOURCE 9 TR MAGTAPE	
QMK09-4F		DMD	BFB		5	10/73 Q	9, 15	DOS-15 PLAN B SFTWR SUBS FOR 15 W RP MONITOR, SOURCE 7 TR MAGTAPE	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	141
QMK10=3C		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY DECTAPE	
QMK10=3D		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY 9 TR MAGTAPE	
QMK10=3F		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, BINARY 7 TR MAGTAPE	
QMK10=4C		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, SOURCE DECTAPE	
QMK10=4D		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR, SOURCE 9 TR MAGTAPE	
QMK10=4F		DMD	BFB		5	10/73 Q	9, 15	DOS=15 PLAN B SFTWR SUBS FOR 15 W RK MONITOR SOURCE, 7 TR MAGTAPE	
QMK11=3C		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, BINARY DECTAPE	
QMK11=3D		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, BINARY 9 TR MAGTAPE	
QMK11=3F		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, BINARY 7 TR MAGTAPE	
QMK11=4C		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, SOURCE DECTAPE	
QMK11=4D		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, SOURCE 9 TR MAGTAPE	
QMK11=4F		DMD	BFB		5	10/73 Q	9, 15	BOS=15 PLAN B SFTWR SUBS FOR 15, SOURCE 7 TR MAGTAPE	
QMK12=4C		DMD	BFB		5	10/73 Q	9, 15	RSX PLUS 3 PLAN B SFTWR SUBS FOR 15, SOURCE DECTAPE	
QMK12=4D		DMD	BFB		5	10/73 Q	9, 15	RSX PLUS 3 PLAN B, SFTWR SUBS FOR 15, SOURCE 9 TR MAGTAPE	
QMK12=4F		DMD	BFB		5	10/73 Q	9, 15	RSX PLUS 3 PLAN B SFTWR SUBS FOR 15, SOURCE 7 TR MAGTAPE	
QMK13=3C		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, DECTAPE	
QMK13=3D		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, 9 TRK MTA	
QMK13=3F		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BINARY UPDATES, 7 TRK MTA	
QMK13=3Z		DMD	BFB		5	11/73 Q	15	DOS=BOS PLAN B 9/15 SUBSCRIPTION BINARY	
QMK13=5C		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, DECTAPE	
QMK13=5D		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, 9 TRK MTA	
QMK13=5F		DMD	BFB		5	11/74 Q	15	DOS=BOS, PLAN B MAINTENANCE SERV, BNRY & SOURCE UPDATES, 7 TRK MTA	
QMK13=5Z		DMD	BFB		5	11/73 Q	15	DOS=BOS PLAN B 9/15 SUBSCRIPTION BINARY AND SOURCE	
QMK14=5C		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT SERV, DOS=15 BNRY & RSX SOURCES, DECTAPE	
QMK14=5D		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT SERV, DOS=15 BNRY & RSX SOURCES, 9TRK MTA	
QMK14=5F		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT SERV, DOS=15 BNRY & RSX SOURCES, 7TRK MTA	
QMK14=5Z		DMD	BFB		5	11/73 Q	15	DOS=RSX 3 PLAN B SUBS, DOS=15 BINARY & RSX SOURCES	
QMK15=5C		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT, SERV, DOS=15 BNRY&SRCE & RSX SOURCES, DTA	
QMK15=5D		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT, SERV, DOS=15 BNRY&SRCE & RSX SOURCES, 9TR MTA	
QMK15=5F		DMD	BFB		5	11/74 Q	15	DOS=RSX 3, PLAN B MAINT, SERV, DOS=15 BNRY&SRCE & RSX SOURCES, 7TRK MTA	
QMK15=5Z		DMD	BFB		5	11/73 Q	15	DOS=RSX 3 PLAN B SUBS, DOS=15 BINARY & SOURCES, RSX SOURCES	
QP010=AC		ASB	BFB		5	9/74 Q	11/40	COBOL, LICENSE, SFTWR, SERV, DECTAPE	
QP010=AD	GM	ASB	BFB		5	15/73 Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX=110 REQ) 9 TR MAGTAPE	
QP010=AE	GM	ASB	BFB		5	12/73 Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX=110 REQ) DECPACK	
QP010=AF	GM	ASB	BFB		5	12/73 Q	11/40	COBOL, LICENSE, SERV, SFTWR(RSX=110 REQ) 7 TR MAGTAPE	
QP010=CC	GM	ASB	BFB		5	9/74 Q	11/40	COBOL, LICENSE, SFTWR, NO SERV, DECTAPE	
QP010=CD	GM	ASB	BFB		5	12/73 Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX=110 REQ) 9 TR MAGTAPE	
QP010=CE	GM	ASB	BFB		5	12/73 Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX=110 REQ) DECPACK	
QP010=CF	GM	ASB	BFB		5	12/73 Q	11/40	COBOL, LICENSE, NO SERV, SFTWR(RSX=110 REQ) 7 TR MAGTAPE	
QP100=AD	ASB	BFB	BFB		5	2/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQD), LICENSE, SFTWR, SERV, 9 TRK MTA	
QP100=AE	ASB	BFB	BFB		5	2/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQD), LICENSE, SFTWR, SERV, DECPACK	
QP100=AF	ASB	BFB	BFB		5	2/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQD), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP100=CD	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQ), LICENSE, SFTWR, NO SERV, 9TRK MTA	
QP100=CE	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQ), LICENSE, SFTWR, NO SERV, DECPACK	
QP100=CF	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, (RSX=110 & 11M REQ), LICENSE, SFTWR, NO SERV, 7TRK MTA	
QP101=ED	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, OTS SOURCES, (QP100=A REQ), 9 TRK MTA	
QP101=EE	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, OTS SOURCES, (QP100=A REQ), DECPACK	
QP101=EF	ASB	BFB	BFB		5	10/74 Q	11/45	FORTRAN IV=PLUS, OTS SOURCES, (QP100=A REQ), 7 TRK MTA	
QP101=FR	ASB	BFB	BFB		5	11/74 Q	11/40	FORTRAN IV=PLUS, OTS SOURCE LISTINGS, (QP100=A REQ), MICRO-FICHE	
QP101=FZ	ASB	BFB	BFB		5	11/74 Q	11/40	FORTRAN IV=PLUS, OTS SOURCE LISTINGS, (QP100=A REQ), PAPER	
QP150=AC		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RK SYS), LICENSE, SFTWR, SERV, DECTAPE	
QP150=AD		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RK SYS), LICENSE, SFTWR, SERV, 9 TRK MTA	
QP150=AE		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RK SYS), LICENSE, SFTWR, SERV, DECPACK	
QP150=AF		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RK SYS), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP156=AC		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RP SYS), LICENSE, SFTWR, SERV, DECTAPE	
QP156=AD		MAX	MAX		2	7/74 Q	11/40	RSX=110 V4X, (RP SYS), LICENSE, SFTWR, SERV, 9 TRK MTA	

MODEL NO	ENGR MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	142
QP156=AE			MAX		2	7/74 Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, DECPACK	
QP156=AF			MAX		2	7/74 Q	11/40	RSX-11D V4X, (RP SYS), LICENSE, SFTWR, SERV, 7 TRK MTA	
QP210=AD RDA			BFB		2	12/74 Q	11/40	IAS(INTERACTIVE APPL SYS), LIC, SFTWR, SUPPORT, 9 TRK MTA	
QP210=AE RDA			BFB		2	12/74 Q	11/40	IAS(INTERACTIVE APPL SYS), LIC, SFTWR, SUPPORT, DECPACK	
QP210=AF RDA			BFB		2	12/74 Q	11/40	IAS(INTERACTIVE APPL SYS), LIC, SFTWR, SUPPORT, 7 TRK MTA	
QP210=AP RDA			BFB		2	1/75 Q	11/40	IAS, (INTERACTIVE APPL SYS), LICENSE, SFTWR, SUPPORT, 9TRK MT(TU16)	
QP210=CD RDA			BFB		2	1/75 Q	11/40	IAS, LICENSE, SFTWR, NO SERVICE, 9TRK MT(TU10)	
QP210=CE RDA			BFB		2	1/75 Q	11/40	IAS, LICENSE, SFTWR, NO SERVICE, DECPACK	
QP210=CF RDA			BFB		2	1/75 Q	11/40	IAS, LICENSE, SFTWR, NO SERVICE, 7TRK MT	
QP210=CP RDA			BFB		2	1/75 Q	11/40	IAS, LICENSE, SFTWR, NO SERVICE, 9TRK MT(TU16)	
QP220=AD CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 9TR MT (TU10) BIN LIC, SERV	
QP220=AE CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D DECPACK BIN LIC, SERV	
QP220=AE CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 7TR MT BIN LIC, SERV	
QP220=AP CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 9TR MT (TU16) BIN LIC, SERV	
QP220=CD CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 9TR MT (TU10) BIN LIC, NO SERV	
QP220=CE CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D DECPACK BIN LIC, NO SERV	
QP220=CF CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 7 TR MT BIN LIC, NO SERV	
QP220=CP CN			MBD		2	10/75 Q	11/40	IAS UPG FR RSX-11D 9 TR MT (TU16) BIN LIC, NO SERV	
QP220=HD RDA			BFB		2	1/75 Q	11/40	IAS, UPGRADE FROM RSX-11D, 9TRK MT(TU10)	
QP220=HE RDA			BFB		2	1/75 Q	11/40	IAS, UPGRADE FROM RSX-11D, DECPACK	
QP220=HF RDA			BFB		2	1/75 Q	11/40	IAS, UPGRADE FROM RSX-11D, 7TRK MT	
QP220=HP RDA			BFB		2	1/75 Q	11/40	IAS, UPGRADE FROM RSX-11D, 9TRK MT(TU16)	
QP500=AO JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LICENSE, SFTWR, SERVICE, 9TRK MT	
QP500=AE JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LICENSE, SFTWR, SERVICE, DECPACK	
QP500=AF JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LICENSE, SFTWR, SERVICE, 7TRK MT	
QP500=AP JES			MBD		5	10/75 Q	11/40	CTS-500/E (RSTS/E&COMM EXT) 9TR MT (TU16) BIN LIC, SERV	
QP500=CD JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LIC, SFTWR, NO SERV, 9 TRK MTA	
QP500=CE JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LIC, SFTWR, NO SERV, DECPACK	
QP500=CF JES			BFB		5	1/75 Q	11/40	CTS-500/E, (RSTS/E & RSTS COMM EXT), LIC, SFTWR, NO SERV, 7 TRK MTA	
QP500=CP JES			BFB		5	5/75 Q	11	CTS-500/E 9T MTA (TU16) BIN LIC, NO SERV	
QP500=GZ PAK			MBD		5	9/75 Q	11	CTS-500/E PREDELIVERY KIT NO SERV (RSTS/E&COMM EXT)	
QP586=3D MW			BFB		2	12/74 Q	11/40	RSX-11D V4B, (RP04), PLAN B MAINT, SERV, =BNRY UPDATES, 9TR MT (TU10)	
QP586=3E MW			BFB		2	12/74 Q	11/40	RSX-11D V4B, (RP04), PLAN B MAINT, SERV, =BNRY UPDATES, DECPACK	
QP586=3F MW			BFB		2	12/74 Q	11/40	RSX-11D V4B, (RP04), PLAN B MAINT, SERV, =BNRY UPDATES, 7TR MT	
QP586=3P MW			BFB		2	12/74 Q	11/40	RSX-11D V4B, (RP04), PLAN B MAINT, SERV, =BNRY UPDATES, 9TR MT(TU16)	
QP587=HC CN			BFB		2	2/75 Q	11/40	RSX-11D V4A/B UPDATE DECTAPE	
QP587=HD CN			BFB		2	4/75 Q	11/40	RSX-11D MAINTENANCE UPDATE TO V4U, 9 TRK MAGTAPE	
QP587=HE CN			BFB		2	4/75 Q	11/40	RSX-11D MAINTENANCE UPDATE TO V4U, DECPACK	
QP587=HF CN			BFB		2	4/75 Q	11/40	RSX-11D MAINTENANCE UPDATE TO V4U, 7TRK MAGTAPE	
QP587=HP CN			BFB		2	4/75 Q	11/40	RSX-11D MAINTENANCE UPDATE TO V4U, 9TRK MAGTAPE (TU16)	
QP600=AC DHA			BFB		5	2/75 Q	11/40	SORT 11, (RSX 11D REQ) LICENSE SFTWR, SERVICE, DECTAPE	
QP600=AD DHA			BFB		5	2/75 Q	11/40	SORT 11, (RSX 11D REQ) LICENSE SFTWR, SERVICE, 9TRK MTA	
QP600=AE DHA			BFB		5	2/75 Q	11/40	SORT 11, (RSX 11D REQ) LICENSE SFTWR, SERVICE, DECPACK	
QP600=AF DHA			BFB		5	2/75 Q	11/40	SORT 11, (RSX 11D REQ) LICENSE SFTWR, SERVICE, 7TRK MTA	
QP680=AD NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES (RSX-11D REQ), LIC, SERV, 9TRK MTA	
QP680=AE NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES (RSX-11D REQ), LIC, SERV, DECPACK	
QP680=AF NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES (RSX-11D REQ), LIC, SERV, 7TRK MTA	
QP680=CD NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES, LIC, NO SERV, 9TRK MTA	
QP680=CE NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES, LIC, NO SERV, DECPACK	
QP680=CF NT			BFB		2	4/75 Q	11	DECNET=110 BINARIES, LIC, NO SERV, 7TRK MTA	
QP680=FR PAK			MBD		2	8/75 Q	11	DECNET=110 LISTINGS MICROFICHE QP680=A REQ, SRC LIC	
QP680=GZ NT			BFB		2	4/75 Q	11	DECNET=110 PREDELIVERY KIT, (RSX-11D REQ)	
QP680=SZ NT			BFB		2	4/75 Q	11	DECNET=110 INSTALLATION SERVICE	
QPA01=AD			BFB		5	7/74 Q	11/40	F=SCAN=11 (RSX=11D REQD) LIC, SFTWR, SERV, 9 TR MAGTAPE	
QPA01=AE			BFB		5	5/74 Q	11/40	F=SCAN=11 (RSX=11D REQD), LICENSE, SFTWR, SERV, DECPACK	
QPA01=AF			BFB		5	5/74 Q	11/40	F=SCAN=11 (RSX=11D REQD), LICENSE, SFTWR, SERV, 7 TRK MTA	

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFRG AREA	STATUS	CATE-GORY	USED ON	DESCRIPTION	143
QPA03=AD			BFB		5	7/74 Q	11/40	COGO-11 (RSX=11D REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QPA03=AE			BFB		2	5/74 Q	11/40	COGO-11 (RSX=11D REQ), LICENSE, SFTWR, SERV, DECPACK	
QPA03=AF			BFB		5	7/74 Q	11/40	COGO-11 (RSX=11D REQ), LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QPA03=HD	WJS		BFB		2	1/75 Q	11/40	COGO-11 VIA, (RSX=11D REQ), UPDATE KIT, 9TRK MT (TU10)	
QPA03=HE	WJS		BFB		2	1/75 Q	11/40	COGO-11 VIA, (RSX=11D REQ), UPDATE KIT, DECPACK	
QPA03=HF	WJS		BFB		2	1/75 Q	11/40	COGO-11 VIA, (RSX=11D REQ), UPDATE KIT, 7TRK MT	
QPA04=AD			BFB		5	7/73 Q	11/40	STRESS (RSX=11D REQ), LICENSE, SFTWR, SERV, 9 TR MAGTAPE	
QPA04=AE			BFB		5	7/74 Q	11/40	STRESS (RSX=11D REQ), LICENSE, SFTWR, SERV, DECPACK	
QPA04=AF			BFB		5	7/73 Q	11/40	STRESS (RSX=11D REQ), LICENSE, SFTWR, SERV, 7 TR MAGTAPE	
QPA05=AD			BFB		2	7/73 Q	11/40	CSP=11, (COMMERCIAL SUBR), (RSX=11D REQ) LICENSE, SFTWR, SERV, 9 TR MTA	
QPA05=AE			BFB		5	5/74 Q	11/40	CSP=11, (COMMERCIAL SUBR), (RSX=11D REQ), LICENSE, SFTWR, SERV, DECPACK	
QPA05=AF			BFB		2	7/73 Q	11/40	CSP=11, (COMMERCIAL SUBR) (RSX=11D REQ) LICENSE, SFTWR, SERV, 7 TR MTA	
QPA20=XD		WJS	BFB		2	9/74 Q	11/40	PCS=11, (BNRY,SRCS), (RSX=11D REQ) SRCE LIC, SFTWR, SPR SERV, 9 TRK MTA	
QPA20=XE		WJS	BFB		2	9/74 Q	11/40	PCS=11, (BNRY,SRCS), (RSX=11D REQ) SRCE LIC, SFTWR, SPR SERV, DECPACK	
QPA20=XF		WJS	BFB		2	9/74 Q	11/40	PCS=11, (BNRY,SRCS), (RSX=11D REQ) SRCE LIC, SFTWR, SPR SERV, 7 TRK MTA	
QPD10=AC	ASB		BFB		5	4/74 Q	11/40	RSTS=E, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, DECTAPE	
QPD10=AD	ASB		BFB		5	4/74 Q	11/40	RSTS/E, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, 9 TRK MTA	
QPD10=AE	ASB		BFB		5	4/74 Q	11/40	RSTS/E, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, DECPACK	
QPD10=AF	ASB		BFB		5	4/74 Q	11/40	RSTS/E, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, 7 TRK MTA	
QPD10=DZ	ASB		BFB		2	4/74 Q	11/40	RSTS/E, 2700 EMULATOR, LICENSE ONLY	
QPD10=EC	ASB		BFB		5	7/75 Q	11/40	RSTS=E 2700 EMULATOR SRC DECTAPE SRC LIC, SERVICE	
QPD10=ED	ASB		BFB		5	7/75 Q	11/40	RSTS=E 2700 EMULATOR SRC 9TR MTA (TU=10) SRC LIC, SERVICE	
QPD10=EE	ASB		BFB		5	7/75 Q	11/40	RSTS=E 2700 EMULATOR SRC DECPACK SRC LIC, SERVICE	
QPD10=EF	ASB		BFB		5	7/75 Q	11/40	RSTS=E 2700 EMULATOR SRC 7TR MTA SRC LIC, SERVICE	
QPD70=AC	ASB		BFB		5	4/74 Q	11/40	RSX=11D, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, DTA	
QPD70=AD	ASB		BFB		5	4/74 Q	11/40	RSX=11D, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, 9 TRK MTA	
QPD70=AE	ASB		BFB		5	4/74 Q	11/40	RSX=11D, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, DECPACK	
QPD70=AF	ASB		BFB		5	4/74 Q	11/40	RSX=11D, 2700 EMULATOR, LICENSE, SFTWR, SUPPORT, 7 TRK MTA	
QPD70=DZ	ASB		BFB		5	4/74 Q	11/40	RSX=11D, 2700 EMULATOR, LICENSE ONLY	
QPD70=EC	ASB		BFB		5	7/75 Q	11/40	RSX=11D 2700 EMULATOR SRC ON DECTAPE SRC LIC, SERVICE	
QPD70=ED	ASB		BFB		5	7/75 Q	11/40	RSX=11D 2700 EMULATOR SRC ON 9TR MTA (TU=10) SRC LIC, SERVICE	
QPD70=EE	ASB		BFB		5	7/75 Q	11/40	RSX=11D 2700 EMULATOR SRC ON DECPACK SRC LIC, SERVICE	
QPD70=EF	ASB		BFB		5	7/75 Q	11/40	RSX=11D 2700 EMULATOR SRC ON 7 TR MTA SRC LIC, SERVICE	
QPD70=FR	DSR		MBD		5	9/75 Q	11	RSX=11D 2700 EMULATOR LISTINGS MICROFICHE SRC LIC	
QPD70=HC	DSR		MBD		5	9/75 Q	11	RSX=11D 2700 EMULATOR BIN UPD DECTAPE BIN LIC	
QPE10=YC		WJS	BFB		5	8/74 Q	11/40	DECAL, (RUNS UNDER RSTS/E), SOURCE, LICENSE, SFTWR, NO SERV, DECTAPE	
QPE10=YD		WJS	BFB		5	10/74 Q	11/40	DECAL, (RUNS UNDER RSTS/E), SOURCE LICENSE, SFTWR, NO SERV, 9 TRK MTA	
QPE10=YE		WJS	BFB		5	10/74 Q	11/40	DECAL, (RUNS UNDER RSTS/E), SOURCE LICENSE, SFTWR, NO SERV, DECPACK	
QPE10=YF		WJS	BFB		5	10/74 Q	11/40	DECAL, (RUNS UNDER RSTS/E), SOURCE, LICENSE, SFTWR, NO SERV, 7 TRK MTA	
QPE20=XD	ADP		BFB		2	5/75 Q	11/40	EDU WISE ADMIN SYS 9TR MTA RSTS/E REQ, SRC LIC SERV	
QPE20=XE	ADP		BFB		2	5/75 Q	11/40	EDU WISE ADMIN SYS DECPACK RSTS/E REQ, SRC LIC SERV	
QPE20=XF	ADP		BFB		2	5/75 Q	11/40	EDU WISE ADMIN SYS 7TR MTA RSTS/E REQ, SRC LIC SERV	
QPS12=BB	JEH	DLN	BFB		3	5/73 Q	11/40	RSX11=D DRIVER FOR TR08 TAPE SYSTEM, PAPER	
QPS12=BC	JEH	DLN	BFB		3	5/73 Q	11/40	RSX11=D DRIVER FOR TR08 TAPE SYSTEM, DECTAPE	
QPS12=BD	JEH	DLN	BFB		3	5/73 Q	11/40	RSX11=D DRIVER FOR TR08 TAPE SYSTEM, 9 TRACK NRZI MAGTAPE	
QPS12=BF	JEH	DLN	BFB		3	5/73 Q	11/40	RSX11=D DRIVER FOR TR08 TAPE SYSTEM, 7 TRACK MAGTAPE	
QPS13=BB	JEH	DLN	BFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, PAPER	
QPS13=BC	JEH	DLN	BFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, DECTAPE	
QPS13=BD	JEH	DLN	BFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, 9 TRACK NRZI MAGTAPE	
QPS13=BF	JEH	DLN	BFB		3	5/73 Q	11/40	DOS DRIVER FOR TR08 TAPE SYSTEM, 7 TRACK MAGTAPE	
QPS20=AB		ELB		CSS	2	1/74 Q	11/40	PLOT=11D, GRAPHIC SUBR, (RSX=11D REQ), LIC, SFTWR, SERV, PAPERTAPE	
QPS20=AC		ELB		CSS	2	1/74 Q	11/40	PLOT=11D, GRAPHIC SUBR, (RSX=11D REQ), LIC, SFTWR, SERV, DECTAPE	
QPS20=AD		ELB		CSS	2	1/74 Q	11/40	PLOT=11D, GRAPHIC SUBR, (RSX=11D REQ), LIC, SFTWR, SERV, 9 TRK MT	
QPS20=AF		ELB		CSS	2	1/74 Q	11/40	PLOT=11D, GRAPHIC SUBR, (RSX=11D REQ), LIC, SFTWR, SERV, 7 TRK MT	
QPS20=AN		ELB		CSS	2	1/74 Q	11/40	PLOT=11D, GRAPHIC SUBR, (RSX=11D REQ), LIC, SFTWR, SERV, CASSETTE	
QPV10=AE	RVN		BFB		2	1/75 Q	11/40	LSI=11 EMULATOR, (RUNS UNDER RT=11), LIC, SFTWR, SERV, DECPACK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	144
QR400=HC	RDA		BFB		5 7/74 Q		11/40	RSYS/E UPGRADE FROM RSTS, (REQ RSTS LIC=QJ400), LIC, SFTWR, SERV, DTA	
QR400=HD	RDA		BFB		5 7/74 Q		11/40	RSYS/E UPGRADE FROM RSTS, (REQ RSTS LIC=QJ400), LIC, SFTWR, SERV, MT9	
QR400=HE	RDA		BFB		5 7/74 Q		11/40	RSYS/E UPGRADE FROM RSTS, (REQ RSTS LIC=QJ400), LIC, SFTWR, SERV, DCPK	
QR400=HF	RDA		BFB		5 7/74 Q		11/40	RSYS/E UPGRADE FROM RSTS, (REQ RSTS LIC=QJ400), LIC, SFTWR, SERV, MT7	
QR400=HP	RDA		BFB		5 4/75 Q		11/40	RSYS/E UPGRADE FROM RSTS, (REQ RSTS LIC=QJ400), LIC, SERV, MT9, (TU16)	
QR430=2Z	RDA	DMD	BFB		5 7/74 Q		11/40	RSYS/E, PLAN A MAINT SERV, SFTWR, DISPATCH & SPR SERV	
QR430=3C	RDA	DMD	BFB		5 7/74 Q		11/40	RSYS/E, PLAN B MAINT SERV, BINARY UPDATES, DECTAPE	
QR430=3D	RDA	DMD	BFB		5 7/74 Q		11/40	RSYS/E, PLAN B MAINT SERV, BINARY UPDATES, 9 TRK MTA	
QR430=3E	RDA	DMD	BFB		5 7/74 Q		11/40	RSYS/E, PLAN B MAINT SERV, BINARY UPDATES, DECPACK	
QR430=3F	RDA	DMD	BFB		5 7/74 Q		11/40	RSYS/E, PLAN B MAINT SERV, BINARY UPDATES, 7 TRK MTA	
QR430=AC	RDA		BFB		5 8/72 Q		11/40	RSYS/E, LIC, SFTWR, SERV, DECTAPE	
QR430=AD	RDA		BFB		5 9/72 Q		11/40	RSYS/E, LIC, SFTWR, SERV, 9 TR MAGTAPE	
QR430=AE	RDA		BFB		5 7/74 Q		11/40	RSYS/E, LICENSE, SFTWR, SERV, DECPACK	
QR430=AF	RDA		BFB		5 9/72 Q		11/40	RSYS/E, LIC, SFTWR, SERV, 7 TR MAGTAPE	
QR430=AP	RDA		BFB		5 12/74 Q		11/40	RSYS/E, LICENSE, SFTWR, SERVICE, 9TR MT (TU16)	
QR430=CC	RDA		BFB		5 11/73 Q		11/40	RSYS/E, LIC, SFTWR, NO SERV, DECTAPE	
QR430=CD	RDA		BFB		5 11/73 Q		11/40	RSYS/E, LIC, SFTWR, NO SERV, 9 TR MTA	
QR430=CE	RDA		BFB		5 7/74 Q		11/40	RSYS/E, LICENSE, SFTWR, NO SERV, DECPACK	
QR430=CF	RDA		BFB		5 11/73 Q		11/40	RSYS/E, LIC, SFTWR, NO SERV, 7 TR MTA	
QR430=CP	RDA		BFB		5 12/74 Q		11/40	RSYS/E, LICENSE, SFTWR, NO SERVICE, 9TR MT (TU16)	
QR430=DZ	RDA		BFB		2 7/74 Q		11/40	RSYS/E, LICENSE ONLY, (QR430=A REQ)	
QR430=ED	RDA		BFB		5 7/74 Q		11/40	RSYS/E, SOURCE, 9 TR MAGTAPE	
QR430=FR	RDA	DMD	BFB		3 1/74 Q		11/40	RSYS/E, SYSTEM LISTING ON MICRO-FICHE	
QR430=FZ	RDA	DMD	BFB		3 1/74 Q		11/40	RSYS/E, SYSTEM LISTING ON PAPER	
QR430=GZ	RDA		BFB		5 7/74 Q		11/40	RSYS/E, PRE-DELIVERY KIT	
QR430=HC	RDA		BFB		5 1/75 Q		11/40	RSYS/E, UPDATE KIT, DECTAPE	
QR430=HD	RDA		BFB		5 1/75 Q		11/40	RSYS/E, UPDATE KIT, 9TRK MT (TU10)	
QR430=HE	RDA		BFB		5 1/75 Q		11/40	RSYS/E, UPDATE KIT, DECPACK	
QR430=HF	RDA		BFB		5 1/75 Q		11/40	RSYS/E, UPDATE KIT, 7TRK MT	
QR430=HP	RDA		BFB		5 1/75 Q		11/40	RSYS/E, UPDATE KIT, 9TRK MT (TU16)	
QR430=SZ	RDA	DMD	BFB		2 1/74 Q		11/40	RSYS/E, SFTWR CONSULTING (FIVE DAYS)	
QR432=ED	RDA		BFB		5 1/75 Q		11/40	RSYS/E, MONITOR SOURCE, 9TRK MT	
QR432=EE	RDA		BFB		5 1/75 Q		11/40	RSYS/E, MONITOR SOURCE, DECPACK	
QR432=FR	RDA	DMD	BFB		5 1/74 Q		11/40	RSYS/E, MONITOR ASSEMBLY LISTING ON MICRO-FICHE	
QR432=FZ	RDA	DMD	BFB		5 1/74 Q		11/40	RSYS/E, MONITOR ASSEMBLY LISTING ON PAPER	
QR433=ED	RDA		BFB		5 1/75 Q		11/40	RSYS/E, BASIC PLUS & RTS SOURCES, 9TRK MT	
QR433=EE	RDA		BFB		5 1/75 Q		11/40	RSYS/E, BASIC PLUS & RTS SOURCES, DECPACK	
QR433=FR	RDA	DMD	BFB		5 1/74 Q		11/40	RSYS/E, BASIC PLUS & RTS ASSEMBLY LISTING ON MICRO-FICHE	
QR433=FZ	RDA	DMD	BFB		5 1/74 Q		11/40	RSYS/E, BASIC PLUS & RTS ASSEMBLY LISTING ON PAPER	
QS22		CF			3 9/71 Q		ANY	SFTWR DEV BY PRODUCT LINE 22	
QS910=SZ		DMD	BFB		3 4/74 Q		ANY	SFTWR CONSULTING, PER CALL (\$36/HR)	
QS920=SZ		DMD	BFB		3 4/74 Q		ANY	SFTWR CONSULTING, MONTHLY (4 WEEKS)	
QS922=SZ		DMD	BFB		3 4/74 Q		ANY	SFTWR CONSULTING, RESIDENT 6 MONTHS	
QS924=SZ		DMD	BFB		3 4/74 Q		ANY	SFTWR CONSULTING, RESIDENT 12 MONTHS	
QS926=SZ		DMD	BFB		2 4/75 Q			WEEKLY (MON-FRI) CONSULTING PLUS EXPENSES	
QT600	HLD				2 10/74 Q		10	BASIC SYSTEM SFTWR PACKAGE FOR KL10	
QT700	HLD				2 10/74 Q		10	TOTAL SYSTEM SFTWR PACKAGE FOR KL10	
QT900	HLD				2 10/74 Q		10	BASIC SYS SFTWR PKG FOR KL10 TO PRCHRS OF QHSYS=10, QH600 OR QH700	
QY001=AS		EN	PHI		3 1/75 Q		MPS	MICRO-PROCESSOR DEBUGGING PROGRAM, (OPERATING SYS), LIC, SERV, ROM CHIP	
QY500=AB	PJM		BFB		5 4/75 Q		MPS	MICRO-PROCESSOR SERIES SW TOOLS-RESIDENCE BIN, LIC, SERV, PAPETAPE	
RAD1		BY			3	R	7	TYPE 24 DRUM INTERFACE	
RASP=15		CP			3 8/71 Q		RSX=15	MULTIPROGRAMMING LANGUAGE	
RB09		MI		TPL	6 7/71 R		9	RC09 & RD10	
RB09=A		MI		TPL	6 7/71 R		9	RC09 & RD10=A	
RC07		JDL			3	R	7	CONTROL FOR BURROUGHS DISK	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE- MO/YR	CATE- GORY	USED ON	DESCRIPTION
RC09		M1		TPL	6	7/71	R	9	CONTROL FOR BURROUGHS DISK
RC10	RLD	PW		5	R		10		DISK SYNCHRONIZER (RD10)
RC11	RT	LC			5	1/72	R	11	DEC DISK CONTROL FOR RS64
RC11=A	RT	LC			3	3/73	R	11	RC11 + RS64=A, 115V
RC11=B	RT	LC			3	3/73	R	11	RC11 + RS64=B, 230V
RD10	RLD	PW			5		R	RC09, RC10	524K 35 BIT (IM 18 BIT) BURROUGHS DISK
RD10=A	RLD	PW			4		R	RC09, RC10	50 HZ RD10
RES10=A		BLE		SSCAL	3	8/73	R	10 I/O + MEM BUS	CONTROL FOR DDC A7310 & 9110 SERIES DISKS, 115V
RES10=B		BLE		SSCAL	3	8/73	R	10 I/O + MEM BUS	CONTROL FOR DDC A7310 & 9110 SERIES DISKS, 230V
REV11=A	MT	TPW			3	9/75	R	LS111	BUS TERMINATOR W REFRESH & FLOPPY BOOT (M9400-YA)
REV11=C	MT	TPW			3	10/75	R	LS111	REV11=A W NO TERMINATORS
REV11=H	MT	TPW			3	9/75	R	LS111	BUS TERMINATOR W REFRESH & LJP/COMM BOOT (M9400-YH)
RF08		GS			5		R	8 NEG	DEC DISK CONTROL FOR RS00 WITH CAB
RF08=A		GS			5	6/71	R	8 NEG	RF08 + RS08=M + RS08=P (RF08 + RS08)
RF08=B		GS			5	6/71	R	8 NEG	RF08 + 2RS08=M + 2RS08=P (RF08 + 2RS08)
RF08=C		GS			5	6/71	R	8 NEG	RF08 + 3RS08=M + 3RS08=P + CAB (RF08 + 3RS08 + CAB)
RF08=D		GS			5	6/71	R	8 NEG	RF08 + 4RS08=M + 4RS08=P + CAB (RF08 + 4RS08 + CAB)
RF08=M		GS			3		R	8 NEG	SPECIAL RF08 FOR MEDIDATA
RF09		DV			5		R	9 NEG BUS	DEC DISK CONTROL FOR RS09 WITH CAB
RF09=A		DV			5	6/71	R	9	RF09 + RS08=M + RS09=P (RF09 + RS09)
RF09=B		DV			5	6/71	R	9	RF09 + 2RS08=M + 2RS09=P (RF09 + RS09 + RS09=B)
RF09=C		DV			5	6/71	R	9	RF09 + 3RS08=M + 3RS09=P + CAB (RF09 + RS09 + RS09=B + RS09=D)
RF09=D		DV			5	6/71	R	9	RF09 + 4RS08=M + 4RS09=P + CAB (RF09 + RS09 + 2RS09=B + RS11=D)
RF11	RT	LC			4		R	11	16 BIT DEC DISK CONTROL FOR RS11
RF11=AA	RT	LC			4	6/71	R	11	RF11 + RS08=M + RS09=P (RF11 + RS11), 60HZ
RF11=AB	RT	LC			4	3/73	R	11	RF11 + RS08=MA + RS09=PA (RF11 + RS11=A), 50HZ
RF11=B	RT	LC			4	6/71	R	11	RF11 + 2RS08=M + 2RS09=P (RF11 + RS11 + RS11=B)
RF11=C	RT	LC			4	6/71	R	11	RF11 + 3RS08=M + 3RS09=P + CAB (RF11 + RS11 + RS11=B + RS11=D)
RF11=D	RT	LC			4	6/71	R	11	RF11 + 4RS08=M + 4RS09=P + CAB (RF11 + RS11 + 2RS11=B + RS11=D)
RF15		DV			5		R	15 POS BUS	DEC DISK CONTROL, CAB
RF151=A		FD			2	4/75	R	15	RF15 CONTROL + RS09, 115V 60HZ
RF151=B		FD			2	4/75	R	15	RF15 CONTROL + RS09=A, 230V 50HZ
RF152=A		FD			2	4/75	R	15	RF15 CONTROL, RS09, RS09=B, 115V 60HZ
RF152=B		FD			2	4/75	R	15	RF15 CONTROL, RS09=A, RS09=BA, 230V 50HZ
RF15=AA		DV			6	4/75	R	15	RENAMED RF151=A [RF15 + RS08=M + RS09=P (RF15 + RS09), 60HZ]
RF15=AB		DV			6	4/75	R	15	RENAMED RF151=B [RF15 + RS08=MA + RS09=PA (RF15 + RS09=A), 50HZ]
RF15=B		DV			6	4/75	R	15	RENAMED RF152=A [RF15 + 2RS08=M + 2RS09=P (RF15 + RS09 + RS09=B)]
RF15=C		DV			6	4/75	R	15	RF15 + 3RS08=M + 3RS09=P + CAB (RF15 + RS09 + RS09=B + RS09=D)
RF15=D		DV			6	4/75	R	15	RF15 + 4RS08=M + 4RS09=P + CAB (RF15 + RS09 + 2RS09=B + RS09=D)
RF73=E		OF		SSCAL	3	11/71	R	15	INTERFACE TO DDC 73H13, 3.6M WORD 18 BITS
RGX15=A		CP			3	6/72	G	15	RSX GRAPHICS SOFTWARE
RH10=A	RLD	PW			5	11/74	D	10	MASS BUS INTERFACE IN H966=A CAB, 115V
RH10=B	RLD	PW			5	11/74	R	10	MASS BUS INTERFACE IN H966=A CAB, 230V
RH11=AB	RT	LC			5	11/74	D	11	1-1/2 PORT UNIBUS
RH70=A	WRD	SJ			2	2/75	R	11/70	MASSBUS INTERFACE
RHP04=AA	RLD	PW			5	11/74	R	10 + UF10	MASSBUS CONTROLLER
RHP04=AB	RLD	PW			5	11/74	R	10 + UF10	RP04=AA SINGLE ACCESS + RH10=A, 60HZ
RHP04=BA	RLD	PW			5	11/74	R	10 + UF10	RP04=AB SINGLE ACCESS + RH10=A, 50HZ
RHP04=BB	RLD	PW			5	11/74	R	10 + UF10	RP04=BA DUAL ACCESS + RH10=A, 60HZ
RHP04=DA	RLD	PW			5	11/74	R	10	RP04=BB DUAL ACCESS + RH10=A, 50HZ
RHP04=DB	RLD	PW			5	11/74	R	10	RP04=AA SINGLE ACCESS + RH10=A + DF10, 60HZ
RHP04=EA	RLD	PW			5	11/74	R	10	RP04=AB SINGLE ACCESS + RH10=A + DF10=A, 50HZ
RHP04=EB	RLD	PW			5	11/74	R	10	RP04=BA DUAL ACCESS + RH10=A + DF10, 60HZ
RHP04=FA	RLD	PW			5	11/74	R	10	RP04=BB DUAL ACCESS + RH10=A + DF10=A, 50HZ
RHP04=FB	RLD	PW			5	11/74	R	10	RP04=AA SINGLE ACCESS + RH10=A + DF10=CA, 60HZ
RHP04=HA	RLD	PW			5	11/74	R	10	RP04=AB SINGLE ACCESS + RH10=A + DF10=CB, 50HZ
									RP04=BA DUAL ACCESS + RH10=A + DF10=CA, 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	DATE MO/YR	CATEGORY	USED ON	DESCRIPTION
RHP04-HB	RLD	PW			5	11/74	R	10	RP04-BB DUAL ACCESS + RH10-A + DF10-CB, 50HZ
RHS04-CA	RLD	LJC			5	1/75	R	RH10-A, RH20	RS04-AA (256K 36-BIT WORDS, 4 USEC/WORD DISK) 115V 60HZ
RHS04-CB	RLD	LJC			5	1/75	R	RH10-A, RH20	RS04-AB (256K 36-BIT WORDS, 4 USEC/WORD DISK) 230V 60HZ
RHS04-CC	RLD	LJC			5	1/75	R	RH10-A, RH20	RS04-AC (256K 36-BIT WORDS, 4 USEC/WORD DISK) 115V 50HZ
RHS04-CD	RLD	LJC			5	1/75	R	RH10-A, RH20	RS04-AD (256K 36-BIT WORDS, 4 USEC/WORD DISK) 230V 50HZ
RHS04-DA	RLD	LJC			5	1/75	R	RH10-A, RH20	RHS04-CA + H966-BA CAB, 115V 60HZ
RHS04-DB	RLD	LJC			5	1/75	R	RH10-A, RH20	RHS04-CB + H966-BB CAB, 230V 60HZ
RHS04-DC	RLD	LJC			5	1/75	R	RH10-A, RH20	RHS04-CC + H966-BA CAB, 115V 50HZ
RHS04-DD	RLD	LJC			5	1/75	R	RH10-A, RH20	RHS04-CD + H966-BB CAB, 230V 50HZ
RHS04-GA	RLD	LJC			5	1/75	R	DF10	RH10-A + RHS04-DA, 115V 60HZ
RHS04-GB	RLD	LJC			5	1/75	R	DF10	RH10-A + RHS04-DB, 230V 60HZ
RHS04-GC	RLD	LJC			5	1/75	R	DF10	RH10-A + RHS04-DC, 115V 50HZ
RHS04-GD	RLD	LJC			5	1/75	R	DF10	RH10-A + RHS04-DD, 230V 50HZ
RHS04-HA	RLD	LJC			5	1/75	R	10	RH10-A + DF10 + RHS04-DA, 115V 60HZ
RHS04-HB	RLD	LJC			5	1/75	R	10	RH10-A + DF10 + RHS04-DB, 230V 60HZ
RHS04-HC	RLD	LJC			5	1/75	R	10	RH10-A + DF10-A + RHS04-DC, 115V 50HZ
RHS04-HD	RLD	LJC			5	1/75	R	10	RH10-A + DF10-A + RHS04-DD, 230V 50HZ
RHS04-JA	RLD	LJC			5	1/75	R	10	RH10-A + DF10-CA + RHS04-DA, 115V 60HZ
RHS04-JB	RLD	LJC			5	1/75	R	10	RH10-A + DF10-CA + RHS04-DB, 230V 60HZ
RHS04-JC	RLD	LJC			5	1/75	R	10	RH10-A + DF10-CB + RHS04-DC, 115V 50HZ
RHS04-JD	RLD	LJC			5	1/75	R	10	RH10-A + DF10-CB + RHS04-DD, 230V 50HZ
RJM01-AA	FA	CC		CSS	2	9/75	D	MASS BUS	RH11-AB + RH01-AA, 115V
RJM01-AB	FA	CC		CSS	2	10/75	D	MASS BUS	RH11-AB + RH01-AB, 230V
RJP04-AA	RLP	TA			5	11/74	R	11	RH11-AB + RP04-AA, 60HZ, SINGLE ACCESS
RJP04-AB	RLP	TA			5	11/74	R	11	RH11-AB + RP04-AB, 50HZ, SINGLE ACCESS
RJP04-BA	RLP	TA			5	11/74	R	11	2 RH11-AB + RP04-BA, 60HZ, DUAL ACCESS
RJP04-BB	RLP	TA			5	11/74	R	11	2 RH11-AB + RP04-BB, 50HZ, DUAL ACCESS
RJP04-C	RLP	TA			3	11/74	R	RJP04-A	DISK DUAL ACCESS KIT (RP04-C + RH11-AB)
RJS03-BA	BD	SJ			5	11/74	R	11	RH11-AB + RS03-BA, 115V 60HZ
RJS03-BB	BD	SJ			5	11/74	R	11	RH11-AB + RS03-BB, 230V 60HZ
RJS03-BC	BD	SJ			5	11/74	R	11	RH11-AB + RS03-BC, 115V 50HZ
RJS03-BD	BD	SJ			5	11/74	R	11	RH11-AB + RS03-BD, 230V 50HZ
RJS03-EA	WRD	SJ			2	11/75	R	11	RH11-AB + RS03-EA, 115V 60HZ
RJS03-EB	WRD	SJ			2	11/75	R	11	RH11-AB + RS03-EB, 230V 60HZ
RJS03-EC	WRD	SJ			2	11/75	R	11	RH11-AB + RS03-EC, 115V 50HZ
RJS03-ED	WRD	SJ			2	11/75	R	11	RH11-AB + RS03-ED, 230V 50HZ
RJS03-LA	GS	PM			3	11/75	R	11	RH11-AB + RS03-LA, H960-CA, 115V 60HZ
RJS03-LB	GS	PM			3	11/75	R	11	RH11-AB + RS03-LB, H960-CB, 230V 60HZ
RJS03-LC	GS	PM			3	11/75	R	11	RH11-AB + RS03-LC, H960-CA, 115V 50HZ
RJS03-LD	GS	PM			3	11/75	R	11	RH11-AB + RS03-LD, H960-CB, 230V 50HZ
RJS04-BA	BD	SJ			5	11/74	R	11	RH11-AB + RS04-BA, 115V 60HZ
RJS04-BB	BD	SJ			5	11/74	R	11	RH11-AB + RS04-BB, 230V 60HZ
RJS04-BC	BD	SJ			5	11/74	R	11	RH11-AB + RS04-BC, 115V 50HZ
RJS04-BD	BD	SJ			5	11/74	R	11	RH11-AB + RS04-BD, 230V 50HZ
RJS04-EA	WRD	SJ			2	11/75	R	11	RH11-AB + RS04-EA, 115V 60HZ
RJS04-EB	WRD	SJ			2	11/75	R	11	RH11-AB + RS04-EB, 230V 60HZ
RHS04-EC	WRD	SJ			2	11/75	R	11	RH11-AB + RS04-EC, 115V 50HZ
RHS04-ED	WRD	SJ			2	11/75	R	11	RH11-AB + RS04-ED, 230V 50HZ
RK01-K		MI			5		R	RK01-AA THRU -DB	8 SECTOR CARTRIDGE, RK01 DISK DRIVES
RK02-AA	CA	ORR			4	6/71	R	RK11-CA	LOW DENSITY DIABLO DISK, 1ST UNIT, W PS, 115V
RK02-AB	CA	ORR			4	6/71	R	RK11-CB	LOW DENSITY DIABLO DISK, 1ST UNIT, W PS, 230V
RK02-BA	CA	ORR			4	6/71	R	RK11-CA	LOW DENSITY DIABLO DISK, 2ND UNIT, 115V
RK02-BB	CA	ORR			4	6/71	R	RK11-CB	LOW DENSITY DIABLO DISK, 2ND UNIT, 230V
RK02-CA	CA	ORR			4	6/71	R	RK11-CA	LOW DENSITY DIABLO DISK, 3RD UNIT, W PS, 115V
RK02-CB	CA	ORR			4	6/71	R	RK11-CB	LOW DENSITY DIABLO DISK, 3RD UNIT, W PS, 230V
RK02-DA	CA	ORR			4	6/71	R	RK11-CA	LOW DENSITY DIABLO DISK, 4TH UNIT, 115V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- MO/YR GORY	USED ON	DESCRIPTION	147
RK02=08	CA	ORR			4	6/71 R	RK11=CB	LOW DENSITY DIABLO DISK, 4TH UNIT, 230V	
RK02=EA	CA	ORR			4	6/71 R	RK11=CA	LOW DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 115V	
RK02=EB	CA	ORR			4	6/71 R	RK11=CB	LOW DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 230V	
RK02=FA	CA	ORR			4	6/71 R	RK11=CA	LOW DENSITY DIABLO DISK, 6TH UNIT, 115V	
RK02=FB	CA	ORR			4	6/71 R	RK11=CB	LOW DENSITY DIABLO DISK, 6TH UNIT, 230V	
RK02=HA	CA	ORR			4	6/71 R	RK11=CA	LOW DENSITY DIABLO DISK, 7TH UNIT W PS, 115V	
RK02=HB	CA	ORR			4	6/71 R	RK11=CB	LOW DENSITY DIABLO DISK, 7TH UNIT W PS, 230V	
RK02=JA	CA	ORR			4	6/71 R	RK11=CA	LOW DENSITY DIABLO DISK, 8TH UNIT, 115V	
RK02=JB	CA	ORR			4	6/71 R	RK11=CB	LOW DENSITY DIABLO DISK, 8TH UNIT, 230V	
RK02=KA	CA	ORR			4	6/71 R	RK02=AA THRU =DB	12 SECTOR CARTRIDGE FOR RK02	
RK03=AA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 1ST UNIT, W PS, 115V	
RK03=AB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 1ST UNIT, W PS, 230V	
RK03=BA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 2ND UNIT, 115V	
RK03=BB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 2ND UNIT, 230V	
RK03=CA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 3RD UNIT, W PS, 115V	
RK03=CB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 3RD UNIT, W PS, 230V	
RK03=DA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 4TH UNIT, 115V	
RK03=DB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 4TH UNIT, 230V	
RK03=EA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 115V	
RK03=EB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 5TH UNIT W CAB & PS, 230V	
RK03=FA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 6TH UNIT, 115V	
RK03=FB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 6TH UNIT, 230V	
RK03=HA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 7TH UNIT W PS, 115V	
RK03=HB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 7TH UNIT W PS, 230V	
RK03=JA	CA	ORR			4	6/71 R	RK11=CA	HIGH DENSITY DIABLO DISK, 8TH UNIT, 115V	
RK03=JB	CA	ORR			4	6/71 R	RK11=CB	HIGH DENSITY DIABLO DISK, 8TH UNIT, 230V	
RK03=KA	CA	ORR			4	6/71 R	RK03=A THRU =J, RK05	12 SECTOR CARTRIDGE FOR RK03, RK05	
RK03=KB	CA	SG			3	6/72 R	RK03=A THRU =J, RK05 (RK0=E)	16 SECTOR CARTRIDGE FOR RK03, RK05	
RK03=LA	MI	JDL			2	1/73 R	RK0=E	HIGH DENSITY DIABLO DISK, 1ST UNIT W CAB, PS, 115V	
RK03=LB	MI	JDL			2	1/73 R	RK0=E	HIGH DENSITY DIABLO DISK, 1ST UNIT W CAB, PS, 230V	
RK05=AA	GS	ES			6	8/75 R	RK11=C, =D, =E	19,2 MBIT DEC PACK DISK TO REPLACE RK03 115V 60HZ	
RK05=AB	GS	ES			6	8/75 R	RK11=C, =D, =E	DEC PACK DISK TO REPLACE RK03 230V 60HZ	
RK05=BA	GS	ES			6	8/75 R	RK11=C, =D, =E	DEC PACK DISK TO REPLACE RK03 115V 50HZ	
RK05=BB	GS	ES			6	8/75 R	RK11=C, =D, =E	DEC PACK DISK TO REPLACE RK03 230V 50HZ	
RK05=CA	GS	ES			6	8/75 R	RK11=C, =D, =E	RK05=AA, H967=HA SHORT CAB, 115V 60HZ	
RK05=CD	GS	ES			6	8/75 R	RK11=C, =D, =E	RK05=BB, H967=HB SHORT CAB, 230V 50HZ	
RK05=DE	BD	ORR			6	8/75 R	RK11	RK05=AA, H960=CA TALL CAB, 115V 60HZ	
RK05=DF	BD	ORR			6	8/75 R	RK11	RK05=AB, H960=CB TALL CAB, 230V 60HZ	
RK05=DH	BD	ORR			6	8/75 R	RK11	RK05=BA, H960=CA TALL CAB, 115V 50HZ	
RK05=DJ	BD	ORR			6	8/75 R	RK11	RK05=BB, H960=CB TALL CAB, 230V 50HZ	
RK05=HA	DH	PH		CSS	3	4/75 R	9	UNIT SELECT SWITCH KIT, 0=3	
RK05=HB	DH	PH		CSS	3	4/75 R	11	UNIT SELECT SWITCH KIT, 0=7	
RK05J=AA	GS	WS			3	8/75 R	RK11=C, =D, =E, RK0=E, =F	2,5MBYTE MBIT DEC DISK TO REPLACE RK05=AA, 115V 60HZ	
RK05J=AB	GS	WS			3	8/75 R	RK11=C, =D, =E, RK0=E, =F	2,5MBYTE MBIT DEC DISK TO REPLACE RK05=AB, 230V 60HZ	
RK05J=BA	GS	WS			3	8/75 R	RK11=C, =D, =E, RK0=E, =F	2,5MBYTE MBIT DEC DISK TO REPLACE RK05=BA, 115V 50HZ	
RK05J=BB	GS	WS			3	8/75 R	RK11=C, =D, =E, RK0=E, =F	2,5MBYTE MBIT DEC DISK TO REPLACE RK05=BB, 230V 50HZ	
RK05J=DE	GS	WS			3	8/75 R	RK11=0	RK05J=AA, H960=CA TALL CAB, 115V 60HZ	
RK05J=DF	GS	WS			3	8/75 R	RK11=0	RK05J=AB, H960=CB TALL CAB, 230V 60HZ	
RK05J=DH	GS	WS			3	8/75 R	RK11=0	RK05J=BA, H960=CA TALL CAB, 115V 50HZ	
RK05J=DJ	GS	WS			3	8/75 R	RK11=0	RK05J=BB, H960=CB TALL CAB, 230V 50HZ	
RK05J=DK	GS	WS			2	11/75 R	RK11=0	RK05J=AA, H9502, 061=C, 115V 60HZ	
RK05J=DL	GS	WS			2	11/75 R	RK11=0	RK05J=AB, H9502, 061=B, 230V 60HZ	
RK05J=DM	GS	WS			2	11/75 R	RK11=0	RK05J=BA, H9502, 061=C, 115V 50HZ	
RK05J=DN	GS	WS			2	11/75 R	RK11=0	RK05J=BB, H9502, 061=B, 230V 50HZ	
RK05J=HP	RS	JFB			3	11/75 R	RK11=C, =D, =E	RK05J=AA + RK05=HB, 115V 60HZ	
RK05J=HT	RS	JFB			3	11/75 R	RK11=C, =D, =E	RK05J=BB + RK05=HB, 230V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	DATE-MO/YR	CATE-GORY	USED QN	DESCRIPTION
RK05K=8	GS	ES			3	4/73	R	RK03 THRU RK05	2200 BPI 16 SECTOR DISK CARTRIDGE (SAME AS RK03-KB)
RK05K=11	GS	ES			3	4/73	R	RK03 THRU RK05	2200 BPI 12 SECTOR DISK CARTRIDGE (SAME AS RK03-KA)
RK05K=AC	GS	LAW			3	4/73	R	RK03, RK05	DIGITAL EQUIP CORP ALIGNMENT CARTRIDGE
RK05=P	GS	ES			4	8/72	R	RK05-AA, -AB, -BA, -BB	POSITIONER (700B702)
RK05=RF		JCR		FS	3	9/75	R	RK05	RETROFIT KIT: ECO 55, 61, G180=8, G180=9, 54-09484-0=5
RK05=TA		REDG		TE	4	4/75	R	RK05	OFF-LINE TESTER
RK11=CA	RT	TU			6	10/74	R	11	H950 CAB, PS & CONTROL FOR RK02 THRU RK05, 115V
RK11=CB	RT	TU			6	10/74	R	11	H950 CAB, PS & CONTROL FOR RK02 THRU RK05, 230V
RK11=D	RT	TU			4	4/73	R	11	16 BIT SYSTEM UNIT CONT FOR RK05
RK11=DE	RT	TU			6	8/75	R	11	H960=CA CAB, RK11=D + RK05-AA, 115V 60HZ
RK11=DF	RT	TU			6	8/75	R	11	H960=CB CAB, RK11=D + RK05-AB, 230V 60HZ
RK11=DH	RT	TU			6	8/75	R	11	H960=CA CAB, RK11=D + RK05-BA, 115V 50HZ
RK11=DJ	RT	TU			6	8/75	R	11	H960=CB CAB, RK11=D + RK05-BB, 230V 50HZ
RK11=E	RT	TU			4	4/73	R	15	UNIBUS
RK11J=DE	RT	TU			3	8/75	R	11	H960=CA CAB, RK11=D, RK05J-AA, 115V 60HZ
RK11J=DF	RT	TU			3	8/75	R	11	H960=CB CAB, RK11=D, RK05J-AB, 230V 60HZ
RK11J=DH	RT	TU			3	8/75	R	11	H960=CA CAB, RK11=D, RK05J-BA, 115V 50HZ
RK11J=DJ	RT	TU			3	8/75	R	11	H960=CB CAB, RK11=D, RK05J-BB, 230V 50HZ
RK11J=DK	RT	TU			2	11/75	R	11	H9502, RK11=D, RK05J-AA, 115V 60HZ
RK11J=DL	RT	TU			2	11/75	R	11	H9502, RK11=D, RK05J-AB, 230V 60HZ
RK11J=DM	RT	TU			2	11/75	R	11	H9502, RK11=D, RK05J-BA, 115V 50HZ
RK11J=DN	RT	TU			2	11/75	R	11	H9502, RK11=D, RK05J-BB, 230V 50HZ
RK15=FA	BD	BG			6	8/75	R	15	RK05-AA, RK11=E, UC15-FA, 115V 60HZ
RK15=FB	BD	BG			6	8/75	R	15	RK05-AB, RK11=E, UC15-FB, 230V 60HZ
RK15=FC	BD	BG			6	8/75	R	15	RK05-BA, RK11=E, UC15-FA, 115V 50HZ
RK15=FD	BD	BG			6	8/75	R	15	RK05-BB, RK11=E, UC15-FB, 230V 50HZ
RK15=FE	BD	BG			6	8/75	R	15	RK05-AA, RK11=E, UC15-FE, 115V 60HZ
RK15=FF	BD	BG			6	8/75	R	15	RK05-AB, RK11=E, UC15-FF, 230V 60HZ
RK15=FG	BD	BG			6	8/75	R	15	RK05-BA, RK11=E, UC15-FE, 115V 50HZ
RK15=FD	BD	BG			6	8/75	R	15	RK05-BB, RK11=E, UC15-FF, 230V 50HZ
RK15=FE	BD	BG			6	8/75	R	15	UC15=HE, RK05-AA, RK11=E, 115V 60HZ
RK15=FF	BD	BG			6	8/75	R	15	UC15=HF, RK05-BB, RK11=E, 230V 50HZ
RK15=FG	BD	BG			6	8/75	R	15	UC15=HF, RK05-AB, RK11=E, 230V 60HZ
RK15=GH	DD	FD		WM	6	8/75	E	15	UC15=HE, RK05-BA, RK11=E, 115V 50HZ
RK15=HI	DD	FD		WM	6	8/75	E	15	UC15=HK, RK05-AA, RK11=E, 115V 60HZ
RK15=HJ	DD	FD		WM	6	8/75	E	15	UC15=HL, RK05-BB, RK11=E, 230V 50HZ
RK15=HK	DD	FD		WM	6	8/75	E	15	UC15=HL, RK05-AB, RK11=E, 230V 60HZ
RK15=HL	DD	FD		WM	6	8/75	E	15	UC15=HK, RK05-BA, RK11=E, 115V 50HZ
RK15=HM	DD	FD		WM	6	8/75	E	15	UC15=JE, RK05-AA, RK11=E, 115V 60HZ
RK15=HN	DD	FD		WM	6	8/75	E	15	UC15=JF, RK05-BB, RK11=E, 230V 50HZ
RK15=JE	DD	FD			6	8/75	E	15	UC15=JK, RK05-AA, RK11=E, 115V 60HZ
RK15=JF	DD	FD			6	8/75	E	15	UC15=JL, RK05-BB, RK11=E, 230V 50HZ
RK15=JG	DD	FD			6	8/75	E	15	UC15=HE, RK05J-AA, RK11=E, 115V 60HZ
RK15=JH	DD	FD			3	8/75	R	15	UC15=HF, RK05J-BB, RK11=E, 230V 50HZ
RK15=JI	DD	FD			3	8/75	R	15	UC15=HF, RK05J-AB, RK11=E, 230V 60HZ
RK15=JJ	DD	FD			3	8/75	R	15	UC15=HE, RK05J=BA, RK11=E, 115V 50HZ
RK15=JK	DD	FD			3	8/75	R	15	UC15=HK, RK05J=AA, RK11=E, 115V 60HZ
RK15=JL	DD	FD			3	8/75	R	15	UC15=HL, RK05J=BB, RK11=E, 230V 50HZ
RK15=JM	DD	FD			3	8/75	R	15	UC15=HL, RK05J=AB, RK11=E, 230V 60HZ
RK15=JN	DD	FD			3	8/75	R	15	UC15=HK, RK05J=BA, RK11=E, 115V, 50HZ
RK15=JO	DD	FD			3	8/75	R	15	UC15=JE, RK05J=AA, RK11=E, 115V 60HZ
RK15=JP	DD	FD			3	8/75	R	15	UC15=JF, RK05J=BB, RK11=E, 230V 50HZ
RK15=JQ	DD	FD			3	8/75	R	15	UC15=JK, RK05J=AA, RK11=E, 115V 60HZ
RK15=JR	DD	FD			3	8/75	R	15	UC15=JL, RK05J=BB, RK11=E, 230V 50HZ
RK15=JS	DD	FD			3	8/75	R	15	RK15J=JE, XM15=BA, 115V 60HZ
RK15=JT	DD	FD			3	8/75	R	15	RK15J=JF, XM15=BB, 230V 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
RK15J=KK	DD	FD			3 8/75	R	15	RK15J=JK, XM15=BA, 115V 60HZ
RK15J=KL	DD	FD			3 8/75	R	15	RK15J=JL, XM15=BB, 230V 50HZ
RK15J=LE	DD	FD			3 8/75	R	15	RK15J=JE, XM15=UJ, 115V 60HZ
RK15J=LF	DD	FD			3 8/75	R	15	RK15J=JF, XM15=UK, 230V 50HZ
RK15J=LK	DD	FD			3 8/75	R	15	RK15J=JK, XM15=UJ, 115V 60HZ
RK15J=LL	DD	FD			3 8/75	R	15	RK15J=JL, XM15=UK, 230V 50HZ
RK15=KE		FD			6 8/75	E	15	RK15=JE, XM15=BA, 115V 60HZ
RK15=KF		FD			6 8/75	E	15	RK15=JF, XM15=BB, 230V 50HZ
RK15=KK		FD			6 8/75	E	15	RK15=JK, XM15=BA, 115V 60HZ
RK15=KL		FD			6 8/75	E	15	RK15=JL, XM15=BB, 230V 50HZ
RK15=LE		FD			6 8/75	E	15	RK15=JE, XM15=UJ, 115V 60HZ
RK15=LF		FD			6 8/75	E	15	RK15=JF, XM15=UK, 230V 50HZ
RK15=LK		FD			6 8/75	E	15	RK15=JK, XM15=UJ, 115V 60HZ
RK15=LL		FD			6 8/75	E	15	RK15=JL, XM15=UK, 230V 50HZ
RK8=E	MI	JDL			4 4/74	R	8/E	CONTROL FOR UP TO 4 RK05
RK8=EA	MI	JDL			4 10/72	R	8/E	RK05=AA & CONTROL, 115V 60HZ
RK8=EB	MI	JDL			4 11/72	R	8/E	RK05=AB & CONTROL, 230V 60HZ
RK8=EC	MI	JDL			4 11/72	R	8/E	RK05=BA & CONTROL, 115V 50HZ
RK8=ED	MI	JDL			4 10/72	R	8/E	RK05=BB & CONTROL, 230V 50HZ
RK8=F	MI	JDL			3 3/73	R	DW8=E	CONTROL FOR UP TO 4 RK05
RK8=FA	MI	JDL			3 3/73	R	DW8=E	RK05=AA & RK8=F CONTROL, 115V 60HZ
RK8=FB	MI	JDL			3 3/73	R	DW8=E	RK05=AB & RK8=F CONTROL, 230V 60HZ
RK8=FC	MI	JDL			3 3/73	R	DW8=E	RK05=BA & RK8=F CONTROL, 115V 50HZ
RK8=FD	MI	JDL			3 3/73	R	DW8=E	RK05=BB & RK8=F CONTROL, 230V 50HZ
RK0J=EA	MI	JDL			3 8/75	R	8/E	RK05J=AA + RK8=E CONTROL, 115V 60HZ
RK0J=EB	MI	JDL			3 8/75	R	8/E	RK05J=AB + RK8=E CONTROL, 230V 60HZ
RK0J=EC	MI	JDL			3 8/75	R	8/E	RK05J=BA + RK8=E CONTROL, 115V 50HZ
RK0J=ED	MI	JDL			3 8/75	R	8/E	RK05J=BB + RK8=E CONTROL, 230V 50HZ
RK0J=FA	MI	JDL			3 8/75	R	DW8=E	RK05J=AA + RK8=F CONTROL, 115V 60HZ
RK0J=FB	MI	JDL			3 8/75	R	DW8=E	RK05J=AB + RK8=F CONTROL, 230V 60HZ
RK0J=FC	MI	JDL			3 8/75	R	DW8=E	RK05J=BA + RK8=F CONTROL, 115V 50HZ
RK0J=FD	MI	JDL			3 8/75	R	DW8=E	RK05J=BB + RK8=F CONTROL, 230V 50HZ
RK01	MI	JDL		TPL	3 10/72	R	MOVING HEAD DISKS	HEAD & DISK CLEANING KIT W 91% ISOPROPYL ALCOHOL
RKR01-AA	MI	AJM		TPL	3 10/72	R	RK05	TABLE MODEL BOX FOR STORAGE OF 5 DISK CARTRIDGES
RKR01-AB	MI	AJM		TPL	3 9/74	R	RKR01-A	RACK MOUNTING KIT FOR RKR01-A
RKR02	MI	JDL		TPL	3 10/73	R	RK05K, RK0X=K	ATTACHE CASE FOR 2 DISKS, 4 DECTAPES OR 1 DISK, 11 DECTAPES
RKR05=8	MI			TPL	3 8/75	R	RK8=E, =F	SUPPLIES KIT: 4 RK05K=8, RKR01-AA, RKR01-AB, 4 PKGS LABELS
RKR05=11	MI			TPL	3 8/75	R	RK11	SUPPLIES KIT: 4 RK05K=11, RKR01-AA, RKR01-AB, 4 PKGS LABELS
RKS8=EA	JEH	LD		CSS	3 1/73	R	8/E	RK8=E W WORD COUNT CAPABILITY, WIRE WRAP
RKS8=EB	JEH	LD		CSS	3 12/73	R	8/E	RK8=E W WORD COUNT CAPABILITY, PRINTED CKT
RM08=A		MI			5	R	8 NEG	8K 12 BIT DRUM & CONTROL
RM08=B		MI			5	R	8 NEG	16K 12 BIT DRUM & CONTROL
RM08=C		MI			5	R	8 NEG	32K 12 BIT DRUM & CONTROL
RM08=D		MI			5	R	8 NEG	65K 12 BIT DRUM & CONTROL
RM08=E		MI			5	R	8 NEG	131K 12 BIT DRUM & CONTROL
RM08=F		MI			5	R	8 NEG	196K 12 BIT DRUM & CONTROL
RM08=G		MI			5	R	8 NEG	262K 12 BIT DRUM & CONTROL
RM09=A		MI			5	R	9	32K 18 BIT DRUM & CONTROL
RM09=B		MI			5	R	9	65K 18 BIT DRUM & CONTROL
RM09=C		MI			5	R	9	131K 18 BIT DRUM & CONTROL
RM09=D		MI			5	R	9	262K 18 BIT DRUM & CONTROL
RM09=E		MI			5	R	9	524K 18 BIT DRUM & CONTROL
RM09=UC		MI			5	R	9	RM09, UCC SPECIAL WITH DATA PACKING
RM09=UD		MI			3	R	9	RM09=UC WITH NO DATA PACKING
RM10=BA	RLD	PW			5 7/72	R	RC10	340K 36 BIT BRYANT DRUM 60HZ
RM10=BB	RLD	PW			6 8/71	R	RC10	340K 36 BIT BRYANT DRUM 50HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	150
RM10=GA	RLD	PW			5 8/72 R		10	DRUM SYSTEM (DF10 + RC10 + RM10=BA)	
RM10=GB	RLD	PW			6 8/72 R		10	DRUM SYSTEM (DF10 + RC10 + RM10=BB)	
RP01=A	RLD	PW			3	R	RP10=A	MEMOREX 630 DISK PACK DRIVE, 60 HZ	
RP01=B	RLD	PW			3	R	RP10=B	MEMOREX 630 DISK PACK DRIVE, 50 HZ	
RP01=P	RLD	PW			3	R	RP01=A, RP01=B	SPARE DISK PACK	
RP02=A	RLD	PW			6 4/75 R		RP10=A, RP09=A	5M 36BIT WORDS MEMOREX 660 DISK PACK DRIVE, 60 HZ	
RP02=AM	RLD	PW			6 4/75 R		RP10=A, RP09=A	FAST ACCESS RP02=A	
RP02=AS	RLD	PW			3 1/72 R		RP10=A, RP09=A	5M 36BIT WORDS ISS DISK PACK DRIVE, 60 HZ	
RP02=B	RLD	PW			6 4/75 R		RP10=B, RP09=B	5M 36BIT WORDS MEMOREX 660 DISK PACK DRIVE, 50 HZ	
RP02=BM	RLD	PW			6 4/75 R		RP10=B, RP09=B	FAST ACCESS RP02=B	
RP02=BS	RLD	PW			3 1/72 R		RP10=B, RP09=B	5M 36BIT WORDS ISS DISK PACK DRIVE, 50 HZ	
RP02=CA	RLD	PW			3 8/72 R		10	DF10 + RP10=CA, RP02=AS, 60HZ	
RP02=CB	RLD	PW			3 8/72 R		10	DF10 + RP10=CB, RP02=BS, 50HZ	
RP02=GA	RLD	PW			6 7/72 R		10	DF10 + RP10=A + 2(RP02=A, =AM, OR =AS)	
RP02=GB	RLD	PW			6 7/72 R		10	DF10 + RP10=B + 2(RP02=B, =BM, OR =BS)	
RP02=P	RLD	PW			5	R	RP02=A =AM =AS =B =BY =BS RP03=AS =BS	SPARE DISK PACK	
RP02=TA		REGG		TE	4 4/75 R		RP02=P	DISK PACK TESTER	
RP03=AS	RLD	PW			3 1/72 R		RP10=CA, RP09=A, RP11=CA	ISS DOUBLE TRK RP02=AS 10M 36BIT WORDS, 60HZ	
RP03=BS	RLD	PW			3 1/72 R		RP10=CB, RP09=B, RP11=CB	ISS DOUBLE TRK RP02=BS 10M 36BIT WORDS, 50HZ	
RP03=CA	RLD	PW			3 8/72 R		10	DF10 + RP10=CA, RP03=AS, 60HZ	
RP03=CB	RLD	PW			3 8/72 R		10	DF10 + RP10=CB, RP03=BS, 50HZ	
RP03=GA	RLD	PW			6 7/72 R		10	DF10 + RP10=CA + 4 RP03=AS, 60HZ	
RP03=GB	RLD	PW			6 7/72 R		10	DF10 + RP10=CB + 4 RP03=BS, 50HZ	
RP04=AA	GS	DL			5 11/74 R		RH10, RH11	20M 36BIT WORD ISS DISK PACK & DRIVE, 60HZ, SINGLE ACCESS	
RP04=AB	GS	DL			5 11/74 R		RH10, RH11	20M 36BIT WORD ISS DISK PACK & DRIVE, 50HZ, SINGLE ACCESS	
RP04=BA	GS	DL			5 11/74 R		RH10, RH11	20M 36BIT WORD ISS DISK PACK & DRIVE, 60HZ, DUAL ACCESS	
RP04=BB	GS	DL			5 11/74 R		RH10, RH11	20M 36BIT WORD ISS DISK PACK & DRIVE, 50HZ, DUAL ACCESS	
RP04=C	GS	DL			3 11/74 R		RP04=A, RP04=B	DISK DUAL ACCESS KIT	
RP04=P		DL			2 3/72 R		RP04=A, RP04=B, RP05=A, RP05=B	SPARE DISK PACK	
RP08=AA		JEH		SSUK	3 5/71 R		8 POS	CONTROL FOR RP01=A, 60HZ	
RP08=AB		JEH		SSUK	3 5/71 R		8 POS	CONTROL FOR RP01=B, 50HZ	
RP08=BA		JEH		SSUK	3 5/71 R		8 POS	CONTROL FOR RP02=A, 60HZ	
RP08=BB		JEH		SSUK	3 5/71 R		8 POS	CONTROL FOR RP02=B, 50HZ	
RP08=CA		SPRY		CSS	3 4/72 R		8 POS	CONTROL FOR RP02=A (15M 128BIT WORDS), 60HZ	
RP08=CB		SPRY		CSS	3 4/72 R		8 POS	CONTROL FOR RP02=B (15M 128BIT WORDS), 50HZ	
RP09=A		JZ			4	R	9	CONTROL FOR RP02=A (10M WORDS/DRIVE), 60 HZ	
RP09=B		JZ			4	R	9	CONTROL FOR RP02=B (10M WORDS/DRIVE), 50 HZ	
RP10=A	RLD	PW			6 4/72 R		DF10	CONTROL FOR RP01=A, RP02=A (5M WORDS/DRIVE), 60 HZ	
RP10=B	RLD	PW			6 4/72 R		DF10	CONTROL FOR RP01=B, RP02=B (5M WORDS/DRIVE), 50 HZ	
RP10=CA	RLD	PW			3 1/72 R		DF10	CONT FOR RP01=A, RP02=A (5M WORDS/DR), RP03=AS (10M) 60HZ	
RP10=CB	RLD	PW			3 1/72 R		DF10	CONT FOR RP01=B, RP02=B (5M WORDS/DR), RP03=BS (10M) 50HZ	
RP10=UA	RLD	PW				8/71 R	RP10=A	RP10=CA (W TRADE-IN OF RP10=A)	
RP10=UB	RLD	PW				8/71 R	RP10=B	RP10=CB (W TRADE-IN OF RP10=B)	
RP11		DH		LVP	3	R	11	CONTROL FOR 8 RP02 OR RP03	
RP11=CA	RT	LC			5 4/73 R		11	CONT, CAB FOR 8 RP03=AS (20M 16BIT WORDS) 115V60HZ	
RP11=CB	RT	LC			5 4/73 R		11	CONT, CAB FOR 8 RP03=BS (20M 16BIT WORDS) 230V50HZ	
RP11=CE	RT	LC			3 3/73 R		11	RP11=CA + RP03=AS, 115V 60HZ	
RP11=CJ	RT	LC			3 3/73 R		11	RP11=CB + RP03=BS, 230V 50HZ	
RP11=DA		BALL			2 5/73 R		DS5XX	RP11=CA EXCEPT H967=HA SHORT CAB, 115V	
RP11=DB		BALL			2 6/73 R		DS5XX	RP11=CB EXCEPT H967=HB SHORT CAB, 230V	
RP11=DQ		BPF			3 5/75 R		DS5XX	RP11=E IN H967=HA SHORT CAB, 115V	
RP11=DD		BPF			3 5/75 R		DS5XX	RP11=E IN H967=HB SHORT CAB, 230V	
RP11=E	GS	DL			3 11/75 R		11	RPR02 CONTROL	
RP11=EA	GS	DL			3 11/75 R		11	RPR02 CONTROL & H950 CAB, 115V	
RP11=EB	GS	DL			3 11/75 R		11	RPR02 CONTROL & H950 CAB, 230V	
RP11=EC	BPF	RAS			3 5/75 R		DS5XX	RP11=E IN H9502 CAB, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	4FGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
RP11=ED	BPF	RAS			3 5/75	R	DS5XX	RP11=E IN H9502 CAB, 230V
RP152=A	EW	FD			3 9/74	R	15	RP15=A + RP02=AS, 60HZ
RP152=B	EW	FD			3 9/74	R	15	RP15=B + RP02=BS, 50HZ
RP152=RA	EW	FD			3 8/75	R	15	RP15=A + RPR02=AM, 60HZ
RP152=RB	EW	FD			3 8/75	R	15	RP15=B + RPR02=BM, 50HZ
RP153=A	EW	FD			3 9/74	R	15	RP15=A + RP03=AS, 60HZ
RP153=B	EW	FD			3 9/74	R	15	RP15=B + RP03=BS, 50HZ
RP15=A		JZ			5 4/71	R	15	CONTROL FOR RP02, (10M 18BIT WORDS/DRIVE) 115V
RP15=B		JZ			5 4/71	R	15	CONTROL FOR RP02, (10M 18BIT WORDS/DRIVE) 230V
RPG11		CM9			2 5/72	Q	11	RPG=2 (REPORT PROGRAM GENERATOR)
RPR02=AM	GS	DL			3 6/75	R	11	MEMOREX REFURBISHED RP02 (BETTER SPECS) 60HZ
RPR02=BM	GS	DL			3 6/75	R	11	MEMOREX REFURBISHED RP02 (BETTER SPECS) 50HZ
RPR11=AA	GS	DL			3 6/75	R	11	RP11=EA + RPR02=AM, 60HZ
RPR11=AB	GS	DL			3 6/75	R	11	RP11=EA + RPR02=BM, 50HZ
RPR11=BA	GS	DL			3 11/75	R	11	RP11=EC + RPR02=AM, 60HZ
RPR11=BB	GS	DL			3 11/75	R	11	RP11=ED + RPR02=BM, 50HZ
RS03=AA	GS	PM			5 11/74	R	RH10, RH11	256K 18-BIT WORD 4 USEC/WORD 3600 RPM 16 INCH DISK 115V 60HZ
RS03=AB	GS	PM			5 11/74	R	RH10, RH11	256K 18-BIT WORD 4 USEC/WORD DISK, 230V 60HZ
RS03=AC	GS	PM			5 11/74	R	RH10, RH11	256K 18-BIT WORD 4 USEC/WORD DISK, 115V 50HZ
RS03=AD	GS	PM			5 11/74	R	RH10, RH11	256K 18-BIT WORD 4 USEC/WORD DISK, 230V 50HZ
RS03=BA	GS	PM			5 11/74	R	RH10, RH11	RS03=AA IN H960=CA TALL CAB, 115V 60HZ
RS03=BB	GS	PM			5 11/74	R	RH10, RH11	RS03=AB IN H960=CB TALL CAB, 230V 60HZ
RS03=BC	GS	PM			5 11/74	R	RH10, RH11	RS03=AC IN H960=CA TALL CAB, 115V 50HZ
RS03=BD	GS	PM			5 11/74	R	RH10, RH11	RS03=AD IN H960=CB TALL CAB, 230V 50HZ
RS03=CA	GS	PM			3 11/74	R	RH10, RH11	2 RS03=AA IN H960=CA TALL CAB, 115V 60HZ
RS03=CB	GS	PM			3 11/74	R	RH10, RH11	2 RS03=AB IN H960=CB TALL CAB, 230V 60HZ
RS03=CC	GS	PM			3 11/74	R	RH10, RH11	2 RS03=AC IN H960=CA TALL CAB, 115V 50HZ
RS03=CD	GS	PM			3 11/74	R	RH10, RH11	2 RS03=AD IN H960=CB TALL CAB, 230V 50HZ
RS03=EA	GS	PM			2 11/75	R	RH10, RH11	RS03=AA IN H9502 CAB, 115V 60HZ
RS03=EB	GS	PM			2 11/75	R	RH10, RH11	RS03=AB IN H9402 CAB, 230V 60HZ
RS03=EC	GS	PM			2 11/75	R	RH10, RH11	RS03=AC IN H9502 CAB, 115V 50HZ
RS03=ED	GS	PM			2 11/75	R	RH10, RH11	RS03=AD IN H9502 CAB, 230V 50HZ
RS04=AA	GS	PM			5 11/74	R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 115V 60HZ
RS04=AB	GS	PM			5 11/74	R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 230V 60HZ
RS04=AC	GS	PM			5 11/74	R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 115V 50HZ
RS04=AD	GS	PM			5 11/74	R	RH10, RH11, RH20	525K 18 BIT WORDS 2 USEC/WORD DISK, 230V 50HZ
RS04=BA	GS	PM			5 11/74	R	RH10, RH11, RH20	RS04=AA IN H960=CA TALL CAB, 115V 60HZ
RS04=BB	GS	PM			5 11/74	R	RH10, RH11, RH20	RS04=AB IN H960=CB TALL CAB, 230V 60HZ
RS04=BC	GS	PM			5 11/74	R	RH10, RH11, RH20	RS04=AC IN H960=CA TALL CAB, 115V 50HZ
RS04=BD	GS	PM			5 11/74	R	RH10, RH11, RH20	RS04=AD IN H960=CB TALL CAB, 230V 50HZ
RS04=CA	GS	PM			3 11/74	R	RH10, RH11, RH20	2 RS04=AA IN H960=CA TALL CAB, 115V 60HZ
RS04=CB	GS	PM			3 11/74	R	RH10, RH11, RH20	2 RS04=AB IN H960=CB TALL CAB, 230V 60HZ
RS04=CC	GS	PM			3 11/74	R	RH10, RH11, RH20	2 RS04=AC IN H960=CA TALL CAB, 115V 50HZ
RS04=CD	GS	PM			3 11/74	R	RH10, RH11, RH20	2 RS04=AD IN H960=CB TALL CAB, 230V 50HZ
RS04=EA	GS	PM			2 11/75	R	RH10, RH11, RH20	RS04=AA IN H9502 CAB, 115V 60HZ
RS04=EB	GS	PM			2 11/75	R	RH10, RH11, RH20	RS04=AB IN H9502 CAB, 230V 60HZ
RS04=EC	GS	PM			2 11/75	R	RH10, RH11, RH20	RS04=AC IN H9502 CAB, 115V 50HZ
RS04=ED	GS	PM			2 11/75	R	RH10, RH11, RH20	RS04=AD IN H9502 CAB, 230V 50HZ
RS03=LA	GS	PM			3 11/75	S	RH11	128K 18-BIT WORD 8 USEC/WORD 3600 RPM 16-INCH DISK 115V 60HZ
RS03=LB	GS	PM			3 11/75	R	RH11	128K 18-BIT WORD 8 USEC/WORD 3600 RPM 16-INCH DISK 230V 60HZ
RS03=LC	GS	PM			3 11/75	R	RH11	128K 18-BIT WORD 8 USEC/WORD 3600 RPM 16-INCH DISK 115V 50HZ
RS03=LD	GS	PM			3 11/75	R	RH11	128K 18-BIT WORD 8 USEC/WORD 3600 RPM 16-INCH DISK 230V 50HZ
RS08	GS				5	R	RF08	262K 12 BIT DEC DISK, 60 HZ (RS08=M + RS08=P)
RS08=A	GS				5	R	RF08	262K 12 BIT DEC DISK, 50 HZ (RS08=MA + RS08=PA)
RS08=M	GS				5	R	RS08, RS09	MECHANICAL ASSEMBLY, 60 HZ
RS08=MA	GS				5	R	RS08=A, RS09=A	MECHANICAL ASSEMBLY, 50 HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	152
RS08=P		GS			5	R	RS08	POWER CONTROL & LOGIC, 60 HZ	
RS08=PA		GS			5	R	RS08-A	POWER CONTROL & LOGIC, 50 HZ	
RS08=TA		RENG		TE	4	4/75 D	RS08	TIMING TRACK WRITER	
RS09		DV			5	R	RF09, RF15	262K 16 BIT DEC DISK WITH CAB, 60 HZ (RS08=M + RS09=P)	
RS09=A		DV			5	R	RF09, RF15	262K 16 BIT DEC DISK WITH CAB, 50 HZ (RS08=MA + RS09=PA)	
RS09=B		DV			5	R	RF09, RF15	2ND DISK IN ANY CAB, 60 HZ	
RS09=BA		DV			5	R	RF09, RF15	2ND DISK IN ANY CAB, 50 HZ	
RS09=C		DV			5	R	RF09, RF15	3RD DISK IN 2ND OR 3RD CAB, 60 HZ	
RS09=CA		DV			5	R	RF09, RF15	3RD DISK IN 2ND OR 3RD CAB, 50 HZ	
RS09=D		DV			3	R	RF09, RF15	1ST DISK WITH 2ND OR 3RD CAB, 60 HZ	
RS09=DA		DV			3	R	RF09, RF15	1ST DISK WITH 2ND OR 3RD CAB, 50 HZ	
RS09=P		DV			5	R	RS09, RS09=B, RS09=C	POWER CONTROL & LOGIC, 60 HZ	
RS09=PA		DV			5	R	RS09-A, RS09=BA, RS09=CA	POWER CONTROL & LOGIC, 50 HZ	
RS09=TA		RENG		TE	5	4/75 D	RS09, RS11	TIMING TRACK WRITER	
RS11	RT	LC			4	R	RF11	262K 16 BIT DEC DISK W CAB, 60 HZ (RS08=M + RS09=P)	
RS11=A	RT	LC			4	R	RF11	262K 16 BIT DEC DISK W CAB, 50 HZ (RS08=M + RS09=P)	
RS11=B	RT	LC			4	R	RF11	2ND DISK IN ANY CAB, 60 HZ	
RS11=BA	RT	LC			4	R	RF11	2ND DISK IN ANY CAB, 50 HZ	
RS11=C	RT	LC			4	R	RF11	3RD DISK IN 2ND OR 3RD CAB, 60 HZ	
RS11=CA	RT	LC			4	R	RF11	3RD DISK IN 2ND OR 3RD CAB, 50 HZ	
RS11=D	RT	LC			4	R	RF11	1ST DISK WITH 2ND OR 3RD CAB, 60 HZ	
RS11=DA	RT	LC			4	R	RF11	1ST DISK WITH 2ND OR 3RD CAB, 50 HZ	
RS11=EA		BALL			3	3/74 R	DS5XX	RS11 IN H967=HA SHORT CAB, 115V 60HZ	
RS11=EB		BALL			3	3/74 R	DS5XX	RS11-A IN H967=HB SHORT CAB, 230V 50HZ	
RS64=A	GS	PM			6	11/75 R	RC11, RC8-E	65K 16 BIT DEC DISK 115V (REPLACED BY RS03=LA)	
RS64=B	GS	PM			6	11/75 R	RC11, RC8-E	65K 16 BIT DEC DISK 230V (REPLACED BY RS03=LD)	
RS64=C		MI	JDL	TPL	6	11/75 R	NONE	OEM RS64-A	
RS64=D		MI	JDL	TPL	6	11/75 R	NONE	OEM RS64-B	
RS64=M		GS			6	11/75 R	RS64-A THRU =D, =L	MECHANICAL ASSEMBLY	
RS64=PA		GS			6	11/75 R	RS64-A, =C	POWER CONTROL & LOGIC, 115V	
RS64=PB		GS			6	11/75 R	RS64-B, =D	POWER CONTROL & LOGIC, 230V	
RS64=TA		RENG		TE	6	11/75 D	RS64	TIMING TRACK WRITER	
RSC04	GS	AZ			3	11/74 R	RS03, RS04	DISK CLEANING KIT	
RSC08	GS	AZ			3	11/74 R	DF32, DS32, RS08, RS09, RS64	DISK CLEANING KIT	
RSKIT		HRL			4	4/75 B	RS08, 09, 11, 15	HEAD ALIGNMENT KIT	
RSP15=A		CP			3	6/72 Q	15	RASP SOFTWARE	
RSX=15		CP			3	8/71 Q	PDP15=35	REAL-TIME EXECUTIVE	
RSX15=B		CP			3	6/72 Q	15	RSX "PLUS" SOFTWARE	
RT01=AA		RJM			5	3/72 D	.	16 KEY REMOTE TERMINAL, 110 BAUD, 115V	
RT01=AB		RJM			5	3/72 D	.	16 KEY REMOTE TERMINAL, 110 BAUD, 230V	
RT01=BA		RJM			5	3/72 D	.	16 KEY REMOTE TERMINAL, 300 BAUD EIA, 115V	
RT01=BB		RJM			5	3/72 D	.	16 KEY REMOTE TERMINAL, 300 BAUD EIA, 230V	
RT01=CA		AC			3	7/72 D	.	RT01-AA W RT02 KEYBOARD	
RT01=CB		AC			3	7/72 D	.	RT01-AB W RT02 KEYBOARD	
RT01=DA		AC			3	7/72 D	.	RT01=BA W RT02 KEYBOARD	
RT01=DB		AC			3	7/72 D	.	RT01=BB W RT02 KEYBOARD	
RT01=EA	RJM	CYR			3	10/72 D	.	RT01-AA W N-KEY ROLLOVER	
RT01=L		RJM			3	3/72 D	.	SPECIAL FOR STRAND HOTEL	
RT01=NA		RJM			5	3/72 D	RT01-A, =B	4 DIGIT NIXIE DISPLAY	
RT01=NB		RJM			5	3/72 D	RT01-A, =B	8 DIGIT NIXIE DISPLAY	
RT01=NC		RJM			5	3/72 D	RT01-A, =B	12 DIGIT NIXIE DISPLAY	
RT02=AA		AC			5	11/73 D	ASYNC ASCII UP TO 1200 BAUD	16 KEY REMOTE TERMINAL, 115V	
RT02=AB		AC			5	11/73 D	ASYNC ASCII UP TO 1200 BAUD	16 KEY REMOTE TERMINAL, 230V	
RT02=BA	RJM	AC			4	11/73 D	ASYNC ASCII UP TO 1200 BAUD	LK01-R REMOTE TERMINAL, 115V	
RT02=BB	RJM	AC			4	11/73 D	ASYNC ASCII UP TO 1200 BAUD	LK01-R REMOTE TERMINAL, 230V	
RT02=CA	RJM	AC			3	11/73 D	ASYNC ASCII UP TO 1200 BAUD	RT02-AA + TYPE 3 BADGE READER, 115V	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
RT02=CB	RJM	AC			3 11/73	D	ASYN ASCII UP TO 1200 BAUD	RT02=AB + TYPE 3 BADGE READER, 230V
RT02=EA	RJM	AC			3 11/73	D	ASYN ASCII UP TO 1200 BAUD	RT02=AA + TYPE 3 CARD READER, 115V
RT02=EB	RJM	AC			3 11/73	D	ASYN ASCII UP TO 1200 BAUD	RT02=AB + TYPE 3 CARD READER, 230V
RT02=FA	RJM	AC			3 3/74	D	ASYN ASCII UP TO 1200 BAUD	RT02=AA W SPECIAL KEY CAPS FOR W,E,
RT02=LA	RJM	BSL			3 2/74	D	ASYN ASCII UP TO 1200 BAUD	RT02=CA + RT02=BA, 115V
RT02=LB	RJM	RF			3 2/75	D	ASYN ASCII UP TO 1200 BAUD	RT02=CB + RT02=BB, 230V
RT03=AA	BE	RWI		SSCAL	3 9/75	D	DL11 REMOTE DATA TERMINAL MUX	ACCOMODATES UP TO 10 RT03=B, 120V
RT03=AB	BE	RWI		SSCAL	3 9/75	D	DL11 REMOTE DATA TERMINAL MUX	ACCOMODATES UP TO 10 RT03=B, 240V
RT03=B	BE	RWI		SSCAL	3 9/75	D	RT03=A	REMOTE HEXADECIMAL 16=KEY DATA ENTRY UNIT
RT04	JGN	CJS		SSUK	3 10/75	D	ASYN ASCII	PDM70 + CRT LOGIC IN INDUSTRIAL ENCLOSURE
RT82	ESS	CV		CSS	3 8/75	D	ASYN ASCII UP TO 4800 BAUD	TERMINAL W TRUE DATA BADGE/CARD RDR, DISPLAY
RT82=AA	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE, 115V 60HZ
RT82=AB	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE, 230V 50HZ
RT82=BA	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	RT82=AA + 16=CHAR DISPLAY, 115V 60HZ
RT82=BB	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	RT82=AB + 16=CHAR DISPLAY, 230V 50HZ
RT82=CA	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	RT82=AA + 32 CHAR DISPLAY, 115V 60HZ
RT82=CB	ESS	CV		CSS	3 10/75	D	ASYN ASCII UP TO 4800 BAUD	RT82=AB + 32=CHAR DISPLAY, 230V 50HZ
RT84=AA	ESS	RRR		CSS	2 11/75	D	ASYN ASCII UP TO 4800 BAUD	DATA ENTRY UNIT, 12 THUMBWHEELS, SWITCHES & INDICATORS, 20MA, PSUEDO MULTIDROP, 115V
RT84=AB	ESS	RRR		CSS	2 11/75	D	ASYN ASCII UP TO 4800 BAUD	RT84=AA EXCEPT 230V
RT84=BA	ESS	RRR		CSS	2 11/75	D	SEE RT84=AA	RT84=AA W CARD READER FOR 10/22 COL ZIP CARDS, 115V
RT84=BB	ESS	RRR		CSS	2 11/75	D	SEE RT84=AB	RT84=AB W CARD READER FOR 10/22 COL ZIP CARDS, 230V
RT84=CA	ESS	RRR		CSS	2 11/75	D	SEE RT84=AA	RT84=BA W 80 COL CARD & 22 COL BADGE CAPABILITY, 115V
RT84=CB	ESS	RRR		CSS	2 11/75	D	SEE RT84=AB	RT84=BB W 80 COL CARD & 22 COL BADGE CAPABILITY, 230V
RT90	DH	CV		CSS	3 12/73	D	ASYN ASCII UP TO 4800 B	TERMINAL W HICKOCK CARD & BADGE READERS W DISPLAY
RT90=AA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE; BOX, KEYBD, ANNUNCIATOR, 115V
RT90=AB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE; BOX, KEYBD, ANNUNCIATOR, 230V
RT90=BA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA BASIC PACKAGE + BADGE READER, 115V
RT90=BB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE READER, 230V
RT90=CA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 115V
RT90=CB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + CARD READER, 230V
RT90=DA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + 16 CHARACTER DISPLAY, 115V
RT90=DB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + 16 CHARACTER DISPLAY, 230V
RT90=EA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + 32 CHARACTER DISPLAY, 115V
RT90=EB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + 32 CHARACTER DISPLAY, 230V
RT90=FA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 115V
RT90=FB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	BASIC PACKAGE + BADGE & CARD READER, 230V
RT90=HA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA + BADGE RDR & 16 CHAR DISPLAY, 115V
RT90=HB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB + BADGE RDR & 16 CHAR DISPLAY, 230V
RT90=JA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA + BADGE RDR & 32 CHAR DISPLAY, 115V
RT90=JB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB + BADGE RDR & 32 CHAR DISPLAY, 230V
RT90=KA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA + CARD RDR & 16 CHAR DISPLAY, 115V
RT90=KB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB + CARD RDR & 16 CHAR DISPLAY, 230V
RT90=LA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA + CARD RDR & 32 CHAR DISPLAY, 115V
RT90=LB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB + CARD RDR & 32 CHAR DISPLAY, 230V
RT90=MA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA, BADGE & CARD RDR, 16 CHAR DISP 115V
RT90=MB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB, BADGE & CARD RDR, 16 CHAR DISP 230V
RT90=NA	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AA, BADGE & CARD RDR, 32 CHAR DISP 115V
RT90=NB	DH	CV		CSS	3 4/73	D	ASYN ASCII UP TO 4800 BAUD	RT90=AB, BADGE & CARD RDR, 32 CHAR DISP 230V
RWH01=AA	FA	CC		CSS	2 9/75	D	11/70	RH70=AA + RH01=AA, 115V
RWH01=AB	FA	CC		CSS	2 9/75	D	11/70	RH70=AA + RH01=AB, 230V
RWP04=AA	ARR	SJ			2 1/75	R	11/70	RH70=AA + RP04=AA, SINGLE ACCESS, 60HZ
RWP04=AB	ARR	SJ			2 1/75	R	11/70	RH70=AA + RP04=AB, SINGLE ACCESS, 50HZ
RWP04=BA	ARR	SJ			2 1/75	R	11/70	2 RH70=AA + RP04=BA, DUAL ACCESS, 60HZ
RWP04=BB	ARR	SJ			2 1/75	R	11/70	2 RH70=AA + RP04=BB, DUAL ACCESS, 50HZ
RWP04=C	GS	DL			2 11/75	R	RWP04=A	DISK DUAL ACCESS KIT (RP04=C + RH70=A)

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
RWP04=CA	ARR	SJ			2 1/75	R	11 & 11/70	RH70=A, RH11=A, RP04=BA DUAL ACCESS, 60HZ
RWP04=CB	ARR	SJ			2 1/75	R	11 & 11/70	RH70=A, RH11=A, RP04=BB DUAL ACCESS, 50HZ
RWP04=UA	ARR	SJ			2 1/75	R	11 & 11/70	RH70=A + RWP04 DOCUMENTS FOR UPGRADE FROM RJP04
RWS03=BA	ARR	SJ			2 1/75	R	11/70	RH70=A + RS03=BA, 115V 60HZ
RWS03=BB	ARR	SJ			2 1/75	R	11/70	RH70=A + RS03=BB, 230V 60HZ
RWS03=BC	ARR	SJ			2 1/75	R	11/70	RH70=A + RS03=BC, 115V 50HZ
RWS03=BD	ARR	SJ			2 1/75	R	11/70	RH70=A + RS03=BD, 230V 50HZ
RWS03=EA	ARR	SJ			2 11/75	R	11	RH70=A + RS03=EA, 115V 60HZ
RWS03=EB	ARR	SJ			2 11/75	R	11	RH70=A + RS03=EB, 230V 60HZ
RWS03=EC	ARR	SJ			2 11/75	R	11	RH70=A + RS03=EC, 115V 50HZ
RWS03=ED	ARR	SJ			2 11/75	R	11	RH70=A + RS03=ED, 230V 50HZ
RWS03=UA	ARR	SJ			2 1/75	R	11/70	RH70=A RWS03 DOCUMENTS FOR RJS03 UPGRADE
RWS04=BA	ARR	SJ			2 1/75	R	11/70	RH70=A + RS04=BA, 115V 60HZ
RWS04=BB	ARR	SJ			2 1/75	R	11/70	RH70=A + RS04=BB, 230V 60HZ
RWS04=BC	ARR	SJ			2 1/75	R	11/70	RH70=A + RS04=BC, 115V 50HZ
RWS04=BD	ARR	SJ			2 1/75	R	11/70	RH70=A + RS04=BD, 230V 50HZ
RWS04=EA	ARR	SJ			2 11/75	R	11	RH70=A + RS04=EA, 115V 60HZ
RWS04=EB	ARR	SJ			2 11/75	R	11	RH70=A + RS04=EB, 230V 60HZ
RWS04=EC	ARR	SJ			2 11/75	R	11	RH70=A + RS04=EC, 115V 50HZ
RWS04=ED	ARR	SJ			2 11/75	R	11	RH70=A + RS04=ED, 230V 50HZ
RWS04=UA	ARR	SJ			2 1/75	R	11/70	RH70=A + RWS04 DOCUMENTS FOR RJS04 UPGRADE
RX01=AA	RP	CAY			2 1/75	R	RX11, RX8=E	SINGLE FLOPPY DISK SYSTEM, 115V, 60HZ
RX01=AC	RP	CAY			2 1/75	R	RX11, RX8=E	SINGLE FLOPPY DISK SYSTEM, 115V, 50HZ
RX01=AD	RP	CAY			2 1/75	R	RX11, RX8=E	SINGLE FLOPPY DISK SYSTEM, 230V, 50HZ
RX01=BA	RP	CAY			2 1/75	R	RX11, RX8=E	DUAL FLOPPY DISK SYSTEM, 115V, 60HZ
RX01=BC	RP	CAY			2 1/75	R	RX11, RX8=E	DUAL FLOPPY DISK SYSTEM, 115V, 50HZ
RX01=BD	RP	CAY			2 1/75	R	RX11, RX8=E	DUAL FLOPPY DISK SYSTEM, 230V, 50HZ
RX01=CA	RP	CAY			2 1/75	R	RX01=A	SINGLE ADD-ON FLOPPY DISK DRIVE, 115V, 60HZ
RX01=CC	RP	CAY			2 1/75	R	RX01=A	SINGLE ADD-ON FLOPPY DISK DRIVE, 115V, 50HZ
RX01=CD	RP	CAY			2 1/75	R	RX01=A	SINGLE ADD-ON FLOPPY DISK DRIVE, 230V, 50HZ
RX01=DA	RP	CAY			2 5/75	R	CL8	RX01=BA LESS FRONT PANEL & COVER, 115V 60HZ, 6 FT CABLE
RX01=DC	RP	CAY			2 5/75	R	CL8	RX01=BC LESS FRONT PANEL & COVER, 115V 50HZ, 6 FT CABLE
RX01=DD	RP	CAY			2 5/75	R	CL8	RX01=BD LESS FRONT PANEL & COVER, 230V 50HZ, 6 FT CABLE
RX01K=5	RP	CAY			2 4/75	R	RX01=A, =B, =C	5 DISKETTES
RX01K=10	RP	CAY			2 4/75	R	RX01=A, =B, =C	10 DISKETTES
RX11	RP	CAY			2 1/75	R	11	RX01 CONTROL (M7846)
RX11=AA	RP	CAY			2 1/75	R	11	RX01=AA, RX11, 115V, 60HZ
RX11=AC	RP	CAY			2 1/75	R	11	RX01=AC, RX11, 115V, 50HZ
RX11=AD	RP	CAY			2 1/75	R	11	RX01=AD, RX11, 230V, 50HZ
RX11=BA	RP	CAY			2 1/75	R	11	RX01=BA, RX11, 115V, 60HZ
RX11=BC	RP	CAY			2 1/75	R	11	RX01=BC, RX11, 115V, 50HZ
RX11=BD	RP	CAY			2 1/75	R	11	RX01=BD, RX11, 230V, 50HZ
RX8=AA	RP	CAY			2 1/75	R	8/E	RX01=AA + RX8=E, 115V, 60HZ
RX8=AC	RP	CAY			2 1/75	R	8/E	RX01=AC + RX8=E, 115V, 50HZ
RX8=AD	RP	CAY			2 1/75	R	8/E	RX01=AD + RX8=E, 230V, 50HZ
RX8=BA	RP	CAY			2 1/75	R	8/E	RX01=BA + RX8=E, 115V, 60HZ
RX8=BC	RP	CAY			2 1/75	R	8/E	RX01=BC + RX8=E, 115V, 50HZ
RX8=BD	RP	CAY			2 1/75	R	8/E	RX01=BD + RX8=E, 230V, 50HZ
RX8=DA	RP	CAY			2 5/75	R	CL8	RX01=DA, RX8=E, 115V 60HZ
RX8=DC	RP	CAY			2 5/75	R	CL8	RX01=DC, RX8=E, 115V 50HZ
RX8=DD	RP	CAY			2 5/75	R	CL8	RX01=DD, RX8=E, 230V 50HZ
RX8=E	RP	CAY			2 1/75	R	8/E	RX01 CONTROL (M8357)
RXV11=AA	MT	MEC			2 9/75	R	11/03	RX01=AA, RXV11, 115V 60HZ
RXV11=AC	MT	MEC			2 9/75	R	11/03	RX01=AC, RSV11, 115V 50HZ
RXV11=AD	MT	MEC			2 9/75	R	11/03	RX01=AD, RXV11, 230V 50HZ
RXV11=BA	MT	MEC			2 9/75	R	11/03	RX01=BA, RXV11, 115V 60HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	CATE- GORY	USED ON	DESCRIPTION
RXV11=BC	MT	MEC			2	9/75 R	11/03	RX01-BC, RXV11, 115V 50HZ
RXV11=BD	MT	MEC			2	9/75 R	11/03	RX01-BD, RXV11, 230V 50HZ
SC12=BU	SNT	RI			3		12	COLOR SCHEME OPTION= BLUE
SC12=CL		AW			2	9/71 B	12	COLOR SCHEME OPTION FOR CL12 (BLUE & WHITE)
SC12=CR	SNT	RI			3		12	COLOR SCHEME OPTION= CHINESE RED
SC12=RO	SNT	RI			3		12	COLOR SCHEME OPTION= RUSSET ORANGE
SCMS=AA		CARN			3	3/73 B	8/E	MEDICAL SYS COLOR KIT, H957 PROCESSOR CAB
SCMS=AB		CARN			3	3/73 B	-	MEDICAL SYS COLOR KIT, H957 OPTION CAB
SCMS=BA		CARN			3	3/72 B	11/40	MEDICAL SYS COLOR KIT, PROCESSOR CAB
SCMS=BB		CARN			3	3/73 B	-	MEDICAL SYS COLOR KIT, H950 OPTION CAB
SCMS=CA		CARN			3	3/73 R	12	MEDICAL SYS COLOR KIT, CLIN LAB 12 PROCESSOR CAB
SCMS=CB		CARN			3	3/73 B	12	MEDICAL SYS COLOR KIT, CLIN LAB 12 OPTION CAB
SCMS=DA		CARN			3	3/73 R	8/E	MEDICAL SYS COLOR KIT, H950 PROCESSOR CAB
SCMS=EA		CARN			3	3/73 R	15	MEDICAL SYS COLOR KIT, H950 PROCESSOR CAB
SCMS=PA		AW			3	4/73 B	11	OPTION CAB PHILIPS COLOR & LOGO KIT
SCMS=PB		AW			3	4/73 B	11/20	PROC PHILIPS COLOR & LOGO KIT
SCMS=PC		AW			3	4/73 B	11/40	PROC PHILIPS COLOR & LOGO KIT
SCMS=PD		AW			3	4/73 R	11/45	PROC PHILIPS COLOR & LOGO KIT
SCMS=PE		AW			3	4/73 B	CL12	OPTION CAB PHILIPS COLOR & LOGO KIT
SCMS=PF		AW			3	4/73 B	CL12	PROC CAB PHILIPS COLOR & LOGO KIT
SK15=A		FA			3		15/20, 15/30, 15/40	SUPPLIES KIT FOR DECTAPE, TTY & PC15
SK15=B		FA			6	9/75 S	15/10	SUPPLIES KIT FOR TTY
SK15=C		WOR			3	4/75 S	15/78=A	SUPPLIES KIT
SK15=D		WOR			3	4/75 S	15/78=B	SUPPLIES KIT
SK15=E		WOR			3	4/75 S	15/76=C	SUPPLIES KIT (DECTAPE)
SK15=F		WOR			3	4/75 S	15/76=C	SUPPLIES KIT (MAGTAPE)
SMC01=A	RS	GEC			3	6/72 B	-	STEPPER MOTOR CONTROL, 115V 60HZ
SP09=A		MI			5		9	SPARE PARTS FOR POP9
SP11=KA		DJD			3	3/72 S	KA11 (11/20)	SPARE PARTS FOR KA11
SP11=KB		DJD			3	1/72 S	KA11 + KH11	SPARE PARTS FOR KA11 W KH11 OPTION
SP11=KC		DJD			6	9/75 S	KC11 (11/15)	SPARE PARTS FOR KC11
SP11=KD		DJD			6	9/75 S	KC11 + KH11	SPARE PARTS FOR KC11 W KH11 OPTION
SP11=KE		DJD			6	9/75 S	KD11=B (11/05)	KD11=B SPARE PARTS KIT
SP11=KF		DJD			2	3/72 S	KD11=A (11/35, 11/40)	KD11=A SPARE PARTS KIT
SP11=KG		WOR			3	4/73 S	11/05	COMPONENT SPARE PARTS
SP11=MA		DJD			3	1/72 S	MM11=E	SPARE PARTS
SP11=MB		DJD			3	1/72 S	MM11=F	SPARE PARTS
SP11=MC		DJD			3	1/72 S	MM11=K, =L, =M, =S, MFLL=L	SPARE MODULES
SP11=MD		DJD			6	9/75 S	MM11=S	COMPONENT SPARES
SP11=ME	BD	SR			6	9/75 B	MF11=LP, MM11=LP	G109, M7259, G231
SP11=MF		RLM		CSS	3	11/75 S	MA11=F, MA11=H	SPARE MODULES
SP11=MM		DJD			6	9/75 S	MM11=E	SPARE MODULES FOR MM11=E
SP11=MR		DJD			6	9/75 S	MR11=A	SPARE PARTS FOR MR11=A
SP11=PA		DJD			3	1/72 S	H720=A, =B	SPARE PARTS
SP11=PB		DJD			3	1/72 S	H720=E, =F	SPARE PARTS
SP11=PC		DJD			3	1/72 S	H742, H744, H745, H746	SPARE BOARD ASSEMBLIES
SP11=PD		DJD			3	1/72 S	H742, H744, H745, H746	SPARE COMPONENTS
SP11=PE		DJD			3	9/75 S	H740	SPARE PARTS FOR H740
SP11=PF		BD			3	10/72 S	(11/40) H742, H744, H745	SPARE PARTS
SP11=PH		BD			6	9/75 S	(11/35) H744, 5409728=YB	SPARE PARTS
SP11=PS		DJD			6	9/75 S	H720	SPARE PARTS FOR H720
SP11=PT		WOR			3	3/73 S	11/05	SPARE PARTS FOR H740 (115V)
SP11=PU		WOR			6	9/75 S	11/05	SPARE PARTS FOR H740 (230V)
SP11=UA		WOR			6	9/75 S	11	H217=D 16K NON-PARITY STACK

MODEL NO	ENGR MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
SP11=UB		WQB			6	9/75 S	11	H217-C, M7299 PARITY STACK & CONTROL
SP11=UC		WQB			6	9/75 S	11	M754 PS REGULATOR BOARD FOR 16K STACK
SP11=UD		WQB			6	9/75 S	11	G235, G114, M8293 NON-PARITY CONT MODULES
SP11=UM		WQB			6	9/75 M	11/05	EXCHANGE BK MM11=L FOR 4K MM11=K
SP12=A	SNT	RI			6	9/75 S	12	MODULE SPARES, PDP12=A
SP12=B	SNT	RI			6	9/75 S	12	MODULE SPARES, PDP12=B
SP12=C	SNT	RI			6	9/75 S	12	MODULE SPARES, PDP12=C
SP12=D	SNT	RI			6	9/75 S	12	SPARE PARTS, CIRCUIT COMPONENTS
SP12=E	SNT	RI			6	9/75 S	12	SPARE TTY PARTS & TOOLS
SP14=A		RAP			3	1/72 S	14	SPARE PARTS FOR PDP14
SP14=MR		AR			3		MR14	SPARE MODULES FOR MR14
SP15=A		FA			6	9/75 S	15/10	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15=B		FA			6	9/75 S	15/20	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15=C		FA			6	9/75 S	15/30	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP15=D		FA			6	9/75 S	15/40	SPARE MODULES, COMPONENTS, TTY PARTS & TOOLS
SP16=A		DCP			6	9/75 S	16/M	SPARE MODULES
SP36=SA	RJM	RPT			3	1/75 S	LA36	SPARES KIT FOR 50 MACHINES
SP36=SB	RJM	RPT			3	2/75 S	LA36	SPARE PARTS KIT FOR 100 MACHINES
SP45=KA		BD			3	1/72 S	11/45	SYSTEM TOOLS
SP45=KB		BD			3	1/72 S	11/45	PROCESSOR SPARE MODULES
SP45=KC		BD			3	1/72 S	11/45	SPARE BOARD ASSEMBLY
SP45=KD		BD			3	1/72 S	KT11-C	MEMORY MANAGEMENT
SP45=KE		BD			3	1/72 S	FP11-B	FLOATING POINT
SP45=KF		BD			6	11/75 S	11/45	SPARE MODULES
SP45=KH		WM			6	9/75 S	11/45	SPARE COMPONENTS
SP45=KK		WM			3	11/75 S	11/45	BACK PLANE
SP45=MA		BD			3	1/72 S	MS11-BC, -BD, -BM	MOS MEM
SP45=MB		BD			3	1/72 S	MS11-CC, -CM	BIPOLAR MEM
SP45=MC		BD			6	9/75 S	MS11-BC, -BD	
SP45=MD		BD			6	9/75 S	MS11-CC	
SP70=KA	ARR	SAS			2	4/75 S	11/70	SPARE COMPONENTS
SP70=KB	ARR	SAS			2	2/75 S	KB11-B	SPARE MODULES
SP70=KC	ARR	SAS			2	4/75 S	11/70	MAINTENANCE TOOL KIT
SP70=PC	ARR	SAS			2	4/75 S	11/70	SPARE PARTS KIT
SP70=RH	ARR	SAS			2	2/75 S	RH70	CONSOLE MODULE (5411294)
SP70=RM	ARR	WQB			2	8/75 S	RH70	POWER SUPPLY SPARES
SP8=CR		LT			6	9/75 S	CR8=E, CM8=E	SPARE PARTS KIT
SP8=CS		LT			6	9/75 S	CR8=E, CM8=E	SPARE MODULES
SP8=DB		RBR			6	9/75 S	DB8=E	SPARE PARTS, 1ST LEVEL
SP8=DK		ADL			6	9/75 S	DK8=EA, -EC	SPARE PARTS, 2ND LEVEL
SP8=DL	JC	AOL			6	9/75 S	DK8=EA, -EC	SPARE PARTS
SP8=EA		JK			3	1/72 S	KK8=E, MM8=E	1ST LEVEL SPARE PARTS
SP8=EB		JK			6	11/75 S	KK8=E, MM8=E	2ND LEVEL SPARE PARTS
SP8=EC	JC	JK			3	9/72 S	B/E, KK8=E, MM8=EJ	1ST LEVEL SPARE PARTS FOR KK8=E, MM8=E, 5409728
SP8=ED	JC	JK			3	9/72 S	B/E, KK8=E, MM8=EJ	2ND LEVEL SPARE PARTS FOR KK8=E, MM8=E, 5409728
SP8=EE		JK			3	11/75 S	KK8=E, MM8=E	1ST LEVEL SPARE PARTS
SP8=FA	JC	JK			3	9/72 S	B/F, KK8=E, MM8=E	2ND LEVEL SPARE PARTS (COMPONENTS)
SP8=FB	JC	JK			3	9/72 S	B/F, KK8=E, MM8=E	1ST LEVEL SPARE PARTS
SP8=FC	JC	JK			3	9/72 S	B/F, KK8=E, MM8=EJ	2ND LEVEL SPARE PARTS FOR KK8=E, MM8=E, 5409728
SP8=FD	JC	JK			3	9/72 S	B/F, KK8=E, MM8=EJ	1ST LEVEL SPARES (4K)
SP8=IA		JOL		TPL	6	9/75 S	B/I, NEG BUS	2ND LEVEL SPARES (4K, COMPONENTS)
SP8=IB		JOL		TPL	6	9/75 S	B/I, POS BUS	1ST LEVEL SPARES (8K)
SP8=KA	JC	LT			6	9/75 S	KA8=E	2ND LEVEL SPARES (8K, COMPONENTS)
SP8=KD	JC	LT			6	9/75 S	KA8=E	SPARE PARTS FOR POP8/I & TTY
SP8=KE	JC	GHL			6	9/75 S	KE8=E	SPARE PARTS
SP8=KG	JC	RBR			6	9/75 S	KG8=E	SPARE PARTS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
SPB=KM	JC	LN			6	9/75 S	KM=E	SPARE PARTS
SPB=KP	JC	LN			6	9/75 S	KP=E	SPARE PARTS
SPB=L		JDL		TPL	6	9/75 S	L/E	SPARE PARTS FOR PDP8/L & TTY
SPB=LC	JC	JK			6	9/75 S	LC=E	SPARE PARTS
SPB=MA	JC	GHL			3	3/73 S	M, KK=E, MM=E	1ST LEVEL SPARES (4K)
SPB=MB	JC	GHL			6	11/75 S	M, KK=E, MM=E	2ND LEVEL SPARES (4K)
SPB=MC	JC	GHL			3	3/73 S	M, KK=E, MM=E	1ST LEVEL SPARES (8K)
SPB=MD	JC	GHL			6	9/75 S	M, KK=E, MM=E	2ND LEVEL SPARES (8K)
SPB=MI	JC	LT			6	9/75 S	MI=E	SPARE PARTS
SPB=MM	JC	GHL			3	11/75 S	M, KK=E, MM=E	2ND LEVEL SPARES
SPB=MP	JC	RT			6	9/75 S	MP=E	1ST LEVEL SPARE PARTS
SPB=MQ	JC	RT			6	9/75 S	MP=E	2ND LEVEL SPARE PARTS
SPB=MR	JC	WC			6	9/75 S	MR=E	SPARE PARTS
SPB=TD	JC	DA			6	9/75 S	TD=E	1ST LEVEL SPARE PARTS
SPB=TE	JC	DA			6	9/75 S	TD=E	2ND LEVEL SPARE PARTS
SPB=XY	JC	LN			6	9/75 S	XY=E	SPARE PARTS
SPF11=MM		JO			6	9/75 S	11	SPARE MODULES FOR MM11-F
SPF12=A	AW				6	9/75 S	12=A, =B, =C	QUIET FAN KIT
SPF12=B	AW				6	9/75 S	12	QUIET CARAVEL FAN
SPF12=C	AW				6	9/75 S	12	QUIET 3 MUFFIN FAN KIT FOR OPTIONS
SPKIT		WOB		FS	6	9/75 S	=	FIELD SERVICE 142 TOOL KIT
SPM12=10	AW				6	9/75 S	12/10	SPARE MODULES FOR 12/10
SPM12=20	AW				6	9/75 S	12/20	SPARE MODULES FOR 12/20
SPM12=30	AW				6	9/75 S	12/30	SPARE MODULES FOR 12/30
SPM12=40	AW				6	9/75 S	12/40	SPARE MODULES FOR 12/40
SPMJ=AA	ARR	SAS			2	4/75 S	MJ11	MEM CONTROL MODULES (MB148, MB149)
SPMJ=AB	ARR	SAS			2	4/75 S	MJ11	MEM DRIVE & SENSE SPARES (G114, G235)
SPRT2=A1	RJM	BSL			3	7/74 S	RT02=A	SPARE PARTS KIT, MODULES
SPRT2=A2	RJM	BSL			3	7/74 S	RT02=A	SPARE PARTS KIT, COMPONENTS
SPRT2=B1	RJM	BSL			3	7/74 S	RT02=B	SPARE PARTS KIT, MODULES
SPRT2=B2	RJM	BSL			3	7/74 S	RT02=B	SPARE PARTS KIT, COMPONENTS
STDBE=CA	JC	PG			3	12/73 E	PDP8=FK, MI8=EL, TA8=AA, RK8=EA, LA30=PA, LC8=E, OS/8, H960=BC, 115V 60HZ	
STDBE=CB	JC	PG			3	12/73 E	PDP8=FL, MI8=EL, TA8=AB, RK8=ED, LA30=PD, LC8=E, OS/8, H960=BD, 230V 50HZ	
STDBE=CC	JC	PG			3	12/73 E	PDP8=FS, MI8=EL, TA8=AA, RK8=EA, LA30=PA, LC8=E, OS/8, H960=BC, 115V 60HZ	
STDBE=CD	JC	PG			3	12/73 E	PDP8=FT, MI8=EL, TA8=AB, RK8=ED, LA30=PD, LC8=E, OS/8, H960=BD, 230V 50HZ	
STDBE=FA	JC	PG			3	12/73 E	=	OEM STDBE=CA, 115V 60HZ
STDBE=FB	JC	PG			3	12/73 E	=	OEM STDBE=CB, 230V 50HZ
STDBE=FC	JC	PG			3	12/73 E	=	OEM STDBE=CC, 115V 60HZ
STDBE=FD	JC	PG			3	12/73 E	=	OEM STDBE=CD, 230V 50HZ
SWSDP=10		DHD			3	7/72 0	10	DATA PROC SUPPORT PKG: 20 WK SOFTWARE SUPPORT
SWSTD=10		DHD			3	9/72 0	10	STANDARD SUPPORT PACKAGE: 6 WEEK SOFTWARE SUPPORT
TA01=A		BV		CSS	2		TM10=B	INTERFACE FOR AMPEX TM16
TA08=NA	BE	DPS		SSCAL	3	6/75 T	8 NEG	TU60=AA + CONT, 115V
TA08=NB	BE	DPS		SSCAL	3	6/75 T	8 NEG	TU60=AB + CONT, 230V
TA08=PA	BE	DPS		SSCAL	3	6/75 T	8 POS	TU60=AA + CONT, 115V
TA08=PB	BE	DPS		SSCAL	3	6/75 T	8 POS	TU60=AB + CONT, 230V
TA11	RT	TU			3	8/73 T	11	CASSETTE CONTROL FOR TU60, M7892
TA11=AA	RT	TU			3	8/73 T	11	TA11 + TU60=AA, RACK MOUNT, 115V
TA11=AB	RT	TU			3	8/73 T	11	TA11 + TU60=AB, RACK MOUNT, 230V
TA8=AA		LN			4	12/72 T	8/E	TA8=E + TU60=AA, RACK MOUNT, 115V
TA8=AB		LN			4	12/72 T	8/E	TA8=E + TU60=AB, RACK MOUNT, 230V
TA8=E		LN			4	12/72 T	8/E	CASSETTE CONTROL (M8331) FOR TU60
TAS11=AA		JCY		SSUK	3	8/75 T	11	TA11=AA W ECM434 FORMAT, 115V
TAS11=AB		JCY		SSUK	3	8/75 T	11	TA11=AB W ECM434 FORMAT, 230V

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	MO/YR	CATE-GORY	USED ON	DESCRIPTION
TC01		MI		TPL	6	7/71	T	8	DECTAPE CONTROL (TU55)
TC02		MI		TPL	6	7/71	T	9, 9/L	CONTROL WITH SPACE FOR 4 TU55, 60HZ
TC02=A		MI		TPL	6	7/71	T	9, 9/L	CONTROL WITH SPACE FOR 4 TU55, 50HZ
TC02=B		MI		TPL	6	8/74	T	9, 9/L	TC02 IN H950 CAB, 60HZ
TC02=C		MI		TPL	6	8/74	T	9, 9/L	TC02=A IN H950 CAB, 50HZ
TC08		LN			5		T	8 POS	POS BUS DECTAPE CONTROL, 60 HZ
TC08=A		LN			5		T	8 POS	POSITIVE BUS DECTAPE CONTROL, 50 HZ
TC08=HA		RHM			3	9/72	T	8 POS	TC08 W NO CABINET, 60HZ
TC08=HB		RHM			3	9/72	T	8 POS	TC08=A W NO CABINET, 50HZ
TC08=N		LN			5		T	8 NEG	NEGATIVE BUS DECTAPE CONTROL, 60 HZ
TC08=NA		LN			5		T	8 NEG	NEG BUS DECTAPE CONTROL, 50 HZ
TC09		MI		TPL	3	7/71	T	9	DECTAPE CONTROL W SPACE FOR 4 TU55
TC10		KU			3	4/75	T	10 MEM & I/O BUS	TAPE CONT FOR TU42 (PHASE ENCODING)
TC10=CA	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	TAPE CONT FOR TSU42-A, TSU43-A
TC10=CB	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	TAPE CONT FOR TSU42-B, TSU43-B
TC10=CC	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	2 TSU43-A DUAL DEN MAGTAPES + TC10=CA, TC10=PN, 60HZ
TC10=CD	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	2 TSU43-B DUAL DEN MAGTAPES + TC10=CB, TC10=PN, 50HZ
TC10=CE	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	5 TSU43-A DUAL DEN TAPES + TC10=CA, 2 TC10=PN, 60HZ
TC10=CF	JEH	EM		CSS	3	6/73	T	10 I/O + DF10 OR DM10	5 TSU43-B DUAL DEN TAPES + TC10=CB, 2 TC10=PN, 50HZ
TC10=DA	DH				2	4/75	T	DF10 & I/O BUS	CONTROL FOR TU45=CA, 115V, NO CAB
TC10=DB	DH				2	4/75	T	DF10 & I/O BUS	CONTROL FOR TU45=CB, 230V, NO CAB
TC10=P	JEH	EM		CSS	3	6/73	T	TC10=CA, =CB	150 IPS 1600 BPI PE FORMATER
TC10=PN	JEH	EM		CSS	3	6/73	T	TC10=CA, =CB	150 IPS 1600 BPI PE & 800 BPI NRZ FORMATTER
TC10=N	JEH	EM		CSS	3	6/73	T	TC10=CA, =CB	150 IPS 800 BPI NRZ FORMATTER
TC11=AA	SCJ	JMB		FS	5	10/71	T	11	DECTAPE CONTROL & CAB FOR 8 DECTAPES, 115V
TC11=AB	SCJ	JMB	3 9/74	T	11				& CAB FOR 8 DECTAPES, 230V
TC11=AC	RLD	RMO			3	9/74	T	11	TC11 IN H950 CAB FOR PDP10 (115V)
TC11=AD	RLD	RMO			3	9/74	T	11	TC11 IN H950 CAB FOR PDP10 (230V)
TC11=GA		JRC		FS	3	3/73	T	11	TC11-AA + TU56, 115V
TC11=GB		JRC		FS	3	3/73	T	11	TC11=BA + TU56, 230V
TC11=GC	RLD	RMO			3	9/74	T	11	TC11=AC + TU56 FOR PDP10 (115V)
TC11=GD	RLD	RMO			3	9/74	T	11	TC11=AD + TU56 FOR PDP10 (230V)
TC12		AW			5		T	12	LINC TAPE CONTROL
TC12=F		AW			5		T	TC12	DECTAPE/LINC TAPE FORMAT CONVERTER
TC15		FA			6	6/75	T	15	DECTAPE CONTROL W SPACE FOR 4 TU56
TC15=A		FD			5	5/75	T	PDP15=C	TC15 W 861=C, 115V
TC15=B		FD			5	5/75	T	PDP15=C	TC15 W 861=B, 230V
TC156=A		FD			2	4/75	T	15	TC15 CONTROL, TU56, 115V 60HZ
TC156=B		FD			2	4/75	T	15	TC15 CONTROL, TU56, 230V 50HZ
TC157=A		FD			2	4/75	T	15	TC59=D CONTROL, TU10-FE, 115V 60HZ
TC157=B		FD			2	4/75	T	15	TC59=D CONTROL, TU10-FJ, 230V 50HZ
TC159=A		FD			2	4/75	T	15	TC59=D CONTROL, TU10-EE, 115V 60HZ
TC159=B		FD			2	4/75	T	15	TC59=D CONTROL, TU10-EJ, 230V 50HZ
TC50					4		T	8, 9	GENERAL MAG TAPE CONTROL
TC50		JDL		TPL	9		T	8	MAG TAPE CONTROL FOR TU20
TC59		RF			6	1/73	T	9	MAG TAPE CONTROL FOR TU20
TC59=A		FD			3	5/75	T	DW15	TC59 W 861=C, 115V
TC59=B		FD			3	5/75	T	DW15	TC59 W 861=B, 230V
TC59=D		RF			6	4/75	T	DW15	TC59 ON PDP15
TC59=H	BE	RHI		SSCAL	3	5/73	T	DW15	TC59 MODIFIED TO ACCEPT TU10 &/OR TU40 MAGTAPES
TC59=S	BE	RHI		SSCAL	3	4/75	T	DW15	TC59=H FOR 7 & 9 TRACK MAGTAPES
TD10=AA	RLD	RCR			5		T	10	CONTROL W SPACE FOR 3 TU55, 60 HZ
TD10=AB	RLD	RCR			5		T	10	CONTROL W SPACE FOR 3 TU55, 50 HZ
TD10=B	RLD	RCR			5		T	TD10=A	EXTENDER CAB FOR TD10=A
TD10=CA	RLD	RCR			3	1/72	T	10	CONTROL W SPACE FOR 3 TU56, 60 HZ
TD10=CB	RLD	RCR			3	1/72	T	10	CONTROL W SPACE FOR 3 TU56, 50 HZ

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
TD12=GA	RLD	RCP			8/71	T	10	TD10=CA + TU56
TD12=GB	RLD	RCP			8/71	T	10	TD12=CB + TU56
TD8=E		DA			10/71	T	8/E	DECTAPE CONTROL, SIMPLE (M86B)
TD8=EH		DA				T	8/E	TD8=E + TU56=MH
TD8=EJ		DA			5/71	T	8/E	TD8=E + TU56=MJ (TABLE TOP)
TD8=EM		DA				T	8/E	TD8=E + TU56=M
TD8=ER		DA			5/71	T	8/E	TD8=E + TU56=MR (TABLE TOP)
TEV11	MT	TRW			9/75	T	LSI11	M9402=YB, END TERMINATOR FOR ALL SYSTEMS
TJU16=AA	WRD				8/75	T	11	RH11=AB, TU16=AA, 115V 60HZ
TJU16=AB	WRD				8/75	T	11	RH11=AB, TU16=AB, 230V 60HZ
TJU16=AC	WRD				8/75	T	11	RH11=AB, TU16=AC, 115V 50HZ
TJU16=AD	WRD				8/75	T	11	RH11=AB, TU16=AD, 230V 50HZ
TJU16=AK	WRD				8/75	T	11	RH11=AB, TU16=AK, 115V 60HZ
TJU16=AL	WRD				8/75	T	11	RH11=AB, TU16=AL, 230V 60HZ
TJU16=AM	WRD				8/75	T	11	RH11=AB, TU16=AM, 115V 50HZ
TJU16=AN	WRD				8/75	T	11	RH11=AB, TU16=AN, 230V 50HZ
TJU16=EA	WRD				10/74	T	11	RH11=AB + TU16=EA, 115V 60HZ
TJU16=EB	WRD				10/74	T	11	RH11=AB + TU16=EB, 230V 60HZ
TJU16=EC	WRD				10/74	T	11	RH11=AB + TU16=EC, 115V 50HZ
TJU16=ED	WRD				10/74	T	11	RH11=AB + TU16=ED, 230V 50HZ
TJU16=EK	WRD				10/74	T	11	RH11=AB + TU16=EK, 115V 60HZ
TJU16=EL	WRD				10/74	T	11	RH11=AB + TU16=EL, 230V 60HZ
TJU16=EM	WRD				10/74	T	11	RH11=AB + TU16=EM, 115V 50HZ
TJU16=EN	WRD				10/74	T	11	RH11=AB + TU16=EN, 230V 50HZ
TJU45=EA	QH	MSB		CSS	4/75	T	11	DUAL DENSITY 75IPS MAG TAPE SYS: RH11=AB + TU45=EA, 115V
TJU45=EB	QH	MSB		CSS	4/75	T	11	DUAL DENSITY 75IPS MAG TAPE SYS: RH11=AB + TU45=EB, 230V
TJU45=EK	QH	MSB		CSS	4/75	T	11	NRZI 75IPS 9TRK MAGTAPE SYS: RH11=AB + TU45=EK, 115V 50/60HZ
TJU45=EL	QH	MSB		CSS	4/75	T	11	NRZI 75IPS 9TRK MAGTAPE SYS: RH11=AB + TU45=EL, 230V 50/60HZ
TJU45=HA	QH	MSB		CSS	4/75	T	11	PE 75IPS MAGTAPE SYS: RH11=AB + TU45=HA, 115V 50/60HZ
TJU45=HB	QH	MSB		CSS	4/75	T	11	PE 75IPS MAGTAPE SYS: RH11=AB + TU45=HB, 230V 50/60HZ
TL8=AA	JC	PG			6/75	T	8/E	TAB=AA, LA30=PA, RACK MOUNT, 115V 60HZ
TL8=AB	JC	PG			6/75	T	8/E	TAB=AB, LA30=PB, RACK MOUNT, 230V 60HZ
TL8=AC	JC	PG			6/75	T	8/E	TAB=AA, LA30=PC, RACK MOUNT, 115V 50HZ
TL8=AD	JC	PG			6/75	T	8/E	TAB=AB, LA30=PD, RACK MOUNT, 230V 50HZ
TM01=D	JEH			CSS	3	2/72	TM10=D	INTERFACE TO IBM 729-6
TM01=E	JEH			CSS	3	5/75	TC59	INTERFACE TO IBM 729-6
TM02=CA	RP	JH			10/74	T	RH10, RH20	18 BIT PE & NRZI FORMATTER, 115V
TM02=CB	RP	JH			10/74	T	RH10, RH20	18 BIT PE & NRZI FORMATTER, 230V
TM02=CE	RP	ALA		CSS	2	10/74	RH10, RH20	TM02=CA W TU45 BUS & CLOCK, 115V, 50/60HZ
TM02=CF	RP	ALA		CSS	2	10/74	RH10, RH20	TM02=CB W TU45 BUS & CLOCK, 230V, 50/60HZ
TM02=FA	RP	JH			10/74	T	RH11	16 BIT PE & NRZI FORMATTER, 115V
TM02=FB	RP	JH			10/74	T	RH11	16 BIT PE & NRZI FORMATTER, 230V
TM02=FC	RP	JH			10/74	T	RH11	16 BIT NRZI FORMATTER, 115V
TM02=FD	RP	JH			10/74	T	RH11	16 BIT NRZI FORMATTER, 230V
TM02=FE	QH	MSB		CSS	3	10/74	RH11	TM02=FA W TU45 BUS & CLOCK, 115V, 50/60HZ
TM02=FF	QH	MSB		CSS	3	10/74	RH11	TM02=FB W TU45 BUS & CLOCK, 230V, 50/60HZ
TM02=UA	RP	JH			10/74	T	TM02=FC, =FD, =FH, =FJ	ADDS PE TO NRZI ONLY FORMATTER
TM10=A	RLD	AJD				T	10	CONTROL FOR TU20, TU30 I/O
TM10=B	RLD	AJD				T	DF10	CONTROL FOR TU20 OR TU30 CHANNEL
TM10=C	RLD	LJC			7/72	T	TM10=A	CONVERSION KIT, TM10=A TO TM10=B
TM10=D	JEH			CSS	3	5/72	DF10	CONTROL FOR 729-6 IBM MAG TAPE
TM10=E	JEH			CSS	3	5/72	10	CONTROL FOR 729-6 IBM MAG TAPE
TM10G=EA	RLD	AJD			7/72	T	10	TM10=A + 2 TU10A=EE (9 TRACK 45 IPS 115V 60HZ)
TM10G=EB	RLD	AJD			7/72	T	10	TM10=A + 2 TU10A=EJ (9 TRACK 45 IPS 230V 50HZ)
TM10G=FA	RLD	AJD			7/72	T	10	TM10=A + 2 TU10A=FE (7 TRACK 45 IPS 115V 60HZ)
TM10G=FB	RLD	AJD			7/72	T	10	TM10=A + 2 TU10A=FJ (7 TRACK 45 IPS 230V 50HZ)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG ARZA	STATUS	CATE-GORY	USED ON	DESCRIPTION
TM10=U	RLD	AJO			8/74	T	TM10=A	DF10 + TU10=B (W TRADE-IN OF TM10=A)
TM11=A	RT	LC			6/74	T	11	MAG TAPE CONT FOR TU10=EA, -EC, -FA, -FC, 115V
TM11=B	RT	LC			6/74	T	11	MAG TAPE CONT FOR TU10=EB, -ED, -FB, -FD, 230V
TM11=EA	RT	LC			6/74	T	1P	TM11=A + TU10=EA, 115V 60HZ
TM11=EB	RT	LC			6/74	T	11	TM11=B + TU10=EB, 230V 60HZ
TM11=EC	RT	LC			6/74	T	11	TM11=A + TU10=EC, 115V 50HZ
TM11=ED	RT	LC			6/74	T	11	TM11=B + TU10=ED, 230V 50HZ
TM11=FA	RT	LC			6/74	T	11	TM11=A + TU10=FA, 115V 60HZ
TM11=FB	RT	LC			6/74	T	11	TM11=B + TU10=FB, 230V 60HZ
TM11=FC	RT	LC			6/74	T	11	TM11=A + TU10=FC, 115V 50HZ
TM11=FD	RT	LC			6/74	T	11	TM11=B + TU10=FD, 230V 50HZ
TM12=EE	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=EE
TM12=EF	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=EF
TM12=EH	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=EH
TM12=EJ	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=EJ
TM12=FE	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=FE
TM12=FF	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=FF
TM12=FH	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=FH
TM12=FJ	SNT	RI			3/72	T	8 POS	DW08=A + TC58 + TU10=FJ
TM8=E	JC	GHL			8/73	T	8/E	MAG TAPE CONTROL FOR TU10=EA THRU =ED, -FA THRU =FD
TM8=EA	JC	GHL				T	8/E	TM8=E + TU10=EA
TM8=EB	JC	GHL				T	8/E	TM8=E + TU10=EB
TM8=EC	JC	GHL				T	8/E	TM8=E + TU10=EC
TM8=ED	JC	GHL				T	8/E	TM8=E + TU10=ED
TM8=FA	JC	GHL				T	8/E	TM8=E + TU10=FA
TM8=FB	JC	GHL				T	8/E	TM8=E + TU10=FB
TM8=FC	JC	GHL				T	8/E	TM8=E + TU10=FC
TM8=FD	JC	GHL				T	8/E	TM8=E + TU10=FD
TM8=MA	RP	HF			4/75	T	8/E	LOW SPEED MAG TAPE SYSTEM; TS03=MA + TM8=E CONT, 115V
TM8=MB	RP	HF			4/75	T	8/E	LOW SPEED MAG TAPE SYSTEM; TS03=MB + TM8=E CONT, 230V
TMA11=A	RP	HF			3/74	T	11	IMPROVED MAG TAPE CTRL FOR TU10=EA, -EC, -FA, -FC, 115V
TMA11=B	RP	HF			3/74	T	11	IMPROVED MAG TAPE CTRL FOR TU10=EB, -ED, -FB, -FD, 230V
TMA11=EA	RP	HF			3/74	T	11	TMA11=A + TU10=EA, 115V 60HZ
TMA11=EB	RP	HF			3/74	T	11	TMA11=B + TU10=EB, 230V 60HZ
TMA11=EC	RP	HF			3/74	T	11	TMA11=A + TU10=EC, 115V 50HZ
TMA11=ED	RP	HF			3/74	T	11	TMA11=B + TU10=ED, 230V 50HZ
TMA11=FA	RP	HF			3/74	T	11	TMA11=A + TU10=FA, 115V 60HZ
TMA11=FB	RP	HF			3/74	T	11	TMA11=B + TU10=FB, 230V 60HZ
TMA11=FC	RP	HF			3/74	T	11	TMA11=A + TU10=FC, 115V 50HZ
TMA11=FD	RP	HF			3/74	T	11	TMA11=B + TU10=FD, 230V 50HZ
TMA11=MA	RP	HF			4/75	T	11	LOW SPEED MAG TAPE SYSTEM; TS03=MA + TMA11=A CONT, 115V
TMA11=MB	RP	HF			4/75	T	11	LOW SPEED MAG TAPE SYSTEM; TS03=MB + TMA11=B CONT, 230V
TMS11=M	JEH	CV			3/72	T	11	CONT FOR 8 CDC 9103 MAG TAPES, 7 TR, 112.5 IPS, 556 BPI
TMS11=W		GO		CSS	2/75	T	11	CONT FOR WANGO 1025 800BPI 25IPS MAG TAPE
TR02=NA		RW		SSUK	6/73	T	8 NEG	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR02=NB		RW		LVP	6/73	T	8 NEG	WRITE ONLY INCR TAPE CONT, 1 TRANSPORT
TR02=NC		RW		LVP	6/73	T	8 NEG	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR02=ND		RW		LVP	6/73	T	8 NEG	WRITE ONLY INCR TAPE CONT, 2 TRANSPORTS
TR02=PA		RW		LVP	6/73	T	8 POS	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR02=PB		RW		LVP	6/73	T	8 POS	WRITE ONLY INCR TAPE CONT, 1 TRANSPORT
TR02=PC		RW		LVP	6/73	T	8 POS	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR02=PD		RW		LVP	6/73	T	8 POS	WRITE ONLY INCR TAPE CONT, 2 TRANSPORTS
TR03=DA		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 1 TRANSPORT
TR03=DB		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 2 TRANSPORTS
TR03=DC		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 3 TRANSPORTS
TR03=DD		DH		CSS	3	T	15	READ/WRITE INCR TAPE CONT, 4 TRANSPORTS

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	161
TR05-AA		RW		CSS	3	T	8 POS	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT	
TR05-AB		RW		CSS	3	T	8 POS	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS	
TR05-AC		RW		CSS	3	T	8 NEG	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT	
TR05-AD		RW		CSS	3	T	8 NEG	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS	
TR05-EA		ABW		CSS	3	5/72 T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 1 UNIT	
TR05-EB		ABW		CSS	3	5/72 T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 2 UNITS	
TR05-EC		ABW		CSS	3	5/72 T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 3 UNITS	
TR05-ED		ABW		CSS	3	5/72 T	15	CONT FOR PEC 6000/7000 SYNC READ/WRITE, 4 UNITS	
TR05-F		OF		SSCAL	3	9/72 T	11	CONT, PEC 6000/7000 SYNC READ/WRITE, 1-4 UNITS	
TR06-AA				CSS	3	T	8 POS	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-AB				CSS	3	T	8 POS	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-AC				CSS	3	T	8 NEG	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-AD				CSS	3	T	8 NEG	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-EA		ABW		CSS	2	3/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 1 UNIT	
TR06-EB		ABW		CSS	2	3/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 2 UNITS	
TR06-EC		ABW		CSS	2	7/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 3 UNITS	
TR06-ED		ABW		CSS	2	7/71 T	15	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 4 UNITS	
TR06-FA		PE		SSCAL	3	3/71 T	11	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 9 TRACK, 1-4 UNITS	
TR06-FB		RE		SSCAL	3	9/74 T	11	CONT, PEC 6000/7000 SYNC READ AFTER WRITE, 7 TRACK, 1-4 UNITS	
TR06-FC		GO		SSUK	3	9/74 T	11	CONT, AMPEX TM100 200/800 BPI, 9 TRACK, 1-4 UNITS	
TR07-A		SK		CSS	3	2/72 T	8	CONT FOR PEC 6640 PHASE ENCODED TAPE & FORMATTER	
TR07-AC		RW		LVP	3	10/72 T	8 POS	CONT & FORMATTER FOR 4 PEC 6640 PE MAG TAPES	
TR07-AD		RW		LVP	3	10/72 T	8 POS	CONT & 2 FORMATTERS FOR 8 PEC 6640 P, E, MAG TAPES	
TR07-F		JEH		CSS	3	8/72 T	11	CONT FOR PHASE ENCODED FORMATTER	
TR07-FC		JEH		CSS	3	3/73 T	11	TAPE CONTROL & FORMATTER FOR 4 PEC 6640 PE MAG TAPES	
TR07-FD		JEH		CSS	3	3/73 T	11	TAPE CONTROL & 2 FORMATTERS FOR 8 PEC 6640 PE MAG TAPES	
TR07-FE		MH		SSUK	3	3/73 T	11	WIRE WRAP VERSION OF TR07-FC	
TR07-FF		MH		SSUK	3	3/73 T	11	WIRE WRAP VERSION OF TR07-FD	
TR07-FH		UR		SSMU	3	7/73 T	11	TR07-FC IN ONE SYSTEM UNIT	
TR07-FJ		UR		SSMU	3	7/73 T	11	TR07-FD IN TWO SYSTEM UNITS	
TR07-FW		BE	RWI	SSCAL	3	2/74 T	11		
TR08-F		JEH		CSS	3	12/72 T	11	CONT FOR 2 TC10-PN DUAL DENSITY FORMATTERS	
TR08-FC		JEH		CSS	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS1 TR08-F + TC10-PN + TSU43-A, 60HZ	
TR08-FD		JEH		CSS	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS1 TR08-F + TC10-PN + TSU43-B, 50HZ	
TR08-FE		JEH		CSS	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS1 TR08-F + TC10-PN + 2 TSU43-A, 60HZ	
TR08-FF		JEH		CSS	3	12/72 T	11	DUAL DENSITY 150IPS TAPE SYS1 TR08-F + TC10-PN + 2 TSU43-B, 50HZ	
TR08-FH		JEH		CSS	3	3/73 T	11	TR08-F + TC10-PN + TSU41-A 150 IPS NRZI MAG TAPE, 60HZ	
TR08-FJ		JEH		CSS	3	3/73 T	11	TR08-F + TC10-PN + TSU41-B 150 IPS NRZI MAG TAPE, 50HZ	
TR08-FK		JEH		CSS	3	3/73 T	11	TR08-F + TC10-PN + 2 TSU41-A 150 IPS NRZI MAG TAPE, 60HZ	
TR08-FL		JEH		CSS	3	3/73 T	11	TR08-F + TC10-PN + 2 TSU41-B 150 IPS NRZI MAG TAPE, 50HZ	
TR08-FM		JEH		CSS	3	3/73 T	11	TR08-F + TC10-P + TSU42-A 150 IPS PE MAG TAPE, 60HZ	
TR08-FN		JEH		CSS	3	3/73 T	11	TR08-F + TC10-P + TSU42-A 150 IPS PE MAG TAPE, 50HZ	
TR08-FP		JEH		CSS	3	3/73 T	11	TR08-F + TC10-P + 2 TSU42-A 150 IPS PE MAG TAPE, 60HZ	
TR08-FR		JEH		CSS	3	3/73 T	11	TR08-F + TC10-P + 2 TSU42-B 150 IPS PE MAG TAPE, 50HZ	
TR79-F		JEH		CSS	3	9/72 T	11	CONT FOR HP7970 PHASE ENCODED MAG TAPE	
TR79-FA		JEH		CSS	3	8/74 T	11	HP7970-E-STD 25IPS PE MASTER MAG TAPE, 13195-A FORMATTER, TR79-F CON	
TR79-FB		JEH		CSS	3	8/74 T	11	TR79-A + TR79-FT	
TR79-FC		JEH		CSS	3	8/74 T	11	TR79-FA + 2 TR79-FT	
TR79-FD		JEH		CSS	3	8/74 T	11	TR79-FA + 3 TR79-FT	
TR79-FT		JEH		CSS	3	8/74 T	11	HP7970-E-STD 25IPS PE SLAVE MAG TAPE UNIT	
TS03-MA		RP		MF	2	4/75 T		TMA11-A, TMB-E MASTER TS03; TS03-SA + M8920, 115V	
TS03-MB		RP		MF	2	4/75 T		TMA11-B, TMB-E MASTER TS03; TS03-SB + M8920, 230V	
TS03-SA		RP		MF	2	4/75 T		M8920 SLAVE 12.5 IPS 9 TR 800 BPI MAG TAPE UNIT, 115V	
TS03-SB		RP		MF	2	4/75 T		M8920 SLAVE 12.5 IPS 9 TR 800 BPI MAG TAPE UNIT, 230V	
TSU42-A		JEH		CSS	3	8/72 T		TC10-P, -PN 150 IPS 9 TR 1600 BPI PE MAG TAPE UNIT, 60HZ	
TSU42-B		JEH		CSS	3	8/72 T		TC10-P, -PN 150 IPS 9 TR 1600 BPI PE MAG TAPE UNIT, 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	CATE- NO/YR	GATE- GORY	USED ON	DESCRIPTION	162
TSU43-A	JEH	EM		CSS	3	8/72	T	TC10-PN	150 IPS 9 TR 1600 BPI PE OR 800 BPI NREI MAG TAPE UNIT 60HZ	
TSU43-B	JEH	EM		CSS	3	8/72	T	TC10-PN	150 IPS 9 TR 1600 BPI PE OR 800 BPI NREI MAG TAPE UNIT 50HZ	
TU10A-EE	RLD	LJC			3	2/72	T	TM10	TU10-EE W QUICK-LATCH CONNECTOR (9 TRACK 45 IPS 115V 60HZ)	
TU10A-EJ	RLD	LJC			3	2/72	T	TM10	TU10-EJ W QUICK-LATCH CONN (9 TRACK 45 IPS 230V 50HZ)	
TU10A-FE	RLD	LJC			3	2/72	T	TM10	TU10-FE W QUICK-LATCH CONN (7 TRACK 45 IPS 115V 60HZ)	
TU10A-FJ	RLD	LJC			3	2/72	T	TM10	TU10-FJ W QUICK-LATCH CONN (7 TRACK 45 IPS 230V 50HZ)	
TU10B-EA	LH	GDC			3	10/73	T	GT44	TM11-A, TU10-EA IN H967-KC (9 TR 45 IPS MASTER 115V 60HZ)	
TU10B-ED	LH	GDC			3	10/73	T	GT44	TM11-B, TU10-ED IN H967-KD (9 TR 45 IPS MASTER 230V 50HZ)	
TU10B-EE	LH	GDC			3	10/73	T	GT44	TU10-EE IN H967-KC (9 TR 45 IPS SLAVE 115V 60HZ)	
TU10B-EJ	LH	GDC			3	10/73	T	GT44	TU10-EJ IN H967-KD (9 TR 45 IPS SLAVE 230V 50HZ)	
TU10B-FA	LH	GDC			3	10/73	T	GT44	TM11-A, TU10-FA IN H967-KC (7 TR 45IPS MASTER 115V 60HZ)	
TU10B-FD	LH	GDC			3	10/73	T	GT44	TM11-B, TU10-FD IN H967-KD (7 TR 45 IPS MASTER 230V 50HZ)	
TU10B-FE	LH	GDC			3	10/73	T	GT44	TU10-FE IN H957-KC (7 TR 45 IPS SLAVE 115V 60HZ)	
TU10B-FJ	LH	GDC			3	10/73	T	GT44	TU10-FJ IN H957-KD (7 TR 45 IPS SLAVE 230V 50HZ)	
TU10C-EE	RLD	LJC			3	8/72	T	10	TM10-A + TU10A-EE (9 TRACK 45 IPS MAG TAPE, 115V 60HZ)	
TU10C-EJ	RLD	LJC			3	8/72	T	10	TM10-A + TU10A-EJ (9 TRACK 45 IPS MAG TAPE, 230V 50HZ)	
TU10C-FE	RLD	LJC			3	8/72	T	10	TM10-A + TU10A-FE (7 TRACK 45 IPS MAG TAPE, 115V 60HZ)	
TU10C-FJ	RLD	LJC			3	8/72	T	10	TM10-A + TU10A-FJ (7 TRACK 45 IPS MAG TAPE, 230V 50HZ)	
TU10D-EA		BALL			3	3/74	T	TM11-A, TM8-E	TU10-EA IN H967-UA SHORT CAB	
TU10D-ED		BALL			3	3/74	T	TM11-B, TM8-E	TU10-ED IN H967-UB SHORT CAB	
TU10D-EE		BALL			3	3/74	T	TC58 TC59 TU10-EA -FA TU10D-EA -FA	TU10-EE IN H967-EA SHORT CAB	
TU10D-EJ		BALL			3	3/74	T	TC58 TC59 TU10-ED -FD TU10D-ED -FD	TU10-EJ IN H967-EB SHORT CAB	
TU10D-FA		BALL			3	3/74	T	TM11-A, TM8-E	TM10-FA IN H967-UA SHORT CAB	
TU10D-FD		BALL			3	3/74	T	TM11-A, TM8-E	TM10-FD IN H967-UB SHORT CAB	
TU10D-FE		BALL			3	3/74	T	TC58 TC59 TU10-EA -FA TU10D-EA -FA	TU10-FE IN H967-EA SHORT CAB	
TU10D-FJ		BALL			3	3/74	T	TC58 TC59 TU10-ED -FD TU10D-ED -FD	TU10-FJ IN H967-EB SHORT CAB	
TU10-EA	RP				5	5/72	T	TM11-A TM8-E	MASTER 45 IPS 9 TRACK DUAL HEAD	
TU10-EB	RP				5	5/72	T	TM11-B TM8-E	DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-EC	RP				5	5/72	T	TM11-A TM8-E	60 HZ 230V TU10-EA	
TU10-ED	RP				5	5/72	T	TM11-B TM8-E	50 HZ 115V TU10-EA	
TU10-EE	RP				5	5/72	T	TC58 TC59 TU10-EA, -FA	50 HZ 230V TU10-EA	
TU10-EF	RP				5	5/72	T	TC58 TC59 TU10-ER, -FB	SLAVE 45 IPS 9 TRACK DUAL HEAD	
TU10-EH	RP				5	5/72	T	TC58 TC59 TU10-EC, -FC	DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-EJ	RP				5	5/72	T	TC58 TC59 TU10-ED, -FD	60 HZ 230V TU10-EE	
TU10-FA	RP				5	5/72	T	TM11-A TM8-E	50 HZ 115V TU10-EE	
TU10-FB	RP				5	5/72	T	TM11-B TM8-E	50 HZ 230V TU10-EE	
TU10-FC	RP				5	5/72	T	TM11-A TM8-E	MASTER 45 IPS 7 TRACK DUAL HEAD	
TU10-FD	RP				5	5/72	T	TM11-B TM8-E	DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-FE	RP				5	5/72	T	TC58 TC59 TU10-EA, -FA	60 HZ 230V TU10-FA	
TU10-FF	RP				5	5/72	T	TC58 TC59 TU10-EB -FB	50 HZ 115V TU10-FA	
TU10-FH	RP				5	5/72	T	TC58 TC59 TU10-EC -FC	50 HZ 230V TU10-FA	
TU10-FJ	RP				5	5/72	T	TC58 TC59 TU10-ED -FD	SLAVE 45 IPS 7 TRACK DUAL HEAD	
TU10-HA	RP	WM			3	8/73	T	TU10-EA THRU ED, FA THRU FD	DEC MAG TAPE UNIT, 60 HZ 115V	
TU10-HE	RP	WM			3	8/73	T	TU10-EE THRU EJ, FE THRU FJ	60 HZ 230V TU10-FE	
TU10J-EE	RLD	LJC			3	9/73	T	DF10, DF10-CA TM10-B + TU10A-EE (9 TRACK 45 IPS MAG TAPE, 120V 60HZ)	50 HZ 115V TU10-FE	
TU10J-EJ	RLD	LJC			3	9/73	T	DF10-A, -CB TM10-B + TU10A-EJ (9 TRACK 45 IPS MAG TAPE, 240V 50HZ)	50 HZ 230V TU10-FE	
TU10J-FE	RLD	LJC			3	9/73	T	DF10, DF10-CA TM10-B + TU10A-FE (7 TRACK 45 IPS MAG TAPE, 120V 60HZ)		
TU10J-FJ	RLD	LJC			3	9/73	T	DF10-A, -CB TM10-B + TU10A-FJ (7 TRACK 45 IPS MAG TAPE, 240V 50HZ)		
TU10-M		EM			3	9/74	T	TU10 SLAVE	MASTER CONVERSION KIT MODULE SET	
TU16-AA	RP	JH			3	11/73	T	RH11, RH70	TM02-FA + TU16-AE, 115V 60HZ	
TU16-AB	RP	JH			3	11/73	T	RH11, RH70	TM02-FB + TU16-AF, 230V 60HZ	
TU16-AC	RP	JH			3	11/73	T	RH11, RH70	TM02-FA + TU16-AH, 115V 50HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS	DATE- MO/YR	GATE- GORY	USED ON	DESCRIPTION
TU16=AD	RP	JH			3	11/75	T	RH11, RH70	TM02-FB + TU16-AJ, 230V 50HZ
TU16=AE	RP	JH			2	8/75	T	TM02-C, =F	SLAVE 45IPS 9TR PE/NRZI DEC MAG TAPE UNIT, H9502-B, 861-C, 115V 60HZ (SAME AS TU16-EE EXCEPT FOR CABINET)
TU16=AF	RP	JH			2	8/75	T	TM02-C, =F	TU16-AE EXCEPT 861-B, 230V 60HZ
TU16=AH	RP	JH			2	8/75	T	TM02-C, =F	TU16-AE EXCEPT 861-C, 115V 50HZ
TU16=AJ	RP	JH			2	8/75	T	TM02-C, =F	TU16-AE EXCEPT 861-B, 230V 50HZ
TU16=AK	RP	JH			3	11/75	T	RH11, RH70	TM02-FC + TU16-AE, 115V 60HZ
TU16=AL	RP	JH			3	11/75	T	RH11, RH70	TM02-FD + TU16-AF, 230V 60HZ
TU16=AM	RP	JH			3	11/75	T	RH11, RH70	TM02-FC + TU16-AH, 115V 50HZ
TU16=AN	RP	JH			3	11/75	T	RH11, RH70	TM02-FD + TU16-AJ, 230V 50HZ
TU16=EA	RP	JH			3	10/74	T	RH11, RH70	TM02-FA + TU16-EE, 115V 60HZ
TU16=EB	RP	JH			3	10/74	T	RH11, RH70	TM02-FB + TU16-EF, 230V 60HZ
TU16=EC	RP	JH			3	10/74	T	RH11, RH70	TM02-FA + TU16-EH, 115V 50HZ
TU16=ED	RP	JH			3	10/74	T	RH11, RH70	TM02-FB + TU16-EJ, 230V 50HZ
TU16=EE	RP	JH			3	10/74	T	TM02-C, =F	SLAVE 45IPS 9TR PE/NRZI DEC MAG TAPE UNIT, H950, 861-C, 115V 60H
TU16=EF	RP	JH			3	10/74	T	TM02-C, =F	TU16-EE EXCEPT 861-B, 230V 60HZ
TU16=EH	RP	JH			3	10/74	T	TM02-C, =F	TU16-EE EXCEPT 861-C, 115V 50HZ
TU16=EJ	RP	JH			3	10/74	T	TM02-C, =F	TU16-EE EXCEPT 861-B, 230V 50HZ
TU16=EK	RP	JH			3	10/74	T	RH11, RH70	TM02-FC + TU16-EE, 115V 60HZ
TU16=EL	RP	JH			3	10/74	T	RH11, RH70	TM02-FD + TU16-EF, 230V 60HZ
TU16=EM	RP	JH			3	10/74	T	RH11, RH70	TM02-FC + TU16-EH, 115V 50HZ
TU16=EN	RP	JH			3	10/74	T	RH11, RH70	TM02-FD + TU16-EJ, 230V 50HZ
TU20=AA	RP	HD			5		T	TC58 TC59 TM10 TU10=EA,B =FA,B	DATAMEC 9 TRACK 2020 DEC MOD 60HZ
TU20=AB	RP	HD			5		T	TC58 TC59 TM10 TU10=EC,D =FC,D	DATAMEC 9 TRACK 2020 DEC MOD 50HZ
TU20=BA	RP	HD			5		T	TC58 TC59 TM10 TU10=EA,B =FA,B	DATAMEC 7 TRACK 2020 DEC MOD 60HZ
TU20=BB	RP	HD			5		T	TC58 TC59 TM10 TU10=EC,D =FC,D	DATAMEC 7 TRACK 2020 DEC MOD 50HZ
TU20=YA		REDC		TE	4	4/75	T	TU10, TU20, TU30	MAG TAPE UNIT TESTER
TU22=A		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 200 BPI, 7 TRACK, READ/WRITE
TU22=B		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 200 BPI, 7 TRACK, WRITE ONLY
TU22=E		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	TU22-A WITH 0,5 INCH REELS
TU22=F		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	TU22-B WITH 0,5 INCH REELS
TU25=A		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 556 BPI, 7 TRACK, READ/WRITE
TU25=B		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 556 BPI, 7 TRACK, WRITE ONLY
TU25=E		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	TU25-A WITH 0,5 INCH REELS
TU25=F		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	TU25-B WITH 0,5 INCH REELS
TU28=A		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 800 BPI, 7 TRACK, READ/WRITE
TU28=B		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 800 BPI, 7 TRACK, WRITE ONLY
TU28=C		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	PEC INCR TU 800 BPI, 9 TRACK, READ/WRITE
TU28=D		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	PEC INCR TU 800 BPI, 9 TRACK, WRITE ONLY
TU28=E		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	TU28-A WITH 0,5 INCH REELS
TU28=F		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	TU28-B WITH 0,5 INCH REELS
TU28=H		RW		LVP	6	8/73	T	TR02-PA, PC, NA, NC, TR03	TU28-C WITH 0,5 INCH REELS
TU28=J		RW		LVP	6	8/73	T	TR02-PB, PD, NB, ND, TR03	TU28-D WITH 0,5 INCH REELS
TU30=AA	RLD	RGR			6	1/75	T	TC58 TC59 TM10 TU10=EA,B =FA,B	DATAMEC 3030 9 TRACK DEC MOD 60HZ
TU30=AB	RLD	RGR			6	1/75	T	TC58 TC59 TM10 TU10=EC,D =FC,D	DATAMEC 3030 9 TRACK DEC MOD 50HZ
TU30=BA	RLD	RGR			6	1/75	T	TC58 TC59 TM10 TU10=EA,B =FA,B	DATAMEC 3030 7 TRACK DEC MOD 60HZ
TU30=BB	RLD	RGR			6	1/75	T	TC58 TC59 TM10 TU10=EC,D =FC,D	DATAMEC 3030 7 TRACK DEC MOD 50HZ
TU40=A	RLD	AJD			3	1/72	T	TM10 TU10=EA, =EB, =FA, =FB	150 IPS 9 TRACK MAG TAPE UNIT, 60 HZ
TU40=B	RLD	AJD			3	1/72	T	TM10 TU10=EC, =ED, =FC, =FD	150 IPS 9 TRACK MAG TAPE UNIT, 50 HZ
TU40=CA	RLD	AJD			3	8/72	T	10 I/O + 10 MEM BUS	DF10; TM10=B, TU40=A (9TR 150 IPS TAPE, 60HZ)
TU40=CB	RLD	AJD			3	8/72	T	10 I/O + 10 MEM BUS	DF10; TM10=B, TU40=B (9TR 150 IPS TAPE, 50HZ)
TU40=GA	RLD	AJD			6	7/72	T	10	DF10 + TM10=B + 2 TU40=A
TU40=GB	RLD	AJD			6	7/72	T	10	DF10 + TM10=B + 2 TU40=B
TU40=UA	RLD	AJD			=	8/71	T	(10) TU30-AA, =BA	TU40-A (W TRADE-IN OF TU30-AA OR =BA)
TU40=UB	RLD	AJD			=	8/71	T	(10) TU30-AB, =BB	TU40-B (W TRADE-IN TU30-AB OR =BB)
TU40=VA	RLD	AJD			=	8/71	T	(10) TU20-CA, =DA	TU40-A (W TRADE-IN OF TU20-CA OR =DA)

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	4FGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	164
TU40=VB	RLD	AJD			8/71	T	(10) TU20=CB, =DB	TU40=B (W TRADE-IN OF TU20=CB OF =DB)	
TU41=A	RLD	AJD			8/75	T	TM10 TU10=EA, =EB, =FA, =FB	150 IPS 7 TRACK MAG TAPE UNIT, 60 HZ	
TU41=B	RLD	AJD			8/75	T	TM10 TU10=EC, =ED, =FC, =FD	150 IPS 7 TRACK MAG TAPE UNIT, 50 HZ	
TU41=CA	RLD	AJD			8/75	T	10 I/O + 10 MEM BUS	DF10, TM10=B, TU41=A (7 TR 150 IPS TAPE, 60HZ)	
TU41=CB	RLD	AJD			8/75	T	10 I/O + 10 MEM BUS	DF10, TM10=B, TU41=B (7 TR 150 IPS TAPE, 50HZ)	
TU41=GA	RLD	AJD			10/72	T	10	DF10 + TM10=B + 2 TU41=A	
TU41=GB	RLD	AJD			10/72	T	10	DF10 + TM10=B + 2 TU41=B	
TU41=RA	RLD	AJD			8/71	T	1040=A, 1050=A	TU41-GA IN PLACE OF TM10G=EA OR TM10G=FA	
TU41=RB	RLD	AJD			8/71	T	1040=B, 1050=B	TU41-GB IN PLACE OF TM10G=EB OR TM10G=FB	
TU41=UA	RLD	AJD			8/71	T	(10) TU30=AA, =BA	TU41=A (W TRADE-IN OF TU30=AA OR =BA)	
TU41=UB	RLD	AJD			8/71	T	(10) TU30=AB, =BB	TU41=B (W TRADE-IN OF TU30=AB OR =BB)	
TU41=VA	RLD	AJD			8/71	T	(10) TU20=CA, =DA	TU41=A (W TRADE-IN OF TU20=CA OR =DA)	
TU41=VB	RLD	AJD			8/71	T	(10) TU20=CB, =DB	TU41=B (W TRADE-IN OF TU20=CB OR =DB)	
TU45=AA	OH			CSS	4/75	T	DF10, 10 I/O BUS	DUAL DENSITY TU45=CA + TC10=DA CONT, 115V	
TU45=AB	OH			CSS	4/75	T	DF10, 10 I/O BUS	DUAL DENSITY TU45=CB + TC10=DA CONT, 230V	
TU45=BA	OH			CSS	4/75	T	TC10=DA	DUAL DENSITY 75 IPS 9 TRACK MAGTAPE UNIT, PE/NRZI, 115V	
TU45=BB	OH			CSS	4/75	T	TC10=DA	DUAL DENSITY 75 IPS 9 TRACK MAGTAPE UNIT, PE/NRZI, 230V	
TU45=CA	OH			CSS	4/75	T	TC10=DA	DUAL DENSITY TU45=BA + FORMATTER, 115V	
TU45=CB	OH			CSS	4/75	T	TC10=DA	DUAL DENSITY TU45=BB + FORMATTER, 230V	
TU45=EA	OH	MSR		CSS	2/75	T	MASSBUS	DUAL DENSITY MASTER TU45I TM02=FE + TU45=EE, 115V 50/60HZ	
TU45=EB	OH	MSR		CSS	2/75	T	MASSBUS	DUAL DENSITY MASTER TU45I TM02=FF + TU45=EF, 230V 50/60HZ	
TU45=EE	OH	MSR		CSS	6/75	T	TM02=FE	SLAVE DUAL DENSITY TRANSPORT, 75IPS, 9TRACK, PE/NRZI, 115V	
TU45=EF	OH	MSR		CSS	6/75	T	TM02=FF	SLAVE DUAL DENSITY TRANSPORT, 75IPS, 9TRACK, PE/NRZI, 230V	
TU55	SCJ	JRC				T	TU10, TC01, 02, 08, 09, 550, 551, 552	60 HZ DECTAPE	
TU55=A	SCJ	JRC				T	TU10, TC01, 02, 08, 09, TC15, 550, 551, 552	50 HZ DECTAPE	
TU56	SCJ	JRC	JDL			T	TU10, TC01, 02, 08, 09, TC15, 550, 551, 552	DUAL DECTAPE	
TU56=C	SCJ	JRC	JDL			T	NONE	OEM TU56	
TU56=H	SCJ	JRC	JDL		2/71	T	TU10, TC01, 02, 08, 09, TC15, 550, 551, 552	DECTAPE (HALF TU56)	
TU56=HC	SCJ	JRC	JDL			T	NONE	OEM TU56=H	
TU56K=8	MI			TPL	8/75	T	TU56	24 PDP8 TAPES (12 FORMATTED), TUC01, STORAGE PACK, 4 LABELS	
TU56K=11	MI			TPL	8/75	T	TU56	24 PDP11 TAPES (12 FORMATTED), TUC01, STORAGE PACK, 4 LABELS	
TU56=M	SCJ	JRC				T	TU0=E	MASTER DUAL DECTAPE (READER/WRITER)	
TU56=MC	SCJ	JRC	JDL			T	NONE	OEM TU56=M	
TU56=MD	SCJ	JRC	JDL			T	NONE	OEM TU56=MH	
TU56=MH	SCJ	JRC				T	TU0=E	HALF TU56=M	
TU56=MJ	SCJ	JRC			5/71	T	TU0=E	TABLE TOP TU56=MH	
TU56=MR	SCJ	JRC			5/71	T	TU0=E	TABLE TOP TU56=M	
TU56=V	SCJ	JRC			4/72	T	TU56 (2), TU56=H (1)	MOTOR SUB ASSEMBLY	
TU56=W	SCJ	JRC			4/72	T	TU56	MTG PANEL SUB ASSEMBLY	
TU56=Y	SCJ	JRC			4/72	T	TU56	CHASSIS SUB ASSEMBLY	
TU56=Z	SCJ	JRC			4/72	T	TU56 (2), TU56=H (1)	TAPE GUIDE SUB ASSEMBLY	
TU60=AA	RP	HD			8/73	T	TA0=E, TA11	DUAL CASSETTE, PHILIPS CARTRIDGE RACK MOUNTABLE 115V	
TU60=AB	RP	HD			8/73	T	TA0=E, TA11	DUAL CASSETTE, PHILIPS CARTRIDGE RACK MOUNTABLE 230V	
TU60=CY	RP	HD			5/74	T	TU60	CYCLOPS ALIGNMENT TAPE	
TU60=K	RP	HD			5/74	T	TU60	TU60 CASSETTE	
TU60K=ST	MI			TPL	8/75	T	TU60	20 TU60=K CASSETTES, 2 TU60=LH	
TU60=LH	MI	JDL		TPL	2/73	T	TU60	HAND CARRYING CASE FOR 12 CASSETTES	
TU60=R	RP	HD			1/73	T	TU60	REFERENCE CASSETTE (SKEW & SPEED TEST)	
TU66	RW	SK		LVP	2/72	T	TR07	PEC 6640 25 IPS 1600 CPI PE MAG TAPE UNIT	
TU66=AC	RW	SK		LVP	10/72	T	TR07	PEC 6640 25 IPS 1600 CPI PE MAG TAPE IN CAB	
TU66=AE	RW	SK		LVP	3/73	T	TR07	PEC 6640 45 IPS 1600 BPI PE MAG TAPE IN CAB	
TU66=AF	RW	SK		LVP	3/73	T	TR07	PEC 6640 75 IPS 1600 BPI PE MAG TAPE IN CAB	
TU68=A	RW	SK		CSS	7/71	T	TR05	PEC 6860=72 37,5 IPS 7 TRACK 800 OR 200 BPI	
TU68=B	RW	SK		CSS	7/71	T	TR05	PEC 6860=75 37,5 IPS 7 TRACK 800 OR 556 BPI	
TU68=C	RW	SK		CSS	7/71	T	TR05	PEC 6860=9 37,5 IPS 9 TRACK 800BPI	
TU68=D	RW	SK		CSS	7/71	T	TR06	PEC 6840=72 37,5 IPS 7 CH 800/200 R AFTER W	

MODEL NO	ENG MGR	DESIGN ENGR	PROG ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED QN	DESCRIPTION	165
TU68=DA	RW	RM		LVP	3 12/72	T	TR06	PERTEC 6840-72 75 IPS 7 CH 800/200 BPI R AFTER W	
TU68=E		RW		CSS	3 7/71	T	TR06	PEC 6840-75 37.5 IPS 7 CH 800/556 R AFTER W	
TU68=EA	RW	RM		LVP	3 12/72	T	TR06	PERTEC 6840-75 75 IPS 7 CH 800/556 BPI R AFTER W	
TU68=F		RW		CSS	3 7/71	T	TR06	PEC 6840-9 37.5 IPS 9 CH 800 BPI R AFTER W	
TU68=FA	RW	RM		LVP	3 12/72	T	TR06	PERTEC 6840-9 75 IPS 9 CH 800 BPI R AFTER W	
TU68=FB	DH	YLK		CSS	3 9/75	T	TMA11 W M8920=YA	PERTEC 6840-9=45 45 IPS 9CH 800 BPI READ AFTER WRITE	
TU70=AA	RLD	RCR			2 10/74	T	TX01, TX02	STC 200IPS 9TRACK 800BPI NRZI & 1600BPI PE MAG TAPE, 60HZ	
TU70=AB	RLD	RCR			2 10/74	T	TX01, TX02	STC 200IPS 9TRACK 800BPI NRZI & 1600BPI PE MAG TAPE, 50HZ	
TU70=CA	RLD	RCR			2 10/74	T	10 I/O & MEM BUS	DX10=A, TX01=A, TU70-AA MAG TAPE SYS, 60HZ	
TU70=CB	RLD	RCR			2 10/74	T	10 I/O & MEM BUS	DX10=B, TX01=B, TU70-AB MAG TAPE SYS, 50HZ	
TY70=JA	RLD	RCR			2 11/75	T	DX10=A	TX01=A, TU70=AA, 120V	
TU70=JB	RLD	RCR			2 11/75	T	DX10=A	TX01=B, TU70=AB, 240V	
TU71=AA	RLD	RCR			2 10/74	T	TX01, TX02	STC 200IPS 7 TRACK 200/556/800 BPI NRZI MAG TAPE UNIT, 60HZ	
TU71=AB	RLD	RCR			2 10/74	T	TX01, TX02	STC 200IPS 7 TRACK 200/556/800 BPI NRZI MAG TAPE UNIT, 50HZ	
TUC01		HD			3 3/72	T		ALL TAPE DRIVES TAPE UNIT CLEANING KIT	
TUMAG=6	MI			TPL	3 8/75	T	TU10, TU16	600FT MAG TAPE	
TUMAG=12	MI			TPL	3 8/75	T	TU10, TU16	1200FT MAG TAPE	
TUMAG=24	MI			TPL	3 8/75	T	TU10, TU16	2400FT MAG TAPE	
TWU16=AA	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AA, 115V 60HZ	
TWU16=AB	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AB, 230V 60HZ	
TWU16=AC	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AC, 115V 50HZ	
TWU16=AD	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AD, 230V 50HZ	
TWU16=AK	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AK, 115V 60HZ	
TWU16=AL	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AL, 230V 60HZ	
TWU16=AM	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AM, 115V 50HZ	
TWU16=AN	ARR	SJ			2 11/75	T	11/70	RH70=A + TU16=AN, 230V 50HZ	
TWU16=EA	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EA, 115V 60HZ	
TWU16=EB	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EB, 230V 60HZ	
TWU16=EC	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EC, 115V 50HZ	
TWU16=ED	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=ED, 230V 50HZ	
TWU16=EK	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EK, 115V 60HZ	
TWU16=EL	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EL, 230V 60HZ	
TWU16=EM	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EM, 115V 50HZ	
TWU16=EN	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=EN, 230V 50HZ	
TWU16=UA	ARR	SJ			2 1/75	T	11/70	RH70=A + TU16=UA, 115V 60HZ	
TWU45=EA	DH	MSB		CSS	3 6/75	T	11/70	RH70=A + TWU16 DOCUMENTS (UPGRADE FROM TJU16)	
TWU45=EB	DH	MSB		CSS	3 6/75	T	11/70	RH70=A + TU45=EA, 115V 50/60HZ	
								RH70=A + TU45=EB, 230V 50/60HZ	
UC15=FA	EW	FD			6 9/74	E	15	PERIPHERAL PROC1 11/05=FA, 2 DR11=C, DR15=C, MX15=B, 115V	
UC15=FB	EW	FD			6 9/74	E	15	PERIPHERAL PROC1 11/05=FB, 2 DR11=C, DR15=C, MX15=B, 230V	
UC15=FE	EW	FD			6 9/74	E	15	PERIPHERAL PROC1 11/05=FE, 2 DR11=C, DR15=C, MX15=B, 115V	
UC15=FF	EW	FD			6 9/74	E	15	PERIPHERAL PROC1 11/05=FF, 2 DR11=C, DR15=C, MX15=B, 230V	
UC15=HE	EW	FD		WM	3 2/74	E	15	PERIPH PROC1 11/05=NC, OR =SA, OR 11/10=NC, OR =SA, 2 DR11=C, DR15=C, MX15=B, DD11=B, H950, KY11=JH, 115V	
UC15=HF	EW	FD		WM	3 2/74	E	15	PERIPH PROC1 11/05=ND, OR =SB, OR 11/10=ND, OR =SB, 2 DR11=C, DR15=C, MX15=B, DD11=B, H950, KY11=JH, 230V	
UC15=HK	EW	FD		WM	3 2/74	E	15	UC15=HE + MM11-K, 115V	
UC15=HL	EW	FD		WM	3 2/74	E	15	UC15=HF + MM11-K, 230V	
UC15=JE		FD			2 8/75	E	15	PERIPHERAL PROC1 11/05=NC, 2 DR11=C, DR15, H950, 115V	
UC15=JF		FD			2 8/75	E	15	PERIPHERAL PROC1 11/05=ND, 2 DR11=C, DR15, H950, 230V	
UC15=JK		FD			2 8/75	E	15	PERIPH PROC1 11/05=NC, 2 DR11=C, DR15, MM11-K, H950, 115V	
UC15=JL		FD			2 8/75	E	15	PERIPH PROC1 11/05=ND, 2 DR11=C, DR15, MM11-K, H950, 230V	
UDC11	RS	MORO			5 10/71	D	11	UNIVERSAL DIGITAL CONTROLLER, USES DD01=D, DD02	
UDC11=A	RS	RG		IPG	3 3/73	D	11	UDC, DD01=D, 8F02, H726=E	
UDC15	RS	PDM			3 5/71	D	BD15	UNIVERSAL DIGITAL CONTROLLER	

MODEL NO	LTG MGR	DEV ENGR	ENGR	AREA	STATUS MO/YR	CATE GORY	USED ON	DESCRIPTION	
UDC8=N	RS	MORO			5	5/71	D	9 NEG	UNIV DIGITAL CONT; DD01=AN, BF02 & PS
UDC8=P	RS	MORO			5	5/71	D	8 POS	UNIV DIGITAL CONT; DD01=AP, BF02 & PS
UDC8=PA	RS	MORO			3	7/71	D	8 POS	UDC, DD01=AP, BF02, 4726-B
UDC8=TA		RENG		TE	4	4/75	D	UDC8, UDC11, UDC15	OFF-LINE TESTER
UDC8=XA	RS	MORO			5	5/71	D	UDC8=N, -P, UDC11	BF02, DD02, SHORT CABLES
UDC8=XB	RS	MORO			5	5/71	D	UDC8=N, -P, UDC11	BF02, DD02, LONG CABLES
VA38		LH			6		V	338	20 USEC CHARACTER GENERATOR
VA39		LH			6		V	339	20 USEC CHARACTER GENERATOR
VB08		JJL		CSS	6	7/71	V	8 POS	DATA BREAK DISPLAY CONTROL
VB08=A		JTN		CSS	3	7/73	V	POS & BUS, DATA BREAK	INTERACTIVE DISPLAY SYS FOR PDP8
VB10=C		JJL		CSS	3		V	10 I/O & MEM BUS	DISPLAY PROCESSOR (I/C LOGIC VB10)
VB11		JJL		CSS	6	6/71	V	-	SYSTEM NAME, INTERACTIVE DISPLAY SYSTEM
VB11=A		JJL		CSS	3	6/71	V	11	DISPLAY CONTROL W CRT
VB11=C		JJL		CSS	3	6/71	V	VB11-A	COLOR OPTION TO VB11-A SCOPE
VB11=CG		JJL		CSS	3	6/71	V	VB11-A	CHARACTER GENERATOR
VB11=CS		JJL		CSS	3	7/71	V	VB11-S	COLOR VB11-SS
VB11=F		JJL		CSS	3	6/71	V	VB11-A	FUNCTION BOX & INTERFACE
VB11=K		JJL		CSS	3	6/71	V	VB11-A	KEYBOARD & INTERFACE
VB11=PH		OH		CSS	3	1/73	V	VB11-A	MEMORY PORT MULTIPLEXER
VB11=R		JJL		CSS	3	6/71	V	VB11-A	RASTER OPTION
VB11=S		JJL		CSS	3	6/71	V	VB11-A	SLAVE SCOPE INTERFACE (UP TO 4)
VB11=SS		JJL		CSS	3	6/71	V	VB11-S	DESK MOUNTED SLAVE SCOPE, BLACK & WHITE
VB11=T		JJL		CSS	3	6/71	V	VB11-A	TABLET & INTERFACE
VB11=XY		JJL		CSS	3	6/71	V	VB11-A	CALCOMP 565 PLOTTER & INTERFACE
VB15=EA	ESS	CV		LVP	3	8/75	V	15	GRAPHIC 2/I VB15=BC, 376, VB15-KP, VB15-LE, 115V 60HZ
VB15=EB	ESS	CV		LVP	3	8/75	V	15	GRAPHIC 2/I VB15=BD, 376, VB15-KP, VB15-LE, 230V 50HZ
VB15=EC	ESS	CV		LVP	3	8/75	V	15	GRAPHIC 2/I CONTROL, 115V 60HZ
VB15=ED	ESS	CV		LVP	3	8/75	V	15	GRAPHIC 2/I CONTROL, 230V 50HZ
VB15=EA	ESS	CV		LVP	3	5/74	V	9, DM09=A	GRAPHIC 2/I VB15=BC, 376, VB15-KP, VB15-LE, 115V60
VB15=EB	ESS	CV		LVP	3	5/74	V	9, DM09=A	GRAPHIC 2/I VB15=BD, 376, VB15-KP, VB15-LF, 230V50
VB15=BC	ESS	CV		LVP	3	5/74	V	9, DM09=A	GRAPHIC 2/I CONTROL + VT15=BM ADAPTER, 115V 60HZ
VB15=BD	ESS	CV		LVP	3	5/74	V	9, DM09=A	GRAPHIC 2/I CONTROL + VT15=BM ADAPTER, 230V 50HZ
VB15=BM	ESS	CV		LVP	3	5/74	V	9	ADAPTER BETWEEN DM09=A & VB15=BC, =BD
VB15=EA	ESS	CV		CSS	6	8/75	V	9, 15	GRAPHIC 2/I VB15=EC, 376, VB15-KP, VB15-LE, 115V 60HZ
VB15=EB	ESS	CV		CSS	6	8/75	V	9, 15	GRAPHIC 2/I VB15=ED, 376, VB15-KP, VB15-LF, 230V 50HZ
VB15=EC	ESS	CV		CSS	6	8/75	V	9, 15	GRAPHIC 2/I CONTROL, 115V 60HZ
VB15=ED	ESS	CV		CSS	6	8/75	V	9, 15	GRAPHIC 2/I CONTROL, 230V 50HZ
VB15=K	ESS	CV		LVP	3	5/74	V	VB15-B, -E	128 CHARACTER KEYBOARD & INTERFACE
VB15=KP	ESS	CV		LVP	3	4/75	V	VB15-B, -E	MICRO SW 635W5=3 KBD & INTF, ALSO 8 MAGIC DOT SWs MTD ON TOP
VB15=LC	ESS	CV		LVP	3	5/74	V	VB15-B, -E	KRATOS 21" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 115V60
VB15=LD	ESS	CV		LVP	3	5/74	V	VB15-B, -E	KRATOS 21" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 230V50
VB15=LE	ESS	CV		LVP	3	4/75	V	VB15-B, -E	KRATOS 21" CRT W STD 20 MIL SPOT SIZE & 3 INTENSITY LEVELS, 115V60HZ
VB15=LF	ESS	CV		LVP	3	4/75	V	VB15-B, -E	230V 50 HZ VB15=LE
VB15=P	ESS	CV		LVP	3	5/74	V	VB15-B, -E	8 PUSHBUTTON FUNCTION BOX & INTERFACE
VB15=RL	ESS	CV		LVP	3	4/75	V	VB15-B, -E	REMOTE MOUNTING OF 376 LIGHT PEN IN CUSTOMER SUPPLIED BEREL
VB15=SC	ESS	CV		LVP	3	5/74	V	VB15-B, -E	KRATOS 17" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 115V60
VB15=SD	ESS	CV		LVP	3	5/74	V	VB15-B, -E	KRATOS 17" CRT W SMALL SPOT SIZE & 3 INTENSITY LEVELS, 230V50
VB15=SE	ESS	CV		LVP	3	4/75	V	VB15-B, -E	KRATOS 17" CRT W STD 20 MIL SPOT SIZE & 3 INTENSITY LEVELS, 115V 60HZ
VB15=SF	ESS	CV		LVP	3	4/75	V	VB15-B, -E	230V 50HZ VB15=SE
VB15=XA	ESS	CV		LVP	3	4/75	V	VB15-B, -E	DOCUMENTATION M300L CARD READER AND INTF., 115V 60HZ
VB15=XB	ESS	CV		LVP	3	4/75	V	VB15-B, -E	DOCUMENTATION M300L CARD READER AND INTF., 230V 50HZ
VB15=Y	ESS	CV		LVP	3	4/75	V	VB15-B, -E	201AS DATAPHONE INTF.

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
VB15=ZA	ESS	CV		LVP	3 4/75	V	VB15-B, =E	COMBINED VB15-XA AND VB15-Y OPTIONS
VB15=ZB	ESS	CV		LVP	3 4/75	V	VB15-B, =E	COMBINED VB15-XB AND VB15-Y OPTIONS
VC12	SNT	RI			5 1/73	V	12	DISPLAY CONTROL MODULE SET
VC12=C	SNT	RI			5 2/73	V	VC12	COLOR ADAPTER FOR VR20 (M7601)
VC12=N	SNT	RI			3	V	VC12	NEG INTENSIFY ADAPTER FOR TEK 503
VC12=S	SNT	RI			6 5/72	V	VC12	TEK 601 OR VT01-A ADAPTER (M7601 + CABLE)
VC20=A	SNT	AW			3 1/73	V	11	AA11=DA + AA11=E + AA11=FA + 2 A614 VR20 CONTROL
VC20=B	SNT	AW			3 1/73	V	11	AA11=DB + AA11=E + AA11=FA + 2 A614 VR20 CONTROL
VC38		LH			6	V	338, 339	CHARACTER MODE OPTION
VC8=E	SNT	AW			5 10/71	V	8/E	POINT PLOTTING DISPLAY CONTROL
VC8=I		JDL		TPL	5	V	8/I	DISPLAY CONTROL MODULE SET
VC8=L		JDL		TPL	5	V	BA08	DISPLAY CONTROL MODULE SET
VF12=A		DN			2	V	VR12, VR12=A, B, C, D, E	GRAY-GREEN FACEPLATE FILTER
VF38		LH			6	V	338, 339	SEARCH LOGIC
VK8=AA	JC	JK			2 9/75	V	8/A	VIDEO CONTROL, 24 LINES 80 CHAR, 60HZ
VK8=AB	JC	JK			2 9/75	V	8/A	VIDEO CONTROL, 24 LINES 80 CHAR, 50HZ
VK8=EA		PK			4 2/73	V	8/E	CONTROL FOR VT8-EA, =EB, 64 CHAR, 60HZ
VK8=EC		PK			4 2/73	V	8/E	CONTROL FOR VT8-EC, =ED, 64 CHAR, 50HZ
VK8=EE		PK			4 2/73	V	8/E	CONTROL FOR VT8-EE, =EF, 32 CHAR, 60HZ
VK8=EH		PK			4 2/73	V	8/E	CONTROL FOR VT8-EH, =EJ, 32 CHAR, 50HZ
VL04		LH			5 4/71	V	VT04	370, CABLE, MODULE, VT04 LT PEN INTERFACE
VL07		DC			2 3/72	V	VT07	370=C, CABLE, MODULE, VT07 LT PEN INTERFACE
VL09		MI		TPL	6 7/72	V	9	INTERFACE FOR 338
VL18		DQ			3	V	8	INTERFACE FOR 30=N
VM01		MI		TPL	3	V	34	TEK 503/564 SCOPE MOUNTING HARDWARE
VM01=A		MI			3	V	34	VM01 & LIGHT PEN MOUNTING
VM01=B		MI			3	V	34	VM01 FOR H950 CABINET
VM01=C		MI			3	V	34	VM01-B PLUS LIGHT PEN MOUNT
VM03	SNT	AW			4 10/71	V	VC8=E	MOUNTING HARDWARE FOR TEK 602, 604 IN H945-AA
VM08		MI		TPL	6	V	8/I, VS08	MUX CONTROL + LINE DRIVER FOR UP TO 8 VT02
VM15		LH			5 5/71	V	VT15	MULTIPLEXER FOR 4 VT04, VT01, ETC
VP01		KS			2	V	LINC/B	TEK 564 SCOPE ON LINC/B
VP02=N		ST		CSS	2 7/71	V	9 WITH API	POINT PLOT DISPLAY CONT W PROG CHAR GEN
VP02=P		ST		CSS	2 7/71	V	15 WITH API	POINT PLOT DISPLAY CONT W PROG CHAR GEN
VP09		FA			4	V	BA09	POINT PLOTTING DISPLAY CONTROL W VT01
VP10		DG			6 7/74	V	10	POINT PLOTTING DISPLAY CONTROL, 60 HZ
VP10=A		DG			6 7/74	V	10	POINT PLOTTING DISPLAY CONTROL, 50 HZ
VP12=AA	SNT	RI			5 6/71	X	XY12	HOUSTON COMPTOT 12-IN PLOTTER 10 MIL STEP
VP12=AB	SNT	RI			3 1/73	X	XY12	HOUSTON COMPTOT 12-IN PLOTTER, 5 MIL STEP
VP12=AC	SNT	RI			3 1/73	X	XY12	HOUSTON COMPTOT 12-IN PLOTTER, 100 MIL STEP
VP12=BA	SNT	RI			5 6/71	X	XY12	CALCOMP 565 PLOTTER (12-IN) 10 MIL STEP
VP12=BB	SNT	RI			3 1/73	X	XY12	CALCOMP 565 PLOTTER (12-IN), 5 MIL STEP
VP12=BC	SNT	RI			3 1/73	X	XY12	CALCOMP 565 PLOTTER (12-IN), 100 MIL STEP
VP12=CA	SNT	RI			5 6/71	X	XY12	CALCOMP 563 PLOTTER (30-IN) 10 MIL STEP
VP12=CB	SNT	RI			3 1/73	X	XY12	CALCOMP 563 PLOTTER (30-IN) 5 MIL STEP
VP12=CC	SNT	RI			3 1/73	X	XY12	CALCOMP 563 PLOTTER (30-IN) 100 MIL STEP
VP15=A		LH			5	V	BA15=A	POINT DISPLAY CONTROL WITH VT01
VP15=B		LH			5	V	BA15=A	POINT DISPLAY CONTROL WITH TEK RM503
VP15=BL		LH			5	V	BA15=A	VP15-B WITH LIGHT PEN
VP15=C		LH			5 6/71	V	BA15=A	POINT DISPLAY CONTROL WITH VR14
VP15=CL		LH			3 2/72	V	BA15=A	VP15-C WITH LIGHT PEN
VP15=MA		SKJ		CSS	3 3/72	V	VP15=A	MUX, ALLOWS VP15=A TO CONTROL 8 TEK 611
VP8=I		JDL		TPL	5	X	8/I	PLOTTER CONTROL
VP8=IA					5	X	8/I	CALCOMP 563 PLOTTER & CONTROL
VP8=IB					5	X	8/I	CALCOMP 565 PLOTTER & CONTROL
VP8=L		JDL		TPL	5	X	BA08	PLOTTER CONTROL

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
VP8-LA		JDL		TPL	5	X	BA08	CALCOMP 563 PLOTTER & CONTROL
VP8-LB		JDL		TPL	5	X	BA08	CALCOMP 565 PLOTTER & CONTROL
VR01-A		JDL		TPL	6	5/72 V	VC8-I, VC8-L	TEK 503, VM01-B
VR01-B		JDL		TPL	5	V	VC8-I, VC8-L	TEK 503, VM01-C & 370-A
VR02-A		JDL		TPL	6	5/72 V	VC8-I, VC8-L	TEK 564, VM01-B
VR03-A	SNT	AW			6	11/71 V	VC8-E	TEK 602 W VM03
VR03-B	SNT	AW			6	11/71 V	VC8-E	TEK 601 W VM23
VR14	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, RACK MOUNT, 115V
VR14-A	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, RACK MOUNT, 230V
VR14-B	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, RACK MOUNT, 100V
VR14-C	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, TABLE TOP, 115V
VR14-D	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, TABLE TOP, 230V
VR14-E	SNT	LH			5	2/71 V	MANY	7X9 DISPLAY, TABLE TOP, 100V
VR14-LC	SNT	LH			3	6/72 V	GT40-AA, -AC, -AE, -BA, -BC, -BE	VR14-C MODIFIED FOR 115V GT40
VR14-LD	SNT	LH			3	6/72 V	GT40-AB, -AD, -AF, -BB, -BD, -BF	VR14-D MODIFIED FOR 230V GT40
VR14-V	SNT	LH			2	3/72 V	ANY VR14	2-BIT INTENSITY CONTROL (VIDEO)
VR17-LC	SNT	LH			3	12/73 V	GT44	17 INCH DISPLAY W LIGHT PEN, 8 LEVELS INTENSITY, 115V
VP17-LD	SNT	LH			3	12/73 V	GT44	17 INCH DISPLAY W LIGHT PEN, 8 LEVELS INTENSITY, 230V
VR20	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, RACK MOUNT, 115V
VR20-A	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, RACK MOUNT, 230V
VR20-B	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, RACK MOUNT, 100V
VR20-C	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, TABLE TOP, 115V
VR20-D	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, TABLE TOP, 230V
VR20-E	SNT	LH			6	3/73 V	MANY	2 COLOR VR14, TABLE TOP, 100V
VR20-LC	SNT	LH			6	3/73 V	GT40-BA	VR20-C MODIFIED FOR GT40-BA
VR20-LD	SNT	LH			6	3/73 V	GT40-BB	VR20-D MODIFIED FOR GT40-BB
VR30		MI		TPL	6	7/72 V		RACK MOUNTED 30 FAMILY
VR30-D		MI		TPL	6	7/72 V	4, 7, 9	16-INCH POINT PLOTTING DISPLAY
VR30-G		MI		TPL	6	7/72 V	4, 7, 9	VR30-D & 33 SYMBOL GENERATOR
VR30-N		MI		TPL	6	7/72 V	5, 8 NEG	16-INCH POINT PLOTTING DISPLAY
VS01		LH			2	5/71 V	VT15, VT04	VT01-A INTERFACE TO VT15 & VT04
VS08-N		BM			5	V	8 NEG	INTERFACE & MTNG PANEL FOR KV8
VS08-P		BM			5	V	8 POS	INTERFACE & MTNG PANEL FOR KV8
VS38		LH			6	V	338, 339	SLAVE CONTROL LOGIC FOR 343
VS60-AA	LH	HL			2	11/75 V	11	INTERACTIVE GRAPHICS VECTOR OPTION; VT48-AA, VR48-AA, 120V 50/60HZ
VS60-AB	LH	HL			2	11/75 V	11	INTERACTIVE GRAPHICS VECTOR OPTION; VT48-AB, VR48-AB, 240V 50/60HZ
VS60-BA	LH	HL			2	11/75 V	11	VS60-AA W NO LIGHT PEN; VT48-AA, VR48-CA, 120V 50/60HZ
VS60-BB	LH	HL			2	11/75 V	11	VS60-AB W NO LIGHT PEN; VT48-AB, VR48-CB, 240V 50/60HZ
VS60-CA	LH	HL			2	11/75 V	11	IGVO W 2 SCOPE MONITORS; VT48-AA, VR48-AA, VR48-BA, 120V 50/60HZ
VS60-CB	LH	HL			2	11/75 V	11	IGVO W 2 SCOPE MONITORS; VT48-AB, VR48-AB, VR48-BB, 240V 50/60HZ
VS60-DA	LH	HL			2	11/75 V	11	VS60-CA W NO LIGHT PEN; VT48-AA, VR48-CA, VR48-DA, 120V 50/60HZ
VS60-DB	LH	HL			2	11/75 V	11	VS60-CB W NO LIGHT PEN; VT48-AB, VR48-CB, VR48-DB, 240V 50/60HZ
VS60-KA	LH	HL			2	11/75 V	VR48-AA	ADD-ON KIT, 2ND SCOPE; VR48-BA, 120V 50/60HZ
VS60-KB	LH	HL			2	11/75 V	VR48-AB	ADD-ON KIT, 2ND SCOPE; VR48-BB, 240V 50/60HZ
VS60-LA	LH	HL			2	11/75 V	VR48-AA	ADD-ON KIT, 2ND SCOPE W NO LIGHT PEN; VR48-DA, 120V 50/60HZ
VS60-LB	LH	HL			2	11/75 V	VR48-AB	ADD-ON KIT, 2ND SCOPE W NO LIGHT PEN; VR48-DB, 240V 50/60HZ
VT01		SKJ			3	8/73 V	VS08, KV8-I, KV8, KV8-E, KV15	TEK 611 SCOPE DEC MODIFIED (DOUBLE ENDED)
VT01-A		SKJ			3	1/72 V	*	TEX 611 SCOPE (SINGLE ENDED)
VT01-K		SKJ			3	V	OLD TEK 611 SCOPE	MOD KIT TO MAKE VT01 FROM OLD TEK 611
VT01-KA		SKJ			3	8/73 V	NEW TEK 611 SCOPE	MOD KIT TO MAKE VT01 FROM NEW TEK 611
VT01-LA	AW	REG		WM	2	9/75 V	GM11	VT01-A, AA11-DA, AA11-A, 2 BA614, CU4, 115V
VT01-LB	AW	REG		WM	2	9/75 V	GM11	VT01-A, AA11-DB, AA11-A, 2 BA614, CU4, 230V
VT02		MI		TPL	6	V	VS08, KV8-I, VS8-E	KEYBOARD & INTERFACE FOR VT01
VT04-A		LH			5	V	VT09, VT15	DISPLAY TERMINAL, 60 HZ
VT04-B		LH			5	V	VT09, VT15	DISPLAY TERMINAL, 50 HZ
VT05		DOANE			5	3/72 V		ALPHA-NUMERIC TERMINAL

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	169
VT05A-AA		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 115V 60HZ	
VT05A-AB		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 230V 60HZ	
VT05A-AC		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 115V 50HZ	
VT05A-AD		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, HALF ASCII, 230V 50HZ	
VT05A-AE		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05A-AA, NO INSTALLATION	
VT05A-AF		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05A-AB, NO INSTALLATION	
VT05A-AH		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05A-AC, NO INSTALLATION	
VT05A-AJ		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05A-AD, NO INSTALLATION	
VT05A-BA		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 115V 60HZ	
VT05A-BB		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 230V 60HZ	
VT05A-BC		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 115V 50HZ	
VT05A-BD		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W NO PARITY, FULL ASCII, 230V 50HZ	
VT05A-CA		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 115V 60HZ	
VT05A-CB		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 230V 60HZ	
VT05A-CC		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 115V 50HZ	
VT05A-CD		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, HALF ASCII, 230V 50HZ	
VT05A-DA		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 115V 60HZ	
VT05A-DB		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 230V 60HZ	
VT05A-DC		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 115V 50HZ	
VT05A-DD		DOANE			6 10/74	V	ASYN ASCII UP TO 300 BAUD	VT05 W PARITY, FULL ASCII, 230V 50HZ	
VT05B		DOANE			4 3/72	V	ASYN ASCII UP TO 2400 BAUD	VT05 W 2400 BUAD CAPABILITY	
VT05B-AA		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 115V 60HZ	
VT05B-AB		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 230V 60HZ	
VT05B-AC		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 115V 50HZ	
VT05B-AD		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, HALF ASCII, 230V 50HZ	
VT05B-AE		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B-AA, OEM	
VT05B-AF		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B-AB, OEM	
VT05B-AH		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B-AC, OEM	
VT05B-AJ		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B-AD, OEM	
VT05B-AX		BPF			3 3/74	V	DS5XX	REMOTE VT05B-AA WITH EIA CABLE	
VT05B-AY		BPF			3 3/74	V	DS5XX	REMOTE VT05B-AD WITH EIA CABLE	
VT05B-BA		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 115V 60HZ	
VT05B-BB		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 230V 60HZ	
VT05B-BC		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 115V 50HZ	
VT05B-BD		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W NO PARITY, FULL ASCII, 230V 50HZ	
VT05B-CA		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 115V 60HZ	
VT05B-CB		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 230V 60HZ	
VT05B-CC		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 115V 50HZ	
VT05B-CD		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, HALF ASCII, 230V 50HZ	
VT05B-DA		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 115V 60HZ	
VT05B-DB		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 230V 60HZ	
VT05B-DC		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 115V 50HZ	
VT05B-DD		DOANE			4 5/72	V	ASYN ASCII UP TO 2400 BAUD	VT05B W PARITY, FULL ASCII, 230V 50HZ	
VT06-A	SNT	LH			6 5/72	V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 115V 60 HZ	
VT06-AP	SNT	LH			6 5/72	V	DC10, DC08, LT08	VT06-A W PARITY	
VT06-B	SNT	LH			6 5/72	V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 230V 60 HZ	
VT06-BP	SNT	LH			6 5/72	V	DC10, DC08, LT08	VT06-B W PARITY	
VT06-C	SNT	LH			6 5/72	V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 115V 50HZ	
VT06-CP	SNT	LH			6 5/72	V	DC10, DC08, LT08	VT06-C W PARITY	
VT06-D	SNT	LH			6 5/72	V	DC10, DC08, LT08	CTC KEYBOARD DISPLAY TERMINAL, 230V 50HZ	
VT06-DP	SNT	LH			6 5/72	V	DC10, DC08, LT08	VT06-D W PARITY	
VT09		MI		TPL	3 5/71	V	9, 9/L	BUFFERED DISPLAY CONTROL (LIKE VT15)	
VT11	LH	JE			2 6/74	V	11	INCREMENTAL STROKE DISPLAY PROC UNIT (VT40 MODULES IN SYSTEM UNIT)	
VT11-AA	LH	LH			2 6/74	V	11	VT11 + VR17-LC, 115V 50/60HZ	
VT11-AB	LH	LH			2 6/74	V	11	VT11 + VR17-LD, 230V 50/60HZ	
VT14-AA	JM	MORO			5 12/74	V	14	PROGRAMMING PANEL W 12" DISPLAY, 8/E PROC, CONSOLE 115V 60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS	DATE MO/YR	CATEGORY	USED ON	DESCRIPTION	170
VT14-AB	JM	MORO			5	12/74	V	14	PROGRAMMING PANEL W 12" DISPLAY, 8/E PROC, CONSOLE 230V 50HZ	
VT14-AC	JM	MORO			5	12/74	V	14	PROGRAMMING PANEL W 12" DISPLAY, 8/E PROC, CONSOLE 230V 60HZ	
VT14-AD	JM	MORO			5	12/74	V	14	PROGRAMMING PANEL W 12" DISPLAY, 8/E PROC, CONSOLE 115V 50HZ	
VT15-A		LH			6	6/75	V	15	1ST BUFFERED DISPLAY PROCESSOR	
VT15-AA		LH			3	5/75	V	15	1ST BUFFERED DISPLAY PROCESSOR W 861-C, 115V	
VT15-AB		LH			5	5/75	V	15	1ST BUFFERED DISPLAY PROCESSOR W 861-B, 230V	
VT15-B		LH			5	3/71	V	15	2ND BUFFERED DISPLAY PROCESSOR	
VT20-BA	MI	SG			6	9/74	E	ASYNC ASCII	2 16X64 CRT'S, 2 DL11-B, 11/05 W 8K, 2 FK11-A CRT CONT, 115V	
VT20-BB	MI	SG			6	9/74	E	ASYNC ASCII	2 16X64 CRT'S, 2 DL11-B, 11/05 W 8K, 2 FK11-A, CRT CONT 230V	
VT20-BC	MI	SG			5	12/74	V	ASYNC ASCII	REPACKAGED VT20-BA FOR TYPSET 11, 115V	
VT20-BD	MI	SG			5	12/74	V	ASYNC ASCII	REPACKAGED VT20-BB FOR TYPSET 11, 230V	
VT20-BE	MI	SG			5	12/74	V	ASYNC ASCII	VT20-BC FOR DECSET 8, 115V	
VT20-BF	MI	SG			5	12/74	V	ASYNC ASCII	VT20-BD FOR DECSET 8, 230V	
VT20-BH	MI	SG			3	8/75	V	ASYNC ASCII	DECSET 11; 2 16X64 CRT'S, 2 DL11-C, 11/05-SC, 2 FK11-A, CRT CONT, M957, 861-C, 115V	
VT20-BJ	MI	SG			3	8/75	V	ASYNC ASCII	VT20-BH EXCEPT 11/05-SD, 861-B, 230V	
VT20-BK	MI	SG			3	8/75	V	ASYNC ASCII	DECSET 8; VT20-BH W BLUE DOORS, 115V	
VT20-BL	MI	SG			3	8/75	V	ASYNC ASCII	DECSET 8; VT20-BJ W BLUE DOORS, 230V	
VT20-BM	MI	SG			3	8/75	V	VT20-BK	2 TUBE ADD-ON; 2 16X64 CRT'S, 2 FK11-A, CRT CONT, BA11-L, 115V	
VT20-BN	MI	SG			3	8/75	V	VT20-BL	2 TUBE ADD-ON; 2 16X64 CRT'S, 2 FK11-A, CRT CONT, BA11-L, 230V	
VT20-CA	MI	TM			3	8/75	V	ASYNC ASCII	VT20-BC W 11/05-SC IN PLACE OF 11/05-LA, 115V	
VT20-CB	MI	TM			3	8/75	V	ASYNC ASCII	VT20-BD W 11/05-SD IN PLACE OF 11/05-LB, 230V	
VT20-CC	MI	TM			3	6/75	E	ASYNC ASCII	DECSET 8 VT20-CA (BLUE DOOR & LOGO), 115V	
VT20-CD	MI	TM			3	6/75	E	ASYNC ASCII	DECSET 8 VT20-CB (BLUE DOOR & LOGO), 230V	
VT20-CA	MI	SG			5	12/74	V	VT20-B, -C	EUROPEAN CHARACTER OPTION; KEYS + SOFTWARE	
VT20-LA	MI	AJM			3	11/75	D	VT20-B, -C	CABLE DRIVER W 120 FT CABLE (2 M9013, 1 BC06T-A0)	
VT20-LB	MI	AJM			3	11/75	D	VT20-B, -C	CABLE DRIVER W 150 FT CABLE (2 M9013, 1 BC06T-A5)	
VT20-LC	MI	AJM			3	11/75	D	VT20-B, -C	CABLE DRIVER W 220 FT CABLE (2 M9013, 1 BC06T-B0)	
VT20-MA	MI	TM			5	12/74	V	VT20-B	10-IN SCOPE ASSEMBLY 70-10092, CABLE 70-09933, 115V	
VT20-MB	MI	TM			5	12/74	V	VT20-B	10-IN SCOPE ASSEMBLY 70-10092, CABLE 70-09933, 230V	
VT20-PC	MI	SG			3	12/74	V	VT20-B, -C	CLEAR VINYL DUST COVER FOR VT20	
VT20-PF	MI	AJM			3	12/74	V	VT20-B, -C	PLASTIC AMBER FACE PLATE FILTER	
VT21-AA	MI	AJM			3	6/75	V	ASYNC ASCII	20X80 CRT, KD11-F, MSV11-B, LK05-B, M8656-58, H780-A, 115V60	
VT21-AB	MI	AJM			3	6/75	V	ASYNC ASCII	20X80 CRT, KD11-F, MSV11-B, LK05-B, M8656-58, H780-B, 230V50	
VT21-AC	MI	AJM			3	6/75	V	ASYNC ASCII	20X80 CRT, KD11-F, MSV11-B, LK05-B, M8656-58, H780-A, 115V50	
VT21-AD	MI	AJM			3	6/75	V	ASYNC ASCII	20X80 CRT, KD11-F, MSV11-B, LK05-B, M8656-58, H780-B, 230V50	
VT29	MUT	BMP		SSUK	3	8/72	V	11	CONT FOR BLK & WH MONITOR, 64 ASCII + 64 CUSTOMER CHARACTERS	
VT29-A		JGN		SSUK	3	2/75	V	11	BLK & WH MONITOR CONT; 36 LINES, 64 CHS, 8X8 MATRIX, DISP FILE IN CORE	
VT30	MUT	BMP		SSUK	3	8/72	V	11	CONT FOR COLOUR MONITOR, 64 ASCII + 64 CUSTOMER CHARACTERS	
VT30-A		JGN		SSUK	3	2/75	V	11	COLOUR MONITOR CONT; 36 LINES, 64 CHS, 8X8 MATRIX, DISP FILE IN CORE	
VT30-B		JGN		SSUK	3	2/75	V	11	COLOUR MONITOR CONT; 48 LINES, 87 CHS, 6X6 MATRIX, DISP FILE IN CORE	
VT30-C		JGN		SSUK	3	2/75	V	11	COLOUR MONITOR CONT; 36 LINES, 64 CHS, 8X8, INTEGRAL DISP FILE	
VT30-D		JGN		SSUK	3	2/75	V	11	COLOUR MONITOR CONT; 48 LINES, 87 CHS, 6X6, INTEGRAL DISP FILE	
VT40-AA		HL			2	1/73	V	GT40	11/05-MA (4K) W GRAPHICS BACK PLANE, MODULES, 115V	
VT40-AB		HL			2	1/73	V	GT40	11/05-MB (4K) W GRAPHICS BACK PLANE, MODULES, 230V	
VT40-BA		HL			2	1/73	V	GT40	11/05-PA (8K) W GRAPHICS BACK PLANE, MODULES, 115V	
VT40-BB		HL			2	1/73	V	GT40	11/05-PB (8K) W GRAPHICS BACK PLANE, MODULES, 230V	
VT50-AA	TS	MDM			5	9/75	V	ASYNC ASCII	SLOTS), A321, A322, M7051 THRU M7059, M7070-DA +/- 15V SUPPLY, 120V	
VT50-AB	TS	MDM			5	9/75	V	ASYNC ASCII	12 LINE KEYBOARD DISPLAY TERMINAL, CURRENT LOOP, 115V 60HZ	
VT50-AC	TS	MDM			3	2/75	V	ASYNC ASCII	12 LINE KEYBD DISPLAY TERM, CURRENT LOOP, 220/240V 50/60HZ	
VT50-AE	TS	MDM			3	2/75	V	ASYNC ASCII	12 LINE KEYBD DISPLAY TERM, CURRENT LOOP, 100/127V 50/60HZ	
VT50-AF	TS	MDM			3	9/75	V	ASYNC ASCII	EIA VT50-AA = VT50-AA + 0N50A-7F, 115V 60HZ	
VT50-AH	TS	MDM			3	9/75	V	ASYNC ASCII	EIA VT50-AB = VT50-AB + 0N50A-7F, 220/240V 50/60HZ	
VT50-BA	TS	MDM			2	1/75	V	ASYNC ASCII	EIA VT50-AC = VT50-AC + 0N50A-7F, 100/127V 50/60HZ	
VT50-BB	TS	MDM			2	1/75	V	ASYNC ASCII	KEYBOARD DISPLAY TERMINAL, COPIER, CURRENT LOOP 115V 60HZ	
									KEYBD DISPLAY TERMINAL, COPIER, CURRENT LOOP 220/240V 50/60HZ	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION	171
VT50=BC	TS	MDM			2 1/75	V	ASYNC ASCII	KEYBD DISPLAY TERMINAL, COPIER, CURRENT LOOP 100/127V 50/60HZ	
VT50=CA	TS	MDM			3 9/75	V	ASYNC ASCII	VT50-AA W 2838 PLUG, 115V 60HZ	
VT50=CB	TS	MDM			3 9/75	V	ASYNC ASCII	VT50-AB W 2838 PLUG, 220/240V 50/60HZ	
VT50=CC	TS	MDM			3 9/75	V	ASYNC ASCII	VT50-AC W 2838 PLUG, 100/127V 50/60HZ	
VT50=DA	TS	MDM			2 1/75	V	ASYNC ASCII	VT50-BA W 2838 PLUG, 115V 60HZ	
VT50=DB	TS	MDM			2 1/75	V	ASYNC ASCII	VT50-BB W 2838 PLUG, 220/240V 50/60HZ	
VT50=DC	TS	MDM			2 1/75	V	ASYNC ASCII	VT50-BC W 2838 PLUG, 100/127V 50/60HZ	
VT50=HA	TS	JEB			5 9/75	V	ASYNC ASCII	VT50-AA W DIRECT CURSOR & NUMERIC KEY PAD, 115V 60HZ	
VT50=HB	TS	JEB			5 9/75	V	ASYNC ASCII	VT50-AB W DIRECT CURSOR & NUMERIC KEY PAD, 220/240V 50/60HZ	
VT50=HC	TS	JEB			3 9/75	V	ASYNC ASCII	VT50-AC W DIRECT CURSOR & NUMERIC KEY PAD, 100/127V 50/60HZ	
VT50=JA	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BA W DIRECT CURSOR & NUMERIC KEY PAD, 115V 60HZ	
VT50=JB	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BB W DIRECT CURSOR & NUMERIC KEY PAD, 220/240V 50/60HZ	
VT50=JC	TS	JEB			2 1/75	V	ASYNC ASCII	VT50-BC W DIRECT CURSOR & NUMERIC KEY PAD, 100/127V 50/60HZ	
VT50K=3	MI				3 9/75	B	VT50-H, VT52-B, VT55-B	3 ROLLS OF PAPER & 3 ANODES	
VT50K=12	MI				3 9/75	B	VT50-B, VT52-B, VT55-B	12 ROLLS OF PAPER & 12 ANODES	
VT52=AA	TS	MDM			4 11/75	V	ASYNC ASCII	VT50-AA, 24 LINES, DIRECT CURSOR, 18 KEY PAD, 115V 60HZ	
VT52=AB	TS	MDM			4 11/75	V	ASYNC ASCII	VT50-AB, 24 LINES, DIRECT CURSOR, 18 KEY PAD, 220/240V 50/60	
VT52=AC	TS	MDM			4 11/75	V	ASYNC ASCII	VT50-AC, 24 LINES, DIRECT CURSOR, 18 KEY PAD, 100/127V 50/60	
VT52=AE	TS	MDM			4 11/75	V	ASYNC ASCII	EIA VT52-AA, 115V 60HZ	
VT52=AF	TS	MDM			4 11/75	V	ASYNC ASCII	EIA VT52-AB, 220/240V 50/60HZ	
VT52=AH	TS	MDM			4 11/75	V	ASYNC ASCII	EIA VT52-AC, 100/127V 50/60HZ	
VT52=BA	TS	MDM			2 11/75	V	ASYNC ASCII	VT50-KA W COPIER, 115V 60HZ	
VT52=BB	TS	MDM			2 11/75	V	ASYNC ASCII	VT50-KB W COPIER, 220/240V 50/60HZ	
VT52=BC	TS	MDM			2 11/75	V	ASYNC ASCII	VT50-KC W COPIER, 100/127V 50/60HZ	
VT52=BE	TS	MDM			2 11/75	V	ASYNC ASCII	EIA VT52-BA, 115V 60HZ	
VT52=BF	TS	MDM			2 11/75	V	ASYNC ASCII	EIA VT52-BB, 220/240V 50/60HZ	
VT52=BH	TS	MDM			2 11/75	V	ASYNC ASCII	EIA VT52-BC, 100/127V 50/60HZ	
VT52=CA	TS	MDM			3 11/75	V	ASYNC ASCII	VT52-AA W 2838 PLUG, 115V 60HZ	
VT52=CB	TS	MDM			3 11/75	V	ASYNC ASCII	VT52-AB W 2838 PLUG, 220/240V 50/60HZ	
VT52=CC	TS	MDM			3 11/75	V	ASYNC ASCII	VT52-AC W 2838 PLUG, 100/127V 50/60HZ	
VT55=AA	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-AA W GRAPHING CAPABILITIES, 115V 60HZ	
VT55=AB	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-AB W GRAPHING CAPABILITIES, 220/240V 50/60HZ	
VT55=AC	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-AC W GRAPHING CAPABILITIES, 100/127V 50/60HZ	
VT55=BA	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-BA W GRAPHING CAPABILITIES, 115V 60HZ	
VT55=BB	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-BB W GRAPHING, 220/240V 50/60HZ	
VT55=BC	AW	GPB			2 6/75	V	ASYNC ASCII	VT50-BC W GRAPHING, 100/127V 50/60HZ	
VT8=EA	JC	PK			4 1/73	V	8/E (VK8-EA)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 115V60HZ	
VT8=EB	JC	PK			4 1/73	V	8/E (VK8-EA)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 230V60HZ	
VT8=EC	JC	PK			4 1/73	V	8/E (VK8-EC)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 115V60HZ	
VT8=ED	JC	PK			4 1/73	V	8/E (VK8-EC)	VIDEO DISPLAY W 64CH 1-LINE BUFFER, UPPER CASE 5X7, 230V50HZ	
VT8=EE	JC	PK			4 1/73	V	8/E (VK8-EE)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 115V60HZ	
VT8=EF	JC	PK			4 1/73	V	8/E (VK8-EE)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 230V60HZ	
VT8=EH	JC	PK			4 1/73	V	8/E (VK8-EH)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 115V50HZ	
VT8=EJ	JC	PK			4 2/73	V	8/E (VK8-EH)	VIDEO DISPLAY W 32CH 1-LINE BUFFER, UPPER CASE 5X7, 230V50HZ	
VT90=AA	BE	BLE		SSCAL	3 5/73	V	ASYNC ASCII UP TO 2400 BAUD	VT05B + BADGE READER & SWITCHES, 115V 60HZ	
VTL50=AA		PTJ			3 2/75	V	ASYNC ASCII	VT50-AA IN PLACE OF LA36-CA, 115V 60HZ	
VTL50=AB		PTJ			3 2/75	V	ASYNC ASCII	VT50-AB IN PLACE OF LA36-CB, 220/240V 50/60HZ	
VTL50=AC		PTJ			3 2/75	V	ASYNC ASCII	VT50-AC IN PLACE OF LA36-CA, 100/127V 50/60HZ	
VV15		LH			6 10/73	V	VT15	ARBITRARY VECTOR OPTION	
VV15=A	LH	HL			3 10/73	V	VT15	ARBITRARY VECTOR OPTION, IMPROVED VV15	
VV15=K	LH	HL			3 10/73	V	VV15	UPDATES VV15 TO VV15-A	
VW01=AN		GDC			5 6/71	V	8 NEG	WRITING TABLET, SPARK DIGITIZER	
VW01=AP		GDC			5 6/71	V	8 POS	WRITING TABLET, SPARK DIGITIZER	
VW01=BN		GDC			5 6/71	V	9, 9/L	WRITING TABLET, SPARK DIGITIZER	
VW01=BP		GDC			5 6/71	V	15	WRITING TABLET, SPARK DIGITIZER	
VW01=FA	AP	MS		CSS	3 8/73	V	11	11X11 WRITING TABLET, SPARK DIGITIZER	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
VW01=FC	AP	MS		CSS	3 8/73	V	11	24X24 WRITING TABLET, SPARK DIGITIZER
VW01=FD	AP	MS		CSS	3 8/73	V	11	30X30 WRITING TABLET, SPARK DIGITIZER
VW01=FE	AP	MS		CSS	3 8/73	V	11	36X36 WRITING TABLET, SPARK DIGITIZER
VW01=FF	AP	MS		CSS	3 8/73	V	11	60X60 WRITING TABLET, SPARK DIGITIZER
VW01=MA		GDC			5 6/71	V	VW01-MX	SINGLE TABLET ASSEMBLY
VW01=MX		GDC			5 6/71	V	VW01-A, VW01-B	4 CHANNEL MULTIPLEXER
VW01=PS		GDC			2 1/72	V	VW01-AP	POINT SELECTOR
VW01=SP		GDC			5 6/71	V	VW01-A, VW01-B, VW01-M	SPARK PEN
VW01=WC	AP	MS		CSS	3 8/73	V	11	24X24 SPARE TABLET
VW01=WD	AP	MS		CSS	3 8/73	V	11	30X30 SPARE TABLET
VW01=WE	AP	MS		CSS	3 8/73	V	11	36X36 SPARE TABLET
VW01=WF	AP	MS		CSS	3 8/73	V	11	60X60 SPARE TABLET
VW01=WT		GDC			5 6/71	V	VW01-A, VW01-B, VW01-M	WRITING TABLET
VW02=A		GPR			6 1/75	V	AF01	GRAFATRAN TRACING DEVICE
VW03	RV	RM		LVP	3 6/73	V	R/E	INTERFACE FOR BOICE 3-AXIS DIGITIZER
VZ38		LH			6	V	338, 339	ZOOM LOGIC
XL01		AW			5	X	H304	ONE CHANNEL BRISTOL RECORDER INTFC KIT
XM15=AA		FD			2 4/75	M	15	BA11=KE, BACKPLANE, MEMORY INTERFACE & XM15-AM MULTIPLEXER, 115V 60HZ
XM15=AB		FD			2 4/75	M	15	BA11=KF, BACKPLANE, MEMORY INTERFACE & XM15-AM MULTIPLEXER, 230V 50HZ
XM15=AF		FD			2 4/75	M	15	15 INSTRUCTION PREFETCH
XM15=AM		FD			2 4/75	M	15	MEM BUS MUX, ONE 15 PORT, ONE 11 PORT, MEM BUS
XM15=AP		FD			2 4/75	M	15	AUTO PRIORITY INTERRUPT
XM15=AT		FD			2 4/75	M	15	MEMORY PROTECT-RELOCATE
XM15=BA		FD			2 4/75	M	15	XM15-AA, XM15-AF, XM15-AP, XM15-AT, M950, 115V 60HZ
XM15=BB		FD			2 4/75	M	15	XM15-AB, XM15-AF, XM15-AP, XM15-AT, M950, 230V 50HZ
XM15=UG		FD			2 4/75	M	15	XM15-AA, XM15-AF, XM15-AP, XM15-AT, MF15-UA, 115V 60HZ
XM15=UH		FD			2 4/75	M	15	XM15=BA, XM15-AF, XM15-AP, XM15-AT, MF15-UA, 230V 50HZ
XM15=UJ		FD			2 4/75	M	15	XM15=BA, MF15-UA, 115V 60HZ
XM15=UK		FD			2 4/75	M	15	XM15=BB, MF15-UA, 230V 50HZ
XM15=UL		FD			2 4/75	M	15	XM15-UJ, MF15-UC, 115V 60HZ
XM15=UM		FD			2 4/75	M	15	XM15=UK, MF15-UQ, 230V 50HZ
XM15=UN		FD			2 4/75	M	15	XM15=UJ, MF15-UE, 115V 60HZ
XM15=UP		FD			2 4/75	M	15	XM15=UK, MF15-UF, 230V 50HZ
XT10=A		KE			6 3/72	X	KA10 CONSOLE	PERFORMANCE ANALYZER
XV100=AA		FD			2 4/75	E	-	KP15=C, KE15=C, KW15, PC15, LA36=CA, XM15=UG, 115V 60HZ
XV100=AB		FD			2 4/75	E	-	KP15=C, KE15=C, KW15, PC15=A, LA36=CB, XM15=UH, 230V 50HZ
XV100=BA		FD			2 4/75	E	-	XV100=AA, MF15-UH, 115V 60HZ
XV100=BB		FD			2 4/75	E	-	XV100=AB, MF15-UH, 230V 50HZ
XV100=CA		FD			2 4/75	E	-	XV100=AA, MF15-UH, MF15=UK, 115V 60HZ
XV100=CB		FD			2 4/75	E	-	XV100=AB, MF15-UH, MF15=UK, 230V 50HZ
XV200=AA		FD			2 4/75	E	-	XV100=AA, RK15-JE, 115V 60HZ
XV200=AB		FD			2 4/75	E	-	XV100=AB, RK15-JF, 230V 50HZ
XV200=BA		FD			2 4/75	E	-	XV100=BA, RK15-JE, 115V 60HZ
XV200=BB		FD			2 4/75	E	-	XV100=BB, RK15-JF, 230V 50HZ
XV200=CA		FD			2 4/75	E	-	XV100=CA, RK15-JE, 115V 60HZ
XV200=CB		FD			2 4/75	E	-	XV100=CB, RK15-JF, 230V 50HZ
XY10		KE			5	X	PA10, TD10=A	CALCOMP PLOTTER CONTROL
XY10=A		KE			5	X	PA10, TD10=A	CALCOMP 565 PLOTTER & CONTROL
XY10=B		KE			5	X	PA10, TD10=A	CALCOMP 563 PLOTTER & CONTROL
XY11	ESS	RRP		CSS	3	X	11, DD11	INCREMENTAL PLOTTER CONTROL
XY12	SNT	RI			5	X	12	INCREMENTAL PLOTTER CONTROL
XY15		FA			5	X	DW15	CALCOMP PLOTTER CONTROL
XY15=AA		FA			5	X	DW15	CALCOMP 565, 10 MIL STEP, 18K/MIN
XY15=AB		FA			5	X	DW15	CALCOMP 565, 5 MIL STEP, 18K/MIN

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
XY15=BA		FA			5	X	DW15	CALCOMP 563, 10 MIL STEP, 12K/MIN
XY15=BB		FA			5	X	DW15	CALCOMP 563, 5 MIL STEP, 10K/MIN
XY211=CA	JEH	JTN		CSS	3 12/74	X	11	CONTROL FOR ELECTRONIC ASC, INC, 2-ARM PLOTTER, 115V
XY211=CB	JEH	JTN		CSS	3 12/74	X	11	CONTROL FOR ELECTRONIC ASC, INC, 2-ARM PLOTTER, 230V
XY310=AA	DH			CSS	2 11/74	X	BA10	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 115V 60HZ
XY310=AB	DH			CSS	2 11/74	X	BA10	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 230V 50HZ
XY310=BA	DH			CSS	2 11/74	X	BA10	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 115V 60HZ
XY310=BB	DH			CSS	2 11/74	X	BA10	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 230V 50HZ
XY311	ESS	HMM		CSS	3 8/75	X	11	CONTROL FOR CALCOMP 3 PEN PLOTTER
XY311=AA	ESS	HMM		CSS	3 7/73	X	11, DD11	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 115V 60HZ
XY311=AB	ESS	HMM		CSS	3 10/73	X	11, DD11	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 230V 50HZ
XY311=BA	ESS	HMM		CSS	3 10/73	X	11, DD11	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 115V 60HZ
XY311=BB	ESS	HMM		CSS	3 7/73	X	11, DD11	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 230V 50HZ
XY311=CA	ESS	HMM		CSS	3 8/75	X	11	XY311-AA + D05=11 HANDLER
XY311=CB	ESS	HMM		CSS	3 8/75	X	11	XY311-AB + D05=11 HANDLER
XY311=DA	ESS	HMM		CSS	3 8/75	X	11	XY311-AA + RSX11=D HANDLER
XY311=DB	ESS	HMM		CSS	3 8/75	X	11	XY311-AB + RSX11=D HANDLER
XY311=EA	ESS	HMM		CSS	3 8/75	X	11	XY311-AA + RSX11=M HANDLER
XY311=EB	ESS	HMM		CSS	3 8/75	X	11	XY311-AB + RSX11=M HANDLER
XY311=FA	ESS	HMM		CSS	3 8/75	X	11	XY311-AA + RT11 HANDLER
XY311=FB	ESS	HMM		CSS	3 8/75	X	11	XY311-AB + RT11 HANDLER
XY311=HA	ESS	HMM		CSS	3 8/75	X	11	XY311-BA + D05=11 HANDLER
XY311=HB	ESS	HMM		CSS	3 8/75	X	11	XY311-BB + D05=11 HANDLER
XY311=JA	ESS	HMM		CSS	3 8/75	X	11	XY311-BA + RSX11=D HANDLER
XY311=JB	ESS	HMM		CSS	3 8/75	X	11	XY311-BB + RSX11=D HANDLER
XY311=KA	ESS	HMM		CSS	3 8/75	X	11	XY311-BA + RSX11=M HANDLER
XY311=KB	ESS	HMM		CSS	3 8/75	X	11	XY311-BB + RSX11=M HANDLER
XY311=LA	ESS	HMM		CSS	3 8/75	X	11	XY311-BA + RT11 HANDLER
XY311=LB	ESS	HMM		CSS	3 8/75	X	11	XY311-BB + RT11 HANDLER
XY38E	ESS	HMM		CSS	3 8/75	X	B/E	CONTROL FOR CALCOMP 3 PEN PLOTTER
XY38E=AA	ESS	HMM		CSS	3 8/75	X	B/E	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 115V 60HZ
XY38E=AB	ESS	HMM		CSS	3 8/75	X	B/E	.05MM STEP CALCOMP 936 3 PEN PLOTTER & CONTROL, 230V 50HZ
XY38E=BA	ESS	HMM		CSS	3 8/75	X	B/E	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 115V 60HZ
XY38E=BB	ESS	HMM		CSS	3 8/75	X	B/E	.002 INCH STEP CALCOMP 936 3 PEN PLOTTER & CONT, 230V 50HZ
XY8=C		LN			5 10/71	X	B/E	M842 PLOTTER CONTROL
XY8=EA		LN			5 10/71	X	B/E	CALCOMP 565 PLOTTER & M842 CONTROL
XY8=EB		LN			5 10/71	X	B/E	CALCOMP 563 PLOTTER & M842 CONTROL
XY8=EH		LN			5 3/72	X	B/E	HOUSTON DP-10 PLOTTER & M842 CONT, 115V
XY8=EJ		LN			5 3/72	X	B/E	HOUSTON DP-10 PLOTTER & M842 CONT, 230V
XY8=EK		LN			5 3/72	X	B/E	TABLE TOP XY8-EH
XY8=EL		LN			5 3/72	X	B/E	TABLE TOP XY8-EJ
XY8=F		WK		SSMU	2 6/73	X	B/E	CONTROL FOR CALCOMP 936 PLOTTER
XY910=A	DH	SKJ		CSS	3 10/74	X	BA10	CALCOMP 663 PLOTTER CONTROL

ENDIAGNOSTIC SOFTWARE, OSYSTEM SOFTWARE, SEE Q FOR DESCRIPTION OF THESE CODES

EF001=RB	JVJ	M8D			5 8/75	E	8	PDP-8 BASIC DIAG DOC/PAPERTAPE KIT
EF002=RB	JVJ	M8D			5 8/75	E	8	PDP-8E BASIC DIAG DOC/PAPERTAPE KIT
EF003=RB	JVJ	M8D			5 8/75	E	8	PDP-8I BASIC DIAG DOC/PAPERTAPE KIT
EF004=RB	JVJ	M8D			5 8/75	E	8	PDP-8L BASIC DIAG DOC/PAPERTAPE KIT
EF005=RB	JVJ	M8D			5 8/75	E	8	PDP-8S BASIC DIAG DOC/PAPERTAPE KIT
EF006=RB	JVJ	M8D			5 8/75	E	8	PDP-8/A 4K BASIC DIAG DOC/PAPERTAPE KIT
EF007=RB	JVJ	M8D			5 8/75	E	8	PDP-8/A 1K,2K,3K BASIC DIAG DOC/PAPERTAPE KIT
EF008=PB	JVJ	M8D			5 8/75	E	8	CL8 BASIC KIT #1 DIAG PAPERTAPE ONLY KIT
EF008=RB	JVJ	M8D			5 8/75	E	8	CL8 BASIC KIT #1 DIAG DOC/PAPERTAPE KIT
EF008=RY	JVJ	M8D			5 8/75	E	8	CL8 BASIC KIT #1 DIAG DOC/FLOPPY DISK KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFRG AREA	STATUS	DATE MO/YR	CATE-GORY	USED ON	DESCRIPTION
ZF008.RZ		JVJ	M8D		5	8/75	Z	8	CLR BASIC KIT #1 DIAG DOC ONLY KIT
ZF009.RB		JVJ	M8D		5	8/75	Z	8	CLR BASIC KIT #2 DIAG PAPERTAPE ONLY KIT
ZF009.RB		JVJ	M8D		5	8/75	Z	8	CLR BASIC KIT #2 DIAG DOC/PAPERTAPE KIT
ZF009.RZ		JVJ	M8D		5	8/75	Z	8	CLR BASIC KIT #2 DIAG DOC ONLY KIT
ZF010.RB		JVJ	M8D		5	8/75	Z	8	PDP-8/A RX01 BASIC DIAG PAPERTAPE ONLY KIT
ZF010.RB		JVJ	M8D		5	8/75	Z	8	PDP-8/A RX01 BASIC DIAG DOC/PAPERTAPE KIT
ZF010.RY		JVJ	M8D		5	8/75	Z	8	PDP-8/A RX01 BASIC DIAG DOC/FLOPPY DISK KIT
ZF010.RZ		JVJ	M8D		5	8/75	Z	8	PDP-8/A RX01 BASIC DIAG DOC ONLY KIT
ZF101.RB		JVJ	M8D		5	8/75	Z	8	AA35/AA07 DIAG DOC/PAPERTAPE KIT
ZF102.RB		JVJ	M8D		5	8/75	Z	8	AA50 DIAG DOC/PAPERTAPE KIT
ZF103.RB		JVJ	M8D		5	8/75	Z	8	AD5E AM5E DIAG DOC/PAPERTAPE KIT
ZF104.RB		JVJ	M8D		5	8/75	Z	8	AD01-A DIAG DOC/PAPERTAPE KIT
ZF105.RB		JVJ	M8D		5	8/75	Z	8	AD08A/B DIAG DOC/PAPERTAPE KIT
ZF106.RB		JVJ	M8D		5	8/75	Z	8	AFC8 DIAG DOC/PAPERTAPE KIT
ZF107.RB		JVJ	M8D		5	8/75	Z	8	AF01A,189,139/9E DIAG DOC/PAPERTAPE KIT
ZF108.RB		JVJ	M8D		5	8/75	Z	8	AF04A DIAG DOC/PAPERTAPE KIT
ZF109.RB		JVJ	M8D		5	8/75	Z	8	AM03/AM08 DIAG DOC/PAPERTAPE KIT
ZF110.RB		JVJ	M8D		5	8/75	Z	8	AX08 DIAG DOC/PAPERTAPE KIT
ZF111.RB		JVJ	M8D		5	8/75	Z	8	BM0/L DIAG DOC/PAPERTAPE KIT
ZF112.RB		JVJ	M8D		5	8/75	Z	8	BM08 DIAG DOC/PAPERTAPE KIT
ZF113.RB		JVJ	M8D		5	8/75	Z	8	CM5E DIAG DOC/PAPERTAPE KIT
ZF114.RB		JVJ	M8D		5	8/75	Z	8	CM5F DIAG DOC/PAPERTAPE KIT
ZF115.RB		JVJ	M8D		5	8/75	Z	8	CM81 DIAG DOC/PAPERTAPE KIT
ZF116.RB		JVJ	M8D		5	8/75	Z	8	CR8E/CR8F DIAG DOC/PAPERTAPE KIT
ZF117.RB		JVJ	M8D		5	8/75	Z	8	CR01C DIAG DOC/PAPERTAPE KIT
ZF118.RB		JVJ	M8D		5	8/75	Z	8	CR03,CR81 DIAG DOC/PAPERTAPE KIT
ZF119.RB		JVJ	M8D		5	8/75	Z	8	DB08A DIAG DOC/PAPERTAPE KIT
ZF120.RB		JVJ	M8D		5	8/75	Z	8	DB8-E DIAG DOC/PAPERTAPE KIT
ZF121.RB		JVJ	M8D		5	8/75	Z	8	DB8/S DIAG DOC/PAPERTAPE KIT
ZF122.RB		JVJ	M8D		5	8/75	Z	8	DB88 DIAG DOC/PAPERTAPE KIT
ZF123.RB		JVJ	M8D		5	8/75	Z	8	DQ02 DIAG DOC/PAPERTAPE KIT
ZF124.RB		JVJ	M8D		5	8/75	Z	8	DC02-F DIAG DOC/PAPERTAPE KIT
ZF125.RB		JVJ	M8D		5	8/75	Z	8	DC04-C DIAG DOC/PAPERTAPE KIT
ZF126.RB		JVJ	M8D		5	8/87	Z	8	DC08,680-I DIAG DOC/PAPERTAPE KIT
ZF127.RB		JVJ	M8D		5	8/75	Z	8	DC08F, DC08H DIAG DOC/PAPERTAPE KIT
ZF128.RB		JVJ	M8D		5	8/75	Z	8	DF32,DS32 (PDP-8,81,85) DIAG DOC/PAPERTAPE KIT
ZF129.RB		JVJ	M8D		5	8/75	Z	8	DF32D (PDP-81) DIAG DOC/PAPERTAPE KIT
ZF130.RB		JVJ	M8D		5	8/75	Z	8	MP8E DIAG DOC/PAPERTAPE KIT
ZF131.RB		JVJ	M8D		5	8/75	Z	8	DK8E DIAG DOC/PAPERTAPE KIT
ZF132.RB		JVJ	M8D		5	8/75	Z	8	DM01 DIAG DOC/PAPERTAPE KIT
ZF133.RB		JVJ	M8D		5	8/75	Z	8	DM04 DIAG DOC/PAPERTAPE KIT
ZF134.RB		JVJ	M8D		5	8/75	Z	8	DP01A DIAG DOC/PAPERTAPE KIT
ZF135.RB		JVJ	M8D		5	8/75	Z	8	DP8-EA/ER DIAG DOC/PAPERTAPE KIT
ZF136.RB		JVJ	M8D		5	8/75	Z	8	DR8-EA (PDP-8E) DIAG DOC/PAPERTAPE KIT
ZF137.RB		JVJ	M8D		5	8/75	Z	8	DR8-EA (TRAD PDP-8) DIAG DOC/PAPERTAPE KIT
ZF138.RB		JVJ	M8D		5	8/75	Z	8	DX36/89,DX08,DX09 DIAG DOC/PAPERTAPE KIT
ZF139.RB		JVJ	M8D		5	8/75	Z	8	KE8E DIAG DOC/PAPERTAPE KIT
ZF140.RB		JVJ	M8D		5	8/75	Z	8	KE81 DIAG DOC/PAPERTAPE KIT
ZF141.RB		JVJ	M8D		5	8/75	Z	8	KG8-EA DIAG DOC/PAPERTAPE KIT
ZF142.RB		JVJ	M8D		5	8/75	Z	8	KL8E DIAG DOC/PAPERTAPE KIT
ZF143.RB		JVJ	M8D		5	8/75	Z	8	KL8F DIAG DOC/PAPERTAPE KIT
ZF144.RB		JVJ	M8D		5	8/75	Z	8	KL8-JA DIAG DOC/PAPERTAPE KIT
ZF145.RB		JVJ	M8D		5	8/75	Z	8	KL8H DIAG DOC/PAPERTAPE KIT
ZF146.RB		JVJ	M8D		5	8/75	Z	8	KM8-E DIAG DOC/PAPERTAPE KIT
ZF147.RB		JVJ	M8D		5	8/75	Z	8	KP8E DIAG DOC/PAPERTAPE KIT
ZF148.RB		JVJ	M8D		5	8/75	Z	8	KP81/KR01 DIAG DOC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENCR	PROD ENGR	MFRG AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
ZF149-RB		JVJ	M8D		5 8/75	Z	B	KV81 DIAG DOC/PAPERTAPE KIT
ZF150-RB		JVJ	M8D		5 8/75	Z	B	KW88S DIAG DOC/PAPERTAPE KIT
ZF151-RB		JVJ	M8D		5 8/75	Z	B	KW81 DIAG DOC/PAPERTAPE KIT
ZF152-RB		JVJ	M8D		5 8/75	Z	B	LCAE DIAG DOC/PAPERTAPE KIT
ZF153-RB		JVJ	M8D		5 8/75	Z	B	LE8E,LE8/LP88 DIAG DOC/PAPERTAPE KIT
ZF154-RB		JVJ	M8D		5 8/75	Z	B	LP88 DIAG DOC/PAPERTAPE KIT
ZF155-RB		JVJ	M8D		5 8/75	Z	B	LP88/F DIAG DOC/PAPERTAPE KIT
ZF156-RB		JVJ	M8D		5 8/75	Z	B	LS8E DIAG DOC/PAPERTAPE KIT
ZF157-RB		JVJ	M8D		5 8/75	Z	B	LT88,PT88B/C DIAG DOC/PAPERTAPE KIT
ZF158-RB		JVJ	M8D		5 8/75	Z	B	MC8L DIAG DOC/PAPERTAPE KIT
ZF159-RB		JVJ	M8D		5 8/75	Z	B	M18E DIAG DOC/PAPERTAPE KIT
ZF160-RB		JVJ	M8D		5 8/75	Z	B	MM8E 4K DIAG DOC/PAPERTAPE KIT
ZF161-RB		JVJ	M8D		5 8/75	Z	B	MM81,MC8S,MO8S,MC8I,183/184 DIAG DOC/PAPERTAPE KIT
ZF162-RB		JVJ	M8D		5 8/75	Z	B	MONROE PRINTER DIAG DOC/PAPERTAPE KIT
ZF163-RB		JVJ	M8D		5 8/75	Z	B	MP81 DIAG DOC/PAPERTAPE KIT
ZF164-RB		JVJ	M8D		5 8/75	Z	B	MP8L DIAG DOC/PAPERTAPE KIT
ZF165-RB		JVJ	M8D		5 8/75	Z	B	MR8E DIAG DOC/PAPERTAPE KIT
ZF166-RB		JVJ	M8D		5 8/75	Z	B	PA68A/PA63/PA67A/PA68F DIAG DOC/PAPERTAPE KIT
ZF167-RB		JVJ	M8D		5 8/75	Z	B	PA68C,PA63 DIAG DOC/PAPERTAPE KIT
ZF168-RB		JVJ	M8D		5 8/75	Z	B	PC81,PC8I,PC8L DIAG DOC/PAPERTAPE KIT
ZF169-RB		JVJ	M8D		5 8/75	Z	B	PC82,PR8I,PR8L DIAG DOC/PAPERTAPE KIT
ZF170-RB		JVJ	M8D		5 8/75	Z	B	PC8J,PP8I,PP8L DIAG DOC/PAPERTAPE KIT
ZF171-RB		JVJ	M8D		5 8/75	Z	B	PC8E,PR8E DIAG DOC/PAPERTAPE KIT
ZF172-RB		JVJ	M8D		5 8/75	Z	B	PMK1 DIAG DOC/PAPERTAPE KIT
ZF173-RB		JVJ	M8D		5 8/75	Z	B	PR8E DIAG DOC/PAPERTAPE KIT
ZF174-RB		JVJ	M8D		5 8/75	Z	B	PT88F DIAG DOC/PAPERTAPE KIT
ZF175-RB		JVJ	M8D		5 8/75	Z	B	RFB8 DIAG DOC/PAPERTAPE KIT
ZF176-RB		JVJ	M8D		5 8/75	Z	B	RK8 DIAG DOC/PAPERTAPE KIT
ZF177-RB		JVJ	M8D		5 8/75	Z	B	RK8E DIAG DOC/PAPERTAPE KIT
ZF178-RB		JVJ	M8D		5 8/75	Z	B	RM88A DIAG DOC/PAPERTAPE KIT
ZF179-RB		JVJ	M8D		5 8/75	Z	B	RT81/RT82 DIAG DOC/PAPERTAPE KIT
ZF180-RB		JVJ	M8D		5 8/75	Z	B	TAB8A DIAG DOC/PAPERTAPE KIT
ZF181-RB		JVJ	M8D		5 8/75	Z	B	TC81/TC88 DIAG DOC/PAPERTAPE KIT
ZF182-RB		JVJ	M8D		5 8/75	Z	B	TC88,TU28 DIAG DOC/PAPERTAPE KIT
ZF183-RB		JVJ	M8D		5 8/75	Z	B	TD8E DIAG DOC/PAPERTAPE KIT
ZF184-RB		JVJ	M8D		5 8/75	Z	B	TM8E DIAG DOC/PAPERTAPE KIT
ZF185-RB		JVJ	M8D		5 8/75	Z	B	TR82 DIAG DOC/PAPERTAPE KIT
ZF186-RB		JVJ	M8D		5 8/75	Z	B	YS88,KT81 DIAG DOC/PAPERTAPE KIT
ZF187-RB		JVJ	M8D		5 8/75	Z	B	UDC8 DIAG DOC/PAPERTAPE KIT
ZF188-RB		JVJ	M8D		5 8/75	Z	B	VA38 DIAG DOC/PAPERTAPE KIT
ZF189-RB		JVJ	M8D		5 8/75	Z	B	VC8E DIAG DOC/PAPERTAPE KIT
ZF190-RB		JVJ	M8D		5 8/75	Z	B	VC81,34D DIAG DOC/PAPERTAPE KIT
ZF191-RB		JVJ	M8D		5 8/75	Z	B	VP81,358B DIAG DOC/PAPERTAPE KIT
ZF192-RB		JVJ	M8D		5 8/75	Z	B	VT88 DIAG DOC/PAPERTAPE KIT
ZF193-RB		JVJ	M8D		5 8/75	Z	B	VT8E DIAG DOC/PAPERTAPE KIT
ZF194-RB		JVJ	M8D		5 8/75	Z	B	XY8E DIAG DOC/PAPERTAPE KIT
ZF195-RB		JVJ	M8D		5 8/75	Z	B	MR8=SL (MR8F) DIAG DOC/PAPERTAPE KIT
ZF196-RB		JVJ	M8D		5 8/75	Z	B	MR8=FB 1K DIAG DOC/PAPERTAPE KIT
ZF197-RB		JVJ	M8D		5 8/75	Z	B	MR8=FB 2K DIAG DOC/PAPERTAPE KIT
ZF198-RB		JVJ	M8D		5 8/75	Z	B	LP8=8 DIAG DOC/PAPERTAPE KIT
ZF199-RB		JVJ	M8D		5 8/75	Z	B	FPP (PDP-8) DIAG DOC/PAPERTAPE KIT
ZF200-PC		JVJ	M8D		5 8/75	Z	B	FPP (PDP-8) DIAG DOC/DECTAPE KIT
ZF201-RB		JVJ	M8D		5 8/75	Z	B	LP88 DIAG DOC/PAPERTAPE KIT
ZF202-RB		JVJ	M8D		5 8/75	Z	B	BM812-I DIAG DOC/PAPERTAPE KITS
ZF203-RB		JVJ	M8D		5 8/75	Z	B	DC88H/J PDP-8E DIAG DOC/PAPERTAPE KIT
ZF205-RB		JVJ	M8D		5 8/75	Z	B	GB816 DIAG DOC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	174
ZF206-RB		JVJ	MBO		5 8/75	Z	8	ACT-8A AUTO ACCEPTANCE DIAG DOC/PAPERTAPE KIT (IN HOUSE USE)	
ZF207-RB		JVJ	MBO		5 8/75	Z	8	DKC8-AA 1K,2K,3K OPTION #1 DIAG DOC/PAPERTAPE KIT	
ZF208-RB		JVJ	MBO		5 8/75	Z	8	DKC8-AA 4K OPTION #1 DIAG DOC/PAPERTAPE KIT	
ZF209-RB		JVJ	MBO		5 8/75	Z	8	KMR-A 4K OPTION #2 DIAG DOC/PAPERTAPE KIT	
ZF210-RB		JVJ	MBO		5 8/75	Z	8	KMR-A 1K,2K,3K OPTION #2 DIAG DOC/PAPERTAPE KIT	
ZF212-RB		JVJ	MBO		5 8/75	Z	8	LV12/LV8 DIAG DOC/PAPERTAPE KIT	
ZF213-RB		JVJ	MBO		5 8/75	Z	8	CDP8 DIAG DOC/PAPERTAPE KIT	
ZF214-RE		JVJ	MBO		5 8/75	Z	8	COS 300 DIAG DOC/DECPACK KIT	
ZF215-RB		JVJ	MBO		5 8/75	Z	8	LAS6 DIAG DOC/PAPERTAPE KIT	
ZF216-RB		JVJ	MBO		5 8/75	Z	8	AD8A DIAG DOC/PAPERTAPE KIT	
ZF217-RB		JVJ	MBO		5 8/75	Z	8	PTW/8E,EE,EF,EH&EJ DIAG DOC/PAPERTAPE KIT	
ZF218-RB		JVJ	MBO		5 8/75	Z	8	VT90 DIAG DOC/PAPERTAPE KIT	
ZF219-RB		JVJ	MBO		5 8/75	Z	8	LP88 DIAG DOC/PAPERTAPE KIT	
ZF220-RB		JVJ	MBO		5 8/75	Z	8	RX8/RX81 DIAG DOC/PAPERTAPE KIT	
ZF221-RB		JVJ	MBO		5 8/75	Z	8	ICS-8 DIAG DOC/PAPERTAPE KIT	
ZF222-RB		JVJ	MBO		5 8/75	Z	8	TH8-E/TS83 DIAG DOC/PAPERTAPE KIT	
ZF223-RB		JVJ	MBO		5 9/75	Z	8	DR8-ED DIAG DOC/PAPERTAPE KIT	
ZH001-RC		BECK	MBO		5 9/75	Z	10	KA10 BASIC DIAG DOC/TAPE KIT	
ZH002-RC		BECK	MBO		5 9/75	Z	10	KI10 BASIC DIAG DOC/TAPE KIT	
ZH003-RC		BECK	MBO		5 10/75	Z	10	KL10 BASIC DIAG DECTAPE ONLY KIT	
ZH101-RC		BECK	MBO		5 9/75	Z	10	8A10 DIAG DOC/DECTAPE KIT	
ZH102-RC		BECK	MBO		5 9/75	Z	10	CP10 DIAG DOC/DECTAPE KIT	
ZH103-RC		BECK	MBO		5 9/75	Z	10	CR10 DIAG DOC/DECTAPE KIT	
ZH104-RC		BECK	MBO		5 9/75	Z	10	DA28 DIAG DOC/TAPE KIT	
ZH105-RB		BECK	MBO		5 9/75	Z	10	DA10 (PDP-10 TO PDP-8/9) DIAG DOC/PAPERTAPE KIT	
ZH106-RC		BECK	MBO		5 9/75	Z	10	DC-10 DIAG DOC/DECTAPE KIT	
ZH107-RB		BECK	MBO		5 9/75	Z	10	DC71 DIAG DOC/PAPERTAPE KIT	
ZH108-RC		BECK	MBO		5 9/75	Z	10	DC75 DIAG DOC/TAPE KIT	
ZH109-RC		BECK	MBO		5 9/75	Z	10	DK-10 DIAG DOC/DECTAPE KIT	
ZH110-RZ		BECK	MBO		5 9/75	Z	10	DS-10 DIAG DOC ONLY KIT	
ZH111-RC		BECK	MBO		5 9/75	Z	10	DS-11 (PDP-10) DIAG DOC/DECTAPE KIT	
ZH112-RB		BECK	MBO		5 9/75	Z	10	DS-11 (PDP-12) DIAG DOC/PAPERTAPE KIT	
ZH113-RB		BECK	MBO		5 9/75	Z	10	DECSYSTEM-10 BOOTSTRAP LOADER V.15 PAPERTAPE ONLY KIT	
ZH114-RF		BECK	MBO		5 9/75	Z	10	POP-10 CUSP DIAG 7T MAGTAPE ONLY KIT	
ZH115-RD		BECK	MBO		5 9/75	Z	10	POP-10 CUSP DIAG 9T MAGTAPE ONLY KIT	
ZH116-RC		BECK	MBO		5 9/75	Z	10	GP-10 DIAG DOC/DECTAPE KIT	
ZH117-RB		BECK	MBO		5 9/75	Z	10	GP-10 DIAG DOC/PAPERTAPE KIT	
ZH119-RC		BECK	MBO		5 9/75	Z	10	LP-10 DIAG DOC/DECTAPE KIT	
ZH120-RC		BECK	MBO		5 9/75	Z	10	MA-10, MB-10, MF-10, ME-10, MD-10 DIAG DOC/DECTAPE KIT	
ZH121-RB		BECK	MBO		5 9/75	Z	10	MA-10, MB-10, MF-10, ME-10, MD-10 DIAG DOC/PAPERTAPE KIT	
ZH122-RC		BECK	MBO		5 9/75	Z	10	RC-10, RD-10 DIAG DOC/DECTAPE KIT	
ZH123-RC		BECK	MBO		5 9/75	Z	10	RH-10, RC-10 DIAG DOC/DECTAPE KIT	
ZH124-RC		BECK	MBO		5 9/75	Z	10	RP-10 DIAG DOC/DECTAPE KIT	
ZH125-RC		BECK	MBO		5 9/75	Z	10	TD-10 DIAG DOC/DECTAPE KIT	
ZH126-RC		BECK	MBO		5 9/75	Z	10	TD-10 DIAG DOC/PAPERTAPE KIT	
ZH127-RC		BECK	MBO		5 9/75	Z	10	TM10A (FOR MACHINES WITH DECTAPE) DIAG DOC/DECTAPE KIT	
ZH128-RB		BECK	MBO		5 9/75	Z	10	TM10A (FOR MACHINES W/O DECTAPE) DIAG DOC/PAPERTAPE KIT	
ZH129-PC		BECK	MBO		5 9/75	Z	10	TM10B (FOR MACHINES WITH DECTAPE) DIAG DOC/DECTAPE KIT	
ZH130-RB		BECK	MBO		5 9/75	Z	10	TM10B (FOR MACHINES W/O DECTAPE) DIAG DOC/PAPERTAPE KIT	
ZH131-RC		BECK	MBO		5 9/75	Z	10	340 DISPLAY DIAG DOC/DECTAPE KIT	
ZH132-RB		BECK	MBO		5 9/75	Z	10	340 DISPLAY DIAG DOC/PAPERTAPE KIT	
ZH133-RB		BECK	MBO		5 9/75	Z	10	516 MAGTAPE CONTROL DIAG DOC/PAPERTAPE KIT	
ZH134-RC		BECK	MBO		5 9/75	Z	10	516 MAGTAPE CONTROL DIAG DOC/DECTAPE KIT	
ZH135-RC		BECK	MBO		5 9/75	Z	10	VP-10 DIAG DOC/DECTAPE KIT	
ZH136-RC		BECK	MBO		5 9/75	Z	10	VT05/VT06 DIAG DOC/DECTAPE KIT	
ZH137-RC		BECK	MBO		5 9/75	Z	10	RH10 DIAG DOC/DECTAPE KIT	

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFCR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
ZH138-RC		BECK	MBO		5 9/75	Z	10	RS04 DIAG DOC/DECTAPE KIT
ZH139-RZ		BECK	MBO		5 9/75	Z	10	DF10C/DF10 DIAG DOC ONLY KIT
ZH140-RC		BECK	MBO		5 9/75	Z	10	RH10/RP04 DIAG DOC/DECTAPE KIT
ZH141-RB		BECK	MBO		5 9/75	Z	10	DX10 DIAG DOC/PAPERTAPE KIT
ZH141-RC		BECK	MBO		5 9/75	Z	10	DX10 DIAG DOC/DECTAPE KIT
ZH142-RC		BECK	MBO		5 10/75	Z	10	KL10 DX10 TU70 DIAG DECTAPE ONLY KIT
ZH143-RC		BECK	MBO		5 10/75	Z	10	KL10 MG10, MF10 DIAG DECTAPE ONLY KIT
ZH144-RC		BECK	MBO		5 10/75	Z	10	KL10 TO10 DIAG DECTAPE ONLY KIT
ZH145-RC		BECK	MBO		5 10/75	Z	10	KL10 TM10B DIAG DECTAPE ONLY KIT
ZJ001-PB		WEM	MBO		5 9/75	Z	11	PDP-11/05 BASIC DIAG PAPERTAPE ONLY KIT
ZJ001-RB		WEM	MBO		5 9/75	Z	11	PDP-11/05 BASIC DIAG DOC/PAPERTAPE KIT
ZJ001-RZ		WEM	MBO		5 9/75	Z	11	PDP-11/05 BASIC DIAG DOC ONLY KIT
ZJ002-PB		WEM	MBO		5 9/75	Z	11	POP-11/10 BASIC DIAG PAPERTAPE ONLY KIT
ZJ002-RB		WEM	MBO		5 9/75	Z	11	PDP-11/10 BASIC DIAG DOC/PAPERTAPE KIT
ZJ002-RZ		WEM	MBO		5 9/75	Z	11	POP-11/10 BASIC DIAG DOC ONLY KIT
ZJ003-RB		WEM	MBO		5 9/75	Z	11	PDP-11/10 SPECIAL DIAG DOC/PAPERTAPE KIT
ZJ004-PB		WEM	MBO		5 9/75	Z	11	PDP-11/15 BASIC OEM DIAG PAPERTAPE ONLY KIT
ZJ004-RB		WEM	MBO		5 9/75	Z	11	PDP-11/15 BASIC OEM DIAG DOC/PAPERTAPE KIT
ZJ004-RZ		WEM	MBO		5 9/75	Z	11	PDP-11/15 BASIC OEM DIAG DOC ONLY KIT
ZJ005-PB		WEM	MBO		5 9/75	Z	11	PDP-11/20 BASIC DIAG PAPERTAPE ONLY KIT
ZJ005-RB		WEM	MBO		5 9/75	Z	11	PDP-11/20 BASIC DIAG DOC/PAPERTAPE KIT
ZJ005-RZ		WEM	MBO		5 9/75	Z	11	PDP-11/20 BASIC DIAG DOC ONLY KIT
ZJ006-PB		WEM	MBO		5 9/75	Z	11	POP-11/20 BASIC OEM DIAG PAPERTAPE ONLY KIT
ZJ006-RB		WEM	MBO		5 9/75	Z	11	PDP-11/20 BASIC OEM DIAG DOC/PAPERTAPE KIT
ZJ006-RZ		WEM	MBO		5 9/75	Z	11	POP-11/20 BASIC OEM DIAG DOC ONLY KIT
ZJ007-PB		WEM	MBO		5 9/75	Z	11	PDP-11/35 BASIC DIAG PAPERTAPE ONLY KIT
ZJ007-RB		WEM	MBO		5 9/75	Z	11	POP-11/35 BASIC DIAG DOC/PAPERTAPE KIT
ZJ007-RZ		WEM	MBO		5 9/75	Z	11	POP-11/35 BASIC DIAG DOC ONLY KIT
ZJ008-PB		WEM	MBO		5 9/75	Z	11	GT40 DIAG PAPERTAPE ONLY KIT
ZJ008-RB		WEM	MBO		5 9/75	Z	11	GT40 DIAG DOC/PAPERTAPE KIT
ZJ008-RZ		WEM	MBO		5 9/75	Z	11	GT40 DIAG DOC ONLY KIT
ZJ009-RB		WEM	MBO		5 10/75	Z	11	11/04 BASIC DIAG DOC/PAPERTAPE KIT
ZJ101-PB		WEM	MBO		5 9/75	Z	11	AA11 DIAG PAPERTAPE ONLY KIT
ZJ101-RB		WEM	MBO		5 9/75	Z	11	AA11 DIAG DOC/PAPERTAPE KIT
ZJ101-RZ		WEM	MBO		5 9/75	Z	11	AA11 DIAG DOC ONLY KIT
ZJ102-PB		WEM	MBO		5 9/75	Z	11	ADP11 DIAG PAPERTAPE ONLY KIT
ZJ102-RB		WEM	MBO		5 9/75	Z	11	ADP11 DIAG DOC/PAPERTAPE KIT
ZJ102-RZ		WEM	MBO		5 9/75	Z	11	ADP11 DIAG DOC ONLY KIT
ZJ103-RB		WEM	MBO		5 9/75	Z	11	AD01 DIAG DOC/PAPERTAPE KIT
ZJ104-RB		WEM	MBO		5 9/75	Z	11	AD02/AD11 DIAG DOC/PAPERTAPE KIT
ZJ105-RB		WEM	MBO		5 9/75	Z	11	AFC11 DIAG DOC/PAPERTAPE KIT
ZJ106-RB		WEM	MBO		5 9/75	Z	11	BMR73 DIAG DOC/PAPERTAPE KIT
ZJ107-PB		WEM	MBO		5 9/75	Z	11	CB11 DIAG PAPERTAPE ONLY KIT
ZJ107-RB		WEM	MBO		5 9/75	Z	11	CB11 DIAG DOC/PAPERTAPE KIT
ZJ107-RZ		WEM	MBO		5 9/75	Z	11	CB11 DIAG DOC ONLY KIT
ZJ108-PB		WEM	MBO		5 9/75	Z	11	CD11 DIAG PAPERTAPE ONLY KIT
ZJ108-RB		WEM	MBO		5 9/75	Z	11	CD11 DIAG DOC/PAPERTAPE KIT
ZJ108-RZ		WEM	MBO		5 9/75	Z	11	CD11 DIAG DOC ONLY KIT
ZJ109-PB		WEM	MBO		5 9/75	Z	11	CM11 DIAG PAPERTAPE ONLY KIT
ZJ109-RB		WEM	MBO		5 9/75	Z	11	CM11 DIAG DOC/PAPERTAPE KIT
ZJ109-RZ		WEM	MBO		5 9/75	Z	11	CM11 DIAG DOC ONLY KIT
ZJ110-PB		WEM	MBO		5 9/75	Z	11	CM11-F DIAG PAPERTAPE ONLY KIT
ZJ110-RB		WEM	MBO		5 9/75	Z	11	CM11-F DIAG DOC/PAPERTAPE KIT
ZJ110-RZ		WEM	MBO		5 9/75	Z	11	CM11-F DIAG DOC ONLY KIT
ZJ111-PB		WEM	MBO		5 9/75	Z	11	CR11 DIAG PAPERTAPE ONLY KIT
ZJ111-RB		WEM	MBO		5 9/75	Z	11	CR11 DIAG DOC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	178
ZJ111-RZ		WEM	MBO		5	9/75	N	11	CR11 DIAG DOC ONLY KIT
ZJ112-PB		WEM	MBO		5	9/75	N	11	DA11 DIAG PAPERTAPE ONLY KIT
ZJ112-RB		WEM	MBO		5	9/75	N	11	DA11 DIAG DOC/PAPERTAPE KIT
ZJ112-RZ		WEM	MBO		5	9/75	N	11	DA11 DIAG DOC ONLY KIT
ZJ113-PB		WEM	MBO		5	9/75	N	11	DC11 DIAG PAPERTAPE ONLY KIT
ZJ113-RB		WEM	MBO		5	9/75	N	11	DC11 DIAG DOC/PAPERTAPE KIT
ZJ113-RZ		WEM	MBO		5	9/75	N	11	DC11 DIAG DOC ONLY KIT
ZJ114-PB		WEM	MBO		5	9/75	N	11	DH11 DIAG PAPERTAPE ONLY KIT
ZJ114-RB		WEM	MBO		5	9/75	N	11	DH11 DIAG DOC/PAPERTAPE KIT
ZJ114-RZ		WEM	MBO		5	9/75	N	11	DH11 DIAG DOC ONLY KIT
ZJ115-PB		WEM	MBO		5	9/75	N	11	DJ11 DIAG PAPERTAPE ONLY KIT
ZJ115-RB		WEM	MBO		5	9/75	N	11	DJ11 DIAG DOC/PAPERTAPE KIT
ZJ115-RZ		WEM	MBO		5	9/75	N	11	DJ11 DIAG DOC ONLY KIT
ZJ116-RB		WEM	MBO		5	9/75	N	11	DL11-E C/D DIAG DOC/PAPERTAPE KIT
ZJ117-PB		WEM	MBO		5	9/75	N	11	DL11E DIAG PAPERTAPE ONLY KIT
ZJ117-RB		WEM	MBO		5	9/75	N	11	DL11E DIAG DOC/PAPERTAPE KIT
ZJ117-RZ		WEM	MBO		5	9/75	N	11	DL11E DIAG DOC ONLY KIT
ZJ118-PB		WEM	MBO		5	9/75	N	11	DM11 DIAG PAPERTAPE ONLY KIT
ZJ118-RB		WEM	MBO		5	9/75	N	11	DM11 DIAG DOC/PAPERTAPE KIT
ZJ118-RZ		WEM	MBO		5	9/75	N	11	DM11 DIAG DOC ONLY KIT
ZJ119-RB		WEM	MBO		5	9/75	N	11	DM11-BB DIAG DOC/PAPERTAPE KIT
ZJ120-RB		WEM	MBO		5	9/75	N	11	DN11 DIAG DOC/PAPERTAPE KIT
ZJ121-PB		WEM	MBO		5	9/75	N	11	DP11A DIAG PAPERTAPE ONLY KIT
ZJ121-RB		WEM	MBO		5	9/75	N	11	DP11A DIAG DOC/PAPERTAPE KIT
ZJ121-RZ		WEM	MBO		5	9/75	N	11	DP11A DIAG DOC ONLY KIT
ZJ122-PB		WEM	MBO		5	9/75	N	11	DQ11A DIAG PAPERTAPE ONLY KIT
ZJ122-RB		WEM	MBO		5	9/75	N	11	DQ11A DIAG DOC/PAPERTAPE KIT
ZJ122-RZ		WEM	MBO		5	9/75	N	11	DQ11A DIAG DOC ONLY KIT
ZJ123-RB		WEM	MBO		5	9/75	N	11	DR11A DIAG DOC/PAPERTAPE KIT
ZJ124-RB		WEM	MBO		5	9/75	N	11	DR11B DIAG DOC/PAPERTAPE KIT
ZJ125-RB		WEM	MBO		5	9/75	N	11	DR11C DIAG DOC/PAPERTAPE KIT
ZJ126-RB		WEM	MBO		5	9/75	N	11	DT11 DIAG DOC/PAPERTAPE KIT
ZJ127-PB		WEM	MBO		5	9/75	N	11	DU11A DIAG PAPERTAPE ONLY KIT
ZJ127-RB		WEM	MBO		5	9/75	N	11	DU11A DIAG DOC/PAPERTAPE KIT
ZJ127-RZ		WEM	MBO		5	9/75	N	11	DU11A DIAG DOC ONLY KIT
ZJ128-RN		WEM	MBO		5	9/75	N	11	DEC/X11 DIAG CASSETTE ONLY KIT
ZJ129-RZ		WEM	MBO		5	9/75	N	11	DEC/X11 DIAG DOC ONLY KIT
ZJ130-RB		WEM	MBO		5	9/75	N	11	DEC/X11 DIAG PAPERTAPE ONLY KIT
ZJ131-PB		WEM	MBO		5	9/75	N	11	DX11B DIAG PAPERTAPE ONLY KIT
ZJ131-RB		WEM	MBO		5	9/75	N	11	DX11B DIAG DOC/PAPERTAPE KIT
ZJ131-RZ		WEM	MBO		5	9/75	N	11	DX11B DIAG DOC ONLY KIT
ZJ132-PB		WEM	MBO		5	9/75	N	11	NC11A DIAG PAPERTAPE ONLY KIT
ZJ132-RB		WEM	MBO		5	9/75	N	11	NC11A DIAG DOC/PAPERTAPE KIT
ZJ132-RZ		WEM	MBO		5	9/75	N	11	NC11A DIAG DOC ONLY KIT
ZJ133-RB		WEM	MBO		5	9/75	N	11	KG11A DIAG DOC/PAPERTAPE KIT
ZJ134-RB		WEM	MBO		5	9/75	N	11	KIT11-W DIAG DOC/PAPERTAPE KIT
ZJ135-PB		WEM	MBO		5	9/75	N	11	KL11 DIAG PAPERTAPE ONLY KIT
ZJ135-RB		WEM	MBO		5	9/75	N	11	KL11 DIAG DOC/PAPERTAPE KIT
ZJ135-RZ		WEM	MBO		5	9/75	N	11	KL11 DIAG DOC ONLY KIT
ZJ136-RB		WEM	MBO		5	9/75	N	11	KL11A/DL11A DIAG DOC/PAPERTAPE KIT
ZJ137-RB		WEM	MBO		5	9/75	N	11	KW11 DIAG DOC/PAPERTAPE KIT
ZJ138-RB		WEM	MBO		5	9/75	N	11	KW11-P DIAG DOC/PAPERTAPE KIT
ZJ139-RB		WEM	MBO		5	9/75	N	11	LA30-S DIAG DOC/PAPERTAPE KIT
ZJ140-RB		WEM	MBO		5	9/75	N	11	LAR-11 DIAG DOC/PAPERTAPE KIT
ZJ141-RB		WEM	MBO		5	9/75	N	11	LC11/LA30 DIAG DOC/PAPERTAPE KIT
ZJ142-RB		WEM	MBO		5	9/75	N	11	LP11 DIAG DOC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
ZJ143.RB		WEM	MBO		5	9/75	Z	11	LPC11 DIAG DQC/PAPERTAPE KIT
ZJ144.PB		WEM	MBO		5	9/75	Z	11	LPS-11 DIAG PAPERTAPE ONLY KIT
ZJ144.RB		WEM	MBO		5	9/75	Z	11	LPS-11 DIAG DQC/PAPERTAPE KIT
ZJ144.RZ		WEM	MBO		5	9/75	Z	11	LPS-11 DIAG DQC ONLY KIT
ZJ145.RB		WEM	MBO		5	9/75	Z	11	LS11 DIAG DQC/PAPERTAPE KIT
ZJ146.RB		WEM	MBO		5	9/75	Z	11	LV11 DIAG DQC/PAPERTAPE KIT
ZJ147.RB		WEM	MBO		5	9/75	Z	11	MM11 DIAG DQC/PAPERTAPE KIT
ZJ148.RB		WEM	MBO		5	9/75	Z	11	MR11B DIAG DQC/PAPERTAPE KIT
ZJ149.PB		WEM	MBO		5	9/75	Z	11	KE11A DIAG PAPERTAPE ONLY KIT
ZJ149.RB		WEM	MBO		5	9/75	Z	11	KE11A DIAG DQC/PAPERTAPE KIT
ZJ149.RZ		WEM	MBO		5	9/75	Z	11	KE11A DIAG DQC ONLY KIT
ZJ150.PB		WEM	MBO		5	9/75	Z	11	PA11 DIAG PAPERTAPE ONLY KIT
ZJ150.RB		WEM	MBO		5	9/75	Z	11	PA11 DIAG DQC/PAPERTAPE KIT
ZJ150.RZ		WEM	MBO		5	9/75	Z	11	PA11 DIAG DQC ONLY KIT
ZJ151.PB		WEM	MBO		5	9/75	Z	11	PC11 DIAG PAPERTAPE ONLY KIT
ZJ151.RB		WEM	MBO		5	9/75	Z	11	PC11 DIAG DQC/PAPERTAPE KIT
ZJ151.RZ		WEM	MBO		5	9/75	Z	11	PC11 DIAG DQC ONLY KIT
ZJ152.RB		WEM	MBO		5	9/75	Z	11	POM70 DIAG DQC/PAPERTAPE KIT
ZJ153.PB		WEM	MBO		5	9/75	Z	11	RC11 DIAG PAPERTAPE ONLY KIT
ZJ153.RB		WEM	MBO		5	9/75	Z	11	RC11 DIAG DQC/PAPERTAPE KIT
ZJ153.RZ		WEM	MBO		5	9/75	Z	11	RC11 DIAG DQC ONLY KIT
ZJ154.PB		WEM	MBO		5	9/75	Z	11	RF11 DIAG PAPERTAPE ONLY KIT
ZJ154.RB		WEM	MBO		5	9/75	Z	11	RF11 DIAG DQC/PAPERTAPE KIT
ZJ154.RZ		WEM	MBO		5	9/75	Z	11	RF11 DIAG DQC ONLY KIT
ZJ155.PB		WEM	MBO		5	9/75	Z	11	RH11 DIAG PAPERTAPE ONLY KIT
ZJ155.RB		WEM	MBO		5	9/75	Z	11	RH11 DIAG DQC/PAPERTAPE KIT
ZJ155.RZ		WEM	MBO		5	9/75	Z	11	RH11 DIAG DQC ONLY KIT
ZJ157.PB		WEM	MBO		5	9/75	Z	11	RK11 DIAG PAPERTAPE ONLY KIT
ZJ157.RB		WEM	MBO		5	9/75	Z	11	RK11 DIAG DQC/PAPERTAPE KIT
ZJ157.RZ		WEM	MBO		5	9/75	Z	11	RK11 DIAG DQC ONLY KIT
ZJ158.PB		WEM	MBO		5	9/75	Z	11	RP11 DIAG PAPERTAPE ONLY KIT
ZJ158.RB		WEM	MBO		5	9/75	Z	11	RP11 DIAG DQC/PAPERTAPE KIT
ZJ158.RZ		WEM	MBO		5	9/75	Z	11	RP11 DIAG DQC ONLY KIT
ZJ159.PB		WEM	MBO		5	9/75	Z	11	RP11C DIAG PAPERTAPE ONLY KIT
ZJ159.RB		WEM	MBO		5	9/75	Z	11	RP11C DIAG DQC/PAPERTAPE KIT
ZJ159.RZ		WEM	MBO		5	9/75	Z	11	RP11C DIAG DQC ONLY KIT
ZJ160.PB		WEM	MBO		5	9/75	Z	11	RT01/RT02 DIAG PAPERTAPE ONLY KIT
ZJ160.RB		WEM	MBO		5	9/75	Z	11	RT01/RT02 DIAG DQC/PAPERTAPE KIT
ZJ160.RZ		WEM	MBO		5	9/75	Z	11	RT01/RT02 DIAG DQC ONLY KIT
ZJ161.PM		WEM	MBO		5	9/75	Z	11	TA11 DIAG TAPE ONLY KIT
ZJ161.RN		WEM	MBO		5	9/75	Z	11	TA11 DIAG DQC/TAPE KIT
ZJ161.RZ		WEM	MBO		5	9/75	Z	11	TA11 DIAG DQC ONLY KIT
ZJ162.PB		WEM	MBO		5	9/75	Z	11	TC11 DIAG PAPERTAPE ONLY KIT
ZJ162.RB		WEM	MBO		5	9/75	Z	11	TC11 DIAG DQC/PAPERTAPE KIT
ZJ162.RZ		WEM	MBO		5	9/75	Z	11	TC11 DIAG DQC ONLY KIT
ZJ163.PB		WEM	MBO		5	9/75	Z	11	TM11 DIAG PAPERTAPE ONLY KIT
ZJ163.RB		WEM	MBO		5	9/75	Z	11	TM11 DIAG DQC/PAPERTAPE KIT
ZJ163.RZ		WEM	MBO		5	9/75	Z	11	TM11 DIAG DQC ONLY KIT
ZJ166.PB		WEM	MBO		5	9/75	Z	11	UDC-11 DIAG PAPERTAPE ONLY KIT
ZJ166.RB		WEM	MBO		5	9/75	Z	11	UDC-11 DIAG DQC/PAPERTAPE KIT
ZJ166.RZ		WEM	MBO		5	9/75	Z	11	UDC-11 DIAG DQC ONLY KIT
ZJ167.RB		WEM	MBO		5	9/75	Z	11	VT05 DIAG DQC/PAPERTAPE KIT
ZJ168.RB		WEM	MBO		5	9/75	Z	11	VT06 DIAG DQC/PAPERTAPE KIT
ZJ169.RB		WEM	MBO		5	9/75	Z	11	M7298 DIAG DQC/PAPERTAPE KIT
ZJ170.PB		WEM	MBO		5	9/75	Z	11	BM792YA,R,C,D,E,F,H,K DIAG PAPERTAPE ONLY KIT
ZJ170.RB		WEM	MBO		5	9/75	Z	11	BM792YA,R,C,D,E,F,H,K DIAG DQC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGH AREA	STATUS MO/YR	CATE- GORY	USED ON	DESCRIPTION
ZJ170-RZ		WEM	M80		5 9/75	Z	11	BM792YA,B,C,D,E,F,H,K DIAG DOC ONLY KIT
ZJ175-RB		WEM	M80		5 9/75	Z	11	DFC11-A DIAG DOC/PAPERTAPE KIT
ZJ176-RB		WEM	M80		5 9/75	Z	11	LPD11 DIAG DOC/PAPERTAPE KIT
ZJ177-RB		WEM	M80		5 9/75	Z	11	BB11 DIAG DOC/PAPERTAPE KIT
ZJ178-RB		WEM	M80		5 9/75	Z	11	LP11/LP05 DIAG DOC/PAPERTAPE KIT
ZJ179-PB		WEM	M80		5 9/75	Z	11	OH11A DIAG PAPERTAPE ONLY KIT
ZJ179-RB		WEM	M80		5 9/75	Z	11	OH11A DIAG DOC/PAPERTAPE KIT
ZJ179-RZ		WEM	M80		5 9/75	Z	11	OH11A DIAG DOC ONLY KIT
ZJ182-PB		WEM	M80		5 9/75	Z	11	RJP04 DIAG PAPERTAPE ONLY KIT
ZJ182-RB		WEM	M80		5 9/75	Z	11	RJP04 DIAG DOC/PAPERTAPE KIT
ZJ182-RZ		WEM	M80		5 9/75	Z	11	RJP04 DIAG DOC ONLY KIT
ZJ181-PB		WEM	M80		5 9/75	Z	11	AR11 DIAG PAPERTAPE ONLY KIT
ZJ181-RB		WEM	M80		5 9/75	Z	11	AR11 DIAG DOC/PAPERTAPE KIT
ZJ181-RZ		WEM	M80		5 9/75	Z	11	AR11 DIAG DOC ONLY KIT
ZJ182-PB		WEM	M80		5 9/75	Z	11	TM02/TU16 DIAG PAPERTAPE ONLY KIT
ZJ182-RB		WEM	M80		5 9/75	Z	11	TM02/TU16 DIAG DOC/PAPERTAPE KIT
ZJ182-RZ		WEM	M80		5 9/75	Z	11	TM02/TU16 DIAG DOC ONLY KIT
ZJ183-PB		WEM	M80		5 9/75	Z	11	LA36 DIAG PAPERTAPE ONLY KIT
ZJ183-RB		WEM	M80		5 9/75	Z	11	LA36 DIAG DOC/PAPERTAPE KIT
ZJ183-RZ		WEM	M80		5 9/75	Z	11	LA36 DIAG DOC ONLY KIT
ZJ184-PB		WEM	M80		5 9/75	Z	11	TMA-11 DIAG PAPERTAPE ONLY KIT
ZJ184-RB		WEM	M80		5 9/75	Z	11	TMA-11 DIAG DOC/PAPERTAPE KIT
ZJ184-RZ		WEM	M80		5 9/75	Z	11	TMA-11 DIAG DOC ONLY KIT
ZJ186-RB		WEM	M80		5 9/75	Z	11	VT90 DIAG DOC/PAPERTAPE KIT
ZJ187-RB		WEM	M80		5 9/75	Z	11	OR11K DIAG DOC/PAPERTAPE KIT
ZJ188-RB		WEM	M80		5 9/75	Z	11	KE11-B DIAG DOC/PAPERTAPE KIT
ZJ189-RB		WEM	M80		5 9/75	Z	11	RX01/RX11 DIAG DOC/PAPERTAPE KIT
ZJ190-RN		WEM	M80		5 9/75	Z	11	RP04 DIAG CASSETTE ONLY KIT
ZJ191-RB		WEM	M80		5 9/75	Z	11	ICS-11 DIAG DOC/PAPERTAPE KIT
ZJ192-PB		WEM	M80		5 9/75	Z	11	DV11 DIAG PAPERTAPE ONLY KIT
ZJ192-RB		WEM	M80		5 9/75	Z	11	DV11 DIAG DOC/PAPERTAPE KIT
ZJ192-RZ		WEM	M80		5 9/75	Z	11	DV11 DIAG DOC ONLY KIT
ZJ193-PB		WEM	M80		5 9/75	Z	11	RP11-E DIAG PAPERTAPE ONLY KIT
ZJ193-RB		WEM	M80		5 9/75	Z	11	RP11-E DIAG DOC/PAPERTAPE KIT
ZJ193-RZ		WEM	M80		5 9/75	Z	11	RP11-E DIAG DOC ONLY KIT
ZJ194-PB		WEM	M80		5 9/75	Z	11	TS03 DIAG PAPERTAPE ONLY KIT
ZJ194-RB		WEM	M80		5 9/75	Z	11	TS03 DIAG DOC/PAPERTAPE KIT
ZJ194-RZ		WEM	M80		5 9/75	Z	11	TS03 DIAG DOC ONLY KIT
ZJ195-RB		WEM	M80		5 9/75	Z	11	MF11UP DIAG DOC/PAPERTAPE KIT
ZJ196-RB		WEM	M80		5 9/75	Z	11	DECSYSTEM-1050 DIAG DOC/PAPERTAPE KIT
ZJ197-RC		WEM	M80		5 8/75	Z	11	MPG (MAINTENANCE PROGRAM GENERATOR) DIAG DOC/DECTAPE KIT
ZJ197-RD		WEM	M80		5 8/75	Z	11	MPG (MAINTENANCE PROGRAM GENERATOR) DIAG DOC/9TR MT KIT
ZJ197-RE		WEM	M80		5 8/75	Z	11	MPG (MAINTENANCE PROGRAM GENERATOR) DIAG DOC/DECPACK KIT
ZJ197-RF		WEM	M80		5 8/75	Z	11	MPG (MAINTENANCE PROGRAM GENERATOR) DIAG DOC/7-TR MT KIT
ZJ197-RZ		WEM	M80		5 8/75	Z	11	MPG DIAG DOC ONLY KIT
ZJ198-RN		WEM	M80		5 9/75	Z	11	POP-11/05,15 DIAG CASSETTE ONLY KIT
ZJ199-PB		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN SYS OEM DIAG PAPERTAPE ONLY KIT
ZJ199-RB		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN SYS OEM DIAG DOC/PAPERTAPE KIT
ZJ199-RZ		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN SYS OEM DIAG DOC ONLY KIT
ZJ200-PB		WEM	M80		5 9/75	Z	11	PDP-11/35 MIN SYS OEM DIAG PAPERTAPE ONLY KIT
ZJ200-RB		WEM	M80		5 9/75	Z	11	PDP-11/35 MIN SYS OEM DIAG DOC/PAPERTAPE KIT
ZJ200-RZ		WEM	M80		5 9/75	Z	11	PDP-11/35 MIN SYS OEM DIAG DOC ONLY KIT
ZJ201-PB		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN BASIC OEM DIAG PAPERTAPE ONLY KIT
ZJ201-RB		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN BASIC OEM DIAG DOC/PAPERTAPE KIT
ZJ201-RZ		WEM	M80		5 9/75	Z	11	PDP-11/05,15 MIN BASIC OEM DIAG DOC ONLY KIT
ZJ202-PB		WEM	M80		5 9/75	Z	11	PDP-11/35 MIN BASIC OEM DIAG PAPERTAPE ONLY KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFGR AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION
ZJ202.RB		WEM	MBO		5	9/75 Z	11	PDP-11/35 MIN BASIC OEM DIAG DOC/PAPERTAPE KIT
ZJ202.RZ		WEM	MBO		5	9/75 Z	11	PDP-11/35 MIN BASIC OEM DIAG DOC ONLY KIT
ZJ203.PB		WEM	MBO		5	9/75 Z	11	CR11/CM11F DIAG PAPERTAPE ONLY KIT
ZJ203.RB		WEM	MBO		5	9/75 Z	11	CR11/CM11F DIAG DOC/PAPERTAPE KIT
ZJ203.RZ		WEM	MBO		5	9/75 Z	11	CR11/CM11F DIAG DOC ONLY KIT
ZJ205.RB		WEM	MBO		5	9/75 Z	11	DR11L/M DIAG DOC/PAPERTAPE KIT
ZJ206.RB		WEM	MBO		5	9/75 Z	11	KW11-W DIAG DOC/PAPERTAPE KIT
ZJV01.PB		WEM	MBO		5	12/75 Z	11	LSI BASIC DIAG PAPERTAPE ONLY KIT
ZJV01.RB		WEM	MBO		5	10/75 Z	11	LSI BASIC DIAG DOC/PAPERTAPE KIT
ZJV01.RZ		WEM	MBO		5	10/75 Z	11	LSI BASIC DIAG DOC ONLY KIT
ZK001.RA		PSH	MBO		5	9/75 Z	12	PDP-12 BASIC DIAG DOC/LINCTAPE KIT
ZK101.RA		PSH	MBO		5	9/75 Z	12	FPP (PDP-12) DIAG DOC/LINCTAPE KIT
ZK102.RB		PSH	MBO		5	9/75 Z	12	AD12M DIAG DOC/PAPERTAPE KIT
ZK103.RA		PSH	MBO		5	9/75 Z	12	A, I, P, DIAG DOC/LINCTAPE KIT
ZK104.RB		PSH	MBO		5	9/75 Z	12	KIT B DIAG DOC/PAPERTAPE KIT
ZK105.RB		PSH	MBO		5	9/75 Z	12	CD12 DIAG DOC/PAPERTAPE KIT
ZK106.RB		PSH	MBO		5	9/75 Z	12	CM12 DIAG DOC/PAPERTAPE KIT
ZK107.RB		PSH	MBO		5	9/75 Z	12	CM12B,C DIAG DOC/PAPERTAPE KIT
ZK108.RB		PSH	MBO		5	9/75 Z	12	CM12F DIAG DOC/PAPERTAPE KIT
ZK109.RB		PSH	MBO		5	9/75 Z	12	CR12 GDI DIAG DOC/PAPERTAPE KIT
ZK110.RB		PSH	MBO		5	9/75 Z	12	DB12 DIAG DOC/PAPERTAPE KIT
ZK111.RB		PSH	MBO		5	9/75 Z	12	DC02F DIAG DOC/PAPERTAPE KIT
ZK112.RB		PSH	MBO		5	9/75 Z	12	DC04 DIAG DOC/PAPERTAPE KIT
ZK113.RB		PSH	MBO		5	9/75 Z	12	DF32 DIAG DOC/PAPERTAPE KIT
ZK114.RB		PSH	MBO		5	9/75 Z	12	DP12-A DIAG DOC/PAPERTAPE KIT
ZK115.RB		PSH	MBO		5	9/75 Z	12	DP12-B DIAG DOC/PAPERTAPE KIT
ZK116.RB		PSH	MBO		5	9/75 Z	12	DR12X DIAG DOC/PAPERTAPE KIT
ZK117.RB		PSH	MBO		5	9/75 Z	12	DV08-N DIAG DOC/PAPERTAPE KIT
ZK118.RB		PSH	MBO		5	9/75 Z	12	KE12 DIAG DOC/PAPERTAPE KIT
ZK119.RB		PSH	MBO		5	9/75 Z	12	KF12 DIAG DOC/PAPERTAPE KIT
ZK120.RB		PSH	MBO		5	9/75 Z	12	KP12 DIAG DOC/PAPERTAPE KIT
ZK121.RB		PSH	MBO		5	9/75 Z	12	KT12 DIAG DOC/PAPERTAPE KIT
ZK122.RB		PSH	MBO		5	9/75 Z	12	KW12A DIAG DOC/PAPERTAPE KIT
ZK123.RB		PSH	MBO		5	9/75 Z	12	KW12-B, KW12-C DIAG DOC/PAPERTAPE KIT
ZK124.RB		PSH	MBO		5	9/75 Z	12	LP12 645A DIAG DOC/PAPERTAPE KIT
ZK125.RB		PSH	MBO		5	9/75 Z	12	LV12/LV8 DIAG DOC/PAPERTAPE KIT
ZK126.RB		PSH	MBO		5	9/75 Z	12	MC12 DIAG DOC/PAPERTAPE KIT
ZK127.RA		PSH	MBO		5	9/75 Z	12	RKRE (PDP-12) DIAG DOC/LINCTAPE KIT
ZK128.RB		PSH	MBO		5	9/75 Z	12	TC12-F DIAG DOC/PAPERTAPE KIT
ZK129.RB		PSH	MBO		5	9/75 Z	12	VR14, VR20 DIAG DOC/PAPERTAPE KIT
ZK130.RB		PSH	MBO		5	9/75 Z	12	VT06 DIAG DOC/PAPERTAPE KIT
ZK131.RB		PSH	MBO		5	9/75 Z	12	VW01 DIAG DOC/PAPERTAPE KIT
ZK132.RB		PSH	MBO		5	9/75 Z	12	XY12 DIAG DOC/PAPERTAPE KIT
ZL001.RB		FDD	MBO		5	9/75 Z	14	PDP-14 & 14/L BASIC DIAG DOC/PAPERTAPE KIT
ZL101.RB		FDD	MBO		5	9/75 Z	14	DB14 DIAG DOC/PAPERTAPE KIT
ZL102.RB		FDD	MBO		5	9/75 Z	14	DC14-BA DIAG DOC/PAPERTAPE KIT
ZL103.RB		FDD	MBO		5	9/75 Z	14	DC14-DA DIAG DOC/PAPERTAPE KIT
ZL104.RB		FDD	MBO		5	9/75 Z	14	DL-14 DIAG DOC/PAPERTAPE KIT
ZL105.RB		FDD	MBO		5	9/75 Z	14	MM14-A DIAG DOC/PAPERTAPE KIT
ZL106.RB		FDD	MBO		5	9/75 Z	14	DA14 DIAG DOC/PAPERTAPE KIT
ZL107.RB		FDD	MBO		5	9/75 Z	14	DC14-DE DIAG DOC/PAPERTAPE KIT
ZL108.RB		FDD	MBO		5	9/75 Z	14	DC14-BE DIAG DOC/PAPERTAPE KIT
ZL109.RB		FDD	MBO		5	9/75 Z	14	INDUSTRIAL 14 SELF TEST DOC/PAPERTAPE KIT
ZM001.RB		GPA	MBO		5	9/75 Z	15	PDP-15 BASIC DIAG DOC/PAPERTAPE KIT
ZM101.RB		GPA	MBO		5	9/75 Z	15	AA15A DIAG DOC/PAPERTAPE KIT
ZM102.RB		GPA	MBO		5	9/75 Z	15	AA15B DIAG DOC/PAPERTAPE KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	182
ZM103-RB		GPA	MBO		5	9/75	Z	15	AD15 DIAG DOC/PAPERTAPE KIT
ZM104-RB		GPA	MBO		5	9/75	Z	15	AF0-15 DIAG DOC/PAPERTAPE KIT
ZM105-RB		GPA	MBO		5	9/75	Z	15	AF03 DIAG DOC/PAPERTAPE KIT
ZM106-RB		GPA	MBO		5	9/75	Z	15	AF04-B DIAG DOC/PAPERTAPE KIT
ZM107-RB		GPA	MBO		5	9/75	Z	15	BD15 DIAG DOC/PAPERTAPE KIT
ZM108-RB		GPA	MBO		5	9/75	Z	15	CR03B DIAG DOC/PAPERTAPE KIT
ZM109-RB		GPA	MBO		5	9/75	Z	15	CR15 DIAG DOC/PAPERTAPE KIT
ZM110-RB		GPA	MBO		5	9/75	Z	15	DP09A DIAG DOC/PAPERTAPE KIT
ZM111-RB		GPA	MBO		5	9/75	Z	15	FP15 DIAG DOC/PAPERTAPE KIT
ZM112-RB		GPA	MBO		5	9/75	Z	15	KA15 DIAG DOC/PAPERTAPE KIT
ZM113-RB		GPA	MBO		5	9/75	Z	15	KE15 DIAG DOC/PAPERTAPE KIT
ZM114-RB		GPA	MBO		5	9/75	Z	15	KF15 DIAG DOC/PAPERTAPE KIT
ZM115-RB		GPA	MBO		5	9/75	Z	15	KM15 DIAG DOC/PAPERTAPE KIT
ZM116-RB		GPA	MBO		5	9/75	Z	15	KT15 DIAG DOC/PAPERTAPE KIT
ZM117-RB		GPA	MBO		5	9/75	Z	15	LA30 DIAG DOC/PAPERTAPE KIT
ZM118-RB		GPA	MBO		5	9/75	Z	15	LP15C DIAG DOC/PAPERTAPE KIT
ZM119-RB		GPA	MBO		5	9/75	Z	15	LP15F DIAG DOC/PAPERTAPE KIT
ZM120-RB		GPA	MBO		5	9/75	Z	15	LT09/LT19 DIAG DOC/PAPERTAPE KIT
ZM121-RB		GPA	MBO		5	9/75	Z	15	ME15 DIAG DOC/PAPERTAPE KIT
ZM122-RB		GPA	MBO		5	9/75	Z	15	MK15A DIAG DOC/PAPERTAPE KIT
ZM123-RB		GPA	MBO		5	9/75	Z	15	MP15 DIAG DOC/PAPERTAPE KIT
ZM124-RB		GPA	MBO		5	9/75	Z	15	MX15 DIAG DOC/PAPERTAPE KIT
ZM125-RB		GPA	MBO		5	9/75	Z	15	PC15 DIAG DOC/PAPERTAPE KIT
ZM126-RB		GPA	MBO		5	9/75	Z	15	RF15/RS15 DIAG DOC/PAPERTAPE KIT
ZM127-RB		GPA	MBO		5	9/75	Z	15	RP15 DIAG DOC/PAPERTAPE KIT
ZM128-RB		GPA	MBO		5	9/75	Z	15	RP15SP DIAG DOC/PAPERTAPE KIT
ZM129-RB		GPA	MBO		5	9/75	Z	15	TC02 DIAG DOC/PAPERTAPE KIT
ZM130-RB		GPA	MBO		5	9/75	Z	15	TC59 DIAG DOC/PAPERTAPE KIT
ZM131-RB		GPA	MBO		5	9/75	Z	15	UC15 DIAG DOC/PAPERTAPE KIT
ZM132-RB		GPA	MBO		5	9/75	Z	15	UD0-15 DIAG DOC/PAPERTAPE KIT
ZM133-RB		GPA	MBO		5	9/75	Z	15	VP15 DIAG DOC/PAPERTAPE KIT
ZM134-RB		GPA	MBO		5	9/75	Z	15	VT05 DIAG DOC/PAPERTAPE KIT
ZM135-RB		GPA	MBO		5	9/75	Z	15	VT06 DIAG DOC/PAPERTAPE KIT
ZM136-RB		GPA	MBO		5	9/75	Z	15	VT15 DIAG DOC/PAPERTAPE KIT
ZM137-RB		GPA	MBO		5	9/75	Z	15	VH01 DIAG DOC/PAPERTAPE KIT
ZM138-RB		GPA	MBO		5	9/75	Z	15	XY15 DIAG DOC/PAPERTAPE KIT
ZM139-RB		GPA	MBO		5	9/75	Z	15	LA36 DIAG DOC/PAPERTAPE KIT
ZM140-RB		GPA	MBO		5	9/75	Z	15	RK15 DIAG DOC/PAPERTAPE KIT
ZM141-RC		GPA	MBO		5	9/75	Z	15	DECTAPE BASED SYSTEM EXERCISER DOC/TAPE KIT
ZM142-RD		GPA	MBO		5	9/75	Z	15	RF15 BASED SYSTEM EXERCISER DOC/9TR MT KIT
ZM142-RF		GPA	MBO		5	9/75	Z	15	RF15 BASED SYSTEM EXERCISER DOC/7TR MT KIT
ZM143-RD		GPA	MBO		5	9/75	Z	15	RP15 BASED SYSTEM EXERCISER DOC/9TR MT KIT
ZM143-RF		GPA	MBO		5	9/75	Z	15	RP15 BASED SYSTEM EXERCISER DOC/7TR MT KIT
ZM144-RB		GPA	MBO		5	10/75	Z	15	VT50A DIAG DOC/PAPERTAPE KIT
ZN001-RB			MBO		5	9/75	Z	16	BASIC 16/M DIAG DOC/PAPERTAPE KIT
ZP001-PB		WEM	MBO		5	9/75	Z	11	PDP-11/40 BASIC DIAG PAPERTAPE ONLY KIT
ZP001-RB		WEM	MBO		5	9/75	Z	11	PDP-11/40 BASIC DIAG DOC/PAPERTAPE KIT
ZP001-RZ		WEM	MBO		5	9/75	Z	11	PDP-11/40 BASIC DIAG DOC ONLY KIT
ZP002-RB		WEM	MBO		5	9/75	Z	11	11/40 SPECIAL DIAG DOC/PAPERTAPE KIT
ZP003-PB		WEM	MBO		5	9/75	Z	11	GT44 DIAG PAPERTAPE ONLY KIT
ZP003-RB		WEM	MBO		5	9/75	Z	11	GT44 DIAG DOC/PAPERTAPE KIT
ZP003-RZ		WEM	MBO		5	9/75	Z	11	GT44 DIAG DOC ONLY KIT
ZP101-RB		WEM	MBO		5	9/75	Z	11	KD11 DIAG DOC/PAPERTAPE KIT
ZP102-PB		WEM	MBO		5	9/75	Z	11	KE11F DIAG PAPERTAPE ONLY KIT
ZP102-RB		WEM	MBO		5	9/75	Z	11	KE11F DIAG DOC/PAPERTAPE KIT
ZP102-RZ		WEM	MBO		5	9/75	Z	11	KE11F DIAG DOC ONLY KIT

MODEL NO	ENG MGR	DESIGN ENGR	PROD ENGR	MFG AREA	STATUS MO/YR	CATE-GORY	USED ON	DESCRIPTION	
ZP103-RB		WEM	MBO		5	9/75	Z	11	KT110 DIAG DOC/PAPERTAPE KIT
ZP104-PB		WEM	MBO		5	9/75	Z	11	VT20 DIAG PAPERTAPE ONLY KIT
ZP104-RB		WEM	MBO		5	9/75	Z	11	VT20 DIAG DOC/PAPERTAPE KIT
ZP104-RZ		WEM	MBO		5	9/75	Z	11	VT20 DIAG DOC ONLY KIT
ZP105-RB		WEM	MBO		5	9/75	Z	11	KD11A DIAG DOC/PAPERTAPE KIT
ZR001-PB		WEM	MBO		5	9/75	Z	11	PDP-11/45 BASIC DIAG PAPERTAPE ONLY KIT
ZR001-RB		WEM	MBO		5	9/75	Z	11	PDP-11/45 BASIC DIAG DOC/PAPERTAPE KIT
ZR001-RZ		WEM	MBO		5	9/75	Z	11	PDP-11/45 BASIC DIAG DOC ONLY KIT
ZR002-RB		WEM	MBO		5	9/75	Z	11	PDP-11/70 DIAG DOC/PAPERTAPE KIT
ZR002-RE		WEM	MBO		5	9/75	Z	11	PDP-11/70 BASIC DIAG DOC/DECPACK KIT
ZR002-RF		WEM	MBO		5	9/75	Z	11	PDP-11/70 DIAG DOC/7TR HT KIT
ZR002-RP		WEM	MBO		5	9/75	Z	11	PDP-11/70 BASIC DIAG DOC/TU16 MAGTAPE KIT
ZR002-RY		WEM	MBO		5	9/75	Z	11	PDP-11/70 DIAG DOC/FLOPPY KIT
ZR101-PB		WEM	MBO		5	9/75	Z	11	FP11 DIAG PAPERTAPE ONLY KIT
ZR101-RB		WEM	MBO		5	9/75	Z	11	FP11 DIAG DOC/PAPERTAPE KIT
ZR101-RZ		WEM	MBO		5	9/75	Z	11	FP11 DIAG DOC ONLY KIT
ZR102-PB		WEM	MBO		5	9/75	Z	11	KE11E DIAG PAPERTAPE ONLY KIT
ZR102-RB		WEM	MBO		5	9/75	Z	11	KE11E DIAG DOC/PAPERTAPE KIT
ZR102-RZ		WEM	MBO		5	9/75	Z	11	KE11E DIAG DOC ONLY KIT
ZR103-RB		WEM	MBO		5	10/75	Z	11	KJ11 DIAG DOC/PAPERTAPE KIT
ZR104-PB		WEM	MBO		5	9/75	Z	11	KT11C DIAG PAPERTAPE ONLY KIT
ZR104-RB		WEM	MBO		5	9/75	Z	11	KT11C DIAG DOC/PAPERTAPE KIT
ZR104-RZ		WEM	MBO		5	9/75	Z	11	KT11C DIAG DOC ONLY KIT
ZR105-RB		WEM	MBO		5	9/75	Z	11	MA11 DIAG DOC/PAPERTAPE KIT
ZR106-PB		WEM	MBO		5	9/75	Z	11	MF11P DIAG PAPERTAPE ONLY KIT
ZR106-RB		WEM	MBO		5	9/75	Z	11	MF11P DIAG DOC/PAPERTAPE KIT
ZR106-RZ		WEM	MBO		5	9/75	Z	11	MF11P DIAG DOC ONLY KIT
ZR107-RB		WEM	MBO		5	9/75	Z	11	MS11-CM (BM) DIAG DOC/PAPERTAPE KIT
ZR108-PB		WEM	MBO		5	9/75	Z	11	MS11-CP (BP) DIAG PAPERTAPE ONLY KIT
ZR108-RB		WEM	MBO		5	9/75	Z	11	MS11-CP (BP) DIAG DOC/PAPERTAPE KIT
ZR108-RZ		WEM	MBO		5	9/75	Z	11	MS11-CP (BP) DIAG DOC ONLY KIT
ZR109-RZ		WEM	MBO		5	9/75	Z	11	PDP-11/70 RWS03/04 DIAG DOC ONLY KIT
ZR110-RZ		WEM	MBO		5	9/75	Z	11	PDP-11/70 RWP04 DIAG DOC ONLY KIT
ZR111-RZ		WEM	MBO		5	9/75	Z	11	PDP-11/70 TWU16 DIAG DOC ONLY KIT

MODULE
LIST

M	M	0000	DDDD	U	U	L	EEEE	SSSS
MM	MM	0	D	U	U	L	E	S
M	M	0	D	U	U	L	E	S
M	M	0	D	U	U	L	EEEE	SSSS
M	M	0	D	U	U	L	E	S
M	M	0	D	U	U	L	E	S
M	M	0000	DDDD	UUUU	LLLL	EEEE	SSSS	

LISTING OF MODULES

1 DEC 1975

DICK BEST

THIS IS A LISTING OF MODULES DESIGNED OR MANUFACTURED BY DEC, ARRANGED ALPHABETICALLY BY SERIES. THE FOLLOWING SERIES ARE INCLUDED: 700, 800, A, B, CAB,, C, D, E, F, G, H, K, M, R, S, W, X, Y. THE "PRODUCT LINE" IS THE GROUP WITH THE FINAL RESPONSIBILITY FOR THE MODULE. THE "DESIGN ENGINEER" HAS DESIGN RESPONSIBILITY FOR THE MODULE, AND IS AVAILABLE TO HELP SOLVE PROBLEMS

THE CODES ARE:

PRODUCT LINE

8 = PDP8
 10 = PDP10, ETC.
 A/N = A/N DISPLAYS
 CAT = IN CATALOG
 CLP = COMPUTER LOGIC PRODUCTS
 COM = COMMUNICATIONS, PDP11
 CPL = COMMERCIAL PRODUCT LINE
 CSS = COMPUTER SPECIAL SYS
 DAS = DEC SYSTEM 10 ADVANCED SYSTEMS
 EDU = 8 & 11 FOR SCHOOLS
 FS = FIELD SERVICE
 GRAPH = GRAPHICS ENGINEERING
 IPG = INDUSTRIAL PRODUCTS GROUP
 LDP = LAB 8, LAB 11
 LOGIC = LOGIC PRODUCTS
 LS11 = KD11=F, -H, -J, -L OR -M)
 LVP = LOW VOLUMN PRODUCTION, PARKER ST
 MCE = MECHANICAL CENTRAL ENGINEERING
 MS = MEDICAL SYSTEMS
 MTST = MEMORY TEST (DISCONTINUED PROD LINE)
 PERIPH = PERIPHERAL PRODUCTS
 PROE = PROCESS ENGINEERING
 PS = POWER SUPPLY GROUP
 QC = QUALITY CONTROL (TESTERS)
 SSCAL = SPECIAL SYSTEMS, CALIFORNIA
 SSCAN = SPECIAL SYSTEMS, CANADA
 SSMU = SPECIAL SYSTEMS, MUNICH
 SSUK = SPECIAL SYSTEMS, U. K.
 TE = TEST ENGINEERING
 TEI = TEST ENGINEERING, IRELAND
 TPL = TRADITIONAL PRODUCTS
 TYP = TYPSETTING
 XML = CROSS PROD LINE MEMORY

STATUS CODE

0 = PROJECT CANCELLED
 1 = IN DESIGN, NUMBER ASSIGNED
 2 = IN DESIGN, PROD RELEASE STARTED
 3 = CUSTOM BUILT
 4 = RELEASED TO BUILD
 5 = RELEASED TO PRODUCTION
 6 = OBSOLETE, CAN STILL BE BUILT
 7 = OBSOLETE, CANNOT BE BUILT

NUMBERS AFTER CODE INDICATE MONTH/YEAR OF LATEST CHANGE IN STATUS OR DESCRIPTION

IF ANYONE FINDS INCORRECT OR MISSING INFORMATION CONCERNING THESE MODULES, PLEASE CONTACT DICK BEST, EXT 2273, OR JUNE PAYNE, EXT 2886,

IN ORDER TO FIND THE PRODUCTION STATUS OF ANY MODULE CALL FRANK HALLIDAY, ML4/P70, EXT 6435.

MODEL NO	PRQD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
POWER SUPPLIES				
700	CAT		6	CLASSROOM RACK MTD PWR SUP W SW & PILOT LIGHT
700=D	CAT		6	700=S + TELEPHONE DIAL (USES 900 CONTROL PANEL), 3-W051, 1-R401
700=S	CAT		6	700 + 4 PUSHBUTTON SWITCHES
700=DA	CAT		6	50HZ 700=D
701			6	POWER SUPPLY REGULATOR USED ON CR01=R, =C
702	10	SU	6	MARGINAL CHECK SUP= 728 W SMALLER CAPS & REMOTE VARIAC AND POLARITY SWITCH 115V 60HZ
702=A	10	SU	6	50HZ 702
703	10	WH	6	FAST MEM PWR SUP= +1.8V 6A, =3V 6A REGULATOR FROM A 728 POWER SOURCE
704=A	8		6	8/I PWR SUP= +5V 10A, =15V 5A, =30V 6A, =15V UNFILTERED 5A, 50/60HZ
704=B	8		7	704=A FOR PEDESTAL 8/I
704=C	8		6	704=A W NO MERCURY RELAY
705	10		5	7/72 PDP10 2,5 D MEM & ME10, +10V 3,5A, =15V 24A, 2 FLOATING 10V 4A EA 50/60HZ
705=R	PERIPH	GS	4	19" 705
706	10		6	MEMORY DRIVE PWR SUP; 49V 20A UNREGULATED (G805 FOR 36V 20A REG IN LOGIC) 2,5 D MEM
707	8	MA	1	11/66 BIG 8 SUPPLY (SAME AS 708 BUT MODULES MOUNTED ELSEWHERE)
708	8		6	PDP8 POWER SUPPLY & CONTROL 115V 60HZ
708=A	8		6	50 HZ 708
709	9		6	PDP9 MODULAR 50/60HZ SUPPLY; ALSO FOR LINC 8 & BIG 8
710	CAT		6	+10V 1A SUPPLY
711				
712	9/L	DV	6	NEW PDP9 POWER SUPPLY & CONTROL
713	12		6	VR12 POWER SUPPLY; +/-6V, +/-80V, +400V, +30V
714	14	AR	7	5/73 PDP14 POWER SUPPLY 5V 7,5A, REPLACED BY H752
715	15		5	PDP15 POWER SUPPLY
716	15	DV	5	INDICATOR POWER SUPPLY; +6,5V 4A, 19"X3,5", RF09
716=B	15	JE	5	716 ON A 17" PANEL
716=C	LDP	RI	5	12/74 716 W CHOICE OF OUTPUT VOLTAGES; 6,5V, 8V, 10V (5A)
716=D	LDP	RI	5	12/74 50HZ 716=C, 10V 5A
717	8	WH	6	PC8/L PWR SUPPLY, 115V 50/60HZ
718	8	WH	6	PDP8/L SUPPLY; +10V UNREG, +5V6A, =30V 2,5A TAP AT =15V (FOR SWITCHES) 115V 50/60HZ
718=B	8		6	230V 718
719				
720	CAT		7	POWER SUPPLY FOR LAB MODULES
721	CAT		7	+10V, =3V, =15V LAB MODULE SUPPLY
721=A	CAT		7	721 W =3V SUPPLY DISCONNECTED, INCREASING THE =15V CURRENT 1,5A
722	CAT		6	LAB MODULE SUPPLY; =15V 6,5A, =3V 1A, +10V 1A, 19"X5,25"
722=A	CAT		6	50HZ 722
723				
724	12		6	PDP12 SUPPLY (USES G824)
725	PERIPH	HD	5	TU56 POWER SUPPLY, 115V
725=A	PERIPH	HD	2	6/73 230V 725
726				
727				
728	CAT		5	COMPUTER SUPPLY; =15V 8A, +10V 1A, 17", 115V 60HZ
728=A	CAT		5	50HZ 728
728=B	1		7	728 W NO +10V & 4 =15V TERMINALS
728=C	10	DREW	5	50/60 HZ 728
729	CAT		7	COMPUTER SUPPLY; =15V 6A, +10V 0,5A, 17"
730	CAT		7	DUAL 0 TO 20V 2,5A SUPPLY WITH METERS
730=A	CAT		7	50HZ 730
731	MTST		7	730 W NO METERS & RESISTOR FOR USE IN A DAC, 1510 ONLY
732	CAT		7	730 W NO METERS
732=A	CAT		7	50HZ 732

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
733	1		7	MEMORY POWER SUPPLY
734	1		7	0 TO 20V 1.5A SUPPLY, 115V 60HZ
734-A	1		7	50HZ 734
734-B	5		7	734 FOR PDP5, INCLUDES EXTRA TERMINALS & REVERSING SWITCH
734-C	5		7	50HZ 734-B
734-D	15		6	734-B W METER ACROSS MARGINAL CHECK VOLTAGE INSTEAD OF SUPPLY
734-E	15		6	50HZ 734-D
735	1		7	MEMORY POWER SUPPLY
735-A	1		7	50HZ 735
735-B	1		7	MODIFIED FOR IMPROVED MEMORY DRIVER
735-C	1		7	50HZ 735-B
736	1		7	17" X 4" 30V SUPPLY
737	5		7	INEXPENSIVE 0 TO 20V SUPPLY W POLARITY SW & NO RESONANT XFMR
738	7		7	734 W KNOB & METER REMOTE 115V 60HZ
738-A	7		7	50HZ 738
739	1		7	MEM SUPPLY: 40 TO 60V 3A, 55 TO 75V 2A, 115V 60HZ
739-A	1		7	50HZ 739
739-B				?
739-C				?
739-D	1		7	40 TO 60V 5A, 40 TO 75V 2A, 115V 60HZ
739-E	1		7	50 TO 70V 5A, 65 TO 85V 2A, 50HZ
740	CAT		7	DUAL -15V 7A
741	CAT		7	DUAL 15V SUPPLIES ISOLATED FROM GROUND, 115V 60HZ
741-A	CAT		7	50HZ 741
742	CAT		7	COMPUTER -15V SUPPLY
743	CAT		6	DUAL -15V 1-8, 5A, 19"X5.25", 115V 60HZ
743-A	CAT		6	50HZ 743
744	MTST		7	2 FLOATING 8V SUPPLIES CONNECTED TO X & Y BUSES IN 1511, 1512, CLAMPS TO +/-20V
745	MTST		7	+150V, +150V, +300V USED IN 1510
746	MTST		7	2 8V SUPPLIES TIED TO BUSES IN 1510, CLAMPS TO GND & -40V
747	CAT		7	10V SUPPLY FROM SOLA 7104
748	CAT		7	-15V SUPPLY: 1/2 OF A 740 ON A 19" PANEL
749	CAT		7	3 FLOATING SUPPLIES FOR 50, 51, 60, 61 CURRENT DRIVERS: 150V, 135V, 130V, 6.3VAC
749-A	CAT		7	50HZ 749
750	CAT		7	DC POWER CABLE FOR JOINING 722 TO LAB MODULE MTNG PANELS (901)
760	"		7	+15V & -15V FROM 100-X-1010 XFMR
761	"		7	+10KV FOR CRT, +150V, +135V, +265V
762	MTST		7	1/2 744, OUTPUT MARKED "Z", 3.5" X 19"
763	"		7	10KV 1MA SUPPLY (SEE 770)
764	"		7	0 TO 250V 60MA SUPPLY FOR TEST EQUIPMENT
765	"		7	BENCH POWER SUPPLY
766	CAT		7	FOR SOLID STATE CURRENT DRIVERS: +40V 0.5A, +30V 3A, +30V 3A, +40V 0.5A, 115V 60HZ
766-A	CAT		7	50HZ 766
767	MTST		7	762 IN A 52 CHASSIS (REPLACED BY 773)
768	MTST		7	767 + TERMINAL STRIP FOR +/-20V CLAMPS
769	CAT		7	766 W NEW XFMR: 36V 4A, 45V 1A, -36V 4A, -45V 1A, 115V 60HZ
769-A	CAT		7	9/67 50HZ 769
770	"		7	10KV, +250V, +140V, FIL XFMR, 115V 60HZ (REPLACES 763)
770-A	"		7	50HZ 770
771	MTST		7	BUS -12V SUPPLY
772	"		6	DUAL 36V 5A, 17", 115V 60HZ
772-A	"		6	50HZ 772
773	MTST		7	BUS -12V SUPPLY, REPLACES 771 & 767
773-A	MTST		7	773 W CLAMPS TO +/-20V
774	1		7	COMPUTER -15V 8A, 100X1010, 115V 60HZ (USE 728)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
775	MTST		7	BUS =12V LIKE 773 FOR SPLIT + & -BUS
776	MTST		7 9/67	769 ON 17" PLENUM DOOR 115V 60HZ
776=A	MTST		7 9/67	50HZ 776
777	MTST		7	12V BUS SUPPLY (775 W DIFFERENT CONNECTIONS FOR SCR SWITCHES)
778	.		6	DUAL 15V 8A ON PLENUM DOOR, 17" X 12", 115V 60HZ
778=A	.		6	50HZ 778
779	.		6	+10V 1A, =15V 8A, =30V 4A, 10"X17", 115V 60HZ
779=A	.		6	50HZ 779
780	MTST		7 9/67	12V BUS SUPPLY W ISOLATING CHOKES, NO BIAS CONTROL
781	1		7	16K PDP1 MEM POWER SUPPLY
782	CAT		6	+10V 0.4A, =15V 3A 5.25" X 19" SUPPLY, 115V 60HZ
782=A	CAT		6	50HZ 782
783	CAT		6	+10V 1A, =15V 8A, 10.5" X 19" 728, 115V 60HZ
783=A	CAT		6	50HZ 783
783=C	CAT	OREW	5 11/71	50/60HZ 783
784	CAT		7	=3V ACCESSORY FOR 783
785	.		6	+30V 4A, =30V 4A, 17", 115V 60HZ
785=A	.		6	50HZ 785
786	.		7	25V VARIABLE SUPPLY 5.25" X 19", 115V 60HZ
786=A	.		7	50HZ 786
787	6		6	2 USEC MEM INHIBIT SUPPLY, 40 TO 80V 5A
788	6		6	40 TO 80V 2A 2USEC MEM SUPPLY
789	.		7 8/66	+30V 4A, =30V 4A, 19", 115V 60HZ
789=A	.		7 8/66	50HZ 789
790	CAT		7 11/69	SUPPLY FOR 2500/2600 CURRENT DRIVERS, 115V 60HZ
790=A	CAT		7 11/69	50HZ 790
791	.		7	+/- 80V TELETYPE LINE SUPPLY (A 790 WITHOUT +10V, =15V) 115V, 60HZ
791=A	.		7	50HZ 791
791=B	.		7	791 W REDUCED RIPPLE (<0.5V)
791=C	.		7	50HZ 791=B
792	CAT		7	+/-65V, +/-90V, +/-100V, +/-110V FOR 6 CURRENT DRIVERS OF ANY KIND
793	.	LN	5	+/-80, 75, 70, 60, 55, 50, 45V 400 WATT <0.5V RIPPLE, 115V 60HZ TELEGRAPH LINE SUPPLY
793=A	.	LN	5	50HZ 793 FOR UK & AUSTRALIA
794				
795				
796				
797				
798	.		6	19" 7781 DUAL 15V 8A, 115V 60HZ
798=A	.		6	19" 778=A1 50HZ 798
799	.		6	19" 7791 +10V 1A, =15V 8A, =30V 4A, 115V 60HZ
799=A	.		6	19" 779=A1 50HZ 779

POWER CONTROLS

801	CAT		6	LAB MODULE CONTAINING A RELAY
804	TPL	WH	6	CONT FOR PC01, CR01, 340, 350, 75, 750
810	.	.	7	2 STEP POWER CONTROL, 17" FOR PDP1
811	TPL	JDL	6	POWER CONT W INTERLOCK, 17"
811=A	TPL	JDL	7	POWER CONTROL FOR DUPLEX TAPE, 17", PDP1
811=B	TPL	JDL	7	POWER CONTROL FOR HOLLY PRINTER, PDP1
811=C	TPL	JDL	6	POWER CONTROL FOR MICROTAPE (NOW DECTAPE), PDP1
812	.	.	7	2 1/2 AMP POWER CONTROL FOR TELETYPE PUNCH, FAST ON, SLOW OFF, 17"
813	.	.	6	2-STEP POWER CONTROL, 3 WIRE, 17"
814	.	.	6	2-STEP POWER CONTROL FOR ANELEX PRINTER
814=A	.	.	7	2-STEP POWER CONTROL FOR EXTRA MEMORIES

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
815	CSS		7	POWER CONTROL PANEL, 5X19
816	CSS		7	POWER CONTROL PANEL, 3 1/2 X 19
817	CSS		7	UPPER POWER CONTROL PANEL WITH FRENCH DOORS, 5 7/8 X 19 1/2
818	CSS		7	LOWER POWER CONTROL PANEL WITH FRENCH DOORS, 5 7/8 X 19 1/2
819	TPL	JDL	7	POWER CONTROL FOR PUNCH & READER; PUNCH IS FAST ON, SLOW OFF
820	TPL	JDL	7	SINGLE STEP POWER CONTROL W REMOTE TURN ON, FIDELTYS, CIRCUIT BREAKER, 8X17
821	TPL	JDL	7	MARGINAL CHECK PANEL
822	TPL	JDL	6	POWER CONTROL FOR TAPE UNIT 50
823	TPL	JDL	6	SCR 3-AMP CONTROL
824	"	"	7	POWER CONTROL, 2 SWITCHES; "MAG", "DRIVERS", 3 1/2 OR 5 1/4 X 19
825	TPL	JDL	6	2-STEP POWER CONTROL (813 W 100MS HOLD FOR POWER LOSS)
825-A	TPL	JDL	7	825 W DELAYED OUTPUT CONTROLLING -15V ONLY
826	TPL	JDL	6	811 WITH 3 HG RELAYS, HV CONTROL DC
826-A	TPL	JDL	6	?
827	"	"	7	POWER CONTROL & 10V SUPPLY
828-B	TPL	JDL	6	POWER CONT, 5 1/4X19, CB, 4OUTLETS FRONT, 4 BACK, CHROMACOATED
829	TPL	JDL	6	2-STEP POWER CONT FOR PDP6
830	TPL	JDL	6	2-STEP POWER CONT FOR 57" MAG TAPE TRANSPORT
831	TPL	JDL	6	POWER CONT W TERM STRIP, OPT CB SIZE, LIGHT
832	TPL	JDL	6	2-STEP PWR CONT W HG RELAYS AND ELAPSED TIME METER, 8X17
832-A	"	"	7	2-STEP PWR CONT, 50 HZ, TIME METER (NEVER MADE)
832-B	TPL	JDL	6	2-STEP PWR CONT, 230V 50HZ W METER
832-C	TPL	JDL	6	832 W 30AMP CB
832-D	"	"	5	2-STEP 115V 60HZ 20A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-E	"	"	5	230V 50HZ 20A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-F	"	"	5	115V 60HZ 30A PWR CONT W INTERLOCK, TIME METER, ECO 6/71 TO REMOVE MERCURY
832-K	CSS	RV	5 2/72	832-F EXCEPT HG COMPONENTS REPLACED
833	"	"	7	832 W NO ELAPSED TIME METER (NEVER BUILT)
834	"	"	5	1 STEP HG POWER CONT, 115V 20A, ECO 6/71 TO REMOVE MERCURY
834-B	"	"	5	1 STEP HG PWR CONT, 230V 20A, ECO 6/71 TO REMOVE MERCURY
835	TPL	JDL	4	834 W 6.3V TRANSFORMER
835-B	TPL	JDL	6	834-B W 6.3V TRANSFORMER
836	TPL	JDL	6	DC RELAY PANEL W 4 DIODE INPUT FOR CONTROLLING 832, 834, 853, 854
837	"	"	7	DC RELAY PANEL W 3 DIODES & AC RELAY FOR CONTROLLING 832, 834
838	TPL	JDL	6	POWER DISTRIBUTION PANEL 4X17
839	TPL	JDL	7	3 PHASE PWR CONT FOR 237 DRUM
840	TPL	JDL	7	-15V DELAY PANEL FOR PDP7-A
841-A	15	FA	6	115V 30A PWR CONT FOR PDP9
841-B	15	FA	6	115/230V 30A PWR CONT W SWITCH & HG RELAY
841-C	15	FA	5	115/230V 30A PWR CONT W ROWAN CONTACTOR
842	15	FA	1	RESERVED FOR 19" 841'S
843	15	FA	1	RESERVED FOR 19" 841'S
844	10	KE	5	2-STEP PWR CONT FOR 10 PERIPHERALS
844-B	10	KE	1	19" 844
845	10	KE	6	3 PHASE PWR CONT 115/230V, 60/50HZ
845-C	CSS	AHDAB	2 4/72	845 W 3 PHASE POWER FAIL RESTART
846	10	SU	6	OVERVOLTAGE PROTECTOR (CROWBAR +13V) FOR ADDER PROTECTOR
847	CSS		3	REMOTE PWR CONT (8/I, 17")
847-B	CSS		3	19" 847
848	10	DG	6	1 MALE, 1 FEMALE PLUG, DELAY RELAY (4 SEC) TO DELAY POWER TO TU55'S
849-A	1PG	MORO	5	PWR CONT FOR APC & UDC
849-B	1PG	MORO	1	230V 849-A
849-CA	1PG	FE	2 3/72	849 W THERMAL CUTOFF FOR 11/87 115V
849-CB	1PG	FE	2 3/72	230V 849-CA
850	"	"	1	RELAY PANEL

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
851	.	.	1	RELAY PANEL
852	.	.	1	RELAY PANEL
853=E			5	10-1/2 X 19" 832=E, ECO 6/71 TO REMOVE MERCURY
853=F			5	10-1/2 X 19" 832=F, ECO 6/71 TO REMOVE MERCURY
854			5	7X1V 834, ECO 6/71 TO REMOVE MERCURY
854=B			5	7X1V 834=B, ECO 6/71 TO REMOVE MERCURY
854=C			5	834=B WITH 115 VAC CONTROL INPUT, ECO 6/71 TO REMOVE MERCURY
855	15	DV	5	L FILTERED PWR CONT, 115/230V, 30A FOR RF09
856	15	FLIA	5	19" 836
856=A	15	FD	2	1/75 DC RELAY PANEL (15V RELAY), 19" X 3.5"
857	10	KE	2	7/71 MASTER PWR CONT FOR KI10
858	10	KE	4	4/72 AUX POWER CONTROL W 3 PHASE POWER FAIL (USED WITH 857)
859	15	FD	1	9/74 NEW POP15 POWER CONTROL
860=A	11	BDW	6	3/74 115V 30A PWR CONT FOR TOP OF CAB, 8/E & 11 COMPATIBLE
860=B	11	BDW	6	3/74 230V 15A PWR CONT FOR TOP OF CAB, 8/E & 11 COMPATIBLE
860=C	11	BDW	6	3/74 860=A W BOTH OUTPUTS SWITCHED, 115V
860=D	11	BDW	7	3/74 860=B W BOTH OUTPUTS SWITCHED, 230V
861=A	PS	FL	4	3/74 3 POLE 4 WIRE 16A 2 PHASE 125V POWER CONTROL, 19 X 5.25 INCHES, 3.7KVA
861=B	PS	FL	4	3/74 2 POLE 3 WIRE 16A 230V POWER CONTROL, 19 X 5.25 INCHES, 3.7KVA
861=C	PS	FL	4	3/74 2 POLE 3 WIRE 24 AMP 115V POWER CONTROL, 19 X 5.25 INCHES, 2.75KVA
861=D	PS	DREW	1	11/74 4 POLE 5 WIRE 3 PHASE 24 AMP 120V POWER CONTROL, 19X5.25", 8.3KVA
861=E	PS	DREW	2	2/75 4-POLE 5-WIRE 3-PHASE 15AMP 240V POWER CONTROL, 19 X 5.25", 10.8KVA
861=F	"	GHL	3	2/75 2 POLE 3 WIRE 12AMP 115V POWER CONTROL, 19 X 5.25", 1.38KVA
862=A	PS	PAP	0	8/75 115V 16A TABLE TOP POWER CONT, 4 SWITCHED OUTLETS, NO CKT BRKR, 3 PIN MAT'N/LOCK CONTROL INPUT
862=B	PS	PAP	0	8/75 230V 16A 862=A
863=A	PS	DREW	2	7/74 5 WIRE 115V 75A 3 PHASE POWER CONTROL, KL10
863=B	PS	DREW	2	7/74 5 WIRE 230V 40A 3 PHASE POWER CONTROL, KL10
863=C	PS	DREW	2	8/75 863=A W 3 PHASE UNSWITCHED OUTLET FOR 861=D
863=E	PS	DREW	2	8/75 863=B W 3 PHASE UNSWITCHED OUTLET FOR 861=E
864	PS	DREW	1	7/73 SYSTEM POWER CONTROL (CONTROLS 863, 861, ETC)
865	COM	DES	1	11/75 48VDC 100A POWER CONTROL, 19 X 5.25"
893	R	LN	6	64 FUSES, 1/8 AMP EACH USED W 793 IN DC08=C, EUROPE

COMPLEX ANALOG MODULES

A001	IPG	AKI	5	3/74 11-BIT + SIGN A/D FOR UDC, USES PADDLE BOARD A002, 1=1000 PROG GAIN +/-15V DC/DC CONVERTER, QUAD 8.5
A002	IPG	AKI	4	2/74 8 CH FLYING CAP SOLID STATE MUX PADDLE BOARD FOR A001 (1.5 HZ BANDWIDTH, BIPOLAR)
A002=YA	IPG	RG	2	7/73 A002 W 80HZ BANDWIDTH, UNIPOLAR
A003	SSCAN	OF	3	9/73 CSC, A001 W CONNECTORS FOR X BUS (SEE M7829)
A004	SSCAN	OF	3	9/73 CSC, 4 CH FLYING CAP MUX, BERG INPUTS, X BUS CONNECTIONS (SEE M7829)
A005	IPG	AKI	4	10/75 8 CH FLYING CAP HG RELAY 12-BIT ADC, PROG GAIN, 1 HZ BW, BIPOLAR (A002), HEX
A006	SSCAN	OF	3	3/74 64 SINGLE ENDED OR 32 DOUBLE ENDED MUX W X BUS CONNECTIONS (SEE M7829)
A007	IPG	AKI	4	10/75 16 CH RELAY MUX FOR A005, HEX
A008	LDP	GFS	5	11/75 10 BIT A/D, S & H, 16 CH MUX, SINGLE ENDED, PROG SINGLE OR BIPOLAR (A08-A), QUAD
A009	LDP	RI	2	8/75 AD11-K 16 CH 12-BIT A/D, QUAD
A010	TE	WB	1	6/75 2349 PEAK DETECTOR, QUAD, USED IN UDC
A011	GRAPH	JE	1	6/75 VMVXX, VIDEO ANALOG MODULE, DOUBLE 8.5
A012	LDP	GFS	1	12/75 ADV11, LS111 BUS, 16CH 12-BIT A/D, QUAD

MULTIPLEXERS

A100	CAT		5	MX SWITCH SIMILAR TO 15780, 2 SINGLE POLE TRANS SW, 12V MAX IN
A101			6	(OBSOLETE), MX SW, SIMILAR TO 15781
A102			6	(OBSOLETE), MX SW, SIMILAR TO 15782
A103	CAT		6	10/74 MX SW, SIM TO 15783, 2 SINGLE-POLE SW, 30V MAX IN

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A110			6	(OBSOLETE), RELAY MX, SAME PIN CONNECTIONS AS A100
A111	CAT		5	LOW-LEVEL RELAY MX, 2 3-POLE GUARDED SW, 10V MAX IN, COMMON OUTPUTS, COMMON MODE 200V
A112	IPG		5 11/71	REED RELAY REPLACEMENT FOR A111 (MORE OFFSET & SLOWER, BUT WORKS)
A120			7	(OBSOLETE), 3 BIT FET MX
A121	CAT		5	MX SW, 4 SINGLE-POLE MOS FET SW, 10V MAX IN, INDEP OUT, NEG LOGIC
A122	IPG		6 10/74	A121 WITH 3-INPUT AND GATES & OUTPUTS COMMON
A123	CAT		5	MX SW, POS LOGIC, 4 SINGLE-POLE MOS FET SW, COMMON OUTPUT
A124	IPG	DCE	5	A123 WITH SEPARATE DIGITAL & ANALOG GNDS
A125	IPG	FE	5 2/74	QUAD MULTIPLEX FET SW, OPEN CKT W NO POWER, CAN REPLACE A124, SINGLE 5
A126	LOGIC	PF	5 6/74	8 CH CMOS ANALOG MUX, DOUBLE 5
A127	CSS	JTN	2 6/75	8 CH CMOS DIFF ANALOG MUX (DATEL MMD-8), DOUBLE 5
A130	12	JDL	5	MX FOR LINC, 4 CKTS
A131	12	RI	5	MX FOR POP-12, 8 CHANNELS, DRIVES AN A215
A132			7	(NEVER RELEASED), FET GATE DRIVER
A133	10	DREW	5 11/71	8 CHANNEL FET SWITCH FOR KI10, 0 TO +10V RANGE
A134	CSS	JTN	1 6/75	AR11-EX, 2 INDEPENDENT MUX FOR 8 CH DIFF OR 16 CH SINGLE ENDED, DOUBLE 8.5
A140	15	HL	5	2 CHANNEL ANALOG SWITCH, 2/CARD, USES SWITCHABLE OP AMP, FOR VT15
A141	15	LH	6 10/74	BREAK POINT GENERATOR FOR VT15, USED WITH A311
A142				
A150	IPG	MORO	5	8 CHANNEL FLYING CAP MUX, 0/QUAD, CONNECTOR ON HANDLE END FOR INPUT
A151	IPG	MORO	5	BLOCK SELECT FOR AM07-A
A152	IPG	MORO	2 3/72	SOLID STATE A150
A153	IPG	MORO	1 11/71	SOLID STATE A151
A160	CAT	DCE	5 7/73	8 CHANNEL MUX (ANALOGIC), 20-A160, DOUBLE X 5
A161	CAT	DCE	5 7/73	8 CH MUX WITH 111 AMP (ANALOGIC), 20-A161, DOUBLE X 5
A162	CAT	DCE	5 7/73	8 CH MUX WITH DECODER & ENABLE (ANALOGIC), 20-A162, DOUBLE X 5
A163	CAT	DCE	5 7/73	8 CH MUX WITH 111 AMP, DECODER, & ENABLE (ANALOGIC), 20-A163, DOUBLE X 5
A164	CAT	DCE	6 10/74	8 CH CONSTANT IMP MUX (ANALOGIC), 20-A164, DOUBLE X 5
A165	CAT	DCE	6 10/74	8 CH CONST IMP MUX WITH 111 INVERTING AMP, (ANALOGIC) 1000 OHMS/VOLT, 20-A165, DOUBLE X 5
A166	CAT	DCE	6 10/74	8 CH CONST IMP MUX WITH DECODER(ANALOGIC), 20-A166, DOUBLE X 5
A167	CAT	DCE	6 10/74	8 CH CONST IMP MUX WITH 111 INV AMP (ANALOGIC) 1000 OHMS/VOLT, WITH DECODER, 20-A167, DOUBLE X 5

AMPLIFIERS

A200	CAT		6	DIF OP AMP, HIGH DC GAIN, PURCHASED, ENCAPSULATED, 10V, 20 MA OUT
A200-YA	IPG		5	-10V TO +10V INPUT, 0V TO -10V OUTPUT
A200-YB	IPG		5	0V TO -10V IN, 0 TO -10V OUT
A200-YC	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A200-YD	IPG		5	-5V TO +5V IN, 0 TO -10V OUT
A200-YE	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A200-YF	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A201			6	(OBSOLETE), OP AMP SIMILAR TO 1751
A202	12	RI	5	2 ANALOG PREAMPS, FOR POP8/L
A203			7	CAPSTAN SERVO PREAMP
A204	DIS		7	DEFLECTION PREAMP
A206	CAT		6	DIF OP AMP, FAST SETTLING, PURCH FROM ANALOG DEVICES, 10V, 15 MA OUT
A207	CAT		5	DIF OP AMP, ECONOMICAL, GENERAL PURPOSE, 10V, 15 MA OUT
A207-YA	IPG		5	-10V TO +10V INPUT, 0V TO -10V OUTPUT
A207-YB	IPG		5	0V TO -10V IN, 0 TO -10V OUT
A207-YC	IPG		5	0V TO +10V IN, 0 TO -10V OUT
A207-YD	IPG		5	-5V TO +5V IN, 0 TO -10V OUT
A207-YE	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A207-YF	IPG		5	0V TO +5V IN, 0 TO -10V OUT
A207-YH	IPG		5	0 TO -10V IN, 0 TO +10V OUT
A207-YJ	IPG		5	0 TO -10V IN, -10 TO +10V OUT

MODEL NO	PRQD LINE	DES FNCR	STATUS MO/YR	DESCRIPTION
A207=YK	IPG		5	0 TO +10V IN, -5 TO +5V OUT
A207=YL	IPG		5	-10,51V TO +10,51V IN, 0 TO +10,51V OUT
A207=YM	IPG		5	0 TO +10V IN, +10,51V TO 0V OUT
A207=YN	IPG		5	0 TO -10,51 IN, 0 TO +10,51V OUT
A207=YP	IPG		5	0 TO +5V IN, +10,51V TO 0V OUT
A207=YR	IPG		5	0 TO -5,25V IN, 0 TO +10,51 OUT
A207=YS	IPG		5	-5V TO +5V IN, +10,51V TO 0V OUT
A208	DIS	LH	6 10/75	POWER OP AMP FOR REMOTE DISPLAY FROM 338 DISPLAY, 200 MA OUT
A209		CL	5	2 PREAMPS FOR 0 TO +2V, MODIFIED A202 FOR LINC, GAIN OF 5
A210	IPG	MORO	5	X1 AMP FOR GASCHROM=8, HIGH COMMON MODE VOLTAGE AND REJECTION
A211	IPG	MORO	5	X10 AMP, SIMILAR TO A210
A212	IPG	MORO	5	VARIABLE GAIN AMP, X1 TO X256, FOR GASCHROM=8, DOUBLE WIDTH & THICKNESS
A213	IPG	FE	6	10 CPS LOW PASS ACTIVE FILTER, FOR GASCHROM=8
A214	12	RI	5	DUAL X5 AMP FOR PDP=12
A214=YA	12	RI	5	0 TO +2V IN, X5
A214=YB	12	RI	5	+/- 5V IN, X1
A214=YC	12	RI	5	+/-10V IN, X 1/2
A214=YD	12	GPR	5	0 TO -2V IN, X5
A214=YE	12	GPR	5	0 TO +10V IN, X1
A214=YF	12	GPR	5	0 TO +5V IN, X2
A214=YH	CSS	DH	3 10/70	0 TO +1V IN X10, 0 TO -1V IN X10
A214=YJ	CSS	DH	3 10/70	-1,5 TO +1,5 IN X10, -1,5 TO +1,5V X5
A214=YK	CSS	DH	3 10/70	-1,5V TO 4,5V IN X2, -1,5 TO 9,5V X1
A215	12		5	ANALOG BUFFER FOR PDP=12, USED WITH A131
A215=YA	12		5	A215 WITH FILTER CAPS REMOVED, J2=0V, H2=+10V
A215=YB	12		3 5/73	A215 WITH FILTER CAPS REMOVED, J2= -1V, H2=+1VOLT
A216	IPG	MORO	5	ROUTERWORTH FILTER, 2 CPS, REPLACES A213 EXCEPT FOR POLARITY
A217	15	LH	5	SUMMER-DRIVER FOR VT15, 5 PFT INPUTS, ONE W OFFSET POT, X=1, 10K IN, BUF OUT
A217=YA	CSS	JJL	3 2/70	A217 WITH GAIN OF 1 AND NO OFFSET
A217=YB	CSS	JJL	3 2/70	A217 WITH GAIN OF 2 AND NO OFFSET
A218	12	PI	5	DUAL DAC BUFFER FOR LINC/8 RETROFIT
A219	IPG	MORO	5	SWITCHED GAIN AMPLIFIER, 8 GAIN POSITIONS, FOR AM07
A220	IPG	FE	5	SELECTABLE GAIN NON-INVERTING AMP, GAINS OF 1,2,4, OR 8, 0 TO +10V IN, +/- 10V OUT, 1 US TO .01X
A221	15	DR	5	TWO ANALOG CABLE DRIVERS, DIF INPUT, GAIN OF 1/2, CKT OF A217, 5% OHM LOAD, +/- 5V OUT
A222	IPG	MORO	5	LOW DRIFT A220
A223	IPG	MORO	5	3RD ORDER BESSEL FILTER FOR AM05, 3 MS RISE TIME TO .01%, -20 DB AT 2 KHZ
A224	12		5 11/71	SINGLE CH RI-POLAR DIFF AMP, GAIN=5, 100 MEG OHM INPUT, 74 DB CMR, +/-10V OUT
A224=YA	12		5 11/71	A224 WITH GAIN OF 2, +/- 5V IN
A224=YB	12		5 11/71	A224=YA WITH 2X ATTEN AT INPUT; +/-10V IN, 27K INPUT Z, GAIN OF 1
A224=YC	12		5 11/71	A224 WITH GAIN OF 10, +/- 1V IN
A225	12	LH	5 11/71	DEFLECTION AMP FOR 4 AMP YOKE , VR14
A225=YA	12	LH	5 5/73	REDUCED GAIN A225 FOR PDP15, CREATED BY ECO
A225=YB	LDP	HL	5 5/73	A225 W FASTER SETTLING TIME, GT40
A226	12	RG	5 11/71	SINGLE CH DIFF AMP, GAIN=10, UNI-POLAR, +2 INPUT, +/-10V OUT, JUMPER CHANGE FOR NEG INPUTS
A226=YA	12		5 11/71	A226 EXCEPT GAIN = 4, 0 TO +5 INPUT
A226=YB	12		5 11/71	A226 EXCEPT GAIN = 2, 0 TO +10 INPUT, 27K INPUT Z
A226=YC	12		5 11/71	A226 WITH GAIN OF 20, 0 TO +1V IN
A227	15	RQ	3 2/75	DUAL LAG & INTENSITY DECODER W Z AXIS DRIVER, FOR VS04 & RM503
A228	15	HL	5	A217 WITH ONE INVERTING INPUT
A229	IPG	EK	3 5/73	DIF AMP + SPACE FOR FILTER
A229=YA	IPG	EK	3 5/73	A229, 17 HZ LOW PASS, 4 POLE
A229=YB	IPG	EK	3 5/73	A229, 2000 HZ LOW PASS, 4 POLE
A229=YC	IPG	RG	6 6/72	A229, 10 HZ LOW PASS, 4 POLE
A229=YD	IPG	RG	3 1/74	A229, 2 POLE 4 HZ LOW PASS
A229=YE	IPG	RG	3 1/74	A229, 1,5 HZ LOW PASS PASSIVE FILTER

MODEL NO	PROD LINE	DES ENGR	STATUS MU/YR	DESCRIPTION
A230	IPG	RG	5 11/71	DUAL DIFF OP AMP, SPACE FOR RESISTORS, (2 741'S), OUTPUT RANGE OF +/-10V
A230=YA	IPG	RG	2 4/71	FOLLOWER IN CH 1, 2 INPUT DIFF ADDER CHAN 2, GAIN OF 1
A230=YB	IPG	RG	2 4/71	FOLLOWER IN CHAN 1, INVERTER IN CHAN 2 WITH GAIN OF =1 OR =0.5
A230=YC	IPG	RG	5 11/71	2 DIFF 2 INPUT ADDERS, GAIN OF 1
A230=YD	IPG	RG	2 4/71	INVERTER IN CHAN 1, GAIN OF 0.0625, INVERTER IN CHAN 2, GAIN OF =4
A230=YE	IPG	RG	2 4/71	INVERTER IN CHAN 1 WITH GAIN OF =0.1, INVERTER WITH GAIN OF =1 IN CHAN 2
A230=YF	IPG	RG	2 9/71	CH 1 GAIN OF =2 OR =3; CH 2 FOLLOWER
A231	R/E	GPR	5 4/72	64 CH MUX CONTROL FOR A232 & A841
A232	R/E	GPR	5 9/72	8 PREAMPS & 8 CH MUX EXPANSION, A131 & A215 CKTS, AMB-EB
A233	IPG	RG	5 11/71	4 CH PADOLE BOARD FOR A633, A634, 0 TO +10V, QUAD X 5
A233=YA	IPG	RG	3 7/73	A233 WITH +/-10V OUTPUTS
A234	IPG	RG	5 11/71	A233 EXCEPT +1 TO +5V
A235	IPG	RG	5 11/71	A233 EXCEPT 4 TO 20 MA
A236	IPG	RG	5 9/72	A233 EXCEPT 13 TO 50 MA
A238	15	HL	4 2/74	DUAL IMPROVED A228
A239	IPG	MORO	2 3/72	SW GAIN AMP, 8 RANGES
A240	IPG	TM	2 4/72	FILTER, 3RD ORDER BESSEL, PROG BANDWIDTH
A241	LDP	JL	4 7/73	4 PREAMPLIFIERS, MANUALLY SWITCHED 0 TO +2V, +/-5V, 0 TO +10V IN, +/-5V OUT, LOW TC, DOUBLE 8,5
A242	LDP	JL	4 5/73	A241 W +/-1V IN, +/-5V OUT ONLY
A243	IPG	RG	4 2/74	DUAL 1 MEGOHM INPUT DIFF AMP, GAIN=1, +/-10V OUT, SPACE FOR 2ND STAGE OF GAIN, SINGLE 5
A243=YA	IPG	RG	4 2/74	A243 W 1.5 HZ LOW PASS FILTER
A243=YB	IPG	RG	2 7/73	A243 W 0.5 USEC FILTER ON OUTPUT
A244	IPG	DER	5 2/74	DUAL 10 MEGOHM INPUT DIFF AMP, GAIN=1, +/-10V OUT, SPACE FOR 2ND STAGE OF GAIN, SINGLE 5
A244=YA	IPG	DER	3 1/74	A244 WITH 1.5 HZ RC FILTER
A244=YB	IPG	DER	1 9/73	ONE 10-MEG INPUT DIFF AMP, GAIN = 1, SINGLE ENDED X10 AMP, BOTH +/-10V OUT
A244=YC	IPG	DER	1 11/73	DUAL SINGLE ENDED FOLLOWER, +/-10V
A244=YE	IPG	DER	1 11/73	DUAL 5:1K INPUT DIFF AMP, GAIN=1, +/-10V
A245	SSCAN	OF	1 4/74	SELECTABLE GAIN AMP FROM XBUS (SEE M7828), GAINS OF 1, 10, 100, 1000, QUAD
A260	CAT	DCB	5 7/73	DUAL DIFFERENTIAL OP AMP, 20=A260, DOUBLE X 5

GENERATORS

A300	MTST		6 10/74	X10 AMPLIFIER
A310	IPG	MORO	6 10/74	4X LINE FREQUENCY CLOCK, GASCHROM=8 (INTEGRATOR & 2 COMPARATORS)
A311	15	HL	7 5/74	BASIC VECTOR GENERATOR FOR VT15, REPLACED BY A318
A312	DIS	BM	5	ANALOG FUNCTION GENERATOR FOR KV8/I
A312=YA	DIS	BM	5	A312 WITH LONGER TIME CONSTANTS FOR MULTIPLE TERMINALS
A313	DIS	BM	1 9/68	WRITE THROUGH OPTION CARD FOR KV8/I
A314	DIS	BM	6 10/74	COMPARATOR, USED IN VT02 TERMINAL (WITH KV8/I)
A315	IPG	GFS	5	ABSOLUTE AMPLIFIER WITH SIGN BIT
A316	R/E	ADL	7	(OBS), ANALOG FUNCTIONS FOR VS8=E, QUAD, 8,5, A312 PLUS
A317	15	HL	6 7/73	ARBITRARY VECTOR FOR VT15, DOUBLE 8,5 (WILL BE REPLACED BY A3170)
A3170	15	HL	4 2/74	ARBITRARY VECTOR FOR VT15, REPLACES A317, DOUBLE 8,5
A318	15	HL	5 2/74	BASIC VECTOR GENERATOR FOR VT15, IMPROVED A311, DOUBLE 5
A3180	15	AA	4 2/74	ARBITRARY VECTOR GENERATOR FOR VT15, REPLACES A318 IN ARBITRARY SYSTEMS, DOUBLE 8,5
A319	15	GDG	2 7/71	X & Y COMPARATOR, VH01=PS, DOUBLE X 5
A320	LDP	HL	5 3/74	VECTOR GENERATOR & DRIVER FOR VT40, HEX 8,5
A321	LDP	AA	2 8/73	GT48 CHARACTER GENERATOR, QUAD
A322	LDP	BOG	5 11/73	VT48 VECTOR GENERATOR, 4 LAYER HEX
A323	LDP	HL		
A324	LDP	HL		
A325	LDP	HL		

SAMPLE & HOLDS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A400	CAT		5	SAMPLE & HOLD, GAIN OF =1, 10V MAX IN, NEG LOGIC
A401	12	RI	5	SAMPLE & HOLD, USED ON LINC=8, SIMILAR TO A705
A402	DIS		7	(OBSOLETE), FOLLOW & HOLD, EQUIV TO 1575
A403			7	(NEVER MADE)
A404	CAT		5	SAMPLE & HOLD, SIM TO A400, POS & NEG LOGIC CONTROL, 6 USEC ACQUISITION
A405	11		5	SAMPLE & HOLD, POS LOGIC ONLY, 2 US ACQUISITION, REPLACES A404 IN POP12 & AD31
A406	LDP	JL	4 5/73	SAMPLE & HOLD (1% BIT ACCURACY) SINGLE 8,5
A407	LDP	JL	5 2/74	A406 8 CH MUX, SINGLE 8,5
A408	LDP	JL	4 3/74	8 CH SWITCHED GAIN MUX (1, 4, 16, 64), SINGLE 8,5
A409	LDP	RI	1 11/75	AH11-K, SAMPLE & HOLD
A440	12		5 12/71	4 CHANNEL SAMPLE & HOLD (SIMILAR TO A405)
A460	CAT	DCR	5 7/73	SAMPLE & HOLD WITH NO INPUT BUFFER, 20=A460, DOUBLE X 5
A461	CAT	DCR	5 7/73	A460 WITH AN INPUT BUFFER, 20=A461, DOUBLE X 5

COMPARATORS

A500	MTST		7	(OBSOLETE), HIGH SPEED DIF AMP & SLICER FF, REPLACED BY A501
A501	MTST		6	(OBSOLETE), A500 WITH DIFFERENT PINS, NO INTERNAL POT, SLICER FF
A502	CAT		5	COMPARATOR WITH 1 MV RESOLUTION, DIF IN (SIM TO 1972), NEG LOGIC
A503	MTST		7	(OBSOLETE), SLICER FF
A504	MTST		7	(OBSOLETE), DISCRIMINATOR WITH FF
A505	IPG	RG	2 9/72	DUAL VOLTAGE LEVEL DETECTOR, ADJUSTABLE FROM +10V TO -10V, SINGLE 5

DACs

A6000	LDP	GFS	5 5/73	12 BIT D/A W REF, CURRENT OUTPUT, REQUIRES +/-15V, 2 3/8 X 3 3/4 SUBASSEMBLY
A6000-YA	LDP	GFS	3 9/72	A6000 W 10-BIT ACCURACY
A6000-YB	LDP	GFS	1 1/74	A6000 EXCEPT OFFSET REFERENCE VOLTAGE AT PIN 1 EXCEEDS -1 TO +1.16 V RANGE
A6001	LDP	ACF	1 12/75	AAV11, LSI11 BUS, 8CH 12-BIT D/A, QUAD
A601	CAT		5	D/A, 0,25% ACCURACY, 3 BIT LADDER SECTION FOR 0 TO -10V DAC, NEG LOGIC
A602			4	(OBSOLETE), 3-BIT BINARY DAC, MED ACC
A603			6	(OBSOLETE), 3-BIT BINARY DAC, HIGH ACC
A604	CAT		5	D/A, 0,25% ACC, 2 BIT LADDER SECTION FOR 0 TO -10V DAC, NEG LOGIC
A605	CAT		3 10/74	A604 WITH 0,205% ACC
A606	CAT		5	A604 WITH DIF WEIGHTING RESISTORS, USED WITH A604 FOR 2421 BCD
A607	IPG		5	CHEAP 10 BIT DAC FOR DISPLAY
A608	CAT		5	D/A, 10 BITS, 0 TO +10V OUT, SINGLE BUFFER, POS LOGIC
A609	CAT		5	D/A, 10 BITS, -5 TO +5V OUT, SINGLE BUFFER, POS LOGIC
A610	CAT		5	A608 WITH DOUBLE BUFFER
A611	CAT		3 10/74	A609 WITH DOUBLE BUFFER
A612	DIS	RM	5	10 BIT DAC WITH FET GATE DRIVERS, KVB/I
A613	CAT		5	D/A, 12 BITS, BINARY OR BCD, 0 TO +10V OUT, POS LOGIC
A614	IPG	RG	5	12 BIT DAC WITH BUF REG, +/-10V, 8,5, DOUBLE
A615	12	RI	5	9 BIT DAC FOR POP=12, WITH DUPLICATE INPUTS TO 2ND & 3RD LSB'S
A616	CSS	JJL	4 4/71	ANALOG DEVICES MINIDAC, 10 BIT, 40 NS DAC
A617	R	ADL	2 3/70	2 3-BIT DACS & COUNTER, FOR CHAR GEN V48 IN KVB
A618	CAT		5	A608 USING +5V SUPPLY INSTEAD OF +10V
A618-YA	15	LH	5	A618 WITH 0 TO +5V INPUT & SUMMING NODE BROUGHT OUT
A619	CAT		5	A609 USING +5V SUPPLY
A620	CAT		5	A610 USING +5V SUPPLY
A621	CAT		5	A611 USING +5V SUPPLY
A622	15	LH	5 7/71	10-BIT SINGLE BUFFERED DAC, 5 USEC SETTLING TIME, VT15
A623	15	RF	5 1/72	12-BIT DOUBLE BUFFERED DAC, 10 USEC SETTLING TIME, AA15
A624	15	GDG	2 7/71	10-BIT BUFFER & DAC, 0 TO +5V, SINGLE X 5
A625	LDP	AW	5 10/73	2 12-BIT DACS, +/-5V

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A633	IPG	RG	5 12/71	4 D/A'S, 10 BITS, UNIPOLAR, USED WITH A233, 4, 5, 6, 0 TO +10V, QUAD X 3, 5, FOR UDC
A633A	IPG	AK	5 11/75	4 CHANNEL 12-BIT DAC, 0 TO +10V, 4 TO 20 MA, HEX, ICMDA-QA
A634	IPG	RG	3 5/73	2 D/A'S, 12 BITS, UNIPOLAR, USED W A233, 4, 5, 6, 0 TO +10V, QUAD 8, 5 FOR UDC11
A635	SSCAN	OF	3 9/74	CSC 8 B-BIT DACS, INPUTS FROM M1003, QUAD
A636	TE	WB	1 6/75	2349 DUAL ISOLATED DACS, 10 & 6 BIT, QUAD, USED IN UDC
A637	SSCAL	RW1	3 10/75	12-BIT TWO'S COMPLEMENT MULTIPLYING DAC, SINGLE 5
A638	LDP	RI	1 11/75	AA11-K, 8 CHAN 12-BIT DAC
A660	CAT		6 8/75	12 BIT MULTIPLYING DAC, +/-10V REF RANGE, OUTPUT IS 0 TO REF, BIN ABS VALUE, 20-A660, DBLE X 5
A661	CAT		5 7/73	A660, EXCEPT BCD ABSOLUTE VALUE, 20-A661
A662	CAT		5 7/73	A660, EXCEPT 2'S COMPLEMENT, 20-A662
A663	CAT		6 8/75	A660, EXCEPT BINARY ABSOLUTE VALUE WITH REGISTER, 20-A663
A664	CAT	DCR	5 7/73	DUAL 8-BIT DAC, 0 TO +10V, 30 USEC, 20-A664, DOUBLE X 5
A665	CAT	DCR	1 5/71	SINGLE 8-BIT DAC, 0 TO +10V, 30 USEC, 20-A665, SINGLE X 5

POWER SUPPLIES

A700			7	(CANCELLED)
A701	IPG		6 10/74	POWER SUPPLY, +15V IN, +10V & +3V OUT
A702	CAT		5	+10V REF SUPPLY, SIM TO 1562, 30 MV REG, -60 TO +60 MA OUT
A704	CAT		5	+10 REF SUPPLY, LIKE 1704, 0.1 MV REG, 0.1 MV P-P RIPPLE, +90 TO +40 MA OUT
A705			7	(OBSOLETE), SAMPLE & HOLD
A706	12		5	POWER SUPPLY FOR A202, USED ON LINC-8
A707	IPG		1 9/68	A704 BUFFER
A708	IPG		5 12/72	VOLTAGE REG, ADD1-A, +15V & +20V IN, +5V @ 1.1A, +15V @ .2A OUT
A709	IPG	RG	1 12/72	+/-10V REFERENCE SUPPLY, 50MA, SINGLE 5
A712	IPG	PH	5	VOLTAGE REG FOR KVS/I, +/- 12V @ 100 MA FROM +/- 15V
A760	MOD	DCR	5 7/73	DUAL 15V 100 MA (150 TOTAL) FROM 5V 1.1A ANALOGIC, DOUBLE X1 X 5, 20-A760
A761	MOD	DCR	5 7/73	2 A760 ON ONE CARD, DOUBLE X 1 X 5, 20-A760

A/D CONVERTERS

A800			6	(OBSOLETE), A/D, 10 BITS, WITHOUT INTERNAL REF
A801	CAT		5	A/D, 10 BITS, 0 TO +10V IN, 10 USEC CONV TIME, WITH INT REF, POS LOGIC
A802	IPG	MORO	1 4/70	12 BIT + SIGN A/D, 8, 5" QUAD, 20 USEC
A803	CAT	DCR	1 7/71	8-BIT A/D, ANALOG DEVICES MICRO-DAC
A804	LDP	JL	5 10/73	12 BIT A/D, +5 TO +5V
A810			7	(NEVER RELEASED)
A811	CAT		5	A801 USING +3V SUPPLY INSTEAD OF +10V
A812	11		5 1/72	10 BIT A/D, 0 TO +10V INPUT, 10 USEC CONV TIME
A841	S/E	GPP	4 5/73	10 BIT A/D WITH S&H, A405 + A811 CKTS, A08-E4
A860	CAT		5 7/73	12 BIT A/D (SIGN + 11 BITS MAGNITUDE) +/-2V IN, 9 MSEC, 20-A860
A861	CAT		5 7/73	12 BIT A/D UNIPOLAR, 0 TO +10V IN, 48 USEC, 20-A861
A862	CAT		5 7/73	12 BIT A/D BIPOLAR, +/-10V IN, 48 USEC, 20-A862
A863	IPG	MORO	1 12/71	12 BIT A/D BIPOLAR +/- 10V IN, 48 USEC, 20-A863
A864	12		5 7/73	15-BIT BIPOLAR +/-10V A/D, 10 USEC, 3 THICK, DOUBLE X 5
A865	LDP		1 4/72	REPACKAGED A864 DOUBLE 8, 5, 2 THICK
A866	LOGIC	DCR	5 1/74	12 BIT 15 USEC A/D, PHOENIX DATA, DOUBLE 5, 20-A866
A872	IPG	MORO	2 5/73	12 BIT A/D, BIPOLAR, +/-10V IN 18 USEC, PHOENIX DATA, LIKE A862 EXC NO SERIAL OUTPUT, 30-10098
A873	IPG	EK	2 5/73	11 BIT BIPOLAR +/-10V IN, 6 USEC, PHOENIX ADC711 ON DEC BOARD, DOUBLE X 1 X 5
A874	IPG	RG	2 5/73	12-BIT BIPOLAR +/-10V IN, 6, 5 USEC, PHOENIX ADC712 ON DEC BD, DBLE X 1 X 5
A875	IPG	RG	1 2/72	12 BIT 0 TO +10V A/D, 6, 5 USEC, PHOENIX ADC712 ON DEC BOARD, 30-10861-52
A877	IPG	MORO	1 9/70	13 BIT A/D, BIPOLAR, +/-10V IN, 36 USEC, PHOENIX, DOUBLE X 8, 5
A878	IPG	MORO	1 12/71	13 BIT A/D BIPOLAR, +/- 10V IN, 10 USEC, ANALOGIC, DOUBLE 5, 20-A878
A879	IPG	RG	2 5/73	12 BIT A878, 4 USEC, 20-A878
A880	IPG	RG	1 5/72	11 BIT A878, 20-A880

MODEL NO.	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
A881	IPG	RG	2 5/73	10 BIT A878, 2.5 USEC, 20=A881
A882	IPG	DER	1 2/74	14 BIT UNIPOLAR A/D, 0 TO 410V IN, 45 USEC, PHOENIX, SAME ETCH AS A877, DOUBLE 6.5, 20=A882

SIGNAL CONDITIONING CARDS, MISC.

A900	IPG	MORO	4 7/73	8 CHANNELS, 0 TO 12V, WITH 8 PAIR FORKED LUGS FOR TWISTED PAIR CABLE, PLUGS INTO A150
A901	IPG	MORO	6 9/70	A900 EXCEPT 0 TO 100V, PLUGS INTO A150
A902	IPG	MORO	6 9/70	A900 EXCEPT 0 TO 50 MA, PLUGS INTO A150
A903	IPG	MORO	5	8 CH, 0 TO 12V WITH FINGERS ON HANDLE END FOR H807, PLUGS INTO A150, DOUBLE X 6"
A903-YA	IPG	RG	3 5/73	A903 MODIFIED FOR +/- 10V
A904	IPG	MOPO	5	A903 EXCEPT 0 TO 100V
A905	IPG	MOPO	5	A903 EXCEPT 0 TO 50 MA
A906	SSCAN	OF	3 3/74	DOUBLE ENDED FILTER FOR A906
A907	IPG	AKI	2 2/75	ISH-1A, HEX MU-METAL SHIELD
A913	IPG	MORO	2 2/72	A903 WITH FUSE
A914	IPG	MORO	1 11/71	A904 WITH FUSE
A915	IPG	MORO	2 1/72	A905 WITH FUSE
A920	SSCAL	FWI	3 6/75	DUAL RMS TO DC CONVERTER, SINGLE 8.5, DOUBLE THICK
A990	CAT		5	AMPLIFIER BOARD FOR MOUNTING OP AMP (NOT INCLUDED)
A992	CAT		5	AMPLIFIER BOARD
A995			7	(CANCELLED)

B SERIES MODULES, GATES

B104	CAT		5	4 INVERTERS, 3 LOADS
B104-YA	TPL	MI	2 3/72	2 MA FAN IN, 3 & 4.7K LOADS
B105	CAT		5	5 INVERTERS, 5 LOADS
B113	CAT		5	4 2-INPUT NEG NAND GATES, 3 LOADS
B115	CAT		5	3 3-INPUT NEG NAND GATES, 3 LOADS
B117	CAT		5	2 6-INPUT NEG NAND GATES
B123	CAT	DOANE	5	4 2-INPUT SERIES TRANSISTOR GATES, 3 LOADS
B124	CAT	WH	5	5 SETS OF 3 INVERTERS IN PARALLEL, 3 LOADS
B129	15		6	(ORS), PDP7X INVERTER LOGIC
B130	CAT	DOANE	5	4 3-INPUT ANDS ORED, BOTH OUTPUTS, PARITY FOR 3 BITS
B131	15		5	PDP9 ADDER
B132	15		5	PDP9 LINK ADDER
B133	10	WH	5	2 MA EQUIV TO B113
B134	10		5	4 2-INPUT POS AND GATES, 3 LOADS, 2MA EQUIV TO B124
B135	10	WH	5	2 MA EQUIV TO B115
B136	10	WH	5	3 MA B134
B137	10	WH	5	2 MA EQUIV TO B117
B138	10	SU	5	PDP10 ADDER (B131 WITH ADDED DIODE TO KILL THE CARRY QUICKLY)
B141	10	WH	5	7 2-INPUT GATES, 2 MA INPUT EQUIV TO B141
B142	8		5	DIODE GATE, B141 WITH 10 MA LOADS ON INPUTS F,J,L,N,R,T,V, FOR PDP8
B152	10		5	BINARY-TO-OCTAL DECODER, B151 WITH HIGHER FAN-IN & NO CLAMP LOADS & NO EMITTER GATING
B155	CAT	WH	5	HALF BIN-TO-OCTAL DECODER, 2 BITS, 2 ENABLE INPUTS
B156	10		5	2 MA EQUIV TO B155
B163	10		5	6 2-INPUT GATES, 1 PAIRED COMMON INPUT, 2 MA EQUIV OF B123
B165	10		5	2 MA DIODE EQUIV OF B125
B166	10		5	COUNTING GATE FOR SC ADDER OF PDP10
B167	10		5	5 2-INPUT NANDS ORED TO 4 OUTPUTS WITH 2 ENABLE INPUTS, 2X4
B168	10		5	4 3-INPUT NANDS ORED TO 3 OUTPUTS WITH 3 ENABLE INPUTS, 3X3
B169	15		5	DIODE GATE EQUIV TO B129, PDP9, 8 2-INPUT NANDS ORED TO 2 OUTPUTS, 4 ENABLE INPUTS, 4X2
B169-YA	10	SU	4 2/74	B169 W NO LOAD RESISTORS (MF10)
B171	CAT		5	6 SETS OF 2-INPUT ANDS ORED, BOTH POLARITIES OUT, PDP7

MODEL NO	PROD LINE	DES ENCR	STATUS MO/YR	DESCRIPTION
B172	10		5	FASTER B171, 2 MA FAN-IN
B173	10	SU	5	14 INPUT NEG NAND GATE W ONE INPUT PRECEDED BY A 10 IN POS NAND, ME10
R101	CSS	JJL	2 7/71	10MHZ R101 DC CARRY CHAIN
B191	10		7	(NEVER MADE), ADDER, PDP10
B192	10		7	(NEVER MADE), NEGATIVE LOOK AHEAD ADDER, PDP10
B193	10		7	(NEVER MADE), POSITIVE LOOK AHEAD ADDER, PDP10
B198	10		8	PROTECTION COMPARATOR, PDP10 MEM, 0 & -3V IN & OUT, COMPARES 2 8-BIT WORDS
B199	10		5	FM ADDRESS DECODER FOR B250 IC'S, DOUBLE

FLIP-FLOPS

B200	CAT		6 10/74	CHEAP 10 MC COUNTING FF
B201	CAT		5	SINGLE FF
B204	CAT		5	4 FF'S
B210	15		6 10/74	AR FOR PDP7
B211	10		6	FF, BUFFERED, NO DELAY
B212	10		5	DUAL RS FF, PDP10, BUS DRIVER OUT, DELAYED & NOT DELAYED RS INPUTS
B213	15		5	PDP9 FF, SINGLE INPUT JAM, NO DELAY
B214	10		5	4 FF'S, B204 MADE OUT OF 3 MA DIODE GATES
B250	10		5	FF MEMORY, PDP10, FAIRCHILD IC'S, 8X12 BITS/CARD, DOUBLE BOARD

DELAYS

B301	CAT		5	10 MC ONE SHOT
B305	MTST		1 3/67	10 MC ONE SHOT, RAMP GENERATOR, INTERNAL OR REMOTE (PROGRAMMABLE) DELAY
B310	10		5	4 DELAY LINES, DOUBLE SIZED
B311	10		5	TAPPED DELAY LINE, 200 NSEC, 25 NS STEPS, EMITTER FOLLOWER INPUT
B312	10		5	DELAY LINE, B311 CONTINUOUSLY VARIABLE, DIODE INPUT, PDP10
B320	MOD	DOANE	1 11/65	TAPPED DELAY WITH PULSE AMP, 25-200 NSEC IN 25 NSEC STEPS
B360	CAT		5	SCREWDRIVER DELAY LINE + PULSE AMP, 200 - 250 NS MAX

CLOCKS

B401	CAT		5	VARIABLE CLOCK
B405	CAT		5	CRYSTAL CLOCK, 2 TO 10 MC
B410	10	ATT	5	VOLTAGE CONTROLLED CLOCK, 1-10 MC, 40 TO 100 NSEC NEG PULSES, POT ADJUST
B450		WH	1 12/64	10 MC FIXED FREQ MULTI WITH EF OUTPUTS

INPUT CONVERTERS

B501				SEE W501
------	--	--	--	----------

PULSE AMPLIFIERS

B602	CAT		5	DUAL 10 MC PULSE AMP
B604	15	RI	7 7/73	DUAL PA, LIKE B602 BUT WITH 2 OUTPUTS FROM EACH PA, PDP7
B610			6	(OBS), 25 NS PULSE AMP FOR USE WITH B212
B611	10		5	DUAL PULSE AMP, 25 NSEC, PDP10
B612	10	SU	4 2/74	DUAL PULSE AMP, 60 NSEC, MF10

OUTPUT CONVERTERS

B622	CAT		6 10/74	REGISTER CARRY CIRCUIT, 2 BITS + INVERTERS
B633	10	ATT	5 1/73	B133 W 6534-C TRANSISTORS, SINKS 63 MA
B635	10	ATT	5 1/73	B135 W 6534-C TRANSISTORS, SINKS 63 MA

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
B681	CAT		5	4 POWER INVERTERS
B682	10		6 10/74	4 BUS DRIVERS
B683	10		5	3 BUS DRIVERS, OR OUTPUT, 50 OHM LOAD, 0 -3V
B684	CAT	DOANE	5	2 BUS DRIVERS, LIKE 6684
B685	10		5	3 DIODE GATE DRIVERS, 2 CKTS, 80 MA @ GND, 8 MA @ -3V, PDP10

C SERIES EQUIPMENT, PANELAIDE KITS

C001	A		7	A/D KIT WITH H999WP
C001=A	B		7	A/D KIT WITH H900AWP
C002	A		7	A/D KIT WITH 1943WP
C003=A	A		7	REAL TIME CLOCK PANELAID KIT, 60 HZ
C003=B	B		7	50 HZ VERSION
C004	A		7	PDP8 TO PDP8/S INTERFACE CONVERTER-BUFFER
C005	A		5 9/66	PDP8/S I/O BUS INTERFACE CONNECTOR PANELAID KIT
C006	A		7	INPUT/OUTPUT BUFFER FOR PDP8/S PANELAID KIT
C007	A		7	INPUT BUFFER INTERFACE FOR 8 OR 8/S, REPLACES D005
C009			7	MEMORY TIMING & CONTROL KIT
C100	MOD	RC	7	KIT, 12 BIT INTERACE TO POS BUS (USES K100), 2 BLOCKS, FOR 4 SINGLE CARD INTERFACE MODULES (M737, M739, M107)

CABINET SERIES

CAB=1			6 4/73	STANDARD CABINET, MAY BE ORDERED WITH OR WITHOUT PANELS OR END
CAB=1B			6 4/73	BLACK CAB=1
CAB=2			6 4/73	SPARE SYSTEM CABINET, SIMILAR TO CAB=1
CAB=3			6 4/73	FRENCH DOORS BELOW, BLANK AT TABLE LEVEL, PLYWOOD TOP PANEL
CAB=5			6 4/73	PDP5 CABINET, INCLUDING TABLE & BLANK CONTROL PANEL
CAB=5D			6 4/73	DOUBLE CAB=5 WITH LONG TABLE, 2 CONTROL PANELS
CAB=6			6 4/73	CABINET, PDP6 TYPE, INDICATOR PANEL AT TOP
CAB=6A	A		6 4/73	CABINET FOR PDP6 WINGED TABLE
CAB=6B	A		6 4/73	CABINET FOR PDP6 RECTANGULAR TABLE
CAB=6AS	A		6 4/73	CAB FOR PDP6/S
CAB=6IA	A		6 4/73	OPTION CABINET (OLD)
CAB=6IB	A		6 4/73	H950 + 8/I
CAB=6IC	A		6 4/73	OLD CABINET + 8/I
CAB=9A	A		6 4/73	19" EXPANDER CABINET, FULL WIDTH DOORS, BLACK, GRAY END PANELS
CAB=9B	A		6 4/73	SAME AS 9A WITH INDICATOR PANEL
CAB=9C	A		6 4/73	SAME AS 9A, BUT SNAP-ON COVERS ON FRONT
CAB=9D	A		6 4/73	SAME AS 9B, BUT SNAP-ON COVERS ON FRONT

D SERIES EQUIPMENT, OCTAID KITS

D001=A	A		6	8-BIT D/A OCTAID KIT
D001=C	A		6	10-BIT
D001=D	A		6	11-BIT
D001=E	A		6	12-BIT
D001=F	A		6	13-BIT
D002	A		6	BCD QUAD DECADE OCTAID
D003	A		6	(OBS), 8-BIT DIGITAL COMPARATOR OCTAID
D004	A		6	UP-DOWN COUNTER, DECIMAL DECODER, & CONVERTER OCTAID
D005	A		6	(OBS), PDP8/S INPUT BUFFER INTERFACE OCTAID (SEE C007)
D006	A		6	(OBS), PDP8/S OUTPUT BUFFER REGISTER OCTAID
D007	A		6	DUAL 8-BIT SHIFT REGISTER OCTAID
D008	A		6	DUAL 8-BIT BINARY UP COUNTER OCTAID

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
----------	-----------	----------	--------------	-------------

E SERIES EQUIPMENT, PANELAIDS

E001				PANELAID FOR C005
E002				PANELAID C005
E003			7	PANELAID C006
E004			7	PANELAID C006
E005			7	PANELAID C006
E006			6 5/73	5408033
E007			7	PANELAID C003-A,-B
E008			7	PANELAID, PDP8/S INPUT INTERFACE C007
E009			7	PANELAID C007
E010			7	PANELAID C009
E011			7	PANELAID C009
E012			6 5/73	5408037
E013			6 5/73	5408038
E014			6 5/73	5408039
E015			6 5/73	5408040
E016			6 5/73	5408041
E017			6 5/73	5408042
E018			6 5/73	5408043
E019	8/E	PG	6 9/73	PDP8-E BUS
E020	15		5 2/72	VT05 BUS
E100	MOD	RC	7	PANELAID (USED IN C100), 2 BLOCKS
E724			7	PANELAID C001, -A & C002
E725			7	PANELAID C001, -A & C002
E726			7	PANELAID C001, -A & C002
E727			7	PANELAID C001, -A & C002
E869			7	PANELAID C003-A,-B
E870			7	PANELAID C003-A,-B

F SERIES EQUIPMENT, OCTAIDS

F001			7	OCTAID 0006
F002			6	(OBS), INPUT BUFFER INTERFACE
F003			6	(OBS), INPUT BUFFER INTERFACE
F004			6	OCTAID 0004
F005			6	OCTAID 0007
F006			6	OCTAID 0007
F007			6	OCTAID 0008
F008			6	OCTAID 0008
F723			6	OCTAID 0002
F728			6	OCTAID 0001-A THRU -F
F843			6	OCTAID 0001-A THRU -F
F861			6	OCTAID 0004
F862			6	OCTAID 0004

SENSE AMPLIFIERS

G001	15		5	PDP-7 SENSE AMP
G002	15		5	SLICE CONTROL FOR G001
G003	8		6	(OBS), PDP-8 SENSE AMP
G004	8		6	(OBS), SLICE CONTROL FOR G003
G005	10		5	4 INPUT SENSE AMP (DOUBLE), PDP-6, 2 US
G006	10		6 10/74	MASTER SLICE CONTROL, FOR G005

MODEL NO	PRGM LINE	DES FNCR	STATUS MO/YR	DESCRIPTION
G007	8		5	PDP-8 SENSE AMP
G008	9		5	SLICE CONTROL FOR G007 & G009
G009	15		5	2 INPUT SENSE AMP FOR PDP-9, (NO PA), ALSO USED FOR G013 & G014
G010	15		5	SENSE AMP SELECTOR FOR PDP-9, 164, ALSO USED FOR G012
G011	8		6	(OBS), 2 INPUT SA FOR BIG 8-PIN COMPATIBLE WITH G007 (EXCEPT SELECTION LEVELS)
G012	8		6	(OBS), SENSE AMP SELECTOR, NEW 8, 164, #5 TO #2V, USES G010 BOARD
G013	15	DV	6	(OBS), SENSE AMP FOR PDP-9L, 4K MEM, G009 BOARD
G014	15	DV	5	2 INPUT G013, G009 BOARD
G020	8		5	SENSE AMP FOR 8/I, SINGLE, ON G021 CARD, IC LEVELS
G021	8		5	DUAL SENSE AMP FOR 8/I, IC LEVELS, ALSO USED FOR G023
G022	10		5	4 INPUT SENSE AMP FOR PDP-10, SINGLE, WITH CABLE, +6.2V, #6.2V
G023	10		5	MASTER SLICE CONTROL FOR G022
G024	10	SU	4 2/74	MASTER SLICE CONTROL FOR MF10, +3.5 TO +6.5 V, SENSE AMPS ON G113
G025	XML	RH	0 11/75	10-BIT SENSE, FOR 256K MULTIBIT, USED W H226
G050	PERIPH	RP	5	9 TRACK, 45 IPS, DUAL GAP HEAD READ AMP
G051	PERIPH	RP	1 8/69	7 TRACK, 45 IPS, DUAL GAP HEAD READ AMP
G052	PERIPH	RP	1 8/69	9 TRACK, 45 IPS, SINGLE GAP HEAD READ AMP
G053	PERIPH	RP	1 8/69	7 TRACK, 45 IPS, SINGLE GAP HEAD READ AMP
G054	PERIPH	RP	1 8/69	9 TRACK, 75 IPS, DUAL GAP HEAD READ AMP
G055	PERIPH	RP	1 8/69	7 TRACK, 75 IPS, DUAL GAP HEAD READ AMP
G056	PERIPH	AEK	5 4/75	TU10, 9 CH READ AMP HEX 8,5
G057	PERIPH	HF	1 8/75	TS02, PREAMPLIFIER, DOUBLE 5
G060	PERIPH	RP	5	MAG TAPE COMPRESSOR, 9 TRACK
G060-YA	PERIPH	AL	2 4/75	G060 W NO SLICE LEVEL ADJUSTMENT
G061	PERIPH	RP	1 8/69	MAG TAPE COMPRESSOR, 7 TRACK
G062	PERIPH	RP	5	MAG TAPE PEAK DETECTOR, 9 TRACK
G063	PERIPH	RP	1 8/69	MAG TAPE PEAK DETECTOR, 7 TRACK
G064	PERIPH	RP	5	MAG TAPE SLICER, 9 TRACK
G065	PERIPH	RP	1 11/66	MAG TAPE SLICER, 7 TRACK
G080	PERIPH		6 8/66	(OBS), DRUM SENSE AMP
G081	15		6 10/74	MAG TAPE READ AMPLIFIER
G082			5	DRUM AMP & SLICER
G083	PERIPH		5	DISK PRE-AMP
G084	8		5	MAG TAPE READ, RECTIFY, SLICE AMP, TU20, ALSO USED ON G086
G085	PERIPH		5	DISK AMP, (REPLACES 1/2 G083 + 1/2 W532) + (1/2 W533)
G0850	12	RI	5 11/71	DISK AMP FOR DS320, DS320
G086	10		6	(OBS), MAG TAPE READ AMP, RECTIFY, SLICE, PEAK PICKER
G087	10		5 5/73	MAG TAPE READ AMP, RECTIFY, SLICE, PEAK, TU30
G0870	10	DREW	5 7/73	MASTER SLICE CONTROL FOR G087
G088	PERIPH		5	DISK READ AMP WITH COMPRESSOR & PEAK DETECTOR, RS64
G089	SSS	JEH	6 4/71	2 CH TRANSFORMER TO ADAPT IBM TRANSPORTS TO G087, G088
G090	PERIPH	HD	1 2/71	DEC TAPE SKEW TESTER
G091	PERIPH	GS	3 11/73	RS00 CHECKOUT TESTER (G085 WITH P-P AVG VOLTAGE AMP)
G092	PERIPH	PH	4 10/73	TIMING AMP + LOGIC, RS03, DBL X 8,5
G093	PERIPH	AEK	2 6/75	TU10 PEAK DETECTOR (REPLACES G062)
G094	PERIPH	AEK	2 6/75	TU10 THRESHOLD DETECTOR & BUFFER (REPLACES G064)
G095	PERIPH	WQH	1 11/75	RK06K FORMATTER/VERIFIER DETECTORS (ENVELOPE, DROP IN & DROP OUT), QUAD

SENSE/INHIBIT MODULES

G100	15		5	SENSE AMP & INHIBIT DRIVER, PDP15, 3 WIRE, 30 MEMORY
G101	11	PD	7 2/70	SENSE, INHIBIT, & REGISTER FOR MM11-A
G102	XML	RH	5	SENSE, INHIBIT, & REGISTER (4 BITS) FOR MM11 & ME10
G103	XML	PH	5	MEMORY VOLTAGE LEVELS, MM11 & ME10
G104	R/E	PD	5	SENSE, INHIBIT, & 12 BIT REGISTER FOR MM0-E, QUAD, 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G105	8/E	PD	4 5/73	SENSE, INHIBIT, 8 BIT REGISTER & PARITY CONTROL FOR MP8-E, QUAD, 8,5
G106	XML	PD	7 8/73	MR11-A ROM DRIVE & SENSE, QUAD, 8,5, USER G642
G107	XML	PD	7 7/71	MR11-A WORDLET SENSE & INHIBIT, DOUBLE, 8,5
G108	XML	PD	2 11/70	G102 WITH 2 BITS ONLY
G109	XML	PD	5 10/74	16-BIT 11/05, 11/25, 11/45 CONTROL & DATA LOOPS, HEX X 8,5 (SEE G231, G232)
G109-YA	15	HL	3 10/74	G109 W M SELECT FF & DATA LOAD PULSE PINS, USED IN ME15
G110	XML	PD	4 1/72	16 BIT G109 (900 NSEC)
G110-YA	XML	PH	2 1/73	850 NSEC G110
G111	XML	MC	5 9/72	12 BIT 8/E SENSE & INHIBIT, 8,5 X QUAD
G112	XML	DWS	1 2/72	20 BIT SENSE/INHIBIT, 16K SENSE, 8,5 HEX, MM11-U
G113	12	SU	4 2/74	19 BIT MP10 DATA LOOPS, HEX 8,5 (SEE G231) (8K SENSE)
G114	XML	DWS	5 3/75	G112 W 8881 & 380 IN PLACE OF 8838
G114-JA	XML	PJS	3 6/75	SYSTEM TESTED & BURNED IN G114
G115	XML	MC	1 3/73	G111 FOR 8 OR 4K STACKS
G116	XML	DWS	4 11/75	20-BIT SENSE/INHIBIT, 32K, (DUAL 16K SENSE), ETCH OF G114, HEX
G116	XML	PH	1 10/75	10-BIT SENSE/DIGIT BOARD, HEX 12, USED W H225
G119	XML	PH	1 11/75	5-BIT SENSE/DIGIT BOARD, HEX 12, USED W H226
G157	PERIPH	HF	1 8/75	TS02, READ/WRITE, QUAD
G158	PERIPH	HF	1 8/75	TS02, REEL SERVO, DOUBLE
G159	PERIPH	HF	1 9/75	TS02, CAPSTAN SERVO, DOUBLE
G180	PERIPH	ES	5 7/73	LOW DENSITY (1100 BPI DOUBLE FREQ), R/W FOR RK04, DECPACK, DOUBLE X 8,5
G181	PERIPH	ES	1 11/70	HIGH DENSITY (2200 BPI DOUBLE FREQ) R/W FOR RK05, DECPACK, DOUBLE X 8,5
G182	PERIPH	CHI	4 2/74	R/W HEAD AND DETECTION, RS03, DBL X 8,5
G183	PERIPH	JMR	1 11/75	RK05F READ/WRITE AMP, DOUBLE 8,5

CURRENT DRIVERS, WRITE AMPS, R/W SWITCHES

G200	15		6 10/74	PDP-7 MEMORY PULSER
G201	15		5	PDP-7 INHIBIT DRIVER
G202	15		5	PDP-7 MEMORY DRIVER
G203	A		6	(OBS), PDP-5(A) MEMORY SELECTOR
G204	8		6	(OBS), PDP-8 INHIBIT DRIVER, 2 BITS
G205	8		6	(OBS), PDP-8 INHIBIT DRIVER, REPLACED BY G208
G206	10		5	MEMORY SELECTOR, PDP-6, 2 US, DOUBLE, USED FOR G212
G207	13		5	INHIBIT DRIVER, 4 QUADRANT, PDP-5, 2 US, DOUBLE
G208	A		5	PDP-8 INHIBIT DRIVER (REPLACES G205) FOR + POWER SUPPLY, USED FOR G218
G209	A		5	PDP-8 MEMORY SELECTOR (HOT SIDE), (REPLACES G203) FOR + POWER SUPPLY, USED FOR G210, G219
G217	15		5	PDP9 CONTROL MEMORY DRIVER, DESIGNED TO DRIVE G208, USES G209 BOARD
G211	A		6 10/74	MEMORY DRIVER, 8 LINES, DIRECT COUPLED
G212	10		5	MEMORY COMMON DRIVER, G226 + MISC R&D, G206 BOARD, FOR PDP6 2USEC MEM
G217	10	SU	5	WORD DRIVER, MA10, USES G219 FOR DIGIT DRIVER
G218	15		4 10/74	INHIBIT DRIVER (A G208 FOR NEG SUPPLY), FOR PDP9
G219	15		5	MEMORY SELECTOR (A G209 FOR NEG SUPPLY), FOR PDP9
G221	A		5	MEMORY DRIVER, IC INPUTS, 4 CKTS, SINGLE, FOR 8/I, 8/L
G222	15		5	MEMORY SELECTOR, IC INPUTS, 4 CKTS, 3 WIRE, 3D, PDP15
G223	15		5	READ/WRITE DRIVER, IC INPUTS, 2 CKTS, SINGLE, 3 WIRE, 3D, PDP15
G224	11	PD	7 2/70	MM11-A SELECTOR
G225	XML	SU	5	CURRENT SOURCE, SINGLE X 8-1/2, ME10, MM11
G225-YA	11	PD	5 1/72	G225 MODIFIED FOR RUGGED STACK
G226	XML	SU	5 5/73	XY SELECTION SWITCH, SINGLE X 8-1/2, ME10, MM11
G227	A	PD	5	XY SELECTION, CURRENT SOURCE & REGULATOR FOR MM8-E, QUAD, 8,5
G228	A		5	INHIBIT DRIVER, IC INPUTS, 8/I, 8/L
G229	XML	PD	7 7/71	MM11-A WORDLET WORD DRIVE
G230	10	SU	5 11/71	G225 WITH DELAY LINE ON INPUT, 0 TO 40 NSEC
G231	XML	PD	4 5/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K DECODE, HEX X 8,5, SEE G109, G110

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G231-YA	10	WC	1 9/73	G231 W DIFFERENT SUBSTITUTE PARTS LIST
G232	XML	PD	1 7/71	4K G231
G233	XML	WC	5 10/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K DECODE, 8,5 X QUAD, SEE G111
G234	XML	WC	1 3/73	XY SELECTION, CURRENT SOURCE, ADDRESS LATCH, 8K OR 4K DECODE, QUAD 8,5, SEE G111, G115
G235	XML	DWS	4 6/73	16K XY DRIVE, CURRENT SOURCE, DECODE, HEX 8,5, MM11-U, M110, H217
G235-JA	XML	FJS	3 6/75	SYSTEM TESTED & BURNED IN G235
G236	XML	DWS	4 11/75	32K XY DRIVE, CURRENT SOURCE, DECODE, HEX, MM11-W, -WP
G237	XML	RH	1 10/75	TIMING + DRIVER FOR 20-BIT 128K MEMORY, HEX 12, USED W H225
G238	XML	RH	1 10/75	10-BIT DIGIT DRIVER FOR 256K MULTIBIT, UAWS 0 H226
G250	MTST		6	(OBS), WAVE SHAPER FOR 2503
G251	MTST		6	(OBS), REGULATOR FOR 2503
G252	MTST		6	(OBS), PROTECTOR FOR 2503
G253	MTST		6	(OBS), REGULATOR FOR 2504
G254	MTST		6	(OBS), PROTECTOR FOR 2504
G260	MTST		6	(OBS), WAVE SHAPER FOR 2603
G261	MTST		6	(OBS), REGULATOR FOR 2603
G262	MTST		6	(OBS), PROTECTOR FOR 2603
G263	MTST		6	(OBS), REGULATOR FOR 2604
G264	MTST		6	(OBS), PROTECTOR FOR 2604
G270	MTST		6	(OBS), RELAY R/W SWITCH, REPLACED BY G379
G271	MTST		6	(OBS), WAVESHAPER FOR 2500, 2600
G272	MTST		6	(OBS), NEG OUTPUT AMP FOR 2500
G273	MTST		6 7/73	(OBS), POS OUTPUT AMP FOR 2600
G274	MTST		6	(OBS), NEG DRIVER POWER MONITOR
G275	MTST		6	(OBS), POS DRIVER POWER MONITOR
G276	MTST		6	(OBS), POWER MONITOR
G277	MTST		6	(OBS), SCR R/W SWITCH
G278	MTST		6	(OBS), HEAD-WRITE SELECTOR
G279	MTST		6	(OBS), RELAY MODULE, REPLACED BY G379
G280	CSS		6 10/74	DRUM WRITER, 240 MA/SIDE
G281	CSS		5	X SELECT, DRUM, 2 PAIR FORM A
G282	CSS		5	Y SELECT, DRUM, (4 FORM A)
G283	15		6	(OBS), MAG TAPE WRZ1 WRITER
G284	PERIPH		5	DISK WRITER, DISK
G285	PERIPH		5	SERIES SWITCH, DISK
G286	PERIPH		5	CENTER TAP SELECTOR, DISK,
G287	A		5	MAG TAPE WRITER, 2 CHANNELS, 100 MA HEAD CUR, NO CENTER TAP, 0 TO -15V
G288	10		6	(OBS), DRUM WRITER, 150 MA/SIDE, G280 BOARD, ALSO FOR TU79
G289	10		6	(OBS), DRUM WRITER, 2 CHANNELS, 65 MA HEAD CUR, G280 ETCH, 180 OHMS INSTEAD OF 130
G290	PERIPH	GS	5	DISK WRITER, INCLUDES 2=1/2 MHZ FF
G291	PERIPH	PM	5	DISK WRITER W +20,45,-15 POWER FAIL, RS64
G294	A		5	DISK WRITER, + LOGIC EQUIV TO G284
G295	A		5	SERIES SWITCH, + LOGIC EQUIV TO G285
G296	A		5 7/73	CENTER TAP SELECTOR, + LOGIC EQUIV TO G286
G350	PERIPH	RP	5	9 TRACK, DUAL HEAD, 45 IPS, MAG TAPE WRITE DRIVER
G351	PERIPH	RP	1 11/69	7 TRACK, DUAL HEAD, 45 IPS, MAG TAPE WRITE DRIVER
G352	PERIPH	RP	1 11/69	9 TRACK, SINGLE HEAD, 45 IPS
G353	PERIPH	RP	1 11/69	7 TRACK, SINGLE HEAD, 45 IPS
G354	PERIPH	RP	1 11/69	9 TRACK, DUAL HEAD, 75 IPS, MAG TAPE WRITE DRIVER
G355	PERIPH	RP	1 11/69	7 TRACK, DUAL HEAD, 75 IPS
G370	MTST		7	(OBS), BIPOLAR READ/WRITE SWITCH, REPLACED BY G371, G372
G371	MTST	FL	6	(OBS), BIPOLAR R/W SWITCH, DOUBLE BOARDS, LIKE G370, EXCEPT COMES APART, VERTICAL DECODING
G372	MTST	FL	6	(OBS), BIPOLAR R/W SWITCH, LIKE G371 BUT HORIZONTAL DECODING
G373	MTST		6	(OBS), MULTIPLEXER, DOUBLE 12 FORM C CONTACTS, MAGNECRAFT RELAYS, 12V, 300 OHMS
G374	MTST	FL	6	(OBS), BIPOLAR R/W SWITCH, REED RELAY EQUIV TO G371

MODEL NO	PROD LINF	DES ENGR	STATUS MO/YR	DESCRIPTION
G375	MTST	FL	6	(OBS), BIPOLAR R/W SWITCH, REED RELAY EQUIV TO G372
G376	MTST		6	(OBS), PROTECTION CONTRL FOR 2500 + 2600
G377	MTST		6	BIPOLAR REED RELAY TREE, 16 OUTPUTS, 2X8 REPACKAGED G379
G378	MTST		6	G377 WITH DIFFERENT OUTPUT WIRING
G379	MTST	FL	6	(OBS), SAME AS G279 BUT WITH DIFFERENT INPUT DECODING
G380	PERIPH	CAY	5 11/71	DUAL 5 AMP SOLENOID DRIVER, 5% DUTY FACTOR, FOR LA30
G381	PERIPH	CAY	5 11/71	LINE FEED SOLENOID DRIVER FOR LA30, 6 AMPS
ROMS & RAMS				
G400	R	ADL	2 3/70	CHAR GEN ROM, MOS, 64 WORDS, 5X7 DOT MATRIX (EA3400 24 PIN IC)
G401	11/45	RFR	4 5/73	4K X 16-BIT MOS RAM, 8.5 X HEX, 4 LAYER
G401=YA	11/45	RFR	4 6/73	18 BIT G401
TEST EQUIPMENT				
G500	FS		5 10/74	TU55/56 SKEW TESTER, SINGLE X 8.5
G5000	PROE	BMM	3 9/74	FAILURE SUMMATION & TIME SELECT, 2340, QUAD
G5001	PROE	BMM	3 9/74	PIN SELECTOR, 2340, QUAD
G5002	PROE	BMM	3 9/74	22 PIN COMPARATOR, 2340, QUAD
G5003	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #1, 2340, QUAD
G5004	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #2, 2340, QUAD
G5005	PROE	BMM	3 9/74	RANDOM PATTERN GENERATOR #3, 2340, QUAD
G5006	PROE	BMM	3 9/74	RANDOM ADAPTER, 2340, QUAD
G5007	PROE	BMM	3 9/74	ADAPTER INTERFACE, 2340, QUAD
G5008	PROE	BMM	3 7/74	INDICATOR (RENAMED 5410882) 2340, QUAD
G5009	TE	GD	3 10/74	1K 36 BIT PROM, TU16 XOR, OUTPUTS TOP FINGERS TO G5013, DOUBLE (SEE G5035)
G501	FS	FD	4 9/74	LOGIC MAINTENANCE MODULE, 3FF, 4 GATES, 2 INV, 1 ONE SHOT, SINGLE 8.5
G5010	PERIPH	ROTT	1 9/73	AVERAGE AMPLITUDE DETECTOR, HS04 TESTER, DOUBLE 8.5
G5011	PS	FL	3 9/74	H740=TA CONTROL BOARD, DOUBLE 5
G5012	TE	PWK	4 4/75	ECL FAN-OUT, 4 LAYER DOUBLE 8.5, KL10=TA
G5013	TE	GD	3 9/74	DATA BUFFER MODULE, TU16 XOR, DOUBLE 8.5, INPUTS TOP FINGERS
G5014	TE	JV	3 3/74	BIDIRECTIONAL BUFFER, 11/05, RK11-D XOR, SINGLE 8.5
G5015	TE	WEK	4 3/75	1/2 H353
G5016	TE	WEK	4 3/75	1/2 H353
G5017	IPC	AKI	3 1/74	TEST CARD FOR A002/ADU01, SINGLE 5
G5018	TE	RMC	3 4/74	CMT RESISTOR CARD (MS1400), SINGLE 5
G5019	TE	ASC	5 4/75	DVM SELECT, 2223, DOUBLE 8.5
G502	FS	FS	4 6/74	DECPACK WRITER EXERCISER, DOUBLE 8.5
G5020	TE	ASC	4 10/74	DRIVER MUX, 2223, DOUBLE 8.5
G5021	TE	ASC	4 9/74	EXTERNAL PATTERN REGISTER, 2223, DOUBLE 8.5
G5022	TE	ASC	4 9/74	REGISTER MUX, 2223, DOUBLE 8.5
G5023	TE	ASC	4 10/74	INDICATOR DRIVER, 2223, QUAD
G5024	TE	ASC	4 10/74	REGISTER DRIVER A, 2223, DOUBLE 8.5
G5024=YA	TE	ASC	1 1/74	REGISTER DRIVER B, 2223, DOUBLE 8.5
G5025	PERIPH	BMA	3 3/75	TYPWRITER KEY SWITCH TESTER, QUAD
G5026	TE	EG	3 9/74	9600 BAUD CLK & BELL DECODER, SINGLE 8.5, BLANK FINGERS, ALL SIGNALS FROM H854, USED ON 11/05 XOR
G5027	R	ADL	4 11/75	LOADS FOR H763=TA, QUAD
G5028	R	ADL	2 11/74	CONTROL FOR H763=TA, QUAD
G5029	TE	EG	1 1/74	0011 XOR TEST HEAD ADAPTOR FOR M7800, DOUBLE 8.5
G503	FS	FS	4 6/74	DECPACK POSITIONER EXERCISER DOUBLE 8.5
G5030	TE	ASC	4 10/74	+5V BCD SELECT, 2223, DOUBLE 8.5, WAS 93-05530-0-230 OR 93-05530-0-174
G5030=YA	XML	KC	4 10/74	2223-D +20V BCD SELECT
G5031	TE	ASC	4 10/74	2223-GB +15V BCD SELECT, WAS 93-05530-0-175, DOUBLE 8.5
G5032	TE	ASC	4 10/74	2223-MB +15V BCD SELECT, WAS 93-05530-0-314, DOUBLE 8.5, USES G5731 ETCH BOARD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G5033	TE	ASC	4 10/74	+20V BCD SELECT, WAS 93-05530-0-228, USES ETCH BOARD OF G5031
G5034	TE	IR	3 9/74	2340 RANDOM PATTERN GENERATOR, 22 OUTPUTS CHANGING ONE AT A TIME, QUAD
G5035	TE	GD	3 10/74	1K 104 BIT PROM (3 G5009), HEX
G5036	LDP	JL	4 6/74	WRAP AROUND TEST MODULE FOR M7809 (AR11), SINGLE, NO FINGERS, M854
G5037	TE	CS	1 3/74	11/05 XOR TTY CENTER SAMPLING, DOUBLE 8,5
G5038	TE	JV	1 7/74	UNIBUS SLAVE MEMORY EXERCISER, HEX
G5039	XML	TJP	2 12/74	2224 DVM SELECT, DOUBLE 8,5
G504	PERIPH	HD	3 3/74	SSST TUS6 SKEW TESTER, SINGLE 5
G5040	TE	PRB	4 4/75	8/A, 8/E CPU I/O SIMULATOR, HEX
G5041	TE	RBG	2 8/74	8/A, OPTIONS 1 & 2 TESTER, HEX
G5044	TE	ASC	4 10/74	2223 VARIABLE CLOCK & BAC LINE BUFFERS, WAS 93-05530-0-163, QUAD
G5045	TE	ASC	4 10/74	2223 DATA CHANNELS, QUAD, WIRE WRAPPED VERSION, WAS 93-05530-0-156
G5046	TE	ASC	4 4/75	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5046-YA	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT A, DOUBLE 8,5, WAS 93-05530-0-157
G5046-YB	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT B, DOUBLE 8,5
G5046-YC	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT C, DOUBLE 8,5
G5046-YD	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT D, DOUBLE 8,5
G5046-YE	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT E, DOUBLE 8,5
G5046-YF	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT F, DOUBLE 8,5
G5046-YH	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT H, DOUBLE 8,5
G5046-YJ	TE	ASC	4 10/74	2223 1 OF 8 POT SELECT J, DOUBLE 8,5
G5046-YK	TE	ASC	1 1/74	2223-MB 1 OF 8 POT SELECT K, DOUBLE 8,5
G5047	TE	ASC	2 10/74	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5047-YA	TE	ASC	4 10/74	2223-K VXY A POT SELECT, DOUBLE 8,5, USES G5046 ETCH
G5047-YB	TE	ASC	4 10/74	2223-K VZ A POT SELECT, DOUBLE 8,5, USES G5046 ETCH
G5047-YC	TE	ASC	2 8/74	2223-K VZ B POT SELECT, DOUBLE 8,5, USES G5046 ETCH
G5048	TE	ASC	4 4/75	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5048-YA	TE	ASC	4 3/75	2223-MB STROBE POT SELECTS A, DOUBLE 8,5, USES G5046 ETCH
G5048-YB	TE	ASC	4 3/75	2223-MB STROBE POT SELECTS B, DOUBLE 8,5, USES G5046 ETCH
G5048-YC	TE	ASC	4 3/75	2223-MB STROBE POT SELECTS C, DOUBLE 8,5, USES G5046 ETCH
G5048-YD	TE	ASC	4 3/75	2223-MB STROBE POT SELECTS D, DOUBLE 8,5, USES G5046 ETCH
G5049	TE	ASC	4 4/75	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5049-YA	TE	ASC	4 10/74	2223-K VTH POT SELECT A, DOUBLE 8,5, USES ETCH OF G5046
G5049-YB	TE	ASC	4 10/74	2223-K VTH POT SELECT B, DOUBLE 8,5, USES ETCH OF G5046
G505	FS	EB	3 2/74	8/E XOR TESTER OMNIBUS DRIVERS, BOARD H, QUAD 8,5
G5052	TE	ASC	4 10/74	2223-K VXY CONTROL B, DOUBLE 8,5, USES ETCH OF G5046
G5051	TE	ASC	4 4/75	2223 POT SELECT, PARTS THAT ARE USED IN ALL VARIATIONS
G5051-YA	TE	ASC	4 10/74	2223-K STROBE POT SELECT A, DOUBLE 8,5, USES ETCH OF G5046
G5051-YB	TE	ASC	4 10/74	2223-K STROBE POT SELECT B, DOUBLE 8,5, USES ETCH OF G5046
G5051-YC	TE	ASC	4 10/74	2223-K STROBE POT SELECT C, DOUBLE 8,5, USES ETCH OF G5046
G5051-YD	TE	ASC	4 10/74	2223-K STROBE POT SELECT D, DOUBLE 8,5, USES ETCH OF G5046
G5052	TE	ASC	4 10/74	2223-MB VXYE POT SELECT, DOUBLE 8,5, USES ETCH OF G5046
G5053	TE	ASC	4 10/74	2223-MB VXYF POT SELECT, DOUBLE 8,5, USES ETCH OF G5046
G5054	TE	ASC	4 10/74	2223-MB YTH G POT SELECT, DOUBLE 8,5, USES ETCH OF G5046
G5055	TE	KC	1 6/75	2223-K VTH/LOAD, DOUBLE 2
G5057	A/N	MDM	2 6/75	VT50-TD, G5057-YA + 3 G5057-YB, QUAD
G5057-YA	A/N	MDM	1 6/74	VT50-TD REMOTE UNIT, 8,5 DOUBLE
G5057-YB	A/N	MDM	1 6/74	VT50-TD SLAVE CABLE DRIVERS, 2,5 X 2,5
G5058	A/N	MDM	2 6/75	VT50-TD, G5058-YA + G5058-YB, QUAD
G5058-YA	A/N	MDM	1 6/74	VT50-TD BASE UNIT, 8,5 TRIPLE
G5058-YB	A/N	MDM	1 6/74	VT50-TD MASTER CABLE DRIVER, 2,5 X 4,5
G5059	TE	RDH	0 12/75	VT50-TA MODULE TESTER SIGNAL SOURCE CONTROL, QUAD
G506	FS	EB	3 6/74	8/E XOR TESTER OMNIBUS BUFFER, BOARD C, QUAD 8,5
G5060	XML	TJB	2 1/75	2224-AA DATA GENERATION, QUAD
G5061	XML	TJR	2 1/75	2224-AA ADDRESS GENERATION, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G5061-YA	XML	TJB	2 1/75	2224-AA, G5061 WITHOUT CARRY LOOK-AHEAD
G5062	XML	TJR	2 12/74	2224-AA MICROPROGRAM MEMORY, QUAD
G5063	XML	TJR	2 12/74	2224-AA REFRESH & CONTROL, DOUBLE
G5064	XML	TJB	2 3/75	2224-AA TIMING, 4-LAYER QUAD
G5065	XML	TJB	2 2/75	2224-AA MICRO INSTRUCTION TEST, 4 LAYER QUAD
G5066	XML	TJB	2 1/75	2224-AA ADDRESS SWAP & LATCH, 4 LAYER QUAD, SYNC INNER LAYER
G5067	XML	TJB	2 12/74	2224-AA MULTIPLEXOR, SINGLE 8,5
G5068	XML	TJB	2 1/75	2224-AA ADDRESS EXTENSION, DOUBLE 8,5
G5069	XML	TJB	2 3/75	2224-AA FRONT PANEL/CPU WRITE CONTROL, QUAD
G507	FS	EB	3 2/74	B/E XOR TESTER OMNIBUS BUFFER, BOARD 8, QUAD 8,5
G5070	PERIPH	RMA	3 3/75	KEYBOARD ENCODER TESTER (FOR AY-5-3600), QUAD
G5071	TE	RSG	4 4/75	2344-A 8 TO 1 AND 1 TO 8 FULL DUPLEX SELECTOR, SINGLE 8,5
G5072	XML	TJB	2 1/75	2224-AA CPU/FRONT PANEL OUTPUT, QUAD
G5073	XML	TJB	2 1/75	2224-AA SYNC GENERATION, QUAD
G5074	XML	TJB	2 2/75	2224-AA TIMING GENERATOR, 4-LAYER SINGLE 8,5
G5075	XML	TJB	2 12/74	2224-BA D/A, DOUBLE 8,5
G5076	XML	TJB	2 3/75	2224-BA POWER CONTROL BOARD FOR 10 D/A MODULES, DOUBLE 8,5
G5077	TE	RL	3 8/75	KL10-TE, REGISTER CONVERTER, DOUBLE
G5078	TE	RL	3 8/75	KL10-TE, LED DRIVER, DOUBLE
G5079	TE	RL	3 8/75	KL10-TF, TEST HEAD CONVERTER
G508	FS	EB	3 10/73	B/E XOR INTEGRATOR BOARD, QUAD 8,5
G508-YA	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 2, QUAD 8,5
G508-YB	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 3, QUAD 8,5
G508-YC	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 4, QUAD 8,5
G508-YD	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 5, QUAD 8,5
G508-YE	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 6, QUAD 8,5
G508-YF	FS	EB	3 2/74	B/E XOR INTEGRATOR BOARD 7, QUAD 8,5
G508G	FS	EB	1 5/74	B/E, 8/A XOR PROGRAMMABLE INTEGRATOR, QUAD, REPLACES G508
G5081	TE	TU	1 7/74	APT11-S SERIAL LINE TO UNIBUS INTERFACE, HEX
G5082	KL10	JHW	2 3/75	M8550-YA DELAY VERIFIER, 4-LAYER DOUBLE 8,5
G5083	KL10	JHW	2 3/75	2345 DELAY MEASURING INSTRUMENT, 4-LAYER HEX
G5085	PERIPH	RLOM	1 5/74	2225 ROM TESTER REGULATOR BOARD, QUAD
G5086	PERIPH	RLOM	3 3/75	2225 ROM TESTER DATA BOARD, QUAD
G5087	PERIPH	RLOM	3 3/75	2225 ROM TESTER LOGIC BOARD, QUAD
G5088	TE	TU	2 8/75	APT11, G5081 + SWITCH AND VARIABLE TRANSMIT RATE, HEX
G509	FS	HRL	5 1/74	AC LINE FILTER AND DETECTOR, DOUBLE 8,5 (UL)
G509-YA	FS	HRL	5 1/74	230VAC G509
G5091	PERIPH	RLOM	3 3/75	M7722-YA TESTER, PROM, QUAD
G5091	PERIPH	RLOM	3 3/75	M7722-YA TESTER, ANALOG, QUAD
G5092	PERIPH	RLOM	3 3/75	M7722-YA TESTER, CONTROL, QUAD
G5093	PERIPH	RLOM	3 3/75	M7722-YA TESTER, COMPARE, QUAD
G5094	PERIPH	PNH	3 3/75	LA36 5410805-YA BOARD #2, SINGLE 5
G5095	PERIPH	PNH	3 3/75	LA36 5410805-YA BOARD #4, SINGLE 5
G5096	PERIPH	PNH	3 3/75	LA36 5410805-YA RESISTOR BOARD
G5097	PERIPH	REP	1 2/75	LA36 BUFFER BOARD, DOUBLE 8,5
G5098	PERIPH	REP	2 10/75	LA100-T BUFFER BOARD, DOUBLE 8,5
G510	FS	EB	3 2/74	B/E XOR OMNIBUS DRIVER & XOR BOARD A
G5100	XML	KC	2 9/74	2223-D -15V BCD CONT, THERMISTOR, 8,5 DOUBLE
G5101	XML	KC	2 9/74	2223-D BUFFER B, 8,5 DOUBLE
G5102	XML	KC	2 9/74	2223-D BUFFER A, 8,5 DOUBLE
G5103	XML	KC	8 11/74	2223-D TIMING A, 8,5 DOUBLE
G5104	XML	KC	8 11/74	2223-D TIMING B, 8,5 DOUBLE
G5105	XML	KC	4 3/75	2223-D VOLTAGE SELECT, 8,5 DOUBLE
G5106	XML	KC	4 3/75	2223-D POT SELECT (PARTS THAT ARE USED ON ALL VARIATIONS)
G5106-YA	XML	KC	2 9/74	2223-D POT SELECT A USES G5046 ETCH

MODEL NO	PROD LINE	DES ENCR	STATUS MO/YR	DESCRIPTION
G5126-YB	XML	KC	2 9/74	2223-D POT SELECT B USES G5046 ETCH
G5126-YC	XML	KC	2 9/74	2223-D POT SELECT C USES G5046 ETCH
G5126-YD	XML	KC	2 9/74	2223-D POT SELECT D USES G5046 ETCH
G511	FS	EB	3 2/74	B/E XOR OMNIBUS DRIVER & XOR BOARD D, QUAD 8,5
G5110	A	RBR	2 8/75	MR8-SA CONTROL, HEX
G5111	A	RBR	2 8/75	MR8-SA PROGRAMMING CIRCUITS, HEX
G5112	A	RBR	2 8/75	MR8-SA PROGRAMMER/MULTIPLEXER MODULE, HEX
G5114	10	JHM	2 3/75	DELAY LINE & COAX ASSEMBLY TEST JIG, DOUBLE 8,5
G5115	11	GP	1 6/75	H777 POWER SUPPLY TESTER, QUAD
G5116	TE	JFRN	1 6/75	VT50-TC (KEYBOARD TESTER) CONNECTOR ADAPTOR, 5 X 4,5
G5117	TE	RL	1 11/75	GR 1792 TTL/ECL TRANSLATOR, HEX
G512	FS	EB	3 2/74	B/E XOR OMNIBUS DRIVER & XOR BOARD E, QUAD 8,5
G5122	XML	DRD	1 9/74	MOSTEK 4K MK4296P 64 SOCKET BURN-IN BOARD, QUAD
G513	FS	FB	3 2/74	POWER CONT & VREF MODULE, BOARD R, SINGLE 5
G5133	FS	EB	1 10/74	2346 INTERNAL MEMORY, 4-LAYER QUAD
G5131	FS	EB	1 11/74	2346 MEMORY CONTROL, 4-LAYER QUAD
G5132	FS	EB	1 11/74	2346 PMT INTERFACE, QUAD
G5133	FS	FB	1 1/75	2346 XOR, QUAD
G5134	FS	FB	1 2/75	2346 INTEGRATOR CONT, QUAD
G5135	FS	FB	1 2/75	2346 HEAD DRIVER/RECEIVER, DOUBLE 8,5
G5136	FS	FB	0 12/75	2346 HEAD RECEIVER, DOUBLE 8,5
G5137	FS	FB	1 2/75	2346 HEAD INTERFACE, HEX 8,5
G5138	FS	FB		
G5139	FS	FB		
G514	FS	FB	3 2/74	B/E XOR CURRENT SENSE SEPARATOR, BOARD F, QUAD 6
G5140	FS	FB		
G5141	FS	FB		
G515	FS	FB	4 9/74	B/E XOR CONTROL BOARD M, QUAD 8,5
G5150	11	PKR	1 1/75	M7264-TA, 16-BIT HIGH SPEED COMPARATOR & LATCH, ECL, 4-LAYER HEX
G5151	11	PKR	1 8/75	M7264-TA, UNIBUS PORT, 4 LAYER HEX
G5152	11	PKR		
G5153	11	PKR		
G5154	11	PKR		
G5155	11	PKR		
G516	QC	EG	5 9/74	11 XOR STROBE & CONTROL BOARD, (WIRE WRAPPED VERSION WAS 93-05365-0-2, MS1498-B), QUAD 8,5
G516-YA	TE	RDH	2 6/75	VT50-TA VARIATION
G5160	PERIPH	WDH	1 3/75	WRITER & DROP-OUT CKT FOR RK05K DROP-OUT TESTER, DOUBLE 8,5
G5161	PERIPH	ES	1 10/75	RK06-TA, DATA SEPARATOR, DOUBLE 8,5
G5162	PERIPH	ES	1 10/75	RK06-TA, READ/WRITE CONTROL, DOUBLE 8,5
G5163	PERIPH	ES	1 10/75	RK06-TA, CONTROL MODULE, DOUBLE 8,5
G5164	PERIPH	ES	1 10/75	RK06-TA, RECEIVER, DOUBLE 8,5
G5165	PERIPH	ES	1 10/75	RK06-TA, TRANSMITTER, DOUBLE 8,5
G5166	PERIPH	ES	1 10/75	RK06-TA, TRANSCEIVER, DOUBLE 8,5
G5170	10	RHEL	0 11/75	H770-TA, LOAD BOARD, W975 ETCH
G5171	10	RHEL	0 11/75	H770-TA, RELAY BOARD, W975 ETCH
G5172	10	RHEL	0 11/75	H770-TA, INTERNAL POWER SUPPLY, W975 ETCH
G517	FS	EB	3 10/73	B/E XOR TIMING SYNCHRONIZER, SINGLE 5
G517-YB	FS	EB	3 2/74	G517 W NO COMPONENTS
G518	FS	EB	1 11/72	B/E XOR TTY SIMULATOR, DOUBLE 5
G5180	12	WGH	2 8/75	MA20-TA, DATA PATH 1, QUAD (WIRE WRAP)
G5181	10	WGH	2 8/75	MA20-TA, DATA PATH 2, QUAD (WIRE WRAP)
G5182	10	WGH	2 8/75	MA20-TA, ADDRESS PATH 1, QUAD (WIRE WRAP)
G5183	10	WGH	2 8/75	MA20-TA, ADDRESS PATH 2, QUAD (WIRE WRAP)
G5184	10	WGH	2 8/75	MA20-TA, CONTROL 1, QUAD (WIRE WRAP)
G5185	10	WGH	2 8/75	MA20-TA, CONTROL 2, QUAD (WIRE WRAP)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G5186	10	WGH	2 8/75	MA20-TA, CLOCK, SINGLE 5 (WIRE WRAP)
G5187-YA	10	JHH	1 10/75	M8526-TA, NO RESISTORS, W9611 ETCH, SINGLE 5
G5187-YB	10	JHH	1 10/75	M8526-TA, 1 RESISTORS ON F1, W9611 ETCH, SINGLE 5
G5187-YC	10	JHH	1 10/75	M8526-TA, 1 RESISTORS ON S2, W9611 ETCH, SINGLE 5
G5187-YD	10	JHH	1 10/75	M8526-TA, RESISTORS ON F1 & S2, W9611 ETCH, SINGLE 5
G5187-YE	10	JHH	1 10/75	M8526-TA, RESISTORS ON S2, R1, R2, E2, E1, D2, W9611 ETCH, SINGLE 5
G5187-YF	10	JHH	1 10/75	M8526-TA, RESISTORS ON YE & F1, W9611 ETCH, SINGLE 5
G519	FS	EB	3 2/74	B/E XOR DATA BREAK SIMULATOR, DOUBLE 5
G520	FS	EB	1 11/72	B/E XOR PCO SIMULATOR, DOUBLE 5
G5200	TEI			
G5201	TEI			
G5202	TEI			
G5203	TEI			
G5204	TEI			
G5205	TEI			
G5206	TEI			
G5207	TEI			
G5208	TEI			
G5209	TEI			
G521	PS	RJM	3 3/74	2337 POWER SUPPLY TESTER MODULE, DOUBLE 5
G5210	TEI			
G5211	TEI			
G5212	TEI			
G5213	TEI			
G5214	TEI			
G5215	TEI			
G5216	TEI			
G5217	TEI			
G5218	TEI			
G5219	TEI			
G522	COM	FZ	3 5/74	1472, 1482 (WESTERN DIGITAL) CHIP TESTER, DD11, QUAD 8,5
G5220	TEI			
G5221	TEI			
G5222	TEI			
G5223	TEI			
G5224	TEI			
G5225	TEI			
G5226	TEI			
G5227	TEI			
G5228	TEI			
G5229	TEI			
G523	PC	LRR	1 3/72	UNIBUS TERMINATOR & INDICATOR, DOUBLE 8,5
G5230	TEI			
G5231	TEI			
G5232	TEI			
G5233	TEI			
G5234	TEI			
G5235	TEI			
G5236	TEI			
G5237	TEI			
G5238	TEI			
G5239	TEI			
G524	DC	ALB	3 1/74	PIN DRIVER & RECEIVER FOR CMT
G5240	TEI			
G5241	TEI			

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
G5242	TEI				
G5243	TEI				
G5244	TEI				
G5245	TEI				
G5246	TEI				
G5247	TEI				
G5248	TEI				
G5249	TEI				
G525	10	STP	2	6/74	TTL TO ECL & ECL TO TTL CONVERTER, 24 CHANNELS, MULTILAYER HEX 8,5
G5250	FS	MS			
G5251	FS	MS	1	10/75	PMT11, ERROR PIN READBACK, QUAD
G5252	FS	MS			
G5253	FS	MS			
G5254	FS	MS	1	10/75	PMT11, POWER SUPPLY LOAD & MONITOR, QUAD
G526	PROE	RMM	1	3/73	LOGIC MODULE, 2339 BC08R, BC08S CABLE TESTER, QUAD 8,5
G527	PROE	RMM	1	3/73	TIMING MODULE, 2339 BC08R, BC08S TESTER, DOUBLE 8,5
G528	QC	RBG	3	2/74	16 CHANNEL ADJUSTABLE WINDOW XOR (TU60), QUAD 8,5
G5280	QC	IB	2	11/74	G528 W H854 CONNECTOR
G5180	YA TE	RQH	1	1/75	VT50-TA G5280
G529	QC		3	8/74	8 CH LEVEL COMPARATOR (TU60 XOR), QUAD 8,5
G530	QC	EG	3	3/74	32 CH 11 XOR MODULE, QUAD 8,5
G530	YB QC	GD	2	10/73	G530 W INVERTED OUTPUT
G532	11	ORR	1	5/73	RK09 SIMULATOR, DOUBLE 8,5
G533	PS	RJW	3	9/74	COMPONENT BOARD FOR H744, 5, 6 TESTER, (11/45-TA), DOUBLE 8,5
G534	QC	WP	3	3/75	SINGLE X 5 CARD, H807 ONE END, 3M CABLE OTHER END, 18 CABLE DRIVERS, ODD PINS, MODULE A
G535	QC	WP	3	3/75	SINGLE X 5 CARD, H807 ONE END, 3M CABLE OTHER END, 18 CABLE DRIVERS, EVEN PINS, MODULE B
G536	QC	WP	3	3/75	SINGLE X 8,5 CARD, 1 3M CABLE ONE END, 2 ON OTHER, 40 SIGNALS, MODULE C, I/O CONNECTOR
G537	QC	WP	3	3/75	MODULE D, 40 XOR GATES, INPUTS FROM 4 H854, OUTPUTS FROM 2 SETS OF FINGERS & BOTTOM PINS, QUAD (8/E)
G538	QC	WP	3	3/75	8/E XOR CONTROL, 1 H854, QUAD, MODULE E
G539	QC	PJD	2	7/73	CMT XOR RELAY BOARD, 12 FORM C RELAYS, DOUBLE 8,5

PRODUCTION EQUIPMENT

G5400	PROE	DS	3	3/74	2 STATION WIRE WRAP INTERFACE, QUAD 8,5
G5401	PROE	DS	1	1/73	128 WIRE LOOM CONTROL, QUAD 8,5
G5402	PROE	DS	1	2/74	MULTIPLEXOR FOR WIRE WRAP INTERFACE, QUAD
G5403	PROE	DS	1	2/74	8/E INTERFACE FOR GARDNER-DENVER MOD, B & E, QUAD
G5404	PROE	DS	3	9/74	8/E INTERFACE FOR GARDNER-DENVER MOD, 14VF, ALLOWS REPLACEMENT OF SUPERIOR READER WITH 8/E, QUAD
G5405	PROE	DS	1	10/75	DIP RE-ZERO INTERFACE (CORRECTS FOR HOLE MISALIGNMENT & BOARD STRETCH, DOUBLE 8,5, NO FINGERS)

SPECIFIC OP AMPS

G588	FS	ES	1	9/72	G219 TESTER BOARD
G589	10	ATT	5		DIFFERENTIAL INTEGRATOR/AMP, HP10 CONTROLLER, RP01-MEMOREX 630-1
G590	10	ATT	5		DIFFERENTIAL FILTERED INTEGRATOR, RP10, RP02, MEMOREX 660
G591	10		1	7/68	OP AMP, MAX PLANK, ANALOG DEVICES 220
G592	10		1	7/68	OP AMP, MAX PLANK, ANALOG DEVICES 149, PDP-10
G593	CSS		6	10/74	OP AMP, PERKIN ELMER S8H
G594	10		6		(OBS), PHOTORELL AMP, TU79 OPTICAL TACH, A207 BOARD
G595	10		6		(OBS), CAPSTAN PREAMP, TU79, A200 OR A207 BOARD
G596	10		6		(OBS), CAPSTAN AMPLIFIER DRIVER, TU79, A200 OR A207 BOARD
G597	10		6		(OBS), CAPSTAN CURRENT AMPLIFIER, TU79, A200 OR A207 BOARD
G598	10		6		(OBS), REEL REFERENCE AMPLIFIER, TU79, A200 A207 BOARD
G599	10		6		(OBS), REEL ERROR AMPLIFIER, TU79, A200 OR A207 BOARD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
RESISTOR & DIODE MODULES				
G600	15		6	(OBS), PDP-7 RESISTOR, MEMORY
G6007	MCE	RLS	1 5/74	PERMANENT TEST HEX
G6001	XML	RH	1 10/73	H225-A STACK BOARD, HEX 12
G6001=YA	XML	RH	1 10/73	H225-A STACK BOARD W THERMISTOR, HEX 12
G6002	XML	RH	1 11/73	H226-A STACK BOARD, HEX 12
G6002=YA	XML	RH	1 11/73	H226-A STACK BOARD W THERMISTOR, HEX 12
G601	15		6 10/74	MEMORY SELECTOR MATRIX, PDP-7
G602	15		6 10/74	MEMORY SELECTOR MATRIX, PDP-7
G603	8	MI	5	MEMORY SELECTOR MATRIX, 56 CONTACTS, 28 EACH SIDE, BIFURCATED
G604	10		6 10/74	MEMORY SELECTION MATRIX, PDP-6
G605	MTST		6	(OBS), MEM SELECT MATRIX FOR MEM TEST
G606	MTST		6	(OBS), SAME AS G605 BUT TRANSFORMER OUTPUTS
G607	10		6	(OBS), MEMORY DIODE BOARD FOR PDP-10, SEE G609
G608	10		6	(OBS), SENSE/INHIBIT/REGULATOR, PDP-10, SEE G609
G609	8		5	COMBINES G607 & G608 INTO ONE QUAD SIZE BOARD
G610	8	REST	5	"A" DIODE BOARD FOR PDP-8 STACK 3005256
G611	8	REST	5	"B" DIODE BOARD FOR PDP-8 STACK 3005256
G612	8	REST	5	"B" DIODE BOARD FOR PDP-8 13 BIT STACK
G613	15		5	X DIODE MATRIX, 3 WIRE, 3D, 4K, 9/I
G614	15		5	Y DIODE MATRIX, 3 WIRE, 3D, 4K, 9/I
G615	XML	PD	1 2/70	256 X 16 BIT, 20 MIL BOARD WITH DIODES, DOUBLE, 8,5
G616	XML	PD	5	4K, 12 BIT, 20 MIL BOARD WITH DIODES, QUAD, 9 DEEP
G617	XML	PD	5 5/73	4K, 9 BIT, 20 MIL COVER BOARD FOR G616
G618	15	LH	5	ROM DIODE BOARD WITH ALL DIODES, 16 WORDS, 32 BITS
G618=YA	15	LH	5	VT15 CHAR GEN ROM FOR ASCII OCTAL WORDS 300 THRU 307
G618=YB	15	LH	5	CHAR GEN ROM FOR 310 THRU 317
G618=YC	15	LH	5	FOR 320 THRU 327
G618=YD	15	LH	5	FOR 330 THRU 337
G618=YE	15	LH	5	FOR 240 THRU 247
G618=YF	15	LH	5	FOR 250 THRU 257
G618=YG	15	LH	5	FOR 260 THRU 267
G618=YH	15	LH	5	FOR 270 THRU 277
G619	8/2	PD	5	4K, 12 BIT, 20 MIL CORE MEMORY BOARD WITH DIODES, QUAD, 8,5 DEEP, FOR 8/E
G620			7	(OBS), NEVER BEEN USED, RESISTOR BOARD FOR PDP-9 MEMORY
G621	8		4	(OBS), RESISTOR BOARD FOR 8 MEM, 4 INHIBIT, 1 READ/WRITE & CAP & DIODE
G622	15		5	RESISTOR BOARD FOR MC70B, FIRST PDP-9 MEMORIES
G623	CSS		5 7/73	FOR 683, LINE PATCHING MODULE, LUGS FOR CONNECTING A OR B TO ANY OTHER PIN
G624	8		5	RESISTOR BOARD FOR 8/I MEMORY, SIMILAR TO G621
G625	10		6	(OBS), REEL SERVO RESISTOR CARD, TU79
G626	10		5	RESISTOR BOARD, PDP-10, 2=1/2 0
G627	CSS		5	PROGRAM BOARD, 4 WORDS, 12 BITS, DIODES CUT OUT FOR ZEROS
G628	CSS	CV	6 10/74	6 REFERENCES, ADJUSTABLE, 0 TO -3V OFF DIODE STRING, VICTOREEN A/D OUTPUT, NH01-A
G629	10		6	(OBS), FILTER, R/S, C/S, FRONT END CAPSTAN SERVO, TU79, SERVO COMPENSATOR
G630	15	DV	6 10/74	RESISTOR BOARD FOR MC71
G631	10		6	(OBS), TACHOMETER ADJUST, TU79
G632	10		6	(OBS), SERVO REFERENCE VOLTAGE
G633	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G634	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G635	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G636	11	PD	7 2/70	INHIBIT AMPLITUDE CONTROL, MM11-A
G637	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G638	10		6	(OBS), COMPONENT CARD, TU79, USES G625 BOARD
G639	10		6 11/69	(OBS), OPTICAL TACHOMETER CABLE CARD, TU79, USES G625 BOARD

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
G640	11	CA	1	1/69	RESISTOR MODULE, 4 RES, YA, YB ETC, SPACE FOR 4 12 WATT RES, FOR TELEGRAPH SERIES RES
G641	15	ELIA	5		+3V SOURCE FOR 19 PINS, TO REPLACE EAE, DOUBLE HEIGHT
G642	XML	PD	5		BRAID BOARD, 256 WIRES, 64 CORES, 1 DIODE PER WIRE (MR11), PLUGS INTO G106
G643	8	WC	5	5/73	BRAID BOARD, 128 WIRES, 24 CORES, 1 DIODE PER WIRE (MR8-E), PLUGS INTO M880
G644	12	STP	5		G627 ETCH, DIODES REVERSED
G645	XML	PD	5	9/72	8K X 19 BIT STACK BOARD, QUAD X 8,5, FOR 11/25,11/25,11/45,10
G646	XML	PD	5	5/73	8K X 12 BIT STACK BOARD, QUAD X 8,5, FOR 8/E
G647	XML	DWS	4	2/74	16KX20 BIT STACK BOARD, PDP11, PDP10, HEX 8,5
G648	XML	DWS	0	11/74	8K 12=BIT STACK BOARD (G646 W DISCREET DIODES)

CORE MEMORY LOGIC BOARDS

G649	8	WC	2	1/75	8K 12=BIT BASE BOARD WITH LOGIC, HEX, USED WITH H219=A
G650	8	WC	5	11/75	16K 12=BIT BASE BOARD WITH LOGIC, HEX, USED WITH H219=B
G651	XML	PD	7	6/75	4=8K 16=18 BIT MOTHER BOARD, MATES WITH H221
G652	XML	DWS	2	8/75	16K 16=18 BIT MOTHER BOARD WITH LOGIC, HEX, MATES WITH H222=A
G653	11	PD	2	8/75	4MV11=A, 4K 16=BIT MOTHER BOARD W LOGIC, MATES W H223
G654	XML	RH	0	10/75	RENAMED G118
G655	XML	DWS	1	11/75	64K ELECTRONICS BOARD, 4=LAYER HEX 12, USED W H227
G680			5	5/73	DISK HEAD MOUNT & MATRIX (4 TRACK HEAD)
G681	PERIPH		5		DISK HEAD MOUNT & MATRIX, 8 TRACK HEAD

CABLE TERMINATORS

G700	10	DREW	5		CABLE TERMINATOR, W028 BOARD
G700=YA	12	GPR	5		G700 MODIFIED BY REMOVING R9, USED IN DP12=A,=B, TO INHIBIT INPUT WHEN DP12 IS NOT IN USE
G7000	10	DREW	5	5/73	I/O BUS TERMINATOR 1 DOUBLE 5
G7001	10	DREW	5	5/73	I/O BUS TERMINATOR 2 DOUBLE 5
G7002	10	DREW	5	5/73	I/O BUS TERMINATOR 3 DOUBLE 5
G7003	10	DREW	5	5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7004	10	DREW	5	5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7005	10	DREW	5	5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7006	10	DREW	5	5/73	I/O BUS TERMINATOR USED IN H807 QUICKLATCH TERMINATOR SINGLE 5
G7007	TE	PDH	1	5/74	VT50 MODULE TESTER ADAPTER, HEX FINGERS TO 5412902
G7008	TE	PDH	1	5/74	VT50 MODULE TESTER ADAPTER, HEX FINGERS TO 5412906
G701	8	JDL	6	10/74	CABLE TERMINATOR, R001 BOARD, 3 DIODES TO STOP OVERSHOOT ON PINS, FOR 8/S BUS
G7010=YA FS		EB	3	9/74	PDP8 NEG LOGIC CLOCK ADAPTER, PMK02, W023 W MATE=N=LOCK CONNECTOR
G7010=YB FS		EB	3	9/74	8/E, 8/M, 11 TTY CURRENT LOOP ADAPTER, PMK02, W023 W MATE=N=LOCK CONNECTOR
G7010=YC FS		EB	3	9/74	8/I, 8/L, 12 CLOCK SLOT ADAPTER, PMK02, W023 W MATE=N=LOCK CONNECTOR
G7010=YD FS		EB	3	9/74	INTERFACE CABLE END, PMK2
G7011	FS	EB	4	9/74	RP02/03 TESTER TERMINATOR, SINGLE 5, 15 390=390 OHM DIVIDERS +10 TO GND
G702	PERIPH		6	10/74	DISK SIMULATOR, SINGLE SIZE, DIODES, LIGHTS, SWITCH, RESISTOR, DF32
G703	10	KE	5		100 OHM TERMINATOR, G700 PATTERN, DOUBLE BOARD WITH CUT OUT TO FIT OVER H003 OR H004
G704	10	KE	5		2 MA LEVEL TERMINATOR, G796 BOARD & COMPONENTS
G705	10	OG	5		DEC TAPE JUMPER MODULE
G706	10	OG	5		DEC TAPE ATTENUATOR
G707	15		6		(OBS), 7 TERMINATORS FOR H691 DRIVER LINES, FOR DX36
G708	IPG	RG	6		(OBS), GENERATES +10 & +3V FROM +15 WITH DIODES, ALSO OTHER VOLTAGES, REPL BY 5424220 IN AD08
G709	PERIPH	RP	6	10/74	CABLE TERMINATOR, 9, 001 UF TO GND, W028 BOARD
G710	PERIPH	GS	6		(OBS), DISK SIMULATOR, LIGHT BOARD, BIG DISK
G711	PERIPH	GS	5		TERMINATOR FOR RS005, 100 OHMS
G712	SSUK		3		CP LINE FILTER, WITH OVERVOLTAGE & CURRENT PROTECTION, UK
G713	CS		6	10/74	CLAMPS 0 & +7, 15 CKTS, FOR ELECTROLOGICA EX=8 COMPUTER
G714	IPG	PG	6	10/74	DOUBLE AD08=B TESTER FOR MULTIPLEXER, 17 1% RESISTORS, 16 TAPS, +10V ACROSS STRING
G715	10	SU	5		TERMINATOR, EQUIV 100 OHMS TO +4, USES +10 & GND, G700 CONNECTIONS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G716	12	RD	5	RESISTOR BOARD, R002 LAYOUT, USED IN AX08
G717	A	JO	5	5 100 OHMS TO GND, PINS K2, M2, P2, S2, T2, SAME GNDS AS W022
G718	12	CL	5	TIMING JUMPER FOR PDP12, WHEN PLUGGED IN UPSIDE DOWN, EACH DELAY LINE TAP IS SHIFTED
G719	PERIPH	GS	5	RF08 TERMINATOR BOARD=A, (9 470 OHMS TO +10, 6 1K TO +10)
G720	PERIPH	GS	5	RF08 TERMINATOR BOARD=B, (15 470 OHMS TO +10), G719 ETCH
G721	15		1 1/69	TERMINATOR BOARD FOR PDP15 MEM EX, 24 2.7K TO +5, 101 UP TO GND
G722	15		1 1/69	TERMINATOR BOARD FOR PDP15 MEM EX, (24 2.7K TO +5)
G723	PERIPH	GS	5	9 CLAMPED LOADS FOR RS09, W021 CONNECTIONS, 15 MA CLAMPED LOADS, 30 MA ON V
G724	8		5	JUMPER MODULE FOR DC08A CHECKOUT, ADJACENT PINS JUMPED EXCEPT A1-B1, A2-B2
G725	CSS		3 1/75	JUMPER BOARD
G726	10	SU	5 5/73	ME10 BUS CONTROL, A JUMPER BOARD
G726-YA	10	SU	5 9/73	NO CAPACITOR ON REQUEST LINE (MF10)
G727	11	PJ	5	SHORTS K2=L2, M2=N2, P2=R2, S2=T2, USED IN DD11 WHEN NO PERIPH CONTROL IS PRESENT
G727-JA	11/45	REL	1 7/72	SYSTEM-TESTED G727
G7270	11/45	REL	5	LONGER G727
G7271	11	MOOR	4 7/73	SHORT DOUBLE JUMPER CARD, MF11=L
G728	15	JE	5 5/73	0815 JUMPER CARD (24 JUMPERS)
G728-YA	10	CHIN	1 1/75	MODIFIED G728 FOR MG10
G729	IPG	MORO	5 5/73	JUMPER CARD, 16 IN & 2 OUT (2 OCTAL DIGITS) FOR AM07
G730	IPG	MORO	5 5/73	JUMPER CARD, DPDT, TO REPLACE AMPLIFIER IN AM07
G731			1 1/70	PUSH BUTTON RESISTOR BOARD FOR CNC CONTROL PANEL
G732	8	ADL	2 2/70	KV JUMPER CARD
G733	12	BN	1 4/70	2 10W 1.5 OHM RESISTORS (VR12)
G734	8	MA	5	PART OF G793 FOR BM08
G735	11		5	VOLTAGE DIVIDER TEST CARD FOR AD01
G736	11	PJS	5	JUMPER MODULE, 1 IC SOCKET, 16 PINS, SINGLE 5
G7360	11	RL	4 2/74	G736 W 2 SOCKETS, SINGLE 8,5
G7361	LOGIC	RF	5 2/74	SELECTS BUS REQUEST PRIORITY LEVELS FOR UP TO 4 DEVICES ON UNIBUS; USES 54-10342 PLUG
G737	10	SU	5	9 DIVIDERS, 150 OHMS TO +3V, W028 CONNECTIONS
G738	PERIPH	PM	5	TERMINATOR, 9 82 OHMS TO GND, 15 UNIBUS LOADS, RS64
G739	PERIPH	PM	5	TERMINATOR, 9 82 OHMS TO +5V, 15 UNIBUS LOADS, RC11
G740	11		5	DISK SELECTION CARD, 8 IN & 10 OUT WITH LOADS & JUMPERS
G741	11		5	18 5 MA NEG CLAMP LOADS FOR TU10-E, -F
G741-YA	PERIPH	JH	5 4/72	16 5 MA NEG CLAMP LOADS, 2 20 MA LOADS, G741 ETCH, TU10
G742	PERIPH		5	JUMPER CARD, PINS OF NON-INVERTING M500 & M531, TU56 WITH POS LOGIC CONTROLS
G743	IPG	RB	1 12/70	OFFSET COMPONENTS & POT FOR A200
G744	15	LH	5	JUMPER CARD FOR VT15
G745	15	LH	5 11/71	TERMINATOR CARD FOR VT15
G746	10	ATT	5 3/72	G700 WITH 220 OHM RESISTORS FOR TM10 BUS
G747	10	ATT	5 2/72	G700 WITH 220 OHM TO GND & 390 OHM TO -15V FOR TM10 BUS
G748	IPG	MORO	2 10/71	RELAY EVALUATION MODULE USED WITH A150, 16 5K RES ON PADDLE BD
G749	CSS	AHDAB	2 3/72	LOAD CLAMP, 16 CKTS, TAP JUNCTION OF DIODE TO GND & RES TO -15V

CABLE CONNECTOR MODULES

G750	QC	EG	4 4/75	CPU INTERFACE, XOR TESTER, SINGLE 8,5, 4 3M CABLES
G7501	CSS	LO	3 10/73	SINGLE 5", 35 SIGS TO H054, B000
G7502	QC	PWK	4 4/75	ECL TO TTL & 3M CABLE, 16 CH, G7503 USED ON OTHER CABLE END, SINGLE 8,5 (TRANSMITTER)
G7503	QC	PWK	4 4/75	3M CABLE & TTL TO ECL, 16 CH, SINGLE 8,5, G7502 USED ON OTHER CABLE END (RECEIVER)
G7503-YA	TE	PWK	1 4/74	G7503 WITHOUT TERMINATORS
G7504	QC	FWR	1 10/73	G7502 W FINGERS ON HANDLE END INSTEAD OF 3M CABLE
G7505	QC	FWR	4 10/74	FINGERS BOTH ENDS, AA1 TO HV1, ETC, USED W G7504 & H051, SINGLE 8,5, 4 LAYER
G7506	QC	IB	3 3/75	DIAGNOSTIC RECEIVER/TRI STATE DRIVER (DR3SD), RP04 XOR TESTER, SINGLE 8,5
G7507	QC	FWR	2 12/74	4 LAYER HEX EXTENDER TO 5 SLOTS
G7508	QC	PJD	4 4/75	KL10 16CH TTL XOR DRIVER, SINGLE 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G7509	QC	PJD	4 4/75	KL10 BCH TTL XOR RECEIVER, DUAL 8,5
G7509-YA	QC	PJD	4 4/75	G7509 W NO RECEIVER, MATES WITH G7509 W H851
G751	QC	FG	3 2/74	SIDE 1 TEST HEAD INTERFACE DRIVER (XOR TESTER), 1 3M CABLE, SINGLE 8,5
G752	QC	FG	3 2/74	SIDE 2 TEST HEAD INTERFACE DRIVER (XOR TESTER), 1 3M CABLE, SINGLE 8,5
G7520	QC	IB	1 11/73	G752 W TERMINATOR RESISTORS
G753	CPL	PALL	5 9/72	INITIALIZE BOARD, DS300 SERIES, DOUBLE 8,5
G754	CPL	PALL	2 10/72	INITIALIZE BOARD, DS500 SERIES, DOUBLE 8
G766	10	DREW	5 5/73	G796 W 3M CABLE, 14 SIG, 2 GND
G767	IPG	PG	5	POWER INPUT FOR AA11, +/-15V, REMOTE SENSE
G768	8	EW	2 5/70	INTENSITY INVERTER FOR CONNECTING GRID INTENSIFIED SCOPES TO VC8/1
G769	8	PS	5 5/73	KV8/I TO VT02, G778 ETCH
G770	8	PS	5 5/73	VT02 TO VT02 CONNECTOR, G778 ETCH
G771	12		5 5/73	AC COUPLING CARD FOR DC04-A
G772	11	CRB	5	PDP11 POWER CONNECTOR
G773	8	WH	5 5/73	2 TABS FOR -30, OTHERWISE W990, TYPESETTING
G774	IPG	EK	2 4/69	CONTACT INPUT CONNECTOR BOARD, 18 RES TO -15, +15 & GND IN ON HANDLE, FOR DS#1
G775	15	DV	5	36 WIRES TO INDICATOR G15, +6,5V FROM LAMPS, RFD09
G775-YA	DAS	RCP	1 3/73	DA28-C INDICATOR PANEL CONNECTOR CARD #1
G775-YB	DAS	RCP	1 3/73	DA28-C INDICATOR PANEL CONNECTOR CARD #2
G776	8	LN	1 3/69	DC08-C POWER CONNECTOR (C&D GND, OTHERS BUSED)
G777	14	RAP	5	PDP14 CONNECTOR, MYLAR OR RIBBON, (WILL HAVE LUGS), SIDE ENTRY, C & 19TH WIRE CONN USED WITH G782
G778	DIS	PS	5 2/74	CABLE CONNECTOR FOR KV8/I, SEE G769
G780	12	LG	6 10/74	POWER CONNECTOR CARD FOR PDP-12
G781	10		6	(OBS), CABLE CARD FOR TU79, REPLACES DAC
G782	14	RAP	5	PDP14 CONNECTOR A +5, B, D FILTERED SIGS (WITH E&H) C GND, OTHER STRAIGHT THRU, USED WITH G777
G783	12	LG	5	9 TWISTED PAIR AND SHIELD, 1 PR GROUND RETURN
G784	8	DA	6 10/74	CABLE INTERFACE FOR TR02, DOUBLE HEIGHT
G785	8	WH	5	POWER CONNECTOR, 8/L, POWER OK
G786	CSS		3	BELL 300 SERIES TERMINATOR, 5 TRANSMITTERS, + 2 MORE WIRES
G787	SSUK		1 3/68	GP0 MODEM CONNECTOR (ENGLAND), SPLIT LUGS, ZENER CLAMPS & FUSES
G788	PERIPH	GS	1 1/68	CONNECTOR W023 AND MORE GND CONNECTIONS, BIG DISC, BACK SIDE CONTACTS TO USE H802
G789	PERIPH	GS	5 5/73	CONNECTS W012 WITH DIFFERENT RIS, CONNECTOR TO G790
G790	PERIPH	GS	6 10/74	DISK SIMULATOR, FLEXPRINT TO G789
G791	10	SU	6 10/74	DEC TAPE CONNECTOR
G792	8	MA	5	PDP-8/I POWER CONNECTOR, DOUBLE, DOUBLE SIDED
G793	8	MA	5	PDP-8/I SWITCH CONNECTOR, 8/I TO CONSOLE
G794	10		6	(OBS), 25 OHM CABLE CONNECTOR
G795	15	DV	5	CLAMPED LEVEL CABLE CONNECTOR, W021 PINS, DIODES TO +,7 & +3V, PDP-9, EXTENDED MEMORY
G796	10		5	CLAMPED LEVEL CABLE CONNECTOR, W034 WITH CLAMPS @ GND & +3V WITH 2 MA CLAMPED LOADS, G704 ETCH
G797	8	WH	6 10/74	47 OHM SHUNT, OTHERWISE W031
G798	8	WH	5 5/73	47 OHM SERIES, OTHERWISE W031
G799	10		5	PDP-10 CABLE CONNECTOR, W021 CONNECTIONS, 3 FLEX PRINTS IN PARALLEL TO ACHIEVE 30 OHM IMP

POWER SUPPLY MODULES

G800	10		5 2/74	CONTROL FOR 739 POWER SUPPLY
G8000	11	RL	5	+8,5V RECTIFIER
G8001	PERIPH	PM	5	LOW VOLTAGE DETECTOR, +2V
G8002	PERIPH	SERG	5 4/72	LOW VOLTAGE DETECTOR, RS44
G8003	11	VB	5 5/72	FULL WAVE RECTIFIER UP TO 600V 1 AMP
G8003-YA	TPL	JG	3 1/74	G8003 W NO DIODES
G8004	PERIPH	CAY	5 11/72	+5V DETECTOR FOR LA30, SINGLE 5
G8005	YE	ET	1 10/74	POWER SUPPLY LOAD, WATER COOLED, QUAD
G801	15		7 3/66	(NEVER BUILT) SERIES REGULATOR, PDP-9 MEMORY
G8010	PS	DREW	5 9/74	+5,2V CONTROL, KL10, SINGLE 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G8011	PS	DREW	5 9/74	+2V CONTROL, KL10, SINGLE 5, G8010 ETCH
G8012	PS	DREW	2 10/73	+5V CONTROL, KL10, SINGLE 5, G8010 ETCH
G8013	PS	DREW	5 9/74	+10V REFERENCE, KL10, SINGLE 5
G8014	PS	DREW	5 9/74	-5, 2V DETECTOR, 16 INPUTS, ALL MUST BE MORE THAN 4.8V, SINGLE 6
G8015	PS	DREW	2 7/74	POWER CONTROL LOGIC, KL10, DOUBLE 6, USED IN 863
G8016	R/A	ADL	5 3/75	REGULATOR FOR H763, QUAD
G8017	PS	DREW	2 10/74	863 INDICATOR DRIVER, SINGLE 6
G8018	R/A	ADL	4 10/75	POWER SUPPLY REGULATOR FOR 8A400, 8A500
G802	R	WH	2 2/75	REGULATOR TRANSISTORS FOR PDP-8 EXTENDED MEMORY, DOUBLE HEIGHT, DOUBLE THICK
G803	TPL	JDL	6	(OBS), RECTIFYING SLICER, 8/S, RENAMED W533
G804	R	WH	5	CONTROL FOR G805, PS PRE-REG PLUS +10 & +15V DETECTOR, (G809)
G805	R	WH	5	REGULATOR FOR NEG 8 MEMORY
G806	R	WH	6	(OBS), LIKE G804 BUT TURNS OFF REGULATOR INSTEAD OF DRIVING EXT RELAY, (DRIVES G805)
G807	12	FL	7	(OBS), OPTION POWER SUPPLY FOR VR12, +5V 220 MA, -5V 20 MA, DOUBLE THICK
G808	R	WH	5	POWER SUPPLY CONTROL FOR 708 PS, SAME AS G800
G809	R	WH	5	+15V SENSE & RELAY DRIVER, PDP-8 PS
G810	10		5	6V REGULATOR CONTROL, DRIVES A G805
G811	10	WW	5	+1.8V REG CONTROL, DRIVES G809, PDP-10, USED ON G812 & 703 POWER SUPPLY
G812	10	WW	5	+3V REG CONT, DRIVES G805, PDP-10, G811 BOARD, 703 POWER SUPPLY
G813	R	MA	5	REGULATOR CONTROL FOR 704, DOUBLE MODULE SHAPE, DOESN'T PLUG IN
G814	15	DL	6	(OBS), +3V SUPPLY, 1-1/2 AMPS, DOUBLE HEIGHT & WIDTH, FOR DX36
G815	10	WW	5	SERIES REGULATOR, 7 AMPS, 35 WATTS, FOR 703 SUPPLY, DOUBLE HEIGHT & WIDTH
G816	10		5	MODIFIED G806 FOR DRIVING 70V POWER SUP REGULATOR OUTPUTS
G817	12		4 10/74	CARD 1 FOR 713
G818	12		4 10/74	CARD 2 FOR 713
G819	12	LH	3 5/73	HV SUPPLY OF VR12
G820	12	RI	5 10/74	+5V 300 MA SUPPLY (FROM +10V) FOR LINC-8 CLIN CHEM
G821	15	DO	5	+5V REG CONT AND OUTPUT CARD FOR PDP15, (SEE G829)
G822	15	DO	5	+6V REGULATOR (FROM +10V) FOR SENSE AMPS, PDP15
G823	15	DO	5 5/73	+24V MEM REG CONT CARD, DRIVES G825, PDP15
G824	12	LG	5	+3V REG CONTROL, PDP-12
G825	15	DO	5 2/74	+24V PASS ELEMENT, FROM G823
G826	R	MA	5	REG CONTR FOR 8/I, DRIVES G805 & DETECTS PRESENCE OF OTHER VOLTAGES, DOUBLE HEIGHT
G827	15		5	LOW VOLT DETECTOR, PDP-15, + K303 RC'S, DETECTS +9V, USES +5V
G827	15	FD	2 6/75	G827 W ADDITIONAL GATING FOR XV100
G828	10	SU	5 5/73	REGULATOR CONTROL, ME10, USES G805
G829	15	ELIA	5	5V CONNECTOR CARD FOR 15 PERIPHERALS WITH OVERVOLTAGE SCR & FUSE, CAN REPLACE G821
G830	10	DREW	5 5/73	5V, 10 AMP REGULATOR FROM 8V, K110
G831	10	DREW	5 2/72	+10V REF, +5V OUT, 0 TO +10V 6 BIT DAC, MARGINAL CHECK CONTROL, K110
G832	14	AR	5	+10V, 1 AMP REGULATOR, 12.6 VAC IN
G833	IPG	RG	2 11/69	+6V, 6 AMP REGULATOR FOR AG02, VECTOR BOARD, ONLY 5 TO BE MADE
G834	12	CPB	5	5V 3 AMP REGULATOR, STUD OR SOCKET MOUNTED, FOR H309
G835	R	LN	5 5/73	30V, 5A SUPPLY (NO XFMR), FOR PH8-ES
G836	12	LH	5 12/71	+ & -20V REGULATOR FOR VR14, QUAD
G836C	GRAPH	HL	5 8/75	G836 REPACKAGED
G837	11	RL	1 10/70	DC/DC CONVERTER, GENERATES +15V @ 0.3A FROM +15V, SINGLE X SHORT
G838	12	LH	5	FAULT PROTECTION FOR VR14, PROVIDES +5V FOR INTENSITY BOARD W682, IN VR14
G839	12	LH	5 11/71	COLOR GAIN COMPENSATOR, INCLUDES +5V FOR INTENSITY BOARD W682 IN VR20

SPECIAL MODULES

G840	LDP	GDC	4 5/73	LIGHT PEN AMP FOR VR14, SINGLE 5
G847	PERIPH	HD	5	DUAL VOLTAGE CONTROL FOR G848, TU56
G848	PERIPH	HD	5	TU56 MOTOR DRIVE
G849	DIS		1 6/67	FEED FORWARD FOR DISPLAY, EQUIV TO 1579

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G850	PERIPH	HD	5	SCR MOTOR DRIVE, FOR TU55
G851	PERIPH	HD	5	DEC TAPE RELAY MODULE, DOUBLE SIZE
G852	CSS		6 10/74	DUAL TELEGRAPH LEVEL CONVERTER
G853			5 2/74	DEC TAPE MISC, SINGLE UNIT SELECTION & TIMING TRACK SENSING
G854	10	KE	5	TELEGRAPH LINE CIRCUIT, SINGLE, DOUBLE THICK
G855	8	WH	5 5/73	DUAL TELEGRAPH LEVEL CONV, REPLACES G852 IN MODIFIED SYSTEM
G856	8	AC	5	G855 WITH + LOGIC INPUT LEVELS, DC08, 50-80V, DOUBLE THICK
G857	11	LK	6 10/74	EIA LEVEL CONVERTER, PIN COMP WITH W076, +10 & -15V, PART OF BC01C
G857-YA	SSMU	WE	5 2/72	
G858	15	FA	5	TELETYPE CONNECTOR, PDP-15, 8 PIN AMP CONNECTOR
G859	PERIPH	HD	5	CLOCK & REGULATOR FOR TU56
G860	A	LN	6 10/74	TELEGRAPH LEVEL CONV, G856 WITH CONTACT SUP FOR 135VDC, DC08=C
G860A	A/E	LN	1 3/71	TELEGRAPH LEVEL CONV, G860 MOD, MORE POS BIAS ON RECEIVE RELAYS
G861	A	LN	5 5/73	SOLID STATE XMTR, 2 CKTS, EACH SPDT FROM +80 TO -80V, 400 MA MAX, DC08=CS, DOUBLE
G862	A	LN	5	SOLID STATE RCVR, 2 CKTS, 8.5 TO 75 MA THRESHOLD ADJ, HIGH COM MODE REJ
G863	A		5 7/73	G856 WITH DIFFERENT CONTACT PROTECTION FOR GPO, IN DC08=L
G872	MYST		6	(OBS), EMITTER FOLLOWER (ANALOG) TO CONNECTOR X10 AMP TO SLICER
G879	15		5	TRANSPORT DETECTOR, TC08/9/15
G879A	A	LN	5	TRANSPORT DETECTOR & POWER UP CLAMP, TC08
G880	15		7	(NEVER RELEASED), SLICING RECTIFIER
G881	15		7	(NEVER RELEASED), PEAK DETECTOR
G882	A		5	MANCHESTER READER-WRITER
G883	10		6	(OBS), PEAK DETECTOR (DRUM)
G885	10		6	(OBS), 3 USEC DELAY LINE, FOR TU79
G886	CSS		6	(OBS), WRITE ERROR DETECTOR
G887	PERIPH		5	5 USEC TAPPED DELAY, EVERY 1/2 US, 1K IMP, FOR 545 FOR READ DESKEW
G888	15	HD	5 10/69	MANCHESTER READER-WRITER
G889	FS	EB	1 10/71	CASSETTE READER-WRITER (USED IN PMK02) SINGLE X 5
G890	COMM	DR	5 5/73	POWER FAIL & SELECT BYPASS, IBM 360, DX11-B, SINGLE X 5

MISCELLANEOUS

G900	PERIPH		5	TAPE PHOTOCELL AMPLIFIER
G901	PERIPH		6 10/74	PAPER TAPE MOTOR DRIVE
G902	PERIPH		7	(NEVER BUILT), PAPER TAPE PHOTOCELL AMPLIFIER
G903	PERIPH		6 10/74	CLOCK ACCELERATOR FOR PAPER TAPE READER
G904	A	WH	5	PAPER TAPE PHOTOCELL AMP, USES SOA, 9 CHANNEL, DOUBLE BOARD
G905			6	(OBS), DISPLAY OUTPUT AMPLIFIER
G906	12	CL	5	LINC-8 CAP & POWER UP
G907	A	MA	7	(OBS), MISC FOR PDP-8/1, RENAMED L700, RENAMED M700
G908	A	MA	5	+ OUTPUT VERSION OF G904, LAMP FOR -15V INSTEAD OF +10, USES HOFFMAN PHOTOCELL
G909	10		6	(OBS), PHOTOCELL AMP FOR TU79
G910	10		6	(OBS), SERVO INTERRUPTER, FOR TU79
G911	10		6	(OBS), REWIND GENERATOR, TU79
G912	12		6 10/74	DEFLECTION AMP, =12 AMPS INTO 30 OH PUSH-PULL YOKE, 15 US FULL DEFL TIME, VR12
G913	15	DV	5	CLOCK CONTROL, (G903 + 1/2 R302 + 1/3 R603)
G914			5 10/75	INTENSITY CONTROL
G915	A	MI	5	POWER ENABLE, MOTOR START, PP67=C,D
G916	12	RI	5	POWER DETECTOR & SWITCH FILTER, PDP-12
G917	12		6 10/74	GAIN & SET CONTROL FOR VR12
G918	PERIPH	MDL	5	PHOTOCELL AMP FOR PT04,5, REPLACEMENT FOR G920, FOR PHOTOTRANSISTORS
G918-YA	TYP	SG	7 1/74	REPLACED BY G918
G919	LDP	HL	5 5/73	LIGHT PEN OUTPUT AMPLIFIER
G920	15		5 3/74	CONTROL MEMORY QUAD MODULE, FOR PDP9
G921	A	WH	5	PDP-8/L CONSOLE, (PLUGS IN)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
G922	14	AR	5	BRAID BOARD, MTI ROM
G923	14	AR	5	SENSE BOARD, MTI ROM
G923-YA	14	LP	5 4/74	SENSE BOARD, MTI ONLY ROM
G923C	14	LF	3 1/73	SENSE BOARD, DATA-PAC, MR14=E, QUAD 6 DOUBLE THICK, 20-G923B
G924	14	AR	5	SELECTION BOARD, MTI ROM
G924D	14	LF	3 1/73	SELECTION BOARD, DATA-PAC, MR14=D, QUAD 6, 20-G924B
G925	14	AR	3 5/73	KEEPER BOARD FOR MTI ROM
G926	8	PS	1 1/69	KEYBOARD FOR VT82, QUAD
G927	A	PS	1 1/69	ENCODING LOGIC FOR VT82 KEYBOARD, QUAD
G930	8	RFC	5	NON-TONE TAPE ALLOTMENT FOR PH68-C, D
G930C	TYP	RFC	5 4/72	NON-TONE TAPE ALLOTMENT FOR PH68-E
G931	PERIPH	RP	1 11/69	90T/EOT SENSOR FOR TUI8, (USES FAIRCHILD BOT/EOT ASSEMBLY)
G932	PERIPH	MDM	5	CAPSTAN SERVO PREAMP (DRIVES H683)
G933	PERIPH	MDM	5	REEL MOTOR AMP FOR TUI8, +/-12V, +/-6A
G934	PERIPH	MDM	6 4/71	BRAKE ACTUATOR FOR TUI8, 6V, INITIALLY 8.8A, FINALLY 8.1A
G934C	PERIPH	JM	5	REPLACEMENT FOR LOGIC PORTION OF G934, SINGLE
G934C-YA	PERIPH	JM	3 10/74	BRAKE ACTUATOR LOGIC FOR TUI8 W TUI6 CASTING
G934I	PERIPH	JM	5	REPLACEMENT FOR OUTPUT PORTION OF G934, HIGHER CURRENT, DOUBLE
G935	12	STP	5 5/73	TTY37 TO 35 OR 33 CONVERTER
G936	PERIPH	CAY	5 5/73	CLOCK WITH ACCELERATOR FOR LAS8
G937	14	AR	1 10/73	14/L MEMORY TEST CARD
G938	PERIPH	ES	5 5/73	RK88 HEAD POSITION SERVO, DOUBLE X 8.5
G938C	PERIPH	JR	1 1/74	TRACK POSITION DETECTOR, RP84=M, DOUBLE 8.5
G938I	PERIPH	JR	1 1/74	VELOCITY FUNCTION GENERATOR, RP84=M, DOUBLE 8.5
G938J	PERIPH	JR	1 1/74	SERVO CONTROL BOARD, RP84=M, DOUBLE 8.5
G938K	PERIPH	JMR	1 11/73	RK88F HEAD POSITION SERVO, DOUBLE 8.5
G939	QC	CARTER	1 1/71	UNIVERSAL TESTER LOAD BOARD
G940	QC	CARTER	1 2/71	815 LOAD #1, UNIV TESTER
G941	QC	CARTER	1 2/71	814 ENABLE 815, UNIV TESTER
G942	PROE	DS	1 2/71	TESTER FOR H835, H836 (WIRE WRAP ON W931), QUAD X 8.5
G943	PERIPH	CAY	4 5/73	LAS8 EXERCISER, 7-BIT CNTR, SINGLE X 5
G944	PERIPH	GHP	3 3/74	LAS8 EXERCISER, NORMAL G943 OR 4 + 1 (SKIPS LINE FEED 4X)
G950	MOD		4 10/74	FAST GATE FOR NEW BURST GENERATOR, REPLACES 8184
G951	MOD		3	MODULE TEST PULSER, FOR BURST GEN, WIDTH ADJUSTABLE, AMPL PROGRAMMABLE
G952	8	WH	5 5/73	PIN SELECTOR, SELECTS 1 OF 2 BUSSES, DOUBLE, 36 PIN RIBBON CABLE OUT
G953	A	WH	4 10/74	PDP8 DIGITAL MX, 8/I IN/OUT BUS, 6 POLE FORM A TRANSISTORS
G970	MTST	WH	6	(OBS), REF SUPPLY, OP AMP, FOR 2720 CURRENT CALIB
G971		FL	6 10/74	POWER ISOLATION BOARD, BALUNS & CAPS FOR 2 VOLTAGES
G972	12	SU	2 12/68	PDP-10 MEMORY TEST BOARD, CURRENT MONITOR AND LOADING, 8" X DOUBLE HT
G973	10	EB	3 10/74	INDICATOR BOARD FOR RP82=AS, =BS, 5 X 13.5
G973C	PS	ROH	1 6/73	36 PIN CONNECTOR CARD FOR RP82=AS, =BS, RP83=AS, =BS, 5"X6"
G980	10		6 10/74	DEC TO DISK FILE PA. (DATA PRODUCTS)
G981	10		6 10/74	JOSS AUDIO OSCILLATOR
G982	10		6 10/74	JOSS AUDIO AMPLIFIER
G983	10	WH	5 5/73	HEX HEAT TEST BOARD
G984	10	RNEL	2 3/75	KL10 LOAD BOARD, +5, 2V 13A, -2V 8A, 4-LAYER HEX (84 WATTS)
G998			3	CURRENT MEASURING EXTENDER, 1-1/2 LENGTH WITH BUS LOOPS
G999				(RESERVED FOR DOUBLE-SIZED G998)

HARDWARE

H001	CAT		5	3/4" BRACKET TO STAND 1907 COVER PLATE IN FRONT OF F.I.C. MOUNTING PANELS 1943, H900, ETC, PUTS PLATE FLUSH WITH RAILS OF DEC AND EMCOR CABINETS
H002	CAT		5	BRACKET TO SET FC MNTG PANELS BACK ABOUT 2-1/2" TO 3" SO CONTROLS, SWITCHES, ETC, ON A COVER PLATE WILL HAVE 2" SPACE, COMPATIBLE WITH DEC COMPUTER CABINETS & ALL TYPES OF RACKS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H003		KE	5 4/73	NYLON BLOCK FOR MOUNTING H390, H351, OR H352 CONNECTORS, 2/H000'S
H004		KE	5 4/73	NYLON BLOCK FOR MOUNTING H350=2 CONNECTORS, 4/2=H000'S
H005	CAT	SZ	1 8/72	GRAY FLIP-CHIP HANDLE W EYELETS
H006	IPG	MORO	5	19" MOUNTING PANEL FOR 5 H706'S, USED IN AA05
H007	CAT	PP	3 10/72	CONNECTOR RETAINING BLOCK KIT (REPLACES H003, H004) 12-09850
H008	14	AR	5 2/75	1 PAIR MOUNTING RAILS (74-10925) FOR H912 PANELS IN NEMA ENCLOSURES, 3' LONG
H009	14	KDG	3 2/75	1 PAIR MOUNTING RAILS FOR H912 OR RC40H TERMINALS, 2' LONG
H010	MOD		5	(CHANGED TO H020)
H011	MOD		5	74-5570=2 BRACKETS FOR H013
H012	MOD		6 10/74	12-5310=2 NYLON FASTENER (PAIR) FOR H011
H013	MOD		5	74-5331 PANEL COVER SNAP ON FOR PDP9 OR 10
H014	MOD	SZ	1 5/71	5.25 X 19" PANEL WITH HOLES TO MOUNT H726-B
H015-AA	TPL	SG	1 9/74	FILE BRACKET SET
H019	CAT	SZ	5	CASTING FOR 10 H003 BLOCKS IN 8/E BOX, INCL 4 STDOFFS, TERM STRIP, & PWR HARNESS, USED ON H9190
H020	CAT			19" CASTING FOR 1943 ETC, (WITH SHORT & LONG END)
H021	CAT			STRAIGHT END PLATE FOR SHORT END OF H020 WITH 4 SCREWS
H022	CAT			OFFSET END PLATE WITH TERMINAL BLOCK FOR LONG END OF H020 WITH 4 SCREWS
H023	MOD			OFFSET END PLATE WITH HEYMAN TAB TERMINALS, 2 BLACK, 2 RED, 2 ORANGE, 4 SCREWS
H024	CAT	SZ	2 7/71	8.5" H021
H025	CAT	SZ	5 5/72	8.5" H022
H033	CAT	RF	3 10/74	SYSTEM UNIT CASTING (SPACE FOR 3 H003)
H034	CAT	RF	3 10/74	DOUBLE SYSTEM UNIT CASTING (SPACE FOR 6 H003 + 3 H0030), 12-11439
H035	LOGIC	RF	3 10/74	VERTICAL SYSTEM UNIT MOUNTING FRAME, 6 POSITIONS, 74-08379
H036-AA	11	WM	3 8/75	1-BAY CABLE TROUGH FOR ONE 19" RACK
H036-AB	11	WM	3 8/75	2-BAY CABLE TROUGH FOR TWO 19" RACKS
H036-AC	11	WM	3 8/75	3-BAY CABLE TROUGH FOR THREE 19" RACKS
H036-BA	11	WM	3 8/75	CABLE TROUGH SUPPORT BAR (2 REQUIRED)
H036-CA	11	WM	3 8/75	RETAINER CLIP (JOINS CABLE TROUGH TO SUPPORT BAR, 4 REQUIRED)
H036-DA	11	WM	3 8/75	ENCLOSURE CLIP (CLOSES 4TH SIDE OF TROUGH)
H036-KA	11	WM	3 8/75	SINGLE BAY KIT (H036-AA, 2 H036-BA, 4 H036-CA, 4 H036-DA, 4 BOLTS & NUTS)
H036-KB	11	WM	3 8/75	2-BAY KIT (H036-AB, 2 H036-BA, 4 H036-CA, 8 H036-DA, 4 BOLTS & NUTS)
H036-KC	11	WM	3 8/75	3-BAY KIT (H036-AC, 2 H036-BA, 4 H036-CA, 12 H036-DA, 4 BOLTS & NUTS)
H080	MOD		6	(OBS), PDP8 RACKS, ETC, FOR MITC, IN CAB=8 OR IN CUSTOMER'S RACK
H081			6	(OBS), PDP8 RACKS, ETC, TABLE TOP VERSIONS

POWER INTERFACES

H100	MOD	DOANE	7	(OBS), BLANK CASE, WITH SLOT MILLED FOR MOUNTING ON H190
H104	MOD	DOANE	6	(OBS), 4 115 VAC=DC ISOLATED LOGIC INPUTS, 2 ALSO USABLE ON 24V AC=DC, IN RELAY PANEL PKG
H1500	IPG	AR	4 2/75	120 VAC INPUT TO 5V LOGIC, 1X1,5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1501	IPG	DCF	4 12/75	120 VAC INPUT TO 5V LOGIC, 1X3,5X3" SOLID STATE CONVERTER
H1501-A	IPG	DCF	4 12/75	8 H1501
H1550	IPG	AR	4 2/75	10=55 VDC ISOLATED INPUT TO 5V LOGIC, 1X1,5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1551	IPG	DCF	2 2/75	10=55 VDC ISOLATED INPUT TO 5V LOGIC, 1X3,1X3" SOLID STATE CONVERTER
H152	MOD	DOANE	6	(OBS), 2 10 WATT @ 120 VAC OR DC ISOLATED SWITCHES IN RELAY PANEL PACKAGE
H1600	IPG	AR	4 2/75	5V TO 120 VAC 2A, 1.1,5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1601	IPG	DCF	4 12/75	5V TO 120 VAC 2A, 1,5X3,5X3" SOLID STATE CONVERTER
H1601-A	IPG	DCF	4 12/75	8 H1601
H161	MOD	DOANE	6	(OBS), 1 300 WATT @ 120 VAC OR DC ISOLATED SWITCH IN RELAY PANEL PACKAGE
H1650	IPG	AR	4 2/75	5V TO DC ISOLATED 55V 2A OUTPUT, 1X1,5X3 SOLID STATE CONVERTER, TELEDYNE RELAYS
H1651	IPG	DCF	2 12/75	5V TO DC ISOLATED 55V 2A OUTPUT, 1X3,5X3" SOLIDSTATE CONVERTER
H190	MOD	DOANE	6	(OBS), MOUNTING RAIL FOR H104, H153, H161, ETC,

CORE STACKS, BRAIDS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H201	CAT		5 12/66	PDP8-S STACK, 8K PLANES, MOUNTED ON G609, 4K X 13 BITS
H202	11	PD	7 1/69	4K, 8 BIT, 30 MIL STACK ON G615
H203		PD	1 1/69	4K, 8 BIT, 20 MIL STACK ON G616, PS-3009957
H204		PD	1 1/69	4K, 9 BIT, 22 MIL STACK ON G616, PS-3009957
H205		PD	5 9/72	4K, 12 BIT, 22 MIL STACK ON G616, PS-3009957
H206		PD	1 1/69	4K, 13 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H207	11	PD	5	4K, 16 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H207-E	11	PD	5 9/72	H207 CONFORMALLY COATED, 1.5 USEC, PS-3009957
H208	11	PD	1 1/69	4K, 17 BIT, 22 MIL STACK ON G617 & G616, PS-3009957
H209		PD	1 1/69	4K, 18 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H210	10	SU	5 9/72	4K, 19 BIT, 22 MIL STACK ON G616 & G617, PS-3009957
H211	8/E	PD	4 9/72	4K 12 BIT ON G646, 3 WIRE 3D, 18 MIL CORES, MM8-EH
H211-A	8/E	WC	2 12/73	4K 12 BIT ON G648, 3 WIRE 3D 18 MIL CORES, DISCREET DIODES, MM8-EH
H212	8/E	PD	5 9/72	8K 12 BIT H211, MM8-EJ, PS-3010654
H212-A	8/E	WC	2 12/73	8K 12 BIT ON G648, 3 WIRE 3D 18 MIL CORES, DISCREET DIODES, MM8-EJ
H213	11	PD	5 9/72	4K 16 BIT STACK ON G645, 3 WIRE 3D, 18 MIL CORES, PS-3010654
H214	11	PD	5 9/72	8K 16 BIT H213, PS 3010654, 900 NSEC, USED IN MM11-L
H214-A	11	PD	3 9/75	EITHER H214 OR H215 (USED IN MM11-L)
H214-YA	11	RH	2 1/73	950 NSEC H214
H215	11	PD	4 9/72	8K 18 BIT H213, PS-3010654, USED IN MM11-LP, ME15
H216	10	PD	4 9/72	8K 19 BIT H213, PS-3010654, USED IN MF10
H217-A	XML	DWS	2 9/72	16K 20 BIT STACK ON G647, PS H217-0
H217-AJ	XML	EJS	3 6/75	SYSTEM TESTED AND BURNED IN H217-A
H217-B	XML	DWS	2 9/72	16K 19 BIT STACK ON G647, PS H217-0
H217-BJ	XML	EJS	3 6/75	SYSTEM TESTED AND BURNED IN H217-B
H217-C	XML	DWS	2 9/72	16K 18 BIT STACK ON G647, PS H217-0
H217-CJ	XML	EJS	3 6/75	SYSTEM TESTED AND BURNED IN H217-C
H217-D	XML	DWS	2 9/72	16K 16 BIT STACK ON G647, PS H217-0
H217-DJ	XML	EJS	3 6/75	SYSTEM TESTED AND BURNED IN H217-D
H218-A	XML	DWS	1 8/73	32K 20 BIT STACK ON 50-10704
H218-B	XML	DWS	1 8/73	32K 19-BIT STACK ON 50-10704
H218-C	XML	DWS	1 8/73	32K 18-BIT STACK ON 50-10704
H218-D	XML	DWS	1 8/73	32K 16-BIT STACK ON 50-10704
H219-A	8/E	WC	1 12/73	8K 12 BIT, PLUGS INTO G649, MM8-AA
H219-B	8/E	WC	5 11/75	16K 12 BIT, PLUGS INTO G650, MM8-AB
H220	8/E	PD	5 9/72	4K, 12 BIT, 22 MIL STACK ON G619, PS 3009834
H221-A	11	PD	1 3/74	8K 18 BIT STACK, PLUGS INTO G651
H221-B	11	PD	1 3/74	8K 16 BIT STACK, PLUGS INTO G651
H221-C	11	PD	1 3/74	4K 18 BIT STACK, PLUGS INTO G651
H221-D	11	PD	1 3/74	4K 16 BIT STACK, PLUGS INTO G651
H222-A	11	DWS	1 9/74	16K 18-BIT STACK, PLUGS INTO G652, USED IN MM11-0P
H222-B	11	DWS	1 9/74	16K 16-BIT STACK, PLUGS INTO G652, USED IN MM11-D
H223	11	PD	4 10/75	4K 16-BIT STACK & DRIVE ASSEMBLY, PLUGS INTO G653
H224-A	XML	DWS	1 2/75	32K (16K SENSE) 20-BIT STACK ON 50-
H224-B	XML	DWS	1 2/75	32K (16K SENSE) 19-BIT STACK ON 50-
H224-C	XML	DWS	1 2/75	32K (16K SENSE) 18-BIT STACK ON 50-
H224-D	XML	DWS	1 2/75	32K (16K SENSE) 16-BIT STACK ON 50-
H225-A	XML	RH	1 8/75	128K 20-DIGIT 2.5D MEMORY, 2" THICK HEX 12 (3 G6001, 1 G6001-YA, 18-11 CORES)
H226-A	XML	RH	1 10/75	128K CORE 256K 20-DIGIT WORD 2.5D MEMORY, 2" THICK HEX 12 (3 G6002, 1 G6002-YA, 18-9 CORES)
H227	XML	DWS	1 11/75	64K (16K SENSE) 20-BIT STACK, FOLDED ON HEX 12, 14-9 CORES
H230	11	PD	7 7/71	256 X 16 BIT, 3W 3D STACK, 20 MIL, ON G615
H240	11	PD	1 2/70	BRAID ASSY (G106+G642+BRAID+HARDWARE) FOR MM11, 256 WIRES X 64 CORES
H241	8/E	RBR	5 8/73	BRAID ASSY FOR MR8-EA, 128 WIRES X 24 CORES, M880+G643
H242	8/E	RBR	1 6/71	BRAID ASSY FOR MR8-EB, 256 WIRES X 48 CORES, M886+G642

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
LITTLE BOXES				
H300	IPG	MORO	4 4/69	PUSH BUTTON BOX, 3 BUTTONS & AMPHENOL CONNECTOR
H301	IPG	MORO	6 10/74	H300 & W809 MODULE
H302	IPG	MORO	6 10/74	CONNECTOR PANEL (BETWEEN H303 & AM03)
H303	IPG	MORO	4 10/68	AMP, MOUNTING PANEL & CONNECTORS (AF07)
H304	12	CL	6 2/75	CLINICAL CHEM TERM BOX, (FOR AUTO ANALYZER, TECHNICON)
H305	12	CL	5	8 CKT DISTRIBUTION BOX, CONNECTS TO H304 & A6L2
H306	DIS	REJ	5	JOY STICK FOR KV5/I
H307=A	12	AW	4 2/70	SMA 12/60 RELAY DELAY (CLIN LAB TESTER BOX), 115V
H307=B	12	AW	3 5/70	SMA 4, SMA 7 RELAY BOX, 115V
H307=C	12	AW	3 5/70	SMA 12/30 RELAY BOX, 115V
H307=D	12	AW	5	230V H307=A
H307=E	12	AW	5	230V H307=B
H307=F	12	AW	5	230V H307=C
H308	8	WH	5 5/72	BC01A TO BC01C ADAPTER, (RS232B - RS232B) NULL MODEM
H309=A	12	RAW	5	9.75 X 10.5 I/O ACCESS PANEL, PROVIDES +5V @ 2A, 6 CONN, 3 I/O, 2 DATA BRK, 1 SENSE
H309=B	12	RAW	2 8/70	19 X 5.25 H309=A
H309=C	B/E	LN	5 4/72	H309=B WITH 5 CONN & H710 SUPPLY, 3 I/O, 2 DATA BRK
H310	12	RAW	5	MODULE TEST ASSEMBLY
H311	12	DN	6 11/75	TOOL KIT FOR USE WITH H310
H312=A	COM	JER	5 10/71	NULL MODEM FOR ASYNC OR SYNC COMMUNICATION LINE, USED WITH RS232C CABLES
H312=B	TYP	JG	1 9/74	NULL MODEM FOR ASYNC OR SYNC COMM LINE, HAS 2 M854, USED WITH BC08R
H313=A	8	JER	5 2/72	DEC TTY TO EIA 232C INTERFACE
H314	12	RAW	6 10/74	INTEGRATED CIRCUIT SAMPLER, 180 IC'S
H314=A	12	RAW	7 1/71	INTEGRATED CIRCUIT SAMPLER, ADVANCED SELECTION
H314=B	12	RAW	7 1/71	INTEGRATED CIRCUIT SAMPLER, BASIC SELECTION
H315	11	FJ	5 5/73	MODEM TEST CONNECTOR
H316=A	COM	VB	2 9/72	DUAL TELEGRAPH LINE INTERFACE, G861, G862, K731, G8003 IN A BOX, 115V
H316=B	COM	VB	2 9/72	230V H316=A
H317=A	COM	VB	5 4/74	TTY DISTRIBUTION PANEL, DJ11, 16 LINES
H317=B	COM	VB	5 4/74	EIA DISTRIBUTION PANEL, DJ11, 16 LINES
H317=C	COM	MC	3 2/75	EIA DISTRIBUTION PANEL (CLOCK LEADS), DV11, 16 LINES
H317=D	8	TP	4 3/75	RENAMED H326
H317=E	COM	RAC	1 2/75	DZ11, EIA DISTRIBUTION PANEL FOR 16 LINES, DATA & MODEM CONTROL
H317=F	COM	RAC	3 8/75	DZ11, 20 MA DISTRIBUTION PANEL FOR 16 LINES
H318	EDU	AM	1 8/72	LOGIC DESIGN & COMPUTER INTERFACING KIT
H319	TPL	JW	5 4/74	20 MA CURRENT LOOP RECEIVER (OPTICAL ISOLATER RECEIVER, PASS-THROUGH TRANSMITTER)
H320=A	TPL	JG	3 7/74	8 CH TELEGRAPH RECEIVER, 115V
H320=B	TPL	JG	3 7/74	8 CH TELEGRAPH RECEIVER, 230V
H321	LDP	RI	3 10/74	INSTRUMENTATION CONTROL BOX, 3 LIGHTS & 3 SWITCHES, 5 DRIVEN FROM ONE DR11-D
H322	LDP	RI	3 10/74	DISTRIBUTION PANEL, 2 H854 TO 80 SCREW TERMINALS, 5.25 X 19
H323=A	LDP	RI	3 10/74	ANALOG PANEL FOR VT50
H323=B	LDP	RI	3 10/74	H323=A + MTNG BOX
H324	11	NJH	3 9/74	RESTART LOADER SWITCH PANEL FOR BM873
H325	11	FZ	1 4/75	MODEM TEST CONNECTOR W PROVISION FOR "NEW SYNC"
H326	8	TP	1 4/75	8 CH 20MA OR EIA DISTRIBUTION PANEL (USED WITH 2 M8319)
H327	COM	JER	3 8/75	DZ11 STAGGERED LINE TURN-AROUND CONNECTOR (M854 ON SMALL PC BOARD)

CONNECTOR ASSEMBLIES

H350	15			2 W850'S & HARDWARE FOR CONNECTOR
H351	10	KE	5	2 W851'S & HARDWARE FOR CONNECTOR
H352	10	KE	6	2 W852'S & HARDWARE FOR CONNECTOR
H353	00	WEK	1 10/73	G5015 + G5016 PHYSICAL I/O FAULT INSERTER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H360	10	SU	5 12/71	2 M922'S JOINED & CONN TOGETHER WITH ONE HANDLE
SYSTEM END OF POWER CABLE				
H400=A	PS	FL	5 5/72	7A CKT BREAKER, FILTER, & OUTPUT CONN IN BOX (FOR 8/M, 11/03,11/25), 115 VAC
H400=B	PS	FL	5 5/72	4A CKT BREAKER, FILTER, & OUTPUT CONN IN BOX (FOR 8/M, 11/03,11/25), 230 VAC
H400=C	11	CRB	1 10/72	H400=A W 10A CKT BREAKER
H400=D	11	CRB	1 11/72	H400=B W 5A BREAKER
H401	PS	PAP	0 8/75	SPACE FOR FUSES (10A MAX), FILTER, DUAL VOLTAGE INPUT BOX (8/M, 11/05; REPLACES H400)
H402=A	8	PG	5 1/74	H400 WITH H401=A OUTPUT CONNECTORS
H402=B	8	PG	5 1/74	H400 WITH H401=B OUTPUT CONNECTORS

COMPUTER LAB, LOGIC LAB, POP16 CABS

H500	MOD		5	COMPUTER LAB, 110V, 60/50 HZ
H500=A	MOD		5	COMPUTER LAB, 230V, 60/50 HZ
H501	MOD		1 3/69	MOUNTING BRACKET FOR COMPUTER LAB, FOR 19" RACK
H502	EDU	AM	3 2/72	COMPUTER INTERFACE PANEL FOR DB8-EB (8/E) (BUILT IN CARLETON PLACE)
H503=A	SSCAN		1 8/74	COMPUTER LAB, 115V
H503=B	SSCAN		1 8/74	COMPUTER LAB, 230V
H510	MOD		3 10/74	K-SERIES LOGIC LAB, 110VAC, 60 HZ, 1-K900,1-K901,1-K902,82-4913
H520	MOD	RF	3 10/74	M-SERIES LOGIC LAB, 115V, USES H800
H520=A	MOD	RF	3 10/74	M-SERIES LOGIC LAB, 230V, USES H800
H520=B	MOD	RF	1 3/71	M SERIES LOGIC LAB, 115V, USES H803
H520=C	MOD	RF	1 3/71	M SERIES LOGIC LAB, 230V, USES H803
H521	MOD	RF	5 12/71	AUX MEMORY DEVICE FOR M-SERIES LOGIC LAB
H522	MOD	RF	2 3/71	DRAWER, WITH SLIDES
H523	MOD	RF	2 3/71	DRAWER, TABLE TOP
H524	MOD	RF	2 3/71	CABINET, TABLE TOP CAB FOR K950 + MODULES
H525	MOD	RF	2 3/71	REMOTE CABINET
H526	MOD	RF	5 12/71	OPERATORS CONSOLE
H527	MOD	RF	2 3/71	CONTROL PANEL

POWER AMPLIFIERS

H600	10		7 2/68	(OBS); CAPSTAN POWER AMP FOR TU79
H601	10		7 3/67	(OBS); REEL SERVO POWER AMP FOR TU79, REPLACED BY W042
H602	10		7	(OBS); CAPSTAN POWER AMP FOR TU79
H603	PERIPH	MDM	5	CAPSTAN SERVO POWER AMP FOR TU10 (PREAMP IS G932)
H604	PERIPH	MF	5 4/72	DECPACK HEAD POSITION SERVO POWER AMP, (PREAMP IS G938)
H605	PERIPH	CAY	5 5/73	MOTOR DRIVE AMP, LA30
H606	PERIPH	JH	4 4/74	TU10 POWER BOARD (CAPSTAN PREAMP, POWER AMP, REEL MOTOR AMPS, BRAKE ACTUATORS)

FILTERS

H7000	8	ADL	3 2/74	TELETYPE SIGNAL STATIC FILTER
H7001	8	ADL	3 2/74	POP8-E STATIC FILTER KIT (INCLUDES H7000, BRACKETS, CAPACITOR, TAPE & INSTALLATION INSTRUCTIONS)
H7002	11	DV	5 9/74	TTY SIGNAL STATIC FILTER, SHIELDED CABLE TO MAT'N/LOCK; MAT'N/LOCK INPUT
H7003	11	DV	5 9/74	TTY SIGNAL STATIC FILTER, SHIELDED CABLE TO H856; MAT'N/LOCK INPUT
H7004	OPL	ORR	1 6/73	BULKHEAD FILTER, H854 STYLE BOTH SIDES (MALE 40-PIN, REQUIRES H875 FOR PROPER CONNECTIONS)

POWER SUPPLIES

H701	CAT		5	+10V @ 0.4A FLOATING, +15V @ 0.5 TO 3.0A
H701=A	CAT		5	50 HZ VERSION OF H701

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
H702	CAT		6	REG POWER SUPPLY, MOUNTS ON FC MNTG PANEL BAR, 0 TO 2.4 AMP 15V FLOATING. 0 TO 2.4 AMP 20V FLTG, FOR USE WITH A201, A120; TAKES THE PLACE OF TWO 8-MODULE BLOCKS, WILL FIT SYSTEM MODULE MTG PANELS TOO (9/16" SPACING ONLY)
H703			5	REGULATED POWER SUPPLY, MOUNTS ON F.C. MNTG PANEL BAR, 0 TO 1-1/2 AMPS 10V FLOATING, AND 0 TO 1-1/2 AMPS 20V FLOATING FOR USE AS DIGITAL OR ANALOG SYSTEM POWER WHEN CLOCK & DELAY JITTER MUST BE REDUCED; WILL ALSO FIT 9/16" SPACING SYSTEM MODULE MNTG PANELS
H704	CAT		5	REG. DUAL POWER SUPPLY, 15V @ 400 MA FLOATING, MOUNTS ON 1943 OR H911, 115V
H704-A	IPG		5	SAME AS H704, EXCEPT IT MOUNTS ON RIGHT ANGLE BRACKET, 115V
H704-B	MTST			H704 MOUNTED ON A PLENUM DOOR PANEL WITH TERMINAL STRIP, 115V
H704-C	IPG	PG	2	6/73 H704 MOUNTED ON 19 X 5 1/4" PANEL, 115V
H704-D	IPG	PG	2	6/70 H704, 230V
H704-H	IPG	PG	2	6/70 H704-C, 230V
H705	MTST			+65V, @65V, 200 MA EACH (DRB65-27,2)
H705-B	MTST			H705 ON PLENUM DOOR LIKE H704B
H706	MTST			10V 1-1/2 AMP SUPPLY, POWER MATE, (USE H717 INSTEAD)
H706-B			6	H706 MOUNTED ON PLENUM DOOR
H707	CAT		5	LIKE H704, BUT 1.5 AMPS FROM EACH OF THE TWO 15 V SUPPLIES, DELTRON (OVERHEATS OVER 1 AMP)
H707-A	GRAPH	HL	3	8/75 +15V 1A, -15V 1A, 115V, OCTAL SOCKET
H707-B	GRAPH	HL	3	8/75 +15V 1A, -15V 1A, 230V, OCTAL SOCKET
H707-C	15	LH	2	1/70 H707 WITH NO BRACKET, FOR VT15
H707-CA	GRAPH	HL	3	8/75 2 H707-A ON 5,25 X 19" PANEL, 115V
H707-CB	GRAPH	HL	3	8/75 2 H707-B ON 5,25 X 19" PANEL, 230V
H707-DA	GRAPH	HL	3	8/75 H707-A ON 5,25 X 19" PANEL, (SPACE FOR 1 MORE H707-A), 115V
H707-DB	GRAPH	HL	3	8/75 H707-B ON 5,25 X 19" PANEL, (SPACE FOR 1 MORE H707-B), 230V
H708	IPG		2	12/69 DUAL SUPPLY, 15V @1-1/2 AMPS, 20V @ 1-1/2 AMPS, 115 VAC, DELTRON, MOUNTS ON 1943 OR H902
H708-B	IPG		5	230 VAC H708
H709	A		5	+20V 1.5A & +10V 1.5A, DELTRON ON 19X 5,25" PANEL, 115V
H709-A	A		1	3/71 230V H709
H709-B	A		5	H709 FOR 230V
H710	CAT		5	+5V 5AMP SUPPLY, USED IN H910 (DYNAGE)
H711			7	4/69 (08S), +5V @ 3A, -15V @ 1.5A, OR +5V @ 5A
H711-A			7	4/69 (08S), 50 HZ H711
H712	12	RN	1	9/69 DEL ELECTRONICS POWER SUPPLY, MOUNTED ON A PLATE, FOR VR12
H713	IPG	PG	1	9/68 2-H707IS ON A 19" PANEL, GAS CHROM-8, (AF06A), 4 FLOATING 15V REG SUPPLY, 1-1/2 AMP EACH
H714		REST	5	LINE FILTER, 250VAC, 2 X 30 AMPS, CHOKE INPUT, LINE 1, FRAME GND, NEUTRAL OR LINE 2
H715-B	R/L	WH	1	10/68 CAB MOUNTING, 19" PANEL AUTOTRANSFORMER, 95,225,230,250 IN TO 115V OUT, 1.75 KVA
H715-C	R/L	WH	6	10/74 TABLE TOP (FLOOR), 95 205,230,250 TO 115 VAC AUTOTRANSFORMER, 50/60 HZ, 1.75 KVA FOR 8L
H716	PS	FL	5	+5V 4A, +/-3%, -15V 1-1/2A, WANLASS, 2 BLOCK SPACE (4"X5-1/4X12), 57/60HZ, 120/240V (110V RECEPTACLE)
H716-A	PS	FL	1	7/70 H716 WITH 230V RECEPTACLE
H716-B	PS	FL	5	19" H716 (115V RECEPTACLE)
H716-C	IPG	DEB	5	4/75 H716-B WITH OUTPUT RELAY SWITCHED FROM +5V
H716-D	PS	FL	1	7/70 H716-B WITH 230V RECEPTACLE
H717	IPG	MORO	6	10/74 10V 1A REF SUPPLY (FOR AA05), TO REPLACE H706, MADE BY KEPCO
H718-A	PERIPH	GS	5	H714 ON 19" PANEL WITH CR & LIGHT, 30A, 115V
H718-B	A	RH	2	3/70 15A 115V 16' CORD WITH PANEL MOUNTED FILTER IN MIDDLE
H718-C	A	RH	5	12/71 30A H718-B
H719	TPL	H1	5	4/75 H716 + 160 MF, 20V ON 19" X10-1/2" PANEL
H720-A	11	FL	6	10/73 POP11/20 SUPPLY, +5V @ 16A, -15V @ 10A, +8V RMS @ 1.5A, +25V @ 1A, 115VAC, AC LO, DC LO, LTC
H720-B	11	FL	6	10/73 230 VAC VERSION OF H720
H720-C	11	FL	5	19 X 10,5 INCH H720-A
H720-D	11	FL	5	19 X 10,5 INCH H720-B
H720-E	11	FL	5	12/71 H720-A WITH POWER CONTROL & REMOTE/LOCAL POWER INTERLOCK, +5V 22A
H720-EJ	11	FL	3	12/74 SYSTEM TESTED H720-E
H720-F	11	FL	5	12/74 230V H720-E
H720-FJ	11	FL	3	12/74 SYSTEM TESTED H720-F

MODEL NO	FREQ LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H720-H	11	DV	4 5/72	RUGGED 11 POWER SUPPLY FOR 11R20, 115V
H720-J	11	DV	5 5/72	H720-H EXCEPT FOR 230V
H720-K	11	FL	1 9/74	RACK MOUNTED H720-E
H720-L	11	FL	1 9/74	RACK MOUNTED H720-F
H721	19	ELIA	5 12/71	+5V +/-2% @ 28A, +/-15,5V +/-10% @ 3-1/2A, +/-10,5V +/-10% @ 2-1/2A (POP15 PERIPH) AUTO TAPS, 20 MS HOLD UP, 3-1/4" X 19 X 6-1/4", NORTH ELECTRIC, 58-132 VAC, 176 - 264 VAC, 47-63 HZ
H721-C	8/E	JDM	3 10/74	H721 W DCLO ON 7009600 CABLE HARNESS
H722	11	PJ	2 3/70	STEP-DOWN TRANSFORMER, 4 A @ 115V OUTPUT (LIKE IN TTY) MOUNTED ON A 19" PANEL
H723	10	DREN	5 5/72	8V @ 40 AMPS FOR KD10, 4-10 AMP OUTPUTS WITH CO'S, 50/60 HZ RESONANT TRANSFORMER
H724	8/E	JDM	4 3/71	POWER SUPPLY FOR POP8/E, +5V, +/-5V
H724-A	8/E	JDM	4 3/71	230V H724
H725	10	DREN	5 5/72	15V @ 28A SUPPLY FOR KI10, 50/60 HZ RESONANT TRANSFORMER
H726-A	14	AR	1 4/70	9V 7A, 47 @ 500 HZ, 115/230 PARALLELABLE, 5X10-1/2X2 (SAME SPEC AS 714) SYSTEM UNIT
H726-B	14	AR	1 4/70	H726-A MOUNTED IN POP11 SYSTEM UNIT WITH SWITCH, FUSE, & OUTLET, SEE HD14
H726-E		SPF		12-09933-03 POWER FAIL H726-B
H726-F	11	SPF	1 12/71	H726-E MODIFIED FOR 5.9V @ 3 AMPS FOR DT11
H727-A	1PG	DEB	5	DUAL SUPPLY, 15V 400 MA, 20V 400 MA, MOUNTS ON 1943 OR H900, 115 VAC
H727-B	1PG	DEB	5	230 VAC H727-A
H728-C	1PG	MORO	2 8/70	DUAL SUPPLY, 15V @2A, 20V @ 1.2A, ON 19X5,25" PANEL, 115V, FOR AD15, DELTRON
H728-D	1PG	MORO	2 10/70	230V H728-C
H729		GEG	1 10/70	12A 30V UNREG SUPPLY (FOR DMC)
H730-A	PERIPH	MDM	5	TU10 PS, 115V 60 HZ, TIME METER, -15V 4A, -15V 4A, +5V 5A, +/-17,5V 18A, +/-16V 5A (REPLACED BY H770)
H730-B	PERIPH	MDM	3 1/71	230V 60 HZ H730-A
H730-C	PERIPH	MDM	3 2/71	115V 50 HZ H730-A
H730-D	PERIPH	MDM	3 2/71	230V 50HZ H730-A
H731-A		GEG	1 10/70	+15V, -15V, 3A TOTAL 10VAC, 250V 20 MA, 115V 60 HZ
H731-B		GEG	1 10/70	50 HZ H731-A
H732	10	DREN	5 5/72	MARGINAL CHECK SUPPLY, KI10, MANUAL, 19" DUAL FREQ VERSION OF 702
H733	19		5 4/75	VT05 POWER SUPPLY, +5V 4A, +12V 500MA, -12V 1A, -5V 1A, 6.3VAC 50MA, 30-10325, 115/230V
H734-A	11	BQW	5 4/75	19 X 10,5 INCH, +15V 12A, -15V 12A, AC LO, DC LO, 115V, REMOTE/LOCAL DC PWR INTERLOCK, RK02,03
H734-B	11	BQW	5 4/75	230V H734-A
H735	PERIPH	CAY	5 2/72	LAS0 SUPPLY, +15V 5A, +10V 4A, +5V 1A, -15V 5A, DUAL FREQ RESONANT SUPPLY 16-10416
H735-A	PERIPH	CAY	1 1/71	50 HZ H735
H735-B	PERIPH	CAY	1 1/71	DUAL FREQUENCY H735
H736	PERIPH	PH	1 1/71	RS64 DELTRON SUPPLY, 115/230V
H737	PERIPH	SERG	5 5/72	RS64 DEC SUPPLY, 115/230V, +20V 1.5A (5409484), +5V 8A (5409503), -15V 2A (5409484)
H738-A	1PG	RG	5	714 & H720 ON 5 X 19 PANEL, 115V, +5V 5A, +10V 2A, -10V 1,2A
H738-B	1PG	RG	2 3/72	714 & H720 ON 5 X 19 PANEL, 230V
H739-A	11	VB	5	714 & H707 ON 5 X 19 PANEL, 115V, +5V 5A, +15V 1.5A, -15V 1.5A
H739-B	11	VB	5	230V H739-A
H740-D	PS	SC	5 11/72	+5V20A, -15V5A, +15V1A, ACLO, DCLO, LINE FREQ SIG, 115/230V, 47-63HZ (5409720) 3,5X19 PANEL
H740-DA	PERIPH	JH	3 6/75	H740-D W 115V 60HZ OUTPUT FOR DRIVING THE FAN ON THE TM02
H740-E	JSS	SSCAN	3 4/75	H740-D W BATTERY BACKUP INPUTS
H740-P	16	JDL	1 4/73	BATTERY STANDBY FOR H740 (0.5 HR)
H741-A	11	PAR	0 8/75	PS FOR 11/25, +5V@40A, +15@14A, +15V@1.5A, ACLO, DCLO, LINE FREQ SIG, 115/230V, 47-63HZ
H742-A	11	FL	5 7/73	PS CHASSIS FOR 11/45, 5 30VAC 6A EACH, +15V@2A, +0V@1A, ACLO, DCLO, LINE FREQ SIG, 115V
H742-B	11	FL	5 7/73	230V H742-A
H742-C	15	FL	4 7/73	H742-A MODIFIED FOR POP15
H742-D	15	FL	4 7/73	H742-B MODIFIED FOR POP15
H7420-A	11	RJW	2 10/75	HIGHER POWER H7420-A, +15V 3,4A, +0V 1@0A, 5 30VAC 6A EA, ACLO, DCLO, LINE FREQ SIG, 115V
H7420-B	11	RJW	2 10/75	HIGHER POWER H7420-B, +15V 3,4A, +0V 1@0A, 5 30VAC 6A EA, ACLO, DCLO, LINE FREQ SIG, 230V
H7420-C	15	RJW	0 10/75	H7420-A FOR POP15
H7420-D	15	RJW	0 10/75	H7420-B FOR POP15
H7420-E	PS	RJW	5 10/75	LOW POWER H7420-A (USES H760-A TRANSFORMER W 4 30VAC 6A EACH)
H7420-F	PS	RJW	5 10/75	LOW POWER H7420-B (USES H760-B TRANSFORMER W 4 30VAC 6A EACH)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H743-AA	PERIPH	SERG	5 8/73	H737 REPACKAGE FOR RK05 PLUS BATTERY, 115V
H743-BB	PERIPH	SERG	5 2/75	H737 REPACKAGE FOR RK05 PLUS BATTERY, 230V
H744	11	AB	5 8/72	+5V 25A REG FOR H742, H765
H744C	PS	RJW	2 10/75	REDESIGNED H744
H744-YA	11	KS	3 12/74	H744 MODIFIED TO BE VARIABLE FROM 2.5 TO 8V
H745	11	AB	5 8/72	+15V 10A REG FOR H742, H765
H746	11	AB	5 8/72	+23.2V 1.6A, +19.7V 3.3A, +9V 1.6A FOR H742, H765
H748	PERIPH	LN	4 5/73	VT20-BC, +8D SUPPLY; +5V 4A, +15V 750MA, +15V 750MA, VT20, 95-130VAC, 190-260VAC
H749	14	RJM	1 11/71	+12V PS, 750 MA, 6932 ETCH, SINGLE X 5, USES 8V WENER
H750	11/35	SC	3 10/74	+12V PS, 750 MA, 6932 ETCH, SINGLE X 5, USES 8V WENER
H751-A	PERIPH	MDL	2 7/72	CASSETTE P, S, (TU60) +5V 4A, +15V 2A, +15V 2A, 95-130VAC, USES 5410131
H751-B	PERIPH	MDL	2 7/72	190-260VAC H751-A
H752	14	AR	5 5/73	REPLACEMENT FOR 714
H753	CLP	AC	1 5/72	RT02 POWER SUPPLY; +250V 30MA, +12V 300MA, +12V 300MA, +5V3A, 95-135 OR 190-270VAC
H754	11	AB	5 1/74	+20V 7.5A +5V REG FOR H742, H765
H755	LDP	AW	5 4/75	LPS SUPPLY; +5V 13A, +/-15V +/-0.3% 2A, LINEAR REGULATORS, 100, 115, 200, 230V +/-10%, 47-63 HZ
H756	14	LF	5 4/74	REPACKAGED H744 W TRANSFORMER AND FAN, +5V, 25A
H757	PERIPH	AEK	5 2/75	TU10 POWER SUPPLY (NO LINE CORD)
H758-A	COM	MC	5 1/74	H751-A ON 5.25 X 19" PANEL, 115V
H758-B	COM	MC	5 1/74	H751-B ON 5.25 X 19" PANEL, 230V
H759	PS	HRL	1 6/73	+10V 0.5A, +15V 1.5A, TAP INPUTS 90-232V
H760-A	PS	DREW	2 8/73	KL10 RAW SUP 200V 18A 60HZ DELTA (3 PH), +12V 105A, +12V 450A, +15V 4A, +15V 2A, RESONANT XFMR REG
H760-B	PS	DREW	1 7/73	KL10 RAW PS 416V 9A 50HZ DELTA (3 PH), +12V 105A, +12V 450A, +15V 4A, +15V 2A, RESONANT XFMR REG
H761	PS	DREW	2 7/74	KL10 SUPPLY REGULATORS, 9 +5.2V 35A, 3 +5V 35A, 4 +2V 35A
H762	14	AR	6 8/75	90-135V/180-270V, 50/60HZ, +15V 1A, +5V 20A, +15V 5A, ACLO, DCLO, LINE FREQ
H763-A	8	ADL	4 10/75	PDP8-A POWER SUPPLY, 115V
H763-B	8	ADL	4 10/75	PDP8-A POWER SUPPLY, 230V
H764	PERIPH	WJH	1 10/73	TWO 5409728 (H740) REGULATORS; EACH +5V 17A, +15V 5A, +15V 1A, ACLO, DCLO (RP04)
H765-A	PS	FL	1 1/74	PS FOR BA11-K, +15V 2A, 8V 1A, ACLO, DCLO, LINE FREQ SIGNAL, 2 H744, H745, H754, 5410993, 115V
H765-B	PS	FL	1 4/74	PS FOR BA11-K, +15V 2A, 8V 1A, ACLO, DCLO, LINE FREQ SIGNAL, 2 H744, H745, H754, 5410993, 230V
H765-C	PS	FL	1 6/75	H765-A LESS H754, 115V
H765-D	PS	FL	1 6/75	H765-B LESS H754, 230V
H765-E	11/34	GP	1 11/75	H765-C + H785 BATTERY BACKUP, 115V
H765-F	11/34	GP	1 11/75	H765-C + H785 BATTERY BACKUP, 230V
H767-A	PS	DREW	1 3/74	RK06 SUPPLY, +5V 3A, +5V 400MA, +/-15V 200MA, +/-25V 3A, SERVO AMP, 60HZ
H767-B	PS	DREW	1 3/74	RK06 SUPPLY, +5V 3A, +5V 400MA, +/-15V 200MA, +/-25V 3A, SERVO AMP, 50HZ
H768-A	PS	GP	0 3/75	TPS SUPPLY FOR 11/05, 90-132VAC, +5V 25A, +15V 2A, +15V 2A, +20V 5A, +5V 1A, ACLO, DCLO, LINE CLOCK
H768-B	PS	GP	0 3/75	TPS SUPPLY FOR 11/05, 180-264VAC, +5V 25A, +15V 2A, +15V 2A, +20V 5A, +5V 1A, ACLO DCLO, LINE CLOCK
H768-C	PS	GP	0 3/75	BATTERY BACKUP H768-A FOR MOS MEMORIES; NO +20V, 115V
H768-D	PS	GP	0 3/75	BATTERY BACKUP H768-B FOR MOS MEMORIES; NO +20V, 230V
H768-E	PS	GP	0 3/75	H768-C W NO BATTERY, 115V
H768-F	PS	GP	0 3/75	H768-D W NO BATTERY, 230V
H769-A	PS	GP	0 3/75	TPS SUPPLY FOR 8/A, 90-132VAC, +5V 25A, +15V 2A, +15V 2A, +20V 7A, +5V 1A, ACLO, DCLO, LINE CLOCK
H769-B	PS	GP	0 3/75	TPS SUPPLY FOR 8/A, 180-264VAC, +5V 25A, +15V 2A, +15V 2A, +20V 7A, +5V 1A, ACLO, DCLO, LINE CLOCK
H770	KL10	RMEL	4 10/75	+15V 3X 10A REGULATOR FOR H742
H771-A	PS	WJH	5 6/75	RX01 SUPPLY +5V, 5A, +5V 1A, +9.5V 1A, +24V 2A, 115V 60HZ
H771-B	PS	WJH	5 6/75	RX01 SUPPLY +5V, 5A, +5V 1A, +9.5V 1A, +24V 2A, 100, 127, 220, 240V 50HZ
H772-A	IPG	RG	4 10/75	+5V 25A, +21V UNREG 5.5A, +21V UNREG 3.5A, LINE FREQ CLOCK, ACLO, DCLO, 115/230V, 60HZ, RESONANT XFMR LINEAR REG, 19 X 4.5 X 10.25, DATA POWER
H772-B	IPG	RG	4 10/75	50 HZ H772-A
H772-CA	IPG	MORO	3 4/75	WALL MOUNTED CONVECTION COOLED H772-A, 18"H, 8"W, 8.5"D, USED IN ICA11-CA, 115V 60HZ
H772-CB	IPG	MORO	3 4/75	WALL MOUNTED CONVECTION COOLED H772-B, 18"H, 8"W, 8.5"D, USED IN ICA11-CR, 230V 50HZ
H773-A	14	GEC	2 4/74	90-135V/180-270V, 50/60HZ, +15V 1A, +5V 20A, +15V 5A, ACLO, DCLO, LINE FREQ, REPLACES H762
H774-A	8	LN	1 10/74	8/A SUPPLY, RESONANT XFMR, 115V
H774-B	8	LN	1 10/74	8/A SUPPLY, RESONANT XFMR, 230V

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H775=A	11	GP	1	6/75	24V 2 HR BATTERY BACKUP W CHARGER FOR H777=A, =B, DC INPUT
H775=BA	11	GP	1	6/75	2 HR BATTERY BACKUP FOR H765=A, =C, 115V
H775=BB	11	GP	1	6/75	2 HR BATTERY BACKUP FOR H765=B, =D, 230V
H776=C	PS	MK	0	3/75	MOS CONVERTER
H776=P	PS	MK	0	3/75	MOS POWER RACK
H777=AA	11	GP	4	11/75	11/84 POWER SUPPLY, +5V 25A, +20V 3A, BATTERY SUPPORT ON +/-15V 1A, +/-5V, 115V
H777=AB	11	GP	4	11/75	230V H777=AA
H777=BA	PS	GP	4	11/75	11/84 POWER SUPPLY, MOS ONLY, 115V
H777=BB	PS	GP	4	11/75	11/84 POWER SUPPLY, MOS ONLY, 230V
H778	PERIPH	AEK	1	2/75	TU10 POWER SUPPLY USING H757 APPROACH; REPLACES H730 (NO LINE CORD)
H780	PS	MK	1	6/75	H780 W NO LINE CORD (115V/230V)
H780=A	PS	MK	4	9/75	11/83 POWER SUPPLY, +5V 18A, +12V 3A, 115V (LOW VOLTAGE SWITCHER)
H780=B	PS	MK	4	9/75	230V H780=A
H780=C	PS	MK	2	9/75	H780 W NO CONSOLE & NO LINE CORD
H780=E	PS	MK	2	9/75	H780=C W 115V LINE CORD
H780=F	PS	MK	2	9/75	H780=C W 230V LINE CORD
H781	PS	RJW	1	4/75	FOR H742 OR H742M; +5V 15A & +15V 4A OR +5V 25A REGULATOR
H782=A	PS	RJW	1	6/75	11P00 POWER SUPPLY, RACK MOUNT, 5411086 (+15V 4A, AC/DC LO) 2 H744, H754, H781, 115V
H782=B	PS	RJW	1	6/75	11P00 POWER SUPPLY, RACK MOUNT, 5411086 (+15V 4A, AC/DC LO) 2 H744, H754, H781, 230V
H783	PS	WJW	1	8/75	VT61 SUPPLY; 115/230V 50/60HZ INPUT, +5V 8.5A, +12V 1.35A, 90V 2A, -12V .6A
H784	PERIPH	DL	1	11/75	RSL POWER SUPPLY, BULK UNREGULATED DC, 115/230V
H785	H765	GP	1	11/75	BATTERY BACKUP
H790	COM	DES	1	11/75	48VDC CONVERTER MOUNTING SHELF W FILTER & POWER STATUS

CONNECTORS, (ALSO H850)

H800=F	CAT		5		FLIP-CHIP 8-SOCKET BLOCK, FORKED SOLDER LUGS 12-02525
H800=W	CAT		5		FLIP-CHIP 8-SOCKETED BLOCK, WIRE WRAP, 12-02244
H801=F	CAT		5		SET OF 18 CONNECTOR CONTACTS, FORKED SOLDER LUGS, 12-02525
H801=W	CAT		5		SET OF 18 CONNECTOR CONTACTS, WIRE WRAP, 12-22244
H802	CAT		5		SINGLE CONNECTOR 18 PIN (1712-18-PCC), 12-02625
H803	CAT		5		288 PIN CONNECTOR, 12-05348 (SEE H863)
H8030	CAT	DN	2	4/73	72 PIN CONNECTOR FOR DOUBLE HEIGHT CARD (SLICE OF H803)
H804			7	1/68	(OBS), 144 PIN CONNECTOR (ON 288 PIN MOLD)
H805	CAT		5		SET OF 36 CONTACTS FOR 288 PIN CONNECTOR, A=AMPHENOL, C=CINCH, S=SYLVANIA, 12-05348
H806			7	2/68	(NEVER MADE), DOUBLE MODULE TAPER CONNECTOR
H807	CAT		5		CONNECTOR BLOCK, 36 PIN SINGLE MODULE DOUBLE-SIDED CONNECTOR, .025 SQUARE, 12-09123
H8070	CAT	DN	2	4/73	72 PIN CONNECTOR FOR JUMPER (H851) LIKE 2 H807'S GLUED TOGETHER
H808	CAT		5		CONNECTOR BLOCK, 144 PIN, 4 MODULE CONNECTOR, .031 X .062, 12-09114
H809	CAT		5		SET OF 36 PINS FOR H808, 12-09114

TOOLS

H810	CAT		5		(#24) WIRE WRAP HAND TOOL (PISTOL GRIP)
H810=A	CAT		5		(#30) GARDNER DENVER NO, 14HIG
H810=B	CAT		5		(#24 + #30) GARDNER DENVER
H810=C	CAT		2	6/71	BATTERY OPERATED WIRE WRAP HAND TOOL, #24 WIRE
H810=D	CAT		2	6/71	H810=C FOR #30 WIRE
H810=E	CAT		5	3/74	PISTOL GRIP BATTERY OPERATED WIRE WRAP GUN
H811	CAT		5		(#24) HAND WIRE TOOL, A20597-12
H811=A	CAT		5		(#30) GARDNER DENVER NO, A20597-29
H812	CAT		5		(#24) HAND UNWIRE TOOL, 500130
H812=A	CAT		5		(#30) GARDNER DENVER NO, 500 244-475, UNWRAP TOOL
H813	CAT		5		#24 BIT
H813=A	CAT		5		#30 BIT

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H814	CAT		5	#24 SLEEVE
H814-A	CAT		5	#30 SLEEVE
H815	MOD		4 10/74	GARDNER DENVER GUN ALONE
H816	CAT		3 9/70	15 953 WIRE WRAP SOCKETS, 75 952 PINS, 1 811-A TOOL, 1 812-A TOOL, 1 STRIPPER
H817	CAT		3 9/70	H816 WITH 15 954 SOLDER SOCKETS
H820	CAT		5	1000 GRIP CLIPS FOR H800, AMP PART NO, 60477-2, SLIP-ON PATCH CORDS, #24-20 WIRE
H821	CAT		5	1000 GRIP CLIPS FOR H803, SLIP-ON PATCHCORDS, AMP #24-30 WIRE
H825	CAT		5	HAND CRIMPING TOOL FOR H820, AMP PART NO, 90084
H826	CAT		5	HAND CRIMPING TOOL FOR H821, AMP #9019-1
H830	CAT		5	STAK-ON RIVETING TOOL, FOR ASSEMBLING FLIP CHIP NO HANDLES TO THE BOARD, ALSO ASSEMBLES 1951, INDESTRO MFG CORP TOOL #624, PAINTED DEC BLUE AND TOOL TURNED DOWN TO WORK WITH OUR HANDLE RIVETS
H840		DOANE	1 4/66	AMP TERM-POINT PUSH-ON & PULL-OFF HAND TOOL, AMP PART NO 465430-1

CONNECTORS (ALSO SEE H800)

H850	R/E	MORRIS	1 1/70	HANDLE EXTENDER, 5" TO 8-1/2"
H8501	11	WM	2 8/75	WEX HANDLE THAT ATTACHES TO A GROUP OF SINGLE, DOUBLE AND/OR QUAD MODULES, ALL 8.5" LONG
H8502	11	WM	2 8/75	NARROW FILLER FOR USE WITH H8501
H8503	11	WM	2 8/75	WIDE FILLER FOR USE WITH H8501
H8504	11	WM	2 8/75	H8501, 2 H8502 & 3 H8503 KIT
H851	R/E	PG	5	EDGE CONNECTOR, 2 H807'S JOINED BY PC BOARD FOR ADJACENT MODULE CONNECTIONS AT HANDLE END
H8511	R/E	DA	4 8/73	H807 W ALL CORRESPONDING SIDE 1 & SIDE 2 PINS CONNECTED TOGETHER
H8513	R/E	DA	3 2/75	3 H807 JOINED BY PC BOARD FOR BUSSING 3 MODULES AT HANDLE END
H8514	R/E	DA	3 2/75	4 H807 JOINED BY PC BOARD FOR BUSSING 4 MODULES AT HANDLE ENDS
H8519	15	JE	5 11/72	2 SETS OF 3 H807 JOINED BY PC BOARD BUSSING 3 MODULES, PINS AH2, AK2, AV2 OPEN
H852	11	DN	1 4/70	MODULE HOLDER FOR 4 MODULES WITH 0.5 VERTICAL SEPARATOR
H853	11	DN	1 4/70	H852 WITH NO VERTICAL SEPARATOR
H854	R/E	WH	1 6/70	40 PIN CONNECTOR, MALE, USED ON R/E MODULES, 12-09941
H855	R/E	WH	1 6/70	MATES TO H854 & 3M RIBBON CABLE (1211206)
H856	R/E	WH	1 6/70	MATES TO H854 WITH POKE HOME CONTACTS (BERG) (1210090 HOUSING, 1210089 PINS)
H857	15	FA	1 9/70	H807 MOUNTED AT RIGHT ANGLE TO PC CARD (FOR KC19-B)
H858	R/E	PG	3 5/73	CURRENT LOOP CONNECTOR, (2 H807'S JOINED BY WIRE LOOPS INSTEAD OF PC BOARD)
H859	R/E	PG	5	SHORT M922 SOLDERED TO H807
H860	12	AW	5 3/72	H854 TO H807, M903 CONNECTIONS
H861	COM	RL	5 12/71	DM11-BB TEST CONNECTOR (4 H854 ON CARD WITH INTERCONNECTIONS)
H8611	COM	JER	4 10/75	H850 W INTERCONNECTIONS FOR LOOP BACK TEST ON DH11-AD, DH11-AE
H8612	COM	WRS	2 1/75	H856 FOR LOOP BACK TEST ON M783V
H8613	CAT	RF	1 2/75	H856 FOR LOOPBACK TEST ON M7864, M7865, H8361 (DR11=L, DR11=M, DRB=ED)
H862	11	RMS	1 7/71	BURNDY MD12 MXR=BT WIRED AS TEST CONNECTOR FOR BC01W
H863	R/E, 11	LOREN	5 10/72	H803 WITH SLOTTED ENDS
H864	11	RMS	1 7/71	RS232 FEMALE TEST CONNECTOR FOR BC01V, BC05C
H865	MOD	RJM	1 7/71	RS-232 MALE PLUG & HOOD
H866	10	DREW	5 3/72	MEMORY BUS TERMINATOR (AMP QUICK LATCH)
H867	10	DREW	2 5/72	I/O BUS TERMINATOR (AMP QUICK LATCH)
H868	10	DREW	5 3/72	TU40 TERMINATOR (AMP QUICK LATCH), NEGATIVE BUS
H869	CSS	EM	2 3/73	TU40 TERMINATOR (AMP QUICK LATCH), POSITIVE BUS
H870	11	TMS	2 1/74	MASS BUS TERMINATOR, PLUGS INTO H854
H871	FS	POT	2 1/74	H854 TO H854 (CABLE EXTENDER) SINGLE 5, NO CONTACTS ON FINGERS
H872	FS	POT	4 4/74	MASS BUS TERMINATOR & DISPLAY, DOUBLE 8.5, GND ONLY ON FINGERS
H873	11/70	TN	2 10/74	11/70 CORE BUS TERMINATOR (PLUGS INTO H854)
H874-A	KL10	RHEL	3 2/75	KL10 FEMALE POWER CONNECTOR KIT, 120V
H874-B	KL10	RRL	3 2/75	KL10 FEMALE POWER CONNECTOR, 120V
H875	CPL	ORR	1 6/75	12-11620 TO H854, MIRROR CONNECTION (A TO B, B TO A, ETC.)
H876	PERIPH	WO	1 8/75	20 PIN MALE (SIMILAR TO H854)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H877	PERIPH	WD	1 8/75	20 PIN FEMALE FOR 3M CABLE
H878	XML	RH	1 11/75	56-PIN CONN, 0.1" CENTERS, FEMALE CARD EDGE CONNECTOR, VIKING JMD SERIES
H8783	XML	RH	1 11/75	3 H878 BUSSED ON PC BOARD, 0.5" CENTERS
H8784	XML	RH	1 11/75	4 H878 BUSSED ON PC BOARD, 0.5" CENTERS

MOUNTING PANELS

H900	CAT			FLIP-CHIP MNTG PANEL & POWER SUPPLY, (USES H701)
H900=CA	CAT		5	H900 WITH FORKED LUGS & 50 HZ
H900=CC	CAT		5	H900 WITH FORKED LUGS & 60 HZ
H900=DA	CAT		5	H900=CA WITH POWER BUS
H900=DC	CAT		5	H900=CC WITH POWER BUS
H900=JA	CAT		6 8/75	H900 WITH WIRE WRAP PINS & 50 HZ
H900=JC	CAT		6 8/75	H900=JA EXCEPT 60 HZ
H900=KA	CAT		5	H900=JA WITH POWER BUS
H900=KC	CAT		5	H900=JC WITH POWER BUS
H901	CAT		5	PATCHBOARD MOUNTING PANEL, SPACE FOR 10 MODULES
H902	CAT		5	SWITCH, INDICATOR PANEL
H903	CAT		5	CLASSROOM Q-A MNTG PANEL
H904=A	MCE	GG	3 10/74	5.25" X 19" HORIZONTAL MODULE MOUNTING BOX
H905=A	MCE	GG	3 10/74	10.50" X 19" HORIZONTAL MODULE MOUNTING BOX
H906=A	MCE	GG	3 10/74	21" X 19" VERTICAL MODULE MOUNTING BOX W FANS, SPACE FOR SINGLE SYSTEM UNITS
H907=A	MCE	GG	1 10/74	21" X 19" HORIZONTAL MODULE MOUNTING BOX
H908	MYST		2 1/66	SPECIAL RACK, MODIFIED 1943, FOR MEMORY TEST
H909=A	CAT	EN	3 2/75	5.25" SHELL (PART OF BA11=L)
H909=BA	CAT	EN	3 2/75	H909=A W 115V PS (NEEDS A FAN)
H909=BB	CAT	EN	1 12/74	H909=A W 230V PS (NEEDS A FAN)
H910	CAT		5	MOUNTING PANEL, 36 PIN H900, 4-H803 BLOCK +5V ONLY, 47-63 HZ
H911=C	CAT	SZ	3 9/73	H911=R W SLOTTED BLOCKS (H863)
H911=D	CAT	SZ	3 9/73	H911=S W SLOTTED BLOCKS (H863)
H911=J	CAT		5	MNTG PANEL, 36 PIN 1943, NO POWER BUS
H911=K	CAT		5	H911=J PREWIRED FOR POWER
H911=L	MOD		3 1/69	H911=J WITH MC SWITCHES
H911=P	MOD		3 1/69	H911=K WITH MC SWITCHES
H911=R	CAT	SZ	5 12/71	H911=J WITH 8.5" END PANELS
H911=S	CAT	SZ	5 12/71	H911=K WITH 8.5" END PANELS
H912	14	AR	5 2/75	BLANK I/O MNTG PANEL, SPACE FOR 16 H1000 SERIES I/O UNITS
H912=AX	14	AR	5 2/75	H912 W 16 H1500 (120 VAC INPUTS TO 5V LOGIC)
H912=AY	14	AR	5 2/75	H912 W 16 H1600 (5V LOGIC TO 120 VAC 2A OUTPUTS)
H912=DX	14	AR	5 2/75	H912 W 16 H1550 (10-55 VDC ISOLATED INPUTS TO 5V LOGIC)
H912=DY	14	AR	5 2/75	H912 W 16 H1650 (5V LOGIC TO ISOLATED 55V 2A OUTPUTS)
H912=AI	14	AR	5 2/75	H912 W 16 H1501 (120 VAC INPUTS TO 5V LOGIC)
H912=AO	14	AR	5 2/75	H912 W 16 H1601 (5V LOGIC TO 120 VAC 2A OUTPUTS)
H912=DI	14	AR	5 2/75	H912 W 16 H1551 (10-55 VDC ISOLATED INPUTS TO 5V LOGIC)
H912=DO	14	AR	5 2/75	H912 W 16 H1651 (5V LOGIC TO ISOLATED 55V 2A OUTPUTS)
H913	CAT		5	MNTG PANEL, H910 WITH H800'S
H914	CAT		5	MNTG PANEL, H911 WITH H800'S
H916	CAT		5	MNTG PANEL, H716 POWER SUP + 6-H803'S ON 1943 MNTG BAR
H917	CAT		5	MNTG PANEL, H716 + 6-H800'S
H919	5	PG	5	PDP8-E BUS CONNECTOR BLOCK ASSEMBLY
H9190	CAT	SZ	5	EXPANDER MNTG PANEL FOR 8/E, 10 H803 BLOCKS PREWIRED FOR STD PWR ONLY, USES H019 CASTING
H9191	8/E	PG	5 12/71	PDP8-M BUS CONNECTOR BLOCK ASSEMBLY
H9192	8/A	PG	2 5/74	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (10 QUAD SLOTS)
H9193	8/A	PG	5 8/75	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (3 QUAD + 3 QUINT SLOTS)
H9194	8/A	PG	2 2/75	PDP8-A BUS CONNECTOR BLOCK ASSEMBLY (7 QUAD + 5 QUINT SLOTS)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H920	CAT		5	MODULE DRAWER, 3-BAR MOUNTING FRAME FOR MOUNTING UP TO 24 CONNECTOR BLOCKS
H921	CAT		5	H920 FRONT PANEL
H922				RESERVED FOR H920 REAR PANEL
H923	CAT	AR	5	CHASSIS SLIDES FOR H920
H925	CAT		5	MODULE DRAWER, PDP8-L STYLE BOX, ROOM FOR 18 CONNECTOR BLOCKS
H926-AA		SZ	2 4/73	BAR WITH 9 H800-W
H926-BA		SZ	2 4/73	BAR WITH 9 H803
H926-AB			2 4/73	H926-AA WIRED FOR STEPPING MOTOR DRIVERS
H926-BB			2 4/73	H926-BA WIRED FOR COMPUTER INTERFACES
H9270	11/03	MEC	4 8/75	11/03 MNG PANEL, 4 QUAD SLOTS & FRAME
H9270-A	11/03	MEC	3 8/75	H9270 W CABLE TROUGH
H929-A	15	PDM	1 7/70	19" X 7" MNTG BAR FOR 8 PANELS ON 2-INCH CENTERS
H929-B	15	PDM	1 7/70	2 X 5,25" FILLER PANEL
H929-C	15	PDM	1 7/70	4-INCH PANEL FOR 16 BNC CONNECTORS
H929-D	15	PDM	1 7/70	2-INCH PANEL WITH AMPHENOL SERIES 26 32-PIN MALE
H930	CAT	SZ	1 4/73	11/35 BOX W BLANK FRONT PANEL BUT NO PS, FANS, SYSTEMS UNITS OR HARNESS
H9300-AA	8/A	PG	2 2/75	10,5" RACK MOUNTABLE CHASSIS W FANS, PS, G8016, H9194, KK8-A, 115V 60HZ (FOR MOS 8/A)
H9300-AB	8/A	PG	2 2/75	10,5" RACK MOUNTABLE CHASSIS W FANS, PS, G8016, H9194, KK8-A, 230V 50HZ (FOR MOS 8/A)
H9300-BA	8/A	PG	2 2/75	H9300-AA EXCEPT G8018, 115V 60HZ (FOR CORE 8/A)
H9300-BB	8/A	PG	2 2/75	H9300-AB EXCEPT G8018, 230V 50HZ (FOR CORE 8/A)
H932	MOD		1	RESERVED FOR DEEP H930 WITH 22 BLOCKS INSTEAD OF 16
H933-A	CAT	JB	5 4/73	SYSTEM UNIT WITH 3 H800-W
H933-B	CAT	JB	5 4/73	SYSTEM UNIT WITH 3 H800-F
H933-C	CAT	JB	5 4/73	SYSTEM UNIT WITH 3 H803
H933-CA	GSS	LO	3 1/74	SYSTEM UNIT W 1 H803, 2 H863
H933-CB	CAT	RF	3 9/74	SYSTEM UNIT WITH 3 H863
H933-D	CAT	JB	5 4/73	SYSTEM UNIT WITH 3 H808
H933-DA				
H934-CB	CAT	RF	3 9/74	DOUBLE SYSTEM UNIT WITH 6 H863, 3 H8030
H940-AA		SZ	5 4/73	15-3/4" ASSEMBLY (3 BAY ASSY), INNER & OUTER FRAME
H940-BA		SZ	5 4/73	COVER
H941-AA	CAT	SZ	5 4/73	19" MOUNTING PANEL FRAME, 4 BAY ASSEMBLY, PDP14
H941-BA	CAT	SZ	5	COVER FOR 5" MODULES
H941-BB	CAT	SZ	5 12/71	COVER FOR 8,5" MODULES
H945	12	GPR	5 2/72	MOUNTING PANEL WITH NIM PANEL SPACING, SERIES NAME
H945-AA	11	GPR	5 3/72	TABLE TOP H945
H945-AB	11	GPR	5 2/72	RACK MOUNTABLE H945
H945-BA	12	GPR	5 2/72	115V TABLE TOP H945 WITH POWER SUPPLY
H945-BB	12	GPR	5 3/72	230V H945-BA
H945-CA	12	GPR	5 3/72	115V RACK MOUNTABLE H945 WITH POWER SUPPLY
H945-CB	12	GPR	5 3/72	230V H945-CA

CABINETS

H950-A	CAT		5	19" CABINET FRAME, 72" HIGH
H950-AA	CAT	GG	5 9/72	H950-A + H952 CASTER SET, H950-SA FILTER, H952-EA LEVELLER SET
H950-AB	10	KE	3 3/75	H950-AA W NO BOTTOM SCREEN
H950-BA	CAT		5	FULL LENGTH RH DOOR BLACK
H950-BC	10	DN	1 9/71	148 BLASI BLUE H950-AA
H950-BD	MS	AW	3 4/72	FULL LENGTH RH DOOR, 131 BRITG COPEN BLUE
H950-CA	CAT		5	FULL LENGTH LH DOOR BLACK
H950-CB	12	AW	1 6/71	OFF WHITE FULL LENGTH LH DOOR (H950-CA) (68 GRAY)
H950-CC	10	DN	1 1/72	148 BLASI BLUE LH DOOR
H950-DA	CAT		5	MNTG PANEL DOOR, RH
H950-EA	CAT		5	MNTG PANEL DOOR, LH

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H950=FA	CAT		5	MOUNTING PANEL DOOR SKIN
H950=G			5	TABLE FRAME
H950=HA	CAT		5	SHORT DOOR, COVERS 21" MOUNTING HEIGHT, COVERS BOTTOM PAN (101 GRAY)
H950=HB	CAT		5	SHORT DOOR, 22-3/4" HEIGHT (101 GRAY)
H950=HC	CAT		5	DOOR, 26-1/4" (101 GRAY)
H950=HD	CAT		5	DOOR, 31-1/2" (101 GRAY)
H950=HE	CAT		5	DOOR, 36-3/4" (101 GRAY)
H950=HF	CAT		5	DOOR, 42" (101 GRAY)
H950=HG	CAT		5	DOOR, 47-1/4" (101 GRAY)
H950=HH	CAT		5	DOOR, 52-1/2" (101 GRAY)
H950=HJ	CAT		5	DOOR, 57-3/4" (101 GRAY)
H950=HK	CAT		5	DOOR, 63" (101 GRAY)
H950=HL	15	FD	3 6/75	H950=HH, 131 BRITE COPEL BLUE
H950=HM	12	AW	1 6/71	H950=HB OFF WHITE COLOR (68 GRAY)
H950=HN	15	FD	3 6/75	H950=HD, 131 BRITE COPEL BLUE
H950=HP	15	FD	3 8/75	H950=HF, 131 BRITE COPEL BLUE
H950=HU	12	AW	1 6/71	H950=HH OFF WHITE COLOR (68 GRAY)
H950=HX	CPL	BALL	1 3/72	TOPAZ H950=HA
H950=HY	TYP	REC	3 9/74	H950=HA 131 BRITE COPEL BLUE
H950=JA			5	MIDDLE DOOR (DOES NOT COVER PAN OR FEET), COVERS 21" BLACK
H950=JB			5	MIDDLE DOOR, 26-1/4" BLACK
H950=JC			5	31-1/4", BLACK
H950=JD			5	36-3/4", BLACK
H950=JE			5	63", BLACK
H950=JF	MS	AW	3 4/72	21" MIDDLE DOOR, 131 BRITE COPEL BLUE
H950=JH	MS	AW	3 4/72	36-3/4" MIDDLE DOOR, 68 GRAY
H950=JK	1PG	FE	3 11/73	21" MIDDLE DOOR, 165 AC RED
H950=JL	15	FD	3 6/75	36-3/4" DOOR, 131 BRITE COPEL BLUE
H950=KA	11	PAJ	1 7/72	21" COVER PANEL, BLACK
H950=KB	.	PAJ	1 9/72	21" COVER PANEL, 149 TOPAZ
H950=KC	.	PAJ	1 9/72	21" COVER PANEL, 148 BLASI BLUE
H950=KD	.	PAJ	1 9/72	21" COVER PANEL, 155 MORRIS MAROON
H950=KE	.	PAJ	1 9/72	21" COVER PANEL, 158 DAVE BROWN
H950=KF	.	PAJ	1 9/72	21" COVER PANEL, 129 LIME PEEL
H950=KH	.	PAJ	1 9/72	21" COVER PANEL, 131 BRITE COPEL BLUE
H950=LA	CAT		5	FRAME PANEL FOR TOP (LOGO MOUNT), BLACK
H950=LB			5 1/70	PLASTIC BLANK LOGO
H950=MA			5	FRAME PANEL, 1-3/4"
H950=NA			5	FRAME PANEL, 3-1/2"
H950=P	CAT		5	COVER PANEL, 5-1/4" W 1209224 THIN LATCHES TO GO OVER A LOGIC PANEL
H950=PA		GG	3 7/73	COVER PANEL, 5-1/4" W THIN 1209224 LATCHES TO GO OVER A LOGIC PANEL + THICK 1211388 LATCHES
H950=PB		GG	3 7/73	COVER PANEL, 5-1/4" W NO LATCHES
H950=Q	CAT		5	COVER PANEL, 10-1/2" W THIN 1209224 LATCHES TO GO OVER A LOGIC PANEL
H950=QA		GG	3 7/73	COVER PANEL, 10-1/2" W THICK 1209224 LATCHES TO GO OVER A LOGIC PANEL + THICK 1211388 LATCHES
H950=QB		GG	3 7/73	COVER PANEL, 10-1/2" W NO LATCHES
H950=R			1 6/69	DOOR COVER PANEL
H950=SA	CAT		5	FILTER
H950=T			1 9/69	KICKPLATE BETWEEN EXTENSION FEET
H950=U	8	PG	1 4/71	BOTTOM BAFFLE
H950=VA	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" BLACK COVER PANEL
H950=VB	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 149 TOPAZ COVER PANEL
H950=VC	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 148 BLASI BLUE COVER PANEL
H950=VD	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 155 MORRIS MAROON COVER PANEL
H950=VE	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 158 DAVE BROWN COVER PANEL
H950=VF	.	PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 129 LIME PEEL COVER PANEL

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H950-VH		PAJ	2 9/72	TABLE MTD ON TOP EDGE OF 21" 131 BRITE COPEN BLUE COVER PANEL
H950-X	LOGIC	RC	3 10/75	UNASSEMBLED H950-AA
H9500-A		SZ	2 6/75	DOUBLE HIGH BOY CABINET FRAME, CASTERS, LEVELERS & STABILIZERS, 46"W X 60"H X 30"D
H9500-B		SZ	2 6/75	H9500-A W PROVISION FOR SLIDE MOUNTING IN LOWER HALF
H9501-A		SZ	2 6/75	DOUBLE LOW BOY CABINET FRAME, CASTER, LEVELERS & STABILIZERS, 46"W X 50"H X 30"D
H9501-B		SZ	2 6/75	H9501-A W PROVISION FOR SLIDE MOUNTING IN LOWER HALF
H9502-A		SZ	2 6/75	SINGLE HIGH BOY CABINET FRAME, CASTERS, LEVELERS & STABILIZERS, 26"W X 60"H X 30"D
H9502-B		SZ	2 6/75	H9502-A W PROVISION FOR SLIDE MOUNTING IN LOWER HALF
H9504-CA		SZ	1 11/75	HIGH END PANEL
H9504-DA		SZ	1 11/75	LOW END PANEL
H9504-EA		SZ	1 11/75	HIGH REAR RH DOOR
H9504-FA		SZ	1 11/75	LOW REAR RH DOOR
H9504-HA		SZ	1 11/75	REAR LH DOOR, HIGH
H9504-JA		SZ	1 11/75	REAR LH DOOR, LOW
H9504-KA		SZ	1 11/75	REAR RH DOOR, SINGLE HIGH
H9504-LA		SZ	1 11/75	REAR RH DOOR, SINGLE LOW
H9504-MA		SZ	1 11/75	TOP COVER, SINGLE
H9504-NA		SZ	1 11/75	TOP COVER, DOUBLE
H9504-PA		SZ	1 11/75	FRONT COVER, SINGLE
H9504-RA		SZ	1 11/75	FRONT COVER, DOUBLE
H9504-SA		SZ	1 11/75	POP PANEL CASTING, 5.25"
H9504-UA		SZ	1 11/75	POP PANEL CASTING, 10.5"
H9504-VA		SZ	1 11/75	FILLER PANEL CASTING, 15"
H9504-WA		SZ	1 11/75	FILLER PANEL CASTING, 25"
H9506-A		SZ	1 11/75	DOUBLE HIGH BOY W NO CENTER HORIZONTAL, 19" MOUNTING
H9508-A		SZ	1 11/75	SINGLE HIGH BOY W NO CENTER HORIZONTAL, 19" MOUNTING
H9503-A		SZ	2 6/75	SINGLE LOW BOY CABINET FRAME, CASTERS, LEVELERS & STABILIZERS, 26"W X 50"H X 30"D
H9503-B		SZ	2 6/75	H9503-A W PROVISION FOR SLIDE MOUNTING IN LOWER HALF
H9504-A		SZ	2 6/75	CASTER/ISOLATOR ASSEMBLY
H9504-B		SZ	2 6/75	4 H9504-A W MING SCREWS
H951-AA			6 4/73	30" CABINET FRAME, 72" HIGH
H951-BA			6 4/73	SKIN DOOR (FULL DOOR)
H951-BB	12	AW	6 4/73	OFF WHITE SKIN DOOR (FULL DOOR)
H951-HA			5 4/73	SHORT DOOR, COVERS 21" MOUNTING HEIGHT, BLACK, COVER BOTTOM PAN
H951-HB			5 4/73	22-3/4" SHORT DOOR, 148 BLASI BLUE
H951-HC			5 4/73	DOOR, 26-1/4", 148 BLASI BLUE
H951-HD			5 4/73	DOOR, 31-1/2", 148 BLASI BLUE
H951-HE			5 4/73	DOOR, 36-3/4", 148 BLASI BLUE
H951-HF			5 4/73	DOOR, 42", 148 BLASI BLUE
H951-HG			5 4/73	DOOR, 47-1/4", 148 BLASI BLUE
H951-HH			5 4/73	DOOR, 52-1/2", 148 BLASI BLUE
H951-HJ			5 4/73	DOOR, 57-3/4", 148 BLASI BLUE
H951-HK			5 4/73	DOOR, 63", 148 BLASI BLUE
H951-TA			6 4/73	NARROW DOOR, CHINESE RED
H951-TB			6 4/73	NARROW DOOR, LIME
H951-TC			6 4/73	RUSSET
H951-TD			6 4/73	NAVY BLUE
H951-TE			6 4/73	131 BRITE COPEN BLUE
H951-SA			5	FILTER
H952				CABINET ACCESSORIES
H952-AA	CAT		5	END PANEL (FOR H950, H951) (101 GRAY)
H952-AB	12	AW	1 6/71	131 BRITE COPEN BLUE H952-AA
H952-AC	12	AW	1 9/71	OFF WHITE END PANEL (FOR H950, H951) (68 GRAY)
H952-AM			5	END PANEL FOR H954
H952-BA	CAT		5	EXTENSION, FEET, PAIR

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H952=CA	CAT		5 7/73	115V SINGLE FAN KIT
H952=CB			3 6/73	230V SINGLE FAN KIT
H952=CC		GG	3 6/73	115V DUAL FAN KIT
H952=CD		GG	3 6/73	230V DUAL FAN KIT
H952=D				FILTER
H952=EA	CAT		5	CASTER SET
H952=FA	CAT		5	LEVELER SET
H952=GA	CAT		5	SET FRONT & REAR FILLER STRIPS
H952=GB				2 REAR FILLER STRIPS
H952=HA		MORRIS	3 8/70	19" X 22-3/4" TABLE, FREE STANDING, 27" HIGH +/- 1-1/2" ADJ, 21" DEEP, GRAY
H953=A	MOD	JE	1 6/69	LAB-K CABINET + K960 (NOT DISCOUNTABLE)
H954	15	MORRIS	6 4/73	CABINET, (FOR VT04 INITIALLY)
H954=AC	15	MORRIS	6 4/73	CAB FRAME
H954=BC	15	MORRIS	6 4/73	FULL LENGTH DOOR (RH)
H954=CA	15	MORRIS	6 4/73	FAN
H954=GB	15	MORRIS	6 4/73	TABLE EXTENDER
H954=SA	15	MORRIS	6 4/73	FILTER
H954=UA	15	MORRIS	6 4/73	COVER
H955	10	DN		SAME AS H951, EXCEPT FOR HAT, FOR K110
H955=A	10	DN	5 5/72	30 INCH, CABINET FRAME FOR K110
H955=BA	10	DN	5 5/72	RH OUTER DOOR, 148 BLASI BLUE
H955=CA	10	DN	5 5/72	LH OUTER DOOR, 148 BLASI BLUE
H955=DA	10	DN	5 5/72	RH MTNG PANEL DOOR
H955=EA	10	DN	5 5/72	LH MTNG PANEL DOOR
H955=GA	10	DN	5 5/72	TABLE ASSEMBLY
H955=LA	10	DN	5 5/72	BLANK LOGO
H955=LB	10	DN	5 5/72	PDP10 LOGO
H956	10	KE	4/70	19" CAB FOR K110, USES MANY H950 PARTS
H956=A	10	DN	5 5/72	19 INCH CABINET FRAME FOR K110
H956=HA	10	DN	5 5/72	SHORT DOORS, H950=HA 148 BLASI BLUE
H956=HB	10	DN	5 5/72	H950=HB 148 BLASI BLUE
H956=HC	10	DN	5 5/72	H950=HC 148 BLASI BLUE
H956=HD	10	DN	5 5/72	H950=HD 148 BLASI BLUE
H956=HE	10	DN	5 5/72	H950=HE 148 BLASI BLUE
H956=HF	10	DN	5 5/72	H950=HF 148 BLASI BLUE
H956=HG	10	DN	5 5/72	H950=HG 148 BLASI BLUE
H956=HH	10	DN	5 5/72	H950=HH 148 BLASI BLUE
H956=HJ	10	DN	5 5/72	H950=HJ 148 BLASI BLUE
H956=HK	10	DN	5 5/72	H950=HK 148 BLASI BLUE
H956=LA	10	JRP	5 5/72	BLANK LOGO
H956=LB	10	DN	5 5/72	PDP10 LOGO
H957		RHA	3 3/72	SHORT 19" CAB (DEC DATA CENTER)
H957=AA		RHA	3 3/72	CABINET FRAME W 068 GRAY TOP
H957=AB		NR	3 8/73	CABINET FRAME W WALNUT TOP
H957=BA		RHA	3 3/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN
H957=BB	MS	CARNES	2 10/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN (131 BRITE COPEN BLUE)
H957=BC	MS	CARNES	2 10/72	FULL LENGTH RH MTNG PANEL DOOR W SKIN (68 GRAY)
H957=CA		RHA	3 3/72	FULL LENGTH LH MTNG PANEL DOOR W SKIN
H957=DA		RHA	3 3/72	MTNG PANEL PLENUM DOOR, RH
H957=EA		RHA	3 3/72	MTNG PANEL PLENUM DOOR, LH
H957=FA		RHA	3 3/72	RH END PANEL (68 GRAY)
H957=FB		RHA	3 3/72	LH END PANEL (68 GRAY)
H957=FC	10	RHA	3 3/72	RH END PANEL FOR USE WITH END TABLE
H957=FD	10	RHA	3 3/72	LH END PANEL FOR END TABLE
H957=FE	MS	CARNES	2 10/72	RH END PANEL (131 BRITE COPEN BLUE)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H957=FF	MS	CARNES	2 10/72	LH END PANEL (131 BRITE OPEN BLUE)
H957=FM	CPL	NR	3 8/75	RH END PANEL (9200150-94 BLACK)
H957=FJ	CPL	NR	3 8/75	LH END PANEL (9200150-94 BLACK)
H957=GA	10	RHA	3 3/72	1 SET FILLER STRIPS (FRONT, TOP & BACK)
H957=HA		RHA	3 3/72	FAN ASSEMBLY, 115V
H957=HC	11	WM	3 4/75	OFFSET FAN ASSEMBLY, 115V
H957=HD	11	WM	3 4/75	OFFSET FAN ASSEMBLY, 230V
H957=HB	LDP	GDC	3 10/73	FAN ASSEMBLY, 230V
H957=JA		RHA	3 3/72	BOTTOM COVER PLATE
H957=KA	CPL	RALL	3 7/72	FULL LENGTH RH REAR DOOR
H957=LA		RHA	3 3/72	FRAME PANEL FOR TOP (LOGO MOUNT)
H957=MA	CPL	RALL	1 5/72	FULL LENGTH LH REAR DOOR
H957=NA		WRH	1 4/75	FULL LENGTH RH DOOR W LOUVERS OVER FULL HEIGHT
H957=NB		WRH	1 4/75	FULL LENGTH LH DOOR W LOUVERS OVER FULL HEIGHT
H957=RA	LDP	RI	3 8/75	PDP11 COLORED LOGO MOUNT W BOOTSTRAP LOADER SWITCH
H957=SA		RHA	3 3/72	FILTER
H958	CPL	RALL	6 8/73	DESK HEIGHT CABINET SERIES (NEEDS TABLE TOP H958=T, COMPLETE HEIGHT 29)
H958=AA	CPL	RALL	6 8/73	CABINET FRAME, BLACK
H958=BA	CPL	RALL	6 8/73	FULL LENGTH RH REAR DOOR, BLACK
H958=CA	CPL	RALL	6 8/73	FULL LENGTH LH REAR DOOR, BLACK
H958=DA	CPL	RALL	6 8/73	FULL LENGTH PLENUM DOOR, RH
H958=DB	CPL	RALL	6 8/73	FULL LENGTH PLENUM DOOR, LH
H958=EA	CPL	RALL	6 8/73	SHORT PLENUM DOOR, RH
H958=EB	CPL	RALL	6 8/73	SHORT PLENUM DOOR, LH
H958=FA	CPL	RALL	6 8/73	END PANEL, 68 GRAY
H958=GA	CPL	RALL	6 8/73	BOTTOM CABLE TROUGH
H958=HA	CPL	RALL	6 8/73	FAN ASSEMBLY
H958=JA	CPL	RALL	6 8/73	TABLE CABLE TROUGH, USED ON H958-LA OR =LB
H958=JB	CPL	RALL	6 8/73	TABLE CABLE TROUGH, USED ON H970=DA
H958=LA	CPL	RALL	6 8/73	TABLE TOP FRAME
H958=LB	CPL	RALL	6 8/73	TABLE TOP FRAME W LEGS ON ONE END
H958=MA	CPL	RALL	6 8/73	MODESTY SHIELD & CATCHALL (MOUNTS ON H958=JA)
H958=PA	CPL	RALL	6 8/73	BOTTOM CABLE PAN
H958=SA	CPL	RALL	6 8/73	FILTER
H958=TA	CPL	RALL	6 8/73	TABLE TOP, 30 X 60, 68 GRAY (MOUNTS ON H958=AA + H958=LB)
H958=TB	CPL	RALL	6 8/73	TABLE TOP, 30 X 90, 68 GRAY (MOUNTS ON 2 H958=AA + H958=LA)
H959=A	IRG	KDC	3 9/75	ICR11-C STAND
H960=AA	8		5	R/I MAIN CABINET
H960=AB	8		5	R/L MAIN CABINET
H960=BA	8	PG	6 8/73	8/E, 8/F, 8/M MAIN CABINET, REPLACED BY H960=BC, =BD
H960=BB	12	GPR	3 2/72	LAS 8/E MAIN CABINET
H960=BC	8	PG	5 6/73	8/E, 8/F, 8/M MAIN CABINET W 115V POWER CONTROL
H960=BD	8	PG	5 6/73	8/E, 8/F, 8/M MAIN CABINET W 230V POWER CONTROL
H960=BE	8	PG	2 12/73	8/E, 8/F, 8/M MAIN SYSTEM CABINET WITH 2 FANS AND 861=C 115V POWER CONTROL
H960=BF	8	PG	2 12/73	8/E, 8/F, 8/M MAIN SYSTEM CABINET WITH 2 FANS AND 861=B 230V POWER CONTROL
H960=CA	11	RFG	5	PDP11 CABINET W 115V FAN
H960=CB	11	RFG	4	PDP11 CABINET W 230V FAN
H960=CC	11	RFS	3 3/75	LAB11 CAB
H960=CD	11/45	RFG	3 3/75	11/45 CAB W TWO 115V FANS
H960=CE	11/45	RFG	3 3/75	11/45 CAB W TWO 240V FANS
H960=DA	11/45	RFG	3 3/72	11/45 CAB WITH 115V PC, PWR SUP (+5V, -15V), 1 EXPANDER BOX BA11-FB
H960=DB	11/45	RFG	3 3/72	11/45 CAB WITH 230V PC, PWR SUP (+5V, -15V), 1 EXPANDER BOX BA11-FB
H960=DC	11	JFR	3 2/74	H960=DH + DB11=A
H960=DD	11	JFR	3 2/74	H960=DJ + DB11=A
H960=DH	11	WM	3 4/74	11/45 CAB W 115V PC, PWR SUP (+20V, +5V, -15V), 1 EXPANDER BOX BA11-FB

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H960=DJ	11	WM	3	4/74	11/45 CAB W 230V PC, PWR SUP (+20V,+5V,-15V), 1 EXPANDER BOX BA11-FB
H960=EA	11/45	RFG	6	4/74	11/45 CAB WITH 115V PC, PWR SUP (+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960=EB	11/45	RFG	6	4/74	11/45 CAB WITH 230V PC, PWR SUP (+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960=EH	11	WM	3	4/74	11/45 CAB W 115V PC, 861-A, PWR SUP (+20V,+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960=EJ	11	WM	3	4/74	11/45 CAB W 230V PC, 861-B, PWR SUP (+20V,+5V,-15V), 2 EXPANDER BOXES BA11-FB
H960=HA	COM	DES	1	11/75	TELCO CAB, BA11-RA, 865 48VDC POWER CONTROL
H961=A	8		5		8/I OPTION CABINET, (ALSO 8/L), ALSO FOR 9/L FRONT EMPTY
H961=AA	8	PG	3	1/74	8/E, 8/F, 8/I, 8/L, 8/M OPTION CABINET W 115V POWER CONTROL
H961=AB	8	PG	3	1/74	8/E, 8/F, 8/I, 8/L, 8/M OPTION CABINET W 230V POWER CONTROL
H961=B	8	GRAHAM	1	3/69	8/I, 8/L OPTION CABINET WITH FRONT DOORS OR FILLER PROVIDED
H961=C	12	GRAHAM	3	11/70	12 OPTION CABINET WITH FILLER PANELS
H961=CA	LDP	AH	1	10/71	LAB11 & LAB 8/E OPTION CABINET
H962=A	9		1	12/68	PDP9 OPTION CABINET
					(SECOND LETTER: A=115V,60HZ B=230V,60HZ C=115V,50HZ D=230V,50HZ)
H963	15	SW	2	10/69	PDP15 CABINETS, H950 & H952 PARTS
H963=A	15	SW	2	10/69	RS09
H963=B	15	SW	2	10/69	RS09/RF15
H963=C	15	SW	2	10/69	RP15
H963=D	15	SW	2	10/69	KP15, MM15, MO15
H963=E	15	SW	2	10/69	BB15, BA15, DW15
H963=F	15	SW	2	10/69	TC15, TU56
H963=H	15	SW	2	10/69	TU56
H963=J	15	SW	2	10/69	TC59, CR030, DB09, LT19
H963=JA	15	RG	2	10/72	TC59, CR030B, DB09, LT19, 120V
H963=K	15	SW	2	10/69	ANALOG
H963=L					VT15-A, VT15-B
H963=M	15	SW	1	4/70	LP15
H963=N	15	SW	1	4/70	MX15
H963=P	15	SW	3	2/71	D/A
H963=RA	15	PDM	1	10/70	H964-FA WITH PDP15 LOGO
H963=RB	15	PDM	1	10/70	H964-FB WITH PDP15 LOGO
H963=RC	15	PDM	1	10/70	H964-FC WITH PDP15 LOGO
H963=RD	15	PDM	1	10/70	H964-FD WITH PDP15 LOGO
H963=S	15	PDM	1	10/70	BD15 CAB
H963=U	15	JE	2	9/72	ME15
H963=V	15	SCH	2	3/73	DC19 (4)
H963=WA	15	FD	3	11/74	PDP15-CA CAB, 861-C, H742-A, 3 H744, 115V
H963=WB	15	FD	3	11/74	PDP15-CB CAB, 861-B, H742-B, 3 H744, 230V
H964	IPG	FE	5	3/71	FLYING CAPACITOR & UDC CABINET SERIES
H964=AA	IPG	FE	5	3/71	LOGIC CAB FOR 115V
H964=AB	IPG	FE	5	3/71	LOGIC CAB FOR 230V
H964=BA	IPG	FE	5	3/71	TOP OR BOTTOM ENTRY TERMINATION CAB
H964=BB	IPG	FE	5	3/71	BOTTOM ENTRY TERMINATION CAB
H964=CA	IPG	FE	5	3/71	H964-AA & H964-BA, 115V
H964=CB	IPG	FE	5	3/71	H964-AA & H964-BB, 115V
H964=CC	IPG	FE	5	3/71	H964-AB & H964-BA, 230V
H964=CD	IPG	FE	5	3/71	H964-AB & H964-BB, 230V
H964=DA	11	MORRIS	5	4/73	CB11 CAB
H964=EA	IPG	FE	5	4/73	UDC CAB, 115V, INCLUDES H740-D, 861-A
H964=EB	IPG	FE	5	4/73	UDC CAB, 230V, INCLUDES H740-D, 861-B
H964=FA	IPG	KDC	3	10/74	ICS CAB, 115V, 861-C
H964=FB	IPG	KDC	3	10/74	ICS CAB, 230V, 861-B
H964=MA	IPG	FE	5	3/71	TERMINATION MOUNTING HARDWARE FOR A SINGLE BF01,1 FILE
H964=MC	IPG	FE	5	4/73	TERMINATION MOUNTING HARDWARE FOR 3 BF01,3 FILES
H964=P	IPG	FE	5	3/71	TOP ENTRY KIT

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
H965	B	TP	1	6/70	TABLE TOP CAB FOR 19 X 17 1/2" THINGS, WHITE
H966=A	10	KE	1	8/72	K110 PERIPHERAL CAB (H956, H958, H952 PARTS, 857 PWR CONT)
H966=BA	10	RHA	3	9/73	K110 PERIPHERAL CAB FROM H956 PARTS + 861-C 115V 30A (24A) PWR CONT (RH10=DA, DC)
H966=BB	10	RHA	3	9/73	K110 PERIPHERAL CAB FROM H956 PARTS + 861-B 230V 20A (16A) PWR CONT (RH10=DB, DD)
H967					CABINET SERIES FROM H957 PARTS (DEC DATA CENTER SHORT CABS)
H967=AA	B	PG	2	2/72	B/E, B/F, B/H OPTION CAB, 115V
H967=AB	B	PG	2	4/72	B/E, B/F, B/H OPTION CAB, 230V
H967=BA	B	PG	2	2/72	B/E, B/F, B/H MAIN CAB, 115V
H967=BB	B	PG	2	4/72	B/E, B/F, B/H MAIN CAB, 230V
H967=CA	LDP	DKC	3	4/75	H967=KK W POP11 LOGO & SIDE PANELS
H967=CB	LDP	DKC	3	4/75	H967=KL W POP11 LOGO & SIDE PANELS
H967=DA	CPL	BALL	1	5/73	DS500 EXPANDER CAB, BA11-FB + H967=HA, 115V
H967=DB	CPL	BALL	1	5/73	DS500 EXPANDER CAB, BA11-FB + H967=HB, 230V
H967=DH	CPL	RPF	3	8/75	EXPANDER CAB W PS (+20, +5, -15V), 861-C, BA11-FB, 115V
H967=DJ	CPL	RPF	3	8/75	EXPANDER CAB W PS (+20, +5, -15V), 861-B, BA11-FB, 230V
H967=EA	CPL	BALL	3	4/72	EXPANDER CAB FOR DS300 SERIES, WEIGHTS INSTEAD OF STABILIZERS, END PANELS, 115V
H967=EB	CPL	BALL	3	9/72	EXPANDER CAB FOR DS300 SERIES, WEIGHTS INSTEAD OF STABILIZERS, END PANELS, 230V
H967=FI	CLP	RHA	3	5/72	H957=AA, =BA, =CA, =FA, =FB, =HA, =LA, =SA, H952=BA, =EA, =FA, 74-06762 KICK PLATE
H967=FJ	CLP	RHA	3	5/72	H957=AA, =BA, =FA, =FB, =HA, =LA, =SA, H952=EA, =FA, 74-06793 KICK PLATE
H967=FK	CLP	RHA	3	5/72	H957=AA, =CA, =EA, =GA, =HA, =LA, =SA, H952=EA, =FA, 74-06793 KICK PLATE
H967=GA	CPL	BALL	3	9/72	DS500 OPTION CAB, 115V (INCLUDES END PANELS)
H967=GB	CPL	BALL	3	9/72	DS500 OPTION CAB, 230V (INCLUDES END PANELS)
H967=HA	CPL	BALL	3	9/72	OPTION CAB, 115V, 1 PHASE 30A (24A) 861-C (NO END PANELS)
H967=HB	CPL	BALL	3	9/72	OPTION CAB, 230V, 861-B (NO END PANELS)
H967=HC	CPL	BALL	1	5/73	OPTION CAB, 861-A 115V 2 PHASE 20A (16A)
H967=HD	CPL	RPF	3	8/75	COMMUNICATION CAB, NO POWER CONT
H967=HE	CPL	RPF	3	8/75	CPU CAB, 861-C, 120V 24A
H967=HF	CPL	RPF	3	8/75	CPU CAB, 861-B, 240V 16A
H967=HH	CPL	RPF	3	8/75	MAG TAPE CAB, 861-C, 120V 24A
H967=HJ	CPL	RPF	3	8/75	MAG TAPE CAB, 861-B, 240V 16A
H967=HK	CPL	NR	3	8/75	DS310 EXPANDER CAB, WEIGHTS, END PANELS, WALNUT TOP, 861-F
H967=HL	CPL	NR	3	8/75	DS310 EXPANDER CAB, WEIGHTS, END PANELS, WALNUT TOP, 861-B
H967=JA	CPL	BALL	1	6/73	DS500 CAB ANGLING KIT (H957=FA, H957=FB, H958=GA)
H967=KA	LDP	GDC	3	10/73	GT44 BASIC CAB, 1 PHASE 30A (24A), 115V 861-C, NO END PANELS
H967=KB	LDP	GDC	3	10/73	GT44 BASIC CAB, 1 PHASE 20A (16A) 230V 861-B, NO END PANELS
H967=KC	LDP	GDC	3	10/73	GT44 EXPANDER CAB, 861-C, NO END PANELS
H967=KD	LDP	GDC	3	10/73	GT44 EXPANDER CAB, 861-B, NO END PANELS
H967=KE	LDP	AW	3	11/73	11L40 BASIC CAB, 115V 861-C
H967=KF	LDP	AW	3	11/73	11L40 BASIC CAB, 230V 861-B
H967=KH	LDP	AW	3	11/73	11L40 EXPANDER CAB, 115V 861-C, NO END PANELS
H967=KJ	LDP	AW	3	11/73	11L40 EXPANDER CAB, 230V 861-B, NO END PANELS
H967=KK	LDP	DKC	3	4/74	SHORT CAB, 861-C POWER CONTROL, GT42 LOGO, FANS, 115V
H967=KL	LDP	DKC	3	4/74	SHORT CAB, 861-B POWER CONTROL, GT42 LOGO, FANS, 230V
H967=KM	LDP	AW	1	4/75	H967=KK W 11L10 LOGO
H967=KN	LDP	AW	1	4/75	H967=KL W 11L10 LOGO
H967=KP	GRAPH	HL	3	8/75	H967=KK W MORE LOUVERS IN BACK DOOR, 115V
H967=KR	GRAPH	HL	3	8/75	H967=KL W MORE LOUVERS IN BACK DOOR, 230V
H967=LA	TYP	RFC	3	7/74	TYPSET OPTION CAB, 115V
H967=LB	TYP	RFC	3	7/74	TYPSET OPTION CAB, 230V
H967=UA	CPL	BALL	3	9/72	EXPANDER CAB FOR DS300 SERIES, 115V, WEIGHTS INSTEAD OF STABILIZER FEET
H967=UB	CPL	BALL	3	9/72	EXPANDER CAB FOR DS300 SERIES, 230V, WEIGHTS INSTEAD OF STABILIZER FEET
H968=AA	CPL	BALL	1	3/72	DS300 DESK HEIGHT CABINET (USES H958 PARTS)

TABLES

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H970	12		1 1/70	PDP12 CONSOLE TABLE
H970=A	10	RB	2 8/71	CR10=F, CR8/I=F, CR10=D TABLE, 24 X 48 X 29
H970=BA	8	PG	1 2/72	PDP12 CONSOLE TABLE (70-2595A) 20 X 30 X 26 5/8
H970=CA	8	PG	1 2/72	30 X 30 X 26 5/8 TABLE
H970=DA	CPL	PALL	1 4/72	30 X 60 X 29 DESK, 68 GRAY, TOPAZ MODESTY SHIELD (USES H958=TA TOP)
H970=EA	TYP	JDL	3 8/73	30 X 36 X 27" TABLE, FOR VT20
H970=FA	LDP	RO	3 9/73	30 X 48 X 29 TABLE
H971=A	"	RHA	1 7/72	STAND FOR LS01=E CENTRONICS PRINTER (3411104)

MISCELLANEOUS PURCHASED CABINETS & CHAIRS

H980=AA	TPL	JDL	3 11/73	OPTIMEDIA CABINET 7200=99, CONTAINS H980=CC, H980=CD, H980=CH, H980=CG, H980=CF
H980=AB	TPL	JDL	3 11/73	OPTIMEDIA CABINET 7300=99, CONTAINS H980=CC, 2 H980=CD, H980=CH, H980=CG, H980=CF
H980=BA	TPL	JDL	3 11/73	BASIC FRAME OF OPTIMEDIA CABINET 7200=10 USED IN H980=AA, 71 X 36 X 18
H980=BB	TPL	JDL	3 11/73	BASIC FRAME OF OPTIMEDIA CABINET 7300=10 USED IN H980=AB, 58 X 36 X 18
H980=CA	TPL	JDL	3 11/73	TAPE SEAL HANGER BAR, 35 TAPES CAPACITY, 7901=01
H980=CB	TPL	JDL	3 11/73	CANISTER HOLDER FOR MAGTAPE, 7904=01, HOLDS 20 TAPES
H980=CC	TPL	JDL	3 11/73	DECPACK STORAGE RACK 7912=01, HOLDS 14 DECPACKS
H980=CD	TPL	JDL	3 11/73	ROLL OUT DRAWER 7921=01
H980=CE	TPL	JDL	3 11/73	HANGING BINDER FRAME 7935=24, HOLDS LETER/LEGAL DOCUMENTS PLUS BINDERS
H980=CF	TPL	JDL	3 11/73	BIN DRAWER 7941=01, 12H X 13 1/2W X 12D
H980=CG	TPL	JDL	3 11/73	HEAVY DUTY FIXED SHELF 7951=01
H980=CH	TPL	JDL	3 11/73	DIVIDER KIT 7981=24 FOR 72 DECTAPES
H980=CK	TPL	AJM	3 6/75	DECTAPE WIRE RACK FOR 77 REELS FOR H980=CD
H980=DA	TPL	JDL	3 11/73	STEELCASE SHELL SWIVEL ARM CHAIR
H980=DB	TPL	JDL	3 11/73	STEELCASE SWIVEL ARM CHAIR
H980=DC	TPL	JDL	3 11/73	STEELCASE SIDE ARM CHAIR
H980=DD	TPL	JDL	3 11/73	STEELCASE SIDE CHAIR
H980=DE	TPL	JDL	3 11/73	STEELCASE POSTURE CHAIR
H981=A	TPL	SG	1 4/74	COPY HOLDER
H982=T	"	PG	3 1/75	VANGUARD DIVERSIFIED TEAK TOP DESK FOR CLASSIC
H982=W	8	PG	3 1/75	VANGUARD DIVERSIFIED WALNUT TOP DESK FOR CLASSIC
H983=A	CSS	CC	3 10/75	RFI CABINET, ZERO, 19" TALL CAB
H984=A	11	JMW	3 11/75	19" X 21"W X 26" D, 17,5" VERTICAL OPENING, 19" RAILS, TABLE TOP OR SHORT FLOOR STANDING CAB
H984=BA	11	JMW	1 11/75	H984=A W 115V POWER CONTROL
H984=BB	11	JMW	1 11/75	H984=A W 230V POWER CONTROL

NEMA CABINETS

H990=AA		SZ	1 10/70	BASE CABINET, NEMA 12, FILTERS
H990=BA		SZ	1 10/70	HORIZONTAL MOUNTING PANEL ASSEMBLY
H991=AA		SZ	1 10/70	UNWIRED LOGIC CONSOLE, NEMA 12
H991=AB			1 10/70	WIRED ASSEMBLY CONSOLE
H991=AC			1 10/70	TOTAL CONSOLE ASSEMBLY (H991=AB + BB + CA + H731=A) 60 HZ
H991=AD			1 10/70	TOTAL CONSOLE ASSEMBLY (H991=AB + CA + H731=B) 50 HZ
H991=BA		SZ	1 10/70	BLANK PLEXIGLAS FRONT PANEL
H991=BB		SZ	1 10/70	ONC SYSTEM FRONT PANEL
H991=CA			1 10/70	LIGHT BOARD ASSEMBLY
H992=AA	14	GEG	2 8/72	NEMA CAB WITH 4 FRONT DOORS, 1 W TTY TUB, FULL LENGTH BACK DOOR, AIR COND, 130F MAX AMBIENT
H992=AB	14	GEG	2 8/72	H992=AA WITH AIR/AIR HEAT EXCHANGER, 100F MAX AMB
H992=BA	14	GEG	2 8/72	H992=AA WITH NO TTY TUB
H992=BB	14	GEG	2 8/72	H992=BA WITH AIR/AIR HEAT EXCHANGER
H992=CA	14	GEG	2 8/72	NEMA CAB WITH FULL LENGTH FRONT & REAR DOORS, AIR CONDITIONER, 130F MAX AMBIENT
H992=CB	14	GEG	2 8/72	H992=CA WITH AIR/AIR HEAT EXCHANGER
H993=AA	1PG	PHG	2 8/72	11/07 NEMA ENCLOSURE 54" HIGH WITH AIR CONDITIONER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
H993-AB	IPG	PHG	2 8/72 11/07	ENCLOSURE 54" HIGH WITH HEAT EXCHANGER
H993-BA	IPG	PHG	2 8/72	72" HIGH H993-AA
H993-BB	IPG	PHG	2 8/72	72" HIGH H993-AB

K-SERIES MODULES, GATES

K003	CAT		5	GATE EXPANDER, 3 3-INPUT DIODE GROUPS, 3 1-MA LOADS
K012	CAT		5	GATE EXPANDER, 3 4-INPUT OR GATES
K022	14	LF	5	2 INPUT AND/OR EXPANDER
K026	CAT		5	GATE EXPANDER, 3 GROUPS OF 2 INPUT AND-OR GATES
K028	CAT		5	AND/OR EXPANDER, 8 2-INPUT ANDS ORED TOGETHER
K080	CAT		5	19 CONDUCTOR FLEXPRINT CABLE CONNECTOR, 18 PINS, USED ON K960
K112	CAT		5	K113 EXCEPT 100 TIMES SLOWER
K113	CAT		5	2-INPUT NAND GATES, 3 INDEP CKTS WITH EXPANSION CAPABILITY
K122	CAT		5	K123 EXCEPT 100 TIMES SLOWER
K123	CAT		5	2-INPUT AND GATES, 3 INDEP CKTS WITH EXPANSION CAPABILITY
K124	CAT		5	2 2-INPUT ANDS ORED TOGETHER, 3 TIMES
K134	CAT		5	4 2-INPUT NANDS WITH 1 INPUT COMMON, EXPANSION CAPABILITY FOR AND INPUT ONLY
K135	CAT		5	K134 WITH OR EXPANSION
K136	14	AR	5	PARTIAL K135 WITH 5 USEC DELAY IN ENABLE AND IN 2 OR 4 CHANNELS
K138	CAT		5	8 INVERTERS
K154	CAT	JB	5 10/74	4-BIT BINARY ADDER/SUBTRACTOR, SINGLE X 5
K156	CAT	JB	5 10/74	8CD ADDER, 1 DIGIT, SINGLE X 5
K161	CAT		5	BINARY-TO-OCTAL DECODER, 8 OUTPUTS, 3 INPUTS PLUS 1 INHIBIT
K168	CAT	JB	5 10/74	TEN'S COMPLEMENT, 1 DIGIT, CASCADABLE
K171	CAT	RJM	5	4 BIT EQUALITY COMPARATOR, DRIVES AND EXPANSION NODES ONLY
K174	CAT		5	4-BIT MAGNITUDE COMPARATOR
K175				(RESERVED FOR JLE)
K182				(RESERVED FOR JLE)
K184	CAT		5	4-BIT RATE MULTIPLIER

FLIP-FLOPS

K201	CAT		5	DUAL 1 KHZ FLIP-FLOP, J-K TYPE
K202	CAT		5	2 D-TYPE FFS WITH INDEP SET & CLEAR INPUTS
K206	CAT		5	4 RS FFS WITH COMMON ENABLE AND CLEAR INPUTS, "1" OUTPUTS ONLY
K207	14	AR	5 5/73	K206 WITH 1 DATA INPUT/BIT, COMMON ENABLE SET AND ENABLE CLEAR
K210	CAT		5	4-BIT DECIMAL/BINARY COUNTER, "1" OUTPUTS ONLY
K211	CAT		5	PROGRAMMABLE DIVIDER, FUNCTIONS LIKE K210 WITH K003 EXPANDERS
K220	CAT		5	UP/DOWN DECIMAL COUNTER PLUS INPUT LOGIC, 4 BITS, DOUBLE WIDE
K230	CAT		5	4-BIT SHIFT REGISTER PLUS INPUT LOGIC

RELAYS, MEMORIES

K265	CAT	RJM	5	FIVE 100 MA REED RELAYS & DRIVERS, EITHER AXIAL OR PC RELAYS
K271	CAT		5	RETENTIVE MEMORY, 1 BISTABLE HG WETTED RELAY WITH SET, CLEAR, & INHIBIT
K272	14		5	RETENTIVE MEMORY FOR PDP14, 1 BIT
K273	CAT		5	RETENTIVE MEMORY, 3 HG WETTED RELAY LATCHES, COMMON LATCH INPUT
K274	14	AR	5 11/71	DUAL RETENTIVE MEMORY, REPLACES K272
K281	CAT		5	READ-ONLY MEMORY, 8 4-BIT WORDS, DIODE ARRAY
K282	CAT	JB	5	READ-ONLY MEMORY, 8 16-BIT WORDS, DIODE ARRAY

TIMERS, SWITCHES

K301	CAT		5	TIMER, ONE-SHOT WITH EITHER POLARITY INPUT
------	-----	--	---	--

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
K302	14		5	2 TIMERS, SIM TO K303, .01 TO .3 SEC, .1 TO 3 SEC, 1 TO 30 SEC, PDP14
K303	CAT		5	3 TIMER CKTS, DELAYS FROM 10 USEC TO 30 SEC, USED FOR ONE-SHOTS OR CLOCKS
K323	CAT		5	3 ONE-SHOTS LIKE M320, EXCEPT BOTH OUTPUTS, FIXED OR ADJ DELAY 13 USEC TO 30 SEC
K333	CAT	RJM	5	3 PULSER CKTS, 20 US PULSES
K371	CAT		5	CLOCK CONTROL, 200 HZ TO 6 KHZ, USED WITH K303
K372	10	KE	5 4/72	TIMER CONTROL, 1 TO 30 MSEC
K373	CAT		5	CLOCK CONTROL, 20 HZ TO 400 HZ, SIM TO K371
K374	CAT		5	CALIBRATED TIMER CONTROL, 0.01 SEC TO 0.3 SEC
K375	CAT		5	CLOCK CONTROL, 2 HZ TO 60 HZ, USED ON 2/3 K303
K376	CAT		5	CALIBRATED TIMER CONTROL, 0.1 SEC TO 3 SEC
K378	CAT		5	CALIBRATED TIMER CONTROL, 1 SEC TO 30 SEC, SIM TO K374
K413	CAT		5	INDICATOR LIGHT, 5 LIGHTS WITH FULL WAVE RECTIFIER
K415	CAT	RJM	5	NIXIE DISPLAY, 1 TYPE, B5750'S
K420	CAT		5	3 TOGGLE SWITCHES, 3 POSITIONS (1 MOMENTARY)
K421	CAT	VDR	5 8/73	SINGLE THUMBWHEEL
K422	CAT		5	DUAL THUMBWHEEL, (PITS K950), CONTAINS DIODE MATRIX FOR DECIMAL TO BCD CONV, USED AS ENCODER
K424	CAT		5	DUAL THUMBWHEEL, K422 WITH DIODES REVERSED, USED FOR DECODING
K425	CAT	VDR	4 2/74	THUMBWHEEL MOUNTING MODULE (5 SOCKETS FOR K421, 1 25-PIN CANNON)
K432	CAT		5	2 ADJ TIMER CKTS, USED WITH K303, DELAY 0.1 MS TO 5 SEC

INPUT CONVERTERS

K501	CAT		5	4 SCHMITT TRIGGERS
K508	CAT		5	AC INPUT CONVERTER, USED WITH K716, 8 CKTS, 6.3 VAC IN FROM TRANSFORMER
K522	CAT		5	SENSOR CONVERTER, 2 DIFFERENTIAL INPUT CKTS, INT 1.8V REF
K522-YA	10	DREN	5 1/72	K522 WITH 500 OHM POTS INSERTED
K524	CAT		5	SENSOR CONVERTER, 4 DIP INPUT CKTS, 7.5V COMMON MODE RANGE
K531	CAT		5	QUADRATURE DETECTOR, 2 INPUTS FROM ENCODER, COUNT, DIRECTION, & SIGN OUTPUTS
K564	14	AR	5 3/72	DC INPUT CONVERTER, 8 CKTS
K578	CAT		5	120 VAC INPUT CONVERTER, 8 CKTS, OUTPUT GATING
K579	14	AR	5 2/72	K578 WITH SCHMITT TRIGGERS
K580	CAT		5	8 CONTACT FILTERS, SUPPLY VOLTAGE BETWEEN 10 & 120V
K580-YA	CSS	ST	3 12/71	K580 WITH 5.1V ZENERS INSTEAD OF RESISTORS
K581	CAT		5	8 CONTACT FILTERS, SUPPLY VOLTAGE OF +5V
K582	SSCAN	OF	3 3/74	64 CONTACT FILTERS, SUPPLY VOLTAGE OF +5V, QUAD (SEE M1005)
K596	CAT		5	EIA INPUT CONVERTER, 6 CKTS, BIPOLAR INPUTS OF +/-3 TO +/-25V

SWITCHES & DRIVERS

K604	CAT		5	4 ISOLATED AC SWITCHES, CONTROL OF 120 VAC LOADS, USED WITH K716
K614	CAT		5	4 ISOLATED AC SWITCHES, SIM TO K604, USED WITH K724 OR K725
K615	CAT		5	LIKE K614, EXCEPT 1 INPUT TO EACH CKTS IS FAIL-SAFE
K616	CAT	VDR	5 5/73	4 CH ISOLATED AC OUTPUT, 120VAC (REPLACES K614) DOUBLE 5, TRIPLE THICK
K644	CAT		5	4 DC DRIVERS, SWITCH UP TO 2.5 AMPS AT 55V
K650	CAT		5	4 DC DRIVERS, SWITCH UP TO 1 AMP AT 55V
K652	CAT	RJM	5	4 DC DRIVERS, SWITCH UP TO 2.5 AMPS AT 55V
K654	CAT	RJM	1 6/69	4 DC DRIVERS, SIM TO K644, SWITCH UP TO 4 AMPS AT 55V
K656	CAT		5	4 DC DRIVERS, SWITCH UP TO 1 AMP AT 250V
K657	14	AR	5 12/71	4 DC DRIVERS, 1 AMP AT 250V, REVERSIBLE
K658	CAT		5	4 DC DRIVERS, SWITCH UP TO 4 AMPS AT 125V
K671	CAT		5	DECIMAL DECODER AND NIXIE DISPLAY, 2 PARTS SEPARATED BY 1 FT RIBBON CABLE
K675	CAT	VDR	4 2/74	5 DIGIT DISPLAY, LEDS, PANEL MOUNT, 25-PIN CANNON
K681	CAT		5	8 DRIVER CKTS, OUTPUTS ON SPLIT LUGS FOR CABLE CONN, DRIVE 30 MA, 18V
K683	CAT		5	8 DRIVER CKTS, OUTPUTS ON SPLIT LUGS, DRIVE 250 MA, 55V
K696	CAT		5	EIA OUTPUT CONVERTER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
MISCELLANEOUS				
K710				(RESERVED FOR 8 TRANSFORMER INTERFACE BLOCK)
K716	CAT		5	INTERFACE BLOCK
K724	CAT		5	INTERFACE SHELL, USED FOR PDP14 I/O BOX SHELL
K725	CAT		6	INTERFACE SHELL, USES A PRINTED BACKPLANE FOR CONNECTIONS, 16 IN, 8 OUT (PDP14 I/O BOX)
K727	14	LF	4	OUTPUT INTERFACE BOX FOR PDP14
K730	CAT	JB	5	BRIDGE RECTIFIER, TAKES 12.6 V FROM K743 AND MAKES +10V FOR K580 SWITCHES, DELAYED +5V OK SIGNAL
K731	CAT		5	1 AMP REGULATOR, INPUT FROM 12.6 VAC CENTER-TAPPED TRANSFORMER, +5V OUT
K732	CAT		5	SLAVE REGULATOR, USED WITH K731, SUPPLIES TWICE AS MUCH CURRENT
K741	CAT		5	TRANSFORMER WITH FILTER, 120 OR 240 VAC IN, 12.6 VAC WITH CENTER TAP OUT
K743	CAT		5	TRANSFORMER WITH FILTER, 120 VAC IN, 2 12-VAC SECONDARIES
K771	CAT		5	DECIMAL DISPLAY SUPPORT, PROVIDES POWER FOR UP TO 6 K671/S
K782	CAT		5	9-WIRE TERMINAL STRIP, STRAIGHT THROUGH CONNECTIONS
K783	CAT	VDR	5 2/74	25-PIN CANNON FEMALE ON DOUBLE 5, NO "A" SIDE HANDLE
K784	CAT		5	SIM TO K782, EXCEPT IT HAS 8 CLAMP DIODES
K791	CAT		5	TEST PROBE, INDICATES BOTH TRANSIENT AND STEADY-STATE CONDITIONS
HARDWARE & MISC				
K900	CAT	RJM	5	CONTROL PANEL FOR K SERIES LOGIC LAB
K901	CAT	RJM	5	PATCH PANEL FOR K SERIES LOGIC LAB, SIM TO H901, SINGLE HEIGHT CARDS
K902	CAT	RJM	5	INDICATOR LIGHT AND SWITCH PANEL FOR K SERIES LOGIC LAB
K903	CAT	JB	5 1/71	PATCH PANEL FOR K SERIES LOGIC LAB, WILL TAKE DBL HEIGHT CARDS
K940	CAT		5	BAR SUPPORT, MOUNTING FOOT FOR K914
K941	CAT		5	MOUNTING BAR
K943-R	CAT		5	MOUNTING PANEL, 1943 MODIFIED FOR USE IN +5V SYSTEMS, SOLDER FORKS
K943-S	CAT		5	MOUNTING PANEL, 1943 MODIFIED FOR USE IN +5V SYSTEMS, WIRE WRAP
K950	CAT		5	MAGNETIC FRAME 19" WIDE BY 3 1/2" HIGH
K960	CAT		5	PLUG BOARD RECEIVER, QUAD BOARD WITH 8 CABLES
K980	CAT		5 11/72	PAIR OF END BRACKETS FOR 5" MODULES
K981	CAT	SZ	3 1/75	8.5" K980
K982	CAT	RJM	6 11/75	TRANSFORMER MOUNTING PANEL FOR 19" RACK
K984	MOD	RJM	5	NIXIE MOUNTING PANEL FOR 19" RACK
K990	CAT		5	TIMER COMPONENT BOARD, SPACE FOR 6 RC NETWORKS
LOADS, DRIVERS				
M002	CAT		5	RESISTOR NETWORK, 15 CKTS FOR A SOURCE OF LOGIC 1 (3V)
M002-YA	11	SR	5 1/72	10 390 OHM RES TO GND & 5 180 OHM RES TO +5V
M040	CAT		5	HIGH CURRENT DRIVER, 2 4-INPUT GATES, 70V, 600MA MAX/DRIVER
M044	PERIPH		5 5/73	4 SOLENOID DRIVERS, 2 INPUT AND GATES, LOADS RETURNED TO NEG VOLTAGE, 100 MA, -30V MAX
M050	CAT		5	INVERTER DRIVER, 12 CKTS, SWITCH -30V AND 50 MA MAX/DRIVER
M051	CAT		5	LEVEL CONV, POS LOG IN AND NEG LOG OUT, 12 CKTS, OPEN COLLECTOR
M057			7	(NEVER MADE), GATE EXPANDER
M060	CAT	DCB	5	4 DRIVERS, 1.2 AMPS AND 50V
GATES				
M100	F	MA	5	NEG BUS EQUIV TO M101
M100	OC	FWR	4 4/75	DUAL 3-INPUT ECL NOR GATES (10111), 4 LAYER SINGLE 5, 5010874 (W9611)
M1001	OC	FWR	2 4/74	QUAD 2-INPUT ECL AND GATE (10104), 4 LAYER SINGLE 5, 5010874 (W9611)
M1002	OC	FWR	4 4/75	QUAD 2-INPUT ECL NOR GATE (10102), 4 LAYER SINGLE 5, 5010874 (W9611)
M1003	OC	FWR	4 4/75	TRIPLE 2, 3, 2-INPUT ECL OR/NOR GATE, MC10105, 5010874 4 LAYER SINGLE 5 (W9611)

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
M1004	SSCAL	GER	3	2/74	2 82562 9 BIT PARITY CHECKERS ON W960 ETCH, SINGLE 5
M1005	SSCAL	OF	3	3/74	CSC 8 X 8 MUX W X BUS CONNECTIONS (SEE M7829), QUAD, SEE M1015
M1006	SSCAL	HAY	1	5/74	16-BIT 2 X 1 MUX, DOUBLE
M1007	SSCAN	OF	3	9/74	CSC 64CH TRANSITION DETECTOR, 8 OUTPUTS, DRIVES M1005, QUAD
M1008	SSCAN	OF	3	9/74	CSC 64 TTL OUTPUT, 1 STROBE PER 8, DRIVES A635, M690, W810, QUAD
M101	CAT		5		2-INPUT GATES, 15 CKTS, 1 COMMON AND 1 INDEPENDENT INPUT
M1015	SSCAN	JSS	3	6/75	M1005 WITH DIFFERENT PIN CONNECTIONS
M102	2	MA	5		NEG BUS EQUIV TO M103
M103	CAT		5		DEVICE SELECTOR FOR POS 8/I BUS, 6-BIT AND IOP DECODING
M104	15	DO	5		I/O BUS MULTIPLEX CONTROL FOR PDP-15 PERIPHERALS, SEE M194
M105	11	LC	5	5/73	DEVICE SELECTOR FOR PDP-11
M106	14	AR	5		BUS RECEIVER WITH WIRED OR OUTPUT CAPABILITY
M107	MOD	RC	5		DEVICE SELECTOR, 12 OUTPUT PULSES, 2 FLAGS
M108	MOD	RC	5		FLAG MODULE FOR 12 BITS 8 BUS, GEN PURPOSE, FITS INTO E100
M109	11	PD	5	5/73	PDP-11 DEVICE SELECTOR WITH JUMPERS, BITS 13 THRU 17
M1091	11	PD	5	2/72	MEMORY DEVICE SELECTOR, JUMPERS, BITS 11 THRU 17, SINGLE
M1103	MOD	RYN	5		2 INPUT AND, 10 CKTS, M113 PINS, 7400 IC, KOR16-A, SINGLE X 5
M111	CAT		5		16 INDEPENDENT INVERTERS
M111-YA	SSCAL	BLE	3	6/73	M111 WITH 74H01 INSTEAD OF 7400 (OPEN COLLECTOR)
M112	CAT		5		2-INPUT NOR GATES, 10 INDEP CKTS
M1125	CAT	RF	5	9/73	2-INPUT XOR GATES, 10 CKTS, M113 ETCH, SINGLE 5
M113	CAT		5		2-INPUT NAND GATES, 10 INDEP CKTS
M1131	OC	RM	5	4/72	M113 WITH OPEN COLLECTORS
M115	CAT		5		3-INPUT NAND GATES, 8 INDEP CKTS
M116	CAT	DCB	5		4-INPUT NOR GATES, 6 CKTS, DEC88151S
M117	CAT		5		4-INPUT NAND GATES, 6 INDEP CKTS
M119	CAT		5		8-INPUT NAND GATES, 3 INDEP CKTS
M121	CAT		5		2,2 AND-NOR, 6 CKTS
M122					(RESERVE FOR NON H VERSION OF M127)
M123			7	11/69	(OBSOLETE), NUMBER CHANGED TO M133
M124					(RESERVE FOR NON H VERSION OF M129)
M126	10	WW	5	1/72	H VERSION OF M121, (NOT PIN COMPATIBLE)
M127	15	DO	5		2,2,2,3 AND-NOR, H, 3 CKTS
M128	10	DREW	5	1/72	4,4 AND-NOR, H, 3 CKTS
M129	15	DO	5		4,4 AND-NOR, H, 4 CKTS
M130	10	SU	5	3/72	5 8-BIT PARITY CKTS + 5 2-INPUT XOR GATES (MC4000)
M1307	16	RYN	5		4 INPUT AND, 6 CKTS, M117 PINS, 74H21 IC, KOR16-B, SINGLE X 5
M131			7	3/69	(OBSOLETE), H VERSION OF M111, (SEE M611)
M132	10	WW	1	7/69	ADDER (8260) 4 BITS, KI10, 6 BUFFERS
M133	CAT		5		H VERSION OF M113
M134	10	WW	1	7/69	ADDER LOOK AHEAD, USED WITH M132, KI10
M135	CAT	DCB	5		H VERSION OF M115
M137	CAT	DCB	5		H VERSION OF M117
M139	CAT	DCB	5		H VERSION OF M119
M141	CAT		5		2,2,2,2 AND-NOR GATES, 3 CKTS, 2 INVERTERS
M142	10	WW	5	1/72	ADDER, DISCRETE EQUIV TO M132, DOUBLE
M143	10	SU	5	5/73	10 2-INPUT NAND GATES, WITH ONE PAIR SHARING COMMON INPUT, KI10
M145	10	SU	5	1/72	3-INPUT NAND GATES, 7 CKTS, 74H, KI10
M147	10	SU	5	1/72	5 4-INPUT NANDS, 1 2-INPUT NAND, 74H, KI10
M149	15	FA	5		9X2 NAND WIRED-OR, 2 SECTIONS OF 9 2-INPUT NANDS ORED TO 9 OUTPUTS
M1502	CAT	DCB	5	1/72	BUS GATES MODULE, PDP8/E OR PDP11 BUS
M1501	CAT	DCB	5	5/73	BUS INPUT INTERFACE, 8/E OR 11 BUS, SINGLE
M1502	CAT	DCB	4	2/74	BUS OUTPUT INTERFACE, 8/E OR 11 BUS, DBL X 8,5
M1503	CAT				
M151	10	ATT	5	1/72	DUAL BINARY TO OCTAL WITH ENABLE, H SERIES, KI10, 74H20

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M151	CAT	DCR	5 5/73	BUS DEVICE SELECTOR, PDP-11 BUS, DOUBLE
M152	10	ATT	5 1/72	M151 NON-INVERTING, K110, 74H21
M155	CAT	DCR	5	1 OF 16 DECODER WITH ENABLE, 74154 ON BOARD 50-08908A (SEE W962)
M159	CAT	JJO	5	4 BIT ARITHMETIC LOGIC UNIT, (UEC 74181), USES 50-08908 BOARD
M160	CAT		5	4,2,2,2,3 AND-NOR, 4,2,2,4 AND-NOR, 2,2 AND-NOR
M1603	16	RYN	5	RT T-DECODER, 3 OR 4 BIT DECODER
M161	CAT		5	BINARY TO OCTAL/DECIMAL DECODER, 3 ENABLE INPUTS
M162	CAT		5	PARITY GENERATOR FOR 8/1, 4-BIT INPUT, ODD & EVEN PARITY OUT
M1621	CAT	JB	5 5/73	DVM DATA INPUT INTERFACE, DBL X 8,5
M1622	CAT	JB	1 9/71	DVM REMOTE CONTROL, DBL X 8,5
M1623	CAT	JB	5 2/72	PROGRAMMABLE POWER SUPPLY INTERFACE, QUAD X 8,5
M163	A		5	DUAL BINARY-TO-DECIMAL DECODER
M164	15		5	6-BIT ADDER FOR PDP-15, 2 ADDERS FOR CARRY IN 1 OR 0
M165	10	ATT	5 1/72	MEMORY BUFFER, INV & NON-INV OUT FROM OPEN COLLECTOR, 8 CH FOR K110
M166	12	SU	5 1/72	9 BIT COUNTING GATE, K110
M167	11	RM	5	COMPARES 2 8-BIT WORDS, <,>
M168	CAT	RC	5	12 BIT COMPARATOR, <,>
M169	CAT		5	FUNCTIONAL GATE MODULE FOR PDP-12, 4 4-BIT OUTPUT MULTIPLEXERS
M173	10	WW	5 1/72	3-3-3-2-2-2-2-2 AND-NOR & 3-2-2-2 AND-NOR, H, K110
M1700	CSS	JTN	2 6/75	2 TO 1 MUX, 8 CKTS, 50-08912 ETCH, 74157, SINGLE
M1701	CAT	DCB	5	4 TO 1 MUX, 4 CKTS, 50-08912 ETCH, 74153, SINGLE
M1702	MOD	RC	7 8/72	QUAD BUFFERED 3 12-BIT WORD INTERFACE, QUAD X 8,5
M1703	MOD	RC	5 5/73	SINGLE 12-BIT WORD 8/E INTERFACE, QUAD X 8,5
M1703-YA	TE	PNH	3 8/74	5410805-TA, M1703 W ADDRESS CODE 34
M1704	MOD	RC	2 1/72	DUAL ASYNC SERIAL 8/E BUS TRANSCEIVER, QUAD X 8,5
M1705	MOD	RC	5 2/74	DUAL 12-BIT WORD OMNIBUS OUTPUT INTERFACE, QUAD 8,5
M1705-YA	TE	PNH	3 8/74	5410805-TA, M1705 W ADDRESS CODES 31 & 32, 1200PF ON W25
M1705-YB	TE	PNH	3 8/74	5410805-TA, M1705 W ADDRESS CODES 33 & 34
M1709	MOD	JB	5 11/72	8/E UNIV INTERFACE, SPACE FOR 16 16-PIN + 2 40-PIN IC'S, PARTIAL WIREWRAP, QUAD
M171	10	DREW	5 1/72	2,2,2,3 AND-NOR, 3 CKTS, DIFFERENT PINS THAN M127
M1717	CAT	JB	5 3/74	UNIBUS D011-A INTERFACE W WIRE WRAP PINS, SPACE FOR 19 16-PIN IC'S
M1713	CAT	DCB	5	16 TO 1 MUX INV, 74150, 50-08908 ETCH, SINGLE
M172	10	WW	5 1/72	2 EN X 9 OUT MIXER, 74H50, FOR K110
M173	10	WW	5 11/71	NON-INVERTING M143
M174	10	WW	5 1/72	4 EN X 9 OUT MIXER, 74H53'S, K110, DOUBLE
M175	10	WW	5 1/72	7 3-INPUT AND GATES, 74H, K110
M177	10	WW	5 5/73	NON-INVERTING M147
M178	10	WW	5	8 EN X 6 OUT MIXER, 74H53, 74H62, K110, DOUBLE
M1801	CAT	JB	5 5/73	16-BIT REED RELAY REGISTER, 100V OR 0,5A, 10 WATTS, QUAD
M181	10	WW	5 1/72	NON-INVERTING M171
M182	15	DO	5 5/73	M162 WITH FAST IC'S, H
M190	12	SNT	5	4 ARITHMETIC LOGIC, IN & OUT BUFFERS, SN74181, USED IN FPP12
M191	CAT	DCP	5	2 LOOK-AHEAD ELEMENTS (74182), USES W961 BOARD, USED WITH M190 OR M159 (BOARD 50-08912)
M192	12	SNT	5 11/71	2 8-INPUT PRIORITY ENCODERS, 9319 IC, 50-08912 BOARD
M194	15	ELIA	5	I/O BUS MUX CONT FOR PDP9 PERIPHERALS (ENABLE BUS IN/OUT -3V LOGIC), SEE M104

FLIP-FLOPS

M2000	DAS	RCP	5 3/75	18 BIT REGISTER W PARITY, DOUBLE 5
M2001	CAT	RF	5 3/74	2 4-BIT TRI-STATE D FLIP FLOP REGISTERS, SINGLE 5
M2002	SSCAL	CER	1 2/74	2 74174 HEX FF ON W960 ETCH, SINGLE 5
M2003	SSCAL	CER	1 2/74	74174 HEX FF PLUS 7585 COMPARATOR ON W960 ETCH, SINGLE 5
M2004	CSS	RMU	1 9/74	DUAL UNIVERSAL SHIFT REGISTER (2 74194), 50-08912 ETCH, SINGLE 5
M202	CAT		5	3 JK FFS, S, CL, C
M203	CAT		5	8 SET-RESET FFS, (M113 GATES)

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M204	CAT		5	4 JK FFS, CAN DO SYNCHRONOUS BINARY COUNTING
M205	CAT	DCR	5	5 D FFS, ALL PINS AVAILABLE
M205-YA	SSCAL	GMC	3 6/75	M205 W SCHOTCKY IC
M206	CAT		5	6 D FFS
M207	CAT		5	6 INDEPENDENT JK FFS
M208	CAT		5	8 BIT SHIFT & BUFFER REGISTER, 0 FFS
M209			7	(NEVER MADE), 8 BIT UP/DOWN COUNTER
M210			7	(NEVER MADE), 10 BIT BUFFER SHIFT REGISTER
M2100	CSS	JTN	3 9/74	TTL OUTPUT MODULE, 16-BIT REGISTER, OPEN COLLECTOR TO M854, SINGLE 8,5
M2101	CSS	JTN	2 6/74	TTL INPUT MODULE, 16-BIT REGISTER FROM M854, SINGLE 8,5
M211	CAT		5	6 BIT UP/DOWN COUNTER
M212	12	CL	5	6 BIT LEFT=RIGHT SHIFT REG, LOAD FROM 2 SOURCES, (2=M212'S)
M213	CAT		5	1 DECADE BCD UP/DOWN JAM COUNTER WITH PARALLEL READ IN
M214	15	DO	5	6 BIT ACCUMULATOR WITH 3 INPUTS
M215	15	LH	5	4 BITS OF 3 REGISTERS, COMMON ADDER PER BIT, COMMON CLOCK PER WORD
M216	8		5	6 D FFS, (M206 WITHOUT CLEAR JUMPER CHOICE)
M217	12	PI	5	CLOCK REGISTER FOR PDP-12, 4 BIT COUNTER WITH BUFFER REGISTER FOR PRESET OR READOUT
M218	15		5	91-DIRECTIONAL SHIFT REGISTER, 9 BITS, 2 PARALLEL LOADS
M219	15		5	7 BIT SYNCHRONOUS COUNTER WITH JAM & CLEAR PRESETS, DOUBLE
M220	8		5	REGISTER FOR PDP-8/1, 2 BITS EACH OF MA, MB, PC, AC, & ADDER
M221	12	CL	5	REGISTER FOR PDP-12, (M220 PLUS EXTRA LOGIC)
M222	12	CL	5	TAPE REGISTER FOR PDP-12, 2 BITS, 6 REGISTERS, DOUBLE
M223	15		5	REGISTER FOR PDP-15, 4 BITS, MA & MB
M224	11	JO	5	8 BITS WITH DATA PATHS FOR KA11, 2 LATCHES, ADDER, DOUBLE 8,5
M224-JA	11	JO	1 7/72	SYSTEM TESTED M224
M225	11	JO	5 5/73	PROCESSOR MEMORY FOR KA11, 16 BITS X 16 BITS, DOUBLE 8,5
M225-JA	11	JO	1 7/72	SYSTEM TESTED M225
M226	15		5 5/73	1 BIT ALL REGISTERS (EXCEPT ACC) FOR PDP-15
M227	15		5 5/73	ACCUMULATOR FOR PDP-15, 9 BITS
M228	15		5 5/73	MARK TRACK DECODER FOR TC08, TC15
M229	15	DR	5	4 UNIT SELECTOR DRIVER, VP15=M, 4FFS WITH BUFFERED OUTPUT GATES
M230	CAT	RC	5	BINARY/BCD/BINARY CONVERTER, 12 BITS, 5 MHZ COUNT RATE
M231	12	SNT	5	DUAL 12 BIT PRESETTABLE REPEATABLE COUNTER, DOUBLE, USED IN AIP12
M232	CAT	AR	5 5/73	16 WORD 1 BIT MEMORY WITH COMMON CLEAR
M233	8	WH	5 5/73	12 WORD SHIFT REGISTER WITH PARALLEL LOAD, CLEAR, COMMON CLOCK
M234	11	SR	5	3 8 BIT REGISTERS, ADDER & L/R SHIFT, KE11=A
M235	14	AR	5	3 12 BIT REGISTERS, 2 STORAGE & 1 CTS FOR 14/L, DOUBLE
M236	MOD	RC	5	12 BIT SYNCHRONOUS UP/DOWN COUNTER WITH PARALLEL LOAD, ETCH BD 50-08931
M237	MOD	RC	5	3 DIGIT BCD SYNCHRONOUS UP/DOWN COUNTER WITH PARALLEL LOAD, ETCH BD 50-08931
M238	CAT	DCR	5	2 4-BIT SYNC UP/DOWN CNTR WITH PARALLEL LOAD, SEP UP & DOWN CLOCKS, ETCH BD 50-08912 (W961)
M239	11	PJ	4	3 4-BIT COUNTERS (8291'S) OR 74197, PARALLEL LOAD, SINGLE X 5
M240	15		5	6 SET=RESET FFS MADE FROM 74H40 BUFFERS
M241	10	WW	5 1/72	6 D FFS (74H74) WITH COMMON CLOCK
M242	15		5 5/73	4 EQUIVALENT TO M202
M243	10	WW	5 1/72	8 D FFS (74H74) WITH 2 COMMON CLOCKS, 4 BITS EACH
M244	11	RD	5	6 CKTS, EACH 3 INPUT MX W LATCH, NON=INV, ENABLES 4 & 2, 3 TIMES, SINGLE X 8,5
M245	CAT	DCR	5	2 4-BIT SHIFT REGISTERS W PARALLEL READ IN, USES BOARD 50-08912 (SEE W961)
M246	10	WW	5 1/72	5 D FLIP-FLOPS, ALL PINS BROUGHT OUT, (74H74)
M247	10	SU	5 4/72	6 SET=RESET FFS, CLOCKED TO 6 D FFS, SINGLE X 5"
M248	CAT	DCR	5	8 BIT SHIFT RIGHT, PARALLEL LOAD, 50-08914 ETCH, 7495 IC'S
M249	14	AR	5	12 BIT BUF REG WITH OPEN COLLECTOR OUTPUT GATES, SINGLE X 5

MEMORIES

M252 10 ATT 5 1/72 16 WORDS, 4-BIT MEMORY, (F9035), KI10

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M2500	11	DI	5 11/72	2 84-WORD 4-BIT MOS 1ST IN 1ST OUT MEMORIES, SINGLE 5, 5008912, NEEDS +12V
M2500=YA	SSCAL	BLE	3 12/74	M2500 W FILTER CAP ON LINE U1 (-12V)
M251	10	ATT	7	16 WORDS, 8-BIT MEMORY (9033), M250 PINS INTENDED, KI10
M252	10	ATT	2 10/69	16 WORDS, 4 BITS (MOT 4002L), KI10, M250, DOUBLE
M253	10	ATT	5 1/72	16 WORDS, 12-BIT MEMORY, USES TI 7489
M254	12	SNT	1 5/71	256 20-BIT, 3 256 WORD 4-BIT RAM, 120 NSEC CYCLE, QUAD X 8,5
M255	10	DMT	5 2/74	256 X 12 BIT RAM (INTEL 3106) + BUFFER, DOUBLE 5
M259	11	BD	5	ASSOCIATIVE MEMORY, 2X8, SHIFT REG CAPABILITY, SINGLE, 8,5, KI11
M260	10	ATT	5 1/72	ASSOCIATIVE MEMORY, 4 WORDS, 12 BITS, KI10, 4102 IC, FAIRCHILD, 35 NS MATCH TIME, DOUBLE
M261	CAT	DCR	5	SLO SYN/RESPONSYN STEPPING MOTOR TRANSLATOR, 4 WINDINGS
M262	CAT	DCR	5	FUJITSU/WARNER STEPPING MOTOR TRANSLATOR, 5 WINDINGS
M266	IPG	EK	6 4/71	K206 WITH INPUT FILTERS REMOVED
M270	10	DREW	1 3/72	256 X 12 ROM, SN74187, RF10, SINGLE 5
M271	11/05=	R DAC	1 3/74	8K X 18 MOS ARRAY (TMS 4030), QUAD 7
M270=	OC	EWR	4 4/75	8X32 ECL BLASTABLE PROM (10139), 4 LAYER SINGLE 5, 5010874 (W9611)
M2701	CSS	RMW	1 9/74	512X16 ROM (4 23-000A2), SINGLE 5
M2701=YA	CSS	RMW	1 9/74	EM11-B, M2701 PATTERN 1
M2701=YB	CSS	RMW	1 9/74	EM11-B, M2701 PATTERN 2
M2701=YC	CSS	RMW	1 9/74	EM11-B, M2701 PATTERN 3
M2701=YD	CSS	RMW	1 9/74	EM11-B, M2701 PATTERN 4

ONE=SHOTS, DELAYS

M300	SSCAN	NB	3 4/75	32 ONE=SHOTS, DRIVES W818 RELAY BOARD, QUAD
M302	CAT		5	2 ONE=SHOTS
M302=	CAT	MORO	5 7/73	2 ONE=SHOTS TO REPLACE M302, HYSTERISIS ADDED TO PREVENT NOISE TRIGGERING
M304	12	RI	5	4 ONE=SHOTS, 100 NSEC OR 1 USEC ONLY
M304=YA	TE	EG	3 4/74	M304 MODIFIED TO BE 250 NS OR 2,5 USEC
M306	MOD	RC	5	INTEGRATING ONE SHOT, 500 NSEC MIN
M307	12	GPR	5	DUAL INTEGRATING ONE=SHOT, USES FAIRCHILD 9621'S, 5 USEC TO 500 MSEC
M307=	10	DREW	5 1/72	DUAL INTEGRATING ONE SHOT, 200 NSEC TO 20 MSEC IN 5 STEPS
M308	10	SU	5 4/72	INTEGRATING ONE SHOT, EDGE OR PULSE TRIGGERED, CLOCK, POWER UP & DOWN
M309	14	AR	5 3/74	POWER SEQUENCE FILTER (2 DELAYS CIRCA 500 USEC) SINGLE 8,5
M310	CAT		5	TAPPED DELAY LINE, 500 NSEC TOTAL, 50 NSEC TAPS, 2 PAIRS, IC LEVELS IN & OUT
M310=YA	8	AC	5 5/73	M310 WITH P1 INVERTED & 2,3 USEC LONG
M311	15		5	2 TAPPED DELAY LINES, 250 NSEC EACH, 25 NSEC STEPS
M312	15		5	6 100 OHM DELAYS, 2 AT 30 NS, 3 AT 50 NS, 1 VARIABLE 0 TO 40 NS, 74H40 INPUTS
M321	10	ATT	5 1/72	M311 EXCEPT 1 DELAY LINE, 1 OUTPUT BUFFER CAN DRIVE 30 TTL H LOADS
M360	CAT		5	VARIABLE DELAY LINE, IC LEVELS IN, (LIKE B360)
M360=YA	SSCAL	BLE	1 5/74	M360 W MIN DELAY OF 25 NSEC
M362	10	SU	5 1/72	DELAY, 25 TO 50 NSEC
M363	10	SU	5 1/72	DELAY 15 TO 80 NSEC, INVERTS
M380	IPG		6 10/74	SINGLE SHOTS, DR00

CLOCKS

M401	CAT		5	VARIABLE CLOCK
M401=YA	COM	MC	1 5/74	M401 W WIDE OUTPUT PULSE
M401=YB	SSCAL	BLE	1 5/74	M401 W 25 NSEC OUTPUT PULSE
M402	15	ELIA	5	REMOVELY VARIABLE CLOCK, USES 5V PHOTOMOD, 2 HZ TO 1 MHZ
M402=YA	SSCAL	DPS	3 1/73	R0 CHANGED TO 680K, C1 CHANGED TO 1 MFD (HALVES FREQUENCY)
M402=YB	SSCAL	DPS	3 1/73	R0 CHANGED TO 680K, C1 CHANGED TO 3,9 MFD
M403	CAT	JB	5 3/72	VARIABLE CLOCK, 1 KHZ TO 50 KHZ, 2 ONE=SHOTS, 74123
M404	CAT	JB	5 4/72	CRYSTAL CLOCK, 2MHZ TO 5 KHZ, BINARY OR BCD COUNTDOWN
M404=YA	SSCAL	BLE	3 1/75	200KHZ M404

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION	
M404=	YB	SSCAL	ALV	1	9/75	8 MHZ M404
M405		CAT		5		CRYSTAL CLOCK, POS & NEG PULSE OUTPUTS, 5 KHZ TO 10 MHZ
M405=	YA	COM	MC	1	5/74	M405 W WIDE OUTPUT PULSE
M405=	YB	SSCAL	BLE	1	5/74	M405 W 25 NSEC OUTPUT PULSE
M4050		COM	VB	5	1/74	CRYSTAL CLOCK, 5KHZ TO 5 MHZ, NOT TUNABLE, NO CHOKES
M4050=	YA		COM	MC	1	5/74 M4050 W WIDE OUTPUT PULSE
M4051		TYP	JG	3	9/74	8/E OMNIBUS M4050, HANDLE END FINGERS FOR DP8=E (M866), QUAD
M410		MOD	AR	5		RESONANT REED CLOCK
M410=	YA	15	FA	1	5/70	879 HZ M410
M415		12		5		20 MHZ XTAL CLOCK
M420		15	ELIA	5		PHASE LOCK CLOCK, RP09, RP15
M4201		PERIPH	PH	5		PHASE LOCK CLOCK FOR RS64, NOMINAL 750 KC
M430		MOD	DCB	6	4/71	MULTIPLIES INPUT FREQ BY .001 TIMES X TO THE -N POWER, X BETWEEN 0 & 10, N BETWEEN 0 & 3, DOUBLE X 5"
M452		CAT		5		TELETYPE CLOCK, SQUARE WAVES AT 880 & 220 HZ, FOR M706, M707
M452=	YA	FS	FMS	1	10/71	5.65 US M452 FOR PHK02
M453		8	WH	5	2/74	M452 WITH VARIABLE FREQ
M454		11	VB	5		CRYSTAL CLOCK W SIMULTANEOUS OUTPUTS OF 20, 0, 19, 2, 9, 6, 4, 8, 2, 4, 1, 760 KHZ
						2, 152 KHZ, SINGLE 8, 5 (FOR DC11=A, DP11=A)
M4540		11	MC	4	2/74	M454 W MORE FREQUENCIES AVAILABLE
M455		8	JDL	5	8/73	VARIABLE CLOCK, 2 RANGES, 4 = 20 MS, 0, 4 = 2 MS, BY JUMPER
M499		8/E	WH	4	10/75	100 KHZ CLOCK = PULLS MEM START IN 8/E

INPUT CONVERTERS

M5007		OC	EWB	4	4/75	4 CH ECL TO TTL CONVERTER, MC10125, 501007 4 LAYER SINGLE 5 (W9611)
M5005		SSCAN	OF	1	9/74	CSC, 36 CH OPTICAL COUPLED INPUT TO TTL, 5+125V IN, QUAD, SEE M5315
M5006		SSCAN	DF	1	9/74	CSC, 36 CH DIFF AMP +/-25V IN TO TTL, QUAD
M5007		CSS	CC	3	2/75	QUAD DIFF RECEIVER (75107), REQUIRES -5V, W960 ETCH
M500		CAT	DCB	5		NEGATIVE BUS RECEIVER (NEG EQUIV TO M510)
M501		CAT		5		SCHMITT TRIGGER
M5015		SSCAN	JSS	3	6/75	M5005 WITH DIFFERENT PIN CONNECTIONS
M502		CAT		5		NEGATIVE INPUT CONVERTER, 2 CHANNELS, 0 & +3V IN
M503		12	PI	5		DIFFERENTIAL SCHMITT, 2 CHANNELS, PA IN EACH
M503=	YA	FS	ERK	5	10/73	REPLACE MC1709 WITH LH0024 TO MAKE FASTER, BL01
M504		8		7	3/72	4 SCHMITTS, 4 ONE-SHOTS
M506		CAT		5		NEGATIVE INPUT CONVERTER, 6 CHANNELS, 0 & +3V IN
M506=	YA	CSS	EK	2	9/69	M506 WITH 470 INPUT R/S CHANGED TO 300 OHMS
M507		CAT		5		NEG BUS TO POS BUS CONV, 6 CKTS, OPEN COLL OUT, GND IN = GND OUT
M508		8	JO	5		NEG BUS TO POS BUS CONV, 6 CKTS, OPEN COLL OUT, GND IN = PLUS OUT
M508=	YA	CSS	RRR	3	6/75	M508 FOR 0 & +1.5V INPUT
M509		14	AR	5	5/73	10 DIFFERENTIAL BUS RECEIVERS (FAIR 9622) 130 OHM DIFFERENTIAL TERMINATORS
M510		CAT	DCB	5		I/O BUS RECEIVER, 8 CKTS, POS BUS
M510=	YA	12	AW	5	4/71	M510 MODIFIED TO ACCEPT RTL INPUTS WITH 1 VOLT THRESHOLD
M510=	YB	SSCAL	BLE	1	10/74	M510 MODIFIED TO ACCEPT 30 NS 1.5V INPUTS
M510=	YC	SSCAL	BLE	1	10/74	M510-YB WITH 2 SHOTTKY OUTPUTS
M511		10	WH	5	11/71	UNIBUS RECEIVER, 15 CKTS, SINGLE X 5, 4 GND, DS11, DL10
M512		11	ET	5	1/75	10 SCHMITT CKTS W INPUT FILTERS, SINGLE 5
M513		11	ET	5	1/75	10 OPTICAL ISOLATORS, TTL OUTPUT, SINGLE 5
M514		PERIPH		5		TU10 TRANSCEIVER (FOR CONNECTION TO TC90, TC99, & TM10), SEE M519, DOUBLE
M515		15		5		REAL TIME CLOCK, 12 VAC INPUT ON TABS, USES +11V & +5V
M516		8	JO	5		POS INPUT RECEIVER, 6 CKTS, 1,4V THRESHOLD, (M506 PINS)
M517		8	MA	5	5/73	M507 WITH AN ENABLE INPUT
M518		8/E	LN	5	11/71	3 DIFFERENTIAL SCHMITTS & 8 BIT INPUT REGISTER (A503 CKTS), DS8=EA
M519		PERIPH		1	1/71	TU10-C,=D BUS TRANSCEIVER, SEE M514
M520		MON		5		POS BUS RECEIVER WITH STROBE, 6 CHANNELS, HIGH IMPEDANCE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M521	CAT	JB	5	4 CH K TO M CONVERTER W SCHMITT TRIGGER, INV & NON-INV OUTPUTS
M521-YA	MS	AW	3 10/72	M521 W 3 CKT W 1 MS TIME CONSTANT, 1 CKT STND
M522	TYP	FP	5 8/73	2 INPUT CONVERTERS 0.8-6V 1.6MA, 4BUS, 1CH +15.82V, 2CH 285V CLAMP W FILTER (FOR PHOTOCOMP) SINGLE 5
M523	TYP	JW	4 4/74	SELECTABLE RANGE INPUT CONVERTER + SELECTABLE LOAD RESISTORS & VOLTAGE, SINGLE 5
M530	MOD		7 7/69	(NEVER BUILT), NEG BUS RECEIVER
M531	PERIPH		5	8 CHANNEL NEGATIVE BUS RECEIVER WITH NOISE FILTERING (PIN COMP WITH M500)
M563	10	DREW	2 7/72	4 XMTRS & 4 RCVRs, RS10, SINGLE X 5
M564	10	SU	5 1/72	I/O BUS RECEIVER, NEG BUS, POS LOGIC, 8 CKTS, LIGHT INPUT LOAD
M565	10	SU	5 2/74	MEM BUS RECEIVER, NEG BUS, POS LOGIC, 8 CKTS
M570		AR	7	(NEVER MADE) EIA INPUT CONVERTER TO TTL OUT, REPLACES M570, 5V INSTEAD OF 10V, 4 CHANNELS
M585	CSS	SK	1 4/74	4 CH CDC 7400 RECEIVERS, SINGLE 5
M586	11	MC	5 4/74	1 CH ASYNC MODEM DF11-BA (BELL 113A) ORIGINATE ONLY, DBL X 8,5
M5864	LOGIC	LJF	4 10/75	18 INPUT & 2 OUTPUT OPTICAL COUPLED ISOLATOR, 20 MA, DOUBLE 8,5
M587	11	YC	5 2/74	1 CH ASYNC MODEM DF11-BB (BELL 113B) ANSWER ONLY, DBL X 8,5
M588	CSS	BMW	3 1/74	4 CH DIFF SEND/REC FOR DM11 (DM8820, DM8830), SINGLE X 8,5
M589	14	AR	5 11/72	1 CH OPTICAL COUPLED 49 OHM 200 KC SEND & REC, SINGLE X 5 W MATE-N-LDK

INPUT/OUTPUT CONVERTERS

M592	CSS	PETERS	3 2/70	DIFFERENTIAL SEND/RECEIVE, FOR MARK CENTURY INTERFACE, 2 CH
M5900	11	VB	4 3/74	16 CH TTL RECEIVER, DJ11, DOUBLE 8,5
M5901	11	VB	4 5/73	16 CH EIA TRANSMITTER, DJ11, DOUBLE 8,5
M5902	11	VB	4 2/74	16 CH FULL DUPLEX TTY TRANSCEIVER, DJ11, DOUBLE 8,5
M5903	11	TMS	4 9/73	MASS BUS TERMINAL TRANSCEIVER, DOUBLE 8,5
M5903-YA	11	POT	4 2/74	M5903 W TERMINATORS
M5904	11	TMS	5 1/74	MASS BUS CONTROL TRANSCEIVER, DOUBLE 8,5
M5905	CSS	SPRY	1 1/74	16CH EIA-CCITT TO TTL, 16CH TTL TO EIA-CCITT, MODEM CONTROL DOUBLE 8,5
M5906	COM	RAC	4 9/74	16 CH EIA-TTL, TTL-EIA, PRIORITY SOCKETS, 2 M854, DM11-AD, -AE, DOUBLE 8,5
M5907	SSCAN	DW	2 4/74	DA30 BUS EXTENDER, 8 CH RECEIVE & TRANSMIT FULL DUPLEX DIFF, 1000 FT, QUAD
M5908	COM	DR	1 4/74	MULTIDROP TRANSCEIVER, 4V P-P 1MHZ DIPHASE INTO TERMINATED 75 OHM CABLE, 50MV SENSITIVITY, DOUBLE 8,5
M5920-YA	COM	DR	1 9/74	56KB TRANSCEIVER, DOUBLE 8,5
M5920-YB	DAS	DJA	3 6/75	DA28-Y VERSION OF M5908
M5929	CSS	VH	2 2/75	SINE WAVE TO PULSE CONVERTER; 1V P-P INPUT, TTL SQUARE WAVE OUTPUT, SINGLE 5
M591	11	VB	5	5 CH EIA TO DEC, 4 CH DEC TO EIA, SINGLE 8,5
M5910	CSS	CC	1 8/75	M5904 W INVERTED OPEN COLLECTOR RECEIVER
M5911	LSI11	DR	1 8/75	LSI11 BUS BUFFER W BOOTSTRAP & 600 KHZ CLOCK, QUAD
M5912-YA	CSS	DJN	1 9/75	DFS11-MA, PRIVATE WIRE INTEGRAL MODEM, 1 MEGABAUD, DF11 PINS, DOUBLE 8,5
M5912-YB	CSS	DJN	1 9/75	DFS11-MB, 500 KBAUD M5912-YA
M5912-YC	CSS	DJN	1 9/75	DFS11-MC, 240,3 KBAUD M5912-YA
M5912-YD	CSS	DJN	1 9/75	DFS11-MD, 56 KBAUD M5912-YA
M5912-YE	CSS	DJN	1 9/75	DFS11-ME, 100 KBAUD M5912-YA
M5913	CSS	LO	1 12/75	LPL11, LPL8, 12-LINE TTL TO DIFFERENTIAL DRIVER, QUAD
M592	10	SU	5 1/72	I/O DEVICE SELECT (USED WITH M7100)1074H IC'S
M5921	15	FD	2 10/75	BUS TRANSCEIVER, CAN REPLACE M621, SINGLE 5
M593	CSS	KB	3 3/75	6 CH DIFFERENTIAL RECEIVER, NAT SEMI 8020
M593-YA	CSS	TF	1 6/74	M593 W ENABLE DELETED
M594	11	RL	5	8 CH EIA-CCITT TO DEC, 7 DEC TO EIA-CCITT, DF11-A, SINGLE 8,5, 1V HYSTERESIS
M594-YA	11	RL	1 6/75	M594 + CLOCK RECOVERY
M594-YB	11	RL	5 1/74	M594 W 3V HYSTERESIS
M5940	10	XW	5 3/72	M594 STD SINGLE SIZE
M5941	CSS	SPRY	3 3/74	8 CH MIL 188C TO DEC INTERFACE FOR DFS11-H, SINGLE 8,5
M5942	11	SS	4 9/74	8 CH EIA-CCITT TO DEC, 7 DEC TO EIA-CCITT, 320, 600, 1200, 1800 BAUD XTAL CLK, DF11-L, DOUBLE 8,5
M5943	CSS	DRS	3 9/74	DM11-DR, 5 CH EIA-CCITT TO TTL, 4 CH TTL TO TRI-STATE, SINGLE 8,5
M5943-YA	CSS	DRS	3 9/74	DM11-DS, M5943 MODIFIED TO PERMIT OTHER DRIVERS & RECEIVERS ON SAME LINES
M5944			5 5/73	?

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M5945	SSCAN	OF	3 9/74	CSCB TO XBUS INTERFACE, QUAD
M5946	SSCAL	HAY	1 9/75	DFS11-A) 8 CH DIFFERENTIAL DRIVE & RECEIVER, 40MA, 0 TO +5V, RECEIVER +15 TO -15V
M5947	SSCAL	HAY	3 12/75	DR11-BD, M919 W DIFFERENTIAL DRIVE & RECEIVE W 3 M855, DOUBLE 8,5
M595	11	RL	5 8/72	CURRENT MODE CONV FOR 301 & 303 MODEM, DF11
M596	11	MC	5 7/73	20 MA TO DEC, DEC TO 20 MA, 4 CHAN EACH, SINGLE X 8,5, DF11, REPLACED BY M5960
M5960	11	DR	4 2/74	REPLACEMENT M596
M597	COM	DR	5 11/71	6 CH IBM RECEIVER, +BUS, 50-88912, SIG 8Y14 (M961)
M598	COM	RF	5 5/73	1 CH OPTICAL COUPLED 20 MA TO DEC SEND & RECEIVE, 8,5 X SINGLE, DF11-K
M599	COM	VB	2 10/71	4 CH XMIT & REC WESTERN UNION HIGH LEVEL (+/-6V 10MA) TELEX, SINGLE X 8,5

OUTPUT CONVERTERS

M6002	OC	EWB	4 4/75	QUAD TTL TO ECL TRANSLATOR (10124), 4 LAYER SINGLE 5; 5010874 (M9611)
M6001	TE	RL	1 6/74	12 TTL TO ECL, 4 LAYER SINGLE 5
M602	CAT		5	2 PULSE AMPLIFIERS
M603	10	WW	5 1/72	2 PA'S, NEG EDGE IN, 1 POS 60 NS & 1 POS 45-100 NS OUT, 4 2-IN NANDS (74H00), 3 3-IN ANDS (74H11)
M606	CLP	RC	5	6 PULSE AMPLIFIERS
M610	CLP	RC	5	6 2-INPUT NANDS, OPEN COLLECTOR, (PINS OF M620)
M611	15	ELIA	5	14 POWER INVERTERS, 6 GNDS
M612	10	ATT	5 1/72	6 POWER GATES, 6 GNDS, 5 INPUTS PER GATE PAIR
M617	CAT		5	6 4-INPUT NAND BUFFERS
M620	MOD		7 7/69	(NEVER MADE), 6 CKTS, BUS GROUNDERS, POS BUS DRIVER WITH STROBE
M621	15	ELIA	5	BUS DRIVER, 6 CKTS, ENABLES FOR EA OF 2 6-BIT WORDS, SINGLE 5 (SEE M5921 TRANSCEIVER)
M622	CAT	DCB	5	BUS GROUNDER, 8 CKTS, USES 74H50, FOR MEMORY & I/O BUS, 2 INPUT NEG AND EA
M623	CAT	DCB	5	BUS DRIVER, 12 CKTS, OPEN COLLECTOR, 100 MA AT GND
M624	CAT		5	BUS DRIVER, OPEN COLLECTOR, 12 INPUTS & 1 ENABLE, 2 INPUTS & EN, 1 INPUT INV, 100 MA @ GND
M6240	SSCAL	DPS	3 8/72	PIN COMPATIBLE W M624, PUTS OUT 300MA AT GND, SINGLE 5
M625	15	JZ	5 5/73	BUS SWITCH FOR POP-15, 8 CKTS
M626	IPC		5 5/73	M623 WITH GROUND ISOLATION (WITH TRANSFORMERS)
M627	CAT		5	6 4-INPUT NAND BUFFERS, (H VERSION OF M617)
M628	15	ELIA	5 5/73	3 SWITCHES, 2 BIT ADDER, 1 M621 TYPE DRIVER, FOR MX15
M629	10	WW	5 11/71	BUS DRIVER, 11 CKTS, FOR + BUS, POP11, 88811'S
M630	MOD		7 7/69	(NEVER MADE), NEG BUS EQUIV TO M620
M631	15	ELIA	5	NEG BUS EQUIV TO M621
M632	CAT	DCB	5	NEG BUS EQUIV TO M622
M633	CAT	DCB	5	NEG BUS EQUIV TO M623
M633-YA	SSCAL	RWI	3 6/73	M633 W INVERTED OUTPUT
M636	IPC		5 5/73	M633 WITH GROUND ISOLATION
M637	11	DHK	1 6/74	CLOCK DRIVER (N CHANNEL, -1 TO +1 LOWER LEVEL, +5 TO +14 UPPER LEVEL), 4 CHANNELS, SINGLE 5
M642	PERIPH	MDM	5	TU10 BUS DRIVERS (30 CKTS)
M652	CAT		5	NEG OUTPUT CONV, 3 CHANNELS, M650 TYPE OUTPUTS
M651	2	JO	5	M650 WITH OUTPUTS CLAMPED TO GND WHEN 5V GOES AWAY
M652	CAT		5	NEG OUTPUT CONV, 2 CHANNELS, 0 & -8V OUTPUT
M660	CAT		5	POS LEVEL DRIVER FOR 8/I BUS, 3 CKTS, +/-50 MA OUT
M661	CAT		5	POS LEVEL DRIVER FOR 8/I BUS, 3 CKTS, OUTPUT CLAMPED TO +3V, M660 PINS
M662	2	PS	5	6 CKTS, NON-INV BUS DRIVERS FOR KV6S (VT02), 6 US RISE & FALL INTO OPEN LINE
M663	10	SU	5 5/73	3 NEG MEM BUS DC DRIVERS, POS INPUT, 50 OHM LOAD, K110
M664	10	SU	5 1/72	I/O BUS DRIVER, 0 TO +3V IN, 0 TO -3V OUT, 8 CKTS
M665	10	SU	5 1/72	MEM BUS DRIVER, 0 TO +3V IN, 0 TO -3V OUT, 8 CKTS
M665-YA	CSS	DH	3 5/73	M665 W 150 NSEC OUTPUTS
M666	10	SU	5 2/72	I/O BUS RESET, 12 OUTPUTS, 20 MA @ -3V, 1/3 DUTY FACTOR MAX, SINGLE X 5"
M667	10	DREW	7 10/73	PHOTO COUPLED ISOLATOR, 4 CKTS, RS10, SINGLE X 5
M670	AR		7 6/72	(NEVER MADE) EIA LINE DRIVER, 4 CKTS, TO REPLACE M670 EXCEPT +5V INSTEAD OF +10V
M671	CAT	JB	5	M TO K SERIES CONVERTER, 4 CKTS
M681	IPC	MORO	5 3/75	ISOLATED M685 RELAY DRIVER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M683	IPG		5	6 RELAY DRIVERS, K683 CKT, FOR DR80, DOUBLE
M684	IPG		5	12 BIT FLIP-FLOP RELAY DRIVER FOR UDC (DD01)
M685	IPG		5	16 BIT M684
M6850	IPG	RG	4 10/75	16 BIT FLIP-FLOP DC OUTPUT (ICMDC=0A) OR AC OUTPUT WITH H1600 (ICMAC=0A), HEX
M685=YA	IPG	RWH	3 5/73	M685 W 55V 500MA OUTPUT
M686	IPG		5	12 BIT SINGLE SHOT RELAY DRIVER FOR UDC (DD01)
M6865	LOGIC	RF	4 10/75	16 OUTPUT & 2 INPUT OPTICAL COUPLED OUTPUT ISOLATOR (FOR 20 MA), DOUBLE 8,5
M687	IPG		5 1/72	16 BIT M686
M6870	IPG	RG	5 9/75	16 BIT SINGLE SHOT DC OUTPUT (ICMDC=0B) OR AC OUTPUT WITH H1600 (ICMAC=0B), HEX
M688	11	DV	5 9/72	UNIBUS POWER FAIL DRIVER, SINGLE 5
M689	CSS	SPRY	3 3/74	30 SOLENOID DRIVERS, 330 MA UP TO 30V, USES 9C40P CABLE, QUAD
M690	SSCAN	OF	3 9/74	CSC, 72 CH LIGHT DRIVER (FROM M1005), 24V 200MA, QUAD
M693	CSS		2 3/72	6 CH DIFFERENTIAL DRIVER, NAT SEMI 8030
M694	CSS	BV	2 3/72	4 CH CDC 3000 DRIVER, +/-20 MA, 2 IN NEG OR
M695	CSS	SK	1 4/74	4 CH CDC 7400 DRIVER, SINGLE 5
M697	COM	DR	5 11/71	4 CH IBM TRANSMITTER, 50-00912, SIG 8T13 (W961)

COMPLEX LOGIC MODULES

M700	8		5 5/73	MANUAL TIMING GENERATOR-FILTER, ONE-SHOTS, 8/I, 8/L, DOUBLE
M7000	15		5	CURSOR CONTROL FOR VT05, QUAD X 8,5
M7001	15	DOANE	5 11/71	CHARACTER GENERATOR & TIMING, VT05, QUAD X 8,5
M7002	15	DOANE	5	MOS MEMORY & MEMORY TIMING, VT05, QUAD X 8,5
M7003	15		5 11/71	I/O INTERFACE, VT05, UP TO 300 BAUD, QUAD X 8,5
M7004	15		5 11/72	I/O INTERFACE, VT05, UP TO 2400 BAUD, QUAD X 8,5
M7005	15		1 1/71	M7004 PLUS TRANSMIT OPTION
M7006	15	DOANE	1 9/71	SPLIT SCREEN OPTION FOR VT05
M7007	TYP	TM	5 9/74	FK11 CONTROL, VT20, QUAD 8,5
M7008	TYP	TM	5 6/74	VT20-B DISPLAY CONTROL, HEX 8,5
M7009	TYP	TM	5 1/74	VT20-B DATA INTERFACE, HEX 8,5
M701	8	JDL	5 5/73	DISPLAY CONTROL FOR VCB/I
M7010	LDP	HL	5 11/71	VV15 TIMING & CONTROL, DOUBLE X 8,5
M7011	GRAPH	HL	5 5/74	UART SERIAL INTERFACE, SINGLE 5, H094 + SPLIT LUGS, LK40
M7011=YA	GRAPH	HL	2 8/75	M7011 FOR 8T62
M7012	LDP	AA	1 3/72	768 X 8 BIT ROM, NO ROMS INCLUDED, SIMULATES PC05, PLUGS INTO PC05 CABLE SLOT, SINGLE 8,5
M7013	GRAPH	GD5	4 9/74	VECTOR GENERATOR & CHARACTER GENERATOR CONTROL, VT40, HEX 8,5
M7014	GRAPH	BQ	4 5/73	UNIBUS CONT & BOOTSTRAP FOR VT40, QUAD 8,5
M7014=YA	GRAPH	BQ	4 2/74	M7014 W NO BUS TERMINATORS
M7015	LDP	AW	4 2/74	UNIBUS INTERFACE FOR LPS, QUAD 8,5
M7016	LDP	AW	4 2/74	PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITT TRIGGERS, LPSKW, QUAD 8,5
M7017	LDP	AW	4 5/73	DIGITAL I/O, 16 BITS, TTL LEVELS, SIMILAR TO M863, LPSDR, QUAD 8,5
M7018	LDP	AW	4 2/74	A/D CONTROL, PART OF LPSAD-12, LPSAD-19, USED WITH A804, A865, A406, DOUBLE 8,5
M7019	LDP	AW	4 5/73	DISPLAY CONT, PART OF LPSVC, COLOR TUBE, STORAGE TUBE & PLOTTER CAPABILITY, DOUBLE 8,5
M7020	LDP	AW	5 2/74	LPSAD=NP, NPR CONTROL FOR LPSAD, DOUBLE 8,5
M7021	GRAPH	HL	4 7/73	M7014 W BUS TERMINATORS ONLY
M7022	GRAPH	RQ	1 5/73	VH40 LOGIC INTERFACE, DOUBLE 8,5
M7023	LDP	HL	4 2/74	DIGITAL I/O, 16 BITS, LATCH CHOICE, INTERRUPT ON ANY INPUT BIT, LPSDR=A, QUAD
M7024	LDP	ERK	2 8/74	VT55 GRAPHING CONTROL MODULE, HEX, NO GOLD ON FINGERS
M7025	LDP	RI	2 8/75	KW11-K DUAL PROGRAMMABLE CLOCK, EACH 1MHZ, 100, 10, 1, 0.1 KHZ, EXTERNAL & PHASE LOCK LOOP, HEX
M703	8		5	POWER FAIL LOGIC FOR 8/I
M7030	CSS	PWD	3 6/74	CONTROL FOR CTS11=J, QUAD 8,5
M7031	CSS	PWD	3 3/75	DRIVERS, RECEIVERS, CODE CONVERTER FOR CTS11-JA, DOUBLE 8,5
M7032	CSS	PWD	3 6/74	DRIVERS, RECEIVERS, CODE CONVERTER FOR CTS11-JB, DOUBLE 8,5
M7033	CSS	CV	3 3/74	SCANNER MODULE FOR USE WITH HICKOK CARD EQUIPMENT
M7034	CSS	CV	3 5/74	80 COLUMN DRIVER FOR USE WITH HICKOK CARD EQUIPMENT

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7035	CSS	CV	3 5/74	22 COLUMN DRIVER FOR USE WITH HICKOK CARD EQUIPMENT
M7036	CSS	CV	3 1/74	DIODE MODULE ASSY FOR USE WITH HICKOK CARD EQUIPMENT
M7037	CSS	CV	2 10/75	READER-DATA MODULE FOR TRUE DATA CARD/BADGE READER, QUAD
M7038	TYP	TM	1 2/74	VT20-C DISPLAY CONT, HEX
M7039	TYP	TM	1 2/74	VT20-C DATA INTERFACE, HEX
M704	S		5	PLOTTER CONTROL FOR 8/I
M7040	CSS	JTN	1 11/72	X-Y REGISTER CARD, VB00, QUAD 8,5
M7041	CSS	MS	3 3/75	TIME OF DAY CLOCK (DKSB-EK), DOUBLE 8,5
M7044	CSS	JTN	1 11/72	VECTOR CONTROL CARD, VB00, QUAD 8,5
M7045	CSS	JTN	2 9/73	VECTOR DATA CARD, VB00, QUAD 8,5
M7046	CSS	VM	3 3/75	SWITCH INPUT REGISTER FOR EMHART CONT SYS (7606496), DOUBLE 8,5
M7047	CSS	LO	2 1/75	STEPPING MOTOR CONTROL FOR KOPPERS, HEX
M7048	CSS	WRMS	5 11/75	DECKING MILLIKEN 120 BIT SHIFT REGISTER & DRIVER BOARD
M7049	CSS	CV	2 10/75	READER CONTROL FOR TRUE DATA CARD/BADGE READER, QUAD
M705	S		5 5/73	READER CONTROL FOR 8/I
M7050	PERIPH	MDL	5	READER CONTROL WITH FEED HOLE STROBE & FEED HOLE TRANSITION OUT OF TAPE SENSE, DOUBLE
M7050-YA	S	KQ	3 5/73	M7050 MODIFIED TO DRIVE PR60
M7051	GRAPH	BQ	2 8/75	VT40 DATA REGISTERS & MULTIPLEXORS, HEX
M7052	GRAPH	BQ	2 8/75	VT40 DUAL 12 X 12 MULTIPLIER WITH SUCCESSIVE APPROXIMATION, HEX
M7053	GRAPH	BQ	2 8/75	VT40 SCISSORING & TANGENT CONT, HEX
M7054	GRAPH	JE	2 8/75	VT40 STACK & SILO CONTROL, HEX
M7055	GRAPH	GDG	2 8/75	VT40 DISPLAY STATUS MUX, HEX
M7056	GRAPH	JE	2 8/75	VT40 STACK & SILO, HEX
M7057	GRAPH	GDG	5 11/75	VT40 DISPLAY STATUS REGISTER, HEX
M7058	GRAPH	GDG	5 11/75	VT40 DISPLAY CONTROL, 4-LAYER HEX
M7059	GRAPH	JE	2 8/75	VT40 BUS CONTROL, QUAD
M706	CAT		5	ASYNCH LINE RECEIVER, 8 OR 5 BIT, (EQUIV TO 4706), POS LOGIC
M7060	GRAPH	AA	2 8/75	VT40 PUSH BUTTON CONTROL, QUAD (SPC)
M7061	GRAPH	HL	1 3/74	
M7062	GRAPH	HL	1 3/74	
M7063	GRAPH	HL	1 3/74	
M7064	GRAPH	HL	1 3/74	
M7065	11	RL	5 5/73	SYNCH LINE RECEIVER, 6,7, OR 8 BITS, SINGLE X 8,5
M7066	GRAPH	JE	1 6/75	VTVXX, UNIBUS TO LSI11 BUS CONVERTER, QUAD
M7067	GRAPH	JE	1 6/75	VHVXX, SYNC GENERATOR & CHARACTER GENERATOR (64 CHAR, 25 LINES), HEX
M7068	GRAPH	JE	1 6/75	VHVXX, BIT MAP, 128 X 128 X 4, HEX
M7069	GRAPH	JE	1 6/75	
M707	CAT		5	ASYNCH LINE XMTR, 8 OR 5 BIT, (EQUIV TO 4707), POS LOGIC
M7070	GRAPH	JE	1 6/75	
M7071	GRAPH	JE	1 6/75	
M7072	GRAPH	JE	1 6/75	
M7073	GRAPH	JE	1 6/75	
M7074	GRAPH	JE	1 6/75	
M7075	11	RL	5	SYNCH LINE TRANSMITTER, 6,7 OR 8 BITS, SINGLE X 8,5
M708	S	JO	5	CLOCK CONTROL, 8/I
M7080	SSCAN	OF	1 12/74	D TRANSCEIVER, CSC X-BUS TO MODEM CONT, QUAD
M7081	PERIPH	PLDM	1 12/75	LA36, LOGIC & POWER BOARD, REPLACES M7720 & 54-10805, HEX W NO FINGERS
M709	S	JO	5	CLOCK COUNTER, 8/I
M710	S		5	PUNCH CONTROL FOR 8/I
M710-YA	TYP	JDL	6 4/71	M710 WITH SHORTER PUNCH DONE DELAY RECOVERY TIME
M7100	10	SU	5 2/72	I/O DEVICE CONTROL, USED WITH M592, 1074H IC'S
M7101	TPL	JDL	4 2/74	TIMING, TAKES 8+ TO GEN 8/E TIMING, 8,5 X DOUBLE, DW08-E
M7102	TPL	JDL	4 7/73	AC TRANSFER, 8,5 X DOUBLE, DW08-E
M7103	TPL	JDL	4 7/73	DATA TRANSFER, 8,5 X DOUBLE, DW08-E
M7104	TPL	SG	5 4/75	DATA BUF & STATUS, RKB-E, QUAD X 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7104=YA	TPL	SG	4 4/75	MODIFIED TO RUN WITH DW8=E
M7105	TPL	SG	4 5/73	MAJOR REGISTERS, RK8=E, QUAD X 8,5
M7105=YA	CSS	LO	1 7/72	MODIFIED M7105 FOR CODON RK8=E
M7105=YB	TPL	SG	4 4/75	MODIFIED TO RUN WITH DW8=E
M7105=YC	CSS	LO	3 3/74	M7105 MODIFIED FOR RK8=E
M7106	TPL	SG	5 10/73	CONTROL, RK8=E, QUAD X 8,5
M7106=YA	CSS	LO	1 8/73	M7106 MODIFIED FOR CODON RK8=E
M7106=YB	CSS	LO	3 9/74	M7106 MODIFIED FOR RK8=E (8 ETCH)
M7106=YC	CSS	WHW	3 9/74	M7106=YB ON C ETCH
M7107	CSS	LO	3 5/74	RK8=E 4096 WORD COUNT TRANSFER MODULE
M7108	CSS	YM	2 9/75	DECODES STREAM OF 1600 PULSES TO 14 GROUPS OF 120 EACH, HEX
M711	12		5	SCOPE CONTROL FOR PDP-12
M7110	10	WH	5 1/72	SYNCH MODEM INTERFACE FOR DS11, QUAD X 8,5
M7111	10	DREW	4 5/73	ERROR CORRECTION FOR RF10, 5 BIT CORRECTION/128 36 BIT WORDS
M7112	10	SU	4 5/73	CONT FOR MF10, DOUBLE 8,5
M712	8	RM	5	DISPLAY CONTROL FOR KV8/I
M7120	CSS	RRR	1 11/75	RT84 READER CONTROL, QUAD, TRUE DATA READER, 10, 22, 80 COL, NEEDS M7037
M7120=YA	CSS	RRR	1 11/75	M7120, 10, 22 COL ONLY
M7121	CSS	RRR	1 11/75	RT84 ROM CONTROL LOGIC, QUAD, 20MA DAISY CHAIN, NEEDS M7120
M713	8	PS	5	MULTIPLEX INTERFACE FOR KV8/I
M714	8		5	CONTROL LOGIC I FOR CR8=I, CR8=L
M715	8		5	READER CLOCK FOR PC8/I, CLOCK ACCELERATOR, PAIS, NON IC PARTS OF M705
M715=YA	8	KQ	3 5/73	M715 MODIFIED TO DRIVE PR68
M715=YB	CSS	RM	2 1/72	M715 MODIFIED TO HAVE LONGER START-UP TIME
M716	8		5	CONTROL LOGIC II FOR CR8=I, CR8=L, DOUBLE
M717	15	FA	5 2/74	DISPLAY CONTROL FOR VP09 & VP15
M7170	15	JE	5 11/73	POP15 TO MM11=L INTERFACE, DOUBLE 8,5
M7171	15		5 2/74	COLOR SWITCH FOR VP15=D, SINGLE 5
M7172	15	FD	5 11/75	15 MEM TO UNIBUS INTERFACE, QUAD
M7173	15	FD	2 10/75	MEMORY MULTIPLEXOR, HEX
M7174	15	FD	2 10/75	15 INSTRUCTION PREFETCH, HEX
M7175	15	FD	2 10/75	15 MEMORY MANAGEMENT, HEX
M7176	15	FD	2 10/75	15 AUTOMATIC PRIORITY INTERRUPT, HEX
M718	11	RH	4	BUS INTERFACE FOR PDP-11
M719	12	CL	5 5/73	CLOCK SYNC & DECADE COUNTER FOR KW12
M720	8		5	NON-EXISTANT MEMORY DETECTOR, INTEG ONE-SHOT, OTHER ONE-SHOT, & MISC LOGIC
M721	11	JO	5	BUS INTERFACE 1, KA11, 8 BITS GATED IN & OUT, SINGLE 2,5
M7210	11	SR	5	KE11=A DATA CONTROL, QUAD X 8,5
M7211	11	SR	5	KE11=A REGISTER CONTROL, QUAD X 8,5
M7212	11	VB	5	ADDRESS LINE BUS REPEATER FOR DB11, 75 NS PER EACH OF 10 CH, SINGLE X 8,5
M7213	11	VB	5 5/73	BUS REPEATER CONTROL, FOR DB11, DOUBLE X 8,5
M7213=YA	CSS	FA	3 5/73	M7213 MODIFIED BY SPEC SYS, 2 ETCH CUTS, 2 JUMPERS
M7214	11	CRB	1 9/70	READER CARD FOR PDP11=MA, DOUBLE X 8,5
M7215	11	CRB	1 9/70	READER INTERFACE FOR PDP11=MA, DOUBLE X 8,5
M7216	11	CHM	5 11/71	PRIORITY & CONTROL, KC11, DOUBLE X 8,5
M7216=YA	11	JO	5 4/72	M7216 FOR KH11=A
M7217	11	JO	5	POWER FAIL & RESTART, KP11=A, SINGLE X 8,5
M7218	11	JO	5	BUS REQUESTS
M7219	11	KK	5 11/71	RC11 BUS INTERFACE, QUAD X 8,5
M7219=YA	SSCAL	BLE	3 1/74	M7219 MODIFIED TO ADD "BA00 LOW"
M722	11	PQ	2	A SOURCE & TIMING FOR MM11
M7220	11	KK	5 11/71	RC11 CLOCK CONTROL, SINGLE X 8,5
M7221	11	KK	5 1/72	RC11 DISK INTERFACE, QUAD X 8,5
M7222	11	KK	5 1/72	RC11 STATUS CONTROL, QUAD X 8,5
M7223	11	RL	5 11/71	CONTROL FOR DP11=AA, QUAD X 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
			MO/YR	
M7224	11	KK	5	1/72 RC11 UNIT & TRACK SELECTOR, SINGLE X 8,5
M7225	11	KK	5	1/72 RC11 STATUS CONTROL EXTENDER, SINGLE X 8,5
M7226	11	VB	5	1/72 DM11 CONTROL, DOUBLE X 8,5
M7227	CSS	GSE	4	8/73 XY11 PLOTTER CONTROL, 200-300 STEPS/SEC
M7227-YA	CSS	RRR	3	8/75 M7227, 300-400 STEPS/SEC
M7227-YB	CSS	RRR	3	8/75 M7227, 500-600 STEPS/SEC
M7227-YC	CSS	RRR	3	8/75 M7227, 800-1300 STEPS/SEC
M7227-YD	CSS	RRR	3	8/75 M7227, 1600-1800 STEPS/SEC
M7228	11	TU	5	1/72 REAL TIME PROGRAMMABLE CLOCK, KW11=P, 8,5 X QUAD
M7229	11	RPF	5	1/74 DR11=B INTERFACE FOR DA11=B, DBLE X 8,5
M723	11	PD	7	6/69 (NEVER BUILT), A LOGIC FOR MM11
M7230	11	HAY	1	8/75 BA11=BJ DIFFERENTIAL CABLE DRIVER & RECEIVER, DOUBLE 8,5
M7231	11/40	LC	5	2/74 DATA PATHS, KD11=A, 8,5 HEX
M7232	11/40	LC	5	1/73 U WORD, KD11=A, 8,5 QUAD
M7233	11/40	LC	5	1/73 IR DECODE, KD11=A, 8,5 HEX
M7234	11/40	LC	4	5/73 TIMING, KD11=A, 8,5 HEX
M7234-YA	11/40	RAA	1	3/73 M7234 AS USED IN 2338=3 XOR TESTER
M7235	11/40	LC	4	9/74 STATUS, PROCESSOR/KD11=A, 8,5 HEX
M7235-YA	11/40	RAA	1	3/73 M7235 AS USED IN 2338=3 XOR TESTER
M7236	11/40	LC	5	1/74 KT11=D MEMORY MANAGEMENT, 8,5 HEX
M7237	11/40	LC	5	8/72 STACK LIMIT REGISTER, SINGLE 8,5
M7238	11/40	LC	4	5/73 EIS (EXPANDED INSTRUCTION SET) BOARD, HEX 8,5, KE11=E
M7239	11/40	LC	4	5/73 FIS CONTROL KE11=F, QUAD 8,5
M724	11	JO	5	BUS & CONSOLE CONTROL FOR KA11, QUAD, 8,5
M724-JA	11	JO	1	7/72 SYSTEM TESTED M724
M724-YA	11	JO	5	5/73 M724 FOR KH11=A
M7240	11	VB	5	5/73 DM11=A CONTROL
M7241	11	VB	5	5/73 DM11=B CONTROL, QUAD
M7242	11	VB	5	5/73 DM11=C CONTROL
M7243	11	VB	5	5/73 DM11 TRANSMITTER D
M7244	11	VB	5	11/71 DM11 TRANSMITTER E
M7245	11	VB	5	2/74 DM11 RECEIVER, QUAD
M7246	11	RL	5	2/74 MODEM CONTROL SCAN, 16 LINES, DM11=BB
M7247	11	RL	5	2/72 MODEM CONTROL MUX, 8 LINES, DM11=BB, SEE M7807, M7808, DOUBLE
M7248	11	VB	5	1/72 UNIBUS REPEATER BBSY, SINGLE
M7249	11	LC	5	4/72 HOLLERITH CHECK (MULTIPLE ONES ERROR DETECTOR), SINGLE X 5, FOR CD11
M725	11	JO	5	BUS INTERFACE & IR, KA11, QUAD, 8,5
M725-JA	11	JO	1	7/72 SYSTEM TESTED M725
M725-YA	11	JO	5	5/73 M725 FOR KH11=A
M7250	11	GH	7	9/72 MOS MEMORY MATRIX, 4K X 18=BITS, HEX X 8,5
M7251	11	RL	5	5/73 XOR & CRC BLOCK CHECK, DOUBLE X 8,5, KG11=A
M7252	11	RD	1	9/71 64 16=BIT ROM BOOTSTRAP
M7253	SSCAL	DF	3	9/73 11 TO LEAR SIEGLER 7700 TERMINAL
M7254	11	TU	4	5/73 RK11=D STATUS CONTROL
M7255	11	TU	5	4/75 RK11=D DISK CONTROL, QUAD X 8,5
M7255-YA	SSUK	GO	3	11/74 MODIFIED M7255 FOR DIABLO SERIES 30 DISK DRIVES
M7256	11	TU	4	5/73 RK11=D REGISTERS, QUAD X 8,5
M7257	11	TU	4	5/73 RK11=D BUS CONTROL, QUAD 8,5
M7258	11	LC	5	2/74 LS11 INTERFACE, QUAD 8,5
M7259	11	MOOR	4	5/73 PARITY FOR MP11=LP, DOUBLE 8,5
M7259-YA	CSS	RLM	2	6/75 PARITY FOR MA11=F, =H
M7259-JA	XML	FJS	3	6/75 SYSTEM TESTED & BURNED IN M7259
M726	11	JO	5	IR DECODER FOR KA11
M726-JA	11	JO	1	7/72 SYSTEM TESTED M726
M726-YA	11	JO	5	5/73 M726 FOR KH11=A

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7260	11/05	TU	4 5/73	KD11-B BOARD #1, DATA PATHS, 8,5 X HEX
M7261	11/05	TU	5 4/75	KD11-B BOARD #2, CONTROL LOGIC & MICROPROGRAM 8,5 X HEX
M7262	11/05	AHM	0 12/75	KD11-C PROCESSOR MODULE, HEX
M7263	11/04	WHB	4 10/75	KD11-D PROCESSOR MODULE, HEX
M7264	11/03	REL	4 10/75	11/03 PROCESSOR W 4K RAM, 4=LAYER QUAD
M7264-YA	11	REL	1 1/75	M7264 V NO RAM
M7265	11/34	RAA	1 2/75	DATA PATHS, HEX
M7266	11/34	RAA	1 2/75	CONTROL, HEX
M7267	11/34	RAA	1 2/75	(RESERVED FOR FLOATING POINT)
M727	11	JO	5	STATE CONTROL, KA11, QUAD, 8,5
M727-JA	11	JO	1 7/72	SYSTEM-TESTED M727
M727-YA	11	JO	5 5/73	M727 FOR KM11-A
M7271	SSUK	GO	1 1/72	BOARD 1 OF CA11-A, QUAD X 8,5
M7272	SSUK	GO	1 1/72	BOARD 2 OF CA11-A, QUAD X 8,5
M7273	SSUK	GO	1 1/72	BOARD 3 OF CA11-A, QUAD X 8,5
M7274	SSUK	GO	1 1/72	BOARD 4 OF CA11-A, TERMINATOR, ON 5009045 (W940)
M7275	SSUK	MUT	2 4/72	BRPE 11 PUNCH INTERFACE, DOUBLE 8,5
M7276	SSUK	MUT	2 4/72	TREND READER INTERFACE, DOUBLE 8,5
M7277	11	MC	4 5/73	XMIT SCANNER & NPR, DH11, HEX 8,5
M7278	11	MC	5 1/74	REGISTERS & BYTE COUNT, DH11, HEX 8,5
M7279	11	MC	5 2/74	1ST IN 1ST OUT BUFFER, DH11, DJ11, DOUBLE 8,5
M728	11	JO	5	TIMING & STATES, KA11, QUAD, 8,5
M728-JA	11	JO	1 7/72	SYSTEM-TESTED M728
M728-YA	11	JO	5 5/73	M728 FOR KM11-A
M728Z	11	VB	5 1/74	8 QUARTS ON QUAD 8,5, DJ11
M7280-YA	SSCAL	HAY	3 11/74	M7280 W HIGH SPEED QUARTS IN 4 LEAST SIGNIFICANT LINES
M7281	11	DES	5 10/75	CB11-DA UNIBUS TO 32 POINT RELAY DISTRIBUTION MODULE, HEX 8,5
M7282	11	DES	5 1/74	CB11-SB UNIBUS TO 64 POINT INPUT SCAN, HEX 8,5
M7283	11	RPF	5 10/73	WINDOW DATA PATH BOARD DA11-F, QUAD 8,5
M7284	11	RPF	5 10/73	WINDOW CONTROL, DA11-F, QUAD 8,5
M7285	11	VB	5 1/74	DJ11 MUX CONTROL BOARD, HEX 8,5
M7285-YA	CSS	PLM	1 8/73	M7285 W BAUD RATE OF 50
M7286	11	TM	4 5/73	FK11 INTERFACE, VT20, QUAD 8,5
M7288	11	MC	4 5/74	LINE PARAMETERS CONTROL, DH11, HEX 8,5
M7289	11	MC	5 1/74	RCV SCANNER, DH11, 8,5
M729	11	PD	5 5/73	CONTROL LOGIC & TIMING FOR MM11-E, DOUBLE, 8,5 (16 OR 17 BIT), 1,2 USEC MEM
M729-YA	11	PD	5 1/72	M729 MODIFIED FOR 1,5 USEC RUGGED MEMORY
M7290	11	PD	5 11/71	M729 FOR 900 NSEC MEMORY
M7291	11	DES	5 10/75	16 POINT INPUT INTERRUPT FOR CB11-DA, HEX 8,5
M7292	11	DRM	5 5/73	TU60 INTERFACE, QUAD 8,5, DD11
M7293	11	DWS	1 11/72	TIMING & CONT, UNIBUS INTRPGE, MM11-U, MM11-UP, QUAD 8,5
M7294	11	SJ	4 2/74	DATA BUFFER & CONT, RH11, HEX 8,5
M7295	11	SJ	4 2/74	BUS CONTROL, RH11-A, HEX 8,5
M7296	11	SJ	5 1/74	CONTROL & STATUS REGISTERS, RH11, DOUBLE 8,5
M7297	11	SJ	5 10/73	MASS BUS PARITY CONTROL, RM11, DOUBLE 8,5
M7298	CSS	SPRY	5 9/75	WATCHDOG TIMER W RESTART & CRYSTAL CLOCK, 11/40, QUAD 8,5
M7299	SSMU	WK	2 9/73	CONTROL FOR CALCOMP 936, XY11-B, QUAD
M730	CAT	DCB	5	POS BUS TO POS LOGIC FOR 8/I, FITS IN E100, DOUBLE
M7300	CAT	RJM	5	PDP16 GPA CONTROL, GEN PURPOSE ARITHMETIC UNIT, 4 4-BIT BYTES, USED WITH M7301'S, DOUBLE X 8,5, KAC16
M7301	CAT	RJM	5 11/71	PDP16 GPA REGISTER, GEN PURPOSE ARITH UNIT REGISTERS, 4 4-BIT BYTES, DOUBLE X 8,5, KAR16
M7302	CAT	RJM	7	PDP16 K-SIMPLE, 5 OR 6 INDEPENDENT CONTROL CKTS, SINGLE X 8,5
M7303	CAT	RJM	4 5/73	PDP16 K-DECISION, 6 CKTS, SPLITS CONTROL FLOW, SINGLE X 8,5
M7304	CAT	RJM	5	PDP16 BUS SENSE, SENSES ALL ZERO, OVERFLOW, MANUAL START, DOUBLE X 8,5, KBS16
M7305	CAT	RJM	5	PDP16 TRANSFER REGISTER, PROVIDES 16 BIT DATA STORAGE, MASKING & BYTE CONTROL, MS16-A
M7306	CAT	RJM	5	PDP16 FLAG MODULE, 3 SINGLE BIT STORAGE AND CONTROL, KFL16, SINGLE X 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7307	CAT	RJM	5 11/71	PDP16 CONSTANTS REGISTER, SMALL ROM, MR16=A, DOUBLE X 8,5
M7308	CAT	RJM	2 12/70	PDP16 TO 11 INTERFACE
M7309	CAT	RJM	2 12/70	PDP16 PARALLEL MERGE, A GATE MEANS OF RETURNING TO A SINGLE CONTROL PATH AFTER A BRANCH OP
M731	CAT	OCB	5	POS BUS TO -3V LOGIC FOR 8/I, FITS IN E100
M7310	16	RJM	5	PDP16 EVOKE, 6 CKTS, MORE GEN VERSION OF K-SIMPLE, KEV16, SINGLE X 8,5
M7311	16	RJM	5	PDP16 GPI, GEN PURPOSE INPUT/OUTPUT, DB16=A, DOUBLE X 8,5
M7312	16	RVN	5	PDP16 2-WAY BRANCH (K DECISION + K SIMPLE), 8 CKTS, SINGLE X 8,5, KB16=A
M7313	16	RJM	5 5/73	PDP16 TTY INTERFACE, TRANSDUCER, TTY XMTR & RCVR, DC16=A, DOUBLE X 8,5
M7314	16	RJM	5	PDP16 EIGHT-WAY BRANCH, 2 3-BIT LATCH & DECODER, KB16=B, SINGLE X 8,5
M7315	16	RJM	5	PDP16 SUBROUTING RETURN, 6 CKTS, 6 BITS, INDEP STORAGE, KSR16, SINGLE X 8,5
M7316	16	RJM	5	PDP16 OUTPUT INTERFACE, 16 BIT REGISTER, DB16=B, DOUBLE X 8,5
M7317	16	RJM	5	PDP16 INPUT INTERFACE, 16 GATES, SINGLE STROBE, DB16=C, DOUBLE X 8,5
M7318	16	RJM	5 5/73	PDP16 SCRATCH PAD, 16 16-BIT WORDS, MS16=C, DOUBLE X 8,5
M7319	16	RJM	5 5/73	PDP16 SCRATCH PAD, 256 16-BIT WORDS, MS16=D, DOUBLE X 8,5
M732	CAT		5	POS BUS FROM POS LOGIC FOR 8/I
M7320	16	RJM	5 8/72	BYTE REGISTER, REG TRANSFER, MS16=B, DOUBLE X 8,5
M7321	16	RJM	7 7/72	NO-OP MODULE, SINGLE X 8,5, KNP16, DOUBLE X 8,5
M7322	16	RJM	5 8/72	PDP16 BUS MONITOR, KBM16, DOUBLE X 8,5
M7323	16	RJM	5 8/72	CONTACT INTERROGATOR UNIT, PDP16
M7324	16	RJM	4 4/74	1K X16 MOS RAM, 1 USEC CYCLE, DOUBLE X 8,5
M7325	16	RJM	5 11/72	24 X 16 ROM, DOUBLE X 8,5
M7326	16	RJM	4 5/73	PCS CONTROL, MICRO-PROCESSOR CONTROL, DBL X 8,5
M7327	16	RJM	5 8/72	PCS INSTRUCTION MEMORY, 256 X 8, SING X 8,5 PROGRAMMED BY M8387
M7327-YA	16	RJM	5 2/74	BASIC DIAG (OPT) ROM 0
M7327-YB	16	RJM	5 2/74	BASIC DIAG (OPT) ROM 1
M7327-YC	16	RJM	5 2/74	BASIC DIAG ROM 2
M7327-YD	16	RJM	5 2/74	BASIC DIAG ROM 3
M7328	16	RJM	5 8/72	PCS EVOKE DECODER, 32 STATES, DBL X 8,5
M7329	16	RJM	5 8/72	PCS MULTIPLEX INPUTS, 29 INPUTS, DBL X 8,5
M733	CAT		5	POS BUS FROM -3V LOGIC FOR 8/I
M7330	16	RJM	1 11/71	ARITHMETIC REG UNIT, OPERATES ON 2 16-BIT WDS, DBL X 8,5
M7331	16	RJM	1 11/71	ARU ENCODER, USE WITH M7330, DBL X 8,5
M7332	16	RJM	5 11/72	BUS CONTROL, DBL X 8,5
M7333	16	RJM	5 8/72	SERIAL INTERFACE ADAPTER, DC16=B, SING X 8,5
M7334	16	RJM	5 11/72	PDP16 LIGHT & SWITCH INTERFACE, DOUBLE 8,5
M7335	16	RJM	5 11/72	PDP16 SERVICE BOARD, DOUBLE 8,5
M7336	16	RJM	5 11/72	EXPANDED PROGRAM CONTROL SEQUENCER, DOUBLE 8,5
M7337	16	RJM	2 3/73	PDP16/M-TU60 READ ONLY INTERFACE, DOUBLE 8,5
M7338	16	RJM	5 4/74	PDP16/M-UNIBUS CONVERTER/INPUT INTERFACE
M7339	16	RJM	2 3/73	PDP16/M HHC (HAND HELD CONTROLLER) INTERFACE, DOUBLE 8,5
M734	CAT		5	I/O BUS MULTIPLEXER, 3 12-BIT WORDS TO BUS
M7340	16	RJM	2 3/73	PDP16/M EXTENDED CONTROL MEMORY
M7341	CAT	RJM	5 4/75	MPS01 PM (PROGRAMMABLE MODULE 8008=1, QUAD
M7342	CAT	RJM	4 9/74	MPS01 PM MONITOR/CONSOLE
M7343	CAT	RJM	2 1/74	MPS01 PM FOUNDATION MODULE, QUAD
M7344	CAT	RJM	4 9/74	MPS01 SPACE FOR 4K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YA	CAT	RJM	4 9/74	MPS01 1K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YB	CAT	RJM	4 9/74	MPS01 2K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7344-YC	CAT	RJM	4 9/74	MPS01 4K X 8 STATIC MOS RAM (INTEL 2102), QUAD
M7345	CAT	RJM	4 9/74	MPS01 SOCKETS FOR 4K X 8 REPROGRAMMABLE PROM (INTEL 1702A), QUAD
M7346	CAT	RJM	4 9/74	MPS01 PM POWER FAIL, 6,3VAC INPUT REQUIRED, QUAD
M7347	CAT	LJP	5 9/75	MPS01 TTY READER RUN, SINGLE 8,5
M735	CAT		5	I/O TRANSFER, 12 BIT REGISTER, 12 OUTPUT BUS DRIVERS
M7350	CLP	AC	2 2/74	RT02=C, =D, =E BADGE READER, DOUBLE 8,5
M736	CAT		5	PRIORITY INTERRUPT, 4 CHANNELS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M737	CLP	RC	5	I/O BUS RECEIVER WITH BUFFER REGISTER & BUFFERED OUTPUTS, FITS IN E100
M7377	CLP	EN	2 5/74	PDM70-JR SERIAL I/O W 64 CHAR BUFFER & REMOTE RESET, QUAD, IS 54-11530 CABLED TO 54-11004
M7378	CLP	EN	4 4/75	PDM70-SD FOUNDATION MODULE; PDM70 INTERFACE + WIRE WRAP PINS & I/O LOCATIONS, QUAD
M7379	CLP	EN	4 9/73	CLOCK, 110 TO 39.6K BAUD, PDM70, DOUBLE 8,5
M738	CLP	RC	5	I/O BUS TRANSMITTER, PARTIALLY REPLACES M732, FITS IN E100
M7380	CLP	EN	4 2/74	CONTROL, PDM70-P, DOUBLE 8,5
M7381	CLP	RC	4 2/74	DIGITAL INPUT, 32 BITS, PDM70-D, QUAD 8,5
M7382	CLP	RC	4 2/74	DIGITAL OUTPUT, 32 BITS, PDM70-E, QUAD 8,5
M7383	CLP	PDM	4 2/74	4 CH ANALOG INPUT CARD, PDM70-F, QUAD 8,5
M7384	CLP	PDM	4 2/74	2 CH ANALOG OUTPUT CARD, PDM70-H, QUAD 8,5
M7385	CLP	RC	4 9/73	BIT SERIAL INPUT/OUTPUT, EIA OR 20 MA, PDM70-J, QUAD 8,5
M7386	CLP	EN	5 3/74	CHARACTER SERIAL INPUT/OUTPUT, 16 KEY KEYBOARD DISPLAY, PDM70-K, QUAD 8,5
M7387	CLP	EN	4 9/73	HARDWARE READ-IN MODULE FOR POWER FAIL/RESTART PDM70-N, SINGLE 8,5
M7388	CLP	RC	4 10/73	CHARACTER SERIAL INPUT/OUTPUT GENERAL PURPOSE, PDM70-M, QUAD 8,5
M7389	CLP	EN	5 5/73	ADDRESSABLE ASYNC TRANSCEIVER WITH PROGRAMMABLE CLOCKS, 110 TO 4800 BAUD, DBL X 8,5
M7389-YA	CLP	EN	7 2/72	M7389 W OPEN COLLECTOR OUTPUTS
M7390	CLP	RJM	5 5/73	ASYNCH TRANSCEIVER, RT01, DOUBLE
M7391	CLP	RJM	5 5/73	12 X 4 BUFFER, RT01
M7392	CLP	RJM	1 2/71	NIXIE DISPLAY, RT01, RENAMED 5409457
M7393	CLP	RJM	5 11/71	16 CHAR KEYBOARD ENCODER, RT01
M7394	CLP	AC	1 5/72	16 CHAR KEYBOARD/CARD READER ENCODER, RT01-A, -B
M7394-YA	MOD	AC	2 4/72	16 CHAR KEYBOARD/CARD READER ENCODER, RT01
M7395	CLP	AC	4 5/73	DISPLAY CONTROL, RT02, SINGLE 8,5
M7396	CLP	AC	4 5/73	16 KEY NKR KEYBOARD ENCODER, SINGLE 8,5
M7396-YA	CLP	CYR	3 2/74	M7396 W RT01 KEYBOARD DECODER
M7397	CLP	AC	1 1/73	KEYBOARD + ELECTRONICS, HHC01, DOUBLE 8,5
M7398	CLP	AC	1 1/73	DISPLAY + ELECTRONICS, HHC01, DOUBLE 8,5
M7399	CLP	AC	4 2/74	AUDIO ALARM, RT02-B, DOUBLE 8,5
M740	14	AR	6 7/73	INSTRUCTION DECODING & REGISTER CONTROL FOR PDP14, DOUBLE, DOUBLE
M7400	14	VDR	5 8/72	PDP14 INSTR DECODER & CONTROL, TO REPLACE M740, DBL X 5
M7403	14	VDB	5 11/72	TIMING FOR DL14, DBL X 5
M7404	14	VDB	5 11/72	CONTROL FOR DL14, DBL X 5
M7405	14	VDB	4 5/73	MEMORY FOR DL14, DBL X 5, 256 X 4 + 156 X 6
M7406	14	VDB	4 5/73	STEPPING MOTOR CONTROL, HEX 8,5, SMC01-A
M7407	14	LD	5 2/74	MM11-E INTERFACE, QUAD 6
M741	14	AR	5	MAJOR STATES & TIMING FOR PDP14
M742	14	AR	5	SWITCH & POWER CONTROL FOR PDP14
M743	14	AR	5	K INTERFACE CONTROL FOR PDP14
M7431	14	AR	5 4/74	PDP14/30 MEM CONTROL, QUAD 8,5
M7432	14	LD	5 9/74	PDP14/30 I/O TIMING CONTROL, QUAD
M7433	14	AR	5 5/74	PDP14/30 I/O MULTIPLEX DRIVERS, QUAD 8,5
M7434	14	LD	5 3/75	PDP14/30 I/O CONNECTOR INTERFACE, QUAD
M744	14	AR	5	COMPARE CONTROL FOR PDP14, COMPARES 2 12-BIT WORDS WITH EACH OTHER OR ZERO, DOUBLE
M7441	14	MORO	5 3/74	KEYBOARD CONTROL, OMNIBUS, VT14, QUAD, TOP CONNECTED TO M7443
M7443	14	MORO	5 9/74	VIDEO CONTROL, OMNIBUS, VT14, QUAD, TOP CONNECTED TO M7441
M745	14	AR	5	INTERFACE, PDP14 TO PDP8/I,L, 72 PINS, DOUBLE BUS TERMINATION INCLUDED
M7450	14	AR	5 11/72	PDP14 TO PDP8 INTERFACE, REPLACES M745, DBL X 6
M7451	14	AR	5 5/74	PDP14/30 TO PDP8 POS BUS I/O INTERFACE, QUAD 8,5
M746	14	AR	5	BUS REGISTER FOR PDP14, 6 D FF'S WITH OPEN COLLECTOR OUTPUT GATING, DIRECT SETS & COMMON CLEAR
M747	14	AR	5	BUS REGISTER FOR PDP14, (SIMILAR TO M746), INCREMENTS & DECREMENTS
M748	14	AR	5 11/72	SERIAL TRANSMITTER, 14 BIT ERROR CORRECTION, ASYNC, DOUBLE X 5
M7481	14	AR	5 8/75	DC14-E, HIGH SPEED SERIAL INTERFACE, PDP14/30, QUAD 8,5
M7483	14	AR	5 3/75	DC14-F, UART VERSION OF M7481, 2 8-LEVEL CODE WORDS W PARITY, LOW PRIORITY ONLY, QUAD 8,5
M7483-YA	14	RAP	2 10/75	DC14-F, M7483 W HIGH OR LOW PRIORITY
M749	14	AR	5 11/72	SERIAL RECEIVER, 14 BIT ERROR CORRECTION, ASYNC, DOUBLE X 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M750	A	RL	5	LINE I/O CONTROL, EQUIV TO 2 M7501S, DOUBLE
M751	A	AC	5	LINE REGISTER & R REG FOR DC38A, I/O BUS CONNECTION, DOUBLE
M752	B	AC	5	INSTRUCTION DECODER & GATES FOR DC38A, DOUBLE
M753	B	AC	5	CONTROL FOR 2 DATA SET LINES IN DC38F
M754		GORMAN	1	8/69 TELETYPE RECEIVER, 6,7 BITS
M755		GORMAN	1	8/69 TELETYPE TRANSMITTER 6,7 BITS
M756	B	WH	1	4/69 TELETYPE RECEIVER, 5,6,7, OR 8 BITS
M757	B	WH	1	4/69 TELETYPE TRANSMITTER, 5,6,7, OR 8 BITS
M758	CSS	KB	6	4/71 SYNCHRONOUS SERIAL DATA RECEIVER, (6,8 BITS), DOUBLE BUFFERED
M759	CSS	KB	6	4/71 SYNCHRONOUS SERIAL DATA TRANSMITTER, (6,8 BITS), DOUBLE BUFFERED
M760	12	RI	5	A/O CONTROL FOR PDP-12, POSSIBLE GENERAL APPLICATION
M760M	12	MORO	5	8/72 M760 WITH MODIFIED TIMING FOR AQ12-F, SINGLE
M7601	12	AF	5	5/73 CONTROL FOR TEKTRONIX 611 OR COLOR SCOPE
M761	15	HL	5	5/73 32 TO 8 BIT MULTIPLEXER
M762	15	HL	5	5/73 ROM DIODE MATRIX RECEIVER
M763	PERIPH	JH	5	9 TRACK WRITE BUFFER, FOR TU10, NEG LOGIC, SEE M893
M764	PERIPH	JH	1	8/69 7 TRACK WRITE BUFFER, FOR TU10, NEG LOGIC, SEE M894
M765	PERIPH	JH	5	5/73 9 TRACK READ BUFFER, FOR TU10
M766	PERIPH	JH	1	8/69 7 TRACK READ BUFFER, FOR TU10
M767	PERIPH	JH	5	CLOCK & SKEW DELAY LOGIC FOR TU10
M767M	PERIPH	JH	5	FORWARD BOT TIMER, TU10
M767M-YA	PERIPH	AL	5	8/75 M767M W DELAY REMOVED
M7671	PERIPH	JH	5	MASTER/SLAVE BUS DRIVER FOR TU10 MASTERS, 25 CKTS, DOUBLE X 5
M7672	PERIPH	JH	5	TU10 MASTER CONTROL BUFFERS, DOUBLE X 5
M7673	PERIPH	JH	5	TU10 DATA CHECKER, DOUBLE X 5
M7674	PERIPH		1	12/72 IMPROVED M7672
M7675	PERIPH	EM	5	3/75 FORWARD BOT TIMER FOR TU10 W TU16 CASTING
M768	PERIPH	JH	5	DELAY SELECTOR FOR TU10 WITH TC58, TC59, TM10
M768-YA	PERIPH	PWD	3	3/75 M768 W LONGER DELAY
M768M	PERIPH	JMR	1	11/75 RK05F, SECTOR CTR, INDEX & PHOTOAMP, DOUABLE 8,5
M7681	PERIPH	JMR	1	11/75 RK05F, CYLINDER ADDRESS & TRACK DIFFERENCE, DOUABLE 8,5
M7682	PERIPH	JMR		
M769	PERIPH	JH	5	FUNCTION CONTROL FOR TU10
M7699	PERIPH	DL	1	8/75 RSL LOGIC, HEX 12
M770	15		5	5/73 EAE CONTROL FOR PDP-15
M7700	PERIPH	ES	5	5/73 SECTOR CTR, INDEX & PHOTOAMP FOR RK05, DOUBLE X 8,5
M7700-YA	CSS	PH	8	9/74 M7700 WITH REMOTE UNIT SELECT SWITCH
M7701	PERIPH	ES	5	5/73 CONTROL & SAFETY INTERLOCKS FOR RK05, DOUBLE X 8,5
M7702	PERIPH	ES	5	5/73 TRACK ADDRESS & DIFFERENCE CNTR FOR RK05, DOUBLE X 8,5
M7703	PERIPH	ES	1	11/70 DECPACK OFFLINE TESTER
M7704	PERIPH	LAW	1	5/74 RK06 SERVO COMPENSATION, DOUBLE 8,5 (REPLACED BY M7729)
M7705	PERIPH	LAW	1	7/74 RK06 DRIVE CONTROL LOGIC, QUAD
M7706	PERIPH	LAW	1	2/75 RK06 INTERFACE & TIMING, QUAD
M7707	PERIPH	LAW	1	2/75 RK06 SERVO CONTROL, QUAD
M7708	PERIPH	LAW	1	2/75 RK06 TRACK POSITION DETECTOR/PLO, QUAD
M7709	PERIPH	LAW	1	2/75 RK06 TRANSDUCER ELECTRONICS, DOUABLE 8,5 (REPLACED BY M7729)
M771	15		5	5/73 INTERNAL DEVICE DECODER FOR PDP-15
M7710	PERIPH	CAY	5	1/72 PRINT CYCLE TIMING, LA30, DOUBLE
M7711	PERIPH	CAY	5	11/71 CONTROL LOGIC A, LA30, DOUBLE
M7712	PERIPH	CAY	5	2/72 CONTROL LOGIC B, LA30, DOUBLE
M7713	PERIPH	CAY	5	11/71 RIBBON CONTROL & LAST CHAR VISIBILITY, LA30, DOUBLE
M7714	PERIPH	CAY	5	11/71 CHARACTER GENERATOR, LA30, DOUBLE
M7715	PERIPH	CAY	5	11/71 LINE FEED CONTROL, LA30, DOUBLE
M7716	PERIPH	CAY	5	MOTOR TRANSLATOR, LA30, DOUBLE
M7717	PERIPH	CAY	5	MOTOR CONTROL, LA30, DOUBLE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7718	PERIPH	CAY	5 1/72	KEYBOARD INTERFACE, LA30, CONNECT TO 8/1, 8/L, 12, OR 15, PARALLEL (CAN REPLACE M706), DOUBLE
M7719	PERIPH	CAY	5 1/72	TRANSMIT DATA TO LA30 PRINTER, PARALLEL, (CAN REPLACE M707), DOUBLE
M772	15	FA	5	CONSOLE CONTROL #1 FOR PDP-15
M7720	PERIPH	CAY	5 5/73	KEYBOARD TRANSMITTER, LA30, DOUBLE
M7721	PERIPH	CAY	4 5/73	CONTROL LOGIC A, (M7711 WITH BELL LOGIC) LA30, DOUBLE 5
M7722	PERIPH	RLOM	5 4/75	LA30 MICROPROCESSOR, 10 X 15, NO FINGERS (REPLACED BY M7723)
M7722-YA	PERIPH	RLOM	1 1/75	M7722 W LOCAL ECHO
M7723	PERIPH	RLOM	5 3/75	LA30 MICROPROCESSOR, REPLACEMENT FOR M7722, HAS TEST PADS, NO FINGERS, 10 X 15
M7724	PERIPH	CAY	5 4/72	M7714 WITH 7474'S INSTEAD OF MC4015'S
M7725	SCCAN		0 12/74	SHORT CARRIAGE RETURN CONTROL, LA30, SINGLE 8,5
M7726	PERIPH	CAY	4 10/75	RX01 CONTROL
M7727	PERIPH	CAY	4 10/75	RX01 READ/WRITE ELECTRONICS
M7728	PERIPH	RLOM	2 6/75	M7723 W OPTION CONNECTOR
M7728-YA	PERIPH	RLOM	3 8/75	M7728 ETCH REV A MODIFIED TO BE LIKE M7728 ETCH REV B
M7729	PERIPH	JWC	1 5/75	RK00, SERVO ANALOG, (REPLACES M7704 & M7709), QUAD
M773	15	FA	5 5/73	CONSOLE CONTROL #2 FOR PDP-15
M7730	PERIPH	RHW	1 8/75	RK00, DUAL PORT LOGIC, QUAD
M7731	PERIPH	RF	5 5/73	SERIALINTERFACE CONTROL, LA30
M7731-YA	PERIPH	RF	2 2/72	M7731 W PULL UP RESISTORS 4.7K INSTEAD OF 220 OHMS
M7732	PERIPH	RLOM	2 6/75	LA30 SECONDARY CHARACTER SET, SINGLE 8,5, NO HANDLE
M7733	PERIPH	JAM	1 4/75	LA30 ANSWER BACK OPTION, DOUBLE 9,5
M7734	PERIPH	CAY	3 3/74	UPPER/LOWER CASE LA30 CHAR GEN, DOUBLE 8,5
M7735	PERIPH	BMA	2 8/75	LA30 TOF OPTION, SINGLE 8,5
M7736	PERIPH	BMA	4 11/75	LA30 HT VT TOF OPTION, DOUBLE 8,5
M7737	PERIPH	JAM	1 6/75	SELECTIVE ADDRESSING OPTION FOR LA30, SINGLE
M7738	PERIPH	JAM	2 8/75	LA30 AUTO LINE FEED, DOUBLE 8,5
M7739	PERIPH	JAM	1 8/75	LA30 ANSWER BACK OPTION (DIP SWITCH), DOUBLE 9,5
M774	14	AR	4 9/74	PDP14-L INSTRUCTION DECODER
M7741	14	AR	5 3/75	PDP14/30 TIMING & REGISTERS, QUAD 8,5
M775	15		5 5/73	TIME STATE GENERATOR
M7751	PERIPH	CHI	4 2/74	ENCODER=DECODER PLL (PHASE LOCK LOOP), 4 LAYER DOUBLE X 8,5, RS03 (STANDARD DOUBLE INNER LAYER)
M7752	PERIPH	TFP	4 2/74	DESKEW LOGIC, RS03, DOUBLE X 8,5
M7753	PERIPH	NF	4 9/73	DATA BUFFER, RS03, DBL X 8,5, INCLUDES CRC
M7754	PERIPH	NF	4 2/74	ADDRESS REGISTER, RS03, DBL X 8,5
M7755	PERIPH	NF	5 3/75	CONTROL, RS03, DBL X 8,5
M7756	PERIPH	CHI	5 3/74	ALTERNATE TRACK OPTION, RS03, DBL X 8,5
M7757	PERIPH	PM	5 3/75	RS04-TA (TIMING TRACK WRITER) QUAD 8,5
M7758	PERIPH	CHI	5 6/74	RS04 HEAD MATRIX
M7759	PERIPH	TFP	5 8/75	COMMAND DECODE, DOUBLE 8,5
M776	15	FA	5	READER REGISTER
M7760	PERIPH	MDL	4 5/73	CASSETTE LOGIC, TU60, HEX 8,5, NO FINGERS
M7761	PERIPH	MDL	5 6/74	CASSETTE SERVO & READ, TU60, HEX 8,5, NO FINGERS
M7770	PERIPH	TFP	4 2/74	RS03 STATUS, DOUBLE 8,5
M7771	PERIPH	TFP	4 2/74	RS03 FORMAT, DOUBLE 8,5
M7772	PERIPH	KG	5 6/75	RP04 SYNCHRONOUS LOGIC, 4 LAYER HEX
M7773	PERIPH	KG	4 4/74	RP04 ASYNCHRONOUS LOGIC, HEX
M7774	PERIPH	SERG	4 4/74	RP04 REGISTER LOGIC, HEX
M7775	PERIPH	SERG	4 5/74	RP04 DUAL PORT LOGIC, HEX
M7776	PERIPH	DL	4 4/74	RP04 ERROR CORRECTION LOGIC, 4 LAYER HEX
M7777	PERIPH	KG	4 5/74	RP04 MDLI (MIN DEVICE LEVEL INTERFACE) TRANSMITTER, DOUBLE 8,5
M7778	PERIPH	KG	4 4/74	RP04 MDLI RECEIVER, DOUBLE 8,5
M7780	PERIPH	KF	1 5/74	RP04-M VOLTAGE SENSE, DOUBLE 8,5
M7781	PERIPH	KF	1 5/74	RP04M DRIVE LOGIC A, HEX
M7782	PERIPH	KF	1 5/74	RP04M DRIVE LOGIC B, HEX
M7783	PERIPH	PGA	1 5/74	

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7784	PERIPH	PGA	1 3/74	
M7785	PERIPH	RWC	1 3/74	RP04-M R/W MATRIX, 6 X 6 NON STND
M7786	PERIPH	SERG	1 3/75	RP04-2 SEEK SEARCH CONT, HEX
M7787	PERIPH	SERG	1 6/75	RP04-2 INTERFACE CONT, 4-LAYER HEX
M7788	PERIPH	SERG	1 6/75	RP04-2 MINIMUM DEVICE LEVEL INTERFACE TRANSMITTER, DOUBLE 8,5
M7789	PERIPH	SERG	1 6/75	RP04-2 MINIMUM DEVICE LEVEL INTERFACE RECEIVERS, DOUBLE 8,5
M780	11	JMR	5	TELETYPE TRANSMITTER & RECEIVER FOR KL11, 110 BAUD, DOUBLE
M780-YB	11	JMR	5	150 BAUD M780
M780-YC	11	JMR	5	300 BAUD M780
M780-YD	11	JMR	5	600 BAUD M780
M780-YE	11	JMR	5	1200 SEND, 110 RECEIVE M780
M780-YF	11	JMR	5	2400 BAUD M780
M780-YH	PS	EB	3 3/72	USED IN PMK02-C OPTION
M780-YS	CSS	JTN	3 10/74	307 K BAUD M780 FOR KL11-S TEKTRONIX 4010 SERIES TERMINALS
M7800	11	VB	5 11/72	ASYNCR TRANSMITTER & RCVR, KL11, JUMPER BAUD RATE FROM 110 TO 2400, TO REPLACE M780, M105, M782
M7800-YA	11	VB	5 1/73	M7800 WITHOUT EIA CHIPS, CURRENT LOOP ONLY
M7800-YB	11	BLE	3 10/73	M7800 W 24,6 K BAUD
M7800-YC	CSS	NSP	3 9/74	M7800 W FILTER ON RING CKT FOR USE WITH EMI FILTER CABLE
M7800-YD	SSCAN	PCO	3 10/74	M7800 FOR 36,9 BAUD
M7800-YE	SSCAN	PCO	3 4/75	MODIFIED TO DRIVE LKS40; CLOCK COMES OUT ON PIN CC OF M854
M7801	CSS	SKJ	3 9/74	DATA WORD CONTROL FOR MC11
M7801-YA	CSS	RLM	3 9/74	M7801 FOR MC11-B
M7802	CSS	SKJ	3 9/74	ADDRESS CONTROL FOR MC11
M7802-YA	CSS	RLM	3 3/75	M7802 FOR MC11-B
M7803	CSS	SKJ	3 9/74	ARBITRATION CONTROL FOR MC11
M7803-YA	CSS	RLM	3 3/75	M7803 FOR PARITY MC11
M7803-YB	CSS	RLM	1 2/75	HIGH SPEED M7803-YA, WILL BE REPLACED BY M7869
M7804	11	RES	1 1/73	ARBITRATOR CARD FOR MA11, DOUBLE 8,5
M7805	11	RES	1 1/73	TIMING, MA11, QUAD 8,5
M7806	11	RES	1 1/73	PORT, MA11, HEX 8,5
M7807	11	RL	4 10/75	M7247, M105, M7821 ON ONE QUAD, EIA ONLY
M7808	11	RL	4 10/75	M7247 & M7246 ON ONE QUAD, EIA ONLY
M7809	11	JL	4 4/75	16CH 10BIT A/D, 1 CH D/A, CLOCK, 4 LAYER HEX
M781	11	JMR	5	PC11 CONTROL BOARD, FOR KA11
M7810	11	JMR	5 11/72	M781 + M105 + M7821, QUAD X 8,5 (INTERFACE BETWEEN 11 & HIGH SPEED READER/PUNCH)
M7812	11	RL	5 6/74	DQ11-AA BUS SELECTORS, C9R1S, SHIFT REGISTERS, HEX 8,5
M7813	11	RL	5 9/74	DQ11-AA CHAR COUNT, BUS ADDRESS, SHIFT CONT, HEX 8,5
M7814	COM	RAC	1 8/75	DZ11, 8-LINE 20 MA DATA MUX, HEX
M7815	11	RL	5 6/74	DQ11-AA MODEM CONTROL (DQ11-BA), SINGLE 8,5
M7816	11	RL	5 9/74	DQ11-AB BUS SELECTORS & BLOCK CHECK CHAR, HEX 8,5
M7817	11	RL	5 4/75	DQ11-AB CHAR DETECTION & SEQUENCE CONT (DQ11-BB), HEX 8,5
M7818	11	RL	5 6/74	DQ11-AA HARDWIRED CHAR DETECTION & NPR CONT, DOUBLE 8,5
M7819	COM	RAC	1 2/75	DZ11 8-LINE OBL BUF ASYNCR EIA 50 TO 19,2 KBAUD W 103A MODEM CONT, HEX
M782	11	LC	6 10/71	INTERRUPT CONTROL, 6 BITS, 1 PER PDP11 PERIPHERAL
M7820	11	LC	5	INTERRUPT CONTROL, 7 BITS, 1 PER PDP11 PERIPHERAL, WILL BE REPLACED BY M7821
M7821	11	LC	5 2/72	FAST M7820
M7822	11	FZ	5 10/74	DU11, QUAD 8,5
M7823	11	DEB	3 9/74	WATCH DOG TIMER, KH11-W, DOUBLE 8,5
M7824	SSCAL		3 5/73	PUNCH INTERFACE, CP11-UP, QUAD
M7825	11	FZ	3 4/74	BACKUP FOR M7822, DU11, HEX
M7826	CSS	ABW	2 9/73	DV511 SERIAL LINE XMIT/RECEIVER, SYNC, ASYNCR, ISOCRONOUS, DOUBLE 8,5
M7827	CSS	LO	3 9/74	XY311 CONTROL BOARD, DOUBLE 8,5
M7828	CSS	ORS	3 9/74	REMOTE DT03 BUS SWITCH CONTROL, DOUBLE 8,5
M7829	SSCAN	OLM	3 9/73	CSC, X BUS TO UNIBUS INTERFACE, USED WITH M7400 & A003, A004, M1005, M5005, M5006 M5945, MODULES
M783	11	LC	5	12 BUS DRIVERS, PDP-11, SINGLE X 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7830	SSCAN	OF	3 12/74	WATCHDOG TIMER, GEN PWR FAIL AFTER 20MS, RESTART AFTER 4 SEC, WIRE WRAPPED M940, QUAD
M7831	11	GH	1 9/72	4K 16 BIT STATIC CHANNEL MOS MEM, HEX 8,5
M7832	11	GH	1 10/73	16K 18-BIT DYNAMIC RAM (4K CHIPS), 4 LAYER HEX RELIABILITY STUDY FOR TI, INTEL
M7833	11	WRS	1 10/73	DV11-BB, ASYNC MUX LINE CARD, HEX
M7834	11/40	JO	1 1/73	TIMING (PARITY), KD11-A, 8,5 HEX
M7835	SSCAL	RWI	3 2/74	1 TONE ALERT, USED IN DD11, SINGLE 8,5
M7836	COM	MC	4 10/73	DV11 ALU & TRANSFER BUS, HEX
M7837	COM	MC	4 10/73	DV11 UNIBUS DATA & NPR CONTROL, HEX
M7838	COM	MC	4 10/73	DV11 ROM, RAM, & BRANCH, HEX
M7839	COM	WRS	4 10/73	SYNCHRONOUS MUX LINE CARD, HEX
M784	11	LC	5	UNIBUS RECEIVER, PDP-11
M7840	11	TU	2 3/74	EAE, KE11-B, HEX, KE11-A COMPATIBLE
M7841	CAT	JB	0 6/73	UNIBUS CONTROL, 8008, HEX
M7842	SSCAN	DW	2 4/74	DA30-F 8 BIT PARALLEL FULL DUPLEX INTERPROCESSOR BUFFER 10-30KHZ, M854, QUAD
M7843	11	RI	2 4/74	DR11-K DIGITAL I/O, HEX
M7844	11	GH	1 5/74	16K 18-BIT DYNAMIC RAM (MOSTEK P4096 4K CHIP), 4 LAYER HEX, RELIABILITY STUDY
M7845	SSCAL	HAY	1 5/74	TIME OUT CKT FOR BOEING INTERFACE, SINGLE 8,5
M7846	PERIPH	DRM	4 10/73	RX01 UNIBUS INTERFACE, QUAD
M7847-AA	XML	DAC	3 11/73	MS11-EI EITHER M7847-BA OR M7847-YA
M7847-AB	XML	DAC	1 11/73	MS11-EPI EITHER M7847-BB OR M7847-YB
M7847-AC	XML	DAC	1 11/73	MS11-FI EITHER M7847-BC OR M7847-YC
M7847-AD	XML	DAC	1 11/73	MS11-FPI EITHER M7847-BD OR M7847-YD
M7847-AE	XML	DAC	3 11/73	MS11-HI EITHER M7847-BE OR M7847-YE
M7847-AF	XML	DAC	1 11/73	MS11-HPI EITHER M7847-BF OR M7847-YF
M7847-AH	XML	DAC	3 11/73	MS11-JI EITHER M7847-BH OR M7847-YH
M7847-AJ	XML	DAC	3 11/73	MS11-JPI EITHER M7847-BJ OR M7847-YJ
M7847-BA	XML	DAC	1 11/73	MS11-E, 4K 16-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BB	XML	DAC	1 11/73	MS11-EP, 4K 18-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BC	XML	DAC	1 11/73	MS11-F, 8K 16-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BD	XML	DAC	1 11/73	MS11-FP, 8K 18-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BE	XML	DAC	1 11/73	MS11-H, 12K 16-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BF	XML	DAC	1 11/73	MS11-HP, 12K 18-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BH	XML	DAC	1 11/73	MS11-J, 16K 16-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-BJ	XML	DAC	1 11/73	MS11-JP, 16K 18-BIT RAM, HEX, MK4096-19 OR FAIRCHILD 4096
M7847-YA	XML	DAC	4 11/73	MS11-E, 4K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YB	XML	DAC	4 11/73	MS11-EP, 4K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YC	XML	DAC	4 11/73	MS11-F, 8K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YD	XML	DAC	4 11/73	MS11-FP, 8K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YE	XML	DAC	4 11/73	MS11-H, 12K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YF	XML	DAC	4 11/73	MS11-HP, 12K 18-BIT RAM, HEX, MOSTEK MK4096
M7847-YH	XML	DAC	4 11/73	MS11-J, 16K 16-BIT RAM, HEX, MOSTEK MK4096
M7847-YJ	XML	DAC	4 11/73	MS11-JP, 16K 18-BIT RAM, HEX, MOSTEK MK4096
M7848-YA	XML	DAC	0 11/73	MS11-E, 4K 16-BIT RAM, HEX, TI4030
M7848-YB	XML	DAC	0 11/73	MS11-EP, 4K 18-BIT RAM, HEX, TI4030
M7848-YC	XML	DAC	0 11/73	MS11-F, 8K 16-BIT RAM, HEX, TI4030
M7848-YD	XML	DAC	0 11/73	MS11-FP, 8K 18-BIT RAM, HEX, TI4030
M7848-YE	XML	DAC	0 11/73	MS11-H, 12K 16-BIT RAM, HEX, TI4030
M7848-YF	XML	DAC	0 11/73	MS11-HP, 12K 18-BIT RAM, HEX, TI4030
M7848-YH	XML	DAC	0 11/73	MS11-J, 16K 16-BIT RAM, HEX, TI4030
M7848-YJ	XML	DAC	0 11/73	MS11-JP, 16K 18-BIT RAM, HEX, TI4030
M7849-BA	XML	DAC	1 11/73	MS11-E, 4K 16-BIT RAM, HEX, MK4096-19, FAIRCHILD 4096 OR INTEL 2104
M7849-BB	XML	DAC	1 11/73	MS11-EP, 4K 18-BIT M7849-BA
M7849-BC	XML	DAC	1 11/73	MS11-F, 8K 16-BIT M7849-BA
M7849-BD	XML	DAC	1 11/73	MS11-FP, 8K 18-BIT M7849-BA
M7849-BE	XML	DAC	1 11/73	MS11-H, 12K 16-BIT M7849-BA

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7849-BF	XML	DAC	1 11/75	MS11-HP, 12K 16-BIT M7849-BA
M7849-BH	XML	DAC	1 11/75	MS11-J, 16K 16-BIT M7849-BA
M7849-BJ	XML	DAC	1 11/75	MS11-JP, 16K 16-BIT M7849-BA
M785	11	LC	5 5/73	UNIBUS DRIVER & RECEIVER, 8 BITS, PDP-11, SINGLE X 8,5
M7850	11	PD	4 10/75	MM11-8P, MM11-CP PARITY BOARD FOR 6651, ALSO FOR MS11-EP, -FP, -HP, -JP DOUBLE 8,5
M7851	11	KA	5 3/75	DT11-M LOGIC INDICATOR DRIVER, SINGLE 5 (W968 ETCH)
M7852	FS	DSN	1 7/74	PMK03 BUFFER, HEX
M7853	11	GH	1 8/74	16K 18BIT DYNAMIC RAM (MOTOROLA/AMI MCM6605 4K CHIP) 4-LAYER HEX, RELIABILITY STUDY
M7854	11		2 10/74	TMA-11 OPI/BTE DETECTOR (OPERATION INCOMPLETE OR BAD TAPE), SINGLE 5
M7855	TE	RFB	2 6/75	UNIBUS EXERCISER, HEX
M7856	11	RBP	2 10/75	DL11-W, SLU/RTC OPTION, QUAD
M7857	11	RMS	1 10/74	DMM11-A, EIA SYNC/ASYN MONITOR
M7858	11	RMS	1 10/74	DHL11-B, QUAD
M7859	11	RBP	4 12/75	KY11-LB CONSOLE INTERFACE, QUAD
M786	11	LC	5	UNIBUS TRANS & REG, 4 REG, 16 BITS, BR, PDP-11, DOUBLE, 8,5, SEE M7866
M7860	11	LC	5 11/72	DR11-C = M786 + M105 + M7821, QUAD X 8,5 (GENERAL DEVICE INTERFACE TO 11), SEE M7866
M7861	CAT	JB	3 10/74	1K X 16 BIT RAM, QUAD
M7862		JB	3 10/74	1K X 16 BIT PROM
M7863		JB	3 10/74	MAINTENANCE MODULE
M7864	CAT	RF	2 2/75	DR11-L, 2-WORD UNIBUS INPUT INTERFACE, QUAD
M7865	CAT	RF	2 2/75	DR11-M, 2-WORD UNIBUS OUTPUT INTERFACE, QUAD
M7866	11	LC	1 11/74	DR11-C, REPLACES M786, M7860, 16 BIT PARALLEL BR INTERFACE, QUAD
M7867	11	FZ	2 9/75	DUP11-DA SDLC OR DDCMP SYNC INTERFACE, HEX
M7868	11	FZ		
M7869	CSS	RLM	1 2/75	MC11-B ARBITRATION CONTROL (REPLACES M7803-Y8)
M787	11	CA	5	KW11-K, LINE FREQUENCY INTERRUPT CLOCK
M788	11	PD	6 10/74	MR11-A CONTROL LOGIC, DOUBLE, 8,5
M789	11	PD	1 2/70	MR11-A DEVICE SELECTOR, DOUBLE, 8,5
M7892	11	RAR	4 7/73	M7292 W 8881 & 380
M790	11	PD	1 2/70	MR11-A DATA REGISTER, DOUBLE, 8,5
M7900	PERIPH	RN	1 10/74	RK611-A UNIBUS INTERFACE, HEX
M7901	PERIPH	RN	1 10/74	RK611-A REGISTERS, HEX
M7902	PERIPH	RN	1 10/74	RK611-A CONTROL, HEX
M7903	PERIPH	RN	1 10/74	RK611-A DATA, HEX
M7904	PERIPH	TFF	1 6/75	RK611 DRIVE INTERFACE, HEX
M791	11	LC	5 11/71	LA30 INTERFACE FOR PDP11, DBL X 8,5
M7910	11	LC	4 5/73	M791 + M105 + M7821, QUAD X 8,5 (PARALLEL INTERFACE BETWEEN 11 & LA30P)
M7911	PERIPH	HF	1 6/75	TMB11 TAPE CONTROL 1, HEX
M7912	PERIPH	HF	4 11/75	TMB11 TAPE CONTROL 2, QUAD
M792	11	BPF	5	32 WORD, 16 BIT ROM DIODE MATRIX, ALL DIODES IN, QUAD, 8,5, USED IN DD11
M792-YA	11	BPF	5 11/71	PAPER TAPE LOADER
M792-YB	11	BPF	5	DISK LOADER ROM
M792-YC	11	GEF	5 5/73	CARD READER BOOTSTRAP ROM
M792-YD	11/45	BPF	5 8/72	CARD 1 OF MR11-DB BOOTSTRAP LOADER
M792-YE	11/45	BPF	5 8/72	CARD 2 OF MR11-DB BOOTSTRAP LOADER
M792-YF	CPL	BALL	5 10/73	DS900 LOADER ROM
M792-YH	11	PJ	4 5/73	TA11 BOOTSTRAP LOADER
M792-YJ	CSS	LO	1 4/73	BELL SPECIAL TM11 LOADER
M792-YK	11	TM	5 3/74	VT20 BOOTSTRAP
M792-YL	11	CAY	2 6/75	RX11 FLOPPY LOADER
M7921	CSS	RLM	2 6/75	MA11-F D MUX (DATA MULTIPLEXER), 4-LAYER QUAD, STANDARD INNER LAYER
M7922	CSS	RLM	2 6/75	MA11-F A MUX (ADDRESS MULTIPLEXER), 4-LAYER QUAD, STANDARD INNER LAYER
M7923	CSS	RLM	2 6/75	MA11-F MUX CONTROL, 4-LAYER QUAD, STANDARD INNER LAYER
M7924	CSS	RLM	2 6/75	MA11-F UNIBUS INTERFACE QUAD
M7925	CSS	RLM	1 10/74	MA11-F MEM TIMING & CONTROL, QUAD, WILL REPLACE M8293-YA

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M7927	11	LC	1 10/74	INTERRUPT CONTROL, WILL REPLACE M7821, SINGLE 8,5
M7928	SSCAL	RNI	1 4/75	DVE11 SYNC SERIAL LINE XMIT/RECEIVE, AUTO RE-SYNC, DOUBLE 8,5
M7929	CSS	TO	1 8/75	MILLIKEN HIGH SPEED DATA MIRRORING, HEX
M793	11	LC	7 10/74	CONTROL FOR LINE PRINTER (LP11), DOUBLE, 8,5, SIDE M904 CONNECTOR
M793-YA	SSCAL	BE	3 3/72	CONTROL FOR DATA PRODUCTS 2440 & 2770 (FORM FEED)
M793-YB	SSCAL	OF	1 10/72	CONTROL FOR DATAMETRICS MC3000 LINE PRINTER
M7930	11	LC	5 5/73	M793 + M105 + M7821, QUAD X 8,5 (INTERFACE TO DATA PRODUCTS LINE PRINTERS)
M7930-YA	CSS	ABW	3 9/74	M7930 W ADDED ZONING & VERTICAL FORMAT
M7930-YB	CSS	PDR	3 4/75	M7930 W OUTPUTS COMPATIBLE W LPDR CONTROL
M7931	CSS	ABW	1 9/74	M7930 W ADDED DIRECT ACCESS VFU FOR LP05-VK, =WK, QUAD
M7932	SSRU	CM	3 8/75	DRS11, 48 CHANNEL OUTPUT, QUAD
M7933	SSRU	CM	3 8/75	DRS11-X, 48 CHANNEL OUTPUT CONDITIONING, QUAD
M7934	SSRU	CM	3 8/75	DSS11, 48 CHANNEL INPUT, QUAD
M7935	SSRU	CM	3 8/75	DSS11-X, 48 CHANNEL INPUT CONDITIONING, QUAD
M7936	CSS	TF	1 11/75	DV11, ORS 2 DV41 ON A TTL LEVEL & DRIVE EIA OR MIL100, HEX
M7937	CSS	KK	1 11/75	MA11-KA, PROGRAMMABLE PORT CONT FOR MA11-F, MA11-H, HEX
M794	11	VB	5	MODEM INTERFACE & CONTROL CARD (DC11-D)
M7940	11/03	MT	4 8/75	DLV11, SERIAL LINE UNIT, DOUBLE 8,5
M7941	11/03	MT	4 8/75	DRV11, 16 BIT PARALLEL LINE UNIT, DOUBLE 8,5
M7942	11/03	MT	4 8/75	MRV11-AA, 4K 16 BIT PROM, DOUBLE 8,5
M7943	11/03	MT	1 11/74	MSV11-A, 1K 16 BIT MOS RAM, DOUBLE 8,5
M7944	11/03	MT	4 8/75	MSV11-B, 4K 16 BIT MOS RAM, DOUBLE 8,5
M7945	11/03	WBE	1 2/75	MSV11-B, 4K 16-BIT TI MOS RAM, DOUBLE 8,5
M7946	11/03	MEC	1 4/75	RXV11 CONTROL, DOUBLE 8,5
M7947	11/03	HP	1 9/75	TSV11, INTERFACE, DUAL
M7948	11/03	LJP	1 10/75	LS111 BUS FOUNDATION MODULE, QUAD
M7949	11/03	OM	1 10/75	LAV11, CONTROL, DOUBLE 8,5
M795	CAT	DCR	5	WORD COUNT & CURRENT MEM ADDRESS, DOUBLE X 8,5
M7950	11/03	RF	1 11/75	DRV11-B, DMA 16-BIT PARALLEL GEN PURPOSE INTERFACE, QUAD
M7951	11/03	RF	1 11/75	DUP11-VA, SYNC INTERFACE, BIT STUFFING PROTOCOL, DUP11-DA PROG COMPATIBLE, QUAD
M796	11		5	UNIBUS MASTER CONTROL, SINGLE X 8,5, USED WITH M782
M796-YA	DAS	RCP	2 6/73	M796 W C1=6,8UF (DA28-C)
M7963	LDP	TA	1 2/75	RP11-F UNIBUS CONTROL, HEX
M7961	LDP	TA	1 2/75	RP11-F DRIVE BUS OUT, HEX
M7962	LDP	TA	1 2/75	RP11-F DATA PATH REGISTERS, HEX
M7963	LDP	TA	1 2/75	RP11-F DISK CONTROL, HEX
M7964	LDP	TA	1 2/75	RP11-F DATA REGISTERS, HEX
M7965	LDP	TA	1 2/75	RP11-F DATA SEPARATOR, DOUBLE 8,5
M797	11		5	REGISTER SELECT MODULE, SINGLE X 5, USED WITH M105
M7970	SSUK	GO	3 2/75	TMS11-W COMMAND & STATUS REGISTER, QUAD
M7971	SSUK	GO	3 2/75	DATA CONTROL & CRC LOGIC, HEX
M7972	SSUK	GO	3 2/75	TAPE MOTION CONTROL LOGIC, QUAD
M7973	SSUK	GO	3 8/75	VT30-C & =D TIMING & CSR, HEX
M7974	SSUK	GO	3 8/75	VT30-C PICTURE STORE, HEX
M7975	SSUK	GO	3 8/75	VT30-D PICTURE STORE, HEX
M7976	SSUK	GO	3 8/75	VT30-C SCRATCH PAD & CHARACTER STORE, HEX
M7977	SSUK	GO	3 8/75	VT30-D SCRATCH PAD & CHARACTER STORE, HEX
M7978	SSUK	GO	3 8/75	VT30-C & =D COLOUR CONTROL, HEX
M7979	SSUK	GO	3 8/75	VT30-C & =D UNIBUS DECODE, QUAD
M798	11		5	UNIBUS DRIVER, 16 CHANNELS, WIRED OR INPUTS, SINGLE X 5
M7980	SSCAL	HAY	1 9/75	AC/DC LO MONITOR, 8-PIN MAT=LOCK OUTPUT, OD11, DOUBLE 8,5
M7981	IPG	JFB	1 9/75	NW11, WATCHDOG TIMER, REMOTE BOOT DRIVER, CONTROL PANEL INTERFACE, HEX
M7982	PERIPH	HP	1 9/75	TS11 INTERFACE, QUAD
M7983	XNL	JCM	1 9/75	MS11-K, CONTROL, HEX
M7984	XNL	JCM	1 9/75	MS11-K, 32K X 16 MOS MEM STORAGE, HEX

MODEL NO	PROD LINF	DES ENGR	STATUS NO/YR	DESCRIPTION
M799	11	RG	5	DISPLAY CONTROL FOR AA11, DOUBLE X 8,5
M7990	11	FS	5	3/72 LAB11 COLOR CONTROL, SINGLE X 8,5
M7999	CSS	ST	3	11/71 M799 WITH ABILITY TO HANDLE A LIGHT PEN
M800	IPG	FE	5	6 RELAYS & 6 M050 DRIVERS, DOUBLE
M8000	CSS	MS	3	9/74 SOLID STATE M800, 50 MA MAX, +/- 50V, TELEDYNE 640-1 RELAYS
M8001	SSCAL	CER	3	8/75 1/C MOUNT RELAY PLUS DRIVER ON W968 ETCH, SINGLE 5
M8002	SSCAL	HAY	3	4/75 4-LINE 4-POLE DOUBLE THROW RELAY ACTIVATED SWITCH, DOUBLE 8,5
M801	IPG	RG	5	6 LATCHING RELAYS, DOUBLE, 6"
M802	IPG	FE	5	12 BIT LATCHING RELAYS FOR DD01
M802=YA	IPG	RG	7	8/71 M802 WITH JUMPERS INSTEAD OF RELAYS, DRIVES CUSTOMER RELAYS
M803	IPG	FE	5	16 BIT M802
M8030	IPG	RG	5	11/75 16 BIT LATCHING RELAYS, IRL=0A, HEX
M804	IPG	FE	5	12 BIT FLIP FLOP RELAYS FOR DD01
M805	IPG	FE	5	16 BIT M804
M8050	IPG	RG	5	8/75 16 BIT FLIP FLOP RELAYS, IRL=0B, HEX
M806	IPG	FE	5	2/74 12 BIT SINGLE SHOT RELAYS FOR DD01
M807	IPG	FE	5	16 BIT M806
M8090	IPG	RG	5	8/75 ICS11 MASTER CONTROL, HEX
M8091	IPG	NSL	2	10/74 ICS8 MASTER CONTROL, HEX
M8092	IPG	NSL	2	10/74 ICS8 FILE CONTROL, HEX
M8094	IPG	MORO	1	5/74 ICR11, REMOTE MASTER CONTROL, HEX
M8096	IPG	MORO	2	6/75 ICR11 REMOTE SLAVE CONTROL, HEX
M8098	IPG	WLA	2	10/75 ICR11 REMOTE MODEM CONTROL, 1 MEGABAUD, HEX
M8098=YA	IPG	WLA	1	1/75 56 KILOBAUD M8098
M8100	11/45	RFB	4	5/73 DAP (DATA PATH MODULE), 11/45, HEX X 8,5, 4 LAYER
M8101	11/45	RFB	4	5/73 GRA (GENERAL REGISTER ADDRESS), 11/45, 8,5 HEX, 4 LAYER
M8102	11/45	RFB	4	5/73 IRC (INSTRUCTION REGISTER CONTROL), 11/45, 8,5 HEX, 4 LAYER
M8103	11/45	RFB	4	5/73 RAC (ROM ADDRESS CONTROL), 8,5 HEX, 4 LAYER
M8103=YA	CSS	RHW	1	3/74 M8103 MODIFIED FOR VIRTUAL MACHINE EXTENSION, NEEDS M8117
M8104	11/45	RFB	4	5/73 PDR (PROCESSOR DATA & UNIBUS REGISTERS), 11/45, 8,5 HEX, 4 LAYER
M8105	11/45	RFB	5	9/74 TMC (TIMING & MISC CONTROL), 11/45, 8,5 HEX, 4 LAYER
M8106	11/45	RFB	5	1/74 UBC (UNIBUS CONTROL), 8,5 HEX, 4 LAYER (WILL BE REPLACED BY M8119)
M8107	11/45	RFB	4	5/73 SAP (SEGMENTATION ADDRESS PATHS), 8,5 HEX 4 LAYER
M8108	11/45	RFB	4	5/73 SSR (SEGMENTATION STATUS REG), 8,5 HEX 4 LAYER
M8109	11/45	RFB	5	3/74 TIC (TIMING GENERATOR), 8,5 QUAD, 4 LAYER
M8110	11/45	RFB	4	5/73 MEM CONTROL FOR MOS MEM, 8,5 HEX, 4 LAYER
M8111	11/45	RFB	4	5/73 1K X 16 BITS BIPOLAR MEMORY
M8111=YA	11/45	RFB	4	5/73 18 BIT M8111
M8112	11/45	RFB	4	5/73 FRM (FLOATING POINT ROM CONTROL) 8,5 HEX, 4 LAYER
M8113	11/45	RFB	4	5/73 FXP (FLOATING POINT EXPONENT DATA PATHS) 8,5 HEX, 4 LAYER
M8114	11/45	RFB	4	5/73 FRH (FRACTION HIGH ORDER DATA PATH) 8,5 HEX, 4 LAYER
M8115	11/45	RFB	5	9/73 FRL (FRACTION LOW ORDER DATA PATH) 8,5 HEX, 4 LAYER
M8116	11/45	RFB	4	5/73 SJB (SEGMENTATION JUMPER BOARD), 8,5 HEX, 2 SIDES
M8117	CSS	RHW	1	1/74 K8S11=A VIRTUAL MACHINE EXTENSIONS, 4 LAYER DOUBLE 8,5
M8118	CSS	RHW	1	1/74 K8S11=A UNIBUS INTERFACE FOR M8117, DOUBLE 8,5
M8119	11/45	VDR	1	10/75 UBC (11/45 UNIBUS CONTROL FOR FP11=C COMPATIBILITY), 4-LAYER HEX, REPLACES M8106
M8120	11/45	RFB	4	6/74 MEM CONTROL FOR BIPOLAR MEM, 4 LAYER HEX
M8121	11/45	VDB	1	2/75 MS11=AM 4K 16-BIT BIPOLAR MEM, SIGNETICS 82510 OR FAIRCHILD 93415 1KX1, HEX
M8121=YA	11/45	RFB	5	8/75 MS11=AP 4K 16-BIT BIPOLAR MEM, SIGNETICS 82510 OR FAIRCHILD 93415 1K X 1, HEX
M8123	11/70	AEH	1	8/75 FPP11=C, RAC (ROM & ADDRESS CONTROL), HEX
M8124	11/70	AEH	1	8/75
M8125	11/70	AEH	1	8/75
M8126	11/70	TN	1	8/75 FP11=C, FRH (FRACTION PROCESSOR=HIGH ORDER), HEX
M8127	11/70	TN	1	8/75 FP11=C, FRL (FRACTION PROCESSOR=LOW ORDER), HEX
M8128	11/70	AEH	1	8/75 FP11=C, FRM (FP ROM CONTROL), HEX

MODEL NO	PROD LINE	DES ENGR	STATUS NO/YR	DESCRIPTION
M8129	11/70	AEH	1 8/75	FP11-C, PXP (FRACTION PROCESSOR EXPONENT PATH), HEX
M8130	11/70	SJ	2 12/74	M8100 MODIFIED, DPA (DATA PATHS) 4-LAYER HEX
M8131	11/70	SJ	2 12/74	M8101 MODIFIED, GRA (GENERAL REGS & ALU CONT), 4-LAYER HEX
M8132	11/70	SJ	2 12/74	M8102 MODIFIED, IRC (IR DECODE & COND CODES), 4-LAYER HEX
M8133	11/70	SJ	2 12/74	M8103, MODIFIED, RAC (ROM & ROM CONT), 4-LAYER HEX
M8134	11/70	AEH	2 12/74	M8104 MODIFIED, PDR (PROCESSOR DATA & UNIBUS REGS) 4-LAYER HEX
M8135	11/70	AEH	2 12/74	M8105 MODIFIED, TMC (TRAP & MSC CONTROL) 4-LAYER HEX
M8136	11/70	AEH	2 12/74	M8106 MODIFIED, UBC (UNIBUS & CONSOLE CONT) 4-LAYER HEX
M8137	11/70	SAS	4 10/75	M8107 MODIFIED, SAP (SYSTEM ADDRESS PATH) 4-LAYER HEX
M8138	11/70	SAS	2 12/74	M8108 MODIFIED, SSR (SEGMENTATION STATUS REG) 4-LAYER HEX (USED W FP11-B)
M8138-YA	11/70	AEH	1 11/75	SSR (SEGMENTATION STATUS REG) 4-LAYER HEX (USED W FP11-C)
M8139	11/70	AEH	2 12/74	M8109 MODIFIED, TIG (TIMING GENERATOR) 4-LAYER QUAD
M8140	11/70	SAS	2 12/74	SCC (SEGMENTATION & CONSOLE CONT) 4-LAYER HEX
M8141	11/70	SAS	2 12/74	MAP (MAPPING BOX) 4-LAYER HEX
M8142	11/70	AEH	2 12/74	CACHE CCB (CACHE CONTROL BOARD) 4-LAYER HEX
M8143	11/70	AEH	2 12/74	CACHE ADM (ADDRESS MEMORY BOARD) 4-LAYER HEX
M8144	11/70	AEH	2 12/74	CACHE DTM (DATA MEMORY), 4-LAYER HEX
M8145	11/70	AEH	2 12/74	CACHE CDP (CACHE DATA PATH) 4-LAYER HEX
M8148	11/70	TN	2 12/74	MCT (MEMORY CONTROL & TIMING) 4-LAYER HEX
M8149	11/70	TN	2 12/74	MXR (MEMORY TRANSCIEVER CARD) 4-LAYER HEX
M8150	11/70	SJ	4 10/75	RH70 MASSBUS DATA PATH, 4 LAYER HEX
M8151	11/70	SJ	2 12/74	RH70 CST (CONTROL & STATUS), 4 LAYER HEX
M8152	11/70	SJ	2 12/74	RH70 AWR (ADDRESS & WORD COUNT REGS), QUAD
M8153	11/70	SJ	2 12/74	RH70 BCT (UNIBUS CONTROL), QUAD
M8198	11/45	DI	1 11/71	FID (FLOATING INTERFACE DATA PATH), HEX 8,5, 2 SIDES
M8199	11/45	DI	1 11/71	FIC (FLOATING INTERFACE CONTROL), HEX X 8,5, 2 SIDES
M820	11/20	JO	5	DATA PATHS CONTROL, KA11, QUAD, 8,5
M820-JA	11/20	JO	1	7/72 SYSTEM-TESTED M820
M8203	COM	RL	1	11/74 DMC11 MICRO CONTROLLER, SPACE FOR ROM, HEX
M8200-YA	COM	RL	1	8/75 DMC11 MICROPROCESSOR W DDCMP CONTROL ROM (POINT TO POINT)
M8200-YB	COM	RL	1	8/75 DMC11 MICROPROCESSOR W SDC CONTROL ROM (POINT TO POINT OR MULTIPPOINT SLAVE)
M8201	COM	RMS	1	11/74 DMC11 EIA & V39 LINE UNIT NOTCHED HEX
M8202-YA	COM	RMS	1	11/74 DMC11 1 MBAUD INTEGRAL MODEM, LINE UNIT NOTCHED HEX
M8202-YB	COM	RMS	1	6/75 DMC11 500K BAUD INTEGRAL MODEM LINE UNIT, NOTCHED HEX
M8202-YC	COM	RMS	1	6/75 DMC11 230,8K BAUD INTEGRAL MODEM LINE UNIT, NOTCHED HEX
M8202-YD	COM	RMS	1	6/75 DMC11 56K BAUD INTEGRAL MODEM LINE UNIT, NOTCHED HEX
M8203	COM	RL	1	11/74 DMC11 LINE UNIT #3, NOTCHED HEX
M8204	COM	RL	1	11/74 DMC11 LINE UNIT #4, NOTCHED HEX
M821	11/20	JO	5	MEMORY CONTROL, KA11, DOUBLE, 8,5
M821-JA	11/20	JO	1	7/72 SYSTEM-TESTED M821
M8210	UNICORN	LBH	0	12/75
M8215	UNICORN	SJ	0	12/75 UNICORN BYTE SHIFTER (BYT), DEEP HEX
M822	11/20	JO	5	FLAG CONTROL, KA11, DOUBLE, 8,5
M822-JA	11/20	JO	1	7/72 SYSTEM-TESTED M822
M822-YA	11/20	JO	5	5/73 M822 FOR KH11-A
M823	11/20	JO	5	5/73 CODES, DATA, PDP=11, SINGLE, 8,5
M823-JA	11/20	JO	1	7/72 SYSTEM-TESTED M823
M824	11/20	JO	5	PRIORITY, KA11, DOUBLE, 8,5
M824-JA	11/20	JO	1	7/71 SYSTEM-TESTED M824
M824-YA	11/20	JO	5	5/73 M824 FOR KH11-A
M825	11/20	JO	5	POWER FAIL, SINGLE, 8,5
M825-JA	11/20	JO	1	7/72 SYSTEM-TESTED M825
M825-YA	11/20	JO	5	5/73 M825 FOR KH11-A
M8251	11/20	JO	5	5/73 NPR EXPANSION, KH11-A
M826	11	RD	5	75 TO 250 NS CLOCK WITH SR, (B PHASE CLOCK), SINGLE X 8,5

MODEL NO	PROD LINE	DES ENGH	STATUS MO/YR	DESCRIPTION
M827	11	SR	5	CLOCK & STATES, KE11=A, QUAD, 8,5
M828	11	CA	5 11/71	KY11=B CONSOLE BOARD, DOUBLE, 8,5
M8290	11	DV	5 5/73	CONSOLE INTERFACE FOR 11R20, KY11=E,=F, QUAD X 8,5
M829	11	KK	5 11/71	CARD READER CONTROL, DOUBLE X 8,5, FOR CR11 & CM11
M8290	11	DJD	5 5/73	M829 + M105 + M7921, QUAD X 8,5
M8290=YA	GSS	NSR	3 9/74	M8290 W FILTER ON INPUT STORAGE LINE FOR USE WITH EMI CABLE
M8291	11	LC	5 11/75	CR11, CM11 CONTROL, USED IN DU11, QUAD
M8293	11	DWS	5 9/75	M7293 W NO 8838'S
M8293=JA	XML	EJS	3 6/75	SYSTEM TESTED & BURNED IN M8293
M8293=YA	GSS	RLH	5 9/75	MA11=F MODIFICATION, WILL BE REPLACED BY M7925
M8294	11	PDL	2 11/75	32K TIMING & UNIBUS INTERFACE, MM11=W, =WP, QUAD
M830	8/E	LK	6 7/71	MAJOR REGISTER FOR KK8=E
M8300	8/E	GHL	5	MAJOR REGISTER FOR KK8=E, REPLACES M830 WHEN USED WITH M8310, QUAD
M8301	8/E	LK	1 7/72	8/E INDEX REGISTER OPTION, QUAD 8,5 WIRE WRAPPED
M8302	8/E	AEM	4 5/73	LV01 CONT, LV8, QUAD 8,5
M8303	8/E	LN	1 9/72	VT8=E MUX, USED WITH M8335=7, QUAD 8,5
M8304	8/E	RBR	1 11/72	INTEGRAL MODEM (113A EQUIVALENT), DF8=BA, QUAD 8,5
M8305	8/E	RBR	1 11/72	INTEGRAL MODEM (113B EQUIVALENT), DF8=BB, QUAD 8,5
M8305	8/E	VDR	2 5/73	SMC01 INTERFACE, QUAD 8,5
M8307	16	MWS	1 1/73	PROM SIMULATOR/LOADER CONTROL, LOADS M7327
M8308	LVP	BM	3 5/74	COORDINATE MEASURING SYSTEM INTERFACE, QUAD
M8309	LDP	ACF	0 2/75	DK8=AP PROGRAMMABLE REAL TIME CLOCK W 3 SCHMITTS, QUAD
M831	8/E	LK	6 6/71	REGISTER CONTROL FOR KK8=E
M8310	8/E	GHL	5	REGISTER CONTROL FOR KK8=E, REPLACES M831 WHEN USED WITH M8300, QUAD
M8311=YA	8/A	JK	4 9/74	1K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AA), USING 2102
M8311=YB	8/A	JK	4 9/74	2K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AB), USING 2102
M8311=YC	8/A	JK	4 9/74	3K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AC), USING 2102
M8311=YD	8/A	JK	4 9/74	4K X 12 MOS RAM W ROM INTERFACE, QUAD (MS8-AD), USING 2102
M8311=YE	8/A	JK	4 9/74	FASTER M8311=YA (MS8-AE), USING 2102-1
M8311=YF	8/A	JK	4 9/74	FASTER M8311=YB (MS8-AF), USING 2102-1
M8311=YH	8/A	JK	4 9/74	FASTER M8311=YC (MS8-AH), USING 2102-1
M8311=YJ	8/A	JK	4 9/74	FASTER M8311=YD (MS8-AJ), USING 2102-1
M8312=YA	8/A	RBR	4 9/74	1K ROM, MR8-AA, QUAD
M8312=YB	8/A	RBR	4 9/74	2K ROM, MR8-AB, QUAD
M8312=YC	8/A	RBR	4 9/74	3K ROM, MR8-AC, QUAD
M8312=YD	8/A	RBR	4 9/74	4K ROM, MR8-AD, QUAD
M8313=YA	8/A	GH	1 11/74	4K RAM, MS8=BA, MOSTEK 4096-P, HEX
M8313=YB	8/A	GH	1 11/74	8K RAM, MS8=BB, MOSTEK 4096-P, HEX
M8313=YC	8/A	GH	1 11/74	16K RAM, MS8=BC, MOSTEK 4096-P, HEX
M8314=YA	8/A	GH	1 8/75	MS8=BA, 4K RAM, TMS4051, HEX
M8314=YB	8/A	GH	1 8/75	MS8=BB, 8K RAM, TMS4051, HEX
M8314=YC	8/A	GH	1 8/75	MS8=BC, 16K RAM, TMS4051, HEX
M8315	8/A	LK	5 9/75	1 HEX BOARD OMNIBUS CPU, 8/E INSTRUCTION SET
M8316	8/A	LN	5 9/75	OPTION BOARD #1, SLU, XTAL CLOCK, GP PARALLEL INTERFACE, FRONT PANEL CONTROL, DKC8=AA, HEX
M8317	8/A	LN	5 9/75	OPTION BOARD #2, MEM EXT & TIME SHARE CONT, BOOTSTRAP, PWR FAIL START, HEX (KMB=AA)
M8317=YA	8/A	LN	2 6/74	M8317 W BOOTSTRAP ROMS REMOVED (KMB=AB)
M8318	8/A	LK	4 4/75	OMNIBUS DIODE CLAMPS
M8319	8/A	LN	5 11/75	KLB=A, 4 CH DBL BUF ASYNC SERIAL CONT 110 TO 9600 BAUD, 20MA OR EIA
M832	8/E	JK	6 2/72	LOAD RESISTORS FOR BUS, 8/E
M8320	8/E	GHL	5	BUS LOADS FOR 8/E, REPLACES M832, QUAD
M8320=YA	8/E	EB	3 9/74	MODIFIED M8320 FOR 8/E XOR
M8321	8/E	GHL	5 1/74	TM8=E OUTPUT CONTROL
M8322	8/E	GHL	5 3/74	TM8=E CONTROL & BREAK
M8323	8/E	GHL	5 9/74	TM8=E TRANSPORT STATUS CONTROL
M8324	8/E		1 3/74	KC8=JA DATA PATHS, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8325	8/E		1 3/74	KCB=JA CONTROLS, QUAD
M8326	8/E	LN	5 1/72	INTERPROCESSOR BUFFER, 8/E TO 8/E, UP TO 8 PER COMPUTER, QUAD
M8326=YA	8/E	TP	4 9/75	M8326 MODIFIED FOR G8016-TA
M8326=YB	8/E	TP	4 9/75	M8326 MODIFIED FOR G8016-TA
M8327	8/E	GHL	5 9/73	TMB=E REGISTERS
M8328	TPL	SG	5	BUF MEM CLAMP LOADS, SWITCHES & INDICATORS (3M8=L), QUAD
M8328=YA	TPL	JDL	5 11/75	M8328 DEPOPULATED FOR BMB12-I
M8329	8/E	JK	6 10/74	LCS=E PARALLEL INTERFACE TO LA30=P, 8,5 X QUAD
M833	8/E	GHL	6 2/72	TIMING GEN FOR KKB=E
M8332	8/F	GHL	5 5/73	IMPROVED M833 (SEE M8347), QUAD
M8332=YA	8/E	EB	3 9/74	MODIFIED M833 FOR 8/E XOR
M8332=YB	8/E	LN	5 3/75	TIMING GENERATOR FOR KKB=E, ECO'S 6 & 7
M8331	8/E	LN	5 2/74	CASSETTE CONTROL (TAB/E), QUAD
M8332	14	AR	5 11/72	DC14=B CONTROL (USED WITH UP TO 12 M8333'S), QUAD X 8,5, PLUG INTO OMNIBUS
M8333	14	AR	5 1/73	DC14=C ASYNC 14 BIT ERROR CORR, XMIT & RECEIVE, 8,5 X QUAD, PLUG INTO OMNIBUS
M8334	14	AR	5 11/72	DC14=D CONTROL (USED WITH UP TO 12 M8333'S), UNIBUS COMPATIBLE, QUAD X 8,5
M8335	8/E	PK	5 5/73	VT8=E KEYBOARD PRINTER CONTROL, QUAD 8,5
M8336	8/F	PK	5 1/74	VT8=E FREQUENCY DIVIDER, QUAD 8,5
M8337	8/E	PK	5 6/74	VT8=E LINE BUFFER, QUAD 8,5
M8338	SSMU	WE	3 2/72	8/E INTERFACE TO FACIT 4001 & 4003 PAPER TAPE READER
M8339	SSMU	WE	3 2/72	8/E INTERFACE TO FACIT 4000 & 4001 PAPER TAPE PUNCH
M8340	8/E	GHL	5 8/72	EAE INSTRUCTION DECODER, QUAD
M8341	8/E	GHL	5 11/72	EAE REGISTER CONTROL, QUAD
M8342	8/E	JK	5 10/73	LS8=E PARALLEL CONT= WILL REPLACE M8329
M8343	8/E	DA	1 3/72	RC8/E BOARD 1 QUAD 8,5
M8344	8/E	DA	1 3/72	RC8/E BOARD 2 QUAD 8,5
M8345	8/E	DA	1 3/72	RC8/E BOARD 3 QUAD 8,5
M8346	8/E	DA	1 3/72	RC8/E BOARD 4 QUAD 8,5
M8347	8/F	BT	7 9/73	TIMING GENERATOR FOR 8/E W STOP CLOCK INPUT, CAN REPLACE M8330, QUAD 8,5 (KMB=F) (ECO'D INTO M8330)
M8349	8/E	DA	5 5/74	1K 12 BIT PROM & CONT + 256 WORDS R/W, (INTEL 1702 REPROGRAMMABLE ROM), NEEDS +5V & -15V, QUAD 8,5
M8349=YA	8/E	DA	3 5/74	M8349 WITH ONLY 256 WORDS OF PROM
M8349=YC	8/E	DA	3 5/74	M8349 W 1K 12-BIT PROM ONLY
M8349=YD	8/E	DA	3 5/74	M8349 W 512 12-BIT PROM ONLY
M8349=YE	14	AR	5 9/74	M8349 WITH ONLY 1K 12 BIT PROM & NO SWITCH START LOGIC
M835	8/E	LK	6 8/71	POSITIVE BUS INTERFACE CARD FOR PDP8-E
M8350	8/E	LT	5 11/71	FASTER M835, REPLACES M835, QUAD
M8350=YA	QC	DD	5 8/72	M8350 MODIFIED FOR TERRADYNE IC TESTER.
M8351	8/E	GHL	3 2/75	MASS BUS INTERFACE, CARD 1
M8352	8/E	GHL	3 2/75	MASS BUS INTERFACE, CARD 2
M8353	8/E	GHL	3 2/75	MASS BUS INTERFACE, CARD 3
M8354	8/E	GHL	3 2/75	MASS BUS INTERFACE, CARD 4
M8355	8/E	RI	2 10/73	MARS (MAJOR ACTIVE REGISTERS & STATUS BITS) PANEL DRIVER, QUAD
M8356	8/E	RI	5 3/74	KEY OPTION; MATCHES KEYS TO MEM ADDRESS REGISTER & HALTS, QUAD
M8357	8/E	DRP	4 9/75	RX01 OMNIBUS INTERFACE
M8358	TYP	RHF	1 7/74	M88=E 8/E MEMORY BANK CONT, QUAD
M8359	CSS	ABW	1 7/74	LCS8=A CONTROL, QUAD
M836	8/E	LK	6 8/71	DATA BREAK BUS INTERFACE CARD FOR PDP8-E
M8360	8/E	LT	5	FASTER M836, REPLACES M836, QUAD
M8361	OF	SSCAN	3 9/74	CSC8=A INTERFACE, QUAD, SEE M7829
M8362	LDP	ACP	3 2/75	VCS=A DUAL 10-BIT DACS W SCOPE CONT, QUAD
M8363	CAT	LAU	2 2/75	ONE 12-BIT WORD OUTPUT, QUAD
M8364	CAT	LAU	1 1/75	TWO 12-BIT WORD INPUT, QUAD
M8365	8/E	TP	1 8/75	LCS=P, CONTROL FOR LA180, QUAD
M8366	8/E	DRR	1 8/75	LPP8=E LPP01 CONTROL, QUAD
M8368	PERIPH	HF	1 9/75	TS8=E INTERFACE, QUAD

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M837	8/E	LN	5	MEMORY EXTENSION CONTROL FOR POP8-E, ALSO TIME SHARE
M8373	8/B	LK	1 7/73	CP BOARD, HEX
M838	8/E	RBR	7 11/70	ASYNCHRONOUS CONTROL FOR DT8-E
M839	8/E	RBR	5 11/72	SYNC MODE INTERFACE CARD FOR DP8-E
M840	8/E	LN	5 1/72	PC04-BL & PC04-BM CONTROL (PC8-E, PC8-EA)
M840-YA	8/E	KQ	3 5/73	M840 MODIFIED TO DRIVE PR68
M8401	8/E	CRB	1 9/70	PR68-D INTERFACE TO OMNIRUS, DOUBLE X 8.5, FOR PDP11-MA
M841	8/E	LN	5	LE8-C, DATA PRODUCTS LINE PRINTER CONTROL, LP8-E
M8410	8/A	WH	1 1/73	FPP8-A CONTROL, HEX
M8411	8/A	WH	1 1/73	FPP8-A DATA PATH, HEX
M8412	8/A	WH		
M8413	8/A	JK	2 9/73	VK8-A CONTROL BOARD, HEX
M8414	8/A620	WLD	1 9/73	KK8-B TIMING BOARD, QUAD
M842	8/E	LN	5	XY PLOTTER CONTROL
M8420	SSMU	HK	2 6/73	CONTROL FOR QALCOMP 936, XY8-F, QUAD
M843	8/E	LT	5 11/71	GD1 CARD READER CONTROL
M843-YA	CSS	MB	2 7/71	M843 WITH DEVICE CODE OF 33 & 37
M8430	CSS	FSM	2 8/73	WATCH DOG TIMER, RELAY & TTL OUTPUT, QUAD
M8441	CSS	CC	1 6/73	DR70 CONTROL BOARD, HEX
M8432	CSS	CC	1 6/73	DR70 TEST CONNECTOR, QUAD
M844	8/E	ADL	7	TIMING & CONTROL FOR V88-E
M845	8/E	ADL	7 3/71	CHARACTER GENERATOR FOR VA8-E
M846	8/E		1 1/70	PUSH DOWN LIST CONTROL, KH8-E
M847	8/E	LT	5 8/72	ROM, M18-E, ALL DIODES IN
M847-YA	8/E	LT	5 8/72	ROM FOR M18-EA HIGH/LOW SPEED PAPER TAPE RIM
M847-YC	8/E	LT	5 8/72	ROM FOR M18-EG, TC08 BOOTSTRAP
M847-YD	8/E	LT	5 8/72	ROM FOR M18-ED, RK8 BOOTSTRAP
M847-YE	8/E	LT	5 8/72	ROM FOR M18-EE TYPESET RIM LOADER
M847-YF	8/E	LT	5 8/72	ROM FOR M18-EF, EDU SYSTEM BOOTSTRAP, LOW SPEED
M847-YG	8/E	LT	5 8/72	ROM FOR M18-EG, EDU SYSTEM BOOTSTRAP, HIGH SPEED
M847-YH	8/E	LT	5 3/72	T08-E BOOTSTRAP (M18-EH)
M847-YJ	8/E	NR	5 7/73	RK8/E BOOTSTRAP (M18-EJ)
M847-YK	10	KE	5 6/73	CR8 BOOTSTRAP FOR DC72
M847-YL	8/E	LT	5 9/73	TU00 BOOTSTRAP (M18-EL)
M847-YM	TYP	JDL	5 9/73	TYPESET DECTAPE BOOTSTRAP
M847-YN	TYP	JDL	1 2/74	TYPESET RK8/E BOOTSTRAP
M847-YP	8/E	LN	1 6/73	RX01 BOOTSTRAP
M848	8/E	LN	5	POWER FAIL DETECT & AUTO RESTART, 8-E, QUAD
M8480	8/E	LN	6 9/72	IMPROVED M848, USED ONLY WITH M8330
M849	8/E	ADL	5	RPI SHIELD, 8-E, QUAD
M850	8	WH	5	EIA FULL DUPLEX LEVEL CONVERTER, M076 PINS, PIV K MUST BE -15V
M8501	CSS	DH	1 9/71	TELEX INVERTER, DBL X 8.5 (M941)
M8502	CSS	DH	1 9/71	TELEX DIALER, QUAD X 8.5 (M940)
M8503	CSS	JTN	2 11/71	DP11/DMA CONTROL CARD, QUAD X 8.5, WIRE WRAPPED
M8504	CSS	JTN	2 11/71	DQS11-A REGISTER CARD, QUAD X 8.5, WIRE WRAPPED
M8505	CSS	JTN	1 6/72	DQS11-D REGISTER CARD, QUAD 8.5, WIRE WRAPPED
M8506	CSS	JTN	1 6/72	DQS11 CONTROL CARD, QUAD 8.5, WIRE WRAPPED
M8507	CSS	CV	3 5/74	READER INTERFACE & CONTROL (3 PORT ASYNC MUX), RT90, QUAD 8.5
M8508	CSS	CV	3 3/74	KEYBOARD ENCODER MODULE, DOUBLE 8.5
M8509	CSS	CV	4 6/74	INDICATOR MOD, 24 LIGHTS ON 1 1/16" CENTERS, 12.6V CT
M851	IPG	FE	5	BUS RECEIVER & 8 BIT ADDRESS DECODER FOR D002
M8510	KL10	RE	4 9/73	SHIFT MATRIX, 4 LAYER HEX 8.5
M8511	KL10	RE	4 9/73	CONTROL ROM ADDRESS, 4 LAYER HEX
M8512	KL10	RE	4 9/73	DATA PATH BOARD, 4 LAYER HEX 8.5
M8513	KL10	KO	5 9/73	CACHE CONTROL, 4 LAYER HEX

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8514	KL10	KO	4 9/75	CACHE ADDRESS, 4 LAYER HEX 8,5
M8515	KL10	PMG	5 9/75	CACHE EXTENSION, 4 LAYER HEX 8,5
M8516	KL10	SNZ	5 9/75	ECL/TTL TRANSLATOR, 4 LAYER HEX 8,5
M8517	KL10	KO	4 9/75	MEMORY BUFFER, 4 LAYER HEX
M8518	KL10	PMG	5 9/75	PHYSICAL MEMORY ADDRESS MODULE, 4 LAYER HEX
M8519	KL10	SNZ	4 9/75	INTERNAL MEM BUS TRANSLATOR (S BUS), 4 LAYER HEX
M8520	KL10	KO	5 9/75	PAGING BOARD, 4 LAYER HEX
M8521	KL10	PMG	4 9/75	CACHE DATA, 4 LAYER HEX
M8522	KL10	RE	4 9/75	IR, D RAM & CARRY, 4 LAYER HEX
M8523	KL10	RE	4 9/75	VIRTUAL MEMORY ADDRESS, 4 LAYER HEX
M8524	KL10	RE	5 9/75	SCAD, PC13-17, PC FLAGS, 4 LAYER HEX
M8525	KL10	RE	5 9/75	CONTROL REGISTER, 4 LAYER HEX
M8526	KL10	RE	5 9/75	CLOCK CONTROL, 4 LAYER HEX
M8527	KL10	RE	5 9/75	E BOX CONTROL LOGIC, 4 LAYER HEX
M8528	KL10	RE	4 9/75	CONTROL RAM, 4 LAYER HEX
M8529	KL10	KO	5 9/75	M BOX CONTROL LOGIC, 4 LAYER HEX
M8530	KL10	RE	5 9/75	E BOX MEMORY CONTROL, 4 LAYER HEX
M8531	KL10	KO	5 9/75	M BOX CONTROL 3, 4 LAYER HEX
M8532	KL10	RB	5 9/75	PRIORITY INTERRUPT, E BUS INTERFACE 4 LAYER HEX
M8533	KL10	KU	2 2/75	CHANNEL CONTROL, 4 LAYER HEX
M8534	KL10	KU	4 9/75	CHANNEL CONTROL WORD, 4 LAYER HEX
M8535	KL10	KU	4 9/75	CHANNEL RAM CONTROL, 4 LAYER HEX
M8536	KL10	KU	4 9/75	CHANNEL CONTROL LOGIC 4 LAYER HEX
M8537	KL10	PMG	5 9/75	M BOX CONTROL #4, 4 LAYER HEX
M8538	KL10	JSL	5 9/75	MTR (METER), 4 LAYER HEX
M8539	KL10	RE	5 9/75	APR (ARITHMETIC PROCESS REGISTER), 4 LAYER HEX
M8540	KL10	RE	1 8/75	M8510 W EXTENDED ADDRESSING
M8541	KL10	RE	1 8/75	M8511 W EXTENDED ADDRESSING
M8542	KL10	RE	1 8/75	M8523 W EXTENDED ADDRESSING
M8543	KL10	RE	1 8/75	M8527 W EXTENDED ADDRESSING
M8544	KL10	RE	1 8/75	M8530 W EXTENDED ADDRESSING
M8545	KL10	RE	1 8/75	M8539 W EXTENDED ADDRESSING
M8546	KL10	RE	1 12/75	M8546 W EXTENDED ADDRESSING, E BOX CONTROL #2, HEX
M8548	KL10	TWE	1 8/75	M8528 W EXTENDED ADDRESSING
M8549	KL10	JDA	4 9/75	UNIVERSAL SUBSTITUTE BOARD, 4 LAYER HEX
M8549-YA	KL10	JDA	5 9/75	CHANNEL CONTROL SUBSTITUTE
M8549-YB	KL10	JDA	4 9/75	CHANNEL CONTROL WORD SUBSTITUTE
M8549-YC	KL10	JDA	1 9/74	CHANNEL RAM CONTROL SUBSTITUTE
M8549-YD	KL10	JDA	5 9/75	CHANNEL CONTROL LOGIC SUBSTITUTE
M8549-YE	KL10	JDA	4 9/75	CACHE ADDRESS SUBSTITUTE
M8549-YF	KL10	JDA	4 9/75	CACHE EXTENSION SUBSTITUTE
M8549-YH	KL10	JDA	4 9/75	CACHE DATA SUBSTITUTE
M8550	KL10	KU	4 9/75	DATA PATH BOARD FOR KI10 I/O ADAPTER, HEX 8,5
M8551	KL10	KU	4 9/75	CONTROL BOARD FOR KI10 I/O ADAPTER, 4 LAYER (STND INNER LAYERS) HEX 8,5
M8552	KL10	RB	5 9/75	10/11 DATA PATH, 4 LAYER HEX 8,5
M8553	KL10	RB	5 9/75	10/11 BUS & DATA CONTROL, 4 LAYER HEX 8,5
M8554	KL10	RB	5 9/75	10/11 BUS & DATA CONTROL EXTENSION, 4 LAYER DOUBLE 8,5
M8555	KL10	XU	4 9/75	E BUS INTERFACE, 4 LAYER HEX 8,5
M8556	KL10	KU	5 9/75	MASS BUS DATA PATH, 4 LAYER HEX 8,5
M8557	KL10	KU	4 9/75	MASS BUS CONTROL, 4 LAYER HEX
M8558	KL10	DHL	5 9/75	KI MEMORY BUS ADAPTER, 4 LAYER HEX, STND INNER LAYER
M8559	KL10	SNZ	2 8/74	CLOCK DISTRIBUTION, 4 LAYER HEX
M8560	KL10	RB	5 9/75	DMA 20 BOARD 1, 4 LAYER HEX
M8561	KL10	SU	5 9/75	MA20 CONTROL, 4 LAYER HEX
M8562	KL10	SU	5 9/75	MA20 TIMING, DOUBLE 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8563	KL10	BB	4 9/75	DMA20 BOARD 2, 4 LAYER HEX
M8564	KL10	BB	4 9/75	DTE 20 INTERRUPT JUMPER (PDP11 TO KL10 INTERFACE)
M8572	KL10	SMZ	1	
M8573	KL10	SMZ		
M8574	KL10	SMZ		
M8575	KL10	SMZ		
M8576	KL10	SMZ		
M8577	KL10	SMZ		
M8578	KL10	SMZ		
M8579	KL10	SMZ	1 6/75	ME20 MDS RAM BOARD
M8580	KL10	SMZ	1	
M8581	KL10	SMZ	1	
M8582	KL10	SMZ	1	
M8583	KL10	SMZ	1	
M8584	KL10	SMZ	1	
M8585	KL10	TK	2 8/75	LP20 TRANSLATION RAM, QUAD
M8586	11	TK	2 8/75	LP20 CONTROL, 4-LAYER HEX
M8587	11	TK	2 8/75	LP20 DATA PATH, 4-LAYER HEX
M8588	10	CHIN	5 11/75	MG10 PARITY CHECK, 4 LAYER DOUBLE 8,5
M8589	10	CHIN	5 9/75	MG10 CYCLE TIMING, 4-LAYER DOUBLE 8,5
M8590	10	CHIN	5 9/75	MG10 PRIORITY CONTROL, 4-LAYER DOUBLE 8,5
M8591	10	CHIN	5 11/75	MG10 ADDRESS RECEIVER, 4-LAYER DOUBLE 8,5
M8592	10	CHIN	5 11/75	MG10 PORT ADDRESS, 4-LAYER DOUBLE 8,5
M8593	10	CHIN	5 11/75	MG10 DATA REGISTER, 4 LAYER DOUBLE 8,5
M8593=YA	10	CHIN	5 11/75	MG10 ADDRESS REGISTER
M8594	10	CHIN	5 11/75	MG10 DATA TRANSCEIVER, 4 LAYER DOUBLE 8,5
M8595	10	RQR	5 9/75	DX10 MEMORY BUS INTERFACE, 4 LAYER HEX
M8596	10	RQR	5 9/75	DX10 CHANNEL BUS INTERFACE, 4 LAYER HEX
M8597	10	RQR	5 9/75	DX10 PDP8 INTERFACE, 4 LAYER HEX
M8598	10	RQR	5 9/75	DX10 I/O & MEMORY CONTROL, 4 LAYER HEX
M8599	10	RQR	5 9/75	DX10 BYTE ASSEMBLY LOGIC, 4 LAYER HEX
M860	8/E	LN	5 6/73	REAL TIME CLOCK, DKB=EF, 8=E, QUAD
M861	8/E	WC	0 12/74	256 WORD R/W, 8=E, QUAD, DRIVERS, DECODE
M8610	8/E	WC	0 12/74	256 WORD STACK BOARD
M8611	8/E	WC	0 12/74	M8610 WITH CORE STACK ATTACHED
M862	8/E	WC	0 12/74	256 WORD R/W SENSE, INHIBIT, & DATA REGISTER, 8/E, QUAD
M863	8/E	AW	5 2/72	12 CH DIGITAL I/O (DR8=EA)
M864	8/E	ADL	7 9/73	MULTIPLEX INTERFACE FOR VSB=E
M865	8/E	RBR	7 9/73	CONSOLE TELETYPE CONTROL, 110 BAUD, KLB=E, QUAD X 8,5
M865=YA	8/E	RBR	1 8/70	150 BAUD, KLB=EB
M865=YB	8/E	RBR	1 3/71	300 BAUD M865
M865=YC	FS	EB	1 6/72	M865 FOR PMK02 CASSETTE
M8650	8/E	RBR	5	REPLACEMENT FOR M865, QUAD X 8,5
M8650=YA	8/E	RBR	5 12/71	REPLACEMENT FOR M865-YA
M8650=YB	FS	EB	1 9/72	TTY CONTROL, PMK02=B
M8651	CSS	BV	3 4/71	CONSOLE TTY CONTROL, DIF DEVICE CODE FOR TTY (40 & 41)
M8652	8/E	RBR	5 2/74	DOUBLE BUFFERED ASYNCH DATA CONTROL, QUAD X 8,5, KLB=FA, 110 BAUD
M8652=YA	8/E	RBR	4 5/73	M8652 150 BAUD, KLB=FB THRU -FG
M8652=YB	8/E	RBR	4 5/73	M8652 134,5 BAUD, KLB=FD
M8652=YC	8/E	RBR	4 5/73	M8652 (14,746 MHZ CRYSTAL), KLB=FJ
M8652=YD	CSS	WE	3 12/71	M8652 WITH 13,107 MHZ CRYSTAL (FOR 100 BAUD)
M8652=YE	TPL	MI	1 6/73	M8652, 4800 BAUD, KLB=FL, COMMUNICATES W DL11=C
M8652=YF	SSCAN	AAM	2 8/74	M8652-YA MODIFIED FOR DRIVING LONG LINES
M8652=YH	SSCAN	PCO	3 12/74	M8652 FOR 75 BAUD
M8653	8/E	RBR	4 2/74	MODEM CONTROL, KLB=M

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M8655	8/E	RBR	4 2/74	KL8-J, QUAD, 110 TO 9600 BAUD CONT, 20 MA & EIA
M8655-YA	TPL	JG	4 4/75	M8655 W 4,435 MHZ XTAL FOR 1050 BAUD
M8655-YB	TPL	JG	4 4/75	M8655 W 3,0735 MHZ XTAL FOR 60,6 BAUD
M8655-YC	TPL	JG	4 4/75	M8655 W 2,421 MHZ XTAL FOR 56,80 BAUD
M8656	TPL	SG	2 10/75	VT21 LK05 TO 0 BUS INTERFACE
M8657	TPL	SG	2 10/75	VT21 CONTROL MOD
M8658	TPL	SG	2 10/75	VT21 VIDEO MOD
M866	8/E	RBR	5 5/73	EIA LEVEL CONVERTERS FOR M839 (DP8-E)
M867	8/E	OF	7 5/73	INCREMENTAL TAPE CONTROL (TR8-EA)
M868	8/E	DA	5 1/72	DECTAPE CONTROL, SIMPLE, (T08-EA)
M869	8/E	AG	5 11/71	POINT PLOTTING SCOPE CONTROL SECTION 1, (VC8-E), QUAD X 8,5
M869-YA	CSS	MS	1 7/72	MODIFICATION FOR HP130C SCOPE (10 USEC INTENSIFY PULSE)
M870	12	SNT	5 5/73	IMPLEMENTS SIMPLE CLOCK IN PDP12
M871	12		1 10/70	2 16 BIT REGISTERS, 1 4 BCD FOR BINARY-BCD-BINARY CONV, NEEDS M872, DOUBLE X 5
M872	12		1 10/70	CONTROL FOR M871
M873	11	DR	5 6/74	UNIBUS RESTART W SPACE FOR 4 HOMS, EA 256X4, QUAD
M873-SA	CSS	ERS	3 8/75	WECO-CMS 1A
M873-SB	CSS	ERS	3 8/75	WESTERN UNION TRY
M873-SC	CSS	BLR	3 11/75	WECO-SEDM
M873-SD	CSS	BLR	3 11/75	GENERAL ELECTRIC
M873-SE	CSS	ERS	3 11/75	DQ11 DECNET LOADER + RK, RX, TMA11 BOOTS
M873-SF	CSS	ERS	3 11/75	DA11-BD DECNET LOADER
M873-SG	CSS	ERS	3 11/75	BM873-YA + CR11 LOADER
M873-SH	CSS	ERS	1 11/75	BM873-YA + DL11-E + DECNET LOADER
M873-WA	OAS	PSD	3 8/75	DN80 REMOTE STATION SERIES RESTART LOADER
M873-YA	11	DR	5 9/74	UNIBUS RESTART W 128 WORD ROM, INCLUDES M792-YA, -YB, -YD, -YE, -YF, -YH) DD11, QUAD 8,5 (BM873-YA)
M873-YB	11	SI	5 10/74	UNIBUS RESTART W 256 WORD ROM, (BM873-YB)
M873-YC	11	RMS	5 9/75	M873-YA + DU11 HANDLER, 256 WORDS
M873-YD	10	RMO	5 9/75	KL10 ROM BOOTSTRAP LOADER FOR DECTAPE
M873-YE	11	CAY	1 4/75	M873-YA + RX11 HANDLER
M873-YF	KL10	RMO	1 6/75	KL10 ROM BOOTSTRAP LOADER FOR FLOPPY DISK
M880	8/E	RH	5 5/73	256 WORD ROM, 8-E, QUAD, (USES G643)(MR8-EA)
M881	8/E	WH	7 9/73	AUTOMATIC PRIORITY INTERRUPT, 8,5 QUAD, KF8-E
M882	8/E	ADL	5	REAL TIME CLOCK, LINE FREQUENCY (DK8-EA) 8,5, QUAD
M883	8/E	ADL	6 2/72	REAL TIME CLOCK, CRYSTAL, (DK8-EC) 8,5 QUAD, 3 FREQ CHOICE, REPLACED BY M8330
M883-Y	8/E	ADL	5 1/72	M883 WITH 4 FREQ CHOICE
M884	8/E	JK	5	REDUNDANCY CHECK, CRC, LRC & VRC GEN & CHECK, KG8-E, QUAD X 8,5
M885	8/E	AW	5 5/73	POINT PLOTTING SCOPE CONTROL SECTION 2, (VC8-E), QUAD X 8,5
M886	8/E	WH	7 9/73	1024 WORD ROM, 8-E, QUAD, USES G642
M890	PERIPH	JH	5	MOTION CONTROL FOR TU10, DOUBLE X 5
M890-YA	PERIPH	EM	3 10/74	MOTION CONTROL FOR TU10 W TU15 CASTING
M8901	PERIPH	JH	5 9/75	DATA SYNCHRONIZER, TU16, QUAD 8,5
M8901-YA	CSS	MSB	3 9/75	TM02-FE DATA SYNCHRONIZER FOR 75 IPS
M8902	PERIPH	JH	5 10/74	TM02 TAPE CONTROL, PE, QUAD
M8902-YA	CSS	MSB	3 9/75	TM02-FE M8902 FOR 75 IPS
M8903	PERIPH	JH	5 3/75	TM02 TAPE CONTROL, COMMON MODE, HEX
M8903-YA	CSS	MSB	3 9/75	TM02-FE M8903 FOR 75 IPS
M8904	PERIPH	JH	5 10/74	TM02 TAPE CONTROL, NR21, QUAD
M8905	PERIPH	JH	5 9/74	TM02 MAINTENANCE REGISTER, QUAD
M8905-YA	CSS	MSB	3 9/75	TM02-FE M8905 FOR 75 IPS
M8906	PERIPH	JH	4 9/75	TM02 16-BIT FIDDLER, QUAD
M8907	PERIPH	HD	4 5/74	1 M854, 15 LINES TO PINS, 5 DRIVEN IN BOARD, DOUBLE 8,5, TM02-CA THRU WFD
M8908	PERIPH	HD	4 5/74	1 M854, 12 LINES RECEIVED ON CARD, 28 BROUGHT OUT, DOUBLE 8,5, TM02-CA THRU WFD
M8908-YA	PERIPH	HD	4 6/74	M8908 WITH TERMINATOR RESISTORS
M8909	PERIPH	HD	5 9/75	TM02 MASS BUS INTERFACE, HEX

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M891	PERIPH	MDM	5	CRC & WRITE GATING FOR TU10, DOUBLE
M8910	PERIPH	JH	5	9/75 TU10 LOGIC & WRITE BOARD, HEX 8,5
M8911	PERIPH	JH	4	6/74 TU10 SLAVE CLOCK, MOTION DELAY, DOUBLE 8,5
M8912	PERIPH	JH	5	10/74 TU10 SLAVE TEST FUNCTION GENERATOR, DOUBLE 8,5
M8913	PERIPH	HD	5	9/75 2 H854, 10 LINES DRIVEN FROM BOARD, 20 LINES BROUGHT OUT, TU10
M8913-YA	PERIPH	HD	4	6/74 M8913 WITH TERMINATOR RESISTORS
M8914	PERIPH	JR	2	6/75 TM02 18-BIT FIDDLER, HEX
M8917	CSS	MP	1	2/75 TM02-FE THRU -FJ VERSION OF M8907, DOUBLE 8,5
M8918	CSS	MP	1	2/75 TM02-FE THRU -FJ VERSION OF M8908-YA, DOUBLE 8,5
M8919	CSS	MP	1	2/75 TM02-FE THRU -FJ VERSION OF M8909, DOUBLE 8,5
M892	PERIPH	MDM	5	GAP TIMING & READ PARITY, FOR TU10 MASTER
M8920	PERIPH	HD	5	11/75 TS03 TO TU10 MASTER BUS INTERFACE, NON-STANDARD SIZE
M8920-YA	CSS	TLK	3	9/75 MODIFIED FOR PERTEC 45IPS
M8921	CSS	MP	5	10/75 TU45 MTA (MAGTAPE ADAPTER) FOR PERTEC 9000, HEX 5
M8922	PERIPH	HF	1	9/75 TS02, CONTROL A, HEX
M8923	PERIPH	HF	1	9/75 TS02, CONTROL B, HEX
M8924	PERIPH	HF	1	9/75 TS02, DATA FORMATTING, PE, HEX
M8925	PERIPH	HF	1	9/75 TS02, DATA FORMATTING, NRZ1, HEX
M8926	PERIPH	HO	1	11/75 TU10 TO TU10 MASTER BUS INTERFACE, HEX
M893	PERIPH		7	1/71 9 TRACK WRITE BUFFER FOR TU10, *LOGIC VERSION OF M763
M894	PERIPH		7	1/71 7 TRACK WRITE BUFFER FOR TU10, *LOGIC VERSION OF M764
M895	PERIPH		5	READ & WRITE TIMING FOR TU10 MASTER, DOUBLE
M896	PERIPH	JH	5	11/71 CRCC CHECKER FOR TU10
M897	CSS	CC	1	4/75 RH01 ARBITRATION & CONTROL, HEX
M898	PERIPH		1	6/70 DELAY SELECTOR FOR TU10-C,=D

CONNECTORS & TERMINATORS

M900	8		5	CONNECTOR TO 8/I CONSOLE, 30 SIGNALS, 2 GNDS, TTL BUFFERING
M9000	COM	RAC	5	2/74 GRANT CONTINUITY BOARD FOR UNIBUS SLOTS IN CB11, DOUBLE 2 3/8
M9001	PERIPH	JH	2	3/74 BUS CONNECTOR, 2 H854'S BUSSED TOGETHER, ALL SIGNALS COME OUT, DOUBLE 8,5, 19 LINES JUMPED TO GROUND
M9001-YA	PERIPH	HD	2	3/74 M9001 WITH 8 LINES GROUNDED
M9001-YB	PERIPH	HD	4	6/74 M9001 TERMINATED
M9001-YC	PERIPH	HD	4	10/75 M9001-YA TERMINATED
M9002	PERIPH	JH	3	6/74 BUS TERMINATOR, 1 H854, DOUBLE 8,5
M9003	OC	RBG	3	1/74 DOUBLE MODULE TO FLAT MYLAR (40 SIGS), ALL PINS, ROOM FOR RESISTORS TO +5, GND, & IN SERIES
M9004	OC		0	6/74 1 H856, 2 H854, CAN BE WIRED TO ANY CONFIGURATION, TU60 XOR
M9005	10	SU	4	9/75 MA20 TERMINATOR, SAME PINS AS M9006, DOUBLE 8,5
M9006	10	SU	4	9/75 MA20 S BUS CABLE BOARD, 2 3M CABLES, 40 SIG, DOUBLE 8,5
M9007	OC	IR	3	9/74 33 470-0HM RESISTORS TO +5V
M9007-YA	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YB	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YC	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YD	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YE	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YF	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YH	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YK	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YL	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9007-YM	TE	RDH	1	11/74 VT50-TA, LOAD BOARD
M9008	TPL	AJM	1	10/75 H854 TO 36 PINS, A, B, UU, VV NOT CONNECTED, SINGLE 5 (5409209)
M9009	TPL	AJM	1	10/75 H854 TO 36 PINS, M, N, P, S NOT CONNECTED, SINGLE 5
M901	CAT		5	FLAT MYLAR CABLE CONNECTOR, 10 OHMS IN A2, B2, U1 & V1, 2 CABLES
M9010	CSS	WDS	3	3/75 CTS11 CONNECTOR MODULE, 4 BERGS, QUAD, 30 TWISTED SIGNALS EACH
M9011	10	CHN	5	9/75 2 H854 FACING 2 EDGE, 40 SIGNALS, 22 GND, SIGS SAME AS M9006, DOUBLE

MODEL NO	PROD LINE	DES ENGR	STATUS	DESCRIPTION
			MO/YR	
M9012	SSCAL	LEC	3 2/75	SINGLE 8.25" CARD, FINGERS BOTH ENDS, FOR M807 W HOOD FOR 8.5" HOLD-DOWN BAR (A1 CONNECTS TO A1)
M9013	TPL	AJM	2 8/75	VY20 LONG LINE CABLE DRIVER, SINGLE 8.5
M9014	11	KS	1 9/75	UNIBUS TO 3 H854, DOUBLE 8.5
M9015	11	KS	0 8/75	3 H854 TO UNIBUS, DOUBLE 8.5
M9016	PERIPH	ES	1 8/75	RK06, 5 H876 & 1 H854 CONNECTORS FOR 3M CABLE, QUAD
M9017	PERIPH	RHW	1 8/75	RK06, SINGLE PORT JUMPER BOARD, QUAD
M902	15	HL	6 1/71	TERMINATOR, 18 100 OHM RESISTORS, M903 & M904 CONNECTIONS
M902-YA	8	MA	5	18 470 OHMS RESISTORS (M9 TERMINATOR, 8 + BUS)
M902-YB	8	MA	5	6 100 OHM & 12 470 OHM RESISTORS (TERMINATES AC, IOP, ON 8 + BUS)
M903	CAT		5	DUAL 1.25" 19 CONDUCTOR FLAT MYLAR CONNECTOR, 18 SIGNALS, 14 GND PINS, SINGLE 5
M9030	15	DOLL	1 7/74	DUAL 2" 19 CONDUCTOR FLAT MYLAR CONNECTOR, M903 CONNECTIONS, SINGLE 5
M904	CAT		5	COAX CONNECTOR, 2 9-CONDUCTOR COAXES, M903 PINS
M905	8		5	SPECIAL RIBBON CABLE CONNECTOR, DF32
M906	CAT		5	CABLE TERMINATOR, 220 OHMS TO +5V, CLAMPED TO 3V & GND, M903 PINS
M906-YA	12	MOOR	5 5/73	M906 WITH NO 220 OHM RESISTORS
M907	CAT		5	M906 WITH CLAMPS ONLY TO GND
M908	CAT		5	RIBBON CABLE CONNECTOR, 10 OHMS IN A2,B2,U1 & V1, ALL OTHERS STRAIGHT THRU
M908-YA	15	DV	2 1/70	RF09 MAINTENANCE CARD, REPLACES CABLE TO RS09
M908-YB	11	DR	5 5/73	M908 WITH HANDLE
M909	CAT	DCB	5	TERMINATOR, 18 68 OHM RESISTORS TO GND, FOR 15 I/O BUS
M909-YA	SSCAL	DPS	3 6/75	M909 W 330 OHM RESISTORS
M910	CAT	DCR	5	TERMINATOR, 18 68 OHM RESISTORS TO +5V, FOR 15 I/O BUS, PROC END
M910-YA	SSCAL	DPS	3 6/75	M910 W 220 OHM RESISTORS
M9130	MOD	DCR	5 5/73	2 H854 ON SINGLE 8.5 CARD
M911	15	HL	6 1/71	TERMINATOR, 18 100 OHM RESISTORS TO +5V, FOR 15 MEM BUS
M911-YA	SSCAL	DPS	3 1/73	M911 W 1.2K RESISTORS
M912	CAT	DCR	5	I/O BUS CARD, 36 PAIRS, M904 CONNECTIONS
M913	MOD		7 7/69	(NEVER MADE), 6 TERMINATORS, PIN COMPATIBLE WITH M520,530,620, & 630
M914	15	DV	5	CABLE CONNECTOR, RF09 TO PATCH PANEL
M915	CAT	DCB	5	35 WIRES TO POP-15 CONSOLE WITH PULL-UP RESISTORS
M916	15	FA	5	35 WIRES TO POP15 CONSOLE WITH +5V CLAMP DIODES
M917	CAT	DCP	5	M904 WITH RIBBON CABLE COMING IN EITHER SIDE, FOR MM15
M9170	10	JD	5 9/73	M917 W SPLIT LUGS & CLAMP ON SIDE 2
M918	CAT	DCR	5	M901 WITH CABLE COMING OUT EITHER SIDE BUT JUMPERS IN U1 & V1, NONE IN A2 & B2
M919	11	CRB	5 5/73	11 EXTERNAL BUS, 2 60-WIRE MYLAR, DOUBLE, 2,5, 56 SIGNALS, 14 GND PINS
M9190	10	STP	5 3/75	M919 WITH +5 ON AA2, BA2
M9191	11	KA	2 9/74	M919 W SIDE 1 & 2 INTERCHANGED
M9192	11	KS	1 1/75	8.5" M919 W SLOT, 54-11577 W HANDLE
M9193	11	WM	1 6/75	5" M9192
M920	11	CRP	5 5/73	73 WIRE MYLAR, 11 INTERNAL BUS, 2 BOARDS 1" APART, M919 PINS, DOUBLE
M9200	11	SW	5 5/73	M920 W BOARDS 3.5" APART
M9202	11	KS	2 6/75	54-11577 (M9192 W NO HANDLE) + 54-11579 (M9292 W NO HANDLE) ASSEMBLED 1" APART W 2FT CABLE
M921	12	LG	5	DEVICE CODE SELECT JUMPER MODULE, FOR 3 IOT'S
M922	CAT	DCB	5 5/73	M901 WITH JUMPERS INSTEAD OF RESISTORS FOR INDICATOR BUS, NOT TO BE USED ON BOTH ENDS OF ANY CABLE
M923	PERIPH		5	TU56 OPTION CONNECTOR, REPLACES W032 WHEN READER/WRITERS ARE IN TU56
M924	CSS	CV	7 4/72	24 LINES IN, ROOM FOR SERIES & SHUNT COMP TO COMMON
M925	11	PJ	5	SHORT M903 WITH NO SLOTS, RIGHT ANGLE
M926	CAT	DCR	5	M901 WITH 100 OHMS IN SERIES WITH SOME OF THE PINS
M927	11	TA	5	SHORT RIGHT ANGLE M904, FOR DU11-R, SINGLE X 3/75
M929	11	CRP	5 5/73	MIRROR IMAGE OF M919 FOR OTHER END OF CABLE
M9290	10	STP	1 6/73	M929 WITH +5 ON AA2, BA2
M9292	11	KS	1 1/75	8.5" M929 W SLOT, 54-11579 W HANDLE
M9293	11	WM	1 6/75	5" M9292
M930	11	PJ	5	TERMINATOR FOR POP-11 BUS, (M919 PINS), 120 OHMS TO +3V, 1000PF ON BF1 & BF2, DOUBLE 2 3/8
M930-YA	11	PJ	1 7/72	SYSTEM-TESTED M930

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M930=YA	11	KA	4 9/75	M930 W EXTERNAL CABLE FOR +5V & GND.
M9300	11	SJ	4 7/75	UNIBUS B TERMINATOR (M930 + NPR LOGIC)
M9301	11	RAA	5 9/75	UNIBUS TERMINATOR W SPACE FOR 512 WORD ROM BOOTSTRAP, DOUBLE 8,5
M9301=SA	GSS	BLR		
M9301=YA	11/04	RAA	2 6/75	M9301 W OEM BOOTSTRAP
M9301=YB	11/04	RAA	2 6/75	M9301 W END USER BOOTSTRAP
M9301=YC	11/70	SAS	2 6/75	M9301 W 11/70 BOOTSTRAP
M9301=YD	LDP	AW	2 6/75	M9301 W DDCMP BOOTSTRAP
M9302	11	RAA	4 9/75	11/04 UNIBUS TERMINATOR, FAR END, DOUBLE, SHORT
M9303	11	KS	4 9/75	M930 W INDIVIDUAL +5V FOR EACH TERMINATOR, , DOUBLE 8,5, USED WITH 2347 UNIBUS TESTER
M9303=YA	11	KS	2 1/75	M9303 + M9307 WIRED TOGETHER W 1" SPACERS, USED WITH 2347 UNIBUS TESTER
M9304	11	KS	2 9/74	LONG M930 FOR LOW MARGIN TESTING, DOUBLE 10"
M9304=YA	11	KS	4 9/75	LONG M930 FOR HIGH MARGIN TESTING, DOUBLE 10"
M9305	11	KS	2 1/75	LONG M901 FOR LOW MARGIN TESTING, DOUBLE 10"
M9305=YA	11	KS	2 1/75	LONG M901 FOR HIGH MARGIN TESTING DOUBLE 10"
M9306	11	RAA	5 9/75	11/04 UNIBUS TERMINATOR, DOUBLE 8,5
M9307	11	KS	2 8/75	M919 FOR 2 40-CONDUCTOR 3M CABLE, DOUBLE 8,5
M9308	11	KS	1 8/75	SINGLE ENDED MARGIN HEAD (UNIBUS TERMINATOR W SACK TURN-AROUND LOGIC), DOUBLE 8,5
M9309	11	KS	1 8/75	LONG M930, DOUBLE 8,5
M931	10	SU	5 1/72	15 TERMINATORS, 2K TO +5V, CLAMPED AT +.75 & +3V, M903 PINS EXCEPT 9 INDICATOR OUTPUTS, K110
M932	10	FF	1 11/69	DOUBLE HEIGHT M901 WITH CABLE CLAMPS IN MIDDLE & HANDLES ON END
M933	CAT	AR	5	20 RIBBON CABLE LUGS, ALL STRAIGHT THRU, SP FOR SHUNT COMP TO GND OR JUMPER SEL VOLT BUS
M934	12	AW	5	ROBOT CHEMIST CABLE CONN, 14 OH, ATTENUATORS, AMPS
M935	8/E	PG	5	VARIATION OF M920 FOR 8/E INTERNAL BUS, DOUBLE
M936	8/E	PG	5	PDP8-E INTERNAL BUS CONNECTOR
M937	8/E	PG	5	MIRROR IMAGE M936
M938	8	MI	5 5/73	M903 CONNECTIONS WITH 10 3K LOADS CLAMPED TO +3V
M939	8	MIPP	5 5/73	M906 WITH 1K RESISTORS INSTEAD OF 220 OHMS
M940	14	AR	5	M933 PINS, 10 GND, 10 SIG WITH 82 OHMS TO +5V, SINGLE
M9400=YA	LS111	TPW	1 8/75	REV11=A, LS111 BUS 120-OHM TERMINATORS W REFRESH & FLOPPY BOOT DOUBLE 8,5
M9400=YB	LS111	TPW	1 8/75	REV11, LS111 BUS 120-OHM TERMINATORS, DOUBLE 8,5
M9400=YC	LS111	TPW	1 8/75	REV11=C, LS111 BUS, REFRESH & BOOT ALONE, DOUBLE 8,5
M9400=YD	LS111	TPW	1 8/75	LS111 BUS, HEADERS ALONE (2 H854), 8,5
M9400=YE	LS111	TPW	1 8/75	LS111 BUS, 2 H854, 220-OHM TERMINATORS, 8,5
M9400=YF	LS111	TPW	1 9/75	LS111, M9400=YA W BOOT SOCKETS W NO ROMS
M9400=YH	LS111	TPW	1 9/75	REV11=H, M9400=YC W LDP/COMM BOOT INSTEAD OF FLOPPY BOOT
M9401	LS111	TPW	1 8/75	LS111 BUS MIRROR IMAGE, 2 H854 ALONE
M9402	LS111		1 8/75	
M9403	LS111		1 8/75	
M9404	LS111		1 8/75	
M9405	LS111		1 8/75	
M9406	LS111		1 8/75	
M9407	LS111		1 8/75	
M9408	LS111		1 8/75	
M9409	LS111		1 8/75	
M941	PERIPH		5 5/73	JUMPER/EXTENDER BOARD FOR TU56
M942	IPC		5	M930 ETCH, DIFFERENT RESISTORS, D002
M943	IS	HL	5 5/73	M903 WITH CABLE COMING OFF EITHER SIDE
M944	IPG	MDRO	5 5/73	BUS TERMINATOR FOR AM07
M945	IPC		5	EXTERNAL BUS CONNECTOR FOR UDC, M935 CONNECTIONS + A1 & B1 GND
M946	IPG		5	MIRROR IMAGE M945
M947	10	SU	5 11/71	INDICATOR DRIVER, 24 CKTS, CABLE OUT BACK
M948	10	SU	5 11/71	24 RESISTORS TO CABLE, 4 RESISTORS TO COMMON POINT, COMPANION TO M947
M949	10	SU	5 11/71	9 INDICATOR DRIVERS, 18 SIGNALS, FOR K1 CONSOLE
M950	10	SU	5 11/71	9 RESISTORS TO CABLE, 9 R TO COMMON, 18 RC FILTERS, COMPANION TO M949

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M951	CSS	CV	5 2/74	SELECTABLE CLAMPS MODULE, 12 CKTS, M906 PINS, (LOW VOLUME MODULE)
M952	1M	ATT	5 5/73	27 LEVEL TERMINATORS, CLAMPS AT +.75 & 3.25V
M953	R/E	PG	5	40 CONDUCTOR 3M CABLE TO M903 CONNECTIONS, .75 SPACING, USED ON BC08J-XX (18 SIGNALS)
M954	R/E	PG	5	2 40 CONDUCTION 3M CABLES TO M901 CONN, .10 OHMS IN A2, B2, U1, V1, .05 SPACING
M955	R/E	PG	5	1 40 CONDUCTOR CABLE TO M077 CONN, .10 OHMS IN A2, B2, PCB=E
M956	10	SU	5 1/72	18 130 OHMS TO +3.0V, M903 PINS
M957	CAT	DCR	5	8.5" LONG M908, NO HANDLE, CABLE CLAMP LOCATION ON SIDES & END
M957-YA	LDP	FS	5 1/72	M957 WITH DIFFERENT VALUE RESISTORS
M957-YB	PERIPH	PM	5 2/74	M957 W HANDLE, 0 OHMS IN A2, 10 OHMS IN B2, U1, V1 (RS03)
M958	PERIPH		2 8/70	+BUS TERMINATOR, 32 OHMS TO GND, DIODE CLAMPS, SINGLE X 5
M959	11	KK	5	22 FORKED LUGS ON SHORT BOARD FOR RIBBON CABLE, CR11
M960	R/E	PK	5 11/71	COMMAND CABLE CONNECTOR FOR TU56
M961	R/E	PK	5 11/71	DATA CABLE CONNECTOR FOR TU56
M962	16	RVN	5	RT K-BUS TERMINATOR, REQUIRED TO TERMINATE KTM BUS, DOUBLE X 5
M963	PERIPH	WHO	5	CONNECTOR FOR LA30 PRINT HEAD (14 COND)
M963	PERIPH	WHO	5 10/73	CONNECTOR FOR LA30L PRINT HEAD (15 COND)
M964	PERIPH	PM	1 11/70	TERMINATOR FOR DECPACK
M965	PERIPH	CAY	1 11/70	HEAD CABLE CARD FOR LA30
M965	PERIPH	PNH	4 9/74	HEAD CABLE CARD FOR LA36
M966	15	HL	5	18 00-OHM RESISTORS TO +2.5V, M903 PINS
M966-YA	15	FD	1 6/75	18 120-OHM RESISTORS TO +2.5V, M903 PINS
M967	PERIPH	PM	1 11/70	40 CONDUCTOR 3M CABLE, RIGHT ANGLE, ALL PINS BROUGHT OUT, D THRU P, DOUBLE X 8,5
M968	11	PJ	5	JUMPER BOARD FOR DR11-B TESTING
M968	11	PPF	4 2/74	M968 JUMPER BOARD FOR DR11-B TESTING WITH CKT FOR INCREASING DELAY BETWEEN CYCLES
M9681	DAS	DJA	2 10/75	DR11-B TEST BOARD, DOUBLE 2,5
M969	10	DREW	5 11/71	24 LEVEL TERMINATORS LIKE M952 + 1 THERMISTOR
M970	R/E	RBR	5 1/72	M954 MTU ON SINGLE X 8,5 CARD, ACCEPTS BC09C & BC01V
M970	COM	WRS	5 2/74	M970 W SPLIT LUGS INSTEAD OF M854, USED ON BC05M-XX
M971	R/E	RBR	5 4/72	M954 MTU ON SINGLE X 8,5 CARD, ACCEPTS BC08H
M971	CSS	CV	5 9/75	M971 W 2 10-POS & 2 SPDT SWITCHES (RT90)
M9711	CSS	CV	3 6/74	ONE PUSH BUTTON & 1 DPDT SWITCH, RT90 MAINTENANCE MODULE, SINGLE 8,5
M972	11	SS	5	CABLE CONNECTOR, 2 FLAT CABLES, SINGLE X 8,5, M901 W 10 OHM IN A2 & B2 ONLY
M973	11	SS	5	TTY MAT-N-LOCK, 5 PINS
M973	11	AJM	1 10/73	6-INCH M973
M974	11	SS	5	DM11 MAINTENANCE JUMPER BOARD
M975	11	REL	5 11/71	DOUBLE FLIP CHIP TO 2 M854, M903 CONNECTIONS
M976	11	CA	5 2/72	M919 WITH SPLIT LUGS
M976	11	DV	4 2/74	8,5 M976 W FILTERS
M9761	DAS	MVA	1 11/75	M976 W HALF THE SPLIT LUGS ON EACH SIDE
M9762	DAS	MVA	1 11/75	M9761 W SPLIT LUGS INTERCHANGED
M977	LDP	FS	5 2/72	RIGHT ANGLE M953, SINGLE X 3.75, CABLE ON V SIDE
M978	11	RFC	5 2/72	CONTROL END OF PR68-D CABLE
M978	7PL	MI	4 8/73	M978 ETCH, CONTROL END OF PR68-A CABLE W FILTERS (70-05063)
M979	11	RFC	5 3/72	CONTROL END OF PP67-D CABLE
M980	11	CA	5 1/72	DR11-A TEST BOARD
M981	11	CRP	4 5/73	M920 INTERNAL BUS JUMPER WITH M930 TERMINATIONS, 2 BOARDS 1" APART
M982	15	ERP	5 4/72	TERMINATOR FOR CR15, SINGLE X 5, USES M964 ETCH
M983	PERIPH	NF	5 2/72	ALL SIDE 1 PINS TO FORKED LUGS, DBL X 8,5, 2 ROUND CABLES OUT V SIDE, RKW5
M984	11	DR	5 5/73	M922 WITH 51 OHM RESISTORS
M984-YA	11	DR	5 5/73	M984 WITH 2 PINS SHORTED & 1 RESISTOR REMOVED
M988	10	JRP	5 11/72	2 BOARDS 0,5 TO 0,75 APART - AMP PINS & SOCKET MAKES STRETCHABLE JUMPERS
M989	R/E	GHL	5 1/74	TERMINATOR FOR R/E TO TU13-M CABLE
M990	PERIPH	NF	1 5/72	RS03 BUS INPUT CONN, 3M CABLE, 4W SIG, AA2-AD2, BA2-BD2, AS1-ASV, BS1-BSV NOT USED, DOUBLE 8,5
M991	PERIPH	NF	1 5/72	RS03 BUS OUTPUT CONN; BUS CABLE USES M990 ON ONE END, M991 ON OTHER, DOUBLE 8,5
M992	PERIPH	NF	1 5/72	TERMINATOR, PINS LIKE M990, M991, 75 OHMS TO +3.6V, DOUBLE 8,5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
M993	TPL	SG	4 5/73	RK8-E CONTROL CABLE, 2 3M, 41 SIGNALS STRAIGHT THRU, 1 BUFFERED, 38 GND
M993-YA	TPL	JDL	4 9/75	M993 W 42 SIGNALS, 38 GND
M994	8/E	DA	4 5/73	40 COND 3M CABLE TO M901 PINS, 10 OHMS IN A2, B2, U1, V1
M995	GC	ALB	3 6/74	3 H854 ON DOUBLE 8,5, 22 SIG EACH
M996	LDP	AW	4 5/73	3 LAYER (MIDDLE LAYER GROUND SHIELD), FRONT & BACK PANEL INTERCONNECTIONS, LPS, HEX 8,5
M997	PROE	DS	5 2/75	H854 ON DOUBLE X 5 MODULE, ALL PINS BROUGHT OUT
M997B	11/05	RAA	5 1/74	M997, H854 FACING EDGE A, DOUBLE 8,5
M998	FS	EB	3 11/73	M999 W FINGERS INSTEAD OF H807, SINGLE 5 (USE M9980 FOR OTHER END OF CABLE)
M9980	FS	EB	3 11/73	M998 FOR OPPOSITE END OF CABLE
M999	FS	EB	2 9/73	H807 ON SINGLE X 5 CARD FOR 2 3M CABLES, F1 F2 T1 C2 JUMPER GND (USE M9990 FOR OTHER END OF CABLE)
M9990	FS	EB	3 10/73	M999 FOR OPPOSITE END OF CABLE
M9991	FS	EB	1 12/75	H807 ON SINGLE SHORT CARD FOR 18 930OHM COAXES FASTENED TO BOARD W AMP P752727

R-SERIES MODULES, GATES

R001	CAT		5	DIODE NETWORK, 7 DIODES, BOTH ENDS BROUGHT TO PINS
R002	CAT		5	DIODE NETWORK, 5 GROUPS OF 2 DIODES, CATHODES COMMON
R012	IS	DV	5	DIODE NETWORK, USES R002 BOARD, REVERSES DIODES, ANODES COMMON
R107	CAT		5	7 INVERTERS, 1 WITH EXPANSION NODE
R111	CAT		5	3 2-INPUT GATES, EXPANDABLE, OPEN COLLECTOR, 3 CLAMP LOAD RESISTORS
R111B	10	ATT	5 1/73	R111 W 2MA FAN-IN & 6534-C TRANSISTORS, SINKS 63MA
R113	CAT		5	5 2-INPUT GATES
R113B	10	ATT	5 1/73	R113 W 2MA FAN-IN & 6534-C TRANSISTORS, SINKS 63MA
R121	CAT		5	2 2-IN, 1 3-IN, 1 4-INPUT GATES
R122	CAT		5	LOGICAL COMPLIMENT OF R121
R123	CAT		5	INPUT BUS GATE, 6 GATES, 1 INDEP INPUT, 1 PAIRED COMMON INPUT
R131	CAT		5	EXCLUSIVE OR, 4 CKTS, OUTPUT IS -3V IF INPUTS ARE THE SAME
R141	CAT		5	AND/NOR GATE, 7 SETS OF 2-INPUT AND GATES WORED TOGETHER
R151	CAT		5	BINARY-OCTAL DECODER, 6 INPUTS + AN ENABLE, 8 OUTPUTS
R152	10		6 4/67	(OBS), R151 WITHOUT CLAMP LOADS, SEE B152
R181	CAT		5	DC CARRY CHAIN, 6 INTERCONNECTED DIODE GATES + 1 INVERTER

FLIP-FLOPS

R200	CAT		5	SET-RESET FLIP-FLOP
R201	CAT		5	RS FF WITH 3 SET & 2 RESET DCD GATES
R202	CAT		5	DUAL FF, DIRECT CLEAR, COMMON SET, 1 SET & 1 RESET DCD GATES EACH
R203	CAT		5	TRIPLE FF, DIRECT CLEAR, SET DCD GATES FOR EACH
R204	CAT		5	QUAD FF, DIRECT SET FOR EACH, DIRECT CLEAR FOR 2, COMMON FOR 2
R205	CAT		5	DUAL FF, COMMON DIRECT CLEAR, 3 DCD GATES EACH
R210	R	WH	5	PDP8 ACCUMULATOR, DOUBLE SIZE
R211	R	WH	5	M8,PC,MA (PDP8), DOUBLE SIZE
R212	R	WH	5	M0 (PDP8), 2 FF'S, SR, SL, READ-IN, CLEAR
R220	R	WH	5	3 BIT SR, PARALLEL READ-IN, DIODES OUT FOR DETECTING ALL 0'S IN R111 NODE
R284	R	WH	6 10/74	QUADRAFLOP, PDP8, 4 STABLE STATES

DELAYS

R302	CAT		5	2 ONE-SHOOTS
R303	CAT		5	INTEGRATING ONE-SHOT

CLOCKS

R401	CAT		5	VARIABLE CLOCK, 30 CPS TO 2 MC
R405	CAT		5	CRYSTAL CLOCK, 5 KC TO 2 MC AVAILABLE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
R406	15	DV	6 10/74	CLOCK FOR PDP9/L, 1.5 USEC
R407	15	DV	6 10/74	PDP9 PARITY CLOCK, 1.2 USEC
R408	A		5	PDP8 CLOCK
R409	15		5	PDP9 CLOCK, 1 MC
R450	8	WH	5	CLOCK FOR USE WITH TELETYPE, FIRST PULSE COMES 1/2 PERIOD LATE
R451	10	SU	5	TELETYPE CLOCK, FOR FASTER TELETYPE, OTHERWISE AN R450 (150 BAUD)
R451=YA	TPL	JDL	3 8/75	300 BAUD R451

OUTPUT CONVERTERS

R601	CAT		5	PULSE AMPLIFIER, 6 DCD GATES, 100 OR 400 NSEC PULSES
R602	CAT		5	PULSE AMP, 2 CKTS, 2 DCD GATES & 1 DIODE INPUT EACH, 100 OR 400 NSEC PULSES FROM ONE
R603	CAT		5	PULSE AMP, 3 CKTS, 1 DCD GATE & 1 DIODE INPUT EACH
R613	8	WH	5	R603 THAT CANNOT BE TRIGGERED FROM OUTPUT, WITH 5 MA LOADS
R623	12	RI	3 5/73	R603 WITH 400 USEC PULSES, USES R603 ETCH, RETROFIT FOR LINC-8
R650	CAT		5	BUS DRIVER, 2 CKTS, 2 INPUTS & NODE
R663	10	ATT	5 2/72	R103 W UEC 6534C (6 2-INPUT HANDS, 1 INPUT/GATE + 1 INPUT/GATE PAIR, 2 MA FAN-IN)

S SERIES MODULES, GATES

S107	8		5	R107 WITH 5 MA CLAMP LOADS
S111	8		5	R111 WITH 5 MA CLAMP LOADS
S113	10		1	(NEVER RELEASED), R113 WITH 5 MA CLAMP LOADS
S123	8		5	R123 WITH 2 MA FAN-IN
S151	8		5	R151 WITH 5 MA CLAMP LOADS
S181	8		5 3/74	DC CARRY CHAIN, 6 INTERCONNECTED DIODE GATES + 1 INVERTER

FLIP-FLOPS

S202	8		5	R202 WITH 5 MA CLAMP LOADS
S203	8		5	R203 WITH 5 MA CLAMP LOADS
S205	8		5	R205 WITH 5 MA CLAMP LOADS
S206	15	DV	5	DEC 4258, 12K, 82 PF, 10 MA CLAMP LOADS, 2FF
S284	8		5	R284 WITH 5 MA CLAMP LOADS

PULSE AMPLIFIERS

S602	8		5	R602 WITH 5 MA CLAMP LOADS
S603	8		5	R603 WITH 5 MA CLAMP LOADS
S623	12	PI	5	PULSE AMPLIFIER, R603 ETCH, 400 NSEC PULSES

W-SERIES MODULES, CLAMP LOADS

W002	CAT		5	15 2 MA CLAMPED LOADS, USES W005 BOARD
W005	CAT		5	15 CLAMPED LOADS, BOARD USED ON W002
W006	10		5	15 5 MA CLAMPED LOADS WITH DIODES ALSO TO GND
W010			5	15 10 MA CLAMPED LOADS TO +15V

CABLE CONNECTORS

W011	CAT	PCB	5	W021 AMPUTATED BY 1 3/4"
W012	10		5	FLEXPRINT INDICATOR CABLE, +15 +15 SIGNAL, PDP10
W013	10		6 10/74	WORD SINK STACK CONNECTOR, W016 BOARD, PDP10, 2 1/2 D MEM
W014	10		6 10/74	DIGIT STACK CONNECTOR, PDP10, 2 1/2 D MEMORY, MODIFIED W015 LAYOUT
W015	15		6 10/74	DIGIT STACK CONNECTOR, PDP9

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W016	15		6 10/74	WORD SINK STACK CONNECTOR, PDP9 MEMORY, DOUBLE
W017	9		6 10/74	DRIVE CABLE CONNECTOR, PDP9 MEMORY, DOUBLE
W018	CAT		6 10/74	18 LINE RIBBON CABLE CONNECTOR, SERIES DIODE, W020 BOARD
W019	15		6	(OBS), SIGNAL CABLE CONNECTOR, PDP7 EAE
W020	MOD		5	INDICATOR CABLE CONNN, 18 RIBBON CABLE, 1,5 K RESISTORS
W021	CAT		5	SIGNAL CABLE CONN, 19 WIRE RIBBON, 9 HOT, 10 GND, SIGID, E, H, K, M, P, S, T, V, GND; C, F, J, L, N, R, U
W022	CAT		5	W021 EXCEPT 9 100 OHM SHUNT TERMINATORS FROM EACH SIGNAL WIRE TO SHIELD
W023	CAT		5	18 LINE RIBBON CABLE CONNECTIONS, COMPONENT SPACE NEAR PINS A & B, OTHERS STRAIGHT THRU
W024	CAT	DCB	5	CONNECTOR CARD, 220 OHM RES IN A & B, SHORT TO OTHERS, C & V GND
W025			5	32 SPLIT LUGS, 4 SLOTS, DOUBLE SIZE, MEMORY PADDLE BOARDS USED FOR W075
W026	8		5	CONNECTOR CARD INDICATORS, DIODES IN A THRU N, WIRES IN REST, WIRE COMES OUT TOP OR BOTTOM
W027	MOD		5	W020 WITH WITH JK RESISTORS
W028	CAT		5	W021 WITH LUGS FOR SERIES OR SHUNT R OR D IN SIGNAL LEADS
W029			1	W021 WITH CABLE COMING OUT BOTTOM
W030	PERIPH	WH	6 10/74	DEC TAPE CONNECTOR
W031	CAT	DCB	5	FLEXPRINT W021
W032	PERIPH		6 10/74	5 SHIELDED TRIPLES, DEC TAPE SIGNAL CONNECTOR, DOUBLE HEIGHT
W033	CAT	DCB	5	FLEXPRINT, W023 CONNECTIONS ON "A" SIDE, SIDE ENTRY CABLE
W034			5	FLEXPRINT W024
W035			6 10/74	FLEXPRINT, W024 WITH 100 OHM SERIES RES
W036	12	CL	6 10/74	SAME AS W026 FLEXPRINT, USED ON W037
W037	15	DV	6 10/74	FLEXPRINT W027, USES W036 BOARD
W038	15	DV	1	FLEXPRINT W028
W039				FLEXPRINT W029

DRIVERS

W040	CAT		5	2 SOLENOID DRIVERS, 2 INPUTS PLUS A NODE, 0,6 AMP MAX, SIM TO 4113+4481
W041	MOD	DOANE	6	(OBS), SOLENOID DRIVER, 3 CKTS, OUTPUT 48V 250 MA MAX
W042	CAT		5	4 10 AMP DRIVERS, HIGH CUR CONNECTIONS BY TAPER TAB AT HANDLE END, COMMON HEAT SINK FOR 4 CKTS
W043	CAT		5	2 SOLENOID DRIVERS, 2 AMP MAX, PIN COMP WITH W040 EXCEPT 2 MORE GND PINS
W050	CAT		5	7 INDICATOR DRIVERS, 30 MA ±20V MAX
W051	CAT		5	7 INDICATOR-SOLENOID DRIVERS, 100 MA ±15V MAX
W052	MOD		5	8 INDICATOR DRIVERS, USES PIN A AS INPUT, FOR EDUCATIONAL MTNG PANEL
W053	IPG		1 9/67	10 INDICATOR LAMPS ON DOUBLE HEIGHT, SINGLE THICKNESS
W054	MOD		5	100 MA DRIVERS, 30V, CLAMPS ON PIN V, R107 CONNECTIONS (RESERVED FOR LOW-CURRENT VERSION OF W061)
W061	CAT		5	4 RELAY DRIVERS, 250 MA, ±55V MAX
W061-YA	SSUK		3 2/69	
W062	MOD	DOANE	6	(OBS), PHOTON-COUPLED DRIVER, 1/4 AMP, 55V, SLOW SWITCHING

CONNECTORS

W070	8		5	TELETYPE CABLE CONNECTOR, PDP8
W071	15		6 10/74	POWER CONNECTOR, DOUBLE BOARD, KEYED TO FAN HOUSING, PDP9
W072	12		5	LINC 8 TO SCOPE CABLE CONNECTOR, DOUBLE, 3 OUTPUT CABLES
W073	12		6 10/74	LINC 8 TO LINC TRANSPORT CABLE, DOUBLE
W074	8		6	(OBS), LINE TERMINATOR CONNECTOR, 8 500 OHM, 5 WATT RES, DOUBLE, USED IN 683
W075			5	CONNECTOR, 32 SPLIT LUGS, DOUBLE SIZE, ONLY ONE HANDLE (BOTTOM)
W076	8		5	TELETYPE CONNECTOR, FROM POS LOGIC 8/I, LOGIC EQUIV TO W070
W077	8		5	10 OHMS A & B, OTHER STRAIGHT THRU, FLEX PRINT, CABLE AT END
W078	15		5	W076 WITH AMP CONNECTOR INSTEAD OF CABLE
W078-YA	CSS	PBH	5 1/72	W078 MODIFIED TO PROVIDE ADJ CURRENT FOR A DISTANT TTY
W080	CAT		6 10/74	2 ISOLATED AC-DC SWITCHES, PHOTOTRANSISTORS CAN SWITCH 250 MA, 135V
W092			6 10/74	CABLE CONNECTOR WITH BALUNS, CONNECTIONS OF W022 WITH 100 OHM TERM, 9 CKTS, FORKED LUGS

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
----------	-----------	----------	--------------	-------------

BUS INTERFACE MODULES, MAINTENANCE BOARDS

W100	10		5	7 EMITTER FOLLOWERS, 6 IO BUS TO R SERIES GATES
W101	10		6 10/74	IO BUS DRIVER, SIM TO 4657
W102	10		5	MEMORY BUS TRANSCEIVER, 1665 TYPE
W103	CAT		5	PDP8 DEVICE SELECTOR
W104	15		5	PDP9 IO BUS MULTIPLEXER CONTROL
W105	10	WH	1 7/68	CROWBAR, PDP13 I/O BUS, IN PERIPHERALS
W106	10	SU	5 8/72	PRIORITY INTERRUPT GRANT
W107	10		5	I/O RECEIVER, PDP10, 7 CHANNELS
W108	CAT		5	DECODER DRIVER, 8 CKTS, USED IN PDP8-S MEMORY
W109	15		5	PDP9 DEVICE SELECTOR
W110	10	SU	4 7/73	W100 FOR MF10
W112	10	KE	1 4/69	W102 WITH 70 TO 100 NS PULSE WIDTH
W113		JO	1 10/68	W103 WITH 600 US WIDE PULSES
W122	10	SU	5 5/73	PULSED BUS TRANSCEIVER, PIN COMPATIBLE WITH W102 & W112, +LOGIC IN, -BUS, -LOGIC OUT
W123	8/E	LK	5 11/71	W103 WITH PA REPLACED WITH DC AMP (OUTPUT PULSE = IOP PULSE)
W130	11	JO	5	MAINTENANCE BOARD 1, 28 LIGHT DRIVERS, PLUGS INTO KA11
W131	11	JO	5	MAINTENANCE BOARD 2, 28 LIGHTS, 4 SWITCHES, PLUGS INTO W130
W132	10	SU	5 4/72	MEMORY BUS TRANSCEIVER, K110, NEG BUS, 4 CKTS, SIM TO W102
W133	11	RD	5 5/73	DOUBLE MAINTENANCE BOARD 1 (2 W130/S)
W134=YA	FS	HRL	5 1/74	CONN & PWR SUPPLY FOR 60HZ LINE MONITOR BL01-A
W134=YB	FS	HRL	5 1/74	CONN & POWER SUPPLY FOR 50HZ LINE MONITOR BL01-B

INDICATOR LIGHT ASSEMBLIES & DRIVERS

W200		WH	12/64	9 LIGHT INDICATOR ASSEMBLY
W201		WH	12/64	18 LIGHTS INDICATOR ASSEMBLY
W210	MOO	DOANE	7 8/67	(885), 10 SCR SHIFT REGISTER
W250	10	KE	5	12 INDICATOR DRIVERS, FLEX PRINT, GND & -15V FROM MALE END
W251	10	WH	1 11/70	63 BIT 1 WORD DIODE ROM, DOUBLE X 5
W252	CSS	LO	3 10/73	MOUNTING BOARD FOR 40 LEDS
W253	CSS	LO	1 9/73	W252 W 20 SWITCHES

DELAYS

W300	8	DO	6 6/73	TAPPED 800 NS DELAY LINES WITH 50 NS TAPS, 3 OUTPUT AMPLIFIERS, REPLACED BY W301
W301	10		5	TAPPED 800 NS DELAY LINE, PIN COMP WITH W300 BUT DIFFERENT INPUT LOADING AND IMPROVED MARGINS
W306	10		1 11/65	6 BIT DELAY PROGRAMMER
W310	MTST		6 10/74	200 NS DELAY LINES, 4 ON B310 BOARD

UDC PADDLE BOARDS, DECTAPE ATTENUATOR, JUMPER BOARDS

W400	IPG		5	PADDLE BOARD FOR UDC (DD01) W ISOLATE PWR, USED ON W730-W733, W740-W743, M802-M807, REPLACED BY W406
W400=YA	IPG	DEB	2 5/71	W400 WITH CONTACT RC CKTS (12)
W400=YB	IPG	RG	5 5/73	W400 WITH 10 USEC TIME CONSTANTS IN ALL CKTS
W400=YC	IPG	BWH	3 5/73	TO BE USED WITH M685-YA & INDUCTIVE LOADS
W401	PERIPH		5	DECTAPE ATTENUATOR FOR G882 & G888
W402	IPG		5	PADDLEBOARD FOR UDC (DD01), W COMMON PWR, USED ON W730-W733, W740-W743, M802-M807, REPLACED BY W406
W402=YA	IPG	RG	2 5/71	W402 WITH 10 USEC TIME CONSTANT TO W730=YB, W732=YB
W402=YB	IPG		2 10/71	W402 FOR A SPECIAL UDC11, PADDLE BD USED WITH W731=YB
W402=YC	IPG	RG	3 2/74	SPECIAL W402 FOR TRW
W403	IPG		5	PADDLE BOARD FOR UDC (DD01), FOR RELAY DRIVER M684 TO M687, TO BE REPLACED BY W406
W403=YA	IPG	DEB	2 5/71	SIGNAL CONDITIONING BD, 120 VAC INPUT, 24VDC OUT TO W730=YA
W404	11	SS	5	JUMPER, N2 TO R2, 2=1/2 NO HANDLE

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W405	IPG	BWH	2 7/72	PADDLE BOARD, UDC, ISOLATED RELAY DRIVER, USED WITH M685, M687
W406	IPG	FE	5 3/74	PADDLE BOARD, W400, W402, W403 COMBINED
W410	IPG	MORO	5 2/74	PADDLE BOARD FOR UDC/DD01; AC INPUT CONDITIONING, QUAD 5, USED ON W740-W743

INPUT CONVERTERS

W500	CAT		5	HIGH IMPEDANCE FOLLOWER, 7 CKTS
W501	CAT		5	SCHMITT TRIGGER, +/-10V IN, 0 & -3V OUT
W501-AB	MOD		5	W501 MODIFIED FOR AUTOMATIC TOTALISATORS
W502	MOD	DOANE	5	PHOTON-COUPLED TRIGGER, 2 SCHMITT-LIKE CKTS FOR 48 VDC OPERATION
W503		DOANE	7	(OBS), PHOTON-COUPLED TRIGGER
W504	10		5	INITIAL TRANSIENT DETECTOR, A SCHMITT, 0 DELAY, 10 MS BLACKOUT
W505			5	LOW VOLTAGE DETECTOR, MEASURES +10 & -15V
W506	10	DOANE	5	LOW VOLTAGE DETECTOR, POP8, MEASURES AC, -10, +10, +15, 3 OUTPUTS IN ORDER
W507	10	SU	5	LOW VOLTAGE DETECTOR FOR ME10, MEASURES +5, +5, -15, +15, ALL REG, -15, +10 UNREG, DOUBLE
W508	10	DREW	1 6/70	HIGH VOLTAGE DETECTOR FOR MA10
W509	10	DREW	5 2/72	3 PHASE AC LOW VOLTAGE DETECTOR
W510	CAT		5	POS LEVEL CONV, 3 CKTS, THRESHOLDS OF 0, +1, OR +2V, 0 & -3V OUT
W511	CAT		5	NEG LEVEL CONV, 2 CKTS, THRESHOLDS OF 0, -1, -2, OR -3V, 0 & -3V OUT
W512	CAT		5	POS LEVEL CONV, 7 CKTS, THRESHOLDS OF +1, 0 OR 0, 8V, FOR USE WITH TTL, 0 & -3V OUT
W513	PERIPH		5	NEG LEVEL CONV, 4 CKTS, USED IN TU55
W514	10		5	POS LEVEL CONV, 6 CKTS, 100 OHM INPUT
W515	10	MJS	2 6/73	LOW VOLTAGE DETECTOR & CONNECTOR
W516	PS	DREW	2 7/74	3 PHASE LOW VOLTAGE DETECTOR, SINGLE 6, FOR 863
W517	PS	DREW	1 5/73	CROWBAR, USED WITH W516, SINGLE 6, FOR 863
W519	10	DREW	5 2/72	POWER SEQUENCE & CROWBAR
W520	CAT		5	COMPARATOR, 3 DIFFERENTIAL CKTS, 100 MV RESOLUTION, LIKE 1501 LEVEL CONV
W521	10	DREW	5 4/73	+5V & -15V LOW VOLT DETECTOR, 16 +5V INPUTS, RS10, SINGLE X 5
W522	10	DREW	5 2/74	CROWBAR FOR DS11, SINGLE 5
W523	CSS	CV	3 10/73	LOW VOLTAGE DETECTOR, CROWBAR OUTPUT (-7V TO GND) & +4.75V, SINGLE 5
W532	CAT		5	DUAL AC-COUPLED SENSE AMPLIFIER, USED ON POP8-S
W533	CAT		5	DUAL RECTIFYING SLICER, WAS G803
W570	MOD		5	EIA INPUT CONVERTER TO TTL, 4 CHANNELS
W590	CAT		6 10/74	IBM N LINE TO DEC CONVERTER, 5 CKTS, 6 OR 12 MA
W591	10	SU	5	POS BUS TO DEC CONV, FOR MEMOREX, 0 TO +3V, 8 MC, 5 CHANNELS, PIN COMP WITH W592
W592	8		5	IBM 360 BUS TO DEC CONVERTER (NON-INVERTING)
W594	8		5	IBM 360 TO DEC (INVERTING)

OUTPUT CONVERTERS

W600	CAT		5	NEG LEVEL AMPLIFIER, LIKE 1667, 3 INVERTING CKTS
W601	CAT		5	POS LEVEL AMPLIFIER, 3 INVERTING CKTS
W602	CAT		5	BIPOLAR LEVEL AMPLIFIER, 3 CKTS, EIA LINE INTERFACER
W603	CAT		5	POS LEVEL AMPLIFIER, 7 CKTS
W603-YA	IPG		3	W603 WITH 15K TO -15V REMOVED, FOR INTERFACING WITH VIDAR AF04
W604	15		1 3/67	EMITTER FOLLOWER, 7 CKTS, TO DRIVE BURROUGHS DISC
W605	DIS		5	POS LEVEL AMP, 4 CHANNELS, +3V INTO 50 OHMS, FOR X & Y TO REMOTE DISPLAYS
W607	CAT		5	3 PULSE CONVERTERS, POS OR NEG 70 NS 2.5 V PULSE OUT
W612	8		5	DUAL PA, B602 PINS, 120 & 320 NSEC, DIODE OUTPUT FOR "OR" BUS
W612-YA	10	SU	5 5/73	W612 LESS 2 OUTPUT DIODES
W620	10		6	(OBS), SYMMETRY CONTROL, TU79
W621	10		6	(OBS), REFERENCE GENERATOR, TU79
W640	CAT		5	3 PULSE CONV, POS OR NEG, 400 NSEC OR 1 USEC 2.5V PULSE OUT
W670	MOD	AR	6 10/74	EIA LINE DRIVER, 4 CKTS, +3V IN
W671	11	JER	5 3/72	20 MA LOOP TO EIA CONVERTER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W672	11	JER	5 11/71	ADAPTER MODULE, H313A TO MATE N LOCK
W680	MTST		1 3/65	BUS DRIVER, 2/3 1693
W681	8		5	SCOPE INTENSIFIER FOR 34 DISPLAY
W682	LDP	HL	5	SCOPE INTENSIFIER, 0 TO +3V STEP, DELAY 50 TO 300 NS, PULSE WIDTH 400 NS (FOR VR12 & VR14)
W683	LDP	HL	5 12/71	SCOPE INTENSIFIER FOR VR12, VR14, & VR20
W684	LDP	HL	5 1/74	SCOPE INTENSIFIER FOR VR14 W VT40 IN GT40 SERIES, 8 INTENSITY LEVELS
W690	CAT		5	DEC TO IBM N LINE CONVERTER, 4 CKTS, 6,12, OR 20 MA
W691	CSS		5	DEC TO GDC CONVERTER, 3 CHANNELS, +/-20 MA
W692	8		5	DEC TO IBM 360 BUS DRIVER
W693	10		5	DEC TO CTUL CONVERTER
W694	8		5	DEC IBM 360, POSITIVE OR
W695	CSS		1 4/68	DEC TO BELL 300 SERIES DATA SET DRIVER, 5 CHANNELS, >23MA INTO 100 OHMS, >1V OFF; <5MA, .8V

FILTERS, TRANSMITTERS, RECEIVERS, REGULATORS

W7000	10	DOV	5 9/75	AUX PWR SUPPLY, KL10, SUPPLIES +15V 50MA, +5V 1A, +15V 100MA TO 864
W700	CAT		5	SWITCH FILTER, 6 CKTS, SIM TO 1703, USED ON W710
W700=AD	MOD	RC	5	H700 MODIFIED FOR AUTOMATIC TOTALISATORS
W701	8		5	INPUT NETWORK, FOR POPS CARD READER
W701=YA	CSS	ABW	3 5/73	INPUT NETWORK, IBM 1502 INTERFACE
W701=YB	CSS	ABW	3 5/73	OUTPUT NETWORK FOR IBM 1502 INTERFACE
W702	10		5	TELETYPE LEVEL CONVERTER FOR UC100 DATA LINE SCANNER
W704	DIS	LH	5	+5V SUPPLY, 1 1/2 AMPS FOR CHARACTER GEN V438
W7040	11/45	DI	5 1/73	3V ZENER & CAP TO GND TO GENERATE +12V FROM +15V
W705	CAT		5	+3.0V POWER SUPPLY, UP TO 1.5 AMPS, SINGLE HEIGHT, 1 1/2" THICK
W706	CAT		5	TELETYPE RECEIVER, 8 BITS, 11 UNIT CODE
W706=YB	SSUK	MUT	3 7/71	8-BIT, 5 UNIT STOP FOR PT08
W706=YC	SSUK	MUT	3 7/71	5-BIT, 1 UNIT STOP FOR PT08
W7060	10	MVA	2 8/75	TELETYPE RECEIVER, 7 BIT CODE FOR IBM 2741
W707	CAT		5	TELETYPE TRANSMITTER, 8 BIT, 2 UNIT STOP CODE ONLY
W707=YA	CSS		2 5/69	7 BIT TTY TRANSMITTER
W707=YC	SSUK	MUT	3 7/71	5-BIT TRANSMIT, 1.5 UNIT STOP FOR PT08
W7070	10	MVA	2 8/75	TELETYPE TRANSMITTER, 7 BIT CODE FOR IBM 2741
W708	CAT		5	TELETYPE COMMUNICATIONS ADAPTER
W709	MOD	AR	5	DIVIDE BY 16/64 COUNTER, FOR TELETYPE MODULES
W710	8	MI	6 10/74	SWITCH FILTER, USES W700 BOARD
W711	8	MI	1	SWITCH FILTER
W712	15	DV	6 10/74	SWITCH MODULE, 2 FORM C MICROSWITCHES, 0 & +3V, RF FILTERED
W713	10		6	(OBS), SWITCH FILTER, W700 WITH LOWER VALUE, TU79
W714	15		5	SWITCH MODULE, 2 FORM C MICROSWITCHES, NO CKTS, 9/1 MEMORY
W715	CSS	RW	2 1/69	12 CHANNEL SWITCH FILTER, PASSIVE FILTER & AMPLIFICATION, & SCHMITT
W716	MOD	AR	7 3/73	8 BIT TELETYPE RECEIVER, REPLACES W706
W716=YA			7 3/73	7 BIT CODE MOD, PT08B
W717	MOD	AR	7 3/73	8 BIT TELETYPE TRANSMITTER, REPLACES W707 & W708

SWITCHES, CONTACT SENSE & INTERRUPT

W718			6 10/74	10 SWITCHES, 0 & +3V OUT
W719	15	LH	5	4 DPST SWITCHES, 4 IN TO 1 OUT, 2 TIMES, VT04
W720	IPG		5 12/69	CONTACT SENSE, 4 CH, 6V, INDAC
W721	IPG		5	CONTACT SENSE, 4 CH, 24V
W722	IPG		5	CONTACT SENSE, 4 CH, 48V
W723	IPG	MORO	6 10/74	CONTACT INTERRUPTS, 4 CH, 6V
W724	IPG	MORO	5	CONTACT INTERRUPTS, 4 CH, 24V
W725	IPG	MORO	6 10/74	CONTACT INTERRUPTS, 4 CH, 48V

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W726	PERIPH	RP	5	4 DC & 3 DIFFERENTIATING SWITCH FILTERS FOR + LOGIC IN TU10
W727	IPG	EK	6 4/71	INPUT PROTECTOR, 6 CKTS
W730	IPG	FE	5	12 BIT CONTACT SENSE FOR DD01, 8,5, QUAD
W730=YA	IPG	DEB	2 5/71	W730 WITH 24V RELAYS
W730=YB	IPG	DEB	2 5/71	W730 WITH JUMPERS IN PLACE OF RELAYS
W731	IPG	FE	5	16 BIT W730
W731=YB	IPG		2 10/71	W731 W/O RELAY FOR A SPECIAL UDC11, USED WITH W402=YB
W732	IPG	FE	5 11/71	12 BIT CONTACT INTERRUPT FOR DD01, 8,5, QUAD
W732=YB	IPG	RG	2 5/71	W732 WITH JUMPERS IN PLACE OF RELAYS
W733	IPG	FE	5 11/71	16 BIT W732
W734	IPG		5 2/72	16-BIT GENERAL PURPOSE COUNTER FOR UDC, QUAD, 8,5
W735	CSS	JE	3 10/73	2 XMTRS WITH PULSE XFMRs, + 1 IC XMTR
W736	CSS	JE	2 6/72	2 RCVRs W PULSE XFMRs, + 1 IC RCVR
W740	IPG	MORO	5 5/73	12-BIT SOLID STATE CONTACT SENSE, QUAD X 8,5, USES PADDLE BOARD, UDC8
W7400	SSCAN	DLM	3 3/73	CSC, 8 BIT SOLID STATE CONTACT SENSE, FROM BERG, FINGERS HANDLE END FOR BUS, QUAD 8,5
W7401	SSCAN	DLM	3 5/73	CSC, X BUS TERMINATOR (USED WITH W7400) QUAD (SEE W7829)
W7402	SSCAN	DLM	3 6/73	CSC, 8 BIT RELAY OUTPUT BOARD, CONTACTS TO BERG, FINGERS HANDLE END FOR BUS, QUAD
W7403	SSCAN	DLM	3 9/73	CSC, 12-BIT COUNTER, CONTACTS TO BERG, FINGERS HANDLE END FOR X BUS, QUAD
W7405	SSCAN	AAM	3 9/73	CSC, WATCHDOG TIMER, X BUS, QUAD
W7406	SSCAN	AAM	3 8/74	CSC, DUAL COUNTER/ACCUMULATOR, X BUS, QUAD
W7408	SSCAN	AAM	3 9/73	CSC, X BUS REPEATER & TERMINATOR
W741	IPG	MORO	5 5/73	16-BIT W740, UDC11, UDC15
W7410	IPG	RG	5 8/75	16 BIT SOLID STATE DC CONTACT SENSE, W7430 ETCH, ICMD0-1A, HEX
W7411	IPG	NSL	4 9/75	16 BIT SOLID STATE VOLTAGE SENSE, W7431 ETCH, IDC-ID, HEX
W741=YA	IPG	RG	2 1/72	W741 WITH AN INPUT TRANSISTOR INSTEAD OF OPTIC COUPLER
W742	IPG	MORO	5 5/73	12-BIT SOLID STATE CONTACT INTERRUPT, QUAD X 8,5, USES PADDLE BOARD, UDC8
W743	IPG	RJS	5 5/73	16-BIT W742, UDC11, UDC15
W7430	IPG	RG	5 8/75	16 BIT SOLID STATE DC CONTACT INTERRUPT, W7430 ETCH, IDC-IB, HEX
W7431	IPG	NSL	4 9/75	16 BIT SOLID STATE VOLTAGE INTERRUPT, W7431 ETCH, IDC-IE, HEX
W7440	IPG	NSL	5 8/75	16 BIT GENERAL PURPOSE COUNTER, IDC-OC, HEX
W750	B		5	TELETYPE MULTIPLEXER
W751	TPL	MI	1 11/70	GEN PURPOSE REGULATOR, (USES LM309K)

POWER SUPPLIES

W760	PS	GP	2 11/72	5V 10A SUPPLY, 115/230VAC, ACLO, DCLO, DOUBLE 8,5, DOUBLE THICK
W761	PS	GP	2 11/72	-15V 2A, FLOATING 15V 2A, 115/230VAC, ACLO, DCLO, DOUBLE 8,5 DOUBLE THICK
W762	PS	GP	2 11/72	+20V 3A, FLOATING 5V 1A SUPPLY, 115/230VAC, ACLO, DCLO, DOUBLE 8,5, DOUBLE THICK
W770	PS		1 4/73	DC TO DC CONVERTER, +5V 1A IN, +/- 15V 100MA OUT
W771	GRAPH	AA	2 8/75	VT48 DC TO DC CONVERTER, +5V 2A IN, +15V 500MA OUT

RELAY MODULES

W800	CAT		5	2 FORM A REED RELAYS, SIM TO 1803
W801			6	(OBS), RELAY MULTIPLEXER, REPLACED BY W802
W802	CAT		5	RELAY MULTIPLEXER, 8 REED RELAYS
W803	CSS		6	5 HGM MERCURY RELAYS (CLAIRE), DRIVEN BY W051
W804	CSS		1 1/68	8 BISTABLE HG FORM C RELAYS IN MATRIX
W805	15		6	2 FORM C RELAYS, 15V, NO OTHER PARTS, 360 INTERFACES, 250 MA
W807		CU	5	FORM A, 1 AMP 250V, DOUBLE THICK
W808		CU	5	2=2 FORM A, 1/8 AMP 250V
W809		CU	3	4 FORM A, 1/8 AMP 250V
W810	CSS		2 11/69	CONTACT SENSE, 6 RELAYS
W811	11	TS	1 8/70	SOLID STATE "RELAY REPEATER" FOR REMOTE TTY WITH READER CONTROL
W812	CSS	RJS	1 10/71	DT02=C RELAY BOARD, 4 FORM C RELAYS, -15V, DOUBLE X 5

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W813	CSS	RMW	5 5/73	DT02-FA RELAY BOARD, SWITCHES 4 UNIBUS LINES TO OFF LINE, BUS A, OR BUS B
W814	CSS	RMW	3 1/74	DT02-FB RELAY BOARD, SWITCHES 4 UNIBUS LINES TO OFF LINE, BUS A, BUS B, OR BUS C
W815	SSCAL	KB	3 6/72	RELAY BOARD, 9 LINES, OFF, BUS A OR BUS B, DOUBLE 8,5
W816	CSS	FA	4 2/74	UNIBUS GRANT RELAY MODULE, DOUBLE 5
W817	TYP	JW	4 4/74	11 POLE 2 POSITION RELAY MODULE, 5V 450MA COIL
W818	SSCAN	DF	1 11/74	CSC, 32 FORM A OR FORM B, QUAD, USED WITH M1200 & M3200

CONNECTORS

W841	10		6	1/2 W851 FOR 2 COAX
W850	15		5	CONNECTOR, 2 DOUBLE BOARDS WITH W021 LAYOUT, FRAME, HOLD-DOWN SCREW
W851	10		5	CONNECTOR, SIM TO W850, W851 IS CARD & COMPONENTS, BC10 IS ASSEMBLY & CABLE
W852	10		5	W851 WITH NO COMPONENTS, USED IN BC10C,XX, USES W851 BOARD
W853	8	AC	6 10/74	EIA INTERFACE, 6 OUT & 4 IN, +/-6V, LOGIC 0 & +3V, CABLE OUT BACK TO MODEM
W853-YA	8	RL	5	W853 WITH JUMPERS & HANDLE, NO CABLE
W854	10	SU	5	W850 WITH NO COMPONENTS, RP10
W855	10	MM	5	W851 RELAYED OUT FOR EASIER COAX CONSTRUCTION
W856	10	MM	5	W855 WITH COMPONENTS ON SIDE 2 (DIF ETCH)
W857	10	KE	5 5/73	DUAL W021 WITH LUGS NEAR TO PINS, USED IN BC10H, BC10J
W858	10	KE	5 5/73	W857 WITH LUGS ON SOLDER SIDE, USED IN BC10H, BC10J

NON COMPONENT BOARDS & MISC

W900	11/45	DV	5 5/73	4 LAYER, DOUBLE X 8,5 EXTENDER BOARD
W9000	QC	EWR	2 4/74	4 LAYER HEX 1.5 INCH EXTENDER
W9001	TE	JEW	1 11/75	4-LAYER QUAD 1.5" EXTENDER
W901	QC	EG	5 9/75	XOR TESTER I/O BOARD, HEX
W9010	QC	PJMC	2 6/73	CMT LOAD BOARD #1, QUAD
W9011	QC	PJMC	2 6/73	CMT LOAD BOARD #2, QUAD
W9012	QC	RMC	5 5/74	CMT ADAPTER, QUAD, 4 H807 HANDLE END, 4 H807 IN MIDDLE, WIRE WRAP
W9013	QC	EWR	2 12/74	4 LAYER HEX LOAD BOARD, EA PIN TO EITHER INNER LAYER
W9014	TE	RBG	3 6/75	8,5 QUAD, 4 FINGER SETS BOTH ENDS, WIRE WRAP, IC LOCATIONS
W9015	TE	WEK	1 9/74	GR TESTER I/O BOARD, HEX, 50-11451
W9015-YA	TE	FCH	1 2/75	GR DRIVER/SENSOR TEST BOARD
W9016	TE	WEK	1 10/74	3,5" DEEP HEX EXTENDER (GR TESTER) W PLATED THRU HOLES & ETCH JUMPER PER PIN
W9017	KL10	JRP	1 11/75	8,5 HEX EXTENDER FOR ECL KL10 LOGIC
W9018	11	WM	3 8/75	SINGLE 8,5 BLANK BOARD, NO COPPER
W9019	11	WM	3 8/75	DOUBLE 8,5 BLANK BOARD, NO COPPER
W902	QC	RM	3 4/74	2 150 MA LAMP DRIVERS, SINGLE 2,5
W903	MOD	DOANE	6	O/A, COMPARATOR, FOR H903
W904	11/45	DV	2 1/73	4 LAYER HEX X 8,5 EXTENDER BOARD
W905	PERIPH	NF	4 2/74	SHIELD BOARD, C2 GND, SINGLE 8,5
W906	PERIPH	NF	4 9/73	SHIELD BOARD, AC2, BC2 GND, DOUBLE 8,5
W907	PERIPH	NF	4 2/74	SHIELD BOARD, AC2, BC2, CC2, DC2 GND, QUAD 8,5
W9200	11	RAA	2 9/75	DOUBLE WIRE WRAP BOARD W SOCKETS, PINS ON SOLDER SIDE
W9201	11	RAA	2 9/75	QUAD WIRE WRAP BOARD W SOCKETS, PINS ON SOLDER SIDE
W9202	11	RAA	1 9/75	HEX WIRE WRAP BOARD W 143 SOCKETS, PINS ON SOLDER SIDE
W930	11	DV	5	SINGLE 36 PIN BLANK 8,5" MODULE
W931	8/E	DS	1 2/71	WIRE WRAP PINS ON SIDE 1, 5 H807 ON SIDE 2, SPACE FOR 30 16-PIN IC'S, QUAD X 8,5
W940	CAT	RC	5	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 50 16-PIN IC'S, QUAD X 8,5, 50-09045
W941	CAT	RC	5	W940 EXCEPT HOLES FOR 25 16-PIN IC'S, DOUBLE X 8,5, 50-09046
W942	CAT	RC	5	W940 EXCEPT SOCKETS FOR 50 16-PIN IC'S, QUAD X 8,5, 50-09045
W943	CAT	RC	5	W940 EXCEPT SOCKETS FOR 25 16-PIN IC'S, DOUBLE X 8,5, 50-09046
W944	PERIPH	KF	3 1/74	W945 EXCEPT HOLES FOR 36 IC'S, DOUBLE 8,5, 50-10218

MODEL NO	PROD LINE	DES ENGR	STATUS	MO/YR	DESCRIPTION
W945	PERIPH	KF	3	1/74	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 72 IC'S, QUAD 8,5, 50-10218
W946	PERIPH	DL	3	1/74	WIRE WRAP PINS ON COMP SIDE, HOLES FOR 108 IC(S), HEX
W950	CAT	RC	5		W940 EXCEPT HOLE FOR 8 24 OR 16-PIN & 30 16-PIN IC'S, QUAD X 8,5, 50-09040
W951	CAT	RC	5		W950 EXCEPT HOLES FOR 4 24- OR 16-PIN & 15 16-PIN IC'S, DOUBLE X 8,5, 50-09047
W952	CAT	RC	5	3/72	W950 EXCEPT SOCKETS INSTEAD OF HOLES
W953	CAT	RC	5	3/72	W951 EXCEPT SOCKETS INSTEAD OF HOLES
W954	8	DA	3	2/74	WIRE WRAP PINS ON SIDE 1, HOLES FOR 8 24- OR 16-PIN, 49 16-PIN IC'S, 2 H854, HEX 8,5
W955	8	DA	3	2/74	W954 WITH SOCKETS
W956	8/B	EA	1	8/73	WIRE WRAP QUAD, 24 22-PIN HOLES, 8 16-PIN HOLES
W957	8/B	EA	1	8/73	W956 W SOCKETS
W960	MOD	RC	5		MSI MOUNTING BOARD (2 14-16 PIN OR 1 24 PIN, ALL PINS BROUGHT OUT)
W961	15		5		2 16 PIN I/C MOUNT, A2 +5V PIN 16, C2&T1 GND PIN 8, 50-08912 (M245, M191, M238, M597, M697, M1700, M1701, M2004, M2500, M5007)
W9613	CAT	RF	5	3/74	2 16-PIN I/C MOUNT W +3V ON U1 & V1, ALL PINS OUT (M2001)
W9611	QC	EWR	4	4/75	SINGLE 16 PIN EGL BOARD MOUNT W LOAD PADS, +5V A2, V11 +2V B11 -5,2V B2, U1, 5010874, ALSO USED ON M1000, M1001, M1002, M1003, M2700, M5000, M6000, 4 LAYER SINGLE 5
W962	12	SNT	5		24 PIN I/C MOUNT WITH A2 (PIN 24) +5V & C2, T1 (PIN 12) GND, BOARD 50-08908A, ALSO USED FOR M155, M159, M1713
W963	15		5		2 14-PIN I/C MOUNT WITH A2 (PIN 14) +5 & C2, T1 GND (PIN 7), BOARD 50-08914
W964	CAT	ERP	5	2/72	GENERAL PURPOSE BLANK TERMINATOR FOR 28 PINS, SINGLE X 5, BOARD 50-09733
W964=YA	CSS	CC	5	9/75	IMP11 VOLTAGE DIVIDER, TERMINATOR, -5V SUPPLY
W966	8/E	PG	5		W967 WITH HOLES INSTEAD OF SOCKETS
W9660	FS	WP	3	3/75	WIRE WRAP QUAD W 4 SETS OF HANDLE END FINGERS, 1 H854, 37 16-PIN HOLES
W9661	CLP	RC	4	9/74	W966 W STANDARD HANDLES
W967	8/E	PG	5		8,5 QUAD, 42 16-PIN SOCKETS, WIRE WRAP, COMP SIDE, 2 TOP FINGER SETS, H854, FOR E919, OFFSET HANDLES
W9670	FS	WP	3	3/75	W9660 W SOCKETS INSTEAD OF HOLES
W9671	CLP	RC	4	6/74	W967 W STANDARD HANDLES
W968	MOD	RC	5		8,5 QUAD W979
W9680	CAT	SZ	2	9/72	8,5 HEX COLLAGE BOARD W 1 PIN/FINGER + 2 PINS/SOCKET LOCATION
W969	MOD	RC	5		8,5 W979
W9690	QC	IB	3	3/75	WIRE WRAP SINGLE 8,5, SPACE FOR 6 16-PIN IC, 40 WIRE FLAT MYLAR CONNECTOR 12-10023
W970	CAT		5		36 PINS, BARE BOARD, USED ON W971, SINGLE 5
W9700	PS	GP	1	4/73	SINGLE 8,5 BLANK BOARD, 36 HOLES, EACH CONNECTED TO ONE FINGER
W9701	PS	GP	1	4/73	DOUBLE 8,5 BLANK BOARD, 72 HOLES, EACH CONNECTED TO ONE FINGER
W9702	PS	GP	1	4/73	QUAD 8,5 BLANK BOARD, 144 HOLES, EACH CONNECTED TO ONE FINGER
W9703	DAS	DJA	2	10/75	DA28-F CUSTOM JAM ADDRESS, SHORT W970
W971	CAT	RJM	5		72 PINS, BARE BOARD, USES W970 BOARD, DOUBLE 5
W972	CAT	RJM	5	8/72	36 PINS, COPPER CLAD BOARD, SINGLE 5
W9720	CAT	SZ	5	8/72	36 PINS COPPER CLAD BOARD, SINGLE 8,5
W9721	CAT	SZ	5	8/72	72 PINS COPPER CLAD BOARD, DOUBLE 8,5
W9722	CAT	SZ	5	9/72	144 PINS COPPER CLAD BOARD, QUAD 8,5
W973	CAT	RJM	5		72 PINS, COPPER CLAD BOARD, DOUBLE 5
W974	CAT	RJM	5		36 PINS, HOLES ON 0,1" GRID, CONTACTS ONLY, SINGLE 5
W975	CAT	RJM	5		DOUBLE, 72 PINS, HOLES ON 0,1" GRID, CONTACTS ONLY
W976	MOD	RJM	6		(OBS), STD SIZE 36 PIN PANEL, PLATED THRU HOLES, PLASTIC MODULE GRID
W977	MOD	RJM	6		(OBS), DOUBLE SIZE 72 PIN PANEL, PLATED THRU HOLES, PLASTIC MODULE GRID
W979	MOD	RJM	5		DOUBLE HIGH, 72 PIN COLLAGE BOARD, SPACE FOR 18 16-PIN IC'S OR SOCKETS,
W980	CAT	RJM	5		MODULE EXTENDER
W9800	11	KA	5	2/74	HEX EXTENDER (NO FINGERS ON C, D, E) FOR CB11
W9801	11	JSH	1	8/74	SHORT HEX EXTENDER WITH POWER & GND ETCHED, WIRE WRAP FOR OTHERS
W981			0	10/74	(NEVER MADE), DOUBLE EXTENDER
W982	CAT	DCR	5		EXTENDER, SINGLE SIZE, 36 PINS
W983	8	RJM	5		DOUBLE EXTENDER, 72 PINS
W984	CAT	DCR	5		8,5 X DOUBLE EXTENDER BOARD
W985	CAT	RJM	6	10/74	SYSTEM MODULE ADAPTER

MODEL NO	PROD LINE	DES ENGR	STATUS MO/YR	DESCRIPTION
W986	PERIPH	LEVINE	1 10/69	W980 WITH 19 WIRE FLEXPRINT, 16 SIG + 3 GNDS, DF32
W987	CAT	SZ	5 2/73	8,5 QUAD DOUBLE SIDE MODULE EXTENDER
W989			6	(OBS), DOUBLE SIZE F.C. WIRING CHECKER, SIM TO 4909
W990	CAT	RJM	5	BLANK MODULE, SPLIT LUG FOR EACH PIN, 18 PINS
W991	CAT	RJM	5	DOUBLE SIZE BLANK MODULE, 36 PINS
W992	CAT	RJM	5	COPPER CLAD SINGLE MODULE, 18 PINS
W993	CAT	RJM	5	DOUBLE SIZED COPPER CLAD, 36 PINS
W994	CAT	RJM	6	SINGLE SIZED VECTOR BOARD, 18 PINS
W994-YA	CSS	EK	3 12/69	HP3440A DIGITAL VOLTMETER TERMINATOR
W994-YB	CSS	AP	3 1/70	3 POTS, 3 CAPS, LODGE & SHIPLEY MARK CENTURY CONTROLLER
W995	CAT	RJM	6	DOUBLE SIZE VECTOR BOARD, 36 PINS
W996			1	SINGLE SIZE CLAD BOARD, PLATED THRU HOLES FOR 19 IC'S & GOLD PLATED FINGERS, WHITE HANDLE
W998	CAT	RJM	5	W994 WITH NEW HOLE PATTERN, WAS W994B BOARD
W999	CAT	RJM	5	W995 WITH NEW HOLE PATTERN, WAS W995B BOARD

THE Y SERIES IS A GROUP OF MODULES OF PROPRIETARY DESIGN BY AND/OR FOR THE VARIOUS LISTED CUSTOMERS,

Y150	LOGIC	LAU	4 9/75	DUPONT F, S, C.
Y151	LOGIC	LAU	5 9/75	DUPONT OFFSET CONTROL
Y152	LOGIC	LAU	5 9/75	DUPONT PHOTOMETER
Y188	LOGIC	LAU	2 1/75	DUPONT F, S, C.
Y191	LOGIC	FK	5 9/75	ATEX BOARD 1
Y193	LOGIC	FK	4 11/75	ATEX BOARD 3
Y194	LOGIC	FK	5 9/75	ATEX BOARD 4
Y195	LOGIC	FK	4 11/75	ATEX BOARD 5
Y196	CSS	VM	2 8/75	DEERING MILLIKEN, VALVE BOARD
Y198	LOGIC	LAU	1 12/75	DUPONT OFFSET CONT 2

ML121 00020 HD0 322 OP-01
DICK BEST ML12/A16
D.E.C. BUILDING 12-1