

Addenda to MicroVAX 3600 VAXserver 3600/3602 Customer Hardware Information

Order Number EK-227AA-AD-001

This documentation supplements information in your Customer Hardware Information by describing the differences between the MicroVAX 3600 and VAXserver 3600/3602 systems and the rtVAX 3600 system.

This documentation has two parts: *Addendum to Operation*, and *Addendum to Technical Information*. Please add this documentation to your Customer Hardware Information binder.

**digital equipment corporation
maynard, massachusetts**

June 1988

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation.

Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

The software, if any, described in this document is furnished under a license and may be used or copied only in accordance with the terms of such license. No responsibility is assumed for the use or reliability of software or equipment that is not supplied by Digital Equipment Corporation or its affiliated companies.

Copyright ©1988 by Digital Equipment Corporation.

All Rights Reserved.
Printed in U.S.A.

The READER'S COMMENTS form on the last page of this document requests the user's critical evaluation to assist in preparing future documentation.

The following are trademarks of Digital Equipment Corporation:

| | | |
|--------------|---------------|---------------------|
| DEC | IAS | VAXcluster |
| DEC/CMS | MASSBUS | VAXELN |
| DEC/MMS | MicroVAX 3600 | VAXserver 3600/3602 |
| DECnet | PDP | VMS |
| DECsystem-10 | PDT | VT |
| DECSYSTEM-20 | RSTS | |
| DECUS | RSX | |
| DECwriter | rtVAX 3600 | |
| DIBOL | UNIBUS | |
| EduSystem | VAX | |

digital™

FCC NOTICE: The equipment described in this manual generates, uses, and may emit radio frequency energy. The equipment has been type tested and found to comply with the limits for a Class A computing device pursuant to Subpart J of Part 15 of FCC Rules, which are designed to provide reasonable protection against such radio frequency interference when operated in a commercial environment. Operation of this equipment in a residential area may cause interference, in which case the user at his own expense may be required to take measures to correct the interference.

Addendum to Operation

This addendum contains information about operating the rtVAX 3600.

About the rtVAX 3600

The rtVAX 3600 is a real-time system that uses the KA650-BA central processing unit and the VAXELN operating system.

Operating the rtVAX 3600

The operating procedures for the rtVAX 3600 are identical to the operating procedures for the MicroVAX 3600 and VAXserver 3600/3602 systems.

Addendum to Technical Information

This addendum contains technical information for the rtVAX 3600 system.

About the rtVAX 3600

The rtVAX 3600 is a real-time system that uses the KA650-BA central processing unit and the VAXELN operating system.

Options

The options described in this guide are available for use with the MicroVAX 3600 and VAXserver 3600/3602 systems and the rtVAX 3600 system. See Chapter 2 of *Technical Information* in your hardware information kit for more information about options.